

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-DEC-2017 To 08-DEC-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-DEC-2017 To 08-DEC-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6333	6334	SN	2	48.768	49.299	0.0	0.003	6.022	2.707	1023.936	1068.376	5.267	-91.793	-89.267	0.0
2	6333	6334	SN	1	48.768	49.299	0.0	0.003	6.022	2.707	1023.936	1068.376	5.268	-91.793	-89.267	0.0
3	6333	6334	SN	1	48.768	49.299	0.0	0.003	6.022	2.001	1023.936	1068.224	5.493	-91.793	-89.267	0.0
4	6334	6335	NS	1	48.894	49.38	0.0	0.003	6.0	2.506	1054.088	1071.864	0.0	-92.024	-89.417	0.0
5	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.579	1023.28	1068.416	5.403	-91.917	-89.26	0.0
6	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.401	1023.28	1068.08	5.49	-91.917	-89.26	0.0
7	6334	6335	SN	1	48.762	49.252	0.0	0.003	6.006	2.592	1023.28	1068.432	5.398	-91.917	-89.26	0.0
8	6335	6336	NS	1	48.898	49.373	0.0	0.003	5.978	2.462	1054.28	1072.072	0.0	-92.112	-89.399	0.0
9	6335	6336	SN	2	48.75	49.259	0.0	0.003	6.028	2.343	1022.952	1068.272	6.615	-91.787	-89.272	0.0
10	6335	6336	NS	1	48.908	49.396	0.0	0.003	5.978	2.459	1054.416	1072.048	0.0	-91.976	-89.399	0.0
11	6335	6336	SN	1	48.75	49.259	0.0	0.003	6.028	2.343	1022.952	1068.272	6.615	-91.787	-89.272	0.0
12	6335	6336	SN	1	48.75	49.259	0.0	0.003	6.028	2.505	1022.952	1068.4	6.527	-91.787	-89.272	0.0
13	6336	6337	SN	1	48.757	49.251	0.0	0.003	6.022	2.54	1022.856	1068.456	7.463	-91.822	-89.27	0.0
14	6336	6337	NS	1	48.926	49.405	0.0	0.003	5.978	2.495	1054.48	1072.04	0.0	-92.449	-89.432	0.0
15	6336	6337	NS	1	48.926	49.405	0.0	0.003	5.978	2.493	1054.48	1072.04	0.0	-92.449	-89.432	0.0
16	6336	6337	SN	1	48.757	49.251	0.0	0.003	6.022	2.295	1022.856	1068.128	7.591	-91.822	-89.27	0.0
17	6336	6337	SN	2	48.757	49.251	0.0	0.003	6.022	2.54	1022.856	1068.456	7.463	-91.822	-89.27	0.0
18	6337	6338	SN	1	48.749	49.269	0.0	0.003	6.033	2.512	1023.656	1068.568	7.28	-91.808	-89.27	0.0
19	6337	6338	SN	2	48.749	49.287	0.0	0.003	6.033	2.514	1023.648	1068.568	7.292	-91.855	-89.27	0.0
20	6337	6338	NS	1	48.892	49.391	0.0	0.003	51.634	2.572	1055.104	1072.112	0.0	-92.172	-89.403	0.0
21	6337	6338	NS	1	48.892	49.391	0.0	0.003	51.634	2.574	1055.104	1072.112	0.0	-92.172	-89.403	0.0
22	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	1.951	1023.344	1067.8	7.141	-92.228	-89.27	0.0
23	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	2.534	1023.344	1068.68	6.87	-92.228	-89.27	0.0
24	6338	6339	NS	2	48.896	49.39	0.0	0.003	5.978	2.593	1054.432	1072.392	0.0	-92.168	-89.426	0.0
25	6338	6339	SN	1	48.745	49.276	0.0	0.003	6.0	2.537	1023.344	1068.68	6.877	-92.228	-89.27	0.0
26	6338	6339	NS	1	48.895	49.399	0.0	0.003	5.978	2.594	1054.368	1072.544	0.0	-92.205	-89.426	0.0
27	6339	6340	SN	1	48.741	49.252	0.0	0.003	6.017	2.621	1023.272	1068.68	5.34	-91.853	-89.27	0.0
28	6339	6340	SN	1	48.744	49.286	0.0	0.003	6.017	1.746	1023.232	1067.696	5.675	-91.788	-89.271	0.0
29	6339	6340	NS	1	48.896	49.375	0.0	0.003	5.989	2.535	1054.168	1072.064	0.0	-92.181	-89.429	0.0
30	6339	6340	NS	2	48.896	49.375	0.0	0.003	5.989	2.534	1054.168	1072.064	0.0	-92.181	-89.429	0.0
31	6339	6340	SN	1	48.744	49.286	0.0	0.003	6.017	2.621	1023.232	1068.68	5.363	-91.788	-89.271	0.0
32	6340	6341	NS	1	48.9	49.417	0.0	0.008	5.984	2.534	1054.088	1071.984	0.0	-92.043	-89.426	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	6340	6341	SN	1	48.782	49.3	0.0	0.003	5.989	2.657	1023.52	1068.776	2.962	-91.983	-89.266	0.0
34	6340	6341	SN	1	48.782	49.3	0.0	0.003	5.989	1.722	1023.52	1067.72	3.14	-91.983	-89.266	0.0
35	6341	6342	NS	2	48.887	49.374	0.0	0.003	5.995	2.611	1054.616	1072.024	0.0	-92.179	-89.38	0.0
36	6341	6342	SN	1	48.765	49.251	0.0	0.003	6.028	2.546	1023.784	1069.048	1.905	-91.716	-89.251	0.0
37	6341	6342	SN	2	48.765	49.251	0.0	0.003	6.028	2.546	1023.784	1069.048	1.905	-91.716	-89.251	0.0
38	6341	6342	NS	1	48.887	49.374	0.0	0.003	5.995	2.611	1054.616	1072.024	0.0	-92.179	-89.38	0.0
39	6342	6343	SN	1	48.759	49.262	0.0	0.003	6.006	2.527	1023.68	1069.168	2.915	-91.908	-89.278	0.0
40	6342	6343	NS	1	48.891	49.399	0.0	0.003	5.973	2.617	1053.832	1072.24	0.0	-92.124	-89.416	0.0
41	6342	6343	NS	1	48.891	49.399	0.0	0.003	5.973	2.62	1053.832	1072.24	0.0	-92.124	-89.416	0.0
42	6343	6344	NS	1	48.911	49.376	0.0	0.003	5.984	2.595	1053.904	1072.336	0.0	-92.452	-89.427	0.0
43	6348	6349	SN	1	48.754	49.298	0.0	0.003	6.011	2.418	1024.616	1067.976	1.793	-92.176	-89.232	0.0
44	6348	6349	SN	1	48.754	49.298	0.0	0.003	6.011	2.724	1024.616	1069.256	1.745	-92.176	-89.232	0.0
45	6348	6349	NS	1	48.886	49.397	0.0	0.003	5.995	2.657	1053.352	1072.192	0.0	-92.278	-89.417	0.0
46	6349	6350	NS	2	48.902	49.405	0.0	0.003	5.989	2.475	1053.448	1072.288	0.0	-92.151	-89.408	0.0
47	6349	6350	NS	1	48.902	49.405	0.0	0.003	5.989	2.475	1053.448	1072.288	0.0	-92.151	-89.408	0.0
48	6349	6350	SN	1	48.756	49.252	0.0	0.003	5.995	2.36	1023.696	1068.552	2.248	-91.853	-89.278	0.0
49	6349	6350	SN	1	48.756	49.252	0.0	0.003	5.995	2.372	1023.696	1068.584	2.246	-91.853	-89.278	0.0
50	6349	6350	SN	1	48.756	49.252	0.0	0.003	5.995	2.521	1023.696	1069.24	2.216	-91.853	-89.278	0.0
51	6350	6351	SN	1	48.758	49.251	0.0	0.003	20.025	2.31	1023.616	1068.48	2.917	-91.701	-89.277	0.0
52	6350	6351	NS	1	48.9	49.375	0.0	0.003	5.984	2.487	1053.64	1072.344	0.0	-92.05	-89.417	0.0
53	6350	6351	SN	1	48.758	49.251	0.0	0.003	20.025	2.498	1023.616	1069.264	2.875	-91.701	-89.277	0.0
54	6351	6352	SN	1	48.752	49.288	0.0	0.003	6.006	2.557	1024.32	1069.312	3.069	-91.726	-89.276	0.0
55	6351	6352	NS	1	48.927	49.376	0.0	0.003	5.989	2.574	1054.096	1072.424	0.0	-91.935	-89.412	0.0
56	6351	6352	SN	1	48.752	49.288	0.0	0.003	5.995	2.242	1024.32	1067.952	3.135	-91.726	-89.276	0.0
57	6351	6352	NS	1	48.927	49.376	0.0	0.003	5.984	2.574	1053.944	1072.424	0.0	-91.993	-89.412	0.0
58	6352	6353	SN	1	48.75	49.278	0.0	0.003	6.011	2.529	1024.44	1069.416	2.591	-91.826	-89.276	0.0
59	6352	6353	SN	1	48.75	49.278	0.0	0.003	5.989	2.051	1024.44	1067.456	2.674	-91.826	-89.276	0.0
60	6352	6353	NS	1	48.893	49.376	0.0	0.003	5.989	2.56	1053.848	1072.976	0.0	-92.242	-89.411	0.0
61	6352	6353	NS	1	48.886	49.379	0.0	0.003	5.995	2.559	1053.656	1072.896	0.0	-92.05	-89.411	0.0
62	6353	6354	SN	1	48.75	49.258	0.0	0.003	5.984	2.598	1024.272	1069.52	2.001	-92.176	-89.277	0.0
63	6353	6354	SN	1	48.75	49.258	0.0	0.003	5.984	1.859	1024.272	1066.912	2.099	-92.176	-89.277	0.0
64	6353	6354	NS	1	48.897	49.376	0.0	0.003	5.995	2.557	1053.408	1072.52	0.0	-92.094	-89.423	0.0
65	6353	6354	NS	1	48.886	49.377	0.0	0.003	5.995	2.556	1053.36	1072.536	0.0	-92.091	-89.422	0.0
66	6354	6355	SN	1	48.761	49.288	0.0	0.003	6.006	1.607	1024.096	1066.896	0.511	-91.737	-89.24	0.0
67	6354	6355	NS	2	48.89	49.414	0.0	0.003	6.011	2.543	1053.128	1072.512	0.0	-92.184	-89.422	0.0
68	6354	6355	SN	1	48.761	49.293	0.0	0.003	6.006	2.642	1024.096	1069.536	0.53	-92.123	-89.24	0.0
69	6354	6355	NS	1	48.89	49.419	0.0	0.003	6.011	2.543	1053.12	1072.536	0.0	-92.185	-89.422	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	6354	6355	SN	1	48.761	49.288	0.0	0.003	6.006	2.642	1024.096	1069.536	0.478	-91.737	-89.24	0.0
71	6355	6356	SN	1	48.753	49.255	0.0	0.003	5.973	1.494	1024.848	1066.912	0.0	-91.773	-89.279	0.0
72	6355	6356	NS	1	48.911	49.392	0.0	0.003	6.0	2.568	1053.256	1072.488	0.0	-91.965	-89.415	0.0
73	6355	6356	NS	2	48.92	49.407	0.0	0.003	6.006	2.566	1053.848	1072.464	0.0	-91.956	-89.416	0.0
74	6355	6356	SN	1	48.753	49.255	0.0	0.003	5.978	2.576	1024.848	1069.68	0.0	-91.872	-89.279	0.0
75	6355	6356	SN	1	48.753	49.255	0.0	0.003	5.978	2.574	1024.848	1069.68	0.0	-91.872	-89.279	0.0
76	6356	6357	NS	1	48.882	49.376	0.0	0.003	6.006	2.649	1053.04	1072.624	0.0	-92.153	-89.422	0.0
77	6356	6357	SN	1	48.742	49.295	0.0	0.003	19.843	2.515	1024.432	1069.928	0.007	-92.244	-89.283	0.0
78	6356	6357	NS	1	48.882	49.376	0.0	0.003	6.006	2.661	1053.04	1072.624	0.0	-92.153	-89.422	0.0
79	6356	6357	SN	2	48.742	49.295	0.0	0.003	19.843	2.515	1024.432	1069.928	0.007	-92.244	-89.283	0.0
80	6357	6358	SN	1	48.749	49.293	0.0	0.003	5.989	2.544	1024.336	1069.888	0.004	-92.461	-89.283	0.0
81	6357	6358	NS	1	48.9	49.405	0.0	0.003	6.006	2.63	1053.032	1072.768	0.0	-92.166	-89.418	0.0
82	6357	6358	NS	1	48.9	49.405	0.0	0.003	6.006	2.627	1053.032	1072.768	0.0	-92.166	-89.418	0.0
83	6358	6359	NS	1	48.884	49.377	0.0	0.003	5.984	2.524	1053.016	1072.8	0.0	-92.18	-89.421	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6333	6334	SN	2	-30.977	23.564	0.794	-31.837	25.192	2.834	-11.941	27.8	6.94	-10.153	30.105	18.497	0.103	105.809	0.191	0.103	128.974	0.237	0.103	1.402	0.002	0.102	0.957	0.0
2	6333	6334	SN	1	-30.977	23.564	0.794	-31.837	25.192	2.834	-11.941	27.8	6.94	-10.153	30.105	18.497	0.103	105.809	0.191	0.103	128.974	0.237	0.103	1.402	0.002	0.102	0.957	0.0
3	6333	6334	SN	1	-30.977	23.368	0.224	-31.837	25.192	2.59	-11.941	27.8	6.836	-10.153	30.105	18.495	0.103	105.809	0.201	0.103	128.974	0.263	0.103	1.402	0.002	0.102	0.957	0.0
4	6334	6335	NS	1	-34.226	25.308	0.056	-34.792	27.184	0.085	2.816	32.911	5.518	2.395	34.924	22.006	0.103	223.49	3.517	0.103	254.604	3.377	0.102	0.14	0.0	0.102	0.144	0.0
5	6334	6335	SN	1	-34.837	23.672	0.469	-33.098	24.908	1.392	2.841	30.637	7.877	5.419	30.134	7.887	0.103	257.223	2.298	0.103	172.422	1.519	0.102	0.14	0.0	0.102	0.122	0.0
6	6334	6335	SN	1	-34.837	23.674	0.484	-33.098	24.908	1.406	2.841	30.637	7.877	5.419	30.134	7.887	0.103	257.223	2.362	0.103	172.422	1.558	0.102	0.14	0.0	0.102	0.122	0.0
7	6334	6335	SN	1	-34.837	23.672	0.469	-33.098	24.908	1.392	2.841	30.637	7.947	5.419	30.134	7.971	0.103	257.223	2.298	0.103	172.422	1.519	0.102	0.14	0.0	0.102	0.122	0.0
8	6335	6336	NS	1	-33.904	22.337	0.023	-34.86	23.592	0.138	-1.892	29.256	6.572	-6.957	29.576	17.17	0.103	207.562	1.413	0.103	258.618	1.749	0.102	0.22	0.0	0.102	0.503	0.0
9	6335	6336	SN	2	-34.849	23.36	0.056	-34.902	23.754	0.207	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.467	0.103	261.113	2.246	0.103	0.123	0.0	0.102	0.118	0.0
10	6335	6336	NS	1	-33.079	22.337	0.023	-34.708	23.592	0.137	-1.89	29.256	6.569	-6.954	29.579	17.191	0.103	171.666	1.413	0.103	249.749	1.745	0.102	0.22	0.0	0.102	0.503	0.0
11	6335	6336	SN	1	-34.849	23.36	0.056	-34.902	23.754	0.207	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.467	0.103	261.113	2.246	0.103	0.123	0.0	0.102	0.118	0.0
12	6335	6336	SN	1	-34.849	23.36	0.055	-34.902	23.754	0.228	5.361	27.064	9.496	6.464	32.922	8.179	0.103	258.015	3.403	0.103	261.113	2.211	0.103	0.123	0.0	0.102	0.118	0.0
13	6336	6337	SN	1	-34.495	21.538	0.0	-33.966	23.553	0.069	6.461	26.584	10.326	7.024	28.303	7.248	0.103	237.819	1.539	0.103	210.506	1.067	0.103	0.118	0.0	0.103	0.116	0.0
14	6336	6337	NS	1	-32.258	21.858	0.0	-32.312	23.861	0.136	-4.902	27.856	6.098	-5.592	29.229	16.092	0.103	142.094	0.746	0.103	143.901	0.602	0.103	0.347	0.0	0.102	0.391	0.0
15	6336	6337	NS	1	-32.258	21.858	0.0	-32.312	23.861	0.136	-4.902	27.856	6.106	-5.592	29.229	16.092	0.103	142.094	0.745	0.103	143.901	0.601	0.103	0.347	0.0	0.102	0.391	0.0
16	6336	6337	SN	1	-34.495	21.48	0.0	-33.966	23.553	0.069	6.461	26.584	10.343	7.024	28.303	7.208	0.103	237.819	1.57	0.103	210.506	1.087	0.103	0.118	0.0	0.103	0.116	0.0
17	6336	6337	SN	2	-34.495	21.538	0.0	-33.966	23.553	0.069	6.461	26.584	10.326	7.024	28.303	7.248	0.103	237.819	1.539	0.103	210.506	1.067	0.103	0.118	0.0	0.103	0.116	0.0
18	6337	6338	SN	1	-33.641	21.53	0.0	-33.286	23.787	0.066	5.798	28.397	15.16	7.294	28.558	19.983	0.103	195.378	0.859	0.103	180.054	0.701	0.103	0.121	0.0	0.102	0.115	0.0
19	6337	6338	SN	2	-33.54	21.53	0.0	-34.56	23.787	0.066	5.798	28.399	15.155	7.294	28.558	19.985	0.103	190.889	0.86	0.103	241.335	0.702	0.103	0.121	0.0	0.102	0.115	0.0
20	6337	6338	NS	1	-34.929	21.805	0.0	-31.359	21.717	0.0	-27.94	27.13	2.949	-15.983	32.644	10.186	0.103	262.817	1.086	0.103	115.54	1.121	0.103	52.634	0.001	0.102	3.429	0.005
21	6337	6338	NS	1	-34.929	21.805	0.0	-31.359	21.717	0.0	-27.94	27.13	2.954	-15.983	32.644	10.199	0.103	262.817	1.086	0.103	115.54	1.121	0.103	52.634	0.001	0.102	3.429	0.005
22	6338	6339	SN	1	-34.818	21.372	0.0	-34.685	25.277	0.063	5.398	27.472	15.105	8.012	29.257	22.574	0.103	256.182	4.858	0.103	248.445	3.666	0.103	0.122	0.0	0.102	0.113	0.0
23	6338	6339	SN	1	-34.818	22.192	0.001	-34.685	25.277	0.061	5.398	27.472	14.451	8.012	29.257	22.141	0.103	256.182	4.692	0.103	248.445	3.509	0.103	0.122	0.0	0.102	0.113	0.0
24	6338	6339	NS	2	-34.097	24.123	0.233	-33.997	24.76	0.736	-6.557	26.997	3.574	-13.211	28.805	10.983	0.103	217.021	1.602	0.103	212.032	1.329	0.103	0.467	0.0	0.102	1.85	0.004
25	6338	6339	SN	1	-34.818	22.192	0.001	-34.685	25.277	0.061	5.398	27.472	14.451	8.012	29.257	22.141	0.103	256.182	4.698	0.103	248.445	3.513	0.103	0.122	0.0	0.102	0.113	0.0
26	6338	6339	NS	1	-33.593	24.126	0.233	-33.132	24.76	0.736	-6.556	26.998	3.574	-13.196	28.805	10.988	0.103	193.197	1.602	0.103	173.779	1.33	0.103	0.467	0.0	0.102	1.844	0.004
27	6339	6340	SN	1	-34.761	23.007	0.016	-34.846	23.228	0.061	5.871	27.231	8.97	8.393	29.539	17.356	0.103	252.814	4.544	0.103	257.806	3.43	0.103	0.12	0.0	0.102	0.112	0.0
28	6339	6340	SN	1	-34.875	19.109	0.0	-34.762	23.227	0.024	5.873	27.235	9.484	8.393	29.539	17.377	0.103	259.523	4.794	0.103	252.934	3.705	0.103	0.12	0.0	0.102	0.112	0.0
29	6339	6340	NS	1	-34.688	23.965	0.233	-34.308	25.653	0.732	-9.472	28.666	7.765	-9.336	30.784	15.579	0.103	248.592	2.581	0.103	227.781	2.155	0.102	0.83	0.0	0.102	0.807	0.0
30	6339	6340	NS	2	-34.688	23.965	0.233	-34.308	25.653	0.732	-9.472	28.666	7.765	-9.336	30.784	15.579	0.103	248.592	2.581	0.103	227.781	2.154	0.102	0.83	0.0	0.102	0.807	0.0
31	6339	6340	SN	1	-34.875	23.007	0.016	-34.762	23.227	0.061	5.873	27.235	8.974	8.393	29.539	17.343	0.103	259.523	4.551	0.103	252.934	3.429	0.103	0.12	0.0	0.102	0.112	0.0
32	6340	6341	NS	1	-34.892	22.368	0.005	-30.633	23.536	0.052	5.3	30.809	7.473	7.188	29.09	16.229	0.103	260.534	0.868	0.103	97.781	0.669	0.102	0.123	0.0	0.102	0.116	0.0
33	6340	6341	SN	1	-34.705	20.712	0.0	-33.534	23.374	0.13	-1.014	32.509	9.786	1.215	33.479	13.923	0.103	249.604	4.469	0.103	190.624	3.193	0.102	0.197	0.0	0.102	0.157	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	6340	6341	SN	1	-34.705	20.712	0.0	-33.534	22.096	0.003	-1.014	32.509	10.028	1.215	33.479	13.914	0.103	249.604	4.849	0.103	190.624	3.611	0.102	0.197	0.0	0.102	0.157	0.0
35	6341	6342	NS	2	-34.527	22.993	0.078	-33.686	23.77	0.21	1.258	27.953	11.504	1.32	29.706	34.303	0.103	239.564	1.114	0.103	197.373	0.741	0.103	0.157	0.0	0.102	0.156	0.0
36	6341	6342	SN	1	-34.897	20.462	0.0	-34.27	23.784	0.403	-8.918	30.521	13.379	-5.747	30.385	19.759	0.103	260.834	4.192	0.103	225.79	3.091	0.102	0.741	0.0	0.102	0.402	0.0
37	6341	6342	SN	2	-34.897	20.462	0.0	-34.27	23.784	0.403	-8.918	30.521	13.379	-5.747	30.385	19.759	0.103	260.834	4.192	0.103	225.79	3.091	0.102	0.741	0.0	0.102	0.402	0.0
38	6341	6342	NS	1	-34.527	22.993	0.078	-33.686	23.77	0.21	1.258	27.953	11.504	1.32	29.706	34.303	0.103	239.564	1.114	0.103	197.373	0.741	0.103	0.157	0.0	0.102	0.156	0.0
39	6342	6343	SN	1	-34.643	26.151	0.072	-34.963	26.929	0.749	-2.292	27.981	13.792	-2.396	31.889	16.301	0.103	246.068	4.222	0.103	264.842	2.274	0.103	0.232	0.0	0.102	0.236	0.0
40	6342	6343	NS	1	-34.951	22.938	0.077	-34.857	24.443	0.246	-0.682	28.57	10.886	-1.95	29.78	24.883	0.103	264.132	3.017	0.103	258.417	2.591	0.102	0.19	0.0	0.102	0.222	0.0
41	6342	6343	NS	1	-34.951	22.938	0.077	-34.857	24.443	0.246	-0.682	28.57	10.886	-1.95	29.78	24.883	0.103	264.132	3.021	0.103	258.417	2.595	0.102	0.19	0.0	0.102	0.222	0.0
42	6343	6344	NS	1	-34.7	24.42	0.415	-34.985	24.454	0.685	5.074	27.829	13.729	5.607	30.844	22.539	0.103	249.314	1.076	0.103	266.225	0.72	0.103	0.124	0.0	0.102	0.122	0.0
43	6348	6349	SN	1	-34.485	24.038	0.149	-34.512	24.421	1.262	-8.59	33.996	4.39	-7.377	28.945	10.886	0.103	237.293	3.269	0.103	238.755	2.368	0.102	0.694	0.0	0.102	0.546	0.0
44	6348	6349	SN	1	-34.485	24.038	0.218	-34.512	24.421	1.192	-8.59	33.996	4.39	-7.377	28.945	10.886	0.103	237.293	3.078	0.103	238.755	2.237	0.102	0.694	0.0	0.102	0.546	0.0
45	6348	6349	NS	1	-34.434	24.621	0.142	-34.773	26.35	0.021	7.214	29.353	4.927	6.888	32.572	20.944	0.103	234.497	4.108	0.103	253.54	3.633	0.102	0.115	0.0	0.102	0.116	0.0
46	6349	6350	NS	2	-34.586	25.589	0.023	-34.623	26.473	0.094	-5.485	33.646	4.712	-4.746	29.681	18.459	0.103	242.831	3.772	0.103	244.951	2.935	0.102	0.384	0.0	0.102	0.338	0.0
47	6349	6350	NS	1	-34.586	25.589	0.023	-34.623	26.473	0.094	-5.485	33.646	4.712	-4.746	29.681	18.459	0.103	242.831	3.772	0.103	244.951	2.935	0.102	0.384	0.0	0.102	0.338	0.0
48	6349	6350	SN	1	-34.937	23.416	0.219	-34.834	25.391	0.706	4.666	28.109	7.448	5.347	29.701	5.602	0.103	263.298	2.429	0.103	257.05	1.674	0.103	0.126	0.0	0.102	0.123	0.0
49	6349	6350	SN	1	-34.937	23.416	0.218	-34.834	25.391	0.706	4.666	28.109	7.448	5.347	29.701	5.602	0.103	263.298	2.425	0.103	257.05	1.671	0.103	0.126	0.0	0.102	0.123	0.0
50	6349	6350	SN	1	-34.937	23.416	0.214	-34.834	25.391	0.75	4.666	28.109	7.448	5.347	29.701	5.602	0.103	263.298	2.373	0.103	257.05	1.637	0.103	0.126	0.0	0.102	0.123	0.0
51	6350	6351	SN	1	-34.492	21.575	0.0	-33.551	24.341	0.056	7.188	26.528	11.776	7.664	28.238	8.502	0.103	237.627	1.493	0.103	191.348	1.438	0.103	0.116	0.0	0.103	0.114	0.0
52	6350	6351	NS	1	-34.95	21.966	0.0	-34.462	23.711	0.135	-10.388	29.505	6.614	-17.077	29.296	17.394	0.103	264.0	3.378	0.103	235.993	3.374	0.102	1.006	0.002	0.102	4.388	0.005
53	6350	6351	SN	1	-34.492	21.798	0.0	-33.551	24.341	0.055	7.188	26.528	11.775	7.664	28.238	8.487	0.103	237.627	1.467	0.103	191.348	1.416	0.103	0.116	0.0	0.103	0.114	0.0
54	6351	6352	SN	1	-34.241	21.211	0.0	-34.3	23.9	0.061	5.876	26.556	10.198	6.762	28.136	8.204	0.103	224.27	1.403	0.103	227.33	1.069	0.103	0.12	0.0	0.103	0.117	0.0
55	6351	6352	NS	1	-34.764	22.927	0.003	-34.242	22.322	0.004	-6.978	28.676	4.107	-7.939	29.409	10.864	0.103	252.951	1.526	0.103	224.389	1.497	0.102	0.505	0.0	0.102	0.609	0.0
56	6351	6352	SN	1	-34.241	20.334	0.0	-34.3	23.9	0.062	5.876	26.556	10.206	6.762	28.136	8.289	0.103	224.27	1.439	0.103	227.33	1.09	0.103	0.12	0.0	0.103	0.117	0.0
57	6351	6352	NS	1	-34.012	22.927	0.003	-34.864	22.322	0.004	-6.98	28.674	4.103	-7.939	29.409	10.845	0.103	212.764	1.525	0.103	258.961	1.497	0.102	0.505	0.0	0.102	0.609	0.0
58	6352	6353	SN	1	-34.595	22.819	0.001	-34.768	24.599	0.062	5.494	27.326	14.646	8.609	29.157	22.088	0.103	243.361	2.609	0.103	253.255	1.848	0.103	0.122	0.0	0.102	0.112	0.0
59	6352	6353	SN	1	-34.595	22.819	0.001	-34.768	24.599	0.063	5.494	27.326	15.026	8.609	29.157	22.702	0.103	243.361	2.695	0.103	253.255	1.909	0.103	0.122	0.0	0.102	0.112	0.0
60	6352	6353	NS	1	-34.818	22.61	0.002	-34.956	22.71	0.003	-5.451	27.611	2.992	-3.346	29.223	12.523	0.103	256.176	2.984	0.103	264.452	2.668	0.103	0.382	0.0	0.102	0.27	0.0
61	6352	6353	NS	1	-34.948	22.61	0.002	-34.419	22.71	0.003	-5.451	27.611	2.991	-3.346	29.223	12.502	0.103	263.938	3.019	0.103	233.687	2.665	0.103	0.382	0.0	0.102	0.27	0.0
62	6353	6354	SN	1	-34.637	23.434	0.004	-34.363	25.257	0.053	4.897	27.432	12.715	8.099	29.543	18.404	0.103	245.711	3.384	0.103	230.732	2.495	0.103	0.125	0.0	0.102	0.113	0.0
63	6353	6354	SN	1	-34.637	23.434	0.001	-34.363	25.257	0.054	4.897	27.432	13.6	8.099	29.543	18.608	0.103	245.711	3.524	0.103	230.732	2.622	0.103	0.125	0.0	0.102	0.113	0.0
64	6353	6354	NS	1	-34.287	23.603	0.189	-34.765	25.589	0.948	-9.795	30.28	4.714	-6.957	30.014	12.387	0.103	226.727	0.727	0.103	253.041	0.718	0.102	0.888	0.0	0.102	0.503	0.0
65	6353	6354	NS	1	-34.652	23.603	0.189	-32.874	25.589	0.948	-9.781	30.278	4.7	-6.958	30.011	12.352	0.103	246.616	0.728	0.103	163.757	0.72	0.102	0.885	0.0	0.102	0.503	0.0
66	6354	6355	SN	1	-34.988	20.883	0.0	-34.476	21.901	0.0	1.311	30.8	8.862	3.325	32.008	13.783	0.103	266.362	5.762	0.103	236.776	4.14	0.102	0.156	0.0	0.102	0.135	0.0
67	6354	6355	NS	2	-34.304	23.696	0.051	-34.134	24.056	0.147	7.24	27.73	10.372	7.571	29.85	22.304	0.103	227.597	1.844	0.103	218.884	1.372	0.103	0.115	0.0	0.102	0.114	0.0
68	6354	6355	SN	1	-34.968	22.22	0.001	-34.959	22.788	0.008	1.308	30.796	8.474	3.325	32.009	13.803	0.103	265.173	5.402	0.103	264.617	3.685	0.102	0.156	0.0	0.102	0.135	0.0
69	6354	6355	NS	1	-34.898	23.696	0.051	-34.369	24.056	0.147	7.239	27.73	10.359	7.568	29.848	22.309	0.103	260.95	1.844	0.103	231.013	1.373	0.103	0.115	0.0	0.102	0.114	0.0
70	6354	6355	SN	1	-34.988	22.218	0.001	-34.476	22.788	0.008	1.311	30.8	8.476	3.325	32.008	13.807	0.103	266.362	5.374	0.103	236.776	3.685	0.102	0.156	0.0	0.102	0.135	0.0
71	6355	6356	SN	1	-34.857	21.043	0.0	-33.63	25.434	0.011	-3.038	29.482	11.289	-2.031	31.132	17.114	0.103	258.444	2.659	0.103	194.881	1.969	0.102	0.258	0.0	0.102	0.224	0.0
72	6355	6356	NS	1	-33.891	22.224	0.014	-33.73	23.532	0.135	1.759	27.846	10.771	0.02	29.73	24.889	0.103	206.948	1.765	0.103	199.432	1.566	0.103	0.151	0.0	0.102	0.176	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	6355	6356	NS	2	-34.147	22.224	0.014	-34.422	23.532	0.135	1.762	27.848	10.769	0.072	29.729	24.905	0.103	219.457	1.768	0.103	233.829	1.569	0.103	0.151	0.0	0.102	0.175	0.0
74	6355	6356	SN	1	-34.857	21.511	0.0	-33.63	25.434	0.214	-3.038	29.482	10.569	-2.031	31.132	17.04	0.103	258.444	2.416	0.103	194.881	1.679	0.102	0.258	0.0	0.102	0.224	0.0
75	6355	6356	SN	1	-34.857	21.511	0.0	-33.63	25.434	0.213	-3.038	29.482	10.569	-2.031	31.132	17.045	0.103	258.444	2.411	0.103	194.881	1.683	0.102	0.258	0.0	0.102	0.224	0.0
76	6356	6357	NS	1	-34.902	23.202	0.098	-34.52	24.007	0.267	-4.167	27.559	16.818	-1.344	29.721	35.506	0.103	261.122	1.201	0.103	239.187	0.685	0.103	0.307	0.0	0.102	0.205	0.0
77	6356	6357	SN	1	-34.298	24.557	0.004	-34.815	24.444	0.547	-11.836	28.146	14.579	-16.523	30.532	17.204	0.103	227.3	6.341	0.103	256.009	4.255	0.103	1.37	0.002	0.102	3.873	0.002
78	6356	6357	NS	1	-34.902	23.202	0.098	-34.52	24.007	0.267	-4.167	27.559	16.772	-1.344	29.721	35.599	0.103	261.122	1.201	0.103	239.187	0.684	0.103	0.307	0.0	0.102	0.205	0.0
79	6356	6357	SN	2	-34.298	24.557	0.004	-34.815	24.444	0.547	-11.836	28.146	14.579	-16.523	30.532	17.204	0.103	227.3	6.341	0.103	256.009	4.255	0.103	1.37	0.002	0.102	3.873	0.002
80	6357	6358	SN	1	-34.804	24.981	0.011	-34.982	27.051	0.706	-12.815	28.36	14.751	-11.546	29.941	18.017	0.103	255.332	5.334	0.103	266.026	3.552	0.103	1.696	0.009	0.102	1.287	0.006
81	6357	6358	NS	1	-34.258	22.972	0.124	-34.767	24.107	0.267	-2.428	28.468	10.995	-0.221	32.399	22.363	0.103	225.188	3.182	0.103	253.178	2.732	0.102	0.237	0.0	0.102	0.181	0.0
82	6357	6358	NS	1	-34.258	22.972	0.124	-34.767	24.107	0.267	-2.428	28.468	10.995	-0.221	32.399	22.363	0.103	225.188	3.177	0.103	253.178	2.731	0.102	0.237	0.0	0.102	0.181	0.0
83	6358	6359	NS	1	-34.419	23.75	0.552	-31.026	25.069	1.1	5.388	27.845	16.401	5.051	30.473	25.906	0.103	233.669	0.847	0.103	107.05	0.742	0.103	0.122	0.0	0.102	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6333	6334	SN	2	57.556	58.105	0.0	0.0	294.876	3.99	1200.696	1255.92	30.959	-93.336	-91.727	0.0
2	6333	6334	SN	1	57.556	58.105	0.0	0.0	294.876	3.99	1200.696	1255.92	30.961	-93.336	-91.727	0.0
3	6333	6334	SN	1	57.556	58.105	0.0	0.0	293.304	3.244	1200.696	1255.456	32.208	-93.336	-91.727	0.0
4	6334	6335	NS	1	57.764	58.261	0.0	0.0	299.646	3.589	1237.776	1260.728	0.0	-93.634	-91.824	0.0
5	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.794	1200.304	1255.96	29.397	-93.287	-91.74	0.0
6	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.388	1200.304	1255.264	29.87	-93.287	-91.74	0.0
7	6334	6335	SN	1	57.56	58.128	0.0	0.0	298.687	3.795	1200.304	1255.976	29.368	-93.287	-91.74	0.0
8	6335	6336	NS	1	57.763	58.281	0.0	0.0	293.96	3.463	1237.984	1260.992	0.0	-93.677	-91.793	0.0
9	6335	6336	SN	2	57.553	58.103	0.0	0.0	296.464	3.28	1199.592	1255.52	30.293	-93.298	-91.739	0.0
10	6335	6336	NS	1	57.761	58.275	0.0	0.003	293.74	3.459	1237.984	1260.952	0.0	-93.606	-91.793	0.0
11	6335	6336	SN	1	57.553	58.103	0.0	0.0	296.464	3.28	1199.592	1255.52	30.293	-93.298	-91.739	0.0
12	6335	6336	SN	1	57.553	58.103	0.0	0.0	296.464	3.685	1199.592	1255.936	29.896	-93.298	-91.739	0.0
13	6336	6337	SN	1	57.553	58.127	0.0	0.0	293.872	3.693	1199.584	1256.016	30.449	-93.407	-91.737	0.0
14	6336	6337	NS	1	57.782	58.262	0.0	0.0	296.657	3.558	1238.096	1260.912	0.0	-93.797	-91.84	0.0
15	6336	6337	NS	1	57.782	58.262	0.0	0.0	296.657	3.555	1238.096	1260.912	0.0	-93.797	-91.84	0.0
16	6336	6337	SN	1	57.553	58.127	0.0	0.0	293.872	3.269	1199.584	1255.328	30.947	-93.407	-91.737	0.0
17	6336	6337	SN	2	57.553	58.127	0.0	0.0	293.872	3.693	1199.584	1256.016	30.449	-93.407	-91.737	0.0
18	6337	6338	SN	1	57.552	58.118	0.0	0.0	290.872	3.732	1200.384	1256.144	30.658	-93.323	-91.737	0.0
19	6337	6338	SN	2	57.557	58.104	0.0	0.0	290.883	3.73	1200.376	1256.144	30.667	-93.323	-91.737	0.0
20	6337	6338	NS	1	57.775	58.272	0.0	0.003	297.849	3.637	1238.872	1261.224	0.0	-93.656	-91.8	0.0
21	6337	6338	NS	1	57.775	58.272	0.0	0.003	297.849	3.64	1238.872	1261.224	0.0	-93.656	-91.8	0.0
22	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.064	1200.176	1254.936	30.942	-93.447	-91.738	0.0
23	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.687	1200.176	1256.288	29.884	-93.447	-91.738	0.0
24	6338	6339	NS	2	57.767	58.263	0.0	0.003	299.183	3.685	1238.608	1261.8	0.0	-93.677	-91.831	0.0
25	6338	6339	SN	1	57.553	58.12	0.0	0.0	289.328	3.691	1200.176	1256.288	29.812	-93.447	-91.738	0.0
26	6338	6339	NS	1	57.754	58.263	0.0	0.003	299.26	3.682	1238.448	1261.616	0.0	-93.634	-91.831	0.0
27	6339	6340	SN	1	57.554	58.125	0.0	0.0	299.58	3.81	1200.12	1256.296	29.773	-93.268	-91.738	0.0
28	6339	6340	SN	1	57.554	58.119	0.0	0.0	288.986	2.914	1200.224	1254.824	31.375	-93.395	-91.738	0.0
29	6339	6340	NS	1	57.728	58.27	0.0	0.0	295.008	3.646	1237.76	1261.752	0.0	-93.604	-91.837	0.0
30	6339	6340	NS	2	57.728	58.27	0.0	0.0	295.008	3.645	1237.76	1261.752	0.0	-93.604	-91.837	0.0
31	6339	6340	SN	1	57.554	58.119	0.0	0.0	299.58	3.814	1200.224	1256.296	29.724	-93.395	-91.738	0.0
32	6340	6341	NS	1	57.76	58.29	0.0	0.0	295.792	3.564	1237.512	1261.184	0.0	-93.678	-91.834	0.0
33	6340	6341	SN	1	57.567	58.127	0.0	0.0	295.323	3.864	1200.712	1256.408	26.062	-93.337	-91.741	0.0
34	6340	6341	SN	1	57.567	58.127	0.0	0.0	290.822	2.899	1200.712	1254.832	27.609	-93.337	-91.741	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	6341	6342	NS	2	57.751	58.28	0.0	0.0	297.909	3.715	1238.28	1260.984	0.0	-93.687	-91.785	0.0
36	6341	6342	SN	1	57.56	58.122	0.0	0.003	299.917	3.736	1200.672	1256.744	27.3	-93.379	-91.716	0.0
37	6341	6342	SN	2	57.56	58.122	0.0	0.003	299.917	3.736	1200.672	1256.744	27.3	-93.379	-91.716	0.0
38	6341	6342	NS	1	57.751	58.28	0.0	0.0	297.909	3.715	1238.28	1260.984	0.0	-93.687	-91.785	0.0
39	6342	6343	SN	1	57.561	58.126	0.0	0.0	296.613	3.706	1200.712	1256.888	28.478	-93.449	-91.745	0.0
40	6342	6343	NS	1	57.756	58.261	0.0	0.0	299.575	3.736	1237.68	1261.248	0.0	-93.643	-91.819	0.0
41	6342	6343	NS	1	57.756	58.261	0.0	0.0	299.575	3.74	1237.68	1261.248	0.0	-93.643	-91.819	0.0
42	6343	6344	NS	1	57.756	58.264	0.0	0.0	292.273	3.663	1237.488	1261.376	0.0	-93.981	-91.835	0.0
43	6348	6349	SN	1	57.573	58.122	0.0	0.0	292.626	3.543	1201.52	1255.416	28.834	-93.514	-91.701	0.0
44	6348	6349	SN	1	57.573	58.122	0.0	0.0	293.712	4.001	1201.52	1257.0	28.151	-93.514	-91.701	0.0
45	6348	6349	NS	1	57.752	58.272	0.0	0.0	295.56	3.769	1236.72	1261.224	0.0	-93.902	-91.819	0.0
46	6349	6350	NS	2	57.753	58.281	0.0	0.0	297.512	3.504	1237.024	1261.256	0.0	-93.758	-91.816	0.0
47	6349	6350	NS	1	57.753	58.281	0.0	0.0	297.512	3.504	1237.024	1261.256	0.0	-93.758	-91.816	0.0
48	6349	6350	SN	1	57.566	58.12	0.0	0.0	297.407	3.339	1200.624	1256.136	29.053	-93.414	-91.746	0.0
49	6349	6350	SN	1	57.566	58.12	0.0	0.0	297.407	3.34	1200.624	1256.168	29.023	-93.414	-91.746	0.0
50	6349	6350	SN	1	57.566	58.12	0.0	0.0	297.407	3.751	1200.624	1256.976	28.651	-93.414	-91.746	0.0
51	6350	6351	SN	1	57.566	58.115	0.0	0.0	294.683	3.266	1200.384	1256.048	29.31	-93.316	-91.744	0.0
52	6350	6351	NS	1	57.756	58.275	0.0	0.0	299.74	3.541	1237.336	1261.352	0.0	-93.609	-91.824	0.0
53	6350	6351	SN	1	57.566	58.115	0.0	0.0	294.683	3.682	1200.384	1257.008	28.911	-93.316	-91.744	0.0
54	6351	6352	SN	1	57.552	58.109	0.0	0.0	290.982	3.71	1201.144	1257.072	28.646	-93.243	-91.743	0.0
55	6351	6352	NS	1	57.767	58.264	0.0	0.0	293.128	3.597	1237.552	1261.472	0.0	-93.545	-91.82	0.0
56	6351	6352	SN	1	57.552	58.109	0.0	0.0	290.982	3.251	1201.144	1255.392	29.217	-93.243	-91.743	0.0
57	6351	6352	NS	1	57.764	58.264	0.0	0.0	293.078	3.592	1237.544	1261.472	0.0	-93.476	-91.82	0.0
58	6352	6353	SN	1	57.556	58.122	0.0	0.0	298.643	3.692	1201.344	1257.192	28.599	-93.294	-91.744	0.0
59	6352	6353	SN	1	57.556	58.122	0.0	0.0	298.643	3.129	1201.344	1254.824	29.499	-93.294	-91.744	0.0
60	6352	6353	NS	1	57.753	58.264	0.0	0.0	295.438	3.658	1237.416	1262.048	0.0	-93.669	-91.819	0.0
61	6352	6353	NS	1	57.754	58.264	0.0	0.0	295.4	3.657	1237.36	1262.008	0.0	-93.705	-91.819	0.0
62	6353	6354	SN	1	57.554	58.112	0.0	0.0	297.463	3.772	1200.968	1257.328	28.615	-93.58	-91.744	0.0
63	6353	6354	SN	1	57.554	58.111	0.0	0.0	297.463	3.003	1200.968	1253.952	29.986	-93.58	-91.744	0.0
64	6353	6354	NS	1	57.752	58.268	0.0	0.0	293.608	3.675	1236.984	1261.896	0.0	-93.624	-91.831	0.0
65	6353	6354	NS	1	57.752	58.265	0.0	0.0	293.552	3.671	1237.008	1261.872	0.0	-93.723	-91.831	0.0
66	6354	6355	SN	1	57.564	58.109	0.0	0.0	299.029	2.744	1201.304	1253.832	27.923	-93.354	-91.705	0.0
67	6354	6355	NS	2	57.752	58.291	0.0	0.0	297.904	3.644	1236.632	1261.56	0.0	-93.834	-91.83	0.0
68	6354	6355	SN	1	57.562	58.121	0.0	0.0	298.963	3.844	1201.272	1257.352	26.164	-93.332	-91.705	0.0
69	6354	6355	NS	1	57.754	58.29	0.0	0.003	297.854	3.642	1236.808	1261.592	0.0	-93.835	-91.83	0.0
70	6354	6355	SN	1	57.564	58.112	0.0	0.0	299.029	3.845	1201.304	1257.36	26.076	-93.354	-91.705	0.0
71	6355	6356	SN	1	57.56	58.118	0.0	0.003	288.815	2.309	1201.528	1253.824	26.492	-93.326	-91.743	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	6355	6356	NS	1	57.77	58.264	0.0	0.0	299.674	3.649	1236.744	1261.512	0.0	-93.584	-91.825	0.0
73	6355	6356	NS	2	57.778	58.265	0.0	0.0	299.696	3.651	1236.776	1261.472	0.0	-93.628	-91.825	0.0
74	6355	6356	SN	1	57.56	58.118	0.0	0.0	295.406	3.741	1201.528	1257.52	24.269	-93.326	-91.743	0.0
75	6355	6356	SN	1	57.56	58.118	0.0	0.0	295.406	3.738	1201.528	1257.52	24.33	-93.326	-91.743	0.0
76	6356	6357	NS	1	57.748	58.263	0.0	0.0	298.814	3.797	1236.664	1261.672	0.0	-93.643	-91.811	0.0
77	6356	6357	SN	1	57.567	58.122	0.0	0.0	298.45	3.683	1201.544	1257.824	26.434	-93.395	-91.75	0.0
78	6356	6357	NS	1	57.748	58.263	0.0	0.0	298.814	3.801	1236.664	1261.672	0.0	-93.643	-91.811	0.0
79	6356	6357	SN	2	57.567	58.122	0.0	0.0	298.45	3.683	1201.544	1257.824	26.434	-93.395	-91.75	0.0
80	6357	6358	SN	1	57.558	58.124	0.0	0.0	294.804	3.74	1201.464	1257.776	27.433	-93.585	-91.75	0.0
81	6357	6358	NS	1	57.746	58.316	0.0	0.0	298.615	3.708	1236.512	1261.832	0.0	-93.781	-91.825	0.0
82	6357	6358	NS	1	57.746	58.316	0.0	0.0	298.615	3.705	1236.512	1261.832	0.0	-93.781	-91.825	0.0
83	6358	6359	NS	1	57.752	58.266	0.0	0.0	297.986	3.501	1236.432	1261.872	0.0	-93.689	-91.828	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6333	6334	SN	2	-32.671	16.808	0.0	-33.902	18.843	0.0	-3.938	22.525	0.01	-3.91	23.57	0.019	0.084	127.61	0.374	0.083	169.39	0.303	0.083	0.24	0.0	0.083	0.239	0.0
2	6333	6334	SN	1	-32.671	16.808	0.0	-33.902	18.843	0.0	-3.938	22.525	0.01	-3.91	23.57	0.019	0.084	127.61	0.375	0.083	169.39	0.303	0.083	0.24	0.0	0.083	0.239	0.0
3	6333	6334	SN	1	-32.671	16.773	0.0	-33.902	18.843	0.0	-3.938	22.525	0.011	-3.91	23.57	0.019	0.084	127.61	0.39	0.083	169.39	0.338	0.083	0.24	0.0	0.083	0.239	0.0
4	6334	6335	NS	1	-34.507	18.849	0.0	-34.937	20.456	0.0	-5.188	22.291	0.004	-4.605	24.537	0.192	0.083	194.719	2.747	0.083	214.98	2.835	0.083	0.296	0.0	0.083	0.268	0.0
5	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.092	0.083	206.196	1.79	0.083	113.177	1.214	0.083	0.135	0.0	0.083	0.13	0.0
6	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.092	0.083	206.196	1.843	0.083	113.177	1.245	0.083	0.135	0.0	0.083	0.13	0.0
7	6334	6335	SN	1	-34.756	17.89	0.0	-32.15	18.546	0.0	0.529	22.518	0.009	0.932	23.563	0.091	0.083	206.196	1.79	0.083	113.177	1.213	0.083	0.135	0.0	0.083	0.13	0.0
8	6335	6336	NS	1	-34.84	16.165	0.0	-32.524	16.632	0.0	-10.027	22.344	0.012	-34.835	23.47	0.148	0.084	210.181	0.996	0.084	123.373	1.234	0.083	0.759	0.0	0.083	210.018	0.056
9	6335	6336	SN	2	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.163	0.083	208.013	1.68	0.083	0.131	0.0	0.083	0.117	0.0
10	6335	6336	NS	1	-32.581	16.163	0.0	-34.385	16.632	0.0	-10.063	22.344	0.012	-30.538	23.47	0.148	0.084	125.002	0.99	0.084	189.291	1.237	0.083	0.765	0.0	0.083	78.104	0.055
11	6335	6336	SN	1	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.163	0.083	208.013	1.68	0.083	0.131	0.0	0.083	0.117	0.0
12	6335	6336	SN	1	-34.105	17.72	0.0	-34.793	18.377	0.0	0.894	22.611	0.061	2.228	23.196	0.21	0.083	177.512	2.123	0.083	208.013	1.655	0.083	0.131	0.0	0.083	0.117	0.0
13	6336	6337	SN	1	-34.28	16.208	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.05	0.084	213.916	0.877	0.083	0.129	0.0	0.083	0.131	0.0
14	6336	6337	NS	1	-33.746	16.092	0.0	-34.507	16.714	0.0	-32.833	21.89	0.0	-28.168	23.267	0.093	0.084	163.423	0.998	0.084	194.731	0.906	0.083	132.457	0.255	0.083	45.288	0.17
15	6336	6337	NS	1	-33.746	16.092	0.0	-34.507	16.714	0.0	-32.833	21.89	0.0	-28.168	23.267	0.093	0.084	163.423	0.998	0.084	194.731	0.904	0.083	132.457	0.254	0.083	45.288	0.17
16	6336	6337	SN	1	-34.28	15.814	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.073	0.084	213.916	0.889	0.083	0.129	0.0	0.083	0.131	0.0
17	6336	6337	SN	2	-34.28	16.208	0.0	-34.916	17.118	0.0	1.009	22.065	0.012	0.88	21.239	0.0	0.084	184.82	1.05	0.084	213.916	0.877	0.083	0.129	0.0	0.083	0.131	0.0
18	6337	6338	SN	1	-32.926	16.024	0.0	-34.28	17.24	0.0	1.292	22.169	0.024	2.7	22.797	0.407	0.084	135.34	0.781	0.084	184.812	0.56	0.083	0.126	0.0	0.083	0.114	0.0
19	6337	6338	SN	2	-33.658	16.023	0.0	-34.916	17.24	0.0	1.292	22.169	0.024	2.7	22.797	0.407	0.084	160.129	0.781	0.084	213.952	0.56	0.083	0.126	0.0	0.083	0.114	0.0
20	6337	6338	NS	1	-34.795	16.057	0.0	-34.592	15.767	0.0	-11.683	22.86	0.023	-15.892	22.972	0.09	0.084	208.062	1.27	0.084	198.571	1.313	0.083	1.081	0.001	0.083	2.742	0.001
21	6337	6338	NS	1	-34.795	16.057	0.0	-34.592	15.767	0.0	-11.683	22.86	0.023	-15.892	22.972	0.09	0.084	208.062	1.269	0.084	198.571	1.313	0.083	1.081	0.001	0.083	2.742	0.001
22	6338	6339	SN	1	-34.965	15.002	0.0	-34.026	17.27	0.0	0.772	22.353	0.01	2.763	23.032	0.215	0.084	216.398	3.664	0.084	174.336	2.931	0.083	0.132	0.0	0.083	0.113	0.0
23	6338	6339	SN	1	-34.965	16.049	0.0	-34.026	17.307	0.0	0.772	22.353	0.009	2.763	23.032	0.21	0.084	216.398	3.556	0.084	174.336	2.817	0.083	0.132	0.0	0.083	0.113	0.0
24	6338	6339	NS	2	-34.202	17.494	0.0	-34.227	17.942	0.0	-18.059	21.996	0.0	-28.352	23.114	0.069	0.084	181.508	1.585	0.083	182.601	1.535	0.083	4.474	0.027	0.083	47.241	0.023
25	6338	6339	SN	1	-34.965	16.049	0.0	-34.026	17.307	0.0	0.772	22.353	0.009	2.763	23.032	0.21	0.084	216.398	3.56	0.084	174.336	2.82	0.083	0.132	0.0	0.083	0.113	0.0
26	6338	6339	NS	1	-34.758	17.494	0.0	-34.898	17.942	0.0	-18.033	21.996	0.0	-28.39	23.112	0.069	0.084	206.256	1.581	0.083	213.055	1.539	0.083	4.449	0.027	0.083	47.668	0.023
27	6339	6340	SN	1	-34.912	17.344	0.0	-34.145	17.667	0.0	1.014	23.592	0.172	8.071	23.405	0.401	0.084	213.774	3.711	0.084	179.168	3.186	0.083	0.129	0.0	0.083	0.091	0.0
28	6339	6340	SN	1	-34.649	17.341	0.0	-34.94	17.667	0.0	1.01	23.592	0.185	8.071	23.405	0.401	0.084	201.237	3.878	0.084	215.113	3.437	0.083	0.129	0.0	0.083	0.091	0.0
29	6339	6340	NS	1	-34.827	17.143	0.0	-34.311	17.853	0.0	-22.952	22.407	0.04	-25.952	23.261	0.362	0.084	209.599	1.916	0.083	186.114	1.855	0.083	13.674	0.188	0.083	27.211	0.202
30	6339	6340	NS	2	-34.827	17.143	0.0	-34.311	17.853	0.0	-22.952	22.407	0.04	-25.952	23.261	0.362	0.084	209.599	1.916	0.083	186.114	1.855	0.083	13.674	0.188	0.083	27.211	0.202
31	6339	6340	SN	1	-34.649	17.341	0.0	-34.94	17.667	0.0	1.01	23.592	0.172	8.071	23.405	0.401	0.084	201.237	3.714	0.084	215.113	3.189	0.083	0.129	0.0	0.083	0.091	0.0
32	6340	6341	NS	1	-34.965	17.078	0.0	-33.712	17.194	0.0	1.79	22.203	0.021	0.796	23.465	0.486	0.084	216.338	0.621	0.084	162.14	0.656	0.083	0.121	0.0	0.083	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	6340	6341	SN	1	-34.697	16.038	0.0	-34.179	18.066	0.0	-10.877	23.467	0.373	-8.268	24.46	1.207	0.084	203.461	3.642	0.083	180.597	2.887	0.083	0.909	0.0	0.083	0.529	0.0
34	6340	6341	SN	1	-34.697	14.098	0.0	-34.179	16.187	0.0	-10.877	23.467	0.385	-8.268	24.46	1.204	0.085	203.461	3.905	0.084	180.597	3.267	0.083	0.909	0.0	0.083	0.529	0.0
35	6341	6342	NS	2	-34.702	17.116	0.0	-33.034	17.652	0.0	-0.725	22.24	0.01	-0.82	24.175	1.327	0.084	203.651	0.785	0.084	138.74	0.821	0.083	0.154	0.0	0.083	0.156	0.0
36	6341	6342	SN	1	-34.516	15.64	0.0	-34.971	17.915	0.0	-30.431	22.823	0.111	-17.656	23.682	0.79	0.084	195.174	3.721	0.083	216.695	2.551	0.083	76.198	0.083	0.083	4.082	0.009
37	6341	6342	SN	2	-34.516	15.64	0.0	-34.971	17.915	0.0	-30.431	22.823	0.111	-17.656	23.682	0.79	0.084	195.174	3.721	0.083	216.695	2.551	0.083	76.198	0.083	0.083	4.082	0.009
38	6341	6342	NS	1	-34.702	17.116	0.0	-33.034	17.652	0.0	-0.725	22.24	0.01	-0.82	24.175	1.327	0.084	203.651	0.785	0.084	138.74	0.821	0.083	0.154	0.0	0.083	0.156	0.0
39	6342	6343	SN	1	-34.908	19.155	0.0	-34.718	20.548	0.0	-5.733	23.315	0.127	-2.619	23.716	0.344	0.083	213.512	2.64	0.083	204.362	1.991	0.083	0.326	0.0	0.083	0.197	0.0
40	6342	6343	NS	1	-34.874	17.5	0.0	-34.492	17.819	0.0	0.908	22.72	0.09	-0.543	24.434	2.065	0.084	211.851	2.198	0.083	194.028	2.273	0.083	0.131	0.0	0.083	0.151	0.0
41	6342	6343	NS	1	-34.874	17.5	0.0	-34.492	17.819	0.0	0.908	22.72	0.09	-0.543	24.434	2.065	0.084	211.851	2.201	0.083	194.028	2.277	0.083	0.131	0.0	0.083	0.151	0.0
42	6343	6344	NS	1	-34.499	17.873	0.0	-34.767	18.697	0.0	-0.317	22.215	0.003	1.317	24.14	1.751	0.083	194.395	0.777	0.083	206.722	0.733	0.083	0.148	0.0	0.083	0.126	0.0
43	6348	6349	SN	1	-33.667	16.371	0.0	-34.663	17.935	0.0	-10.592	21.672	0.0	-5.354	22.619	0.015	0.084	160.48	3.045	0.083	201.878	2.33	0.083	0.855	0.0	0.083	0.305	0.0
44	6348	6349	SN	1	-33.667	17.085	0.0	-34.663	17.935	0.0	-10.592	21.672	0.0	-5.354	22.619	0.015	0.084	160.48	2.911	0.083	201.878	2.208	0.083	0.855	0.0	0.083	0.305	0.0
45	6348	6349	NS	1	-34.858	19.018	0.0	-34.937	19.602	0.0	0.152	21.932	0.0	-0.478	23.04	0.057	0.083	211.108	4.019	0.083	214.959	4.627	0.083	0.14	0.0	0.083	0.15	0.0
46	6349	6350	NS	2	-34.598	19.355	0.0	-34.682	20.534	0.0	-12.037	22.345	0.007	-12.286	23.708	0.164	0.083	198.865	3.177	0.083	202.737	2.859	0.083	1.167	0.002	0.083	1.232	0.001
47	6349	6350	NS	1	-34.598	19.355	0.0	-34.682	20.534	0.0	-12.037	22.345	0.007	-12.286	23.708	0.164	0.083	198.865	3.177	0.083	202.737	2.859	0.083	1.167	0.002	0.083	1.232	0.001
48	6349	6350	SN	1	-34.775	17.973	0.0	-34.249	18.57	0.0	1.676	22.874	0.02	0.27	23.456	0.093	0.083	207.109	1.876	0.083	183.457	1.39	0.083	0.122	0.0	0.083	0.139	0.0
49	6349	6350	SN	1	-34.775	17.973	0.0	-34.249	18.57	0.0	1.676	22.874	0.02	0.27	23.456	0.093	0.083	207.109	1.872	0.083	183.457	1.388	0.083	0.122	0.0	0.083	0.139	0.0
50	6349	6350	SN	1	-34.775	17.973	0.0	-34.249	18.57	0.0	1.676	22.874	0.02	0.27	23.456	0.093	0.083	207.109	1.831	0.083	183.457	1.364	0.083	0.122	0.0	0.083	0.139	0.0
51	6350	6351	SN	1	-34.615	16.776	0.0	-34.391	17.599	0.0	1.705	22.37	0.005	2.766	21.323	0.0	0.084	199.643	1.614	0.084	189.612	1.542	0.083	0.122	0.0	0.083	0.113	0.0
52	6350	6351	NS	1	-34.516	16.156	0.0	-34.741	16.708	0.0	-6.366	21.726	0.0	-25.361	22.902	0.104	0.084	195.173	3.318	0.084	205.446	3.129	0.083	0.366	0.0	0.083	23.761	0.032
53	6350	6351	SN	1	-34.615	16.776	0.0	-34.391	17.599	0.0	1.705	22.37	0.005	2.766	21.323	0.0	0.084	199.643	1.583	0.084	189.612	1.523	0.083	0.122	0.0	0.083	0.113	0.0
54	6351	6352	SN	1	-33.406	15.928	0.0	-34.062	17.293	0.0	0.618	23.051	0.072	1.979	22.655	0.155	0.084	151.114	1.128	0.084	175.748	0.97	0.083	0.134	0.0	0.083	0.12	0.0
55	6351	6352	NS	1	-34.855	16.298	0.0	-32.405	16.417	0.0	-18.786	22.467	0.006	-31.438	22.947	0.083	0.084	210.997	1.069	0.084	120.016	1.164	0.083	5.278	0.02	0.083	96.099	0.036
56	6351	6352	SN	1	-33.406	15.928	0.0	-34.062	17.293	0.0	0.618	23.051	0.072	1.979	22.655	0.161	0.084	151.114	1.154	0.084	175.748	0.987	0.083	0.134	0.0	0.083	0.12	0.0
57	6351	6352	NS	1	-33.992	16.298	0.0	-32.874	16.417	0.0	-18.788	22.467	0.006	-31.47	22.947	0.083	0.084	172.925	1.069	0.084	133.706	1.166	0.083	5.281	0.02	0.083	96.789	0.036
58	6352	6353	SN	1	-33.884	15.829	0.0	-34.827	16.801	0.0	0.848	21.892	0.0	2.915	22.998	0.369	0.084	168.682	1.841	0.084	209.618	1.408	0.083	0.131	0.0	0.083	0.112	0.0
59	6352	6353	SN	1	-33.884	15.599	0.0	-34.827	16.801	0.0	0.848	21.892	0.0	2.915	22.998	0.39	0.084	168.682	1.892	0.084	209.618	1.446	0.083	0.131	0.0	0.083	0.112	0.0
60	6352	6353	NS	1	-34.26	16.833	0.0	-34.646	16.901	0.0	-30.886	21.972	0.0	-24.351	23.01	0.046	0.084	183.927	2.39	0.084	201.044	2.455	0.083	84.616	0.027	0.083	18.842	0.008
61	6352	6353	NS	1	-34.244	16.832	0.0	-34.485	16.901	0.0	-30.834	21.972	0.0	-24.34	23.01	0.046	0.084	183.305	2.408	0.084	193.753	2.46	0.083	83.619	0.027	0.083	18.796	0.008
62	6353	6354	SN	1	-34.7	16.279	0.0	-34.795	17.433	0.0	0.389	22.017	0.004	3.128	22.078	0.005	0.084	203.587	2.718	0.084	208.025	2.271	0.083	0.137	0.0	0.083	0.11	0.0
63	6353	6354	SN	1	-34.7	15.337	0.0	-34.795	17.282	0.0	0.389	22.017	0.004	3.128	22.078	0.005	0.084	203.587	2.808	0.084	208.025	2.39	0.083	0.137	0.0	0.083	0.11	0.0
64	6353	6354	NS	1	-33.11	17.085	0.0	-34.297	18.19	0.0	-30.544	22.062	0.005	-21.672	23.454	0.131	0.084	141.166	1.015	0.083	185.522	1.109	0.083	78.214	0.163	0.083	10.197	0.019
65	6353	6354	NS	1	-33.894	17.085	0.0	-34.937	18.19	0.0	-30.858	22.062	0.005	-21.764	23.454	0.131	0.084	169.107	1.016	0.083	215.003	1.112	0.083	84.062	0.16	0.083	10.415	0.019
66	6354	6355	SN	1	-34.408	14.606	0.0	-34.586	16.672	0.0	-0.283	23.275	0.266	0.709	23.764	0.794	0.084	190.355	4.227	0.084	198.275	3.61	0.083	0.147	0.0	0.083	0.133	0.0
67	6354	6355	NS	2	-34.943	17.291	0.0	-33.949	17.814	0.0	3.387	22.805	0.052	2.41	23.439	0.515	0.084	215.29	1.911	0.083	171.259	1.641	0.083	0.109	0.0	0.083	0.116	0.0
68	6354	6355	SN	1	-34.863	16.624	0.0	-34.645	17.082	0.0	-0.283	23.275	0.247	0.706	23.762	0.792	0.084	211.32	3.962	0.084	200.996	3.208	0.083	0.147	0.0	0.083	0.133	0.0
69	6354	6355	NS	1	-34.49	17.293	0.0	-34.9	17.812	0.0	3.39	22.806	0.052	2.41	23.44	0.515	0.084	193.952	1.906	0.083	213.144	1.643	0.083	0.109	0.0	0.083	0.116	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

70	6354	6355	SN	1	-34.408	16.624	0.0	-34.586	17.082	0.0	-0.283	23.275	0.249	0.709	23.764	0.792	0.084	190.355	3.967	0.084	198.275	3.211	0.083	0.147	0.0	0.083	0.133	0.0
71	6355	6356	SN	1	-34.796	15.365	0.0	-34.625	18.162	0.0	-9.078	23.0	0.16	-10.335	24.042	0.967	0.084	208.106	2.204	0.083	200.074	1.868	0.083	0.623	0.0	0.083	0.81	0.0
72	6355	6356	NS	1	-34.826	17.299	0.0	-34.397	17.543	0.0	0.322	22.444	0.032	1.807	23.985	0.788	0.084	209.543	1.752	0.084	189.835	1.808	0.083	0.138	0.0	0.083	0.121	0.0
73	6355	6356	NS	2	-34.122	17.299	0.0	-34.676	17.545	0.0	0.316	22.444	0.032	1.812	23.985	0.788	0.084	178.214	1.752	0.084	202.411	1.812	0.083	0.138	0.0	0.083	0.121	0.0
74	6355	6356	SN	1	-34.796	15.831	0.0	-34.625	18.162	0.0	-9.078	23.0	0.147	-10.335	24.042	1.064	0.084	208.106	2.039	0.083	200.074	1.58	0.083	0.623	0.0	0.083	0.81	0.0
75	6355	6356	SN	1	-34.796	15.831	0.0	-34.625	18.162	0.0	-9.078	23.0	0.147	-10.335	24.042	1.063	0.084	208.106	2.036	0.083	200.074	1.582	0.083	0.623	0.0	0.083	0.81	0.0
76	6356	6357	NS	1	-33.486	17.271	0.0	-34.0	17.42	0.0	-2.422	22.056	0.007	1.345	24.296	2.109	0.084	153.966	0.96	0.084	173.27	0.736	0.083	0.191	0.0	0.083	0.126	0.0
77	6356	6357	SN	1	-34.725	18.015	0.0	-34.765	18.26	0.0	-19.981	23.54	0.096	-5.871	23.754	0.589	0.083	204.731	5.473	0.083	206.623	4.276	0.083	6.929	0.028	0.083	0.334	0.0
78	6356	6357	NS	1	-33.486	17.271	0.0	-34.0	17.42	0.0	-2.422	22.056	0.007	1.345	24.296	2.162	0.084	153.966	0.96	0.084	173.27	0.739	0.083	0.191	0.0	0.083	0.126	0.0
79	6356	6357	SN	2	-34.725	18.015	0.0	-34.765	18.26	0.0	-19.981	23.54	0.096	-5.871	23.754	0.589	0.083	204.731	5.473	0.083	206.623	4.276	0.083	6.929	0.028	0.083	0.334	0.0
80	6357	6358	SN	1	-34.832	19.751	0.0	-34.748	19.643	0.0	-33.497	23.006	0.134	-30.821	23.965	0.343	0.083	209.881	4.721	0.083	205.866	3.276	0.083	158.255	0.086	0.083	83.374	0.109
81	6357	6358	NS	1	-34.741	17.845	0.0	-34.968	18.379	0.0	-3.96	22.181	0.005	0.721	24.475	1.859	0.083	205.45	2.541	0.083	216.522	2.547	0.083	0.241	0.0	0.083	0.133	0.0
82	6357	6358	NS	1	-34.741	17.845	0.0	-34.968	18.379	0.0	-3.96	22.181	0.005	0.721	24.475	1.859	0.083	205.45	2.537	0.083	216.522	2.542	0.083	0.241	0.0	0.083	0.133	0.0
83	6358	6359	NS	1	-34.359	17.458	0.0	-33.064	18.824	0.0	-0.442	22.186	0.007	-0.541	24.2	1.899	0.084	188.173	0.652	0.083	139.668	0.649	0.083	0.15	0.0	0.083	0.151	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors