

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 22-MAY-2017 To 23-MAY-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 22-MAY-2017 To 23-MAY-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	3463	3464	NS	1	48.781	49.317	0.0	0.003	1.803	0.194	1033.264	1075.672	0.0	-91.873	-89.091	0.0
2	3463	3464	SN	1	48.868	49.395	0.0	0.003	1.809	0.151	1051.04	1077.768	0.0	-92.186	-89.434	0.0
3	3463	3464	NS	1	48.781	49.317	0.0	0.003	1.803	0.194	1033.264	1075.672	0.0	-91.873	-89.091	0.0
4	3463	3464	SN	2	48.868	49.395	0.0	0.003	1.809	0.153	1051.04	1077.768	0.0	-92.186	-89.434	0.0
5	3463	3464	SN	1	48.868	49.395	0.0	0.003	6.26	0.16	1051.04	1077.768	0.0	-92.186	-89.434	0.0
6	3463	3464	NS	2	48.781	49.317	0.0	0.003	1.803	0.194	1033.264	1075.672	0.0	-91.873	-89.091	0.0
7	3463	3464	SN	2	48.868	49.395	0.0	0.003	1.809	0.151	1051.04	1077.768	0.0	-92.186	-89.434	0.0
8	3463	3464	SN	1	48.868	49.395	0.0	0.003	1.809	0.153	1051.04	1077.768	0.0	-92.186	-89.434	0.0
9	3464	3465	NS	2	48.812	49.365	0.0	0.003	6.563	0.197	1033.392	1075.912	0.0	-91.945	-89.094	0.0
10	3464	3465	SN	1	48.888	49.402	0.0	0.003	1.809	0.139	1050.584	1077.896	0.0	-91.857	-89.404	0.0
11	3464	3465	NS	1	48.812	49.365	0.0	0.003	6.563	0.197	1033.392	1075.912	0.0	-91.945	-89.094	0.0
12	3464	3465	SN	1	48.888	49.402	0.0	0.003	1.809	0.139	1050.584	1077.896	0.0	-91.857	-89.404	0.0
13	3464	3465	NS	1	48.812	49.365	0.0	0.003	6.563	0.197	1033.392	1075.912	0.0	-91.945	-89.094	0.0
14	3464	3465	SN	1	48.888	49.402	0.0	0.003	1.809	0.14	1050.584	1077.896	0.0	-91.857	-89.404	0.0
15	3465	3466	NS	1	48.997	49.214	0.0	0.706	6.392	2.244	1061.424	1067.848	0.0	-91.581	-89.542	0.0
16	3465	3466	SN	1	48.855	49.382	0.0	0.008	1.803	0.119	1051.816	1069.336	0.0	-91.999	-89.452	0.0
17	3465	3466	SN	1	48.855	49.382	0.0	0.008	1.803	0.114	1051.816	1069.336	0.0	-91.999	-89.452	0.0
18	3466	3467	SN	1	48.855	49.395	0.0	0.003	1.809	0.143	1050.336	1077.904	0.0	-92.025	-89.498	0.0
19	3466	3467	NS	1	48.796	49.322	0.0	0.003	1.809	0.193	1034.192	1076.008	0.0	-91.953	-89.111	0.0
20	3466	3467	SN	1	48.855	49.395	0.0	0.003	1.809	0.141	1050.336	1077.904	0.0	-92.025	-89.498	0.0
21	3467	3468	SN	1	48.872	49.398	0.0	0.003	1.809	0.142	1050.432	1077.896	0.0	-91.987	-89.4	0.0
22	3467	3468	NS	1	48.792	49.337	0.0	0.003	1.809	0.191	1034.288	1075.968	0.0	-91.92	-89.089	0.0
23	3470	3471	SN	1	48.886	49.419	0.0	0.003	1.809	0.141	1050.88	1078.096	0.0	-91.944	-89.418	0.0
24	3471	3472	NS	1	48.807	49.32	0.0	0.003	1.803	0.194	1033.192	1076.096	0.0	-91.852	-89.112	0.0
25	3471	3472	SN	1	48.899	49.398	0.0	0.003	1.809	0.136	1051.08	1078.216	0.0	-91.981	-89.425	0.0
26	3472	3473	NS	1	48.748	49.318	0.0	0.003	6.579	0.206	1033.464	1076.0	0.0	-91.815	-89.13	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

Inner																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	3463	3464	NS	1	-34.88	27.955	0.023	-34.273	29.087	0.046	4.856	31.893	12.007	5.124	36.346	29.823	0.103	259.85	4.833	0.103	225.966	3.737	0.102	0.125	0.0	0.102	0.124	0.0
2	3463	3464	SN	1	-34.591	25.195	0.439	-34.694	27.178	1.875	-30.907	29.375	8.221	-31.023	30.752	16.208	0.103	243.115	1.761	0.103	248.975	1.559	0.103	104.16	0.074	0.103	106.957	0.098
3	3463	3464	NS	1	-34.88	27.955	0.023	-34.273	29.087	0.046	4.856	31.893	11.997	5.124	36.346	29.811	0.103	259.85	4.829	0.103	225.966	3.74	0.102	0.125	0.0	0.102	0.124	0.0
4	3463	3464	SN	2	-34.591	25.195	0.467	-34.694	27.178	1.995	-30.907	29.375	8.268	-31.023	30.752	16.699	0.103	243.115	1.875	0.103	248.975	1.658	0.103	104.16	0.072	0.103	106.957	0.095
5	3463	3464	SN	1	-34.591	25.195	0.438	-34.694	27.178	1.875	-30.907	29.375	8.264	-31.023	30.752	16.664	0.103	243.115	1.769	0.103	248.975	1.559	0.103	104.16	0.072	0.103	106.957	0.095
6	3463	3464	NS	2	-34.88	27.955	0.023	-34.273	29.087	0.046	4.856	31.893	11.997	5.124	36.346	29.811	0.103	259.85	4.829	0.103	225.966	3.74	0.102	0.125	0.0	0.102	0.124	0.0
7	3463	3464	SN	2	-34.591	25.195	0.439	-34.694	27.178	1.875	-30.907	29.375	8.221	-31.023	30.752	16.208	0.103	243.115	1.761	0.103	248.975	1.559	0.103	104.16	0.074	0.103	106.957	0.098
8	3463	3464	SN	1	-34.591	25.195	0.467	-34.694	27.178	1.995	-30.907	29.375	8.268	-31.023	30.752	16.699	0.103	243.115	1.875	0.103	248.975	1.658	0.103	104.16	0.072	0.103	106.957	0.095
9	3464	3465	NS	2	-34.963	27.801	0.031	-34.968	29.403	0.028	-10.061	31.293	6.208	-17.526	30.826	22.365	0.103	264.87	3.765	0.103	265.209	3.148	0.103	0.939	0.0	0.103	4.857	0.001
10	3464	3465	SN	1	-34.342	25.229	0.288	-33.853	26.833	0.415	3.105	28.861	8.049	4.559	30.563	5.162	0.103	229.573	1.343	0.103	205.146	0.843	0.103	0.137	0.0	0.103	0.127	0.0
11	3464	3465	NS	1	-34.963	27.801	0.031	-34.968	29.403	0.028	-10.061	31.293	6.208	-17.526	30.826	22.365	0.103	264.87	3.765	0.103	265.209	3.148	0.103	0.939	0.0	0.103	4.857	0.001
12	3464	3465	SN	1	-34.342	25.229	0.281	-33.853	26.833	0.407	3.105	28.861	7.014	4.559	30.563	3.77	0.103	229.573	1.314	0.103	205.146	0.826	0.103	0.137	0.0	0.103	0.127	0.0
13	3464	3465	NS	1	-34.963	27.801	0.031	-34.968	29.403	0.028	-10.061	31.293	6.201	-17.526	30.826	22.396	0.103	264.87	3.765	0.103	265.209	3.155	0.103	0.939	0.0	0.103	4.857	0.001
14	3464	3465	SN	1	-34.342	25.229	0.288	-33.853	26.833	0.416	3.105	28.861	8.049	4.559	30.563	5.162	0.103	229.573	1.346	0.103	205.146	0.844	0.103	0.137	0.0	0.103	0.127	0.0
15	3465	3466	NS	1	6.946	21.179	0.0	7.759	20.413	0.0	100000.0	-10000.0	0.0	13.161	21.699	0.0	0.103	0.116	0.0	0.103	0.114	0.0	100000.0	-10000.0	0.0	0.103	0.106	0.0
16	3465	3466	SN	1	-34.337	17.461	0.0	-34.23	20.696	0.0	7.216	25.701	0.48	8.834	25.735	1.304	0.104	229.317	4.066	0.103	223.726	2.921	0.103	0.115	0.0	0.103	0.111	0.0
17	3465	3466	SN	1	-34.337	19.694	0.0	-34.23	21.16	0.0	7.216	25.701	0.48	8.834	25.735	1.303	0.103	229.317	3.858	0.103	223.726	2.782	0.103	0.115	0.0	0.103	0.111	0.0
18	3466	3467	SN	1	-34.365	24.974	0.101	-34.346	26.889	0.161	6.147	27.492	12.302	6.338	28.855	9.887	0.103	230.754	1.925	0.103	229.829	1.375	0.103	0.119	0.0	0.103	0.118	0.0
19	3466	3467	NS	1	-34.719	22.282	0.003	-34.857	22.811	0.007	-5.048	28.96	4.662	-17.813	29.929	12.943	0.103	250.396	2.018	0.103	258.464	1.685	0.103	0.356	0.0	0.103	5.185	0.001
20	3466	3467	SN	1	-34.365	24.974	0.099	-34.346	26.889	0.157	6.147	27.492	10.595	6.338	28.855	10.341	0.103	230.754	1.884	0.103	229.829	1.348	0.103	0.119	0.0	0.103	0.118	0.0
21	3467	3468	SN	1	-34.526	25.223	0.059	-34.649	24.901	0.084	6.318	28.552	15.041	7.796	29.44	18.298	0.103	239.493	2.263	0.103	246.422	1.48	0.103	0.118	0.0	0.103	0.114	0.0
22	3467	3468	NS	1	-34.855	20.787	0.0	-34.111	21.606	0.0	-16.86	27.217	4.45	-18.811	31.462	15.839	0.103	258.374	4.143	0.103	217.706	3.963	0.103	4.179	0.012	0.103	6.504	0.012
23	3470	3471	SN	1	-31.166	26.469	0.166	-34.685	27.193	0.259	-14.854	35.323	10.94	-6.376	32.121	18.598	0.103	110.54	1.448	0.103	248.427	1.05	0.102	2.663	0.003	0.102	0.451	0.0
24	3471	3472	NS	1	-34.66	24.533	0.117	-34.309	26.649	0.325	-18.949	28.321	17.021	-22.898	32.862	37.296	0.103	247.032	1.492	0.103	227.883	1.075	0.103	6.71	0.045	0.102	16.542	0.037
25	3471	3472	SN	1	-34.601	25.39	0.114	-34.971	28.08	0.184	-14.193	27.998	13.659	-0.235	31.757	13.423	0.103	243.745	3.092	0.103	265.33	2.714	0.103	2.299	0.012	0.102	0.181	0.0
26	3472	3473	NS	1	-34.125	23.772	0.008	-34.314	24.551	0.072	-28.796	32.597	11.56	-27.586	32.235	23.862	0.103	218.423	1.492	0.103	228.07	1.524	0.102	64.076	0.314	0.102	48.519	0.23

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	3463	3464	NS	1	57.611	58.19	0.0	0.008	1.969	0.162	1212.384	1264.6	0.0	-93.542	-91.508	0.0
2	3463	3464	SN	1	57.721	58.29	0.0	0.003	1.98	0.215	1234.024	1267.792	0.0	-93.743	-91.938	0.0
3	3463	3464	NS	1	57.611	58.19	0.0	0.008	1.969	0.163	1212.384	1264.6	0.0	-93.542	-91.508	0.0
4	3463	3464	SN	2	57.721	58.29	0.0	0.003	1.98	0.223	1234.024	1267.792	0.0	-93.743	-91.938	0.0
5	3463	3464	SN	1	57.721	58.29	0.0	0.003	10.07	0.226	1234.024	1267.792	0.0	-93.743	-91.938	0.0
6	3463	3464	NS	2	57.611	58.19	0.0	0.008	1.969	0.163	1212.384	1264.6	0.0	-93.542	-91.508	0.0
7	3463	3464	SN	2	57.721	58.29	0.0	0.003	1.98	0.215	1234.024	1267.792	0.0	-93.743	-91.938	0.0
8	3463	3464	SN	1	57.721	58.29	0.0	0.003	1.98	0.223	1234.024	1267.792	0.0	-93.743	-91.938	0.0
9	3464	3465	NS	2	57.635	58.193	0.0	0.003	19.209	0.203	1212.632	1264.864	0.0	-93.539	-91.511	0.0
10	3464	3465	SN	1	57.725	58.291	0.0	0.003	1.98	0.207	1233.32	1267.944	0.0	-93.488	-91.912	0.0
11	3464	3465	NS	1	57.635	58.193	0.0	0.003	19.209	0.203	1212.632	1264.864	0.0	-93.539	-91.511	0.0
12	3464	3465	SN	1	57.725	58.291	0.0	0.003	1.98	0.202	1233.32	1267.944	0.0	-93.488	-91.912	0.0
13	3464	3465	NS	1	57.635	58.193	0.0	0.003	19.209	0.203	1212.632	1264.864	0.0	-93.539	-91.511	0.0
14	3464	3465	SN	1	57.725	58.291	0.0	0.003	1.98	0.206	1233.32	1267.944	0.0	-93.488	-91.912	0.0
15	3465	3466	NS	1	57.844	58.083	0.0	0.006	21.591	6.697	1245.976	1255.168	0.0	-93.3	-91.941	0.0
16	3465	3466	SN	1	57.723	58.259	0.0	0.003	1.969	0.102	1233.76	1257.496	0.0	-93.504	-91.963	0.0
17	3465	3466	SN	1	57.723	58.259	0.0	0.003	1.969	0.098	1233.76	1257.496	0.0	-93.504	-91.963	0.0
18	3466	3467	SN	1	57.718	58.322	0.0	0.003	1.974	0.204	1233.104	1267.96	0.0	-93.428	-91.982	0.0
19	3466	3467	NS	1	57.611	58.194	0.0	0.003	1.969	0.155	1213.448	1264.992	0.0	-93.466	-91.531	0.0
20	3466	3467	SN	1	57.718	58.322	0.0	0.003	1.974	0.199	1233.104	1267.96	0.0	-93.428	-91.982	0.0
21	3467	3468	SN	1	57.713	58.292	0.0	0.003	253.387	0.209	1233.096	1267.96	0.0	-93.382	-91.901	0.0
22	3467	3468	NS	1	57.629	58.207	0.0	0.003	1.969	0.158	1213.448	1264.952	0.0	-93.533	-91.505	0.0
23	3470	3471	SN	1	57.747	58.317	0.0	0.003	1.974	0.206	1233.544	1268.256	0.0	-93.393	-91.919	0.0
24	3471	3472	NS	1	57.613	58.216	0.0	0.003	1.974	0.165	1212.432	1265.12	0.0	-93.531	-91.534	0.0
25	3471	3472	SN	1	57.725	58.299	0.0	0.003	221.4	0.203	1233.92	1268.36	0.0	-93.433	-91.938	0.0
26	3472	3473	NS	1	57.605	58.193	0.0	0.003	18.779	0.215	1212.472	1265.0	0.0	-93.513	-91.555	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	3463	3464	NS	1	-34.778	22.093	0.001	-34.962	22.458	0.005	2.398	23.402	0.137	1.679	25.164	0.654	0.083	207.245	3.493	0.083	216.223	3.46	0.083	0.116	0.0	0.083	0.122	0.0
2	3463	3464	SN	1	-34.795	20.385	0.0	-34.688	21.536	0.0	-25.807	23.21	0.088	-26.667	24.39	0.265	0.083	208.038	2.087	0.083	202.986	1.719	0.083	26.324	0.053	0.083	32.068	0.052
3	3463	3464	NS	1	-34.778	22.093	0.001	-34.962	22.458	0.005	2.398	23.402	0.137	1.679	25.164	0.655	0.083	207.245	3.494	0.083	216.223	3.457	0.083	0.116	0.0	0.083	0.122	0.0
4	3463	3464	SN	2	-34.795	20.385	0.0	-34.688	21.536	0.0	-25.807	23.21	0.086	-26.667	24.39	0.26	0.083	208.038	2.182	0.083	202.986	1.822	0.083	26.324	0.052	0.083	32.068	0.05
5	3463	3464	SN	1	-34.795	20.385	0.0	-34.688	21.536	0.0	-25.807	23.21	0.086	-26.667	24.39	0.26	0.083	208.038	2.092	0.083	202.986	1.719	0.083	26.324	0.052	0.083	32.068	0.05
6	3463	3464	NS	2	-34.778	22.093	0.001	-34.962	22.458	0.005	2.398	23.402	0.137	1.679	25.164	0.655	0.083	207.245	3.494	0.083	216.223	3.457	0.083	0.116	0.0	0.083	0.122	0.0
7	3463	3464	SN	2	-34.795	20.385	0.0	-34.688	21.536	0.0	-25.807	23.21	0.088	-26.667	24.39	0.265	0.083	208.038	2.087	0.083	202.986	1.719	0.083	26.324	0.053	0.083	32.068	0.052
8	3463	3464	SN	1	-34.795	20.385	0.0	-34.688	21.536	0.0	-25.807	23.21	0.086	-26.667	24.39	0.26	0.083	208.038	2.182	0.083	202.986	1.822	0.083	26.324	0.052	0.083	32.068	0.05
9	3464	3465	NS	2	-34.928	21.234	0.0	-34.646	22.381	0.001	-12.727	27.402	0.022	-14.866	24.038	0.316	0.083	214.51	2.763	0.083	201.048	2.484	0.083	1.356	0.002	0.083	2.178	0.001
10	3464	3465	SN	1	-31.227	20.014	0.0	-34.626	21.349	0.0	-1.571	23.258	0.08	0.887	24.336	0.408	0.083	91.542	0.851	0.083	200.162	0.705	0.083	0.171	0.0	0.083	0.131	0.0
11	3464	3465	NS	1	-34.928	21.234	0.0	-34.646	22.381	0.001	-12.727	27.402	0.022	-14.866	24.038	0.316	0.083	214.51	2.763	0.083	201.048	2.484	0.083	1.356	0.002	0.083	2.178	0.001
12	3464	3465	SN	1	-31.227	20.014	0.0	-34.626	21.349	0.0	-1.571	23.258	0.082	0.887	24.336	0.418	0.083	91.542	0.832	0.083	200.162	0.695	0.083	0.171	0.0	0.083	0.131	0.0
13	3464	3465	NS	1	-34.928	21.234	0.0	-34.646	22.381	0.001	-12.727	27.402	0.022	-14.866	24.038	0.316	0.083	214.51	2.763	0.083	201.048	2.485	0.083	1.356	0.002	0.083	2.178	0.001
14	3464	3465	SN	1	-31.227	20.014	0.0	-34.626	21.349	0.0	-1.571	23.258	0.08	0.887	24.336	0.408	0.083	91.542	0.853	0.083	200.162	0.706	0.083	0.171	0.0	0.083	0.131	0.0
15	3465	3466	NS	1	1.239	12.382	0.0	-0.175	13.602	0.0	7.46	7.46	0.0	3.656	15.412	0.0	0.086	0.127	0.0	0.085	0.145	0.0	0.092	0.092	0.0	0.084	0.107	0.0
16	3465	3466	SN	1	-34.264	14.312	0.0	-33.613	14.974	0.0	1.201	18.793	0.0	2.117	18.923	0.0	0.085	184.117	2.76	0.084	158.477	2.237	0.083	0.127	0.0	0.083	0.118	0.0
17	3465	3466	SN	1	-34.264	14.312	0.0	-33.613	14.974	0.0	1.201	18.793	0.0	2.117	18.923	0.0	0.085	184.117	2.599	0.084	158.477	2.141	0.083	0.127	0.0	0.083	0.118	0.0
18	3466	3467	SN	1	-34.287	20.178	0.0	-34.855	21.338	0.0	0.783	22.768	0.297	2.681	23.196	0.935	0.083	185.156	1.576	0.083	210.983	1.386	0.083	0.132	0.0	0.083	0.114	0.0
19	3466	3467	NS	1	-34.218	15.039	0.0	-31.783	17.392	0.0	-27.524	22.639	0.02	-22.323	23.249	0.156	0.084	182.203	1.259	0.084	104.002	1.261	0.083	39.053	0.006	0.083	11.835	0.03
20	3466	3467	SN	1	-34.287	20.178	0.0	-34.855	21.338	0.0	0.783	22.768	0.315	2.681	23.196	1.031	0.083	185.156	1.546	0.083	210.983	1.364	0.083	0.132	0.0	0.083	0.114	0.0
21	3467	3468	SN	1	-34.909	20.374	0.0	-34.578	20.982	0.0	1.209	22.305	0.016	2.655	23.324	0.821	0.083	213.609	2.228	0.083	197.924	1.832	0.083	0.127	0.0	0.083	0.114	0.0
22	3467	3468	NS	1	-33.676	14.838	0.0	-34.541	16.069	0.0	-21.854	22.82	0.051	-18.137	23.524	0.158	0.084	160.823	3.534	0.084	196.246	3.876	0.083	10.633	0.012	0.083	4.554	0.012
23	3470	3471	SN	1	-33.831	19.655	0.0	-34.877	21.275	0.0	-10.847	23.465	0.262	-7.421	24.381	1.234	0.083	166.647	2.226	0.083	212.04	2.275	0.083	0.903	0.0	0.083	0.447	0.0
24	3471	3472	NS	1	-34.362	19.658	0.0	-34.945	21.148	0.0	-34.753	22.381	0.028	-27.091	24.531	2.825	0.083	188.326	2.144	0.083	215.348	1.897	0.083	206.073	0.147	0.083	35.349	0.049
25	3471	3472	SN	1	-34.722	19.975	0.0	-34.292	22.068	0.001	-26.147	23.413	0.19	-5.32	24.157	0.748	0.083	204.615	3.004	0.083	187.003	2.556	0.083	28.46	0.048	0.083	0.303	0.0
26	3472	3473	NS	1	-33.828	20.583	0.0	-34.354	21.004	0.0	-30.302	22.387	0.018	-29.252	24.548	2.426	0.083	166.526	1.465	0.083	188.001	1.329	0.083	74.002	0.306	0.083	58.107	0.266

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		