

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-MAR-2019 To 25-MAR-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 24-MAR-2019 To 25-MAR-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	13177	13178	SN	1	48.724	49.285	0.0	0.0	226.314	2.206	1024.536	1067.216	1.269	-91.532	-89.774	0.0
2	13177	13178	SN	2	48.724	49.285	0.0	0.0	226.314	2.206	1024.536	1067.2	1.269	-91.532	-89.774	0.0
3	13177	13178	SN	2	48.724	49.285	0.0	0.0	226.314	2.204	1024.536	1067.192	1.267	-91.503	-89.774	0.0
4	13177	13178	SN	1	48.724	49.285	0.0	0.0	226.314	2.204	1024.536	1067.2	1.267	-91.503	-89.774	0.0
5	13178	13179	NS	1	48.858	49.423	0.0	0.0	264.571	2.731	1050.456	1073.392	0.0	-91.612	-90.045	0.0
6	13178	13179	NS	1	48.858	49.423	0.0	0.0	264.571	2.734	1050.4	1073.392	0.0	-91.618	-90.045	0.0
7	13178	13179	SN	1	48.678	49.306	0.0	0.003	5.995	2.388	1023.456	1069.336	1.564	-91.475	-89.784	0.0
8	13178	13179	SN	1	48.678	49.306	0.0	0.003	6.21	2.585	1023.456	1070.256	1.536	-91.475	-89.784	0.0
9	13178	13179	SN	1	48.678	49.306	0.0	0.003	6.21	2.585	1023.456	1070.256	1.536	-91.475	-89.784	0.0
10	13179	13180	NS	1	48.825	49.424	0.0	0.003	266.419	2.548	1050.512	1073.472	0.0	-91.598	-90.032	0.0
11	13179	13180	SN	1	48.689	49.507	0.0	0.003	6.199	2.543	1023.472	1070.232	1.935	-94.296	-89.793	0.0
12	13179	13180	SN	1	48.689	49.507	0.0	0.003	6.122	2.374	1023.472	1069.408	1.963	-94.296	-89.793	0.0
13	13179	13180	SN	2	48.685	49.507	0.0	0.003	6.122	2.376	1023.488	1069.4	1.935	-94.296	-89.793	0.0
14	13179	13180	NS	1	48.825	49.424	0.0	0.003	266.419	2.546	1050.616	1073.472	0.0	-91.587	-90.032	0.0
15	13180	13181	NS	1	48.813	49.423	0.0	0.0	263.711	2.991	1051.744	1073.464	0.0	-92.493	-90.054	0.0
16	13180	13181	SN	1	48.723	49.325	0.0	0.003	6.182	2.465	1024.216	1070.28	2.214	-91.554	-89.791	0.0
17	13181	13182	SN	1	48.674	49.283	0.0	0.003	281.028	2.349	1023.616	1069.888	2.068	-91.502	-89.79	0.0
18	13181	13182	NS	1	48.829	49.424	0.0	0.003	264.042	2.465	1050.848	1074.072	0.0	-91.657	-90.016	0.0
19	13182	13183	SN	1	48.674	49.314	0.0	0.0	195.374	2.533	1023.336	1067.768	1.793	-91.421	-89.791	0.0
20	13182	13183	NS	2	48.812	49.423	0.0	0.003	206.994	2.689	1050.512	1073.816	0.0	-91.746	-90.052	0.0
21	13182	13183	SN	1	48.674	49.314	0.0	0.0	195.374	3.115	1023.336	1070.4	1.723	-91.421	-89.791	0.0
22	13182	13183	NS	1	48.812	49.423	0.0	0.003	206.994	2.689	1050.512	1073.816	0.0	-91.746	-90.052	0.0
23	13183	13184	NS	1	48.828	49.443	0.0	0.0	164.772	2.448	1050.416	1073.64	0.0	-93.863	-90.059	0.0
24	13183	13184	SN	1	48.688	49.283	0.0	0.0	88.808	2.022	1024.064	1068.696	1.128	-91.572	-89.786	0.0
25	13183	13184	SN	1	48.688	49.283	0.0	0.0	88.808	2.022	1024.064	1068.696	1.128	-91.572	-89.786	0.0
26	13184	13185	SN	1	48.723	49.283	0.0	0.003	6.204	2.7	1023.8	1070.504	0.086	-91.455	-89.79	0.0
27	13184	13185	NS	1	48.554	49.437	0.0	0.0	267.759	2.699	1050.288	1073.568	0.0	-92.159	-90.052	0.0
28	13185	13186	NS	1	48.803	49.424	0.0	0.003	210.86	2.681	1051.208	1073.624	0.0	-91.632	-90.002	0.0
29	13185	13186	NS	2	48.803	49.424	0.0	0.003	267.566	2.678	1051.2	1073.624	0.0	-91.632	-90.002	0.0
30	13185	13186	SN	1	48.69	49.283	0.0	0.0	234.752	2.762	1024.072	1070.768	0.003	-91.684	-89.771	0.0
31	13185	13186	SN	2	48.69	49.283	0.0	0.0	234.752	2.762	1024.072	1070.768	0.003	-91.684	-89.771	0.0
32	13186	13187	NS	1	48.829	49.424	0.0	0.0	266.667	2.707	1050.296	1073.816	0.0	-91.668	-90.045	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	13186	13187	SN	1	48.671	49.321	0.0	0.0	193.974	2.883	1024.128	1070.888	0.005	-91.65	-89.8	0.0
34	13186	13187	SN	1	48.671	49.321	0.0	0.0	193.974	2.88	1024.192	1070.888	0.004	-91.84	-89.8	0.0
35	13186	13187	NS	2	48.843	49.425	0.0	0.0	264.588	2.706	1050.28	1073.824	0.0	-91.668	-90.045	0.0
36	13187	13188	NS	3	48.846	49.424	0.0	0.0	267.213	2.701	1050.344	1073.896	0.0	-91.593	-90.054	0.0
37	13187	13188	NS	2	48.846	49.424	0.0	0.0	267.213	2.701	1050.344	1073.896	0.0	-91.593	-90.054	0.0
38	13187	13188	NS	1	48.846	49.424	0.0	0.0	267.213	2.701	1050.344	1073.896	0.0	-91.534	-90.054	0.0
39	13187	13188	SN	1	48.674	49.308	0.0	0.0	282.043	2.932	1024.048	1070.784	0.005	-91.543	-89.791	0.0
40	13187	13188	SN	2	48.674	49.308	0.0	0.0	282.043	2.932	1024.048	1070.784	0.005	-91.543	-89.791	0.0
41	13188	13189	NS	1	48.802	49.458	0.0	0.0	209.052	2.72	1051.0	1073.728	0.0	-91.627	-90.042	0.0
42	13188	13189	NS	1	48.801	49.458	0.0	0.0	266.049	2.724	1050.992	1073.744	0.0	-91.627	-90.042	0.0
43	13188	13189	SN	1	48.726	49.283	0.0	0.0	228.205	3.107	1025.08	1070.68	0.0	-91.449	-89.781	0.0
44	13188	13189	SN	2	48.726	49.283	0.0	0.0	228.205	3.107	1025.08	1070.68	0.0	-91.449	-89.781	0.0
45	13188	13189	NS	1	48.802	49.458	0.0	0.0	209.052	2.72	1051.0	1073.728	0.0	-91.627	-90.042	0.0
46	13189	13190	NS	1	48.806	49.475	0.0	0.003	263.705	1.713	1049.776	1073.632	0.0	-91.693	-90.05	0.0
47	13189	13190	NS	1	48.806	49.475	0.0	0.003	263.705	2.147	1049.776	1073.632	0.0	-91.693	-90.05	0.0
48	13189	13190	NS	2	48.806	49.475	0.0	0.003	263.705	2.147	1049.776	1073.632	0.0	-91.693	-90.05	0.0
49	13189	13190	SN	1	48.687	49.291	0.0	0.0	158.369	2.874	1024.544	1070.624	0.0	-91.429	-89.799	0.0
50	13190	13191	NS	1	48.798	49.422	0.0	0.003	267.218	2.415	1049.56	1073.568	0.0	-91.6	-90.047	0.0
51	13190	13191	NS	1	48.81	49.422	0.0	0.003	267.218	1.476	1049.624	1073.568	0.0	-91.6	-90.047	0.0
52	13190	13191	NS	1	48.81	49.422	0.0	0.003	267.218	2.417	1049.624	1073.568	0.0	-91.6	-90.047	0.0
53	13190	13191	SN	1	48.694	49.312	0.0	0.0	99.733	2.715	1024.44	1070.608	0.001	-91.432	-89.8	0.0
54	13190	13191	SN	2	48.693	49.313	0.0	0.0	99.733	2.716	1024.264	1070.616	0.001	-91.442	-89.799	0.0
55	13191	13192	NS	1	48.804	49.444	0.0	0.0	206.642	2.692	1049.904	1073.472	0.0	-91.662	-90.019	0.0
56	13191	13192	NS	1	48.806	49.444	0.0	0.0	206.642	1.802	1049.584	1073.472	0.0	-91.657	-90.019	0.0
57	13191	13192	SN	1	48.695	49.285	0.0	0.0	264.268	3.045	1025.336	1070.864	0.0	-92.346	-89.801	0.0
58	13191	13192	SN	1	48.695	49.285	0.0	0.0	264.268	3.042	1025.336	1070.864	0.0	-92.346	-89.801	0.0
59	13191	13192	NS	1	48.806	49.444	0.0	0.0	206.642	2.678	1049.584	1073.472	0.0	-91.657	-90.019	0.0
60	13191	13192	SN	1	48.695	49.285	0.0	0.0	264.268	2.003	1025.336	1066.488	0.0	-92.346	-89.801	0.0
61	13191	13192	SN	1	48.695	49.285	0.0	0.0	264.268	3.042	1025.336	1070.864	0.0	-92.346	-89.801	0.0
62	13192	13193	NS	1	48.858	49.422	0.0	0.003	267.257	2.713	1049.76	1073.736	0.0	-91.613	-90.043	0.0
63	13192	13193	SN	1	48.684	49.286	0.0	0.003	278.458	2.858	1024.624	1070.984	0.002	-91.416	-89.75	0.0
64	13192	13193	SN	1	48.684	49.284	0.0	0.003	279.704	2.863	1024.424	1070.984	0.001	-91.294	-89.751	0.0
65	13192	13193	SN	1	48.684	49.284	0.0	0.003	279.704	2.562	1024.424	1069.632	0.001	-91.294	-89.751	0.0
66	13193	13194	SN	1	48.664	49.322	0.0	0.003	283.333	2.293	1024.848	1070.288	0.0	-91.598	-89.799	0.0
67	13193	13194	SN	1	48.672	49.326	0.0	0.003	283.333	2.247	1025.104	1070.208	0.0	-91.473	-89.799	0.0
68	13193	13194	SN	1	48.664	49.322	0.0	0.003	283.333	2.257	1024.848	1070.208	0.0	-91.598	-89.799	0.0
69	13193	13194	NS	1	48.856	49.424	0.0	0.0	264.014	3.041	1049.608	1073.872	0.0	-91.661	-90.045	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	13193	13194	NS	2	48.854	49.425	0.0	0.0	267.533	3.043	1049.584	1073.888	0.0	-91.661	-90.045	0.0
71	13194	13195	SN	1	48.702	49.38	0.0	0.0	282.66	2.674	1025.008	1070.264	0.0	-93.707	-89.799	0.0
72	13194	13195	NS	1	48.85	49.424	0.0	0.003	267.235	2.679	1049.824	1073.832	0.0	-91.621	-90.052	0.0
73	13194	13195	SN	1	48.702	49.38	0.0	0.0	282.66	2.612	1025.008	1070.088	0.0	-93.707	-89.799	0.0
74	13195	13196	SN	1	48.665	49.339	0.0	0.003	6.215	2.71	1024.016	1070.992	0.001	-91.58	-89.792	0.0
75	13195	13196	NS	1	48.858	49.424	0.0	0.0	267.301	2.617	1049.864	1073.88	0.0	-91.562	-90.043	0.0
76	13195	13196	NS	1	48.859	49.423	0.0	0.0	210.701	2.621	1049.784	1073.872	0.0	-91.577	-90.043	0.0
77	13196	13197	SN	2	48.696	49.341	0.0	0.0	36.658	2.477	1024.176	1071.088	0.004	-92.494	-89.798	0.0
78	13196	13197	NS	1	48.857	49.424	0.0	0.0	265.029	2.946	1050.816	1074.096	0.0	-91.852	-90.036	0.0
79	13196	13197	NS	1	48.859	49.423	0.0	0.0	267.974	2.945	1050.832	1074.08	0.0	-91.676	-90.037	0.0
80	13196	13197	SN	1	48.696	49.341	0.0	0.0	36.658	2.478	1024.176	1071.088	0.004	-92.494	-89.798	0.0
81	13196	13197	SN	1	48.696	49.341	0.0	0.0	36.658	2.477	1024.176	1071.088	0.004	-92.494	-89.798	0.0
82	13197	13198	SN	1	48.691	49.311	0.0	0.003	282.986	2.617	1025.12	1070.744	0.0	-92.241	-89.79	0.0
83	13197	13198	SN	1	48.691	49.311	0.0	0.003	282.986	2.62	1025.12	1070.736	0.0	-92.241	-89.79	0.0
84	13197	13198	NS	2	48.857	49.425	0.0	0.0	210.596	2.846	1050.2	1074.0	0.0	-91.649	-90.049	0.0
85	13197	13198	NS	1	48.859	49.423	0.0	0.0	264.632	2.849	1050.192	1073.968	0.0	-91.649	-90.05	0.0
86	13197	13198	SN	1	48.691	49.311	0.0	0.003	282.986	1.973	1025.12	1068.144	0.0	-92.241	-89.79	0.0
87	13198	13199	NS	2	48.858	49.438	0.0	0.0	231.084	2.727	1049.336	1074.504	0.0	-91.949	-90.048	0.0
88	13198	13199	SN	1	48.722	49.297	0.0	0.0	208.93	2.829	1025.2	1071.184	0.0	-91.523	-89.762	0.0
89	13198	13199	SN	1	48.724	49.295	0.0	0.0	214.059	2.176	1025.296	1068.56	0.0	-91.523	-89.762	0.0
90	13198	13199	NS	1	48.858	49.457	0.0	0.0	231.084	2.725	1049.336	1074.128	0.0	-91.696	-90.048	0.0
91	13199	13200	SN	1	48.678	49.286	0.0	0.0	187.516	1.165	1024.712	1068.72	0.001	-91.339	-89.786	0.0
92	13200	13201	SN	1	48.666	49.346	0.0	0.003	6.243	2.475	1024.864	1071.576	0.001	-91.469	-89.805	0.0
93	13200	13201	NS	1	48.798	49.423	0.0	0.0	206.939	2.844	1049.832	1074.08	0.0	-91.644	-90.027	0.0
94	13200	13201	NS	1	48.798	49.423	0.0	0.0	206.939	2.846	1049.952	1074.08	0.0	-91.622	-90.027	0.0
95	13200	13201	SN	1	48.666	49.346	0.0	0.003	6.243	2.475	1024.864	1071.576	0.001	-91.469	-89.805	0.0
96	13201	13202	NS	1	48.802	49.424	0.0	0.0	40.706	2.581	1049.752	1074.264	0.0	-93.326	-90.047	0.0
97	13201	13202	SN	1	48.693	49.38	0.0	0.0	17.797	2.577	1024.736	1071.736	0.002	-94.161	-89.806	0.0
98	13201	13202	NS	2	48.802	49.424	0.0	0.0	40.706	2.581	1049.752	1074.264	0.0	-93.326	-90.047	0.0
99	13202	13203	SN	1	48.677	49.284	0.0	0.0	241.149	2.977	1024.776	1071.392	0.0	-91.519	-89.764	0.0
100	13202	13203	NS	1	48.797	49.423	0.0	0.0	264.858	2.275	1050.328	1074.216	0.0	-91.624	-90.045	0.0
101	13202	13203	NS	1	48.797	49.423	0.0	0.0	264.858	2.478	1050.328	1074.216	0.0	-91.624	-90.045	0.0
102	13202	13203	NS	1	48.859	49.423	0.0	0.0	264.858	2.476	1050.328	1074.216	0.0	-91.648	-90.045	0.0
103	13202	13203	SN	1	48.677	49.284	0.0	0.0	241.149	2.972	1025.776	1071.392	0.0	-91.573	-89.764	0.0
104	13203	13204	SN	1	48.728	49.348	0.0	0.003	282.627	1.912	1024.808	1069.328	0.001	-91.514	-89.787	0.0
105	13203	13204	NS	1	48.857	49.446	0.0	0.003	6.066	2.306	1049.248	1074.048	0.0	-91.768	-90.044	0.0
106	13203	13204	NS	2	48.857	49.446	0.0	0.003	6.066	2.306	1049.248	1074.048	0.0	-91.768	-90.044	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	13203	13204	SN	1	48.713	49.347	0.0	0.003	216.089	2.158	1024.8	1070.392	0.001	-91.458	-89.787	0.0
108	13204	13205	NS	1	48.747	49.421	0.0	0.003	165.582	2.545	1048.776	1073.888	0.0	-92.402	-90.042	0.0
109	13204	13205	NS	1	48.747	49.421	0.0	0.003	165.582	2.595	1048.776	1073.888	0.0	-92.402	-90.042	0.0
110	13204	13205	NS	2	48.746	49.422	0.0	0.003	264.687	2.595	1048.944	1073.904	0.0	-92.401	-90.042	0.0
111	13204	13205	SN	1	48.661	49.284	0.0	0.0	282.092	2.737	1025.032	1071.256	0.0	-91.567	-89.806	0.0
112	13204	13205	SN	2	48.661	49.284	0.0	0.0	282.092	2.737	1025.032	1071.256	0.0	-91.567	-89.806	0.0
113	13205	13206	SN	1	48.683	49.285	0.0	0.0	210.662	1.728	1026.04	1066.12	0.0	-92.062	-89.804	0.0
114	13205	13206	NS	1	48.837	49.421	0.0	0.003	266.303	1.567	1048.792	1073.816	0.0	-91.634	-90.032	0.0
115	13205	13206	SN	1	48.681	49.287	0.0	0.0	210.656	2.873	1026.008	1071.384	0.0	-92.062	-89.803	0.0
116	13205	13206	NS	1	48.837	49.421	0.0	0.003	266.303	2.607	1048.792	1073.816	0.0	-91.546	-90.032	0.0
117	13205	13206	NS	1	48.837	49.421	0.0	0.003	266.303	2.604	1048.984	1073.816	0.0	-91.564	-90.032	0.0
118	13205	13206	SN	1	48.683	49.285	0.0	0.0	210.662	2.872	1026.04	1071.384	0.0	-92.062	-89.804	0.0
119	13206	13207	NS	2	48.679	49.324	0.0	0.0	95.784	19.531	1062.552	1073.616	0.0	-93.376	-90.211	0.0
120	13206	13207	NS	1	48.679	49.324	0.0	0.0	95.784	19.531	1062.552	1073.616	0.0	-93.376	-90.211	0.0
121	13206	13207	NS	1	48.756	49.324	0.0	0.0	73.906	18.419	1062.856	1073.616	0.0	-92.806	-90.211	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

73	13194	13195	SN	1	-31.741	25.38	0.481	-34.15	26.089	0.503	-4.893	28.648	17.605	-21.133	29.276	10.129	0.116	144.765	1.252	0.116	252.032	0.996	0.116	0.395	0.0	0.116	12.668	0.029
74	13195	13196	SN	1	-34.473	25.37	0.455	-34.492	26.2	0.516	6.948	28.198	15.592	6.663	28.109	9.22	0.116	271.506	2.322	0.116	272.702	2.026	0.116	0.131	0.0	0.116	0.132	0.0
75	13195	13196	NS	1	-34.932	25.011	0.157	-32.448	25.713	0.265	-15.213	32.582	6.426	-10.278	31.554	13.048	0.116	301.794	4.447	0.116	170.326	4.005	0.116	3.308	0.003	0.116	1.124	0.003
76	13195	13196	NS	1	-34.68	25.014	0.157	-34.51	25.713	0.265	-15.232	32.577	6.448	-10.278	31.554	13.082	0.116	284.816	4.432	0.116	273.836	4.014	0.116	3.321	0.003	0.116	1.124	0.003
77	13196	13197	SN	2	-34.974	26.985	0.237	-34.95	26.069	0.356	-16.772	28.672	19.044	8.747	29.123	31.868	0.116	304.726	6.022	0.116	303.004	5.016	0.116	4.697	0.039	0.116	0.126	0.0
78	13196	13197	NS	1	-34.079	27.385	0.158	-34.06	25.841	0.216	-18.618	29.291	7.903	-5.258	30.923	14.794	0.116	247.975	1.695	0.116	246.837	1.275	0.116	7.138	0.003	0.116	0.421	0.0
79	13196	13197	NS	1	-34.079	27.385	0.158	-34.174	25.841	0.216	-18.522	29.291	7.903	-5.258	30.923	14.794	0.116	247.975	1.695	0.116	253.47	1.275	0.116	6.984	0.003	0.116	0.421	0.0
80	13196	13197	SN	1	-34.974	26.985	0.237	-34.95	26.069	0.356	-16.772	28.672	19.053	8.747	29.123	31.859	0.116	304.726	6.022	0.116	303.004	5.016	0.116	4.697	0.039	0.116	0.126	0.0
81	13196	13197	SN	1	-34.974	26.985	0.237	-34.95	26.069	0.356	-16.772	28.672	19.044	8.747	29.123	31.868	0.116	304.726	6.022	0.116	303.004	5.016	0.116	4.697	0.039	0.116	0.126	0.0
82	13197	13198	SN	1	-33.559	23.495	0.026	-34.604	23.173	0.032	6.085	28.168	18.129	7.392	28.969	27.204	0.116	219.937	1.794	0.116	279.842	1.312	0.116	0.135	0.0	0.116	0.13	0.0
83	13197	13198	SN	1	-33.559	23.495	0.026	-34.604	23.173	0.032	6.085	28.168	18.129	7.392	28.969	27.209	0.116	219.937	1.786	0.116	279.842	1.308	0.116	0.135	0.0	0.116	0.13	0.0
84	13197	13198	NS	2	-34.813	22.914	0.026	-33.978	25.311	0.075	-7.325	29.706	7.329	-6.936	30.634	13.297	0.116	293.64	2.188	0.116	242.231	2.207	0.116	0.617	0.0	0.116	0.572	0.0
85	13197	13198	NS	1	-34.575	22.914	0.026	-33.978	25.311	0.075	-7.325	29.706	7.334	-6.936	30.634	13.295	0.116	277.99	2.186	0.116	242.231	2.206	0.116	0.617	0.0	0.116	0.572	0.0
86	13197	13198	SN	1	-33.559	23.495	0.027	-34.604	23.173	0.033	6.085	28.168	19.45	7.392	28.969	27.556	0.116	219.937	1.847	0.116	279.842	1.37	0.116	0.135	0.0	0.116	0.13	0.0
87	13198	13199	NS	2	-34.346	27.036	0.347	-34.561	29.506	0.516	8.189	28.572	17.298	7.955	29.585	27.16	0.116	263.659	1.554	0.116	277.034	1.615	0.116	0.127	0.0	0.116	0.128	0.0
88	13198	13199	SN	1	-32.788	25.236	0.06	-34.748	25.425	0.087	5.56	33.949	12.616	5.774	34.624	14.749	0.116	184.233	2.521	0.116	289.218	1.787	0.116	0.138	0.0	0.116	0.136	0.0
89	13198	13199	SN	1	-32.76	25.236	0.064	-34.903	25.425	0.049	5.56	33.949	12.743	5.774	34.624	14.684	0.116	183.088	2.672	0.116	299.796	1.938	0.116	0.138	0.0	0.116	0.136	0.0
90	13198	13199	NS	1	-33.645	27.036	0.347	-34.126	29.506	0.514	8.189	28.572	17.298	7.955	29.585	27.16	0.116	224.373	1.552	0.116	250.669	1.614	0.116	0.127	0.0	0.116	0.128	0.0
91	13199	13200	SN	1	-34.803	26.438	0.201	-31.863	28.507	0.204	-8.935	35.009	11.494	-4.112	32.942	12.516	0.116	292.922	3.303	0.116	148.922	2.229	0.116	0.851	0.0	0.116	0.347	0.0
92	13200	13201	SN	1	-34.852	26.8	0.3	-34.294	27.931	0.917	-13.929	29.279	17.9	0.497	30.442	16.423	0.116	296.22	7.272	0.116	260.494	6.184	0.116	2.484	0.007	0.116	0.19	0.0
93	13200	13201	NS	1	-34.405	28.815	0.895	-34.693	26.494	1.009	-16.888	29.082	29.369	1.077	30.939	47.28	0.116	267.262	3.343	0.116	285.585	2.918	0.116	4.823	0.024	0.116	0.18	0.0
94	13200	13201	NS	1	-34.926	28.815	0.897	-34.956	26.494	1.011	-16.888	29.082	29.377	1.079	30.939	47.283	0.116	301.366	3.343	0.116	303.446	2.914	0.116	4.823	0.024	0.116	0.18	0.0
95	13200	13201	SN	1	-34.852	26.8	0.3	-34.294	27.931	0.917	-13.929	29.279	17.9	0.497	30.442	16.423	0.116	296.22	7.272	0.116	260.494	6.184	0.116	2.484	0.007	0.116	0.19	0.0
96	13201	13202	NS	1	-34.321	27.444	1.062	-33.853	25.701	1.049	-10.275	31.106	16.368	-17.238	32.92	27.798	0.116	262.222	1.556	0.116	235.352	1.619	0.116	1.124	0.003	0.116	5.22	0.007
97	13201	13202	SN	1	-34.53	28.179	0.137	-34.714	28.154	0.898	-14.896	33.06	18.301	-18.075	30.365	17.918	0.116	275.108	5.845	0.116	287.04	5.138	0.116	3.081	0.024	0.116	6.31	0.016
98	13201	13202	NS	2	-34.321	27.444	1.062	-33.853	25.701	1.049	-10.275	31.106	16.368	-17.238	32.92	27.798	0.116	262.222	1.556	0.116	235.352	1.619	0.116	1.124	0.003	0.116	5.22	0.007
99	13202	13203	SN	1	-34.864	22.542	0.007	-34.987	25.288	2.246	-20.363	29.509	15.229	-24.56	31.418	15.613	0.116	297.136	3.244	0.116	305.571	3.246	0.116	10.622	0.033	0.116	27.78	0.066
100	13202	13203	NS	1	-34.919	29.034	1.919	-34.608	25.803	1.447	1.53	28.516	17.525	-2.175	32.64	27.694	0.116	300.834	2.391	0.116	280.063	2.163	0.116	0.174	0.0	0.116	0.26	0.0
101	13202	13203	NS	1	-34.919	29.031	1.916	-34.608	25.803	1.447	1.538	28.521	19.745	-2.178	32.64	29.592	0.116	300.834	2.388	0.116	280.063	2.164	0.116	0.174	0.0	0.116	0.26	0.0
102	13202	13203	NS	1	-34.083	29.031	1.916	-34.096	25.801	1.447	1.536	28.524	19.661	-2.176	32.64	29.498	0.116	248.176	2.395	0.116	248.924	2.164	0.116	0.174	0.0	0.116	0.26	0.0
103	13202	13203	SN	1	-33.768	22.542	0.007	-33.915	25.288	2.245	-20.547	29.509	15.193	-24.469	31.418	15.564	0.116	230.82	3.239	0.116	238.764	3.232	0.116	11.079	0.033	0.116	27.199	0.066
104	13203	13204	SN	1	-33.226	26.666	0.058	-34.298	27.439	0.931	-3.29	29.836	15.777	-2.152	31.177	20.166	0.116	203.743	1.596	0.116	260.791	1.732	0.116	0.305	0.0	0.116	0.259	0.0
105	13203	13204	NS	1	-34.857	24.581	1.083	-34.795	24.421	0.215	11.119	28.756	28.548	11.394	30.479	45.309	0.116	296.542	3.039	0.116	292.359	2.736	0.116	0.122	0.0	0.116	0.121	0.0
106	13203	13204	NS	2	-34.857	24.581	1.083	-34.795	24.421	0.215	11.119	28.756	28.548	11.394	30.479	45.309	0.116	296.542	3.039	0.116	292.359	2.736	0.116	0.122	0.0	0.116	0.121	0.0
107	13203	13204	SN	1	-33.959	26.666	0.088	-33.384	27.439	2.106	-3.287	29.837	16.352	-2.158	31.177	19.97	0.116	241.206	1.55	0.116	211.322	1.634	0.116	0.305	0.0	0.116	0.259	0.0
108	13204	13205	NS	1	-34.957	27.149	1.085	-34.847	25.368	0.198	8.486	28.683	28.383	8.999	30.097	40.043	0.116	303.562	3.526	0.116	295.888	3.444	0.116	0.127	0.0	0.116	0.125	0.0
109	13204	13205	NS	1	-34.957	27.149	1.085	-34.847	25.368	0.198	8.486	28.84	29.702	8.999	30.097	40.866	0.116	303.562	3.526	0.116	295.888	3.444	0.116	0.127	0.0	0.116	0.125	0.0
110	13204	13205	NS	2	-34.957	27.15	1.085	-34.894	25.368	0.198	8.486	28.838	29.698	8.999	30.097	40.862	0.116	303.562	3.526	0.116	299.09	3.443	0.116	0.127	0.0	0.116	0.125	0.0
111	13204	13205	SN	1	-33.786	27.876	0.4	-34.849	28.549	2.278	-5.556	29.113	41.62	-3.85	29.788	47.738	0.116	231.763	2.005	0.116	296.013	1.7	0.116	0.444	0.0	0.116	0.332	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

112	13204	13205	SN	2	-33.786	27.876	0.4	-34.849	28.549	2.278	-5.556	29.113	41.62	-3.85	29.788	47.738	0.116	231.763	2.005	0.116	296.013	1.7	0.116	0.444	0.0	0.116	0.332	0.0
113	13205	13206	SN	1	-34.731	25.315	0.097	-34.58	25.8	0.119	7.882	29.172	38.52	8.617	30.815	46.497	0.116	288.139	2.658	0.116	278.211	2.058	0.116	0.128	0.0	0.116	0.126	0.0
114	13205	13206	NS	1	-34.614	24.314	0.979	-34.956	27.687	0.192	7.729	33.417	4.185	8.173	29.441	4.196	0.116	280.445	2.007	0.116	303.421	1.878	0.116	0.129	0.0	0.116	0.127	0.0
115	13205	13206	SN	1	-34.731	25.315	0.519	-34.532	25.957	2.074	7.882	29.172	40.122	8.617	30.815	48.138	0.116	288.139	2.587	0.116	275.191	1.92	0.116	0.128	0.0	0.116	0.126	0.0
116	13205	13206	NS	1	-34.614	26.697	1.1	-34.956	27.538	0.195	7.203	33.417	20.18	8.173	30.117	31.556	0.116	280.445	2.011	0.116	303.421	1.876	0.116	0.13	0.0	0.116	0.127	0.0
117	13205	13206	NS	1	-34.614	26.697	1.099	-34.985	27.538	0.195	7.203	33.417	20.128	8.173	30.117	31.474	0.116	280.445	2.009	0.116	321.212	1.876	0.116	0.13	0.0	0.116	0.127	0.0
118	13205	13206	SN	1	-34.731	25.315	0.516	-34.58	25.956	2.074	7.882	29.172	40.122	8.617	30.815	48.145	0.116	288.139	2.587	0.116	278.211	1.921	0.116	0.128	0.0	0.116	0.126	0.0
119	13206	13207	NS	2	6.714	24.612	12.777	-34.554	23.917	0.421	20.305	20.305	0.0	100000.0	-10000.0	0.0	0.116	0.132	0.0	0.116	355.035	1.64	0.116	0.116	0.0	100000.0	-10000.0	0.0
120	13206	13207	NS	1	6.714	24.612	12.777	-34.554	23.917	0.421	20.305	20.305	0.0	100000.0	-10000.0	0.0	0.116	0.132	0.0	0.116	355.035	1.64	0.116	0.116	0.0	100000.0	-10000.0	0.0
121	13206	13207	NS	1	6.54	24.676	12.426	-30.95	23.826	0.413	20.405	20.405	0.0	100000.0	-10000.0	0.0	0.116	0.133	0.0	0.116	120.708	0.598	0.116	0.116	0.0	100000.0	-10000.0	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	13177	13178	SN	1	57.485	58.088	0.0	0.0	299.74	3.161	1200.128	1253.48	30.322	-94.382	-91.824	0.0
2	13177	13178	SN	2	57.485	58.088	0.0	0.0	299.74	3.161	1200.128	1253.448	30.32	-94.382	-91.824	0.0
3	13177	13178	SN	2	57.485	58.088	0.0	0.0	299.74	3.158	1200.128	1253.448	30.292	-94.382	-91.824	0.0
4	13177	13178	SN	1	57.485	58.088	0.0	0.0	299.74	3.158	1200.128	1253.448	30.294	-94.382	-91.824	0.0
5	13178	13179	NS	1	57.674	58.267	0.0	0.0	300.0	3.616	1232.496	1261.72	0.0	-93.69	-92.097	0.0
6	13178	13179	NS	1	57.674	58.267	0.0	0.0	300.0	3.62	1232.464	1261.72	0.0	-93.69	-92.097	0.0
7	13178	13179	SN	1	57.467	58.086	0.0	0.003	297.11	3.178	1199.32	1255.944	28.1	-93.159	-91.833	0.0
8	13178	13179	SN	1	57.467	58.086	0.0	0.0	297.11	3.687	1199.32	1257.128	27.593	-93.159	-91.833	0.0
9	13178	13179	SN	1	57.467	58.086	0.0	0.0	297.11	3.687	1199.32	1257.128	27.593	-93.159	-91.833	0.0
10	13179	13180	NS	1	57.656	58.268	0.0	0.0	296.597	3.565	1232.552	1261.808	0.0	-93.691	-92.083	0.0
11	13179	13180	SN	1	57.245	58.177	0.0	0.0	291.942	3.713	1199.072	1257.096	28.228	-95.381	-91.846	0.0
12	13179	13180	SN	1	57.245	58.177	0.0	0.0	291.942	3.23	1199.072	1256.064	28.618	-95.381	-91.846	0.0
13	13179	13180	SN	2	57.245	58.177	0.0	0.0	299.492	3.228	1199.096	1256.056	28.609	-95.381	-91.847	0.0
14	13179	13180	NS	1	57.67	58.268	0.0	0.0	296.597	3.562	1232.528	1261.808	0.0	-93.691	-92.083	0.0
15	13180	13181	NS	1	57.652	58.267	0.0	0.0	298.554	4.106	1232.864	1261.816	0.0	-93.69	-92.106	0.0
16	13180	13181	SN	1	57.454	58.116	0.0	0.003	282.566	3.393	1199.792	1257.16	28.767	-92.898	-91.844	0.0
17	13181	13182	SN	1	57.443	58.1	0.0	0.003	277.752	3.033	1199.584	1256.672	29.229	-93.199	-91.844	0.0
18	13181	13182	NS	1	57.677	58.269	0.0	0.0	298.709	3.322	1233.48	1261.888	0.0	-92.998	-92.08	0.0
19	13182	13183	SN	1	57.15	58.084	0.0	0.0	296.084	3.588	1199.512	1254.088	29.348	-94.589	-91.844	0.0
20	13182	13183	NS	2	57.65	58.272	0.0	0.0	296.277	3.697	1232.608	1261.984	0.0	-93.691	-92.1	0.0
21	13182	13183	SN	1	57.15	58.084	0.0	0.0	296.084	4.29	1199.512	1257.28	28.212	-94.589	-91.844	0.0
22	13182	13183	NS	1	57.65	58.272	0.0	0.0	296.277	3.697	1232.608	1261.984	0.0	-93.691	-92.1	0.0
23	13183	13184	NS	1	57.632	58.285	0.0	0.0	296.751	3.432	1229.624	1262.032	0.0	-94.45	-92.112	0.0
24	13183	13184	SN	1	57.459	58.108	0.0	0.0	233.417	2.925	1199.456	1255.168	29.076	-93.347	-91.825	0.0
25	13183	13184	SN	1	57.459	58.108	0.0	0.0	233.417	2.925	1199.456	1255.168	29.076	-93.347	-91.825	0.0
26	13184	13185	SN	1	57.485	58.085	0.0	0.0	289.968	3.906	1199.84	1257.424	24.036	-92.901	-91.836	0.0
27	13184	13185	NS	1	57.555	58.293	0.0	0.0	299.729	3.719	1231.968	1261.944	0.0	-95.448	-92.105	0.0
28	13185	13186	NS	1	57.673	58.268	0.0	0.0	297.545	3.753	1232.92	1261.968	0.0	-93.694	-92.053	0.0
29	13185	13186	NS	2	57.673	58.268	0.0	0.0	297.507	3.751	1232.912	1261.976	0.0	-93.694	-92.053	0.0
30	13185	13186	SN	1	57.478	58.108	0.0	0.0	297.766	3.975	1199.992	1257.744	25.372	-93.607	-91.826	0.0
31	13185	13186	SN	2	57.478	58.108	0.0	0.0	297.766	3.975	1199.992	1257.744	25.372	-93.607	-91.826	0.0
32	13186	13187	NS	1	57.654	58.486	0.0	0.0	298.896	3.675	1232.2	1263.008	0.0	-94.611	-92.098	0.0
33	13186	13187	SN	1	57.464	58.118	0.0	0.0	277.967	3.858	1200.56	1257.896	27.136	-93.531	-91.853	0.0
34	13186	13187	SN	1	57.464	58.118	0.0	0.0	277.967	3.854	1200.272	1257.896	27.11	-93.531	-91.853	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	13186	13187	NS	2	57.654	58.485	0.0	0.0	298.896	3.675	1232.184	1262.984	0.0	-94.611	-92.097	0.0
36	13187	13188	NS	3	57.671	58.369	0.0	0.0	296.679	3.595	1231.944	1262.328	0.0	-94.796	-92.107	0.0
37	13187	13188	NS	2	57.671	58.369	0.0	0.0	296.679	3.595	1231.944	1262.328	0.0	-94.796	-92.107	0.0
38	13187	13188	NS	1	57.671	58.369	0.0	0.0	296.668	3.595	1231.944	1262.328	0.0	-94.796	-92.107	0.0
39	13187	13188	SN	1	57.468	58.135	0.0	0.0	296.404	4.065	1200.272	1257.768	26.478	-94.212	-91.838	0.0
40	13187	13188	SN	2	57.468	58.135	0.0	0.0	296.404	4.065	1200.272	1257.768	26.478	-94.212	-91.838	0.0
41	13188	13189	NS	1	57.642	58.274	0.0	0.0	295.758	3.401	1232.656	1262.136	0.0	-93.646	-92.097	0.0
42	13188	13189	NS	1	57.642	58.279	0.0	0.0	295.758	3.406	1232.648	1262.152	0.0	-93.646	-92.097	0.0
43	13188	13189	SN	1	57.487	58.086	0.0	0.0	297.562	4.362	1200.912	1257.632	27.186	-93.494	-91.836	0.0
44	13188	13189	SN	2	57.487	58.086	0.0	0.0	297.562	4.362	1200.912	1257.632	27.186	-93.494	-91.836	0.0
45	13188	13189	NS	1	57.642	58.274	0.0	0.0	295.758	3.401	1232.656	1262.136	0.0	-93.646	-92.097	0.0
46	13189	13190	NS	1	57.648	58.282	0.0	0.003	296.53	2.563	1231.496	1261.968	0.0	-93.156	-92.103	0.0
47	13189	13190	NS	1	57.648	58.282	0.0	0.003	296.53	2.858	1231.496	1261.968	0.0	-93.156	-92.103	0.0
48	13189	13190	NS	2	57.648	58.282	0.0	0.003	296.53	2.858	1231.496	1261.968	0.0	-93.156	-92.103	0.0
49	13189	13190	SN	1	57.483	58.096	0.0	0.0	299.873	4.076	1200.384	1257.568	26.462	-93.525	-91.852	0.0
50	13190	13191	NS	1	57.639	58.281	0.0	0.003	298.466	3.1	1231.272	1261.944	0.0	-93.688	-92.1	0.0
51	13190	13191	NS	1	57.638	58.292	0.0	0.003	298.466	2.147	1231.272	1261.944	0.0	-93.688	-92.1	0.0
52	13190	13191	NS	1	57.638	58.292	0.0	0.003	298.466	3.102	1231.272	1261.944	0.0	-93.688	-92.1	0.0
53	13190	13191	SN	1	57.349	58.096	0.0	0.0	297.452	3.903	1200.344	1257.544	26.56	-95.233	-91.853	0.0
54	13190	13191	SN	2	57.348	58.097	0.0	0.0	297.452	3.9	1200.336	1257.552	26.567	-95.232	-91.852	0.0
55	13191	13192	NS	1	57.648	58.264	0.0	0.0	296.894	3.535	1231.304	1261.792	0.0	-93.694	-92.071	0.0
56	13191	13192	NS	1	57.644	58.288	0.0	0.0	296.894	2.323	1231.36	1261.792	0.0	-93.694	-92.071	0.0
57	13191	13192	SN	1	57.39	58.456	0.0	0.0	295.643	4.251	1201.144	1257.856	25.925	-95.823	-91.854	0.0
58	13191	13192	SN	1	57.39	58.456	0.0	0.0	295.643	4.247	1201.144	1257.856	26.007	-95.823	-91.854	0.0
59	13191	13192	NS	1	57.644	58.288	0.0	0.0	296.894	3.53	1231.36	1261.792	0.0	-93.694	-92.071	0.0
60	13191	13192	SN	1	57.39	58.456	0.0	0.0	295.643	3.079	1201.144	1252.656	27.445	-95.823	-91.854	0.0
61	13191	13192	SN	1	57.39	58.456	0.0	0.0	295.643	4.247	1201.144	1257.856	26.007	-95.823	-91.854	0.0
62	13192	13193	NS	1	57.648	58.266	0.0	0.0	297.385	3.807	1231.376	1262.12	0.0	-93.697	-92.085	0.0
63	13192	13193	SN	1	57.454	58.088	0.0	0.0	295.428	4.136	1200.328	1258.008	26.069	-93.436	-91.803	0.0
64	13192	13193	SN	1	57.457	58.086	0.0	0.0	295.433	4.14	1200.256	1258.008	26.066	-93.436	-91.803	0.0
65	13192	13193	SN	1	57.457	58.086	0.0	0.0	295.433	3.594	1200.256	1256.344	26.704	-93.436	-91.803	0.0
66	13193	13194	SN	1	57.467	58.121	0.0	0.003	270.389	2.94	1200.256	1257.144	26.946	-92.828	-91.852	0.0
67	13193	13194	SN	1	57.464	58.115	0.0	0.003	270.389	2.882	1200.112	1257.016	27.056	-92.828	-91.852	0.0
68	13193	13194	SN	1	57.467	58.121	0.0	0.003	270.389	2.896	1200.256	1257.016	27.031	-92.828	-91.852	0.0
69	13193	13194	NS	1	57.625	58.268	0.0	0.0	296.398	4.033	1231.128	1262.256	0.0	-94.113	-92.096	0.0
70	13193	13194	NS	2	57.624	58.27	0.0	0.0	296.332	4.035	1231.096	1262.296	0.0	-94.113	-92.095	0.0
71	13194	13195	SN	1	57.468	58.086	0.0	0.0	298.356	3.44	1200.744	1257.088	26.82	-93.836	-91.852	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	13194	13195	NS	1	57.673	58.268	0.0	0.0	297.722	3.591	1231.616	1262.224	0.0	-93.696	-92.1	0.0
73	13194	13195	SN	1	57.468	58.086	0.0	0.0	298.422	3.415	1200.744	1256.888	26.952	-93.836	-91.852	0.0
74	13195	13196	SN	1	57.454	58.112	0.0	0.0	299.343	3.868	1200.024	1258.016	25.86	-93.254	-91.849	0.0
75	13195	13196	NS	1	57.652	58.268	0.0	0.0	299.966	3.624	1231.544	1262.608	0.0	-93.741	-92.095	0.0
76	13195	13196	NS	1	57.647	58.268	0.0	0.0	295.008	3.631	1231.544	1262.6	0.0	-93.741	-92.095	0.0
77	13196	13197	SN	2	57.471	58.115	0.0	0.0	282.677	3.365	1200.256	1258.128	26.598	-94.072	-91.852	0.0
78	13196	13197	NS	1	57.552	58.269	0.0	0.0	295.775	3.858	1232.392	1262.552	0.0	-95.23	-92.089	0.0
79	13196	13197	NS	1	57.551	58.268	0.0	0.0	295.72	3.863	1232.416	1262.52	0.0	-95.229	-92.09	0.0
80	13196	13197	SN	1	57.471	58.115	0.0	0.0	282.738	3.365	1200.256	1258.136	26.598	-94.072	-91.852	0.0
81	13196	13197	SN	1	57.471	58.115	0.0	0.0	282.677	3.365	1200.256	1258.128	26.598	-94.072	-91.852	0.0
82	13197	13198	SN	1	57.46	58.111	0.0	0.0	293.315	3.437	1200.4	1257.72	25.955	-95.215	-91.844	0.0
83	13197	13198	SN	1	57.46	58.111	0.0	0.003	293.315	3.441	1200.4	1257.704	25.983	-95.215	-91.844	0.0
84	13197	13198	NS	2	57.64	58.27	0.0	0.0	296.2	3.918	1231.424	1262.864	0.0	-93.545	-92.103	0.0
85	13197	13198	NS	1	57.642	58.268	0.0	0.0	296.189	3.92	1231.208	1262.376	0.0	-93.545	-92.104	0.0
86	13197	13198	SN	1	57.46	58.111	0.0	0.003	293.315	2.928	1200.4	1254.616	27.076	-95.215	-91.844	0.0
87	13198	13199	NS	2	57.638	58.471	0.0	0.0	299.056	3.795	1230.984	1262.84	0.0	-94.949	-92.102	0.0
88	13198	13199	SN	1	57.481	58.113	0.0	0.0	294.562	3.959	1200.656	1258.264	23.722	-93.331	-91.816	0.0
89	13198	13199	SN	1	57.483	58.111	0.0	0.0	294.666	3.154	1200.784	1255.056	24.728	-93.331	-91.817	0.0
90	13198	13199	NS	1	57.638	58.471	0.0	0.0	299.056	3.794	1230.944	1262.384	0.0	-94.949	-92.102	0.0
91	13199	13200	SN	1	57.456	58.112	0.0	0.0	177.224	2.142	1200.992	1255.28	24.557	-93.629	-91.851	0.0
92	13200	13201	SN	1	57.464	58.106	0.0	0.0	298.99	3.463	1200.96	1258.736	23.899	-92.935	-91.859	0.0
93	13200	13201	NS	1	57.639	58.268	0.0	0.0	299.867	3.845	1231.776	1262.512	0.0	-93.7	-92.055	0.0
94	13200	13201	NS	1	57.639	58.268	0.0	0.0	299.867	3.848	1232.048	1262.512	0.0	-93.7	-92.055	0.0
95	13200	13201	SN	1	57.464	58.106	0.0	0.0	298.99	3.463	1200.96	1258.736	23.899	-92.935	-91.859	0.0
96	13201	13202	NS	1	57.639	58.268	0.0	0.0	294.187	3.688	1231.464	1262.712	0.0	-94.433	-92.095	0.0
97	13201	13202	SN	1	57.37	58.115	0.0	0.0	295.962	3.382	1200.744	1259.032	24.829	-94.206	-91.859	0.0
98	13201	13202	NS	2	57.639	58.268	0.0	0.0	294.187	3.688	1231.464	1262.712	0.0	-94.433	-92.095	0.0
99	13202	13203	SN	1	57.122	58.107	0.0	0.0	293.718	4.041	1199.44	1258.512	24.969	-94.538	-91.819	0.0
100	13202	13203	NS	1	57.567	58.29	0.0	0.0	293.525	2.942	1231.848	1262.656	0.0	-95.047	-92.098	0.0
101	13202	13203	NS	1	57.567	58.289	0.0	0.0	295.383	3.205	1231.848	1262.656	0.0	-95.047	-92.098	0.0
102	13202	13203	NS	1	57.567	58.289	0.0	0.0	295.383	3.202	1231.848	1262.656	0.0	-95.047	-92.098	0.0
103	13202	13203	SN	1	57.122	58.107	0.0	0.0	293.718	4.033	1199.44	1258.512	25.031	-94.538	-91.819	0.0
104	13203	13204	SN	1	57.489	58.089	0.0	0.003	277.272	2.775	1200.992	1256.0	24.807	-92.957	-91.839	0.0
105	13203	13204	NS	1	57.672	58.287	0.0	0.0	293.37	3.158	1231.08	1262.456	0.0	-93.038	-92.098	0.0
106	13203	13204	NS	2	57.672	58.287	0.0	0.0	293.37	3.158	1231.08	1262.456	0.0	-93.038	-92.098	0.0
107	13203	13204	SN	1	57.478	58.094	0.0	0.003	269.617	2.867	1201.224	1257.28	25.424	-92.95	-91.84	0.0
108	13204	13205	NS	1	57.642	58.596	0.0	0.003	299.74	3.484	1230.464	1262.248	0.0	-95.859	-92.096	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	13204	13205	NS	1	57.642	58.596	0.0	0.003	299.74	3.639	1230.464	1262.248	0.0	-95.859	-92.096	0.0
110	13204	13205	NS	2	57.641	58.597	0.0	0.003	299.735	3.636	1230.448	1262.272	0.0	-95.86	-92.096	0.0
111	13204	13205	SN	1	57.465	58.113	0.0	0.0	293.586	3.911	1201.16	1258.36	24.186	-93.586	-91.859	0.0
112	13204	13205	SN	2	57.465	58.113	0.0	0.0	293.586	3.911	1201.16	1258.36	24.186	-93.586	-91.859	0.0
113	13205	13206	SN	1	57.459	58.087	0.0	0.0	298.654	2.662	1201.32	1252.272	25.768	-93.315	-91.858	0.0
114	13205	13206	NS	1	57.637	58.291	0.0	0.0	284.806	1.962	1230.552	1262.152	0.0	-92.996	-92.09	0.0
115	13205	13206	SN	1	57.456	58.089	0.0	0.0	298.615	4.084	1201.288	1258.512	24.218	-93.315	-91.857	0.0
116	13205	13206	NS	1	57.637	58.291	0.0	0.0	297.904	3.487	1230.552	1262.152	0.0	-92.996	-92.09	0.0
117	13205	13206	NS	1	57.637	58.291	0.0	0.0	297.904	3.483	1230.864	1262.152	0.0	-92.988	-92.09	0.0
118	13205	13206	SN	1	57.459	58.087	0.0	0.0	298.654	4.082	1201.32	1258.512	24.228	-93.315	-91.858	0.0
119	13206	13207	NS	2	57.422	58.163	0.0	0.0	298.35	23.221	1242.672	1261.632	0.0	-95.156	-92.262	0.0
120	13206	13207	NS	1	57.422	58.163	0.0	0.0	298.35	23.221	1242.672	1261.632	0.0	-95.156	-92.262	0.0
121	13206	13207	NS	1	57.486	58.673	0.0	0.0	298.35	21.977	1243.184	1274.648	0.0	-101.792	-92.262	0.008

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	13177	13178	SN	1	-33.597	22.375	0.002	-33.743	21.23	0.0	-9.068	23.038	0.054	-22.173	23.414	0.038	0.086	169.659	2.552	0.086	175.399	2.091	0.086	0.664	0.0	0.086	12.278	0.005
2	13177	13178	SN	2	-33.597	22.375	0.002	-33.743	21.23	0.0	-9.068	23.038	0.054	-22.173	23.414	0.038	0.086	169.659	2.552	0.086	175.399	2.091	0.086	0.664	0.0	0.086	12.278	0.005
3	13177	13178	SN	2	-34.12	22.375	0.002	-34.024	21.23	0.0	-9.088	23.038	0.054	-22.173	23.414	0.038	0.086	191.306	2.545	0.086	187.182	2.094	0.086	0.667	0.0	0.086	12.278	0.005
4	13177	13178	SN	1	-34.12	22.375	0.002	-34.024	21.23	0.0	-9.088	23.038	0.054	-22.173	23.414	0.038	0.086	191.306	2.545	0.086	187.182	2.094	0.086	0.667	0.0	0.086	12.278	0.005
5	13178	13179	NS	1	-34.244	21.606	0.0	-34.665	22.126	0.001	-3.493	23.997	0.043	-2.79	25.481	0.194	0.086	196.872	1.236	0.086	216.873	1.572	0.086	0.236	0.0	0.086	0.212	0.0
6	13178	13179	NS	1	-34.94	21.609	0.0	-34.604	22.126	0.001	-3.493	23.997	0.043	-2.79	25.481	0.194	0.086	231.066	1.227	0.086	213.912	1.575	0.086	0.236	0.0	0.086	0.212	0.0
7	13178	13179	SN	1	-34.954	21.126	0.0	-34.916	21.972	0.0	-15.402	23.086	0.08	-21.549	23.193	0.084	0.086	231.825	4.908	0.086	229.752	3.756	0.086	2.633	0.005	0.086	10.645	0.027
8	13178	13179	SN	1	-34.954	21.126	0.0	-34.916	21.972	0.0	-15.402	23.086	0.08	-21.549	23.193	0.084	0.086	231.825	4.75	0.086	229.752	3.65	0.086	2.633	0.005	0.086	10.645	0.027
9	13178	13179	SN	1	-34.954	21.126	0.0	-34.916	21.972	0.0	-15.402	23.086	0.08	-21.549	23.193	0.084	0.086	231.825	4.75	0.086	229.752	3.65	0.086	2.633	0.005	0.086	10.645	0.027
10	13179	13180	NS	1	-34.574	19.574	0.0	-34.405	19.276	0.0	-16.881	22.924	0.059	-28.942	23.643	0.183	0.086	212.386	7.763	0.086	204.313	8.391	0.086	3.676	0.004	0.086	58.111	0.065
11	13179	13180	SN	1	-34.082	19.182	0.0	-34.919	19.449	0.0	2.342	23.303	0.204	2.115	23.049	0.204	0.086	189.626	2.476	0.086	229.89	2.119	0.086	0.121	0.0	0.086	0.123	0.0
12	13179	13180	SN	1	-34.082	19.182	0.0	-34.919	19.449	0.0	2.342	23.303	0.204	2.115	23.049	0.204	0.086	189.626	2.525	0.086	229.89	2.153	0.086	0.121	0.0	0.086	0.123	0.0
13	13179	13180	SN	2	-34.227	19.182	0.0	-34.843	19.449	0.0	2.342	23.303	0.204	2.115	23.049	0.204	0.086	196.061	2.525	0.086	225.905	2.154	0.086	0.121	0.0	0.086	0.123	0.0
14	13179	13180	NS	1	-34.767	19.576	0.0	-34.761	19.279	0.0	-16.881	22.922	0.059	-28.942	23.643	0.183	0.086	222.01	7.789	0.086	221.682	8.428	0.086	3.676	0.004	0.086	58.111	0.065
15	13180	13181	NS	1	-33.972	19.712	0.0	-34.546	19.853	0.0	-30.824	22.774	0.029	-31.128	23.423	0.126	0.086	184.902	1.919	0.086	211.038	1.97	0.086	89.587	0.174	0.086	96.104	0.13
16	13180	13181	SN	1	-34.895	19.325	0.0	-34.956	19.508	0.0	1.722	22.419	0.049	1.721	22.339	0.071	0.086	228.669	1.25	0.086	231.911	1.071	0.086	0.127	0.0	0.086	0.127	0.0
17	13181	13182	SN	1	-34.954	18.985	0.0	-34.895	19.722	0.0	0.752	22.729	0.207	1.869	23.057	0.79	0.086	231.842	1.983	0.086	228.66	1.674	0.086	0.138	0.0	0.086	0.126	0.0
18	13181	13182	NS	1	-34.247	18.604	0.0	-32.544	19.018	0.0	-18.115	23.153	0.09	-10.974	23.679	0.163	0.086	196.973	1.353	0.086	133.095	1.55	0.086	4.862	0.004	0.086	0.992	0.0
19	13182	13183	SN	1	-34.81	19.124	0.0	-34.631	19.653	0.0	0.271	22.427	0.052	-3.914	22.928	0.301	0.086	224.296	4.605	0.086	215.187	4.05	0.086	0.145	0.0	0.086	0.253	0.0
20	13182	13183	NS	2	-34.844	19.18	0.0	-34.841	17.636	0.0	-14.866	22.574	0.027	-17.4	23.259	0.117	0.086	226.03	3.04	0.087	225.864	3.023	0.086	2.336	0.006	0.086	4.135	0.011
21	13182	13183	SN	1	-34.81	19.124	0.0	-34.631	19.653	0.0	0.271	22.427	0.048	-3.914	22.928	0.292	0.086	224.296	4.466	0.086	215.187	3.893	0.086	0.145	0.0	0.086	0.253	0.0
22	13182	13183	NS	1	-34.844	19.18	0.0	-34.841	17.636	0.0	-14.866	22.574	0.027	-17.4	23.259	0.117	0.086	226.03	3.04	0.087	225.864	3.023	0.086	2.336	0.006	0.086	4.135	0.011
23	13183	13184	NS	1	-34.939	21.578	0.0	-34.445	21.31	0.0	-20.736	22.608	0.144	-16.896	23.405	0.378	0.086	231.022	2.472	0.086	206.185	2.703	0.086	8.839	0.112	0.086	3.688	0.044
24	13183	13184	SN	1	-34.42	17.126	0.0	-34.855	15.998	0.0	-8.287	23.272	0.42	-5.598	23.379	0.367	0.087	204.998	3.287	0.087	226.613	2.707	0.086	0.566	0.0	0.086	0.337	0.0
25	13183	13184	SN	1	-34.42	17.126	0.0	-34.855	15.998	0.0	-8.287	23.272	0.42	-5.598	23.379	0.367	0.087	204.998	3.287	0.087	226.613	2.707	0.086	0.566	0.0	0.086	0.337	0.0
26	13184	13185	SN	1	-32.785	19.158	0.0	-34.546	19.626	0.0	-11.404	23.473	0.803	-6.941	27.938	1.456	0.086	140.684	1.132	0.086	211.023	0.97	0.086	1.088	0.001	0.086	0.434	0.0
27	13184	13185	NS	1	-34.916	20.699	0.0	-34.001	21.895	0.0	1.533	22.794	0.024	1.708	24.09	0.36	0.086	229.734	1.546	0.086	186.166	1.525	0.086	0.129	0.0	0.086	0.127	0.0
28	13185	13186	NS	1	-33.469	22.126	0.002	-33.452	19.273	0.0	0.294	22.668	0.062	-3.298	24.116	1.149	0.086	164.691	1.675	0.086	164.04	1.351	0.086	0.145	0.0	0.086	0.229	0.0
29	13185	13186	NS	2	-33.469	22.126	0.002	-33.226	19.273	0.0	0.294	22.668	0.062	-3.298	24.116	1.149	0.086	164.691	1.676	0.086	155.742	1.351	0.086	0.145	0.0	0.086	0.229	0.0
30	13185	13186	SN	1	-34.513	20.821	0.0	-34.806	22.175	0.001	-24.088	23.51	0.424	-18.522	24.264	0.622	0.086	209.432	4.249	0.086	224.008	3.197	0.086	19.046	0.065	0.086	5.333	0.019
31	13185	13186	SN	2	-34.513	20.821	0.0	-34.806	22.175	0.001	-24.088	23.51	0.424	-18.522	24.264	0.622	0.086	209.432	4.249	0.086	224.008	3.197	0.086	19.046	0.065	0.086	5.333	0.019
32	13186	13187	NS	1	-34.461	18.81	0.0	-34.894	19.279	0.0	-17.758	22.687	0.122	-26.492	25.292	2.153	0.086	212.208	2.466	0.086	228.628	2.502	0.086	4.483	0.056	0.086	33.091	0.046

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	13186	13187	SN	1	-34.748	22.316	0.001	-34.994	22.317	0.001	-8.016	23.977	0.434	-6.137	23.094	0.14	0.086	221.08	7.194	0.086	233.934	6.012	0.086	0.536	0.0	0.086	0.372	0.0
34	13186	13187	SN	1	-34.855	22.316	0.001	-34.994	22.317	0.001	-8.016	23.977	0.433	-6.126	23.094	0.139	0.086	226.615	7.193	0.086	233.934	6.009	0.086	0.536	0.0	0.086	0.372	0.0
35	13186	13187	NS	2	-34.977	18.81	0.0	-34.807	19.279	0.0	-17.758	22.687	0.122	-26.412	25.292	2.153	0.086	233.076	2.467	0.086	224.113	2.503	0.086	4.483	0.056	0.086	32.476	0.046
36	13187	13188	NS	3	-34.0	18.637	0.0	-34.026	18.827	0.0	0.502	22.531	0.061	0.359	24.216	1.676	0.086	186.104	0.612	0.086	187.191	0.619	0.086	0.142	0.0	0.086	0.144	0.0
37	13187	13188	NS	2	-34.0	18.637	0.0	-34.026	18.827	0.0	0.502	22.531	0.061	0.359	24.216	1.676	0.086	186.104	0.612	0.086	187.191	0.619	0.086	0.142	0.0	0.086	0.144	0.0
38	13187	13188	NS	1	-33.299	18.637	0.0	-34.026	18.827	0.0	0.502	22.532	0.061	0.359	24.216	1.679	0.086	158.389	0.61	0.086	187.191	0.619	0.086	0.142	0.0	0.086	0.144	0.0
39	13187	13188	SN	1	-34.719	20.797	0.0	-34.946	21.589	0.0	-25.716	23.459	0.427	-23.551	23.672	0.219	0.086	219.586	4.409	0.086	231.417	3.473	0.086	27.68	0.098	0.086	16.84	0.021
40	13187	13188	SN	2	-34.719	20.797	0.0	-34.946	21.589	0.0	-25.716	23.459	0.427	-23.551	23.672	0.219	0.086	219.586	4.409	0.086	231.417	3.473	0.086	27.68	0.098	0.086	16.84	0.021
41	13188	13189	NS	1	-34.912	18.249	0.0	-34.92	18.427	0.0	-3.516	22.806	0.374	-1.109	24.109	2.206	0.086	229.603	1.628	0.086	230.001	1.666	0.086	0.237	0.0	0.086	0.169	0.0
42	13188	13189	NS	1	-33.554	18.249	0.0	-34.773	18.427	0.0	-3.514	22.806	0.364	-1.106	24.107	2.21	0.086	167.942	1.626	0.086	222.363	1.661	0.086	0.237	0.0	0.086	0.169	0.0
43	13188	13189	SN	1	-34.436	19.516	0.0	-33.648	20.147	0.0	-30.046	23.512	0.318	-24.182	23.634	0.247	0.086	205.744	1.211	0.086	171.654	1.102	0.086	74.911	0.025	0.086	19.468	0.012
44	13188	13189	SN	2	-34.436	19.516	0.0	-33.648	20.147	0.0	-30.046	23.512	0.318	-24.182	23.634	0.247	0.086	205.744	1.211	0.086	171.654	1.102	0.086	74.911	0.025	0.086	19.468	0.012
45	13188	13189	NS	1	-34.912	18.249	0.0	-34.92	18.427	0.0	-3.516	22.806	0.369	-1.109	24.115	2.217	0.086	229.603	1.63	0.086	230.001	1.665	0.086	0.237	0.0	0.086	0.169	0.0
46	13189	13190	NS	1	-34.841	18.871	0.0	-34.872	17.98	0.0	3.818	23.103	0.088	1.357	23.708	2.702	0.086	225.844	1.979	0.086	227.484	2.048	0.086	0.11	0.0	0.086	0.131	0.0
47	13189	13190	NS	1	-34.841	18.871	0.0	-34.872	17.981	0.0	3.818	23.103	0.066	1.357	23.708	2.195	0.086	225.844	1.976	0.086	227.484	2.049	0.086	0.11	0.0	0.086	0.131	0.0
48	13189	13190	NS	2	-34.841	18.871	0.0	-34.872	17.981	0.0	3.818	23.103	0.066	1.357	23.708	2.195	0.086	225.844	1.976	0.086	227.484	2.049	0.086	0.11	0.0	0.086	0.131	0.0
49	13189	13190	SN	1	-34.277	20.373	0.0	-34.966	19.865	0.0	-23.314	23.581	0.689	-22.354	23.391	0.642	0.086	198.332	0.987	0.086	238.396	0.897	0.086	15.949	0.061	0.086	12.798	0.046
50	13190	13191	NS	1	-33.862	19.885	0.0	-33.755	19.776	0.0	1.161	22.678	0.199	1.383	23.985	2.32	0.086	180.275	2.854	0.086	175.914	2.574	0.086	0.133	0.0	0.086	0.131	0.0
51	13190	13191	NS	1	-34.468	19.76	0.0	-34.062	19.782	0.0	1.159	22.028	0.011	1.383	23.555	0.875	0.086	207.279	2.832	0.086	188.765	2.573	0.086	0.133	0.0	0.086	0.131	0.0
52	13190	13191	NS	1	-34.468	19.888	0.0	-34.062	19.776	0.0	1.159	22.684	0.205	1.383	23.985	2.324	0.086	207.279	2.856	0.086	188.765	2.572	0.086	0.133	0.0	0.086	0.131	0.0
53	13190	13191	SN	1	-34.031	22.32	0.002	-34.852	18.968	0.0	2.137	23.358	0.759	2.735	23.476	1.135	0.086	187.419	2.678	0.086	226.435	2.604	0.086	0.123	0.0	0.086	0.118	0.0
54	13190	13191	SN	2	-33.918	22.322	0.002	-34.849	18.968	0.0	2.137	23.358	0.759	2.735	23.476	1.135	0.086	182.632	2.678	0.086	226.271	2.603	0.086	0.123	0.0	0.086	0.118	0.0
55	13191	13192	NS	1	-34.654	20.198	0.0	-34.512	20.789	0.0	0.686	23.787	1.063	-2.489	24.154	1.679	0.086	216.315	2.328	0.086	209.371	2.304	0.086	0.139	0.0	0.086	0.203	0.0
56	13191	13192	NS	1	-34.891	18.422	0.0	-34.193	20.79	0.0	0.693	21.504	0.0	-2.489	20.354	0.0	0.086	228.487	2.439	0.086	194.552	2.332	0.086	0.139	0.0	0.086	0.203	0.0
57	13191	13192	SN	1	-34.878	18.85	0.0	-33.652	18.888	0.0	0.155	23.088	0.095	0.944	23.411	0.208	0.086	227.786	1.776	0.086	171.738	1.401	0.086	0.147	0.0	0.086	0.136	0.0
58	13191	13192	SN	1	-34.821	18.85	0.0	-33.761	18.884	0.0	0.155	23.088	0.095	0.939	23.411	0.207	0.086	224.845	1.774	0.086	176.153	1.4	0.086	0.147	0.0	0.086	0.136	0.0
59	13191	13192	NS	1	-34.891	20.198	0.0	-34.193	20.789	0.0	0.693	23.785	1.063	-2.489	24.154	1.683	0.086	228.487	2.329	0.086	194.552	2.31	0.086	0.139	0.0	0.086	0.203	0.0
60	13191	13192	SN	1	-34.878	18.85	0.0	-33.652	18.756	0.0	0.155	23.088	0.06	0.944	23.411	0.187	0.086	227.786	1.823	0.086	171.738	1.553	0.086	0.147	0.0	0.086	0.136	0.0
61	13191	13192	SN	1	-34.821	18.85	0.0	-33.761	18.884	0.0	0.155	23.088	0.095	0.939	23.411	0.207	0.086	224.845	1.774	0.086	176.153	1.4	0.086	0.147	0.0	0.086	0.136	0.0
62	13192	13193	NS	1	-34.527	21.05	0.0	-32.963	21.222	0.0	-0.815	24.956	0.184	-0.707	27.614	0.41	0.086	210.109	2.142	0.086	146.588	2.241	0.086	0.163	0.0	0.086	0.161	0.0
63	13192	13193	SN	1	-34.982	21.638	0.0	-34.818	21.418	0.0	-25.906	23.029	0.075	-11.826	23.405	0.076	0.086	233.334	2.943	0.086	224.652	2.475	0.086	28.916	0.007	0.086	1.193	0.003
64	13192	13193	SN	1	-34.835	21.638	0.0	-34.232	21.418	0.0	-26.223	23.029	0.076	-11.806	23.405	0.076	0.086	233.334	2.949	0.086	196.276	2.473	0.086	31.098	0.007	0.086	1.188	0.003
65	13192	13193	SN	1	-34.835	21.638	0.0	-34.232	21.418	0.0	-26.223	23.029	0.076	-11.806	23.405	0.076	0.086	233.334	3.085	0.086	196.276	2.614	0.086	31.098	0.007	0.086	1.188	0.003
66	13193	13194	SN	1	-34.875	21.018	0.0	-34.603	22.288	0.001	1.702	23.03	0.078	1.64	23.03	0.112	0.086	227.615	2.327	0.086	213.826	1.927	0.086	0.127	0.0	0.086	0.128	0.0
67	13193	13194	SN	1	-34.383	21.018	0.0	-34.634	22.288	0.001	1.7	23.03	0.079	1.642	23.03	0.102	0.086	203.248	2.337	0.086	215.323	1.935	0.086	0.127	0.0	0.086	0.128	0.0
68	13193	13194	SN	1	-34.875	21.018	0.0	-34.603	22.288	0.001	1.702	23.03	0.078	1.64	23.03	0.112	0.086	227.615	2.341	0.086	213.826	1.936	0.086	0.127	0.0	0.086	0.128	0.0
69	13193	13194	NS	1	-34.925	20.738	0.0	-34.736	21.409	0.0	-27.18	22.843	0.053	-9.21	23.691	0.192	0.086	230.209	7.207	0.086	220.491	7.514	0.086	38.756	0.019	0.086	0.684	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

107	13203	13204	SN	1	-34.792	20.104	0.0	-32.874	19.574	0.0	-12.674	24.277	0.415	-12.509	23.436	0.36	0.086	223.3	1.026	0.086	143.592	1.044	0.086	1.436	0.003	0.086	1.384	0.002
108	13204	13205	NS	1	-34.834	21.146	0.0	-34.897	17.789	0.0	1.79	22.504	0.081	2.242	24.265	2.304	0.086	225.486	3.275	0.086	228.751	3.335	0.086	0.126	0.0	0.086	0.122	0.0
109	13204	13205	NS	1	-34.834	21.146	0.0	-34.897	17.789	0.0	1.79	22.504	0.124	2.242	24.265	2.279	0.086	225.486	3.275	0.086	228.751	3.335	0.086	0.126	0.0	0.086	0.122	0.0
110	13204	13205	NS	2	-34.834	21.146	0.0	-34.897	17.789	0.0	1.792	22.504	0.117	2.243	24.265	2.278	0.086	225.486	3.276	0.086	228.751	3.334	0.086	0.126	0.0	0.086	0.122	0.0
111	13204	13205	SN	1	-34.747	22.042	0.001	-34.96	19.694	0.0	-18.813	23.508	0.809	-16.69	23.651	0.794	0.086	221.025	2.112	0.086	232.149	1.827	0.086	5.699	0.02	0.086	3.521	0.013
112	13204	13205	SN	2	-34.747	22.042	0.001	-34.96	19.694	0.0	-18.813	23.508	0.809	-16.69	23.651	0.794	0.086	221.025	2.112	0.086	232.149	1.827	0.086	5.699	0.02	0.086	3.521	0.013
113	13205	13206	SN	1	-33.788	18.595	0.0	-34.417	18.781	0.0	3.311	23.502	0.346	4.805	23.363	1.012	0.086	177.208	2.541	0.086	204.881	2.316	0.086	0.114	0.0	0.086	0.105	0.0
114	13205	13206	NS	1	-34.916	18.481	0.0	-34.53	21.094	0.0	2.257	21.555	0.0	2.243	21.782	0.0	0.086	229.773	1.735	0.086	210.296	1.84	0.086	0.122	0.0	0.086	0.122	0.0
115	13205	13206	SN	1	-34.088	18.595	0.0	-34.335	18.782	0.0	3.311	23.502	0.317	4.805	23.366	0.996	0.086	189.898	2.485	0.086	201.036	2.148	0.086	0.114	0.0	0.086	0.105	0.0
116	13205	13206	NS	1	-34.916	20.155	0.0	-34.53	21.069	0.0	1.232	23.696	1.337	2.243	24.053	2.158	0.086	229.773	1.731	0.086	210.296	1.836	0.086	0.132	0.0	0.086	0.122	0.0
117	13205	13206	NS	1	-34.768	20.155	0.0	-34.782	21.069	0.0	1.232	23.696	1.334	2.245	24.053	2.15	0.086	222.092	1.733	0.086	222.828	1.836	0.086	0.132	0.0	0.086	0.122	0.0
118	13205	13206	SN	1	-34.032	18.595	0.0	-34.417	18.781	0.0	3.311	23.502	0.317	4.805	23.366	0.996	0.086	187.501	2.485	0.086	204.881	2.146	0.086	0.114	0.0	0.086	0.105	0.0
119	13206	13207	NS	2	1.001	18.662	0.0	-21.444	20.623	0.0	4.336	20.507	0.0	-30.404	13.162	0.0	0.086	0.135	0.0	0.086	13.602	0.832	0.086	0.108	0.0	0.088	106.462	35.185
120	13206	13207	NS	1	1.001	18.662	0.0	-21.444	20.623	0.0	4.336	20.507	0.0	-30.404	13.162	0.0	0.086	0.135	0.0	0.086	13.602	0.832	0.086	0.108	0.0	0.088	106.462	35.185
121	13206	13207	NS	1	1.19	18.558	0.0	-31.992	20.631	0.0	4.34	20.492	0.0	2.251	13.532	0.0	0.086	0.133	0.0	0.086	144.578	0.342	0.086	0.107	0.0	0.088	0.122	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors