









SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 05-OCT-2018 To 06-OCT-2018



SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 05-OCT-2018 To 06-OCT-2018

Sr No	Start Orbit	End Orbit	Dir.	Ver.	SNR												Sigma0											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10712	10713	SN	1	0.0	40.629	0.766	0.0	43.775	1.009	0.0	42.221	0.718	0.0	39.328	1.048	0.0	40.633	0.773	0.0	44.024	0.961	0.0	40.159	0.668	0.0	38.118	0.907
2	10712	10713	SN	1	0.0	40.629	0.749	0.0	43.775	0.998	0.0	42.221	0.744	0.0	39.328	1.021	0.0	40.633	0.749	0.0	44.024	0.948	0.0	40.159	0.682	0.0	37.159	0.875
3	10712	10713	SN	1	0.0	42.047	0.744	0.0	44.103	1.002	0.0	41.221	0.729	0.0	39.328	0.996	0.0	41.375	0.744	0.0	44.351	0.964	0.0	39.157	0.696	0.0	37.149	0.868
4	10713	10714	NS	1	0.0	43.253	1.527	0.0	49.676	2.065	0.0	44.063	1.297	0.0	43.452	1.803	0.0	42.571	1.484	0.0	48.323	1.911	0.0	44.037	1.155	0.0	43.063	1.589
5	10713	10714	SN	1	0.0	44.288	0.753	0.0	44.756	1.197	0.0	39.212	1.006	0.0	42.823	1.265	0.0	44.391	0.733	0.0	43.404	1.072	0.0	39.83	0.913	0.0	42.455	1.081
6	10713	10714	SN	1	0.0	44.288	0.744	0.0	44.756	1.191	0.0	39.212	1.001	0.0	42.823	1.257	0.0	44.391	0.724	0.0	43.404	1.064	0.0	39.83	0.907	0.0	42.455	1.076
7	10713	10714	NS	1	0.0	43.024	1.511	0.0	49.676	2.074	0.0	43.655	1.29	0.0	43.452	1.791	0.0	43.058	1.479	0.0	48.323	1.909	0.0	43.932	1.159	0.0	43.063	1.599
8	10713	10714	SN	1	0.0	44.288	0.744	0.0	44.756	1.191	0.0	39.212	1.001	0.0	42.823	1.257	0.0	44.391	0.724	0.0	43.404	1.064	0.0	39.83	0.907	0.0	42.455	1.076
9	10714	10715	SN	1	0.0	42.911	0.86	0.0	40.094	1.33	0.0	38.884	0.943	0.0	38.216	1.679	0.0	44.241	0.86	0.0	38.468	1.176	0.0	40.321	0.912	0.0	39.52	1.366
10	10714	10715	NS	1	0.0	42.66	1.1	0.0	48.683	1.783	0.0	38.095	1.137	0.0	44.51	1.61	0.0	42.348	1.116	0.0	50.338	1.67	0.0	38.783	1.066	0.0	45.613	1.474
11	10714	10715	NS	1	0.0	49.835	1.172	0.0	48.666	1.845	0.0	38.093	1.112	0.0	40.889	1.595	0.0	50.65	1.161	0.0	49.417	1.716	0.0	39.083	1.064	0.0	41.471	1.398
12	10714	10715	SN	1	0.0	42.911	0.859	0.0	41.706	1.315	0.0	38.884	0.939	0.0	38.216	1.671	0.0	44.212	0.862	0.0	40.081	1.162	0.0	40.321	0.907	0.0	39.52	1.358
13	10714	10715	SN	1	0.0	42.911	0.862	0.0	41.755	1.315	0.0	38.483	0.939	0.0	38.216	1.68	0.0	44.199	0.864	0.0	40.131	1.159	0.0	39.965	0.909	0.0	39.521	1.366
14	10715	10716	SN	1	0.0	39.012	1.131	0.0	44.473	1.736	0.0	36.181	1.37	0.0	38.772	1.983	0.0	39.288	1.126	0.0	43.557	1.711	0.0	34.315	1.325	0.0	40.814	1.76
15	10715	10716	NS	1	0.0	45.281	1.416	0.0	45.525	1.835	0.0	50.48	1.346	0.0	47.454	1.778	0.0	46.013	1.431	0.0	48.804	1.781	0.0	47.538	1.309	0.0	42.837	1.626
16	10715	10716	SN	1	0.0	40.988	1.137	0.0	54.15	1.723	0.0	36.721	1.356	0.0	40.104	1.978	0.0	42.545	1.13	0.0	52.169	1.714	0.0	35.224	1.315	0.0	40.814	1.767
17	10716	10717	SN	1	0.0	43.219	1.473	0.0	40.22	2.106	0.0	47.641	1.653	0.0	40.135	2.33	0.0	42.209	1.503	0.0	39.332	2.027	0.0	45.736	1.635	0.0	37.981	2.149
18	10716	10717	SN	1	0.0	43.219	1.489	0.0	40.22	2.072	0.0	47.643	1.654	0.0	40.135	2.287	0.0	42.209	1.503	0.0	39.332	1.991	0.0	45.751	1.636	0.0	37.981	2.118
19	10716	10717	SN	1	0.0	42.414	1.509	0.0	40.411	2.081	0.0	41.644	1.663	0.0	41.328	2.305	0.0	40.914	1.53	0.0	40.212	2.0	0.0	39.698	1.629	0.0	40.144	2.118
20	10716	10717	NS	1	0.0	39.62	0.786	0.0	49.148	1.245	0.0	41.081	0.708	0.0	44.586	0.979	0.0	40.775	0.786	0.0	53.145	1.148	0.0	41.869	0.683	0.0	48.347	0.865
21	10716	10717	NS	1	0.0	48.74	0.77	0.0	47.207	1.217	0.0	37.08	0.7	0.0	39.357	1.022	0.0	48.017	0.758	0.0	45.932	1.161	0.0	38.049	0.684	0.0	38.083	0.913
22	10717	10718	NS	1	0.0	47.567	1.552	0.0	44.141	1.99	0.0	43.774	1.468	0.0	51.308	2.0	0.0	47.679	1.538	0.0	40.738	1.947	0.0	41.253	1.448	0.0	46.474	1.783
23	10717	10718	SN	1	0.0	44.487	2.043	0.0	48.217	2.7	0.0	42.731	1.823	0.0	38.958	2.598	0.0	43.055	2.046	0.0	46.45	2.625	0.0	44.264	1.936	0.0	37.021	2.582
24	10717	10718	SN	1	0.0	51.101	2.04	0.0	46.347	2.738	0.0	42.731	1.798	0.0	40.445	2.657	0.0	52.993	2.07	0.0	45.634	2.676	0.0	44.264	1.92	0.0	37.021	2.64
25	10717	10718	SN	1	0.0	43.259	2.016	0.0	49.546	2.686	0.0	38.353	1.795	0.0	43.837	2.591	0.0	42.427	2.07	0.0	47.241	2.594	0.0	39.499	1.921	0.0	42.636	2.561
26	10717	10718	NS	1	0.0	55.407	1.52	0.0	48.956	1.932	0.0	43.567	1.336	0.0	51.5	2.003	0.0	54.355	1.54	0.0	48.943	1.851	0.0	42.832	1.361	0.0	45.995	1.791
27	10718	10719	NS	1	0.0	47.364	1.97	0.0	49.815	2.889	0.0	43.531	1.854	0.0	45.066	2.609	0.0	46.99	1.967	0.0	53.612	2.745	0.0	40.955	1.803	0.0	47.699	2.443
28	10718	10719	NS	1	0.0	47.055	1.935	0.0	49.926	2.777	0.0	38.121	1.909	0.0	45.564	2.603	0.0	47.011	1.94	0.0	46.801	2.761	0.0	37.559	1.847	0.0	41.44	2.352
29	10718	10719	SN	1	0.0	48.24	1.994	0.0	48.7	2.742	0.0	40.021	1.785	0.0	46.367	2.61	0.0	48.773	2.055	0.0	49.436	2.617	0.0	39.253	1.803	0.0	49.061	2.525
30	10718	10719	SN	1	0.0	45.627	2.023	0.0	43.67	2.794	0.0	47.672	1.76	0.0	43.211	2.653	0.0	45.077	2.082	0.0	42.752	2.674	0.0	46.903	1.79	0.0	42.005	2.541
31	10718	10719	SN	1	0.0	48.24	2.057	0.0	48.7	2.778	0.0	40.021	1.83	0.0	46.367	2.613	0.0	48.773	2.132	0.0	49.436	2.662	0.0	39.253	1.856	0.0	49.061	2.552

Parameter Specifications	Parameters	SNR	Sigma0	■ Normal	■ Deviations
	Range	20.0	20.0	■ Alarming	■ High Errors

32	10719	10720	NS	1	0.0	45.573	0.93	0.0	45.796	1.537	0.0	40.722	1.176	0.0	42.982	1.647	0.0	46.404	0.935	0.0	46.492	1.429	0.0	39.253	1.153	0.0	42.042	1.499
33	10719	10720	SN	1	0.0	43.808	2.198	0.0	47.751	3.076	0.0	42.863	1.59	0.0	46.645	2.362	0.0	44.22	2.184	0.0	46.75	2.954	0.0	44.943	1.528	0.0	43.5	2.125
34	10719	10720	SN	1	0.0	43.808	2.198	0.0	47.751	3.076	0.0	42.863	1.59	0.0	46.645	2.362	0.0	44.22	2.184	0.0	46.75	2.954	0.0	44.943	1.528	0.0	43.5	2.125
35	10719	10720	NS	1	0.0	45.573	0.939	0.0	45.796	1.546	0.0	40.722	1.175	0.0	42.982	1.64	0.0	46.404	0.942	0.0	46.492	1.431	0.0	39.253	1.148	0.0	42.042	1.49
36	10720	10721	NS	1	0.0	50.056	1.005	0.0	46.183	1.49	0.0	42.167	0.949	0.0	47.063	1.589	0.0	50.134	0.998	0.0	43.943	1.382	0.0	40.07	0.876	0.0	42.421	1.305
37	10720	10721	NS	1	0.0	51.011	1.07	0.0	43.591	1.493	0.0	40.96	0.968	0.0	50.271	1.549	0.0	51.226	1.045	0.0	45.128	1.389	0.0	42.013	0.85	0.0	52.766	1.259
38	10720	10721	SN	1	0.0	53.19	1.698	0.0	45.254	2.424	0.0	46.548	1.414	0.0	43.989	1.953	0.0	54.944	1.725	0.0	47.092	2.273	0.0	47.257	1.4	0.0	45.658	1.83
39	10720	10721	SN	1	0.0	53.19	1.698	0.0	45.316	2.429	0.0	46.546	1.4	0.0	43.989	1.956	0.0	54.942	1.722	0.0	47.094	2.27	0.0	47.257	1.388	0.0	45.658	1.83
40	10721	10722	SN	1	0.0	45.776	1.013	0.0	45.649	1.37	0.0	40.024	1.045	0.0	44.328	1.418	0.0	45.924	1.026	0.0	50.045	1.316	0.0	39.39	1.039	0.0	42.55	1.341
41	10721	10722	NS	1	0.0	44.815	0.725	0.0	47.643	1.173	0.0	43.619	0.921	0.0	45.715	1.45	0.0	45.239	0.707	0.0	48.613	0.997	0.0	42.791	0.819	0.0	48.1	1.098
42	10721	10722	NS	1	0.0	41.616	0.729	0.0	45.935	1.182	0.0	43.868	0.924	0.0	44.855	1.422	0.0	42.037	0.698	0.0	46.603	0.997	0.0	43.039	0.782	0.0	40.5	1.085
43	10722	10723	NS	1	0.0	41.769	0.91	0.0	54.044	1.111	0.0	38.879	1.028	0.0	40.086	1.471	0.0	40.73	0.898	0.0	51.279	1.012	0.0	38.097	0.947	0.0	39.575	1.213
44	10722	10723	SN	1	0.0	46.936	1.222	0.0	43.958	1.567	0.0	41.491	1.186	0.0	44.12	1.596	0.0	46.547	1.213	0.0	44.524	1.543	0.0	42.29	1.166	0.0	45.217	1.412
45	10723	10724	NS	1	0.0	39.158	0.94	0.0	41.698	1.3	0.0	37.479	1.232	0.0	42.163	1.803	0.0	39.945	0.928	0.0	40.935	1.213	0.0	36.986	1.126	0.0	37.86	1.381
46	10723	10724	NS	1	0.0	39.158	0.924	0.0	41.698	1.28	0.0	37.479	1.201	0.0	42.163	1.762	0.0	39.945	0.91	0.0	40.935	1.194	0.0	36.986	1.102	0.0	37.86	1.355
47	10723	10724	SN	1	0.0	50.838	0.681	0.0	47.525	0.967	0.0	38.403	0.851	0.0	42.595	1.145	0.0	51.064	0.683	0.0	47.716	0.82	0.0	38.253	0.782	0.0	40.588	0.926
48	10724	10725	NS	1	0.0	38.839	1.784	0.0	46.272	2.058	0.0	39.458	1.755	0.0	44.421	2.414	0.0	39.458	1.788	0.0	44.506	1.936	0.0	40.113	1.678	0.0	41.791	2.141
49	10724	10725	NS	1	0.0	38.839	1.89	0.0	46.272	2.167	0.0	47.856	1.846	0.0	44.421	2.538	0.0	39.458	1.878	0.0	44.506	2.037	0.0	48.624	1.766	0.0	41.791	2.253
50	10724	10725	SN	1	0.0	43.262	1.254	0.0	43.198	1.814	0.0	39.203	1.543	0.0	40.47	1.939	0.0	43.579	1.229	0.0	43.055	1.663	0.0	39.07	1.474	0.0	40.562	1.725
51	10725	10726	NS	1	0.0	42.988	1.865	0.0	46.945	2.455	0.0	37.363	1.758	0.0	43.457	2.426	0.0	43.217	1.874	0.0	46.537	2.25	0.0	36.465	1.666	0.0	38.722	2.134
52	10725	10726	SN	1	0.0	46.025	1.156	0.0	41.834	1.596	0.0	36.099	1.301	0.0	38.458	1.898	0.0	46.317	1.168	0.0	39.746	1.535	0.0	35.714	1.312	0.0	36.394	1.818
53	10725	10726	NS	1	0.0	42.988	2.074	0.0	46.945	2.705	0.0	37.363	1.954	0.0	43.457	2.675	0.0	43.217	2.074	0.0	46.537	2.479	0.0	36.465	1.854	0.0	38.722	2.356
54	10726	10727	SN	1	0.0	40.5	0.525	0.0	44.886	0.775	0.0	35.965	0.702	0.0	45.072	1.144	0.0	39.104	0.518	0.0	43.052	0.637	0.0	35.544	0.67	0.0	42.149	0.898
55	10726	10727	NS	1	0.0	42.793	2.127	0.0	42.267	2.796	0.0	43.096	2.214	0.0	44.762	3.124	0.0	41.761	2.156	0.0	42.893	2.807	0.0	41.654	2.293	0.0	40.581	3.133

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

Sr No	Start Orbit	End Orbit	Dir.	Ver.	Azimuth Angle												Incidence Angle											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10712	10713	SN	1	0.0	23.196	5.485	0.0	25.639	6.491	0.0	116.295	2.071	0.0	14.019	3.001	0.0	1.382	0.0	0.0	1.769	0.0	0.0	1.853	0.0	0.0	2.126	0.0
2	10712	10713	SN	1	0.0	23.196	5.553	0.0	25.639	6.69	0.0	116.295	2.13	0.0	50.198	3.312	0.0	1.382	0.0	0.0	1.775	0.0	0.0	1.853	0.0	0.0	2.128	0.0
3	10712	10713	SN	1	0.0	23.196	5.553	0.0	25.639	6.69	0.0	116.295	2.13	0.0	50.198	3.312	0.0	1.382	0.0	0.0	1.775	0.0	0.0	1.853	0.0	0.0	2.128	0.0
4	10713	10714	NS	1	0.0	215.796	6.369	0.0	24.597	8.029	0.0	356.366	4.116	0.0	131.831	4.876	0.0	1.445	0.0	0.0	1.828	0.0	0.0	1.912	0.0	0.0	2.19	0.0
5	10713	10714	SN	1	0.0	23.207	5.546	0.0	25.639	6.683	0.0	104.173	2.143	0.0	60.977	3.188	0.0	1.384	0.0	0.0	1.773	0.0	0.0	1.841	0.0	0.0	2.128	0.0
6	10713	10714	SN	1	0.0	23.207	5.571	0.0	25.639	6.736	0.0	104.173	2.146	0.0	60.977	3.302	0.0	1.384	0.0	0.0	1.776	0.0	0.0	1.841	0.0	0.0	2.131	0.0
7	10713	10714	NS	1	0.0	215.796	6.369	0.0	24.597	8.029	0.0	356.366	4.116	0.0	131.831	4.876	0.0	1.445	0.0	0.0	1.828	0.0	0.0	1.912	0.0	0.0	2.19	0.0
8	10713	10714	SN	1	0.0	23.207	5.571	0.0	25.639	6.736	0.0	104.173	2.146	0.0	60.977	3.302	0.0	1.384	0.0	0.0	1.776	0.0	0.0	1.841	0.0	0.0	2.131	0.0
9	10714	10715	SN	1	0.0	23.196	5.591	0.0	172.33	6.702	0.0	131.709	2.114	0.0	43.806	3.268	0.0	1.384	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.13	0.0
10	10714	10715	NS	1	0.0	237.854	6.319	0.0	24.586	8.002	0.0	356.503	4.072	0.0	67.151	4.837	0.0	1.439	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
11	10714	10715	NS	1	0.0	204.449	6.315	0.0	24.586	8.019	0.0	356.503	4.073	0.0	67.09	4.844	0.0	1.443	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.19	0.0
12	10714	10715	SN	1	0.0	23.196	5.569	0.0	172.33	6.656	0.0	131.709	2.111	0.0	16.137	3.18	0.0	1.384	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.128	0.0
13	10714	10715	SN	1	0.0	23.196	5.569	0.0	172.33	6.654	0.0	131.726	2.111	0.0	16.137	3.182	0.0	1.384	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.128	0.0
14	10715	10716	SN	1	0.0	23.207	5.565	0.0	94.822	6.651	0.0	163.547	2.17	0.0	14.896	3.139	0.0	1.384	0.0	0.0	1.773	0.0	0.0	1.854	0.0	0.0	2.124	0.0
15	10715	10716	NS	1	0.0	236.558	6.286	0.0	24.586	8.028	0.0	139.019	4.075	0.0	109.6	4.818	0.0	1.413	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
16	10715	10716	SN	1	0.0	23.207	5.596	0.0	94.822	6.739	0.0	163.547	2.201	0.0	74.193	3.311	0.0	1.384	0.0	0.0	1.774	0.0	0.0	1.854	0.0	0.0	2.128	0.0
17	10716	10717	SN	1	0.0	23.207	5.56	0.0	25.639	6.59	0.0	126.933	2.131	0.0	13.964	3.101	0.0	1.384	0.0	0.0	1.772	0.0	0.0	1.854	0.0	0.0	2.124	0.0
18	10716	10717	SN	1	0.0	23.207	5.6	0.0	25.639	6.722	0.0	126.933	2.187	0.0	49.288	3.317	0.0	1.384	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.127	0.0
19	10716	10717	SN	1	0.0	23.207	5.593	0.0	25.639	6.725	0.0	126.955	2.187	0.0	88.077	3.32	0.0	1.384	0.0	0.0	1.774	0.0	0.0	1.854	0.0	0.0	2.127	0.0
20	10716	10717	NS	1	0.0	242.643	6.292	0.0	24.586	8.001	0.0	247.676	4.057	0.0	113.648	4.8	0.0	1.443	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.191	0.0
21	10716	10717	NS	1	0.0	191.511	6.308	0.0	24.58	8.011	0.0	264.508	4.057	0.0	60.213	4.796	0.0	1.43	0.0	0.0	1.829	0.0	0.0	1.91	0.0	0.0	2.189	0.0
22	10717	10718	NS	1	0.0	78.614	6.263	0.0	24.58	8.013	0.0	319.547	4.055	0.0	77.0	4.788	0.0	1.428	0.0	0.0	1.828	0.0	0.0	1.912	0.0	0.0	2.188	0.0
23	10717	10718	SN	1	0.0	23.202	5.582	0.0	25.623	6.741	0.0	128.075	2.179	0.0	67.724	3.335	0.0	1.385	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.13	0.0
24	10717	10718	SN	1	0.0	23.202	5.509	0.0	25.623	6.553	0.0	128.075	2.134	0.0	13.969	3.053	0.0	1.385	0.0	0.0	1.769	0.0	0.0	1.854	0.0	0.0	2.124	0.0
25	10717	10718	SN	1	0.0	23.202	5.582	0.0	25.623	6.741	0.0	128.075	2.179	0.0	67.724	3.331	0.0	1.385	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.13	0.0
26	10717	10718	NS	1	0.0	254.983	6.28	0.0	24.58	7.982	0.0	323.402	4.057	0.0	78.076	4.777	0.0	1.439	0.0	0.0	1.827	0.0	0.0	1.912	0.0	0.0	2.189	0.0
27	10718	10719	NS	1	0.0	25.408	6.266	0.0	24.597	8.027	0.0	356.901	4.069	0.0	153.626	4.767	0.0	1.447	0.0	0.0	1.827	0.0	0.0	1.91	0.0	0.0	2.188	0.0
28	10718	10719	NS	1	0.0	25.452	6.259	0.0	24.597	7.997	0.0	356.222	4.059	0.0	67.575	4.786	0.0	1.441	0.0	0.0	1.827	0.0	0.0	1.909	0.0	0.0	2.189	0.0
29	10718	10719	SN	1	0.0	23.202	5.607	0.0	25.612	6.75	0.0	123.161	2.135	0.0	129.335	3.25	0.0	1.383	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.13	0.0
30	10718	10719	SN	1	0.0	23.196	5.591	0.0	25.628	6.75	0.0	123.277	2.135	0.0	76.865	3.261	0.0	1.382	0.0	0.0	1.775	0.0	0.0	1.854	0.0	0.0	2.132	0.0
31	10718	10719	SN	1	0.0	23.202	5.499	0.0	25.612	6.495	0.0	123.161	2.062	0.0	129.335	2.878	0.0	1.383	0.0	0.0	1.767	0.0	0.0	1.854	0.0	0.0	2.12	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

32	10719	10720	NS	1	0.0	158.336	6.269	0.0	24.586	8.0	0.0	354.115	4.097	0.0	97.34	4.839	0.0	1.446	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
33	10719	10720	SN	1	0.0	23.213	5.577	0.0	25.623	6.716	0.0	113.774	2.148	0.0	52.966	3.329	0.0	1.384	0.0	0.0	1.778	0.0	0.0	1.825	0.0	0.0	2.131	0.0
34	10719	10720	SN	1	0.0	23.213	5.577	0.0	25.623	6.716	0.0	113.774	2.148	0.0	52.966	3.329	0.0	1.384	0.0	0.0	1.778	0.0	0.0	1.825	0.0	0.0	2.131	0.0
35	10719	10720	NS	1	0.0	158.336	6.269	0.0	24.586	8.0	0.0	354.115	4.097	0.0	97.34	4.839	0.0	1.446	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
36	10720	10721	NS	1	0.0	25.413	6.298	0.0	24.58	8.0	0.0	354.408	4.081	0.0	102.557	4.841	0.0	1.446	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
37	10720	10721	NS	1	0.0	25.413	6.281	0.0	24.586	8.03	0.0	356.509	4.078	0.0	66.847	4.849	0.0	1.443	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.189	0.0
38	10720	10721	SN	1	0.0	23.202	5.577	0.0	140.939	6.687	0.0	131.913	2.172	0.0	59.038	3.368	0.0	1.383	0.0	0.0	1.776	0.0	0.0	1.854	0.0	0.0	2.131	0.0
39	10720	10721	SN	1	0.0	23.202	5.586	0.0	140.939	6.689	0.0	131.974	2.166	0.0	59.033	3.367	0.0	1.383	0.0	0.0	1.776	0.0	0.0	1.854	0.0	0.0	2.131	0.0
40	10721	10722	SN	1	0.0	23.202	5.59	0.0	25.634	6.718	0.0	139.678	2.176	0.0	153.441	3.288	0.0	1.383	0.0	0.0	1.775	0.0	0.0	1.853	0.0	0.0	2.128	0.0
41	10721	10722	NS	1	0.0	218.675	6.232	0.0	24.591	8.019	0.0	355.533	4.058	0.0	109.048	4.718	0.0	1.442	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.188	0.0
42	10721	10722	NS	1	0.0	218.675	6.232	0.0	24.591	8.019	0.0	355.533	4.058	0.0	109.048	4.718	0.0	1.442	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.188	0.0
43	10722	10723	NS	1	0.0	25.457	6.206	0.0	24.591	8.0	0.0	354.138	4.043	0.0	59.319	4.642	0.0	1.448	0.0	0.0	1.827	0.0	0.0	1.911	0.0	0.0	2.187	0.0
44	10722	10723	SN	1	0.0	23.196	5.592	0.0	25.623	6.723	0.0	128.742	2.133	0.0	65.331	3.27	0.0	1.386	0.0	0.0	1.775	0.0	0.0	1.855	0.0	0.0	2.13	0.0
45	10723	10724	NS	1	0.0	255.571	6.331	0.0	24.58	8.067	0.0	353.47	4.115	0.0	15.354	4.753	0.0	1.448	0.0	0.0	1.827	0.0	0.0	1.91	0.0	0.0	2.188	0.0
46	10723	10724	NS	1	0.0	255.571	6.225	0.0	24.58	8.0	0.0	353.47	4.035	0.0	61.961	4.786	0.0	1.448	0.0	0.0	1.827	0.0	0.0	1.91	0.0	0.0	2.188	0.0
47	10723	10724	SN	1	0.0	23.202	5.582	0.0	25.612	6.732	0.0	124.86	2.105	0.0	204.267	3.25	0.0	1.382	0.0	0.0	1.776	0.0	0.0	1.856	0.0	0.0	2.131	0.0
48	10724	10725	NS	1	0.0	24.371	6.257	0.0	24.586	8.0	0.0	295.905	4.086	0.0	57.086	4.836	0.0	1.447	0.0	0.0	1.827	0.0	0.0	1.91	0.0	0.0	2.189	0.0
49	10724	10725	NS	1	0.0	24.371	6.576	0.0	24.586	8.184	0.0	295.905	4.303	0.0	15.348	4.947	0.0	1.447	0.0	0.0	1.827	0.0	0.0	1.91	0.0	0.0	2.189	0.0
50	10724	10725	SN	1	0.0	23.207	5.584	0.0	25.617	6.714	0.0	126.029	2.097	0.0	67.818	3.231	0.0	1.383	0.0	0.0	1.776	0.0	0.0	1.849	0.0	0.0	2.131	0.0
51	10725	10726	NS	1	0.0	235.477	6.267	0.0	24.58	8.011	0.0	354.479	4.086	0.0	95.283	4.838	0.0	1.448	0.0	0.0	1.828	0.0	0.0	1.911	0.0	0.0	2.189	0.0
52	10725	10726	SN	1	0.0	23.196	5.563	0.0	25.623	6.71	0.0	116.394	2.144	0.0	153.234	3.312	0.0	1.383	0.0	0.0	1.776	0.0	0.0	1.853	0.0	0.0	2.132	0.0
53	10725	10726	NS	1	0.0	235.477	6.907	0.0	24.58	8.377	0.0	354.479	4.519	0.0	15.348	5.187	0.0	1.448	0.0	0.0	1.828	0.0	0.0	1.911	0.0	0.0	2.189	0.0
54	10726	10727	SN	1	0.0	23.213	5.45	0.0	25.639	6.411	0.0	111.91	2.087	0.0	208.542	2.933	0.0	1.382	0.0	0.0	1.766	0.0	0.0	1.849	0.0	0.0	2.119	0.0
55	10726	10727	NS	1	0.0	271.255	6.279	0.0	51.615	8.037	0.0	356.503	4.142	0.0	66.224	4.855	0.0	1.444	0.0	0.0	1.827	0.0	0.0	1.997	0.0	0.0	2.189	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0		