

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-JAN-2020 To 04-JAN-2020





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-JAN-2020 To 04-JAN-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17310	17311	SN	2	48.772	49.468	0.0	0.003	6.69	2.445	1032.36	1085.992	0.0	-91.828	-89.997	0.0
2	17310	17311	SN	1	48.772	49.468	0.0	0.003	6.69	2.71	1032.36	1085.992	0.0	-91.828	-89.997	0.0
3	17310	17311	NS	1	48.691	49.337	0.0	0.003	267.036	2.679	1033.68	1085.68	0.0	-91.923	-89.992	0.0
4	17310	17311	NS	2	48.691	49.337	0.0	0.003	267.036	2.679	1033.68	1085.68	0.0	-91.923	-89.992	0.0
5	17310	17311	SN	2	48.772	49.468	0.0	0.003	6.69	2.71	1032.36	1085.992	0.0	-91.828	-89.997	0.0
6	17310	17311	SN	2	48.772	49.468	0.0	0.003	6.69	2.707	1032.456	1085.992	0.0	-91.828	-89.997	0.0
7	17310	17311	SN	1	48.772	49.468	0.0	0.003	6.69	2.707	1032.456	1085.992	0.0	-91.828	-89.997	0.0
8	17310	17311	SN	1	48.772	49.468	0.0	0.003	6.69	2.445	1032.36	1085.992	0.0	-91.828	-89.997	0.0
9	17311	17312	SN	2	48.726	49.487	0.0	0.003	6.69	2.416	1032.184	1086.152	0.0	-91.869	-89.986	0.0
10	17311	17312	SN	1	48.726	49.487	0.0	0.003	6.69	2.539	1032.184	1086.152	0.0	-91.869	-89.986	0.0
11	17311	17312	NS	2	48.688	49.353	0.0	0.003	210.623	2.572	1034.576	1085.872	0.0	-91.931	-89.963	0.0
12	17311	17312	NS	1	48.689	49.354	0.0	0.003	207.033	2.57	1034.6	1085.848	0.0	-91.931	-89.963	0.0
13	17311	17312	SN	2	48.726	49.486	0.0	0.003	6.69	2.402	1032.048	1086.152	0.0	-91.963	-89.986	0.0
14	17311	17312	NS	4	48.688	49.353	0.0	0.003	210.623	2.572	1034.576	1085.872	0.0	-91.931	-89.963	0.0
15	17311	17312	SN	1	48.726	49.486	0.0	0.003	6.69	2.402	1032.048	1086.152	0.0	-91.963	-89.986	0.0
16	17311	17312	SN	1	48.726	49.487	0.0	0.003	6.69	2.416	1032.184	1086.152	0.0	-91.869	-89.986	0.0
17	17311	17312	SN	2	48.726	49.487	0.0	0.003	6.69	2.539	1032.184	1086.152	0.0	-91.869	-89.986	0.0
18	17311	17312	NS	3	48.689	49.354	0.0	0.003	207.033	2.57	1034.6	1085.848	0.0	-91.931	-89.963	0.0
19	17312	17313	NS	2	48.726	49.34	0.0	0.003	264.604	2.502	1034.704	1085.928	0.0	-91.962	-89.963	0.0
20	17312	17313	NS	1	48.726	49.34	0.0	0.003	264.604	2.502	1034.704	1085.928	0.0	-91.962	-89.963	0.0
21	17312	17313	SN	1	48.712	49.431	0.0	0.003	215.565	2.508	1031.44	1086.2	0.0	-91.797	-90.018	0.0
22	17312	17313	SN	1	48.739	49.431	0.0	0.003	215.565	2.496	1031.28	1086.2	0.0	-91.738	-90.018	0.0
23	17312	17313	SN	1	48.739	49.431	0.0	0.003	215.565	2.333	1031.28	1086.2	0.0	-91.738	-90.018	0.0
24	17312	17313	SN	2	48.739	49.431	0.0	0.003	215.565	2.333	1031.28	1086.2	0.0	-91.738	-90.018	0.0
25	17312	17313	SN	2	48.712	49.431	0.0	0.003	215.565	2.508	1031.44	1086.2	0.0	-91.797	-90.018	0.0
26	17312	17313	SN	2	48.739	49.431	0.0	0.003	215.565	2.496	1031.28	1086.2	0.0	-91.738	-90.018	0.0
27	17313	17314	SN	1	48.736	49.426	0.0	0.003	6.684	2.282	1031.464	1086.072	0.0	-91.944	-89.989	0.0
28	17313	17314	SN	3	48.736	49.426	0.0	0.003	6.684	2.572	1031.464	1086.072	0.0	-91.944	-89.989	0.0
29	17313	17314	NS	2	48.69	49.34	0.0	0.003	264.748	2.595	1033.72	1085.816	0.0	-91.933	-89.995	0.0
30	17313	17314	SN	1	48.736	49.426	0.0	0.003	6.684	2.572	1031.464	1086.072	0.0	-91.944	-89.989	0.0
31	17313	17314	NS	2	48.691	49.34	0.0	0.003	206.917	2.593	1033.736	1085.8	0.0	-92.45	-89.995	0.0
32	17313	17314	NS	1	48.691	49.34	0.0	0.003	206.917	2.593	1033.736	1085.8	0.0	-92.45	-89.995	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	17313	17314	SN	4	48.736	49.426	0.0	0.003	6.684	2.572	1031.464	1086.072	0.0	-91.944	-89.989	0.0
34	17313	17314	NS	1	48.69	49.34	0.0	0.003	264.748	2.595	1033.72	1085.816	0.0	-91.933	-89.995	0.0
35	17313	17314	SN	2	48.736	49.426	0.0	0.003	6.684	2.282	1031.464	1086.072	0.0	-91.944	-89.989	0.0
36	17313	17314	SN	2	48.736	49.426	0.0	0.003	6.684	2.572	1031.464	1086.072	0.0	-91.944	-89.989	0.0
37	17314	17315	SN	1	48.734	49.445	0.0	0.003	29.456	2.535	1031.4	1086.0	0.0	-91.914	-90.018	0.0
38	17314	17315	SN	1	48.767	49.445	0.0	0.003	29.456	2.537	1031.84	1086.0	0.0	-91.914	-90.018	0.0
39	17314	17315	SN	1	48.767	49.445	0.0	0.003	29.456	2.081	1031.84	1086.0	0.0	-91.914	-90.018	0.0
40	17314	17315	NS	1	48.677	49.374	0.0	0.0	39.824	2.755	1034.856	1085.728	0.0	-91.985	-90.006	0.0
41	17314	17315	NS	4	48.674	49.373	0.0	0.0	39.824	2.754	1034.832	1085.752	0.0	-91.985	-90.006	0.0
42	17314	17315	SN	2	48.734	49.445	0.0	0.003	29.456	2.535	1031.4	1086.0	0.0	-91.914	-90.018	0.0
43	17314	17315	NS	3	48.677	49.374	0.0	0.0	39.824	2.755	1034.856	1085.728	0.0	-91.985	-90.006	0.0
44	17314	17315	SN	2	48.767	49.445	0.0	0.003	29.456	2.081	1031.84	1086.0	0.0	-91.914	-90.018	0.0
45	17314	17315	NS	2	48.674	49.373	0.0	0.0	39.824	2.754	1034.832	1085.752	0.0	-91.985	-90.006	0.0
46	17314	17315	SN	2	48.767	49.445	0.0	0.003	29.456	2.537	1031.84	1086.0	0.0	-91.914	-90.018	0.0
47	17315	17316	NS	2	48.666	49.402	0.0	0.003	42.49	2.598	1034.84	1085.608	0.0	-91.955	-90.013	0.0
48	17315	17316	SN	1	48.698	49.48	0.0	0.003	281.199	1.895	1031.24	1085.856	0.0	-91.928	-90.018	0.0
49	17315	17316	SN	2	48.698	49.48	0.0	0.003	281.199	2.592	1031.08	1085.856	0.0	-91.928	-90.018	0.0
50	17315	17316	SN	2	48.698	49.48	0.0	0.003	281.199	2.596	1031.24	1085.856	0.0	-91.928	-90.018	0.0
51	17315	17316	NS	4	48.666	49.402	0.0	0.003	42.49	2.598	1034.84	1085.608	0.0	-91.955	-90.013	0.0
52	17315	17316	NS	3	48.667	49.404	0.0	0.003	42.49	2.6	1034.88	1085.568	0.0	-91.955	-90.013	0.0
53	17315	17316	NS	1	48.667	49.404	0.0	0.003	42.49	2.6	1034.88	1085.568	0.0	-91.955	-90.013	0.0
54	17315	17316	SN	2	48.698	49.48	0.0	0.003	281.199	1.895	1031.24	1085.856	0.0	-91.928	-90.018	0.0
55	17315	17316	SN	1	48.698	49.48	0.0	0.003	281.199	2.592	1031.08	1085.856	0.0	-91.928	-90.018	0.0
56	17315	17316	SN	1	48.698	49.48	0.0	0.003	281.199	2.596	1031.24	1085.856	0.0	-91.928	-90.018	0.0
57	17316	17317	SN	1	48.768	49.474	0.0	0.0	215.361	2.696	1032.048	1085.888	0.0	-91.956	-90.018	0.0
58	17316	17317	SN	2	48.768	49.474	0.0	0.0	215.361	1.695	1032.048	1085.888	0.0	-91.956	-90.018	0.0
59	17316	17317	NS	3	48.671	49.348	0.0	0.003	264.428	2.623	1034.8	1085.576	0.0	-91.868	-90.018	0.0
60	17316	17317	SN	2	48.768	49.474	0.0	0.0	215.361	2.696	1032.048	1085.888	0.0	-91.956	-90.018	0.0
61	17316	17317	SN	1	48.768	49.474	0.0	0.0	215.361	1.695	1032.048	1085.888	0.0	-91.956	-90.018	0.0
62	17316	17317	NS	4	48.669	49.346	0.0	0.003	267.014	2.625	1034.744	1085.624	0.0	-91.868	-90.018	0.0
63	17316	17317	NS	2	48.669	49.346	0.0	0.003	267.014	2.625	1034.744	1085.624	0.0	-91.868	-90.018	0.0
64	17316	17317	NS	1	48.671	49.348	0.0	0.003	264.428	2.623	1034.8	1085.576	0.0	-91.868	-90.018	0.0
65	17317	17318	SN	2	48.756	49.488	0.0	0.003	6.684	2.612	1031.496	1086.032	0.0	-91.867	-89.976	0.0
66	17317	17318	NS	2	48.709	49.374	0.0	0.003	42.981	2.582	1033.592	1085.696	0.0	-91.824	-90.017	0.0
67	17317	17318	NS	2	48.706	49.391	0.0	0.003	206.967	2.586	1033.536	1085.752	0.0	-91.862	-90.016	0.0
68	17317	17318	SN	1	48.756	49.488	0.0	0.003	6.684	1.557	1031.496	1086.032	0.0	-91.867	-89.976	0.0
69	17317	17318	NS	1	48.709	49.374	0.0	0.003	42.981	2.582	1033.592	1085.696	0.0	-91.824	-90.017	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17317	17318	NS	1	48.706	49.391	0.0	0.003	206.967	2.586	1033.536	1085.752	0.0	-91.862	-90.016	0.0
71	17317	17318	SN	2	48.756	49.488	0.0	0.003	6.684	1.557	1031.496	1086.032	0.0	-91.867	-89.976	0.0
72	17317	17318	SN	1	48.756	49.488	0.0	0.003	6.684	2.612	1031.496	1086.032	0.0	-91.867	-89.976	0.0
73	17318	17319	SN	4	48.766	49.443	0.0	0.003	279.632	2.545	1032.168	1086.528	0.0	-91.862	-89.959	0.0
74	17318	17319	NS	2	48.681	49.338	0.0	0.0	42.16	2.824	1033.92	1085.752	0.0	-91.806	-90.01	0.0
75	17318	17319	NS	1	48.681	49.338	0.0	0.0	42.16	2.824	1033.92	1085.752	0.0	-91.806	-90.01	0.0
76	17318	17319	SN	3	48.766	49.443	0.0	0.003	279.632	2.545	1032.168	1086.528	0.0	-91.862	-89.959	0.0
77	17318	17319	SN	1	48.766	49.443	0.0	0.003	279.632	2.545	1032.168	1086.528	0.0	-91.862	-89.959	0.0
78	17318	17319	SN	2	48.766	49.443	0.0	0.003	279.632	2.545	1032.168	1086.528	0.0	-91.862	-89.959	0.0
79	17318	17319	NS	1	48.681	49.398	0.0	0.0	42.16	2.827	1033.92	1085.92	0.0	-91.806	-90.01	0.0
80	17318	17319	NS	2	48.681	49.398	0.0	0.0	42.16	2.827	1033.92	1085.92	0.0	-91.806	-90.01	0.0
81	17319	17320	NS	2	48.728	49.368	0.0	0.008	210.601	2.639	1034.008	1085.832	0.0	-91.885	-89.988	0.0
82	17319	17320	SN	2	48.77	49.491	0.0	0.003	215.846	2.566	1032.064	1086.68	0.0	-91.831	-89.996	0.0
83	17319	17320	NS	1	48.728	49.389	0.0	0.008	210.601	2.638	1034.008	1086.12	0.0	-91.976	-89.988	0.0
84	17319	17320	SN	1	48.77	49.491	0.0	0.003	215.846	2.566	1032.064	1086.68	0.0	-91.831	-89.996	0.0
85	17319	17320	NS	2	48.728	49.389	0.0	0.008	210.601	2.638	1034.008	1086.12	0.0	-91.976	-89.988	0.0
86	17319	17320	NS	1	48.728	49.368	0.0	0.008	210.601	2.639	1034.008	1085.832	0.0	-91.885	-89.988	0.0
87	17320	17321	NS	2	48.678	49.398	0.0	0.003	264.516	2.601	1034.848	1085.504	0.0	-92.083	-90.018	0.0
88	17320	17321	NS	1	48.678	49.398	0.0	0.003	264.516	2.66	1034.848	1085.632	0.0	-92.083	-90.018	0.0
89	17320	17321	NS	1	48.678	49.398	0.0	0.003	264.516	2.601	1034.848	1085.504	0.0	-92.083	-90.018	0.0
90	17320	17321	SN	1	48.726	49.45	0.0	0.003	6.679	2.649	1031.992	1085.888	0.0	-91.825	-90.004	0.0
91	17320	17321	SN	2	48.726	49.45	0.0	0.003	6.679	2.649	1031.992	1085.888	0.0	-91.825	-90.004	0.0
92	17320	17321	NS	2	48.678	49.398	0.0	0.003	264.516	2.66	1034.848	1085.632	0.0	-92.083	-90.018	0.0
93	17321	17322	SN	1	48.705	49.486	0.0	0.003	281.519	2.589	1031.936	1085.928	0.0	-91.915	-89.994	0.0
94	17321	17322	NS	1	48.726	49.404	0.0	0.003	42.43	2.176	1034.712	1084.8	0.0	-91.921	-90.018	0.0
95	17321	17322	NS	1	48.726	49.404	0.0	0.003	42.43	2.541	1034.712	1085.688	0.0	-91.923	-90.018	0.0
96	17321	17322	NS	2	48.726	49.404	0.0	0.003	42.43	2.176	1034.712	1084.8	0.0	-91.921	-90.018	0.0
97	17321	17322	NS	2	48.726	49.404	0.0	0.003	42.43	2.541	1034.712	1085.688	0.0	-91.923	-90.018	0.0
98	17321	17322	SN	2	48.705	49.486	0.0	0.003	281.519	2.589	1031.936	1085.928	0.0	-91.915	-89.994	0.0
99	17322	17323	NS	2	48.724	49.394	0.0	0.0	42.998	2.746	1034.56	1085.744	0.0	-91.846	-90.016	0.0
100	17322	17323	NS	1	48.724	49.403	0.0	0.0	42.998	1.837	1034.56	1084.256	0.0	-91.874	-90.016	0.0
101	17322	17323	NS	2	48.724	49.403	0.0	0.0	42.998	1.837	1034.56	1084.256	0.0	-91.874	-90.016	0.0
102	17322	17323	NS	1	48.724	49.394	0.0	0.0	42.998	2.746	1034.56	1085.744	0.0	-91.846	-90.016	0.0
103	17322	17323	SN	1	48.769	49.435	0.0	0.003	215.559	2.587	1031.92	1086.0	0.0	-91.839	-90.018	0.0
104	17322	17323	SN	2	48.769	49.435	0.0	0.003	215.559	2.587	1031.92	1086.0	0.0	-91.839	-90.018	0.0
105	17323	17324	NS	1	48.673	49.408	0.0	0.003	206.824	1.518	1033.488	1082.504	0.0	-91.891	-90.014	0.0
106	17323	17324	NS	2	48.673	49.408	0.0	0.003	206.824	1.518	1033.488	1082.504	0.0	-91.891	-90.014	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17324	17325	SN	2	48.735	49.455	0.0	0.003	215.135	2.714	1031.096	1086.016	0.0	-91.917	-90.014	0.0
108	17324	17325	SN	1	48.735	49.455	0.0	0.003	215.135	2.714	1031.096	1086.016	0.0	-91.917	-90.014	0.0
109	17325	17326	SN	2	48.751	49.49	0.0	0.003	28.835	2.605	1031.04	1085.96	0.0	-91.854	-89.983	0.0
110	17325	17326	NS	2	48.726	49.377	0.0	0.003	207.088	2.525	1034.808	1085.696	0.0	-91.922	-90.003	0.0
111	17325	17326	NS	1	48.726	49.377	0.0	0.003	207.088	2.525	1034.808	1085.696	0.0	-91.922	-90.003	0.0
112	17325	17326	SN	1	48.751	49.49	0.0	0.003	28.835	2.605	1031.04	1085.96	0.0	-91.854	-89.983	0.0
113	17326	17327	SN	3	48.708	49.424	0.0	0.003	6.695	2.377	1031.416	1086.064	0.0	-91.863	-90.016	0.0
114	17326	17327	NS	2	48.727	49.399	0.0	0.0	264.51	2.639	1034.208	1085.856	0.0	-91.757	-89.942	0.0
115	17326	17327	SN	4	48.708	49.424	0.0	0.003	6.695	2.377	1031.416	1086.064	0.0	-91.863	-90.016	0.0
116	17326	17327	SN	1	48.708	49.424	0.0	0.003	6.695	2.516	1031.416	1086.064	0.0	-91.863	-90.016	0.0
117	17326	17327	NS	2	48.726	49.382	0.0	0.0	206.923	2.635	1034.184	1085.88	0.0	-91.836	-89.942	0.0
118	17326	17327	NS	1	48.726	49.382	0.0	0.0	206.923	2.635	1034.184	1085.88	0.0	-91.836	-89.942	0.0
119	17326	17327	NS	1	48.727	49.399	0.0	0.0	264.51	2.639	1034.208	1085.856	0.0	-91.757	-89.942	0.0
120	17326	17327	SN	2	48.708	49.424	0.0	0.003	6.695	2.516	1031.416	1086.064	0.0	-91.863	-90.016	0.0
121	17326	17327	SN	2	48.708	49.424	0.0	0.003	6.695	2.377	1031.416	1086.064	0.0	-91.863	-90.016	0.0
122	17326	17327	SN	1	48.708	49.424	0.0	0.003	6.695	2.377	1031.416	1086.064	0.0	-91.863	-90.016	0.0
123	17327	17328	NS	2	48.703	49.342	0.0	0.003	12.552	2.522	1034.096	1085.8	0.0	-91.947	-90.001	0.0
124	17327	17328	SN	3	48.764	49.473	0.0	0.003	6.69	2.539	1031.592	1086.016	0.0	-91.879	-90.014	0.0
125	17327	17328	SN	2	48.764	49.473	0.0	0.003	6.69	2.314	1031.592	1086.016	0.0	-91.879	-90.014	0.0
126	17327	17328	NS	1	48.712	49.389	0.0	0.003	12.552	2.52	1034.296	1085.8	0.0	-91.876	-90.001	0.0
127	17327	17328	NS	2	48.712	49.389	0.0	0.003	12.552	2.52	1034.296	1085.8	0.0	-91.876	-90.001	0.0
128	17327	17328	SN	1	48.764	49.473	0.0	0.003	6.69	2.314	1031.592	1086.016	0.0	-91.879	-90.014	0.0
129	17327	17328	SN	1	48.764	49.473	0.0	0.003	6.69	2.539	1031.592	1086.016	0.0	-91.879	-90.014	0.0
130	17327	17328	NS	1	48.703	49.342	0.0	0.003	12.552	2.522	1034.096	1085.8	0.0	-91.947	-90.001	0.0
131	17327	17328	SN	2	48.764	49.473	0.0	0.003	6.69	2.54	1031.592	1086.016	0.0	-91.879	-90.014	0.0
132	17327	17328	SN	4	48.764	49.473	0.0	0.003	6.69	2.54	1031.592	1086.016	0.0	-91.879	-90.014	0.0
133	17328	17329	SN	1	48.709	49.485	0.0	0.003	6.679	2.175	1031.592	1085.864	0.0	-91.858	-90.014	0.0
134	17328	17329	SN	1	48.709	49.485	0.0	0.003	6.679	2.505	1031.592	1085.864	0.0	-91.858	-90.014	0.0
135	17328	17329	NS	2	48.727	49.389	0.0	0.003	206.807	2.569	1035.2	1085.688	0.0	-91.788	-90.007	0.0
136	17328	17329	NS	1	48.728	49.39	0.0	0.003	267.025	2.568	1035.208	1085.68	0.0	-91.82	-90.007	0.0
137	17328	17329	SN	2	48.709	49.485	0.0	0.003	6.679	2.175	1031.592	1085.864	0.0	-91.858	-90.014	0.0
138	17328	17329	NS	4	48.727	49.389	0.0	0.003	206.807	2.569	1035.2	1085.688	0.0	-91.788	-90.007	0.0
139	17328	17329	SN	2	48.709	49.485	0.0	0.003	6.679	2.507	1031.592	1085.864	0.0	-91.858	-90.014	0.0
140	17328	17329	SN	2	48.709	49.485	0.0	0.003	6.679	2.505	1031.592	1085.864	0.0	-91.858	-90.014	0.0
141	17328	17329	SN	1	48.709	49.485	0.0	0.003	6.679	2.507	1031.592	1085.864	0.0	-91.858	-90.014	0.0
142	17328	17329	NS	3	48.728	49.39	0.0	0.003	267.025	2.568	1035.208	1085.68	0.0	-91.82	-90.007	0.0
143	17329	17330	NS	2	48.727	49.4	0.0	0.003	41.889	2.617	1035.208	1085.552	0.0	-91.947	-90.005	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

144	17329	17330	SN	1	48.73	49.486	0.0	0.003	281.215	2.572	1031.056	1085.768	0.0	-91.831	-90.014	0.0
145	17329	17330	NS	1	48.729	49.402	0.0	0.003	264.24	2.631	1035.24	1085.528	0.0	-91.947	-90.005	0.0
146	17329	17330	SN	2	48.73	49.486	0.0	0.003	281.215	2.572	1031.056	1085.768	0.0	-91.831	-90.014	0.0
147	17329	17330	NS	2	48.729	49.402	0.0	0.003	264.24	2.631	1035.24	1085.528	0.0	-91.947	-90.005	0.0
148	17329	17330	SN	2	48.699	49.486	0.0	0.003	281.215	1.996	1031.056	1085.768	0.0	-91.831	-90.014	0.0
149	17329	17330	SN	3	48.73	49.486	0.0	0.003	281.215	2.572	1031.056	1085.768	0.0	-91.831	-90.014	0.0
150	17329	17330	SN	4	48.73	49.486	0.0	0.003	281.215	2.572	1031.056	1085.768	0.0	-91.831	-90.014	0.0
151	17329	17330	NS	1	48.727	49.4	0.0	0.003	41.889	2.617	1035.208	1085.552	0.0	-91.947	-90.005	0.0
152	17329	17330	SN	1	48.699	49.486	0.0	0.003	281.215	1.996	1031.056	1085.768	0.0	-91.831	-90.014	0.0
153	17330	17331	NS	2	48.711	49.402	0.0	0.0	210.579	2.696	1035.208	1085.456	0.0	-91.92	-90.018	0.0
154	17330	17331	NS	1	48.67	49.398	0.0	0.0	267.136	2.697	1035.168	1085.48	0.0	-92.144	-90.018	0.0
155	17330	17331	SN	1	48.74	49.485	0.0	0.003	215.581	2.664	1031.296	1085.696	0.0	-91.887	-90.015	0.0
156	17330	17331	NS	2	48.67	49.398	0.0	0.0	267.136	2.697	1035.168	1085.48	0.0	-92.144	-90.018	0.0
157	17330	17331	SN	2	48.74	49.485	0.0	0.003	215.581	1.796	1031.296	1085.696	0.0	-91.887	-90.015	0.0
158	17330	17331	SN	3	48.74	49.485	0.0	0.003	215.581	2.664	1031.296	1085.696	0.0	-91.887	-90.015	0.0
159	17330	17331	SN	4	48.74	49.485	0.0	0.003	215.581	2.664	1031.296	1085.696	0.0	-91.887	-90.015	0.0
160	17330	17331	SN	1	48.74	49.485	0.0	0.003	215.581	1.796	1031.296	1085.696	0.0	-91.887	-90.015	0.0
161	17330	17331	SN	2	48.74	49.485	0.0	0.003	215.581	2.664	1031.296	1085.696	0.0	-91.887	-90.015	0.0
162	17330	17331	NS	1	48.711	49.402	0.0	0.0	210.579	2.696	1035.208	1085.456	0.0	-91.92	-90.018	0.0
163	17331	17332	SN	2	48.767	49.482	0.0	0.003	215.107	1.587	1031.896	1085.84	0.0	-91.941	-90.003	0.0
164	17331	17332	NS	1	48.712	49.409	0.0	0.0	129.939	2.617	1034.232	1085.624	0.0	-91.956	-90.02	0.0
165	17331	17332	NS	1	48.712	49.409	0.0	0.0	129.939	2.615	1034.008	1085.624	0.0	-91.863	-90.02	0.0
166	17331	17332	NS	2	48.712	49.409	0.0	0.0	129.939	2.617	1034.232	1085.624	0.0	-91.956	-90.02	0.0
167	17331	17332	SN	4	48.767	49.482	0.0	0.003	214.787	2.672	1031.896	1085.84	0.0	-91.941	-90.003	0.0
168	17331	17332	SN	3	48.767	49.482	0.0	0.003	214.787	2.673	1031.896	1085.84	0.0	-91.941	-90.003	0.0
169	17331	17332	SN	2	48.767	49.482	0.0	0.003	214.787	2.672	1031.896	1085.84	0.0	-91.941	-90.003	0.0
170	17331	17332	SN	1	48.767	49.482	0.0	0.003	214.787	2.673	1031.896	1085.84	0.0	-91.941	-90.003	0.0
171	17331	17332	NS	2	48.712	49.409	0.0	0.0	129.939	2.615	1034.008	1085.624	0.0	-91.863	-90.02	0.0
172	17331	17332	SN	1	48.767	49.482	0.0	0.003	215.107	1.587	1031.896	1085.84	0.0	-91.941	-90.003	0.0
173	17332	17333	NS	2	48.671	49.34	0.0	0.003	17.477	2.71	1034.544	1085.64	0.0	-91.708	-90.014	0.0
174	17332	17333	NS	1	48.669	49.338	0.0	0.003	17.472	2.711	1034.312	1085.656	0.0	-91.605	-90.014	0.0
175	17332	17333	NS	1	48.671	49.34	0.0	0.003	17.477	2.71	1034.544	1085.64	0.0	-91.708	-90.014	0.0
176	17332	17333	SN	1	48.724	49.447	0.0	0.003	28.614	2.565	1030.944	1086.144	0.0	-92.366	-89.952	0.0
177	17332	17333	SN	2	48.724	49.447	0.0	0.003	28.614	2.565	1030.944	1086.144	0.0	-92.366	-89.952	0.0
178	17332	17333	NS	2	48.669	49.338	0.0	0.003	17.472	2.711	1034.312	1085.656	0.0	-91.605	-90.014	0.0
179	17332	17333	SN	3	48.724	49.447	0.0	0.003	28.614	2.565	1030.944	1086.144	0.0	-92.366	-89.952	0.0
180	17332	17333	SN	4	48.724	49.447	0.0	0.003	28.614	2.565	1030.944	1086.144	0.0	-92.366	-89.952	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

181	17333	17334	NS	3	48.725	49.366	0.0	0.003	264.395	2.648	1034.184	1086.224	0.0	-91.952	-89.997	0.0
182	17333	17334	SN	2	48.77	49.486	0.0	0.003	6.679	2.553	1031.8	1086.624	0.0	-91.879	-89.996	0.0
183	17333	17334	NS	1	48.725	49.366	0.0	0.003	264.395	2.648	1034.184	1086.224	0.0	-91.952	-89.997	0.0
184	17333	17334	NS	2	48.725	49.366	0.0	0.003	264.395	2.648	1034.184	1086.224	0.0	-91.952	-89.997	0.0
185	17333	17334	SN	1	48.77	49.486	0.0	0.003	6.679	2.553	1031.8	1086.624	0.0	-91.879	-89.996	0.0
186	17333	17334	NS	4	48.725	49.366	0.0	0.003	264.395	2.648	1034.184	1086.224	0.0	-91.952	-89.997	0.0
187	17334	17335	NS	1	48.729	49.389	0.0	0.0	266.838	2.761	1034.696	1086.336	0.0	-91.951	-90.003	0.0
188	17334	17335	NS	1	48.729	49.389	0.0	0.0	266.838	2.759	1034.696	1085.448	0.0	-91.917	-90.003	0.0
189	17334	17335	SN	2	48.72	49.424	0.0	0.003	30.156	2.628	1031.832	1085.712	0.0	-92.472	-89.99	0.0
190	17334	17335	NS	2	48.729	49.389	0.0	0.0	266.838	2.759	1034.696	1085.448	0.0	-91.917	-90.003	0.0
191	17334	17335	SN	1	48.72	49.442	0.0	0.003	6.679	2.629	1031.832	1085.696	0.0	-92.472	-89.991	0.0
192	17334	17335	SN	3	48.72	49.442	0.0	0.003	6.679	2.629	1031.832	1085.696	0.0	-92.472	-89.991	0.0
193	17334	17335	NS	2	48.729	49.389	0.0	0.0	266.838	2.761	1034.696	1086.336	0.0	-91.951	-90.003	0.0
194	17334	17335	SN	4	48.72	49.424	0.0	0.003	30.156	2.628	1031.832	1085.712	0.0	-92.472	-89.99	0.0
195	17335	17336	SN	1	48.723	49.469	0.0	0.003	281.546	2.606	1031.216	1085.792	0.0	-91.874	-89.988	0.0
196	17335	17336	SN	2	48.723	49.469	0.0	0.003	281.546	2.606	1031.216	1085.792	0.0	-91.874	-89.988	0.0
197	17335	17336	NS	2	48.728	49.4	0.0	0.003	267.053	2.568	1035.08	1085.52	0.0	-91.942	-90.021	0.0
198	17335	17336	NS	2	48.73	49.395	0.0	0.003	210.452	2.567	1035.096	1085.776	0.0	-91.967	-90.022	0.0
199	17335	17336	SN	2	48.723	49.469	0.0	0.003	281.546	2.62	1031.216	1085.792	0.0	-91.874	-89.988	0.0
200	17335	17336	SN	1	48.723	49.469	0.0	0.003	281.546	2.62	1031.216	1085.792	0.0	-91.874	-89.988	0.0
201	17335	17336	NS	1	48.73	49.395	0.0	0.003	210.452	2.567	1035.096	1085.776	0.0	-91.967	-90.022	0.0
202	17335	17336	NS	1	48.728	49.4	0.0	0.003	267.053	2.568	1035.08	1085.52	0.0	-91.942	-90.021	0.0
203	17335	17336	NS	1	48.728	49.377	0.0	0.003	267.053	2.385	1035.08	1085.112	0.0	-91.936	-90.021	0.0
204	17335	17336	NS	2	48.728	49.377	0.0	0.003	267.053	2.385	1035.08	1085.112	0.0	-91.936	-90.021	0.0
205	17336	17337	NS	2	48.726	49.401	0.0	0.003	17.223	2.03	1034.944	1084.408	0.0	-91.968	-90.019	0.0
206	17336	17337	NS	2	48.726	49.401	0.0	0.003	17.223	2.66	1034.944	1085.528	0.0	-91.95	-90.019	0.0
207	17336	17337	SN	1	48.703	49.424	0.0	0.003	6.673	2.586	1031.72	1085.784	0.0	-91.923	-89.993	0.0
208	17336	17337	NS	1	48.726	49.401	0.0	0.003	17.223	2.66	1034.944	1085.528	0.0	-91.95	-90.019	0.0
209	17336	17337	NS	3	48.726	49.401	0.0	0.003	17.223	2.66	1034.944	1085.528	0.0	-91.95	-90.019	0.0
210	17336	17337	NS	4	48.726	49.401	0.0	0.003	17.223	2.66	1034.944	1085.528	0.0	-91.95	-90.019	0.0
211	17336	17337	SN	2	48.703	49.424	0.0	0.003	6.673	2.586	1031.72	1085.784	0.0	-91.923	-89.993	0.0
212	17336	17337	NS	1	48.726	49.401	0.0	0.003	17.223	2.03	1034.944	1084.408	0.0	-91.968	-90.019	0.0
213	17336	17337	SN	1	48.703	49.424	0.0	0.003	6.673	2.572	1031.72	1085.784	0.0	-91.923	-89.993	0.0
214	17336	17337	SN	2	48.703	49.424	0.0	0.003	6.673	2.572	1031.72	1085.784	0.0	-91.923	-89.993	0.0
215	17337	17338	NS	2	48.684	49.401	0.0	0.003	42.661	2.571	1033.848	1085.608	0.0	-91.975	-90.018	0.0
216	17337	17338	NS	3	48.684	49.401	0.0	0.003	42.661	2.571	1033.848	1085.608	0.0	-91.952	-90.018	0.0
217	17337	17338	NS	4	48.684	49.401	0.0	0.003	42.661	2.571	1033.848	1085.608	0.0	-91.975	-90.018	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors



218	17337	17338	SN	1	48.704	49.49	0.0	0.0	72.892	2.585	1030.896	1085.864	0.0	-92.144	-90.016	0.0
219	17337	17338	NS	1	48.684	49.409	0.0	0.003	42.661	1.47	1033.848	1083.584	0.0	-91.939	-90.018	0.0
220	17337	17338	NS	2	48.684	49.409	0.0	0.003	42.661	1.47	1033.848	1083.584	0.0	-91.939	-90.018	0.0
221	17337	17338	SN	2	48.704	49.49	0.0	0.0	72.892	2.585	1030.896	1085.864	0.0	-92.144	-90.016	0.0
222	17337	17338	SN	2	48.71	49.483	0.0	0.0	72.892	2.582	1031.32	1085.864	0.0	-91.906	-90.016	0.0
223	17337	17338	SN	1	48.71	49.483	0.0	0.0	72.892	2.582	1031.32	1085.864	0.0	-91.906	-90.016	0.0
224	17337	17338	NS	1	48.684	49.401	0.0	0.003	42.661	2.571	1033.848	1085.608	0.0	-91.952	-90.018	0.0
225	17338	17339	NS	1	48.71	49.408	0.0	0.0	211.699	2.731	1034.52	1085.608	0.0	-91.871	-90.017	0.0
226	17338	17339	NS	3	48.71	49.408	0.0	0.0	211.699	2.731	1034.52	1085.608	0.0	-91.871	-90.017	0.0
227	17338	17339	NS	1	48.71	49.379	0.0	0.0	39.079	1.73	1034.52	1080.624	0.0	-91.808	-90.017	0.0
228	17338	17339	SN	1	48.771	49.495	0.0	0.0	271.283	2.785	1031.888	1085.912	0.0	-91.938	-90.018	0.0
229	17338	17339	NS	2	48.71	49.379	0.0	0.0	39.079	1.73	1034.52	1080.624	0.0	-91.808	-90.017	0.0
230	17338	17339	SN	1	48.771	49.495	0.0	0.003	215.085	1.717	1031.888	1085.912	0.0	-91.938	-90.018	0.0
231	17338	17339	SN	2	48.771	49.495	0.0	0.003	215.085	1.717	1031.888	1085.912	0.0	-91.938	-90.018	0.0
232	17338	17339	NS	4	48.71	49.408	0.0	0.0	211.699	2.731	1034.52	1085.608	0.0	-91.871	-90.017	0.0
233	17338	17339	NS	2	48.71	49.408	0.0	0.0	211.699	2.731	1034.52	1085.608	0.0	-91.871	-90.017	0.0
234	17338	17339	SN	2	48.771	49.495	0.0	0.0	271.283	2.785	1031.888	1085.912	0.0	-91.938	-90.018	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

Inner																												
		SNR															Kp											
		Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore					
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17310	17311	SN	2	-33.047	22.887	0.072	-34.366	23.861	1.65	-10.64	35.513	7.7	-7.753	29.098	10.263	0.116	195.533	2.714	0.116	264.885	2.277	0.116	1.214	0.001	0.116	0.671	0.0
2	17310	17311	SN	1	-33.047	23.886	0.298	-34.366	23.88	1.606	-10.64	35.513	7.698	-7.753	29.098	10.262	0.116	195.533	2.575	0.116	264.885	2.165	0.116	1.214	0.001	0.116	0.671	0.0
3	17310	17311	NS	1	-34.767	23.574	0.172	-34.441	24.202	0.16	8.56	32.829	10.29	7.242	33.097	23.021	0.116	290.455	1.19	0.116	269.495	1.041	0.116	0.126	0.0	0.116	0.13	0.0
4	17310	17311	NS	2	-34.767	23.574	0.172	-34.441	24.202	0.16	8.56	32.829	10.29	7.242	33.097	23.021	0.116	290.455	1.19	0.116	269.495	1.041	0.116	0.126	0.0	0.116	0.13	0.0
5	17310	17311	SN	2	-33.047	23.886	0.298	-34.366	23.88	1.606	-10.64	35.513	7.698	-7.753	29.098	10.262	0.116	195.533	2.575	0.116	264.885	2.165	0.116	1.214	0.001	0.116	0.671	0.0
6	17310	17311	SN	2	-34.034	23.884	0.296	-34.659	23.878	1.608	-10.623	35.513	7.686	-7.744	29.098	10.244	0.116	245.345	2.578	0.116	283.304	2.168	0.116	1.21	0.001	0.116	0.67	0.0
7	17310	17311	SN	1	-34.034	23.884	0.296	-34.659	23.878	1.608	-10.623	35.513	7.686	-7.744	29.098	10.244	0.116	245.345	2.578	0.116	283.304	2.168	0.116	1.21	0.001	0.116	0.67	0.0
8	17310	17311	SN	1	-33.047	22.887	0.072	-34.366	23.861	1.65	-10.64	35.513	7.7	-7.753	29.098	10.263	0.116	195.533	2.714	0.116	264.885	2.277	0.116	1.214	0.001	0.116	0.671	0.0
9	17311	17312	SN	2	-34.753	23.097	0.194	-34.963	23.696	0.715	4.532	30.475	6.536	4.064	27.897	3.596	0.116	289.556	10.501	0.116	303.966	9.628	0.116	0.144	0.0	0.116	0.147	0.0
10	17311	17312	SN	1	-34.753	23.097	0.219	-34.963	23.696	0.702	4.532	30.475	6.536	4.064	27.897	3.596	0.116	289.556	10.309	0.116	303.966	9.467	0.116	0.144	0.0	0.116	0.147	0.0
11	17311	17312	NS	2	-33.529	23.508	0.139	-34.465	24.607	0.205	-4.347	30.603	5.357	-2.671	30.171	14.407	0.116	218.461	4.21	0.116	271.046	4.009	0.116	0.36	0.0	0.116	0.278	0.0
12	17311	17312	NS	1	-34.976	23.508	0.139	-34.242	24.607	0.205	-4.347	30.603	5.354	-2.671	30.171	14.409	0.116	304.822	4.214	0.116	257.509	4.009	0.116	0.36	0.0	0.116	0.278	0.0
13	17311	17312	SN	2	-34.945	23.105	0.191	-34.946	23.7	0.717	4.532	30.473	6.499	4.066	27.897	3.596	0.116	302.651	10.509	0.116	302.736	9.652	0.116	0.144	0.0	0.116	0.147	0.0
14	17311	17312	NS	4	-33.529	23.508	0.139	-34.465	24.607	0.205	-4.347	30.603	5.357	-2.671	30.171	14.407	0.116	218.461	4.21	0.116	271.046	4.009	0.116	0.36	0.0	0.116	0.278	0.0
15	17311	17312	SN	1	-34.945	23.105	0.191	-34.946	23.7	0.717	4.532	30.473	6.499	4.066	27.897	3.596	0.116	302.651	10.509	0.116	302.736	9.652	0.116	0.144	0.0	0.116	0.147	0.0
16	17311	17312	SN	1	-34.753	23.097	0.194	-34.963	23.696	0.715	4.532	30.475	6.536	4.064	27.897	3.596	0.116	289.556	10.501	0.116	303.966	9.628	0.116	0.144	0.0	0.116	0.147	0.0
17	17311	17312	SN	2	-34.753	23.097	0.219	-34.963	23.696	0.702	4.532	30.475	6.536	4.064	27.897	3.596	0.116	289.556	10.309	0.116	303.966	9.467	0.116	0.144	0.0	0.116	0.147	0.0
18	17311	17312	NS	3	-34.976	23.508	0.139	-34.242	24.607	0.205	-4.347	30.603	5.354	-2.671	30.171	14.409	0.116	304.822	4.214	0.116	257.509	4.009	0.116	0.36	0.0	0.116	0.278	0.0
19	17312	17313	NS	2	-34.905	24.143	0.037	-34.996	25.215	0.071	-4.645	28.163	7.554	-6.349	28.829	13.975	0.116	299.806	6.981	0.116	306.202	6.002	0.116	0.379	0.0	0.116	0.512	0.0
20	17312	17313	NS	1	-34.905	24.143	0.037	-34.996	25.215	0.071	-4.645	28.163	7.554	-6.349	28.829	13.975	0.116	299.806	6.981	0.116	306.202	6.002	0.116	0.379	0.0	0.116	0.512	0.0
21	17312	17313	SN	1	-34.218	23.286	0.006	-34.396	22.299	0.004	4.411	27.139	14.185	6.379	27.387	12.436	0.116	255.993	1.883	0.116	266.72	1.885	0.116	0.144	0.0	0.116	0.134	0.0
22	17312	17313	SN	1	-34.741	23.286	0.006	-34.326	22.3	0.004	4.411	27.138	14.057	6.379	27.387	12.495	0.116	288.801	1.883	0.116	262.468	1.888	0.116	0.144	0.0	0.116	0.134	0.0
23	17312	17313	SN	1	-34.741	23.286	0.006	-34.326	22.3	0.004	4.411	27.138	14.057	6.379	27.387	12.502	0.116	288.801	1.912	0.116	262.468	1.914	0.116	0.144	0.0	0.116	0.134	0.0
24	17312	17313	SN	2	-34.741	23.286	0.006	-34.326	22.3	0.004	4.411	27.138	14.057	6.379	27.387	12.502	0.116	288.801	1.912	0.116	262.468	1.914	0.116	0.144	0.0	0.116	0.134	0.0
25	17312	17313	SN	2	-34.218	23.286	0.006	-34.396	22.299	0.004	4.411	27.139	14.185	6.379	27.387	12.436	0.116	255.993	1.883	0.116	266.72	1.885	0.116	0.144	0.0	0.116	0.134	0.0
26	17312	17313	SN	2	-34.741	23.286	0.006	-34.326	22.3	0.004	4.411	27.138	14.057	6.379	27.387	12.495	0.116	288.801	1.883	0.116	262.468	1.888	0.116	0.144	0.0	0.116	0.134	0.0
27	17313	17314	SN	1	-34.977	22.577	0.004	-32.785	22.746	0.007	5.798	26.68	12.525	5.993	27.183	12.746	0.116	304.933	1.973	0.116	184.081	1.319	0.116	0.136	0.0	0.116	0.135	0.0
28	17313	17314	SN	3	-34.977	22.577	0.004	-32.785	22.746	0.006	5.798	26.68	12.504	5.993	27.184	12.6	0.116	304.933	1.928	0.116	184.081	1.294	0.116	0.136	0.0	0.116	0.135	0.0
29	17313	17314	NS	2	-33.842	23.717	0.057	-33.792	23.538	0.086	-15.754	29.491	3.994	-12.532	31.288	8.401	0.116	234.772	3.897	0.116	232.162	3.714	0.116	3.736	0.006	0.116	1.826	0.011
30	17313	17314	SN	1	-34.977	22.577	0.004	-32.785	22.746	0.006	5.798	26.68	12.504	5.993	27.184	12.6	0.116	304.933	1.928	0.116	184.081	1.294	0.116	0.136	0.0	0.116	0.135	0.0
31	17313	17314	NS	2	-34.589	23.719	0.057	-34.309	23.54	0.086	-15.929	29.491	3.991	-12.753	31.288	8.398	0.116	278.85	3.901	0.116	261.477	3.721	0.116	3.885	0.006	0.116	1.917	0.012
32	17313	17314	NS	1	-34.589	23.719	0.057	-34.309	23.54	0.086	-15.929	29.491	3.991	-12.753	31.288	8.398	0.116	278.85	3.901	0.116	261.477	3.721	0.116	3.885	0.006	0.116	1.917	0.012
33	17313	17314	SN	4	-34.977	22.577	0.004	-32.785	22.746	0.006	5.798	26.68	12.504	5.993	27.184	12.6	0.116	304.933	1.928	0.116	184.081	1.294	0.116	0.136	0.0	0.116	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp	<span style="display: inline-block; width: 15px; height: 15px; background-color: green; margin-right: 5px;"></span> Normal <span style="display: inline-block; width: 15px; height: 15px; background-color: orange; margin-right: 5px;"></span> Alarming <span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; margin-right: 5px;"></span> Deviations <span style="display: inline-block; width: 15px; height: 15px; background-color: red; margin-right: 5px;"></span> High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	











229	17338	17339	NS	2	-32.68	23.041	0.166	-34.594	25.461	0.015	7.081	26.929	3.028	5.478	25.438	6.628	0.116	179.704	1.923	0.116	279.109	2.346	0.116	0.131	0.0	0.116	0.138	0.0
230	17338	17339	SN	1	-34.253	20.688	0.0	-34.741	22.447	0.009	6.075	28.081	9.51	9.924	29.355	12.565	0.116	258.066	3.679	0.116	288.72	3.124	0.116	0.135	0.0	0.116	0.124	0.0
231	17338	17339	SN	2	-34.253	20.688	0.0	-34.741	22.447	0.009	6.075	28.081	9.51	9.924	29.355	12.565	0.116	258.066	3.679	0.116	288.72	3.124	0.116	0.135	0.0	0.116	0.124	0.0
232	17338	17339	NS	4	-34.925	23.041	0.166	-34.594	25.461	0.028	6.474	29.376	12.152	5.39	28.697	21.09	0.116	301.281	2.014	0.116	279.109	2.335	0.116	0.133	0.0	0.116	0.138	0.0
233	17338	17339	NS	2	-34.925	23.041	0.166	-34.594	25.461	0.028	6.474	29.376	12.152	5.39	28.697	21.09	0.116	301.281	2.014	0.116	279.109	2.335	0.116	0.133	0.0	0.116	0.138	0.0
234	17338	17339	SN	2	-34.253	23.225	0.062	-34.741	24.129	1.01	6.075	28.674	10.543	9.924	29.423	12.944	0.116	258.066	3.571	0.116	288.72	2.848	0.116	0.135	0.0	0.116	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17310	17311	SN	2	57.519	58.295	0.0	0.0	290.05	3.728	1208.976	1276.232	1.26	-93.253	-92.046	0.0
2	17310	17311	SN	1	57.519	58.295	0.0	0.0	297.733	4.055	1208.976	1276.232	1.233	-93.253	-92.046	0.0
3	17310	17311	NS	1	57.47	58.227	0.0	0.0	297.782	3.926	1211.52	1275.56	0.0	-93.26	-92.031	0.0
4	17310	17311	NS	2	57.47	58.227	0.0	0.0	297.782	3.926	1211.52	1275.56	0.0	-93.26	-92.031	0.0
5	17310	17311	SN	2	57.519	58.295	0.0	0.0	297.733	4.055	1208.976	1276.232	1.233	-93.253	-92.046	0.0
6	17310	17311	SN	2	57.519	58.295	0.0	0.0	297.694	4.051	1208.976	1276.232	1.231	-93.253	-92.046	0.0
7	17310	17311	SN	1	57.519	58.295	0.0	0.0	297.694	4.051	1208.976	1276.232	1.231	-93.253	-92.046	0.0
8	17310	17311	SN	1	57.519	58.295	0.0	0.0	290.05	3.728	1208.976	1276.232	1.26	-93.253	-92.046	0.0
9	17311	17312	SN	2	57.488	58.306	0.0	0.0	297.474	3.511	1208.28	1276.392	1.949	-93.22	-92.035	0.0
10	17311	17312	SN	1	57.488	58.306	0.0	0.0	297.474	3.807	1208.28	1276.392	1.927	-93.22	-92.035	0.0
11	17311	17312	NS	2	57.494	58.229	0.0	0.0	297.429	3.645	1212.024	1275.792	0.0	-93.256	-92.004	0.0
12	17311	17312	NS	1	57.495	58.231	0.0	0.0	297.485	3.645	1212.064	1275.768	0.0	-93.245	-92.004	0.0
13	17311	17312	SN	2	57.48	58.283	0.0	0.0	297.474	3.499	1208.76	1276.392	1.953	-93.213	-92.035	0.0
14	17311	17312	NS	4	57.494	58.229	0.0	0.0	297.429	3.645	1212.024	1275.792	0.0	-93.256	-92.004	0.0
15	17311	17312	SN	1	57.48	58.283	0.0	0.0	297.474	3.499	1208.76	1276.392	1.953	-93.213	-92.035	0.0
16	17311	17312	SN	1	57.488	58.306	0.0	0.0	297.474	3.511	1208.28	1276.392	1.949	-93.22	-92.035	0.0
17	17311	17312	SN	2	57.488	58.306	0.0	0.0	297.474	3.807	1208.28	1276.392	1.927	-93.22	-92.035	0.0
18	17311	17312	NS	3	57.495	58.231	0.0	0.0	297.485	3.645	1212.064	1275.768	0.0	-93.245	-92.004	0.0
19	17312	17313	NS	2	57.495	58.209	0.0	0.0	290.392	3.647	1212.16	1275.864	0.0	-93.247	-92.004	0.0
20	17312	17313	NS	1	57.495	58.209	0.0	0.0	290.392	3.647	1212.16	1275.864	0.0	-93.247	-92.004	0.0
21	17312	17313	SN	1	57.481	58.283	0.0	0.0	295.097	3.722	1208.704	1276.464	2.596	-93.307	-92.067	0.0
22	17312	17313	SN	1	57.49	58.307	0.0	0.0	295.097	3.72	1208.192	1276.464	2.597	-93.219	-92.067	0.0
23	17312	17313	SN	1	57.49	58.307	0.0	0.0	295.097	3.417	1208.192	1276.464	2.629	-93.219	-92.067	0.0
24	17312	17313	SN	2	57.49	58.307	0.0	0.0	295.097	3.417	1208.192	1276.464	2.629	-93.219	-92.067	0.0
25	17312	17313	SN	2	57.481	58.283	0.0	0.0	295.097	3.722	1208.704	1276.464	2.596	-93.307	-92.067	0.0
26	17312	17313	SN	2	57.49	58.307	0.0	0.0	295.097	3.72	1208.192	1276.464	2.597	-93.219	-92.067	0.0
27	17313	17314	SN	1	57.482	58.289	0.0	0.0	291.186	3.429	1208.624	1276.304	2.829	-93.504	-92.035	0.0
28	17313	17314	SN	3	57.482	58.289	0.0	0.0	291.186	3.77	1208.624	1276.304	2.779	-93.504	-92.035	0.0
29	17313	17314	NS	2	57.495	58.24	0.0	0.0	297.876	3.738	1211.648	1275.728	0.0	-93.284	-92.035	0.0
30	17313	17314	SN	1	57.482	58.289	0.0	0.0	291.186	3.77	1208.624	1276.304	2.779	-93.504	-92.035	0.0
31	17313	17314	NS	2	57.495	58.238	0.0	0.0	297.948	3.734	1211.664	1275.704	0.0	-93.661	-92.035	0.0
32	17313	17314	NS	1	57.495	58.238	0.0	0.0	297.948	3.734	1211.664	1275.704	0.0	-93.661	-92.035	0.0
33	17313	17314	SN	4	57.482	58.289	0.0	0.0	291.186	3.77	1208.624	1276.304	2.779	-93.504	-92.035	0.0
34	17313	17314	NS	1	57.495	58.24	0.0	0.0	297.876	3.738	1211.648	1275.728	0.0	-93.284	-92.035	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17313	17314	SN	2	57.482	58.289	0.0	0.0	291.186	3.429	1208.624	1276.304	2.829	-93.504	-92.035	0.0
36	17313	17314	SN	2	57.482	58.289	0.0	0.0	291.186	3.77	1208.624	1276.304	2.779	-93.504	-92.035	0.0
37	17314	17315	SN	1	57.503	58.3	0.0	0.003	299.282	3.743	1208.576	1276.208	2.842	-93.262	-92.066	0.0
38	17314	17315	SN	1	57.482	58.3	0.0	0.003	299.282	3.747	1208.096	1276.208	2.822	-93.262	-92.066	0.0
39	17314	17315	SN	1	57.482	58.3	0.0	0.003	288.247	3.307	1208.096	1276.208	2.905	-93.262	-92.066	0.0
40	17314	17315	NS	1	57.476	58.24	0.0	0.0	297.578	3.967	1212.36	1275.624	0.0	-93.742	-92.048	0.0
41	17314	17315	NS	4	57.475	58.239	0.0	0.0	297.551	3.963	1212.328	1275.664	0.0	-93.742	-92.048	0.0
42	17314	17315	SN	2	57.503	58.3	0.0	0.003	299.282	3.743	1208.576	1276.208	2.842	-93.262	-92.066	0.0
43	17314	17315	NS	3	57.476	58.24	0.0	0.0	297.578	3.967	1212.36	1275.624	0.0	-93.742	-92.048	0.0
44	17314	17315	SN	2	57.482	58.3	0.0	0.003	288.247	3.307	1208.096	1276.208	2.905	-93.262	-92.066	0.0
45	17314	17315	NS	2	57.475	58.239	0.0	0.0	297.551	3.963	1212.328	1275.664	0.0	-93.742	-92.048	0.0
46	17314	17315	SN	2	57.482	58.3	0.0	0.003	299.282	3.747	1208.096	1276.208	2.822	-93.262	-92.066	0.0
47	17315	17316	NS	2	57.466	58.24	0.0	0.0	293.018	3.849	1211.624	1275.48	0.0	-93.286	-92.055	0.0
48	17315	17316	SN	1	57.5	58.31	0.0	0.0	285.324	3.174	1207.672	1276.032	2.892	-93.258	-92.067	0.0
49	17315	17316	SN	2	57.494	58.31	0.0	0.0	298.99	3.804	1208.176	1276.032	2.787	-93.258	-92.067	0.0
50	17315	17316	SN	2	57.5	58.31	0.0	0.0	299.073	3.81	1207.672	1276.032	2.764	-93.258	-92.067	0.0
51	17315	17316	NS	4	57.466	58.24	0.0	0.0	293.018	3.849	1211.624	1275.48	0.0	-93.286	-92.055	0.0
52	17315	17316	NS	3	57.462	58.241	0.0	0.0	299.994	3.851	1212.392	1275.416	0.0	-93.312	-92.056	0.0
53	17315	17316	NS	1	57.462	58.241	0.0	0.0	299.994	3.851	1212.392	1275.416	0.0	-93.312	-92.056	0.0
54	17315	17316	SN	2	57.5	58.31	0.0	0.0	285.324	3.174	1207.672	1276.032	2.892	-93.258	-92.067	0.0
55	17315	17316	SN	1	57.494	58.31	0.0	0.0	298.99	3.804	1208.176	1276.032	2.787	-93.258	-92.067	0.0
56	17315	17316	SN	1	57.5	58.31	0.0	0.0	299.073	3.81	1207.672	1276.032	2.764	-93.258	-92.067	0.0
57	17316	17317	SN	1	57.483	58.308	0.0	0.0	293.619	3.95	1208.424	1276.072	2.015	-93.278	-92.068	0.0
58	17316	17317	SN	2	57.483	58.308	0.0	0.0	293.619	2.984	1208.424	1276.072	2.155	-93.278	-92.068	0.0
59	17316	17317	NS	3	57.467	58.234	0.0	0.0	289.4	3.814	1212.28	1275.432	0.0	-93.396	-92.062	0.0
60	17316	17317	SN	2	57.483	58.308	0.0	0.0	293.619	3.95	1208.424	1276.072	2.015	-93.278	-92.068	0.0
61	17316	17317	SN	1	57.483	58.308	0.0	0.0	293.619	2.984	1208.424	1276.072	2.155	-93.278	-92.068	0.0
62	17316	17317	NS	4	57.469	58.208	0.0	0.0	287.42	3.814	1212.2	1275.512	0.0	-93.262	-92.062	0.0
63	17316	17317	NS	2	57.469	58.208	0.0	0.0	287.42	3.814	1212.2	1275.512	0.0	-93.262	-92.062	0.0
64	17316	17317	NS	1	57.467	58.234	0.0	0.0	289.4	3.814	1212.28	1275.432	0.0	-93.396	-92.062	0.0
65	17317	17318	SN	2	57.515	58.296	0.0	0.0	290.944	3.864	1208.968	1276.264	1.863	-93.382	-92.016	0.0
66	17317	17318	NS	2	57.465	58.232	0.0	0.0	288.214	3.765	1211.464	1275.576	0.0	-93.238	-92.061	0.0
67	17317	17318	NS	2	57.462	58.232	0.0	0.0	288.186	3.768	1211.4	1275.664	0.0	-93.26	-92.061	0.0
68	17317	17318	SN	1	57.515	58.296	0.0	0.0	290.944	2.546	1208.968	1276.264	2.03	-93.297	-92.016	0.0
69	17317	17318	NS	1	57.465	58.232	0.0	0.0	288.214	3.765	1211.464	1275.576	0.0	-93.238	-92.061	0.0
70	17317	17318	NS	1	57.462	58.232	0.0	0.0	288.186	3.768	1211.4	1275.664	0.0	-93.26	-92.061	0.0
71	17317	17318	SN	2	57.515	58.296	0.0	0.0	290.944	2.546	1208.968	1276.264	2.03	-93.297	-92.016	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17317	17318	SN	1	57.515	58.296	0.0	0.0	290.944	3.864	1208.968	1276.264	1.863	-93.382	-92.016	0.0
73	17318	17319	SN	4	57.511	58.281	0.0	0.0	298.444	3.769	1208.952	1276.344	1.658	-93.271	-92.003	0.0
74	17318	17319	NS	2	57.466	58.207	0.0	0.0	296.095	4.075	1211.464	1275.664	0.0	-93.274	-92.045	0.0
75	17318	17319	NS	1	57.466	58.207	0.0	0.0	296.095	4.075	1211.464	1275.664	0.0	-93.274	-92.045	0.0
76	17318	17319	SN	3	57.511	58.281	0.0	0.0	298.444	3.769	1208.952	1276.344	1.658	-93.271	-92.003	0.0
77	17318	17319	SN	1	57.511	58.281	0.0	0.0	298.444	3.769	1208.952	1276.344	1.658	-93.271	-92.003	0.0
78	17318	17319	SN	2	57.511	58.281	0.0	0.0	298.444	3.769	1208.952	1276.344	1.658	-93.271	-92.003	0.0
79	17318	17319	NS	1	57.466	58.207	0.0	0.0	296.095	4.079	1211.464	1275.664	0.0	-93.308	-92.045	0.0
80	17318	17319	NS	2	57.466	58.207	0.0	0.0	296.095	4.079	1211.464	1275.664	0.0	-93.308	-92.045	0.0
81	17319	17320	NS	2	57.478	58.236	0.0	0.0	296.856	3.824	1211.8	1275.592	0.0	-93.254	-92.024	0.0
82	17319	17320	SN	2	57.506	58.308	0.0	0.0	297.11	3.821	1208.376	1276.52	2.048	-93.273	-92.04	0.0
83	17319	17320	NS	1	57.498	58.225	0.0	0.0	296.856	3.836	1211.88	1276.008	0.0	-93.549	-92.024	0.0
84	17319	17320	SN	1	57.506	58.308	0.0	0.0	297.11	3.821	1208.376	1276.52	2.048	-93.273	-92.04	0.0
85	17319	17320	NS	2	57.498	58.225	0.0	0.0	296.856	3.836	1211.88	1276.008	0.0	-93.549	-92.024	0.0
86	17319	17320	NS	1	57.478	58.236	0.0	0.0	296.856	3.824	1211.8	1275.592	0.0	-93.254	-92.024	0.0
87	17320	17321	NS	2	57.471	58.234	0.0	0.0	297.429	3.569	1211.584	1275.256	0.0	-93.31	-92.049	0.0
88	17320	17321	NS	1	57.471	58.234	0.0	0.0	297.424	3.825	1211.584	1275.512	0.0	-93.328	-92.049	0.0
89	17320	17321	NS	1	57.471	58.234	0.0	0.0	297.429	3.569	1211.584	1275.256	0.0	-93.31	-92.049	0.0
90	17320	17321	SN	1	57.476	58.484	0.0	0.0	299.779	3.916	1208.744	1284.256	2.522	-95.452	-92.056	0.0
91	17320	17321	SN	2	57.476	58.484	0.0	0.0	299.779	3.916	1208.744	1284.256	2.522	-95.452	-92.056	0.0
92	17320	17321	NS	2	57.471	58.234	0.0	0.0	297.424	3.825	1211.584	1275.512	0.0	-93.328	-92.049	0.0
93	17321	17322	SN	1	57.513	58.297	0.0	0.0	292.179	3.813	1208.664	1276.16	2.583	-93.238	-92.042	0.0
94	17321	17322	NS	1	57.486	58.236	0.0	0.003	291.534	3.046	1211.264	1274.44	0.0	-93.279	-92.051	0.0
95	17321	17322	NS	1	57.486	58.237	0.0	0.0	291.534	3.704	1211.264	1275.576	0.0	-93.303	-92.051	0.0
96	17321	17322	NS	2	57.486	58.236	0.0	0.003	291.534	3.046	1211.264	1274.44	0.0	-93.279	-92.051	0.0
97	17321	17322	NS	2	57.486	58.237	0.0	0.0	291.534	3.704	1211.264	1275.576	0.0	-93.303	-92.051	0.0
98	17321	17322	SN	2	57.513	58.297	0.0	0.0	292.179	3.813	1208.664	1276.16	2.583	-93.238	-92.042	0.0
99	17322	17323	NS	2	57.484	58.234	0.0	0.0	298.29	3.825	1211.976	1275.656	0.0	-93.228	-92.06	0.0
100	17322	17323	NS	1	57.484	58.234	0.0	0.0	298.29	2.692	1211.976	1274.208	0.0	-93.278	-92.06	0.0
101	17322	17323	NS	2	57.484	58.234	0.0	0.0	298.29	2.692	1211.976	1274.208	0.0	-93.278	-92.06	0.0
102	17322	17323	NS	1	57.484	58.234	0.0	0.0	298.29	3.825	1211.976	1275.656	0.0	-93.228	-92.06	0.0
103	17322	17323	SN	1	57.476	58.312	0.0	0.0	289.444	3.822	1208.632	1276.232	2.559	-93.278	-92.067	0.0
104	17322	17323	SN	2	57.476	58.312	0.0	0.0	289.444	3.822	1208.632	1276.232	2.559	-93.278	-92.067	0.0
105	17323	17324	NS	1	57.458	58.236	0.0	0.003	298.996	2.024	1211.056	1272.48	0.0	-93.231	-92.058	0.0
106	17323	17324	NS	2	57.458	58.236	0.0	0.003	298.996	2.024	1211.056	1272.48	0.0	-93.231	-92.058	0.0
107	17324	17325	SN	2	57.496	58.297	0.0	0.0	297.915	4.075	1208.936	1276.256	1.723	-93.348	-92.057	0.0
108	17324	17325	SN	1	57.496	58.297	0.0	0.0	297.915	4.075	1208.936	1276.256	1.723	-93.348	-92.057	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17325	17326	SN	2	57.515	58.314	0.0	0.0	293.387	3.884	1208.344	1276.184	2.276	-93.209	-92.036	0.0
110	17325	17326	NS	2	57.495	58.23	0.0	0.0	295.874	3.722	1212.208	1275.584	0.0	-93.395	-92.045	0.0
111	17325	17326	NS	1	57.495	58.23	0.0	0.0	295.874	3.722	1212.208	1275.584	0.0	-93.395	-92.045	0.0
112	17325	17326	SN	1	57.515	58.314	0.0	0.0	293.387	3.884	1208.344	1276.184	2.276	-93.209	-92.036	0.0
113	17326	17327	SN	3	57.485	58.299	0.0	0.0	291.81	3.436	1208.144	1276.312	3.138	-93.293	-92.052	0.0
114	17326	17327	NS	2	57.497	58.239	0.0	0.0	296.503	3.68	1211.664	1275.784	0.0	-93.23	-91.993	0.0
115	17326	17327	SN	4	57.485	58.299	0.0	0.0	291.81	3.436	1208.144	1276.312	3.138	-93.293	-92.052	0.0
116	17326	17327	SN	1	57.485	58.299	0.0	0.0	291.81	3.748	1208.144	1276.312	3.103	-93.293	-92.052	0.0
117	17326	17327	NS	2	57.496	58.228	0.0	0.0	296.497	3.677	1211.624	1275.824	0.0	-93.192	-91.992	0.0
118	17326	17327	NS	1	57.496	58.228	0.0	0.0	296.497	3.677	1211.624	1275.824	0.0	-93.192	-91.992	0.0
119	17326	17327	NS	1	57.497	58.239	0.0	0.0	296.503	3.68	1211.664	1275.784	0.0	-93.23	-91.993	0.0
120	17326	17327	SN	2	57.485	58.299	0.0	0.0	291.81	3.748	1208.144	1276.312	3.103	-93.293	-92.052	0.0
121	17326	17327	SN	2	57.485	58.299	0.0	0.0	291.81	3.436	1208.144	1276.312	3.138	-93.293	-92.052	0.0
122	17326	17327	SN	1	57.485	58.299	0.0	0.0	291.81	3.436	1208.144	1276.312	3.138	-93.293	-92.052	0.0
123	17327	17328	NS	2	57.486	58.236	0.0	0.0	297.104	3.692	1211.928	1275.728	0.0	-93.292	-92.043	0.0
124	17327	17328	SN	3	57.501	58.304	0.0	0.006	298.759	3.744	1208.28	1276.256	3.544	-93.322	-92.063	0.0
125	17327	17328	SN	2	57.501	58.304	0.0	0.006	289.918	3.427	1208.28	1276.256	3.598	-93.322	-92.063	0.0
126	17327	17328	NS	1	57.489	58.244	0.0	0.0	297.104	3.689	1211.808	1275.728	0.0	-93.393	-92.043	0.0
127	17327	17328	NS	2	57.489	58.244	0.0	0.0	297.104	3.689	1211.808	1275.728	0.0	-93.393	-92.043	0.0
128	17327	17328	SN	1	57.501	58.304	0.0	0.006	289.918	3.427	1208.28	1276.256	3.598	-93.322	-92.063	0.0
129	17327	17328	SN	1	57.501	58.304	0.0	0.006	298.759	3.744	1208.28	1276.256	3.544	-93.322	-92.063	0.0
130	17327	17328	NS	1	57.486	58.236	0.0	0.0	297.104	3.692	1211.928	1275.728	0.0	-93.292	-92.043	0.0
131	17327	17328	SN	2	57.501	58.304	0.0	0.0	298.753	3.744	1208.28	1276.256	3.544	-93.322	-92.063	0.0
132	17327	17328	SN	4	57.501	58.304	0.0	0.0	298.753	3.744	1208.28	1276.256	3.544	-93.322	-92.063	0.0
133	17328	17329	SN	1	57.486	58.293	0.0	0.0	287.1	3.391	1207.76	1276.072	3.633	-93.224	-92.063	0.0
134	17328	17329	SN	1	57.488	58.293	0.0	0.0	298.896	3.754	1207.8	1276.072	3.552	-93.366	-92.063	0.0
135	17328	17329	NS	2	57.497	58.245	0.0	0.0	296.751	3.771	1212.264	1275.592	0.0	-93.263	-92.052	0.0
136	17328	17329	NS	1	57.498	58.246	0.0	0.0	296.751	3.768	1212.28	1275.576	0.0	-93.263	-92.052	0.0
137	17328	17329	SN	2	57.486	58.293	0.0	0.0	287.1	3.391	1207.76	1276.072	3.633	-93.224	-92.063	0.0
138	17328	17329	NS	4	57.497	58.245	0.0	0.0	296.751	3.771	1212.264	1275.592	0.0	-93.263	-92.052	0.0
139	17328	17329	SN	2	57.486	58.293	0.0	0.0	298.963	3.758	1207.76	1276.072	3.556	-93.224	-92.063	0.0
140	17328	17329	SN	2	57.488	58.293	0.0	0.0	298.896	3.754	1207.8	1276.072	3.552	-93.366	-92.063	0.0
141	17328	17329	SN	1	57.486	58.293	0.0	0.0	298.963	3.758	1207.76	1276.072	3.556	-93.224	-92.063	0.0
142	17328	17329	NS	3	57.498	58.246	0.0	0.0	296.751	3.768	1212.28	1275.576	0.0	-93.263	-92.052	0.0
143	17329	17330	NS	2	57.482	58.234	0.0	0.0	289.67	3.808	1212.088	1275.408	0.0	-93.288	-92.05	0.0
144	17329	17330	SN	1	57.477	58.302	0.0	0.0	294.314	3.766	1207.28	1275.936	3.482	-93.413	-92.063	0.0
145	17329	17330	NS	1	57.484	58.236	0.0	0.0	288.324	3.817	1212.128	1275.368	0.0	-93.282	-92.05	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

146	17329	17330	SN	2	57.477	58.302	0.0	0.0	294.314	3.765	1207.28	1275.936	3.482	-93.413	-92.063	0.0
147	17329	17330	NS	2	57.484	58.236	0.0	0.0	288.324	3.817	1212.128	1275.368	0.0	-93.282	-92.05	0.0
148	17329	17330	SN	2	57.473	58.302	0.0	0.0	294.314	3.24	1207.28	1275.936	3.612	-93.413	-92.063	0.0
149	17329	17330	SN	3	57.477	58.302	0.0	0.0	294.314	3.766	1207.28	1275.936	3.482	-93.413	-92.063	0.0
150	17329	17330	SN	4	57.477	58.302	0.0	0.0	294.314	3.765	1207.28	1275.936	3.482	-93.413	-92.063	0.0
151	17329	17330	NS	1	57.482	58.234	0.0	0.0	289.67	3.808	1212.088	1275.408	0.0	-93.288	-92.05	0.0
152	17329	17330	SN	1	57.473	58.302	0.0	0.0	294.314	3.24	1207.28	1275.936	3.612	-93.413	-92.063	0.0
153	17330	17331	NS	2	57.47	58.24	0.0	0.0	298.825	3.931	1212.08	1275.28	0.0	-93.265	-92.06	0.0
154	17330	17331	NS	1	57.492	58.229	0.0	0.0	298.67	3.937	1211.896	1275.336	0.0	-93.265	-92.059	0.0
155	17330	17331	SN	1	57.506	58.307	0.0	0.0	289.675	3.938	1208.4	1275.872	3.308	-93.303	-92.059	0.0
156	17330	17331	NS	2	57.492	58.229	0.0	0.0	298.67	3.937	1211.896	1275.336	0.0	-93.265	-92.059	0.0
157	17330	17331	SN	2	57.506	58.307	0.0	0.0	289.675	3.114	1208.4	1275.872	3.491	-93.303	-92.059	0.0
158	17330	17331	SN	3	57.506	58.307	0.0	0.0	289.675	3.938	1208.4	1275.872	3.308	-93.303	-92.059	0.0
159	17330	17331	SN	4	57.506	58.307	0.0	0.0	289.675	3.938	1208.4	1275.872	3.308	-93.303	-92.059	0.0
160	17330	17331	SN	1	57.506	58.307	0.0	0.0	289.675	3.114	1208.4	1275.872	3.491	-93.303	-92.059	0.0
161	17330	17331	SN	2	57.506	58.307	0.0	0.0	289.675	3.938	1208.4	1275.872	3.308	-93.303	-92.059	0.0
162	17330	17331	NS	1	57.47	58.24	0.0	0.0	298.825	3.931	1212.08	1275.28	0.0	-93.265	-92.06	0.0
163	17331	17332	SN	2	57.511	58.302	0.0	0.0	288.738	2.762	1208.624	1276.056	2.805	-93.277	-92.051	0.0
164	17331	17332	NS	1	57.452	58.236	0.0	0.0	298.036	3.752	1211.848	1275.512	0.0	-93.28	-92.064	0.0
165	17331	17332	NS	1	57.452	58.242	0.0	0.0	298.036	3.749	1212.552	1275.512	0.0	-93.28	-92.064	0.0
166	17331	17332	NS	2	57.452	58.236	0.0	0.0	298.036	3.752	1211.848	1275.512	0.0	-93.28	-92.064	0.0
167	17331	17332	SN	4	57.511	58.302	0.0	0.0	298.532	3.934	1208.624	1276.056	2.597	-93.277	-92.051	0.0
168	17331	17332	SN	3	57.511	58.302	0.0	0.0	298.538	3.933	1208.624	1276.056	2.597	-93.277	-92.051	0.0
169	17331	17332	SN	2	57.511	58.302	0.0	0.0	298.532	3.934	1208.624	1276.056	2.597	-93.277	-92.051	0.0
170	17331	17332	SN	1	57.511	58.302	0.0	0.0	298.538	3.933	1208.624	1276.056	2.597	-93.277	-92.051	0.0
171	17331	17332	NS	2	57.452	58.242	0.0	0.0	298.036	3.749	1212.552	1275.512	0.0	-93.28	-92.064	0.0
172	17331	17332	SN	1	57.511	58.302	0.0	0.0	288.738	2.762	1208.624	1276.056	2.805	-93.277	-92.051	0.0
173	17332	17333	NS	2	57.474	58.449	0.0	0.0	299.371	3.842	1212.28	1283.368	0.0	-95.002	-92.052	0.0
174	17332	17333	NS	1	57.468	58.448	0.0	0.0	299.404	3.842	1211.944	1283.328	0.0	-95.002	-92.052	0.0
175	17332	17333	NS	1	57.474	58.449	0.0	0.0	299.371	3.842	1212.28	1283.368	0.0	-95.002	-92.052	0.0
176	17332	17333	SN	1	57.476	58.309	0.0	0.0	296.514	3.801	1208.112	1276.088	2.558	-93.299	-91.999	0.0
177	17332	17333	SN	2	57.476	58.309	0.0	0.0	296.514	3.801	1208.112	1276.088	2.558	-93.299	-91.999	0.0
178	17332	17333	NS	2	57.468	58.448	0.0	0.0	299.404	3.842	1211.944	1283.328	0.0	-95.002	-92.052	0.0
179	17332	17333	SN	3	57.476	58.309	0.0	0.0	296.514	3.801	1208.112	1276.088	2.558	-93.299	-91.999	0.0
180	17332	17333	SN	4	57.476	58.309	0.0	0.0	296.514	3.801	1208.112	1276.088	2.558	-93.299	-91.999	0.0
181	17333	17334	NS	3	57.5	58.24	0.0	0.0	299.619	3.924	1212.112	1275.384	0.0	-95.363	-92.034	0.0
182	17333	17334	SN	2	57.498	58.307	0.0	0.0	297.462	3.799	1207.968	1276.24	2.458	-93.22	-92.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

183	17333	17334	NS	1	57.5	58.24	0.0	0.0	299.619	3.924	1212.112	1275.384	0.0	-95.363	-92.034	0.0
184	17333	17334	NS	2	57.5	58.24	0.0	0.0	299.619	3.924	1212.112	1275.384	0.0	-95.363	-92.034	0.0
185	17333	17334	SN	1	57.498	58.307	0.0	0.0	297.462	3.799	1207.968	1276.24	2.458	-93.22	-92.04	0.0
186	17333	17334	NS	4	57.5	58.24	0.0	0.0	299.619	3.924	1212.112	1275.384	0.0	-95.363	-92.034	0.0
187	17334	17335	NS	1	57.5	58.208	0.0	0.0	295.863	3.893	1212.288	1275.696	0.0	-93.284	-92.046	0.0
188	17334	17335	NS	1	57.5	58.227	0.0	0.0	295.863	3.89	1212.288	1275.28	0.0	-93.299	-92.046	0.0
189	17334	17335	SN	2	57.511	58.309	0.0	0.0	292.482	3.934	1208.584	1276.432	2.485	-93.233	-92.034	0.0
190	17334	17335	NS	2	57.5	58.227	0.0	0.0	295.863	3.89	1212.288	1275.28	0.0	-93.299	-92.046	0.0
191	17334	17335	SN	1	57.51	58.308	0.0	0.0	292.521	3.933	1208.576	1276.104	2.493	-93.244	-92.035	0.0
192	17334	17335	SN	3	57.51	58.308	0.0	0.0	292.521	3.933	1208.576	1276.104	2.493	-93.244	-92.035	0.0
193	17334	17335	NS	2	57.5	58.208	0.0	0.0	295.863	3.893	1212.288	1275.696	0.0	-93.284	-92.046	0.0
194	17334	17335	SN	4	57.511	58.309	0.0	0.0	292.482	3.934	1208.584	1276.432	2.485	-93.233	-92.034	0.0
195	17335	17336	SN	1	57.499	58.314	0.0	0.0	289.339	3.866	1207.472	1275.952	3.132	-93.243	-92.029	0.0
196	17335	17336	SN	2	57.499	58.314	0.0	0.0	289.339	3.866	1207.472	1275.952	3.132	-93.243	-92.029	0.0
197	17335	17336	NS	2	57.472	58.237	0.0	0.0	296.613	3.686	1211.912	1275.368	0.0	-93.317	-92.065	0.0
198	17335	17336	NS	2	57.473	58.239	0.0	0.0	296.613	3.683	1211.784	1275.368	0.0	-93.27	-92.066	0.0
199	17335	17336	SN	2	57.499	58.314	0.0	0.0	289.339	3.877	1207.472	1275.952	3.13	-93.243	-92.029	0.0
200	17335	17336	SN	1	57.499	58.314	0.0	0.0	289.339	3.877	1207.472	1275.952	3.13	-93.243	-92.029	0.0
201	17335	17336	NS	1	57.473	58.239	0.0	0.0	296.613	3.683	1211.784	1275.368	0.0	-93.27	-92.066	0.0
202	17335	17336	NS	1	57.472	58.237	0.0	0.0	296.613	3.686	1211.912	1275.368	0.0	-93.317	-92.065	0.0
203	17335	17336	NS	1	57.472	58.235	0.0	0.003	296.613	3.095	1211.912	1275.408	0.0	-93.421	-92.065	0.0
204	17335	17336	NS	2	57.472	58.235	0.0	0.003	296.613	3.095	1211.912	1275.408	0.0	-93.421	-92.065	0.0
205	17336	17337	NS	2	57.466	58.24	0.0	0.0	298.218	2.93	1212.272	1274.248	0.0	-93.279	-92.063	0.0
206	17336	17337	NS	2	57.466	58.24	0.0	0.0	298.218	3.781	1212.272	1275.392	0.0	-93.283	-92.063	0.0
207	17336	17337	SN	1	57.482	58.28	0.0	0.0	298.874	3.788	1208.408	1275.992	3.014	-93.189	-92.042	0.0
208	17336	17337	NS	1	57.466	58.24	0.0	0.0	298.218	3.781	1212.272	1275.392	0.0	-93.283	-92.063	0.0
209	17336	17337	NS	3	57.466	58.24	0.0	0.0	298.218	3.781	1212.272	1275.392	0.0	-93.283	-92.063	0.0
210	17336	17337	NS	4	57.466	58.24	0.0	0.0	298.218	3.781	1212.272	1275.392	0.0	-93.283	-92.063	0.0
211	17336	17337	SN	2	57.482	58.28	0.0	0.0	298.874	3.788	1208.408	1275.992	3.014	-93.189	-92.042	0.0
212	17336	17337	NS	1	57.466	58.24	0.0	0.0	298.218	2.93	1212.272	1274.248	0.0	-93.279	-92.063	0.0
213	17336	17337	SN	1	57.482	58.28	0.0	0.0	298.874	3.775	1208.408	1275.992	3.016	-93.189	-92.042	0.0
214	17336	17337	SN	2	57.482	58.28	0.0	0.0	298.874	3.775	1208.408	1275.992	3.016	-93.189	-92.042	0.0
215	17337	17338	NS	2	57.464	58.241	0.0	0.0	296.823	3.766	1212.08	1275.48	0.0	-93.355	-92.061	0.0
216	17337	17338	NS	3	57.464	58.241	0.0	0.0	296.834	3.765	1212.08	1275.472	0.0	-93.355	-92.061	0.0
217	17337	17338	NS	4	57.464	58.241	0.0	0.0	296.823	3.766	1212.08	1275.48	0.0	-93.355	-92.061	0.0
218	17337	17338	SN	1	57.48	58.303	0.0	0.0	299.095	3.774	1208.392	1276.096	3.077	-93.689	-92.065	0.0
219	17337	17338	NS	1	57.464	58.235	0.0	0.0	282.969	2.263	1212.08	1273.576	0.0	-93.355	-92.061	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

220	17337	17338	NS	2	57.464	58.235	0.0	0.0	282.969	2.263	1212.08	1273.576	0.0	-93.355	-92.061	0.0
221	17337	17338	SN	2	57.48	58.303	0.0	0.0	299.095	3.774	1208.392	1276.096	3.077	-93.689	-92.065	0.0
222	17337	17338	SN	2	57.487	58.304	0.0	0.0	299.095	3.77	1208.016	1276.096	3.074	-93.689	-92.065	0.0
223	17337	17338	SN	1	57.487	58.304	0.0	0.0	299.095	3.77	1208.016	1276.096	3.074	-93.689	-92.065	0.0
224	17337	17338	NS	1	57.464	58.241	0.0	0.0	296.834	3.765	1212.08	1275.472	0.0	-93.355	-92.061	0.0
225	17338	17339	NS	1	57.476	58.23	0.0	0.0	293.552	3.99	1211.456	1275.464	0.0	-93.23	-92.06	0.0
226	17338	17339	NS	3	57.476	58.23	0.0	0.0	293.552	3.99	1211.456	1275.464	0.0	-93.23	-92.06	0.0
227	17338	17339	NS	1	57.476	58.236	0.0	0.0	293.552	2.231	1211.456	1270.344	0.0	-93.2	-92.06	0.0
228	17338	17339	SN	1	57.484	58.306	0.0	0.0	292.146	4.054	1207.824	1276.136	2.433	-93.703	-92.067	0.0
229	17338	17339	NS	2	57.476	58.236	0.0	0.0	293.552	2.231	1211.456	1270.344	0.0	-93.2	-92.06	0.0
230	17338	17339	SN	1	57.484	58.306	0.0	0.0	292.146	3.037	1207.824	1276.136	2.57	-93.703	-92.067	0.0
231	17338	17339	SN	2	57.484	58.306	0.0	0.0	292.146	3.037	1207.824	1276.136	2.57	-93.703	-92.067	0.0
232	17338	17339	NS	4	57.476	58.228	0.0	0.0	293.552	3.99	1211.456	1275.464	0.0	-93.23	-92.06	0.0
233	17338	17339	NS	2	57.476	58.228	0.0	0.0	293.552	3.99	1211.456	1275.464	0.0	-93.23	-92.06	0.0
234	17338	17339	SN	2	57.484	58.306	0.0	0.0	292.146	4.054	1207.824	1276.136	2.433	-93.703	-92.067	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17310	17311	SN	2	-34.943	15.639	0.0	-34.85	17.24	0.0	-10.589	22.028	0.001	-9.444	21.604	0.0	0.087	231.203	3.366	0.087	226.373	2.899	0.086	0.914	0.0	0.086	0.718	0.0
2	17310	17311	SN	1	-34.943	17.571	0.0	-34.85	17.24	0.0	-10.589	22.028	0.001	-9.444	21.601	0.0	0.087	231.203	3.231	0.087	226.373	2.763	0.086	0.914	0.0	0.086	0.718	0.0
3	17310	17311	NS	1	-34.224	17.313	0.0	-33.761	17.622	0.0	1.283	24.248	0.007	1.442	31.474	0.027	0.087	195.933	1.971	0.087	176.13	1.692	0.086	0.132	0.0	0.086	0.13	0.0
4	17310	17311	NS	2	-34.224	17.313	0.0	-33.761	17.622	0.0	1.283	24.248	0.007	1.442	31.474	0.027	0.087	195.933	1.971	0.087	176.13	1.692	0.086	0.132	0.0	0.086	0.13	0.0
5	17310	17311	SN	2	-34.943	17.571	0.0	-34.85	17.24	0.0	-10.589	22.028	0.001	-9.444	21.601	0.0	0.087	231.203	3.231	0.087	226.373	2.763	0.086	0.914	0.0	0.086	0.718	0.0
6	17310	17311	SN	2	-34.943	17.576	0.0	-34.85	17.24	0.0	-10.598	22.028	0.001	-9.443	21.6	0.0	0.087	231.203	3.231	0.087	226.373	2.763	0.086	0.916	0.0	0.086	0.718	0.0
7	17310	17311	SN	1	-34.943	17.576	0.0	-34.85	17.24	0.0	-10.598	22.028	0.001	-9.443	21.6	0.0	0.087	231.203	3.231	0.087	226.373	2.763	0.086	0.916	0.0	0.086	0.718	0.0
8	17310	17311	SN	1	-34.943	15.639	0.0	-34.85	17.24	0.0	-10.589	22.028	0.001	-9.444	21.604	0.0	0.087	231.203	3.366	0.087	226.373	2.899	0.086	0.914	0.0	0.086	0.718	0.0
9	17311	17312	SN	2	-34.998	16.559	0.0	-34.888	17.191	0.0	1.069	21.363	0.0	0.061	20.696	0.0	0.087	234.096	8.835	0.087	228.265	8.691	0.086	0.134	0.0	0.086	0.148	0.0
10	17311	17312	SN	1	-34.998	16.559	0.0	-34.888	17.191	0.0	1.069	21.363	0.0	0.061	20.696	0.0	0.087	234.096	8.669	0.087	228.265	8.566	0.086	0.134	0.0	0.086	0.148	0.0
11	17311	17312	NS	2	-34.405	17.153	0.0	-34.922	17.392	0.0	-24.086	21.398	0.0	-8.104	22.362	0.006	0.087	204.289	3.444	0.087	230.097	3.604	0.086	19.039	0.005	0.086	0.545	0.0
12	17311	17312	NS	1	-34.431	17.153	0.0	-34.162	17.392	0.0	-24.113	21.398	0.0	-8.104	22.362	0.006	0.087	205.529	3.442	0.087	193.162	3.598	0.086	19.154	0.005	0.086	0.545	0.0
13	17311	17312	SN	2	-34.847	16.559	0.0	-34.976	17.189	0.0	1.065	21.363	0.0	0.067	20.696	0.0	0.087	226.184	8.841	0.087	232.932	8.7	0.086	0.134	0.0	0.086	0.148	0.0
14	17311	17312	NS	4	-34.405	17.153	0.0	-34.922	17.392	0.0	-24.086	21.398	0.0	-8.104	22.362	0.006	0.087	204.289	3.444	0.087	230.097	3.604	0.086	19.039	0.005	0.086	0.545	0.0
15	17311	17312	SN	1	-34.847	16.559	0.0	-34.976	17.189	0.0	1.065	21.363	0.0	0.067	20.696	0.0	0.087	226.184	8.841	0.087	232.932	8.7	0.086	0.134	0.0	0.086	0.148	0.0
16	17311	17312	SN	1	-34.998	16.559	0.0	-34.888	17.191	0.0	1.069	21.363	0.0	0.061	20.696	0.0	0.087	234.096	8.835	0.087	228.265	8.691	0.086	0.134	0.0	0.086	0.148	0.0
17	17311	17312	SN	2	-34.998	16.559	0.0	-34.888	17.191	0.0	1.069	21.363	0.0	0.061	20.696	0.0	0.087	234.096	8.669	0.087	228.265	8.566	0.086	0.134	0.0	0.086	0.148	0.0
18	17311	17312	NS	3	-34.431	17.153	0.0	-34.162	17.392	0.0	-24.113	21.398	0.0	-8.104	22.362	0.006	0.087	205.529	3.442	0.087	193.162	3.598	0.086	19.154	0.005	0.086	0.545	0.0
19	17312	17313	NS	2	-34.636	16.716	0.0	-34.854	17.713	0.0	-5.714	20.506	0.0	-26.902	22.274	0.002	0.087	215.423	6.196	0.086	226.529	5.81	0.086	0.345	0.0	0.086	36.358	0.052
20	17312	17313	NS	1	-34.636	16.716	0.0	-34.854	17.713	0.0	-5.714	20.506	0.0	-26.902	22.274	0.002	0.087	215.423	6.196	0.086	226.529	5.81	0.086	0.345	0.0	0.086	36.358	0.052
21	17312	17313	SN	1	-34.235	16.856	0.0	-34.956	17.242	0.0	0.605	21.75	0.0	1.168	20.552	0.0	0.087	196.401	1.918	0.087	231.91	1.845	0.086	0.14	0.0	0.086	0.133	0.0
22	17312	17313	SN	1	-33.659	16.856	0.0	-34.719	17.242	0.0	0.61	21.75	0.0	1.167	20.552	0.0	0.087	172.058	1.916	0.087	219.587	1.846	0.086	0.14	0.0	0.086	0.133	0.0
23	17312	17313	SN	1	-33.659	16.634	0.0	-34.719	17.242	0.0	0.61	21.75	0.0	1.167	20.552	0.0	0.087	172.058	1.949	0.087	219.587	1.866	0.086	0.14	0.0	0.086	0.133	0.0
24	17312	17313	SN	2	-33.659	16.634	0.0	-34.719	17.242	0.0	0.61	21.75	0.0	1.167	20.552	0.0	0.087	172.058	1.949	0.087	219.587	1.866	0.086	0.14	0.0	0.086	0.133	0.0
25	17312	17313	SN	2	-34.235	16.856	0.0	-34.956	17.242	0.0	0.605	21.75	0.0	1.168	20.552	0.0	0.087	196.401	1.918	0.087	231.91	1.845	0.086	0.14	0.0	0.086	0.133	0.0
26	17312	17313	SN	2	-33.659	16.856	0.0	-34.719	17.242	0.0	0.61	21.75	0.0	1.167	20.552	0.0	0.087	172.058	1.916	0.087	219.587	1.846	0.086	0.14	0.0	0.086	0.133	0.0
27	17313	17314	SN	1	-34.606	15.354	0.0	-34.218	15.628	0.0	-0.566	21.301	0.0	1.147	21.341	0.0	0.087	213.961	1.606	0.087	195.683	1.438	0.086	0.159	0.0	0.086	0.133	0.0
28	17313	17314	SN	3	-34.606	15.354	0.0	-34.218	15.6	0.0	-0.566	21.301	0.0	1.147	21.341	0.0	0.087	213.961	1.572	0.087	195.683	1.415	0.086	0.159	0.0	0.086	0.133	0.0
29	17313	17314	NS	2	-34.979	15.967	0.0	-34.173	16.358	0.0	-29.578	21.838	0.0	-24.399	22.093	0.001	0.087	233.143	4.3	0.087	193.662	4.95	0.086	67.279	0.05	0.086	20.458	0.126
30	17313	17314	SN	1	-34.606	15.354	0.0	-34.218	15.6	0.0	-0.566	21.301	0.0	1.147	21.341	0.0	0.087	213.961	1.572	0.087	195.683	1.415	0.086	0.159	0.0	0.086	0.133	0.0
31	17313	17314	NS	2	-34.546	15.998	0.0	-34.916	16.36	0.0	-29.578	21.836	0.0	-24.399	22.093	0.001	0.087	211.015	4.303	0.087	229.748	4.949	0.086	67.279	0.05	0.086	20.458	0.126
32	17313	17314	NS	1	-34.546	15.998	0.0	-34.916	16.36	0.0	-29.578	21.836	0.0	-24.399	22.093	0.001	0.087	211.015	4.303	0.087	229.748	4.949	0.086	67.279	0.05	0.086	20.458	0.126

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0	Alarming	High Errors













218	17337	17338	SN	1	-34.824	16.686	0.0	-34.399	17.837	0.0	1.665	22.58	0.146	2.251	23.47	1.198	0.087	224.983	2.469	0.086	203.997	2.179	0.086	0.128	0.0	0.086	0.122	0.0
219	17337	17338	NS	1	-34.102	20.86	0.0	-34.894	19.042	0.0	6.406	22.718	0.158	2.048	22.512	0.027	0.086	190.521	4.19	0.086	228.631	4.07	0.086	0.099	0.0	0.086	0.124	0.0
220	17337	17338	NS	2	-34.102	20.86	0.0	-34.894	19.042	0.0	6.406	22.718	0.158	2.048	22.512	0.027	0.086	190.521	4.19	0.086	228.631	4.07	0.086	0.099	0.0	0.086	0.124	0.0
221	17337	17338	SN	2	-34.824	16.686	0.0	-34.399	17.837	0.0	1.665	22.58	0.146	2.251	23.47	1.198	0.087	224.983	2.469	0.086	203.997	2.179	0.086	0.128	0.0	0.086	0.122	0.0
222	17337	17338	SN	2	-34.82	16.682	0.0	-34.246	17.837	0.0	1.665	22.58	0.146	2.251	23.47	1.205	0.087	224.738	2.471	0.086	196.948	2.183	0.086	0.128	0.0	0.086	0.122	0.0
223	17337	17338	SN	1	-34.82	16.682	0.0	-34.246	17.837	0.0	1.665	22.58	0.146	2.251	23.47	1.205	0.087	224.738	2.471	0.086	196.948	2.183	0.086	0.128	0.0	0.086	0.122	0.0
224	17337	17338	NS	1	-33.843	20.86	0.0	-34.467	19.042	0.0	1.536	22.718	0.076	2.053	22.518	0.08	0.086	179.504	4.259	0.086	207.24	4.067	0.086	0.129	0.0	0.086	0.124	0.0
225	17338	17339	NS	1	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	22.102	0.011	-0.204	22.761	0.065	0.087	230.861	2.22	0.086	223.547	2.699	0.086	0.136	0.0	0.086	0.152	0.0
226	17338	17339	NS	3	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	22.102	0.011	-0.204	22.761	0.065	0.087	230.861	2.22	0.086	223.547	2.699	0.086	0.136	0.0	0.086	0.152	0.0
227	17338	17339	NS	1	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	21.985	0.0	-0.15	20.704	0.0	0.087	230.861	1.963	0.086	223.547	2.681	0.086	0.136	0.0	0.086	0.152	0.0
228	17338	17339	SN	1	-34.26	16.836	0.0	-34.962	17.797	0.0	0.941	23.044	0.058	4.098	23.608	0.118	0.087	197.565	3.436	0.086	232.253	2.751	0.086	0.136	0.0	0.086	0.109	0.0
229	17338	17339	NS	2	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	21.985	0.0	-0.15	20.704	0.0	0.087	230.861	1.963	0.086	223.547	2.681	0.086	0.136	0.0	0.086	0.152	0.0
230	17338	17339	SN	1	-34.26	14.259	0.0	-34.962	17.313	0.0	0.941	21.7	0.0	4.098	23.608	0.09	0.088	197.565	3.528	0.087	232.253	3.038	0.086	0.136	0.0	0.086	0.109	0.0
231	17338	17339	SN	2	-34.26	14.259	0.0	-34.962	17.313	0.0	0.941	21.7	0.0	4.098	23.608	0.09	0.088	197.565	3.528	0.087	232.253	3.038	0.086	0.136	0.0	0.086	0.109	0.0
232	17338	17339	NS	4	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	22.102	0.011	-0.204	22.761	0.065	0.087	230.861	2.221	0.086	223.547	2.699	0.086	0.136	0.0	0.086	0.152	0.0
233	17338	17339	NS	2	-34.936	17.166	0.0	-34.796	20.014	0.0	0.964	22.102	0.011	-0.204	22.761	0.065	0.087	230.861	2.221	0.086	223.547	2.699	0.086	0.136	0.0	0.086	0.152	0.0
234	17338	17339	SN	2	-34.26	16.836	0.0	-34.962	17.797	0.0	0.941	23.044	0.058	4.098	23.608	0.118	0.087	197.565	3.436	0.086	232.253	2.751	0.086	0.136	0.0	0.086	0.109	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors