

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-JAN-2020 To 24-JAN-2020





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-JAN-2020 To 24-JAN-2020

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17600	17601	SN	1	48.75	49.43	0.0	0.003	6.574	2.453	1029.52	1081.44	0.0	-91.454	-89.599	0.0
2	17600	17601	NS	1	48.752	49.375	0.0	0.003	210.27	2.664	1040.32	1081.384	0.0	-91.41	-89.7	0.0
3	17600	17601	NS	1	48.752	49.376	0.0	0.003	210.27	2.661	1040.32	1081.384	0.0	-91.522	-89.7	0.0
4	17600	17601	SN	1	48.75	49.43	0.0	0.003	6.574	2.745	1029.52	1081.44	0.0	-91.454	-89.599	0.0
5	17601	17602	SN	1	48.735	49.456	0.0	0.003	6.585	2.392	1028.624	1081.608	0.0	-91.532	-89.612	0.0
6	17601	17602	SN	1	48.735	49.456	0.0	0.003	6.585	2.526	1028.624	1081.608	0.0	-91.532	-89.612	0.0
7	17601	17602	NS	2	48.762	49.399	0.0	0.003	266.959	2.506	1039.824	1081.576	0.0	-91.556	-89.674	0.0
8	17601	17602	NS	1	48.762	49.4	0.0	0.003	266.959	2.506	1039.992	1081.568	0.0	-91.556	-89.674	0.0
9	17601	17602	SN	1	48.735	49.456	0.0	0.003	6.585	2.394	1028.624	1081.608	0.0	-91.532	-89.612	0.0
10	17602	17603	SN	1	48.704	49.456	0.0	0.003	6.59	2.326	1029.512	1081.632	0.0	-91.45	-89.636	0.0
11	17602	17603	SN	1	48.704	49.456	0.0	0.003	6.59	2.487	1029.512	1081.632	0.0	-91.45	-89.636	0.0
12	17602	17603	SN	1	48.732	49.459	0.0	0.003	6.59	2.485	1029.152	1081.632	0.0	-91.833	-89.636	0.0
13	17602	17603	NS	1	48.763	49.401	0.0	0.003	41.58	2.569	1039.872	1081.624	0.0	-91.569	-89.676	0.0
14	17603	17604	SN	1	48.75	49.389	0.0	0.003	6.585	2.561	1029.064	1081.496	0.0	-91.492	-89.609	0.0
15	17603	17604	SN	1	48.735	49.389	0.0	0.003	6.585	2.556	1028.88	1081.496	0.0	-91.462	-89.609	0.0
16	17603	17604	NS	2	48.764	49.392	0.0	0.003	43.188	2.621	1040.32	1081.488	0.0	-91.556	-89.704	0.0
17	17603	17604	NS	1	48.764	49.392	0.0	0.003	43.188	2.621	1040.32	1081.488	0.0	-91.556	-89.704	0.0
18	17604	17605	NS	1	48.764	49.377	0.0	0.0	49.602	2.748	1040.768	1081.832	0.0	-91.534	-89.714	0.0
19	17604	17605	SN	2	48.755	49.416	0.0	0.003	280.36	2.549	1028.832	1081.392	0.0	-91.56	-89.635	0.0
20	17604	17605	NS	2	48.764	49.377	0.0	0.0	49.602	2.749	1040.768	1081.84	0.0	-91.534	-89.714	0.0
21	17604	17605	SN	1	48.755	49.416	0.0	0.003	280.36	2.549	1028.832	1081.392	0.0	-91.56	-89.635	0.0
22	17605	17606	SN	1	48.763	49.424	0.0	0.003	6.557	2.626	1029.512	1081.232	0.0	-91.828	-89.635	0.0
23	17605	17606	SN	1	48.762	49.424	0.0	0.003	6.563	1.9	1029.512	1081.24	0.0	-91.828	-89.635	0.0
24	17605	17606	NS	1	48.698	49.385	0.0	0.003	14.62	2.607	1040.752	1081.24	0.0	-91.565	-89.72	0.0
25	17605	17606	NS	2	48.698	49.385	0.0	0.003	14.62	2.607	1040.752	1081.24	0.0	-91.565	-89.72	0.0
26	17605	17606	SN	2	48.762	49.424	0.0	0.003	6.563	2.626	1029.512	1081.24	0.0	-91.828	-89.635	0.0
27	17606	17607	NS	2	48.719	49.385	0.0	0.003	210.579	2.62	1039.84	1081.232	0.0	-91.476	-89.726	0.0
28	17606	17607	NS	1	48.72	49.386	0.0	0.003	206.917	2.624	1039.856	1081.216	0.0	-91.475	-89.726	0.0
29	17606	17607	SN	1	48.705	49.428	0.0	0.003	215.565	2.666	1029.264	1081.256	0.0	-91.579	-89.628	0.0
30	17606	17607	SN	1	48.705	49.428	0.0	0.003	215.565	1.651	1029.264	1081.256	0.0	-91.579	-89.628	0.0
31	17606	17607	SN	1	48.721	49.428	0.0	0.003	215.565	2.664	1029.264	1081.256	0.0	-91.579	-89.628	0.0
32	17607	17608	SN	1	48.766	49.389	0.0	0.003	6.579	1.54	1029.856	1081.36	0.0	-91.434	-89.609	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

33	17607	17608	NS	1	48.731	49.389	0.0	0.003	210.32	2.6	1039.8	1081.36	0.0	-91.567	-89.725	0.0
34	17607	17608	NS	2	48.731	49.389	0.0	0.003	210.32	2.599	1039.8	1081.36	0.0	-91.567	-89.725	0.0
35	17607	17608	SN	1	48.766	49.389	0.0	0.003	6.579	2.59	1029.856	1081.36	0.0	-91.434	-89.609	0.0
36	17607	17608	SN	1	48.767	49.388	0.0	0.003	6.579	2.588	1029.864	1081.344	0.0	-91.441	-89.609	0.0
37	17608	17609	NS	1	48.763	49.395	0.0	0.0	264.461	2.829	1039.808	1081.472	0.0	-93.015	-89.72	0.0
38	17608	17609	SN	1	48.761	49.424	0.0	0.003	281.177	2.529	1029.808	1081.328	0.0	-91.533	-89.591	0.0
39	17609	17610	SN	1	48.735	49.453	0.0	0.003	6.59	2.568	1029.616	1081.168	0.0	-91.458	-89.631	0.0
40	17609	17610	NS	1	48.744	49.33	0.0	0.003	43.229	2.65	1039.864	1082.16	0.0	-91.616	-89.698	0.0
41	17609	17610	NS	1	48.744	49.33	0.0	0.003	43.229	2.653	1039.864	1082.168	0.0	-91.497	-89.698	0.0
42	17610	17611	NS	1	48.724	49.353	0.0	0.003	42.744	2.58	1040.672	1081.864	0.0	-91.583	-89.726	0.0
43	17610	17611	NS	1	48.724	49.353	0.0	0.003	42.744	2.638	1040.672	1081.192	0.0	-91.575	-89.726	0.0
44	17610	17611	SN	2	48.7	49.432	0.0	0.003	6.568	2.662	1029.688	1081.192	0.0	-91.493	-89.614	0.0
45	17610	17611	SN	1	48.7	49.432	0.0	0.003	6.568	2.662	1029.688	1081.192	0.0	-91.493	-89.614	0.0
46	17610	17611	NS	1	48.724	49.353	0.0	0.003	42.744	2.64	1040.672	1081.872	0.0	-91.583	-89.726	0.0
47	17611	17612	SN	1	48.756	49.452	0.0	0.003	6.563	2.592	1029.672	1081.208	0.0	-91.494	-89.62	0.0
48	17611	17612	NS	1	48.763	49.388	0.0	0.003	14.698	2.564	1040.552	1081.376	0.0	-91.594	-89.725	0.0
49	17611	17612	NS	1	48.763	49.393	0.0	0.003	14.698	2.562	1040.552	1081.224	0.0	-91.575	-89.725	0.0
50	17611	17612	NS	1	48.763	49.388	0.0	0.003	14.698	2.507	1040.552	1081.376	0.0	-91.594	-89.725	0.0
51	17611	17612	SN	1	48.756	49.453	0.0	0.003	6.568	2.592	1029.664	1081.224	0.0	-91.494	-89.619	0.0
52	17612	17613	NS	1	48.738	49.372	0.0	0.008	264.433	1.711	1039.392	1080.76	0.0	-91.456	-89.724	0.0
53	17612	17613	SN	1	48.701	49.445	0.0	0.003	6.568	2.57	1028.608	1081.264	0.0	-91.463	-89.639	0.0
54	17612	17613	NS	1	48.738	49.372	0.0	0.008	264.433	2.626	1039.392	1081.272	0.0	-91.554	-89.724	0.0
55	17612	17613	SN	1	48.719	49.445	0.0	0.003	6.568	2.572	1028.608	1081.264	0.0	-91.463	-89.639	0.0
56	17612	17613	NS	1	48.756	49.363	0.0	0.008	264.433	2.636	1039.584	1081.256	0.0	-91.516	-89.724	0.0
57	17613	17614	SN	2	48.704	49.435	0.0	0.0	99.893	2.712	1029.752	1081.336	0.0	-91.535	-89.64	0.0
58	17613	17614	NS	1	48.713	49.363	0.0	0.003	264.604	2.58	1039.952	1081.312	0.0	-91.384	-89.722	0.0
59	17613	17614	NS	2	48.713	49.363	0.0	0.003	264.604	2.579	1039.952	1081.328	0.0	-91.425	-89.722	0.0
60	17613	17614	NS	1	48.713	49.366	0.0	0.003	264.604	1.518	1039.952	1079.728	0.0	-91.38	-89.722	0.0
61	17613	17614	SN	1	48.704	49.435	0.0	0.0	99.893	2.712	1029.752	1081.336	0.0	-91.535	-89.64	0.0
62	17614	17615	NS	1	48.714	49.329	0.0	0.0	266.871	2.807	1039.848	1081.232	0.0	-91.442	-89.717	0.0
63	17614	17615	NS	1	48.714	49.329	0.0	0.003	266.871	1.797	1039.848	1076.056	0.0	-91.339	-89.717	0.0
64	17614	17615	SN	1	48.72	49.439	0.0	0.003	6.579	2.7	1029.072	1081.24	0.0	-91.538	-89.623	0.0
65	17614	17615	SN	1	48.72	49.439	0.0	0.003	6.579	1.996	1029.072	1081.24	0.0	-91.538	-89.623	0.0
66	17614	17615	NS	1	48.714	49.329	0.0	0.0	266.871	2.81	1039.848	1081.232	0.0	-91.394	-89.717	0.0
67	17615	17616	NS	1	48.763	49.396	0.0	0.003	264.566	2.518	1039.672	1081.192	0.0	-91.556	-89.709	0.0
68	17615	17616	SN	1	48.741	49.43	0.0	0.003	28.493	2.428	1028.744	1081.192	0.0	-91.513	-89.602	0.0
69	17615	17616	NS	1	48.763	49.397	0.0	0.003	264.566	2.516	1040.104	1081.192	0.0	-91.529	-89.709	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17615	17616	SN	2	48.741	49.43	0.0	0.003	28.493	2.616	1028.744	1081.192	0.0	-91.513	-89.602	0.0
71	17615	17616	SN	1	48.741	49.43	0.0	0.003	28.493	2.616	1028.744	1081.192	0.0	-91.513	-89.602	0.0
72	17616	17617	SN	2	48.732	49.449	0.0	0.003	280.537	2.357	1029.328	1081.344	0.0	-91.502	-89.637	0.0
73	17616	17617	SN	1	48.732	49.449	0.0	0.003	215.217	2.357	1029.328	1081.352	0.0	-91.502	-89.637	0.0
74	17616	17617	NS	1	48.74	49.374	0.0	0.003	264.091	2.48	1039.68	1081.352	0.0	-91.568	-89.662	0.0
75	17616	17617	NS	1	48.74	49.398	0.0	0.003	264.091	2.478	1039.656	1081.352	0.0	-91.578	-89.662	0.0
76	17616	17617	SN	1	48.732	49.449	0.0	0.003	280.537	2.512	1029.328	1081.344	0.0	-91.502	-89.637	0.0
77	17617	17618	SN	1	48.726	49.388	0.0	0.003	281.574	2.522	1029.28	1081.272	0.0	-91.292	-89.634	0.0
78	17617	17618	NS	1	48.74	49.394	0.0	0.003	42.821	2.595	1039.936	1081.264	0.0	-91.506	-89.713	0.0
79	17617	17618	SN	1	48.726	49.388	0.0	0.003	281.574	2.306	1029.28	1081.272	0.0	-91.292	-89.634	0.0
80	17617	17618	SN	1	48.753	49.388	0.0	0.003	281.574	2.52	1028.568	1081.272	0.0	-91.292	-89.634	0.0
81	17618	17619	NS	1	48.766	49.386	0.0	0.003	42.744	2.596	1041.0	1081.568	0.0	-91.434	-89.712	0.0
82	17618	17619	SN	1	48.757	49.391	0.0	0.003	6.574	2.529	1028.888	1081.12	0.0	-91.478	-89.635	0.0
83	17618	17619	NS	2	48.766	49.386	0.0	0.003	42.744	2.594	1040.992	1081.568	0.0	-91.434	-89.711	0.0
84	17618	17619	SN	1	48.757	49.391	0.0	0.003	6.574	2.153	1028.888	1081.12	0.0	-91.478	-89.635	0.0
85	17619	17620	SN	1	48.741	49.454	0.0	0.003	6.568	1.969	1029.472	1080.984	0.0	-91.551	-89.635	0.0
86	17619	17620	NS	1	48.751	49.34	0.0	0.0	264.191	2.78	1040.984	1080.976	0.0	-91.59	-89.715	0.0
87	17619	17620	SN	2	48.741	49.453	0.0	0.003	6.568	2.572	1029.472	1080.992	0.0	-91.551	-89.635	0.0
88	17619	17620	NS	2	48.751	49.34	0.0	0.0	264.191	2.78	1040.984	1080.976	0.0	-91.59	-89.715	0.0
89	17619	17620	SN	1	48.741	49.454	0.0	0.003	6.568	2.572	1029.472	1080.984	0.0	-91.551	-89.635	0.0
90	17620	17621	NS	1	48.74	49.401	0.0	0.003	210.579	2.548	1040.56	1080.88	0.0	-91.532	-89.726	0.0
91	17620	17621	SN	1	48.71	49.449	0.0	0.003	6.557	1.772	1029.6	1080.904	0.0	-92.072	-89.636	0.0
92	17620	17621	SN	2	48.71	49.449	0.0	0.003	6.557	2.663	1029.6	1080.904	0.0	-92.072	-89.636	0.0
93	17620	17621	SN	1	48.71	49.449	0.0	0.003	6.557	2.663	1029.6	1080.904	0.0	-92.072	-89.636	0.0
94	17620	17621	NS	1	48.714	49.393	0.0	0.003	210.579	2.552	1040.6	1080.888	0.0	-91.537	-89.726	0.0
95	17621	17622	SN	1	48.767	49.386	0.0	0.003	6.563	2.678	1029.848	1081.016	0.0	-91.295	-89.62	0.0
96	17621	17622	SN	1	48.767	49.386	0.0	0.003	6.563	1.583	1029.848	1081.016	0.0	-91.295	-89.62	0.0
97	17621	17622	NS	1	48.704	49.39	0.0	0.003	206.917	2.617	1040.168	1081.04	0.0	-92.069	-89.727	0.0
98	17621	17622	NS	1	48.716	49.39	0.0	0.003	206.917	2.62	1039.872	1080.992	0.0	-92.069	-89.727	0.0
99	17621	17622	SN	2	48.767	49.386	0.0	0.003	6.563	2.676	1029.848	1081.016	0.0	-91.295	-89.62	0.0
100	17622	17623	NS	2	48.734	49.395	0.0	0.003	206.917	2.625	1039.856	1081.144	0.0	-91.531	-89.712	0.0
101	17622	17623	NS	1	48.734	49.395	0.0	0.003	206.917	2.627	1039.864	1081.136	0.0	-91.531	-89.712	0.0
102	17622	17623	SN	1	48.524	49.398	0.0	0.0	224.24	2.624	1028.84	1081.664	0.0	-91.745	-89.585	0.0
103	17623	17624	SN	1	48.71	49.387	0.0	0.0	204.336	2.509	1029.072	1081.048	0.0	-91.99	-89.63	0.0
104	17623	17624	SN	1	48.717	49.407	0.0	0.0	204.336	2.589	1028.728	1080.96	0.0	-91.99	-89.63	0.0
105	17623	17624	NS	1	48.723	49.408	0.0	0.0	264.124	2.809	1039.904	1083.488	0.0	-92.161	-89.7	0.0
106	17624	17625	SN	2	48.767	49.452	0.0	0.003	215.03	2.618	1029.832	1080.84	0.0	-91.486	-89.611	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17624	17625	NS	2	48.735	49.403	0.0	0.0	266.678	2.693	1039.92	1083.312	0.0	-92.07	-89.716	0.0
108	17624	17625	NS	1	48.735	49.403	0.0	0.0	266.678	2.693	1039.92	1083.312	0.0	-92.07	-89.716	0.0
109	17624	17625	SN	1	48.767	49.452	0.0	0.003	215.03	2.618	1029.832	1080.84	0.0	-91.486	-89.611	0.0
110	17625	17626	NS	1	48.718	49.386	0.0	0.003	264.108	2.633	1040.336	1081.272	0.0	-91.608	-89.728	0.0
111	17625	17626	NS	1	48.717	49.364	0.0	0.003	264.108	2.635	1040.328	1080.968	0.0	-91.562	-89.728	0.0
112	17625	17626	NS	1	48.717	49.382	0.0	0.003	264.108	2.437	1040.328	1081.768	0.0	-91.608	-89.728	0.0
113	17625	17626	SN	1	48.71	49.428	0.0	0.003	215.774	2.614	1029.744	1080.904	0.0	-91.429	-89.612	0.0
114	17625	17626	SN	2	48.71	49.428	0.0	0.003	215.774	2.614	1029.744	1080.904	0.0	-91.429	-89.612	0.0
115	17626	17627	SN	2	48.724	49.399	0.0	0.003	215.648	2.584	1029.632	1080.888	0.0	-91.512	-89.631	0.0
116	17626	17627	NS	1	48.743	49.345	0.0	0.003	13.181	2.57	1039.616	1081.232	0.0	-91.497	-89.726	0.0
117	17626	17627	NS	1	48.743	49.345	0.0	0.003	13.181	2.573	1039.616	1080.84	0.0	-91.497	-89.726	0.0
118	17626	17627	SN	1	48.724	49.399	0.0	0.003	215.648	2.584	1029.632	1080.888	0.0	-91.512	-89.631	0.0
119	17627	17628	NS	1	48.762	49.342	0.0	0.003	264.262	1.494	1040.296	1080.104	0.0	-91.495	-89.724	0.0
120	17627	17628	SN	1	48.723	49.444	0.0	0.003	6.568	2.553	1029.752	1080.96	0.0	-91.399	-89.639	0.0
121	17627	17628	SN	1	48.723	49.444	0.0	0.003	6.568	2.551	1029.752	1080.96	0.0	-91.399	-89.639	0.0
122	17627	17628	NS	1	48.762	49.383	0.0	0.003	264.665	2.579	1040.296	1080.912	0.0	-91.587	-89.724	0.0
123	17628	17629	SN	1	48.712	49.412	0.0	0.003	6.574	1.686	1029.336	1080.984	0.0	-91.529	-89.642	0.0
124	17628	17629	NS	2	48.726	49.328	0.0	0.0	47.297	2.729	1039.856	1080.92	0.0	-91.444	-89.724	0.0
125	17628	17629	SN	1	48.712	49.412	0.0	0.0	115.749	2.773	1029.336	1080.984	0.0	-91.529	-89.642	0.0
126	17628	17629	NS	1	48.726	49.328	0.0	0.0	47.297	2.729	1039.848	1080.92	0.0	-91.444	-89.724	0.0
127	17628	17629	SN	1	48.712	49.412	0.0	0.0	115.749	2.77	1029.184	1080.984	0.0	-91.529	-89.642	0.0
128	17628	17629	NS	1	48.726	49.328	0.0	0.0	47.297	1.742	1039.856	1078.016	0.0	-91.34	-89.724	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17600	17601	SN	1	-34.741	24.582	1.233	-34.775	25.448	3.38	-24.759	31.322	7.843	-15.208	29.044	10.745	0.116	288.778	10.439	0.116	290.994	7.78	0.116	29.08	0.007	0.116	3.304	0.002
2	17600	17601	NS	1	-34.629	24.087	0.196	-34.229	24.526	0.097	8.407	32.973	10.839	6.854	34.226	23.939	0.116	281.404	3.296	0.116	256.64	2.784	0.116	0.127	0.0	0.116	0.132	0.0
3	17600	17601	NS	1	-34.772	24.089	0.196	-33.771	24.528	0.097	8.407	32.973	10.824	6.854	34.226	23.926	0.116	290.862	3.291	0.116	230.987	2.779	0.116	0.127	0.0	0.116	0.132	0.0
4	17600	17601	SN	1	-34.741	24.582	1.413	-34.775	25.448	3.211	-24.759	31.322	7.843	-15.208	29.044	10.745	0.116	288.778	9.87	0.116	290.994	7.37	0.116	29.08	0.007	0.116	3.304	0.002
5	17601	17602	SN	1	-34.304	24.553	0.975	-34.492	25.323	1.73	3.094	34.429	6.829	5.132	28.337	3.441	0.116	261.196	6.381	0.116	272.641	5.846	0.116	0.155	0.0	0.116	0.14	0.0
6	17601	17602	SN	1	-34.304	24.553	0.97	-34.492	25.323	1.698	3.094	34.429	6.829	5.132	28.337	3.441	0.116	261.196	6.254	0.116	272.641	5.738	0.116	0.155	0.0	0.116	0.14	0.0
7	17601	17602	NS	2	-34.894	25.583	0.078	-34.651	25.698	0.109	-6.27	34.074	5.604	-3.68	31.372	15.51	0.116	299.065	7.029	0.116	282.813	5.91	0.116	0.505	0.0	0.116	0.324	0.0
8	17601	17602	NS	1	-34.894	25.583	0.078	-34.651	25.698	0.109	-6.27	34.074	5.604	-3.682	31.372	15.51	0.116	299.065	7.03	0.116	282.813	5.909	0.116	0.505	0.0	0.116	0.324	0.0
9	17601	17602	SN	1	-34.304	24.553	0.975	-34.492	25.323	1.731	3.094	34.429	6.845	5.132	28.335	3.452	0.116	261.196	6.381	0.116	272.641	5.846	0.116	0.155	0.0	0.116	0.14	0.0
10	17602	17603	SN	1	-34.844	24.251	0.03	-34.561	25.168	0.119	6.114	27.292	15.036	7.033	27.376	13.45	0.116	295.762	3.534	0.116	277.104	3.078	0.116	0.135	0.0	0.116	0.131	0.0
11	17602	17603	SN	1	-34.844	24.251	0.03	-34.561	25.168	0.117	6.114	27.292	15.036	7.033	27.376	13.439	0.116	295.762	3.479	0.116	277.104	3.035	0.116	0.135	0.0	0.116	0.131	0.0
12	17602	17603	SN	1	-34.795	24.254	0.03	-34.996	25.168	0.117	6.114	27.292	14.991	7.034	27.376	13.439	0.116	292.358	3.477	0.116	306.257	3.036	0.116	0.135	0.0	0.116	0.131	0.0
13	17602	17603	NS	1	-34.963	26.367	0.312	-34.849	26.185	0.434	-3.394	28.109	7.561	-7.119	29.525	14.381	0.116	303.962	5.87	0.116	296.004	6.316	0.116	0.31	0.0	0.116	0.593	0.0
14	17603	17604	SN	1	-32.824	25.136	0.221	-34.535	26.975	0.254	5.449	26.978	12.725	5.729	26.819	12.334	0.116	185.731	1.374	0.116	275.407	1.018	0.116	0.138	0.0	0.116	0.137	0.0
15	17603	17604	SN	1	-33.488	25.136	0.216	-34.221	26.975	0.254	5.449	26.978	12.803	5.729	26.819	12.334	0.116	216.419	1.374	0.116	256.204	1.018	0.116	0.138	0.0	0.116	0.137	0.0
16	17603	17604	NS	2	-34.694	25.916	0.155	-33.415	24.952	0.215	-17.01	33.216	4.293	-9.52	29.58	8.72	0.116	285.66	2.052	0.116	212.832	2.509	0.116	4.958	0.004	0.116	0.96	0.0
17	17603	17604	NS	1	-34.694	25.916	0.155	-33.415	24.952	0.215	-17.01	33.216	4.293	-9.52	29.58	8.72	0.116	285.66	2.052	0.116	212.832	2.509	0.116	4.958	0.004	0.116	0.96	0.0
18	17604	17605	NS	1	-34.891	22.947	0.03	-34.663	23.688	0.101	-8.366	27.993	6.674	-6.799	28.267	12.933	0.116	298.912	3.68	0.116	283.692	3.804	0.116	0.758	0.0	0.116	0.558	0.0
19	17604	17605	SN	2	-34.639	26.044	0.003	-34.909	24.745	0.008	4.306	27.405	13.765	7.901	27.894	19.37	0.116	282.041	2.65	0.116	300.216	2.151	0.116	0.145	0.0	0.116	0.128	0.0
20	17604	17605	NS	2	-34.891	22.947	0.03	-34.663	23.688	0.101	-8.366	27.993	6.674	-6.799	28.267	12.935	0.116	298.912	3.68	0.116	283.692	3.804	0.116	0.758	0.0	0.116	0.558	0.0
21	17604	17605	SN	1	-34.639	26.044	0.003	-34.909	24.745	0.008	4.306	27.405	13.765	7.901	27.894	19.37	0.116	282.041	2.65	0.116	300.216	2.151	0.116	0.145	0.0	0.116	0.128	0.0
22	17605	17606	SN	1	-34.756	21.545	0.0	-34.932	21.994	0.0	4.335	26.684	13.182	8.006	27.727	21.399	0.116	289.796	6.092	0.116	301.738	5.22	0.116	0.145	0.0	0.116	0.128	0.0
23	17605	17606	SN	1	-34.756	21.545	0.0	-34.932	21.556	0.0	4.335	26.684	14.035	8.006	27.727	21.663	0.116	289.796	6.349	0.116	301.738	5.521	0.116	0.145	0.0	0.116	0.128	0.0
24	17605	17606	NS	1	-34.089	25.69	1.668	-34.818	25.671	2.152	-12.018	29.949	7.466	-11.48	29.997	12.714	0.116	248.558	3.637	0.116	293.988	3.483	0.116	1.633	0.012	0.116	1.453	0.002
25	17605	17606	NS	2	-34.089	25.69	1.668	-34.818	25.671	2.152	-12.018	29.949	7.466	-11.48	29.997	12.714	0.116	248.558	3.637	0.116	293.988	3.483	0.116	1.633	0.012	0.116	1.453	0.002
26	17605	17606	SN	2	-34.756	21.545	0.0	-34.932	21.994	0.0	4.335	26.684	13.182	8.006	27.727	21.399	0.116	289.796	6.093	0.116	301.738	5.22	0.116	0.145	0.0	0.116	0.128	0.0
27	17606	17607	NS	2	-34.954	25.114	1.138	-34.538	26.333	1.607	6.609	26.612	9.092	7.358	28.04	18.509	0.116	303.283	2.619	0.116	275.596	2.826	0.116	0.133	0.0	0.116	0.13	0.0
28	17606	17607	NS	1	-33.014	25.114	1.138	-34.538	26.333	1.607	6.609	26.612	9.093	7.358	28.04	18.508	0.116	194.035	2.618	0.116	275.596	2.826	0.116	0.133	0.0	0.116	0.13	0.0
29	17606	17607	SN	1	-33.198	24.186	0.009	-34.56	24.539	0.018	4.975	32.616	9.073	7.65	32.381	13.362	0.116	202.473	6.353	0.116	276.979	4.795	0.116	0.141	0.0	0.116	0.129	0.0
30	17606	17607	SN	1	-33.198	24.186	0.009	-34.56	24.539	0.012	4.975	32.64	9.462	7.65	32.381	13.32	0.116	202.473	6.82	0.116	276.979	5.389	0.116	0.141	0.0	0.116	0.129	0.0
31	17606	17607	SN	1	-33.308	24.186	0.009	-34.874	24.539	0.018	4.975	32.623	9.072	7.65	32.378	13.36	0.116	207.66	6.354	0.116	297.755	4.799	0.116	0.141	0.0	0.116	0.129	0.0
32	17607	17608	SN	1	-34.832	24.701	0.014	-33.528	25.04	0.012	-4.404	32.985	11.764	-2.008	32.651	13.183	0.116	294.834	1.777	0.116	218.382	1.426	0.116	0.364	0.0	0.116	0.254	0.0
33	17607	17608	NS	1	-34.021	25.32	0.396	-34.57	25.577	0.663	-24.668	30.346	12.601	-16.706	30.202	22.062	0.116	244.687	1.748	0.116	277.662	1.698	0.116	28.479	0.012	0.116	4.627	0.009

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

112	17625	17626	NS	1	-34.323	25.998	0.167	-34.891	23.867	0.558	10.009	29.059	19.704	9.05	28.874	32.003	0.116	262.293	4.297	0.116	298.916	4.217	0.116	0.123	0.0	0.116	0.125	0.0
113	17625	17626	SN	1	-34.855	23.9	0.087	-34.43	25.099	1.158	-15.286	31.069	12.273	-16.093	34.874	12.564	0.116	296.433	4.492	0.116	268.835	3.505	0.116	3.363	0.002	0.116	4.031	0.006
114	17625	17626	SN	2	-34.855	23.9	0.087	-34.43	25.099	1.158	-15.286	31.069	12.273	-16.093	34.874	12.564	0.116	296.433	4.492	0.116	268.835	3.505	0.116	3.363	0.002	0.116	4.031	0.006
115	17626	17627	SN	2	-34.81	24.068	0.068	-34.501	24.791	1.073	-10.015	29.319	21.145	-7.665	29.87	23.682	0.116	293.44	4.049	0.116	273.231	3.74	0.116	1.064	0.002	0.116	0.659	0.0
116	17626	17627	NS	1	-34.898	24.967	0.269	-34.532	24.395	0.464	10.866	28.753	23.675	11.719	28.669	33.66	0.116	299.464	4.077	0.116	275.243	3.876	0.116	0.122	0.0	0.116	0.121	0.0
117	17626	17627	NS	1	-34.919	24.969	0.269	-34.724	24.395	0.465	10.866	28.753	23.675	11.719	28.669	33.66	0.116	300.85	4.082	0.116	287.589	3.877	0.116	0.122	0.0	0.116	0.121	0.0
118	17626	17627	SN	1	-34.81	24.068	0.068	-34.501	24.791	1.073	-10.015	29.319	21.145	-7.665	29.87	23.682	0.116	293.44	4.049	0.116	273.231	3.74	0.116	1.064	0.002	0.116	0.659	0.0
119	17627	17628	NS	1	-34.218	24.396	0.268	-34.954	24.231	0.203	11.327	27.989	9.388	7.915	28.116	15.446	0.116	256.034	2.51	0.116	303.256	2.26	0.116	0.121	0.0	0.116	0.128	0.0
120	17627	17628	SN	1	-34.586	23.434	0.07	-34.362	24.444	0.836	6.719	28.982	37.577	7.489	30.137	51.338	0.116	278.635	2.169	0.116	264.594	1.906	0.116	0.132	0.0	0.116	0.13	0.0
121	17627	17628	SN	1	-34.498	23.434	0.07	-34.659	24.441	0.835	6.719	28.983	37.577	7.489	30.137	51.338	0.116	273.043	2.168	0.116	283.377	1.9	0.116	0.132	0.0	0.116	0.13	0.0
122	17627	17628	NS	1	-34.218	24.369	0.268	-34.954	24.24	0.205	7.183	28.088	26.821	7.958	28.573	35.826	0.116	256.034	2.507	0.116	303.256	2.259	0.116	0.13	0.0	0.116	0.128	0.0
123	17628	17629	SN	1	-34.603	22.412	0.003	-33.726	22.74	0.02	6.117	28.748	10.559	8.634	28.62	14.829	0.116	279.728	2.427	0.116	228.59	1.777	0.116	0.135	0.0	0.116	0.126	0.0
124	17628	17629	NS	2	-34.79	24.341	0.165	-34.868	23.32	0.009	6.02	28.341	12.45	7.177	28.589	21.723	0.116	292.015	3.718	0.116	297.339	3.412	0.116	0.135	0.0	0.116	0.13	0.0
125	17628	17629	SN	1	-34.603	23.21	0.083	-33.726	24.93	1.015	6.117	29.03	11.601	8.634	29.166	15.21	0.116	279.728	2.356	0.116	228.59	1.619	0.116	0.135	0.0	0.116	0.126	0.0
126	17628	17629	NS	1	-34.79	24.341	0.165	-34.868	23.32	0.009	6.02	28.341	12.45	7.177	28.589	21.726	0.116	292.015	3.718	0.116	297.339	3.413	0.116	0.135	0.0	0.116	0.13	0.0
127	17628	17629	SN	1	-33.135	23.207	0.082	-34.351	24.93	1.013	6.117	29.03	11.589	8.634	29.164	15.192	0.116	199.498	2.356	0.116	264.011	1.621	0.116	0.135	0.0	0.116	0.126	0.0
128	17628	17629	NS	1	-34.79	24.341	0.176	-34.868	23.32	0.008	6.02	27.184	2.971	7.267	25.161	7.314	0.116	292.015	3.936	0.116	297.339	3.436	0.116	0.135	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17600	17601	SN	1	57.515	58.251	0.0	0.003	298.896	3.703	1205.928	1270.472	7.778	-92.868	-91.65	0.0
2	17600	17601	NS	1	57.51	58.194	0.0	0.0	289.62	3.89	1218.648	1270.28	0.0	-92.861	-91.743	0.0
3	17600	17601	NS	1	57.51	58.212	0.0	0.0	289.62	3.886	1218.648	1270.28	0.0	-92.891	-91.743	0.0
4	17600	17601	SN	1	57.515	58.251	0.0	0.003	298.896	4.117	1205.928	1270.472	7.602	-92.868	-91.65	0.0
5	17601	17602	SN	1	57.478	58.26	0.0	0.0	298.77	3.48	1205.392	1270.68	8.556	-92.86	-91.659	0.0
6	17601	17602	SN	1	57.478	58.26	0.0	0.0	298.77	3.823	1205.392	1270.68	8.455	-92.86	-91.659	0.0
7	17601	17602	NS	2	57.544	58.225	0.0	0.0	296.569	3.638	1218.736	1270.528	0.0	-93.012	-91.714	0.0
8	17601	17602	NS	1	57.545	58.226	0.0	0.0	296.575	3.64	1218.744	1270.52	0.0	-93.012	-91.714	0.0
9	17601	17602	SN	1	57.478	58.26	0.0	0.0	298.77	3.483	1205.392	1270.68	8.564	-92.86	-91.659	0.0
10	17602	17603	SN	1	57.486	58.266	0.0	0.0	299.189	3.41	1205.656	1270.712	9.428	-92.945	-91.684	0.0
11	17602	17603	SN	1	57.486	58.266	0.0	0.0	299.189	3.756	1205.656	1270.712	9.312	-92.945	-91.684	0.0
12	17602	17603	SN	1	57.469	58.266	0.0	0.0	299.189	3.765	1205.56	1270.712	9.306	-92.845	-91.684	0.0
13	17602	17603	NS	1	57.514	58.232	0.0	0.0	298.334	3.713	1219.44	1270.576	0.0	-92.905	-91.712	0.0
14	17603	17604	SN	1	57.49	58.251	0.0	0.0	295.692	3.773	1205.656	1270.528	9.431	-92.86	-91.653	0.0
15	17603	17604	SN	1	57.49	58.269	0.0	0.0	295.703	3.765	1205.792	1271.136	9.433	-92.859	-91.653	0.0
16	17603	17604	NS	2	57.542	58.223	0.0	0.0	296.872	3.747	1218.872	1270.656	0.0	-92.869	-91.744	0.0
17	17603	17604	NS	1	57.542	58.223	0.0	0.0	296.872	3.747	1218.872	1270.656	0.0	-92.869	-91.744	0.0
18	17604	17605	NS	1	57.54	58.226	0.0	0.0	297.794	3.971	1219.616	1270.32	0.0	-92.897	-91.758	0.0
19	17604	17605	SN	2	57.507	58.253	0.0	0.0	289.598	3.8	1205.648	1270.408	9.397	-92.845	-91.683	0.0
20	17604	17605	NS	2	57.54	58.226	0.0	0.0	297.821	3.972	1219.608	1270.328	0.0	-92.897	-91.758	0.0
21	17604	17605	SN	1	57.507	58.253	0.0	0.0	289.598	3.8	1205.648	1270.408	9.397	-92.845	-91.683	0.0
22	17605	17606	SN	1	57.49	58.256	0.0	0.0	298.35	3.881	1205.896	1270.208	9.283	-92.959	-91.684	0.0
23	17605	17606	SN	1	57.48	58.258	0.0	0.0	298.389	3.169	1205.896	1270.224	9.728	-92.959	-91.683	0.0
24	17605	17606	NS	1	57.515	58.217	0.0	0.0	285.638	3.834	1219.608	1270.112	0.0	-92.906	-91.764	0.0
25	17605	17606	NS	2	57.515	58.217	0.0	0.0	285.638	3.834	1219.608	1270.112	0.0	-92.906	-91.764	0.0
26	17605	17606	SN	2	57.48	58.258	0.0	0.0	298.389	3.883	1205.896	1270.224	9.287	-92.959	-91.683	0.0
27	17606	17607	NS	2	57.522	58.493	0.0	0.0	293.762	3.834	1218.64	1280.032	0.0	-95.423	-91.77	0.0
28	17606	17607	NS	1	57.523	58.494	0.0	0.0	293.701	3.836	1218.672	1280.056	0.0	-95.423	-91.77	0.0
29	17606	17607	SN	1	57.475	58.254	0.0	0.0	296.095	3.951	1206.144	1270.248	7.336	-92.897	-91.679	0.0
30	17606	17607	SN	1	57.475	58.254	0.0	0.0	296.095	2.91	1206.144	1270.248	7.85	-92.897	-91.679	0.0
31	17606	17607	SN	1	57.485	58.254	0.0	0.0	296.095	3.947	1206.144	1270.248	7.341	-92.897	-91.679	0.0
32	17607	17608	SN	1	57.51	58.252	0.0	0.003	297.617	2.475	1205.624	1270.392	7.957	-92.886	-91.646	0.0
33	17607	17608	NS	1	57.519	58.225	0.0	0.0	296.646	3.809	1218.488	1270.36	0.0	-92.929	-91.769	0.0
34	17607	17608	NS	2	57.519	58.225	0.0	0.0	296.646	3.808	1218.488	1270.36	0.0	-92.929	-91.769	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17607	17608	SN	1	57.51	58.252	0.0	0.0	297.617	3.833	1205.624	1270.392	7.296	-92.886	-91.646	0.0
36	17607	17608	SN	1	57.509	58.251	0.0	0.0	297.523	3.829	1205.624	1270.36	7.283	-92.886	-91.646	0.0
37	17608	17609	NS	1	57.516	58.27	0.0	0.0	297.396	4.144	1218.84	1274.256	0.0	-94.136	-91.743	0.0
38	17608	17609	SN	1	57.508	58.232	0.0	0.0	296.95	3.756	1205.824	1270.968	7.28	-92.888	-91.636	0.0
39	17609	17610	SN	1	57.481	58.251	0.0	0.0	290.348	3.868	1205.144	1270.864	7.812	-92.926	-91.674	0.0
40	17609	17610	NS	1	57.549	58.205	0.0	0.0	297.964	3.808	1218.96	1270.44	0.0	-92.891	-91.737	0.0
41	17609	17610	NS	1	57.549	58.215	0.0	0.0	297.964	3.812	1218.96	1270.216	0.0	-92.923	-91.737	0.0
42	17610	17611	NS	1	57.523	58.194	0.0	0.0	289.951	3.555	1219.192	1270.176	0.0	-92.906	-91.762	0.0
43	17610	17611	NS	1	57.523	58.197	0.0	0.0	289.951	3.795	1219.192	1270.768	0.0	-92.892	-91.762	0.0
44	17610	17611	SN	2	57.488	58.257	0.0	0.0	299.917	3.961	1206.088	1270.184	8.767	-93.056	-91.665	0.0
45	17610	17611	SN	1	57.488	58.257	0.0	0.0	299.917	3.961	1206.088	1270.184	8.767	-93.056	-91.665	0.0
46	17610	17611	NS	1	57.523	58.194	0.0	0.0	289.951	3.799	1219.192	1270.176	0.0	-92.906	-91.762	0.0
47	17611	17612	SN	1	57.497	58.251	0.0	0.0	296.884	3.863	1206.056	1270.264	8.435	-92.85	-91.665	0.0
48	17611	17612	NS	1	57.531	58.218	0.0	0.0	291.909	3.663	1219.368	1270.568	0.0	-92.903	-91.763	0.0
49	17611	17612	NS	1	57.531	58.224	0.0	0.0	291.909	3.67	1219.368	1270.112	0.0	-92.915	-91.763	0.0
50	17611	17612	NS	1	57.531	58.218	0.0	0.0	291.909	3.421	1219.368	1270.568	0.0	-92.903	-91.763	0.0
51	17611	17612	SN	1	57.495	58.252	0.0	0.0	296.889	3.866	1206.048	1270.28	8.449	-92.85	-91.665	0.0
52	17612	17613	NS	1	57.538	58.216	0.0	0.0	284.624	2.614	1218.456	1269.992	0.0	-93.045	-91.768	0.0
53	17612	17613	SN	1	57.488	58.252	0.0	0.003	296.255	3.799	1205.768	1270.28	8.249	-92.827	-91.688	0.0
54	17612	17613	NS	1	57.538	58.216	0.0	0.0	295.94	3.704	1218.456	1270.176	0.0	-93.045	-91.768	0.0
55	17612	17613	SN	1	57.497	58.252	0.0	0.003	296.255	3.803	1205.768	1270.28	8.212	-92.827	-91.688	0.0
56	17612	17613	NS	1	57.545	58.204	0.0	0.0	295.951	3.717	1218.328	1270.144	0.0	-92.837	-91.768	0.0
57	17613	17614	SN	2	57.482	58.259	0.0	0.0	296.321	3.992	1205.728	1270.36	8.455	-92.847	-91.688	0.0
58	17613	17614	NS	1	57.515	58.198	0.0	0.0	296.365	3.788	1218.96	1270.2	0.0	-92.812	-91.766	0.0
59	17613	17614	NS	2	57.515	58.198	0.0	0.0	296.376	3.788	1218.96	1270.232	0.0	-92.777	-91.766	0.0
60	17613	17614	NS	1	57.515	58.198	0.0	0.0	291.33	2.07	1218.96	1269.08	0.0	-92.761	-91.766	0.0
61	17613	17614	SN	1	57.482	58.259	0.0	0.0	296.321	3.992	1205.728	1270.36	8.455	-92.847	-91.688	0.0
62	17614	17615	NS	1	57.519	58.193	0.0	0.0	299.189	4.003	1218.792	1270.12	0.0	-92.843	-91.766	0.0
63	17614	17615	NS	1	57.519	58.199	0.0	0.0	299.189	2.304	1218.792	1264.976	0.0	-92.73	-91.766	0.0
64	17614	17615	SN	1	57.483	58.262	0.0	0.0	289.102	4.096	1205.688	1270.248	7.514	-92.883	-91.67	0.0
65	17614	17615	SN	1	57.483	58.262	0.0	0.0	287.668	3.373	1205.688	1270.248	7.821	-92.883	-91.67	0.0
66	17614	17615	NS	1	57.519	58.197	0.0	0.0	299.189	4.007	1218.792	1270.12	0.0	-92.843	-91.766	0.0
67	17615	17616	NS	1	57.545	58.223	0.0	0.0	286.515	3.697	1218.728	1270.064	0.0	-92.913	-91.752	0.0
68	17615	17616	SN	1	57.498	58.258	0.0	0.0	299.448	3.563	1205.456	1270.176	8.486	-92.815	-91.65	0.0
69	17615	17616	NS	1	57.545	58.226	0.0	0.0	286.515	3.693	1218.728	1270.064	0.0	-92.882	-91.752	0.0
70	17615	17616	SN	2	57.498	58.258	0.0	0.0	299.448	3.939	1205.456	1270.176	8.343	-92.815	-91.65	0.0
71	17615	17616	SN	1	57.498	58.258	0.0	0.0	299.448	3.939	1205.456	1270.176	8.343	-92.815	-91.65	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17616	17617	SN	2	57.484	58.257	0.0	0.003	298.086	3.4	1205.952	1270.312	9.178	-92.844	-91.685	0.0
73	17616	17617	SN	1	57.484	58.258	0.0	0.0	298.119	3.401	1205.952	1270.336	9.175	-92.844	-91.685	0.0
74	17616	17617	NS	1	57.544	58.225	0.0	0.003	293.117	3.601	1218.784	1270.272	0.0	-93.167	-91.703	0.0
75	17616	17617	NS	1	57.544	58.224	0.0	0.003	293.117	3.598	1218.784	1270.272	0.0	-93.076	-91.703	0.0
76	17616	17617	SN	1	57.484	58.257	0.0	0.0	298.086	3.756	1205.952	1270.312	9.062	-92.844	-91.685	0.0
77	17617	17618	SN	1	57.483	58.264	0.0	0.0	297.479	3.74	1205.536	1270.224	9.535	-92.797	-91.682	0.0
78	17617	17618	NS	1	57.533	58.217	0.0	0.0	297.187	3.718	1218.936	1270.168	0.0	-92.887	-91.756	0.0
79	17617	17618	SN	1	57.483	58.264	0.0	0.0	297.479	3.383	1205.536	1270.224	9.679	-92.797	-91.682	0.0
80	17617	17618	SN	1	57.509	58.264	0.0	0.0	297.479	3.736	1205.712	1270.224	9.567	-92.797	-91.682	0.0
81	17618	17619	NS	1	57.549	58.226	0.0	0.0	296.089	3.769	1219.928	1270.112	0.0	-92.875	-91.751	0.0
82	17618	17619	SN	1	57.492	58.231	0.0	0.003	297.904	3.812	1205.272	1270.072	9.551	-92.835	-91.683	0.0
83	17618	17619	NS	2	57.549	58.226	0.0	0.0	296.078	3.767	1219.928	1270.112	0.0	-92.875	-91.751	0.0
84	17618	17619	SN	1	57.492	58.231	0.0	0.003	297.904	3.369	1205.272	1270.072	9.783	-92.835	-91.683	0.0
85	17619	17620	SN	1	57.473	58.26	0.0	0.003	290.332	3.19	1205.84	1269.896	9.605	-92.87	-91.684	0.0
86	17619	17620	NS	1	57.532	58.221	0.0	0.0	296.657	3.972	1219.16	1269.936	0.0	-92.913	-91.758	0.0
87	17619	17620	SN	2	57.473	58.26	0.0	0.0	290.354	3.796	1205.832	1269.896	9.251	-92.87	-91.684	0.0
88	17619	17620	NS	2	57.532	58.221	0.0	0.0	296.657	3.972	1219.16	1269.936	0.0	-92.913	-91.758	0.0
89	17619	17620	SN	1	57.473	58.26	0.0	0.0	290.332	3.796	1205.84	1269.896	9.241	-92.87	-91.684	0.0
90	17620	17621	NS	1	57.55	58.226	0.0	0.0	299.36	3.751	1219.24	1269.728	0.0	-93.082	-91.769	0.0
91	17620	17621	SN	1	57.47	58.256	0.0	0.0	298.803	3.055	1205.992	1269.792	9.583	-92.899	-91.684	0.0
92	17620	17621	SN	2	57.471	58.256	0.0	0.0	298.803	3.961	1205.992	1269.792	9.066	-92.899	-91.684	0.0
93	17620	17621	SN	1	57.471	58.256	0.0	0.0	298.803	3.961	1205.992	1269.792	9.066	-92.899	-91.684	0.0
94	17620	17621	NS	1	57.549	58.221	0.0	0.0	299.382	3.758	1219.232	1269.688	0.0	-92.856	-91.769	0.0
95	17621	17622	SN	1	57.512	58.229	0.0	0.0	296.508	3.961	1206.304	1269.928	7.432	-92.895	-91.668	0.0
96	17621	17622	SN	1	57.512	58.229	0.0	0.0	296.508	2.721	1206.304	1269.928	8.034	-92.895	-91.668	0.0
97	17621	17622	NS	1	57.517	58.222	0.0	0.0	292.019	3.747	1218.888	1269.856	0.0	-92.971	-91.771	0.0
98	17621	17622	NS	1	57.518	58.228	0.0	0.0	292.019	3.75	1218.92	1270.128	0.0	-92.872	-91.771	0.0
99	17621	17622	SN	2	57.512	58.229	0.0	0.0	296.508	3.962	1206.304	1269.928	7.432	-92.895	-91.668	0.0
100	17622	17623	NS	2	57.524	58.417	0.0	0.0	297.049	3.847	1218.808	1277.792	0.0	-94.643	-91.752	0.0
101	17622	17623	NS	1	57.524	58.417	0.0	0.0	297.021	3.845	1218.816	1277.784	0.0	-94.643	-91.752	0.0
102	17622	17623	SN	1	57.289	58.23	0.0	0.0	297.016	3.892	1204.2	1269.952	7.535	-95.06	-91.628	0.0
103	17623	17624	SN	1	57.477	58.229	0.0	0.0	299.2	3.819	1205.68	1270.632	7.782	-92.845	-91.674	0.0
104	17623	17624	SN	1	57.486	58.245	0.0	0.0	299.878	3.853	1205.424	1269.928	7.736	-92.885	-91.674	0.0
105	17623	17624	NS	1	57.534	58.221	0.0	0.0	296.9	3.996	1219.048	1270.224	0.0	-92.918	-91.744	0.0
106	17624	17625	SN	2	57.513	58.258	0.0	0.0	292.62	3.919	1206.272	1269.728	7.391	-92.837	-91.652	0.0
107	17624	17625	NS	2	57.551	58.372	0.0	0.0	296.486	3.871	1218.968	1276.448	0.0	-94.386	-91.758	0.0
108	17624	17625	NS	1	57.551	58.372	0.0	0.0	296.486	3.871	1218.968	1276.448	0.0	-94.386	-91.758	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17624	17625	SN	1	57.513	58.258	0.0	0.0	292.62	3.919	1206.272	1269.728	7.391	-92.837	-91.652	0.0
110	17625	17626	NS	1	57.517	58.217	0.0	0.0	298.472	3.759	1219.712	1270.144	0.0	-93.024	-91.772	0.0
111	17625	17626	NS	1	57.517	58.22	0.0	0.0	298.466	3.763	1219.472	1269.648	0.0	-93.151	-91.772	0.0
112	17625	17626	NS	1	57.517	58.223	0.0	0.003	275.088	3.223	1219.472	1270.088	0.0	-93.123	-91.772	0.0
113	17625	17626	SN	1	57.484	58.254	0.0	0.0	286.565	3.922	1205.672	1269.8	8.574	-92.823	-91.66	0.0
114	17625	17626	SN	2	57.484	58.254	0.0	0.0	286.565	3.922	1205.672	1269.8	8.574	-92.823	-91.66	0.0
115	17626	17627	SN	2	57.489	58.254	0.0	0.0	296.817	3.842	1206.184	1269.792	7.909	-92.976	-91.678	0.0
116	17626	17627	NS	1	57.537	58.189	0.0	0.0	288.534	3.735	1218.752	1269.632	0.0	-92.972	-91.77	0.0
117	17626	17627	NS	1	57.537	58.189	0.0	0.0	288.534	3.739	1218.752	1269.632	0.0	-92.888	-91.77	0.0
118	17626	17627	SN	1	57.489	58.254	0.0	0.0	296.817	3.842	1206.184	1269.792	7.909	-92.976	-91.678	0.0
119	17627	17628	NS	1	57.531	58.218	0.0	0.003	282.004	2.315	1218.752	1269.304	0.0	-92.894	-91.769	0.0
120	17627	17628	SN	1	57.472	58.255	0.0	0.0	296.084	3.771	1206.208	1269.88	8.169	-92.813	-91.688	0.0
121	17627	17628	SN	1	57.471	58.255	0.0	0.0	296.084	3.767	1206.208	1269.88	8.16	-92.813	-91.688	0.0
122	17627	17628	NS	1	57.531	58.223	0.0	0.003	295.196	3.755	1218.752	1269.712	0.0	-92.84	-91.769	0.0
123	17628	17629	SN	1	57.48	58.253	0.0	0.003	298.885	2.949	1205.848	1269.896	8.079	-92.866	-91.69	0.0
124	17628	17629	NS	2	57.53	58.203	0.0	0.0	295.847	4.035	1219.04	1269.72	0.0	-92.856	-91.765	0.0
125	17628	17629	SN	1	57.48	58.253	0.0	0.0	298.885	4.036	1205.848	1269.896	7.641	-92.866	-91.69	0.0
126	17628	17629	NS	1	57.529	58.203	0.0	0.0	295.847	4.032	1219.032	1269.72	0.0	-92.856	-91.765	0.0
127	17628	17629	SN	1	57.48	58.253	0.0	0.0	298.885	4.032	1205.848	1269.896	7.632	-92.866	-91.69	0.0
128	17628	17629	NS	1	57.53	58.21	0.0	0.0	287.944	2.372	1219.04	1267.144	0.0	-92.753	-91.765	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	17600	17601	SN	1	-34.976	17.848	0.0	-34.891	18.49	0.0	-24.261	22.158	0.003	-10.529	21.358	0.0	0.086	233.006	10.727	0.086	228.475	8.787	0.086	19.824	0.003	0.086	0.902	0.0
2	17600	17601	NS	1	-34.411	17.407	0.0	-34.775	17.537	0.0	2.132	23.451	0.007	0.721	24.616	0.029	0.087	204.583	3.202	0.087	222.411	3.102	0.086	0.123	0.0	0.086	0.139	0.0
3	17600	17601	NS	1	-33.984	17.406	0.0	-34.775	17.537	0.0	2.132	23.451	0.007	0.721	24.616	0.029	0.087	185.407	3.194	0.087	222.411	3.106	0.086	0.123	0.0	0.086	0.139	0.0
4	17600	17601	SN	1	-34.976	17.848	0.0	-34.891	18.49	0.0	-24.261	22.158	0.003	-10.529	21.357	0.0	0.086	233.006	10.277	0.086	228.475	8.346	0.086	19.824	0.003	0.086	0.902	0.0
5	17601	17602	SN	1	-34.99	18.295	0.0	-34.863	18.17	0.0	0.334	21.994	0.0	0.607	21.541	0.0	0.086	233.686	5.376	0.086	227.017	4.448	0.086	0.144	0.0	0.086	0.14	0.0
6	17601	17602	SN	1	-34.99	18.295	0.0	-34.863	18.17	0.0	0.334	21.994	0.0	0.607	21.541	0.0	0.086	233.686	5.267	0.086	227.017	4.379	0.086	0.144	0.0	0.086	0.14	0.0
7	17601	17602	NS	2	-34.92	18.795	0.0	-34.321	18.416	0.0	-16.028	22.0	0.002	-10.009	22.457	0.004	0.086	230.009	7.325	0.086	200.358	7.171	0.086	3.032	0.003	0.086	0.808	0.0
8	17601	17602	NS	1	-34.92	18.795	0.0	-34.321	18.416	0.0	-16.03	22.0	0.002	-10.01	22.457	0.004	0.086	230.009	7.325	0.086	200.358	7.172	0.086	3.032	0.003	0.086	0.808	0.0
9	17601	17602	SN	1	-34.99	18.295	0.0	-34.863	18.17	0.0	0.334	21.994	0.0	0.607	21.541	0.0	0.086	233.686	5.377	0.086	227.017	4.448	0.086	0.144	0.0	0.086	0.14	0.0
10	17602	17603	SN	1	-34.264	17.667	0.0	-34.943	18.179	0.0	0.136	21.508	0.0	1.287	19.681	0.0	0.087	197.773	2.857	0.086	231.27	2.444	0.086	0.147	0.0	0.086	0.132	0.0
11	17602	17603	SN	1	-34.264	17.667	0.0	-34.943	18.179	0.0	0.136	21.508	0.0	1.287	20.934	0.0	0.087	197.773	2.808	0.086	231.27	2.417	0.086	0.147	0.0	0.086	0.132	0.0
12	17602	17603	SN	1	-34.758	17.667	0.0	-34.496	18.179	0.0	0.138	21.508	0.0	1.287	20.934	0.0	0.087	221.575	2.812	0.086	208.625	2.418	0.086	0.147	0.0	0.086	0.132	0.0
13	17602	17603	NS	1	-34.512	18.914	0.0	-34.451	18.55	0.0	-6.865	21.333	0.0	-25.83	21.762	0.0	0.086	209.356	5.26	0.086	206.497	5.448	0.086	0.427	0.0	0.086	28.419	0.047
14	17603	17604	SN	1	-34.414	17.874	0.0	-33.882	18.397	0.0	-0.074	21.479	0.0	0.766	21.505	0.0	0.086	204.754	1.588	0.086	181.097	1.396	0.086	0.15	0.0	0.086	0.138	0.0
15	17603	17604	SN	1	-34.552	17.874	0.0	-34.052	18.397	0.0	-0.074	21.479	0.0	0.761	21.505	0.0	0.086	211.295	1.598	0.086	188.335	1.386	0.086	0.15	0.0	0.086	0.138	0.0
16	17603	17604	NS	2	-34.058	19.005	0.0	-34.739	18.465	0.0	-30.166	21.484	0.0	-26.051	22.008	0.001	0.086	188.64	2.37	0.086	220.588	2.552	0.086	77.01	0.075	0.086	29.896	0.091
17	17603	17604	NS	1	-34.058	19.005	0.0	-34.739	18.465	0.0	-30.166	21.484	0.0	-26.051	22.008	0.001	0.086	188.64	2.37	0.086	220.588	2.552	0.086	77.01	0.075	0.086	29.896	0.091
18	17604	17605	NS	1	-33.732	17.584	0.0	-34.946	17.381	0.0	-33.031	21.552	0.0	-17.492	21.658	0.0	0.087	174.952	3.591	0.087	231.371	3.662	0.086	148.921	0.027	0.086	4.221	0.018
19	17604	17605	SN	2	-34.702	16.928	0.0	-34.786	16.991	0.0	0.003	21.473	0.0	1.072	21.547	0.0	0.087	218.744	2.47	0.087	223.019	2.177	0.086	0.149	0.0	0.086	0.134	0.0
20	17604	17605	NS	2	-33.732	17.584	0.0	-34.946	17.381	0.0	-32.96	21.552	0.0	-17.49	21.658	0.0	0.087	174.952	3.591	0.087	231.371	3.662	0.086	146.479	0.027	0.086	4.219	0.018
21	17604	17605	SN	1	-34.702	16.928	0.0	-34.786	16.991	0.0	0.003	21.473	0.0	1.072	21.547	0.0	0.087	218.744	2.47	0.087	223.019	2.177	0.086	0.149	0.0	0.086	0.134	0.0
22	17605	17606	SN	1	-34.521	17.802	0.0	-34.937	17.632	0.0	-1.208	21.058	0.0	3.334	21.019	0.0	0.086	209.815	5.079	0.087	230.874	4.335	0.086	0.171	0.0	0.086	0.114	0.0
23	17605	17606	SN	1	-34.521	17.802	0.0	-34.937	17.632	0.0	-1.208	21.058	0.0	3.334	21.019	0.0	0.086	209.815	5.251	0.087	230.874	4.569	0.086	0.171	0.0	0.086	0.114	0.0
24	17605	17606	NS	1	-34.728	19.273	0.0	-34.512	18.88	0.0	-34.119	21.204	0.0	-26.467	21.728	0.0	0.086	220.102	3.332	0.086	209.356	3.739	0.086	191.283	0.19	0.086	32.903	0.027
25	17605	17606	NS	2	-34.728	19.273	0.0	-34.512	18.88	0.0	-34.119	21.204	0.0	-26.467	21.728	0.0	0.086	220.102	3.332	0.086	209.356	3.739	0.086	191.283	0.19	0.086	32.903	0.027
26	17605	17606	SN	2	-34.521	17.802	0.0	-34.937	17.632	0.0	-1.208	21.058	0.0	3.334	21.019	0.0	0.086	209.815	5.08	0.087	230.874	4.335	0.086	0.171	0.0	0.086	0.114	0.0
27	17606	17607	NS	2	-34.88	18.852	0.0	-34.468	19.209	0.0	2.389	22.433	0.076	0.976	22.302	0.097	0.086	227.885	2.713	0.086	207.298	3.112	0.086	0.121	0.0	0.086	0.136	0.0
28	17606	17607	NS	1	-34.931	18.852	0.0	-34.509	19.209	0.0	2.389	22.433	0.076	0.976	22.302	0.097	0.086	230.567	2.714	0.086	209.2	3.111	0.086	0.121	0.0	0.086	0.136	0.0
29	17606	17607	SN	1	-34.399	17.441	0.0	-34.255	15.763	0.0	-0.482	22.724	0.014	1.705	23.827	0.061	0.087	203.998	5.156	0.087	197.332	4.448	0.086	0.157	0.0	0.086	0.127	0.0
30	17606	17607	SN	1	-34.399	17.441	0.0	-34.255	15.563	0.0	-0.482	22.724	0.015	1.705	23.827	0.061	0.087	203.998	5.499	0.087	197.332	4.999	0.086	0.157	0.0	0.086	0.127	0.0
31	17606	17607	SN	1	-34.399	17.441	0.0	-34.977	15.758	0.0	-0.482	22.724	0.014	1.705	23.827	0.061	0.087	203.998	5.156	0.087	233.066	4.458	0.086	0.157	0.0	0.086	0.127	0.0
32	17607	17608	SN	1	-34.976	17.528	0.0	-34.167	15.461	0.0	-10.383	22.488	0.012	-7.462	23.496	0.071	0.087	232.959	1.446	0.087	193.41	1.281	0.086	0.874	0.0	0.086	0.48	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

70	17615	17616	SN	2	-34.787	17.087	0.0	-34.954	17.673	0.0	-4.259	24.729	0.004	-6.539	21.172	0.0	0.087	223.1	7.977	0.087	231.85	6.637	0.086	0.267	0.0	0.086	0.402	0.0
71	17615	17616	SN	1	-34.787	17.087	0.0	-34.954	17.673	0.0	-4.259	24.729	0.004	-6.539	21.172	0.0	0.087	223.1	7.977	0.087	231.85	6.637	0.086	0.267	0.0	0.086	0.402	0.0
72	17616	17617	SN	2	-34.781	17.098	0.0	-34.804	17.768	0.0	0.871	21.403	0.0	0.958	22.096	0.004	0.087	222.746	4.393	0.086	223.939	3.857	0.086	0.137	0.0	0.086	0.136	0.0
73	17616	17617	SN	1	-34.781	17.098	0.0	-34.841	17.768	0.0	0.871	21.403	0.0	0.958	22.096	0.004	0.087	222.746	4.393	0.086	225.848	3.857	0.086	0.137	0.0	0.086	0.136	0.0
74	17616	17617	NS	1	-34.775	18.806	0.0	-34.705	19.409	0.0	-12.872	22.463	0.004	-22.363	22.105	0.009	0.086	222.46	6.835	0.086	218.854	7.615	0.086	1.499	0.004	0.086	12.825	0.068
75	17616	17617	NS	1	-34.99	18.809	0.0	-34.951	19.409	0.0	-12.872	22.463	0.004	-22.363	22.105	0.009	0.086	233.693	6.848	0.086	231.684	7.607	0.086	1.499	0.004	0.086	12.825	0.068
76	17616	17617	SN	1	-34.781	17.098	0.0	-34.804	17.768	0.0	0.871	21.403	0.0	0.958	22.096	0.004	0.087	222.746	4.314	0.086	223.939	3.801	0.086	0.137	0.0	0.086	0.136	0.0
77	17617	17618	SN	1	-34.574	17.324	0.0	-34.261	17.958	0.0	0.364	21.53	0.0	-0.018	20.051	0.0	0.087	212.396	1.852	0.086	202.678	1.985	0.086	0.144	0.0	0.086	0.149	0.0
78	17617	17618	NS	1	-34.679	18.854	0.0	-34.838	18.71	0.0	-24.114	21.084	0.0	-30.231	21.948	0.0	0.086	217.589	4.27	0.086	225.661	4.962	0.086	19.161	0.21	0.086	78.171	0.147
79	17617	17618	SN	1	-34.574	17.324	0.0	-34.261	17.958	0.0	0.364	21.53	0.0	-0.018	20.051	0.0	0.087	212.396	1.888	0.086	202.678	2.008	0.086	0.144	0.0	0.086	0.149	0.0
80	17617	17618	SN	1	-34.574	17.324	0.0	-34.174	17.958	0.0	0.364	21.53	0.0	-0.018	20.051	0.0	0.087	212.396	1.851	0.086	193.712	1.982	0.086	0.144	0.0	0.086	0.149	0.0
81	17618	17619	NS	1	-34.996	18.278	0.0	-34.922	17.39	0.0	-9.178	21.77	0.0	-8.483	21.849	0.0	0.086	234.052	4.259	0.087	230.045	4.708	0.086	0.679	0.0	0.086	0.589	0.0
82	17618	17619	SN	1	-34.552	18.08	0.0	-34.523	18.427	0.0	0.416	21.552	0.0	0.792	21.244	0.0	0.086	211.342	1.997	0.086	209.88	1.826	0.086	0.143	0.0	0.086	0.138	0.0
83	17618	17619	NS	2	-34.83	18.278	0.0	-34.922	17.39	0.0	-9.178	21.77	0.0	-8.483	21.849	0.0	0.086	225.297	4.257	0.087	230.045	4.708	0.086	0.679	0.0	0.086	0.589	0.0
84	17618	17619	SN	1	-34.552	18.08	0.0	-34.523	18.427	0.0	0.416	21.552	0.0	0.792	21.244	0.0	0.086	211.342	2.048	0.086	209.88	1.867	0.086	0.143	0.0	0.086	0.138	0.0
85	17619	17620	SN	1	-34.812	16.866	0.0	-34.45	17.127	0.0	0.006	21.247	0.0	1.642	21.244	0.0	0.087	224.315	4.869	0.087	206.428	4.235	0.086	0.149	0.0	0.086	0.128	0.0
86	17619	17620	NS	1	-34.809	19.463	0.0	-34.875	17.802	0.0	-17.631	20.879	0.0	-24.609	21.519	0.0	0.086	224.197	3.58	0.086	227.673	3.412	0.086	4.356	0.027	0.086	21.468	0.049
87	17619	17620	SN	2	-34.75	16.866	0.0	-34.464	17.127	0.0	0.006	21.247	0.0	1.642	21.244	0.0	0.087	221.179	4.723	0.087	207.046	4.07	0.086	0.149	0.0	0.086	0.128	0.0
88	17619	17620	NS	2	-34.809	19.463	0.0	-34.875	17.802	0.0	-17.631	20.879	0.0	-24.609	21.519	0.0	0.086	224.197	3.58	0.086	227.673	3.412	0.086	4.356	0.027	0.086	21.468	0.049
89	17619	17620	SN	1	-34.812	16.866	0.0	-34.45	17.127	0.0	0.006	21.247	0.0	1.642	21.244	0.0	0.087	224.315	4.723	0.087	206.428	4.07	0.086	0.149	0.0	0.086	0.128	0.0
90	17620	17621	NS	1	-34.629	18.711	0.0	-34.618	18.982	0.0	-24.346	21.671	0.0	-30.124	21.723	0.0	0.086	215.084	3.233	0.086	214.557	3.356	0.086	20.214	0.085	0.086	76.272	0.204
91	17620	17621	SN	1	-34.92	16.883	0.0	-34.886	16.286	0.0	0.054	22.129	0.008	5.44	22.469	0.012	0.087	229.974	6.531	0.087	228.213	5.886	0.086	0.148	0.0	0.086	0.102	0.0
92	17620	17621	SN	2	-34.92	16.883	0.0	-34.886	16.286	0.0	0.054	22.129	0.007	5.44	22.469	0.012	0.087	229.974	6.244	0.087	228.213	5.453	0.086	0.148	0.0	0.086	0.102	0.0
93	17620	17621	SN	1	-34.92	16.883	0.0	-34.886	16.286	0.0	0.054	22.129	0.007	5.44	22.469	0.012	0.087	229.974	6.244	0.087	228.213	5.453	0.086	0.148	0.0	0.086	0.102	0.0
94	17620	17621	NS	1	-34.691	18.711	0.0	-34.43	18.982	0.0	-24.133	21.672	0.0	-29.806	21.723	0.0	0.086	218.223	3.234	0.086	205.471	3.359	0.086	19.243	0.085	0.086	70.886	0.198
95	17621	17622	SN	1	-34.748	16.768	0.0	-33.319	16.648	0.0	-11.409	24.906	0.027	-6.607	25.277	0.105	0.087	221.058	2.246	0.087	159.08	1.755	0.086	1.09	0.001	0.086	0.407	0.0
96	17621	17622	SN	1	-34.748	16.768	0.0	-33.319	14.898	0.0	-11.359	24.906	0.029	-6.607	25.277	0.105	0.087	221.058	2.422	0.087	159.08	2.057	0.086	1.078	0.002	0.086	0.407	0.0
97	17621	17622	NS	1	-34.747	18.207	0.0	-34.911	19.013	0.0	1.809	22.039	0.006	-0.009	22.543	0.031	0.086	221.006	2.094	0.086	229.52	2.106	0.086	0.126	0.0	0.086	0.149	0.0
98	17621	17622	NS	1	-34.348	18.21	0.0	-33.729	19.013	0.0	1.809	22.039	0.006	-0.01	22.543	0.031	0.086	201.641	2.076	0.086	174.857	2.103	0.086	0.126	0.0	0.086	0.149	0.0
99	17621	17622	SN	2	-34.748	16.768	0.0	-33.319	16.648	0.0	-11.409	24.906	0.027	-6.607	25.277	0.105	0.087	221.058	2.246	0.087	159.08	1.755	0.086	1.09	0.001	0.086	0.407	0.0
100	17622	17623	NS	2	-34.923	22.749	0.003	-34.999	18.591	0.0	-4.808	22.689	0.093	-2.531	23.693	0.57	0.086	230.167	5.453	0.086	234.224	5.232	0.086	0.293	0.0	0.086	0.204	0.0
101	17622	17623	NS	1	-34.97	22.749	0.003	-34.999	18.591	0.0	-4.808	22.689	0.093	-2.531	23.693	0.57	0.086	232.676	5.455	0.086	234.224	5.231	0.086	0.293	0.0	0.086	0.204	0.0
102	17622	17623	SN	1	-34.84	14.423	0.0	-34.996	17.143	0.0	-28.808	22.474	0.01	-26.167	22.987	0.122	0.088	225.765	5.374	0.087	234.08	4.31	0.086	56.341	0.122	0.086	30.704	0.019
103	17623	17624	SN	1	-34.923	14.015	0.0	-34.643	17.689	0.0	-7.846	22.466	0.009	-6.361	23.516	0.121	0.088	230.144	6.458	0.086	215.781	5.305	0.086	0.518	0.0	0.086	0.388	0.0
104	17623	17624	SN	1	-34.838	14.015	0.0	-34.965	17.69	0.0	-7.809	22.466	0.009	-6.398	23.532	0.121	0.088	225.666	6.447	0.086	232.401	5.304	0.086	0.514	0.0	0.086	0.391	0.0
105	17623	17624	NS	1	-34.895	22.076	0.001	-34.688	20.636	0.0	-3.4	22.854	0.151	-2.84	23.374	0.528	0.086	228.726	5.913	0.086	218.075	5.2	0.086	0.233	0.0	0.086	0.214	0.0
106	17624	17625	SN	2	-34.974	16.202	0.0	-34.968	17.297	0.0	-29.912	22.324	0.012	-19.535	23.915	0.113	0.087	232.876	6.24	0.087	232.535	6.061	0.086	72.639	0.286	0.086	6.718	0.047

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

107	17624	17625	NS	2	-34.476	20.622	0.0	-34.459	20.07	0.0	-0.473	22.67	0.027	-0.41	22.91	0.136	0.086	207.671	4.843	0.086	206.874	4.763	0.086	0.157	0.0	0.086	0.156	0.0
108	17624	17625	NS	1	-34.476	20.622	0.0	-34.459	20.07	0.0	-0.473	22.67	0.027	-0.41	22.91	0.136	0.086	207.671	4.843	0.086	206.874	4.763	0.086	0.157	0.0	0.086	0.156	0.0
109	17624	17625	SN	1	-34.974	16.202	0.0	-34.968	17.297	0.0	-29.912	22.324	0.012	-19.535	23.915	0.113	0.087	232.876	6.24	0.087	232.535	6.061	0.086	72.639	0.286	0.086	6.718	0.047
110	17625	17626	NS	1	-34.309	21.958	0.0	-34.708	20.268	0.0	4.013	22.62	0.059	3.899	22.902	0.104	0.086	199.817	3.478	0.086	219.062	3.523	0.086	0.109	0.0	0.086	0.11	0.0
111	17625	17626	NS	1	-34.92	21.958	0.0	-34.914	20.268	0.0	4.012	22.62	0.059	3.9	22.902	0.104	0.086	229.977	3.485	0.086	229.636	3.521	0.086	0.109	0.0	0.086	0.11	0.0
112	17625	17626	NS	1	-34.92	21.958	0.0	-34.914	20.268	0.0	4.04	22.62	0.065	3.911	22.9	0.114	0.086	229.977	3.473	0.086	229.636	3.519	0.086	0.109	0.0	0.086	0.11	0.0
113	17625	17626	SN	1	-34.648	17.155	0.0	-34.6	17.587	0.0	-26.523	22.503	0.012	-34.691	23.556	0.087	0.087	216.056	5.545	0.087	213.626	4.226	0.086	33.319	0.103	0.086	218.195	0.102
114	17625	17626	SN	2	-34.648	17.155	0.0	-34.6	17.587	0.0	-26.523	22.503	0.012	-34.691	23.556	0.087	0.087	216.056	5.545	0.087	213.626	4.226	0.086	33.319	0.103	0.086	218.195	0.102
115	17626	17627	SN	2	-34.758	17.559	0.0	-34.677	18.648	0.0	-21.958	22.593	0.073	-26.905	23.324	0.298	0.087	221.549	4.189	0.086	217.522	3.79	0.086	11.688	0.077	0.086	36.383	0.054
116	17626	17627	NS	1	-34.973	17.126	0.0	-34.94	18.284	0.0	2.896	22.608	0.078	3.118	22.798	0.108	0.087	232.795	3.691	0.086	235.454	3.651	0.086	0.117	0.0	0.086	0.115	0.0
117	17626	17627	NS	1	-34.957	17.126	0.0	-34.962	18.286	0.0	2.898	22.608	0.078	3.119	22.798	0.108	0.087	231.989	3.692	0.086	232.208	3.654	0.086	0.117	0.0	0.086	0.115	0.0
118	17626	17627	SN	1	-34.758	17.559	0.0	-34.677	18.648	0.0	-21.958	22.593	0.073	-26.905	23.324	0.298	0.087	221.549	4.189	0.086	217.522	3.79	0.086	11.688	0.077	0.086	36.383	0.054
119	17627	17628	NS	1	-34.544	19.608	0.0	-34.549	18.123	0.0	5.791	22.825	0.117	2.134	22.5	0.034	0.086	210.936	2.962	0.086	211.149	2.926	0.086	0.101	0.0	0.086	0.123	0.0
120	17627	17628	SN	1	-34.855	17.532	0.0	-34.993	17.682	0.0	2.827	22.834	0.176	1.905	23.298	1.265	0.087	226.584	2.191	0.086	233.856	2.016	0.086	0.117	0.0	0.086	0.125	0.0
121	17627	17628	SN	1	-34.855	17.532	0.0	-34.8	17.682	0.0	2.827	22.832	0.176	1.905	23.298	1.265	0.087	226.584	2.194	0.086	223.678	2.012	0.086	0.117	0.0	0.086	0.125	0.0
122	17627	17628	NS	1	-34.677	19.608	0.0	-34.549	18.13	0.0	2.678	22.825	0.062	1.909	22.622	0.084	0.086	217.497	2.966	0.086	211.149	2.927	0.086	0.118	0.0	0.086	0.125	0.0
123	17628	17629	SN	1	-34.984	16.861	0.0	-34.637	17.752	0.0	1.488	21.604	0.0	3.073	22.927	0.067	0.087	233.371	2.309	0.086	215.499	2.007	0.086	0.13	0.0	0.086	0.115	0.0
124	17628	17629	NS	2	-34.863	19.738	0.0	-34.885	15.549	0.0	1.363	22.504	0.033	0.679	22.964	0.09	0.086	227.029	3.518	0.087	228.127	3.396	0.086	0.131	0.0	0.086	0.139	0.0
125	17628	17629	SN	1	-34.984	17.2	0.0	-34.637	17.754	0.0	1.488	22.816	0.049	3.073	23.064	0.124	0.087	233.371	2.248	0.086	215.499	1.816	0.086	0.13	0.0	0.086	0.115	0.0
126	17628	17629	NS	1	-34.863	19.738	0.0	-34.885	15.549	0.0	1.363	22.504	0.033	0.679	22.964	0.09	0.086	227.029	3.517	0.087	228.127	3.395	0.086	0.131	0.0	0.086	0.139	0.0
127	17628	17629	SN	1	-34.984	17.2	0.0	-34.922	17.754	0.0	1.488	22.812	0.049	3.073	23.063	0.124	0.087	233.371	2.244	0.086	230.054	1.818	0.086	0.13	0.0	0.086	0.115	0.0
128	17628	17629	NS	1	-34.863	19.738	0.0	-34.885	15.549	0.0	1.363	21.462	0.0	0.679	18.277	0.0	0.086	227.029	3.767	0.087	228.127	3.429	0.086	0.131	0.0	0.086	0.139	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors