

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-AUG-2019 To 04-AUG-2019





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-AUG-2019 To 04-AUG-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15091	15092	SN	2	48.825	49.461	0.0	0.0	59.623	2.735	1041.736	1081.328	0.0	-91.83	-90.095	0.0
2	15091	15092	SN	1	48.825	49.461	0.0	0.0	59.623	2.735	1041.736	1081.328	0.0	-91.83	-90.095	0.0
3	15091	15092	SN	1	48.825	49.461	0.0	0.003	6.464	2.023	1041.736	1081.328	0.0	-91.83	-90.095	0.0
4	15092	15093	SN	1	48.824	49.424	0.0	0.003	6.475	2.609	1040.6	1081.288	0.0	-91.694	-90.074	0.0
5	15092	15093	SN	1	48.836	49.424	0.0	0.003	6.475	2.611	1040.976	1081.288	0.0	-91.694	-90.074	0.0
6	15092	15093	NS	1	48.664	49.284	0.0	0.003	41.486	2.598	1029.92	1079.952	0.0	-91.7	-89.958	0.0
7	15093	15094	SN	1	48.814	49.424	0.0	0.003	6.48	2.368	1040.96	1081.424	0.0	-91.705	-90.107	0.0
8	15093	15094	NS	1	48.713	49.291	0.0	0.003	210.656	2.503	1030.176	1080.144	0.0	-91.627	-89.93	0.0
9	15093	15094	SN	1	48.814	49.424	0.0	0.003	6.48	2.503	1040.96	1081.424	0.0	-91.705	-90.107	0.0
10	15093	15094	SN	1	48.818	49.424	0.0	0.003	6.48	2.37	1040.44	1081.424	0.0	-91.766	-90.107	0.0
11	15094	15095	SN	1	48.647	49.467	0.0	0.003	280.532	2.531	1040.776	1081.36	0.0	-94.12	-90.105	0.0
12	15094	15095	NS	1	48.714	49.31	0.0	0.0	266.97	2.691	1030.304	1080.056	0.0	-91.633	-89.978	0.0
13	15094	15095	SN	1	48.802	49.467	0.0	0.003	280.532	2.303	1040.776	1081.36	0.0	-91.809	-90.105	0.0
14	15095	15096	NS	1	48.708	49.327	0.0	0.003	13.683	2.606	1029.672	1079.968	0.0	-91.773	-89.951	0.0
15	15095	15096	SN	1	48.642	49.422	0.0	0.003	6.464	2.529	1040.584	1081.256	0.0	-92.303	-90.105	0.0
16	15095	15096	SN	1	48.806	49.422	0.0	0.003	6.464	2.168	1040.584	1081.256	0.0	-91.715	-90.105	0.0
17	15095	15096	NS	1	48.711	49.327	0.0	0.003	13.683	2.603	1030.2	1079.968	0.0	-91.972	-89.951	0.0
18	15096	15097	NS	1	48.65	49.334	0.0	0.003	19.54	2.67	1030.344	1079.904	0.0	-91.664	-89.967	0.0
19	15096	15097	SN	1	48.802	49.478	0.0	0.003	277.515	1.964	1040.84	1081.192	0.0	-92.096	-90.106	0.0
20	15096	15097	SN	1	48.66	49.478	0.0	0.003	277.515	2.544	1040.84	1081.192	0.0	-92.231	-90.106	0.0
21	15096	15097	NS	1	48.65	49.334	0.0	0.003	19.54	2.667	1030.344	1079.904	0.0	-91.709	-89.967	0.0
22	15097	15098	NS	2	48.695	49.347	0.0	0.003	207.006	2.551	1030.232	1079.864	0.0	-91.735	-89.975	0.0
23	15097	15098	NS	1	48.696	49.348	0.0	0.003	264.637	2.551	1030.248	1079.856	0.0	-91.826	-89.975	0.0
24	15097	15098	SN	1	48.816	49.423	0.0	0.003	276.583	1.741	1041.4	1081.168	0.0	-91.74	-90.106	0.0
25	15097	15098	SN	1	48.807	49.423	0.0	0.003	276.583	2.589	1041.4	1081.168	0.0	-91.74	-90.106	0.0
26	15097	15098	SN	1	48.817	49.423	0.0	0.003	276.583	2.587	1041.4	1081.168	0.0	-91.74	-90.106	0.0
27	15098	15099	SN	1	48.645	49.449	0.0	0.003	278.254	2.663	1041.6	1081.352	0.0	-92.557	-90.094	0.0
28	15098	15099	NS	1	48.644	49.403	0.0	0.0	60.091	2.807	1029.032	1080.024	0.0	-94.605	-89.975	0.0
29	15098	15099	SN	1	48.867	49.449	0.0	0.003	278.254	1.568	1041.6	1081.352	0.0	-91.788	-90.094	0.0
30	15098	15099	SN	1	48.645	49.449	0.0	0.003	278.254	2.659	1041.6	1081.352	0.0	-92.556	-90.094	0.0
31	15099	15100	NS	2	48.651	49.343	0.0	0.003	13.412	2.608	1029.976	1080.072	0.0	-91.651	-89.953	0.0
32	15099	15100	NS	1	48.651	49.343	0.0	0.003	13.407	2.609	1029.984	1080.056	0.0	-91.651	-89.953	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	15099	15100	SN	1	48.809	49.426	0.0	0.003	279.561	2.567	1041.664	1081.456	0.0	-91.708	-90.049	0.0
34	15100	15101	NS	1	48.669	49.296	0.0	0.003	264.83	2.724	1029.304	1080.016	0.0	-91.874	-89.947	0.0
35	15100	15101	SN	1	48.806	49.426	0.0	0.003	281.739	2.557	1041.6	1081.424	0.0	-91.757	-90.092	0.0
36	15100	15101	NS	1	48.669	49.296	0.0	0.003	264.83	2.725	1029.304	1080.016	0.0	-91.874	-89.947	0.0
37	15101	15102	NS	1	48.69	49.284	0.0	0.003	210.673	2.624	1029.136	1079.968	0.0	-91.694	-89.975	0.0
38	15101	15102	NS	1	48.69	49.284	0.0	0.003	210.673	2.621	1029.136	1079.976	0.0	-91.694	-89.975	0.0
39	15101	15102	SN	2	48.837	49.425	0.0	0.003	6.469	2.619	1041.456	1081.384	0.0	-91.677	-90.08	0.0
40	15101	15102	SN	1	48.837	49.425	0.0	0.003	6.469	2.619	1041.456	1081.384	0.0	-91.677	-90.08	0.0
41	15102	15103	NS	1	48.662	49.343	0.0	0.0	44.285	2.744	1029.16	1080.064	0.0	-92.069	-89.974	0.0
42	15102	15103	NS	1	48.66	49.348	0.0	0.0	44.285	2.727	1029.592	1080.072	0.0	-92.069	-89.974	0.0
43	15102	15103	SN	2	48.784	49.454	0.0	0.003	215.206	2.602	1041.472	1081.44	0.0	-92.064	-90.081	0.0
44	15102	15103	SN	1	48.784	49.454	0.0	0.003	215.206	2.602	1041.472	1081.44	0.0	-92.064	-90.081	0.0
45	15102	15103	NS	1	48.66	49.348	0.0	0.0	44.285	2.533	1029.592	1079.208	0.0	-92.069	-89.974	0.0
46	15103	15104	NS	2	48.66	49.324	0.0	0.003	267.296	2.564	1028.792	1080.112	0.0	-91.586	-89.972	0.0
47	15103	15104	SN	1	48.832	49.425	0.0	0.003	6.469	2.57	1041.488	1081.488	0.0	-91.651	-90.095	0.0
48	15103	15104	SN	1	48.823	49.425	0.0	0.003	6.469	2.568	1041.488	1081.488	0.0	-91.673	-90.095	0.0
49	15103	15104	NS	1	48.66	49.324	0.0	0.003	267.296	2.564	1028.792	1080.112	0.0	-91.586	-89.972	0.0
50	15103	15104	NS	1	48.66	49.324	0.0	0.003	267.296	1.945	1028.792	1077.872	0.0	-91.586	-89.972	0.0
51	15104	15105	NS	1	48.663	49.336	0.0	0.003	210.678	1.542	1028.928	1076.096	0.0	-91.611	-89.97	0.0
52	15104	15105	SN	1	48.812	49.427	0.0	0.003	278.243	2.554	1041.056	1081.592	0.0	-92.012	-90.109	0.0
53	15104	15105	NS	1	48.663	49.336	0.0	0.003	210.678	2.622	1028.928	1080.232	0.0	-91.611	-89.97	0.0
54	15104	15105	NS	2	48.663	49.336	0.0	0.003	210.678	2.622	1028.928	1080.232	0.0	-91.611	-89.97	0.0
55	15104	15105	SN	1	48.812	49.427	0.0	0.003	214.374	2.554	1041.056	1081.6	0.0	-91.666	-90.109	0.0
56	15105	15106	NS	1	48.655	49.335	0.0	0.003	267.362	2.54	1029.656	1080.248	0.0	-91.658	-89.962	0.0
57	15105	15106	SN	1	48.817	49.428	0.0	0.003	280.261	1.691	1041.336	1081.664	0.0	-92.245	-90.111	0.0
58	15105	15106	SN	1	48.817	49.428	0.0	0.003	280.261	2.702	1041.336	1081.664	0.0	-91.829	-90.111	0.0
59	15105	15106	NS	1	48.655	49.335	0.0	0.003	267.362	1.529	1029.656	1072.296	0.0	-91.658	-89.962	0.0
60	15106	15107	SN	1	48.813	49.426	0.0	0.003	6.48	2.749	1041.68	1081.496	0.0	-91.801	-90.067	0.0
61	15106	15107	SN	1	48.813	49.426	0.0	0.003	6.48	2.46	1041.68	1081.496	0.0	-91.801	-90.067	0.0
62	15106	15107	NS	1	48.647	49.284	0.0	0.0	42.774	2.803	1029.088	1080.112	0.0	-91.568	-89.95	0.0
63	15107	15108	NS	1	48.71	49.286	0.0	0.003	41.498	2.506	1029.944	1080.336	0.0	-92.015	-89.945	0.0
64	15107	15108	SN	1	48.822	49.452	0.0	0.003	29.122	2.409	1040.648	1081.696	0.0	-92.045	-90.082	0.0
65	15107	15108	SN	1	48.822	49.452	0.0	0.003	29.122	2.421	1040.648	1081.696	0.0	-92.045	-90.082	0.0
66	15107	15108	SN	1	48.822	49.452	0.0	0.003	29.122	2.557	1040.648	1081.696	0.0	-92.045	-90.082	0.0
67	15107	15108	NS	1	48.711	49.287	0.0	0.003	41.498	2.504	1029.816	1080.336	0.0	-91.659	-89.946	0.0
68	15108	15109	NS	1	48.711	49.312	0.0	0.003	266.556	2.515	1030.088	1080.432	0.0	-91.724	-89.955	0.0
69	15108	15109	SN	1	48.806	49.426	0.0	0.003	281.745	2.349	1041.296	1081.736	0.0	-91.758	-90.106	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	15108	15109	NS	1	48.711	49.288	0.0	0.003	266.556	2.513	1030.088	1080.432	0.0	-91.724	-89.955	0.0
71	15108	15109	SN	1	48.806	49.426	0.0	0.003	281.745	2.515	1041.296	1081.736	0.0	-91.758	-90.106	0.0
72	15108	15109	SN	2	48.806	49.426	0.0	0.003	281.745	2.515	1041.296	1081.736	0.0	-91.758	-90.106	0.0
73	15109	15110	SN	1	48.811	49.458	0.0	0.003	6.48	2.527	1040.512	1081.624	0.0	-91.816	-90.078	0.0
74	15109	15110	SN	1	48.811	49.458	0.0	0.003	6.48	2.525	1040.288	1081.624	0.0	-91.816	-90.078	0.0
75	15109	15110	NS	1	48.682	49.288	0.0	0.003	21.426	2.676	1029.688	1080.352	0.0	-91.682	-89.951	0.0
76	15109	15110	NS	2	48.682	49.288	0.0	0.003	41.762	2.676	1029.696	1080.344	0.0	-91.682	-89.951	0.0
77	15109	15110	SN	1	48.811	49.458	0.0	0.003	6.48	2.248	1040.512	1081.624	0.0	-91.816	-90.078	0.0
78	15110	15111	NS	1	48.712	49.287	0.0	0.003	14.664	2.618	1030.2	1080.288	0.0	-91.702	-89.966	0.0
79	15110	15111	SN	1	48.805	49.465	0.0	0.003	281.392	2.51	1040.912	1081.576	0.0	-92.04	-90.105	0.0
80	15110	15111	SN	1	48.81	49.465	0.0	0.003	281.392	2.508	1041.232	1081.576	0.0	-91.899	-90.105	0.0
81	15110	15111	NS	2	48.712	49.287	0.0	0.003	14.67	2.616	1030.2	1080.288	0.0	-91.702	-89.966	0.0
82	15111	15112	NS	2	48.57	49.344	0.0	0.0	266.678	2.716	1030.168	1080.136	0.0	-91.96	-89.97	0.0
83	15111	15112	SN	2	48.814	49.433	0.0	0.003	28.791	2.557	1040.584	1081.472	0.0	-91.706	-90.105	0.0
84	15111	15112	SN	1	48.805	49.433	0.0	0.003	28.791	1.858	1040.584	1081.472	0.0	-91.706	-90.105	0.0
85	15111	15112	NS	1	48.571	49.345	0.0	0.0	266.683	2.721	1030.176	1080.128	0.0	-91.96	-89.97	0.0
86	15111	15112	SN	1	48.814	49.433	0.0	0.003	28.791	2.557	1040.584	1081.472	0.0	-91.706	-90.105	0.0
87	15112	15113	NS	1	48.653	49.333	0.0	0.003	41.018	2.587	1029.984	1080.2	0.0	-92.208	-89.973	0.0
88	15112	15113	SN	1	48.848	49.432	0.0	0.0	257.413	2.865	1041.424	1081.552	0.0	-94.02	-90.093	0.0
89	15112	15113	SN	2	48.848	49.432	0.0	0.0	257.413	2.864	1041.424	1081.552	0.0	-94.02	-90.093	0.0
90	15112	15113	SN	1	48.848	49.432	0.0	0.0	257.413	1.864	1041.424	1081.552	0.0	-92.465	-90.093	0.0
91	15112	15113	NS	1	48.654	49.333	0.0	0.003	266.716	2.6	1030.008	1080.184	0.0	-92.208	-89.973	0.0
92	15113	15114	SN	1	48.819	49.429	0.0	0.003	6.475	1.551	1041.616	1081.712	0.0	-91.788	-90.072	0.0
93	15113	15114	NS	1	48.658	49.336	0.0	0.003	206.994	2.656	1029.824	1080.352	0.0	-91.703	-89.972	0.0
94	15113	15114	SN	2	48.768	49.429	0.0	0.003	6.475	2.612	1041.616	1081.712	0.0	-91.788	-90.072	0.0
95	15113	15114	SN	1	48.768	49.426	0.0	0.003	6.475	2.613	1041.616	1081.696	0.0	-91.788	-90.072	0.0
96	15113	15114	NS	1	48.655	49.318	0.0	0.003	206.989	2.655	1029.288	1080.344	0.0	-91.753	-89.972	0.0
97	15114	15115	NS	1	48.651	49.328	0.0	0.003	14.565	2.644	1029.64	1080.36	0.0	-91.656	-89.968	0.0
98	15114	15115	SN	1	48.815	49.427	0.0	0.003	280.554	2.546	1041.568	1081.768	0.0	-91.558	-90.056	0.0
99	15114	15115	NS	1	48.651	49.328	0.0	0.003	14.565	2.646	1029.64	1080.36	0.0	-92.032	-89.968	0.0
100	15115	15116	SN	1	48.831	49.426	0.0	0.003	280.14	2.555	1041.04	1081.664	0.0	-91.665	-90.094	0.0
101	15115	15116	NS	1	48.696	49.287	0.0	0.0	267.444	2.798	1029.112	1080.256	0.0	-91.942	-89.948	0.0
102	15116	15117	NS	1	48.696	49.335	0.0	0.003	43.152	2.436	1028.992	1079.512	0.0	-91.808	-89.973	0.0
103	15117	15118	SN	1	48.832	49.427	0.0	0.003	28.957	2.626	1041.384	1081.768	0.0	-91.693	-90.087	0.0
104	15117	15118	NS	1	48.664	49.328	0.0	0.0	267.351	2.701	1028.896	1080.416	0.0	-91.844	-89.972	0.0
105	15117	15118	SN	1	48.814	49.427	0.0	0.003	28.957	1.765	1041.384	1077.464	0.0	-91.668	-90.087	0.0
106	15117	15118	SN	1	48.827	49.265	0.0	0.003	28.957	2.21	1041.384	1056.464	0.0	-91.675	-90.087	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	15118	15119	SN	1	48.818	49.428	0.0	0.003	281.364	2.594	1041.192	1081.896	0.0	-92.143	-90.107	0.0
108	15118	15119	NS	1	48.64	49.308	0.0	0.008	15.062	2.616	1028.624	1080.456	0.0	-91.737	-89.97	0.0
109	15119	15120	SN	1	48.812	49.488	0.0	0.003	6.475	1.539	1040.872	1081.976	0.0	-91.855	-90.11	0.0
110	15119	15120	NS	1	48.641	49.347	0.0	0.0	206.3	2.702	1028.624	1080.544	0.0	-91.647	-89.969	0.0
111	15119	15120	NS	1	48.644	49.317	0.0	0.0	206.3	2.699	1028.624	1080.544	0.0	-91.63	-89.969	0.0
112	15119	15120	SN	1	48.824	49.488	0.0	0.0	58.906	2.666	1040.872	1081.976	0.0	-94.646	-90.11	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors










112	15119	15120	SN	1	-34.936	17.669	0.0	-34.977	19.613	0.0	-1.084	28.283	20.545	1.977	29.393	20.608	0.117	301.987	7.382	0.116	304.957	6.006	0.116	0.226	0.0	0.116	0.168	0.0
-----	-------	-------	----	---	---------	--------	-----	---------	--------	-----	--------	--------	--------	-------	--------	--------	-------	---------	-------	-------	---------	-------	-------	-------	-----	-------	-------	-----

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15091	15092	SN	2	57.362	58.289	0.0	0.0	289.245	4.016	1220.84	1270.856	0.0	-94.985	-92.138	0.0
2	15091	15092	SN	1	57.362	58.289	0.0	0.0	289.245	4.016	1220.84	1270.856	0.0	-94.985	-92.138	0.0
3	15091	15092	SN	1	57.618	58.289	0.0	0.0	284.833	3.298	1220.84	1270.856	0.0	-93.164	-92.138	0.0
4	15092	15093	SN	1	57.62	58.276	0.0	0.0	285.208	3.796	1220.024	1270.8	0.0	-93.147	-92.12	0.0
5	15092	15093	SN	1	57.63	58.276	0.0	0.0	285.208	3.799	1220.304	1270.8	0.0	-93.147	-92.12	0.0
6	15092	15093	NS	1	57.461	58.133	0.0	0.0	297.27	3.77	1206.312	1268.552	6.33	-94.324	-92.005	0.0
7	15093	15094	SN	1	57.606	58.277	0.0	0.0	286.885	3.315	1219.992	1270.96	0.0	-93.228	-92.147	0.0
8	15093	15094	NS	1	57.477	58.136	0.0	0.0	297.01	3.622	1206.88	1268.792	6.199	-93.036	-91.968	0.0
9	15093	15094	SN	1	57.606	58.277	0.0	0.0	286.885	3.646	1219.992	1270.96	0.0	-93.228	-92.147	0.0
10	15093	15094	SN	1	57.606	58.277	0.0	0.0	286.885	3.318	1220.024	1270.96	0.0	-93.275	-92.147	0.0
11	15094	15095	SN	1	57.612	58.275	0.0	0.0	296.988	3.653	1220.272	1270.888	0.0	-93.85	-92.153	0.0
12	15094	15095	NS	1	57.479	58.136	0.0	0.0	289.769	3.861	1207.032	1268.672	6.08	-93.296	-92.022	0.0
13	15094	15095	SN	1	57.612	58.275	0.0	0.0	296.988	3.304	1220.272	1270.888	0.0	-93.619	-92.153	0.0
14	15095	15096	NS	1	57.478	58.136	0.0	0.0	297.242	3.728	1206.728	1268.56	5.974	-93.118	-91.989	0.0
15	15095	15096	SN	1	57.591	58.274	0.0	0.0	299.189	3.693	1220.064	1270.752	0.0	-94.553	-92.153	0.0
16	15095	15096	SN	1	57.614	58.274	0.0	0.0	291.06	3.27	1220.064	1270.752	0.0	-93.159	-92.153	0.0
17	15095	15096	NS	1	57.478	58.136	0.0	0.0	297.242	3.723	1206.576	1268.56	6.011	-93.1	-91.989	0.0
18	15096	15097	NS	1	57.448	58.165	0.0	0.0	298.874	3.836	1206.392	1268.488	6.299	-93.098	-92.006	0.0
19	15096	15097	SN	1	57.609	58.308	0.0	0.0	286.444	3.09	1219.816	1270.68	0.0	-93.224	-92.153	0.0
20	15096	15097	SN	1	57.61	58.308	0.0	0.0	293.31	3.649	1219.816	1270.68	0.0	-94.581	-92.153	0.0
21	15096	15097	NS	1	57.448	58.165	0.0	0.0	298.874	3.832	1206.392	1268.488	6.334	-93.098	-92.006	0.0
22	15097	15098	NS	2	57.467	58.287	0.0	0.0	298.113	3.754	1206.92	1268.44	6.486	-95.954	-92.021	0.0
23	15097	15098	NS	1	57.468	58.287	0.0	0.0	298.141	3.753	1206.936	1268.424	6.457	-95.953	-92.021	0.0
24	15097	15098	SN	1	57.609	58.275	0.0	0.0	283.752	2.928	1220.44	1270.664	0.0	-93.054	-92.153	0.0
25	15097	15098	SN	1	57.608	58.292	0.0	0.0	288.749	3.766	1220.44	1270.664	0.0	-95.517	-92.153	0.0
26	15097	15098	SN	1	57.611	58.292	0.0	0.0	288.749	3.762	1220.44	1270.664	0.0	-95.517	-92.153	0.0
27	15098	15099	SN	1	57.344	58.277	0.0	0.0	285.126	3.835	1220.4	1270.92	0.0	-95.664	-92.137	0.0
28	15098	15099	NS	1	57.443	58.155	0.0	0.0	296.928	3.943	1206.088	1268.64	7.041	-94.541	-92.019	0.0
29	15098	15099	SN	1	57.627	58.277	0.0	0.0	284.899	2.645	1220.4	1270.92	0.0	-93.137	-92.137	0.0
30	15098	15099	SN	1	57.344	58.277	0.0	0.0	285.114	3.83	1220.664	1270.92	0.0	-95.664	-92.137	0.0
31	15099	15100	NS	2	57.443	58.134	0.0	0.0	286.835	3.805	1206.64	1268.696	6.92	-93.174	-91.994	0.0
32	15099	15100	NS	1	57.443	58.134	0.0	0.0	286.808	3.807	1206.648	1268.68	6.912	-93.174	-91.994	0.0
33	15099	15100	SN	1	57.641	58.278	0.0	0.0	299.371	3.747	1220.736	1271.048	0.0	-94.213	-92.098	0.0
34	15100	15101	NS	1	57.455	58.134	0.0	0.0	288.6	3.938	1206.04	1268.632	6.361	-93.22	-91.991	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	15100	15101	SN	1	57.638	58.33	0.0	0.0	294.843	3.733	1220.64	1271.008	0.0	-93.498	-92.136	0.0
36	15100	15101	NS	1	57.455	58.134	0.0	0.0	288.572	3.94	1206.04	1268.632	6.378	-93.246	-91.991	0.0
37	15101	15102	NS	1	57.46	58.133	0.0	0.0	292.549	3.746	1205.872	1268.568	6.759	-93.026	-92.02	0.0
38	15101	15102	NS	1	57.46	58.133	0.0	0.0	292.549	3.742	1205.872	1268.584	6.751	-93.115	-92.02	0.0
39	15101	15102	SN	2	57.34	58.277	0.0	0.0	298.72	3.839	1220.576	1270.896	0.0	-95.53	-92.121	0.0
40	15101	15102	SN	1	57.34	58.277	0.0	0.0	298.72	3.839	1220.576	1270.896	0.0	-95.53	-92.121	0.0
41	15102	15103	NS	1	57.443	58.157	0.0	0.0	299.078	3.854	1206.28	1268.672	7.119	-93.162	-92.019	0.0
42	15102	15103	NS	1	57.443	58.156	0.0	0.0	299.117	3.84	1205.984	1268.68	7.129	-93.187	-92.019	0.0
43	15102	15103	SN	2	57.611	58.307	0.0	0.0	293.778	3.808	1220.504	1271.0	0.0	-93.11	-92.128	0.0
44	15102	15103	SN	1	57.611	58.307	0.0	0.0	293.778	3.808	1220.504	1271.0	0.0	-93.11	-92.128	0.0
45	15102	15103	NS	1	57.443	58.156	0.0	0.0	299.117	3.293	1205.984	1267.504	7.253	-93.175	-92.019	0.0
46	15103	15104	NS	2	57.369	58.188	0.0	0.0	284.916	3.73	1205.776	1268.744	7.523	-95.722	-92.016	0.0
47	15103	15104	SN	1	57.618	58.278	0.0	0.0	289.642	3.708	1220.512	1271.056	0.0	-93.181	-92.141	0.0
48	15103	15104	SN	1	57.605	58.278	0.0	0.0	289.642	3.704	1220.512	1271.056	0.0	-93.181	-92.141	0.0
49	15103	15104	NS	1	57.369	58.188	0.0	0.0	284.916	3.73	1205.776	1268.744	7.523	-95.722	-92.016	0.0
50	15103	15104	NS	1	57.369	58.188	0.0	0.003	284.916	2.947	1205.776	1266.208	7.913	-95.722	-92.016	0.0
51	15104	15105	NS	1	57.459	58.133	0.0	0.003	286.802	2.345	1205.624	1264.392	8.729	-93.012	-92.015	0.0
52	15104	15105	SN	1	57.613	58.28	0.0	0.0	286.692	3.693	1220.552	1271.192	0.0	-93.081	-92.158	0.0
53	15104	15105	NS	1	57.459	58.133	0.0	0.0	286.802	3.778	1205.624	1268.896	7.929	-93.012	-92.015	0.0
54	15104	15105	NS	2	57.459	58.133	0.0	0.0	286.802	3.778	1205.624	1268.896	7.929	-93.012	-92.015	0.0
55	15104	15105	SN	1	57.61	58.28	0.0	0.0	286.675	3.688	1220.56	1271.208	0.0	-93.145	-92.157	0.0
56	15105	15106	NS	1	57.443	58.138	0.0	0.0	297.27	3.779	1206.056	1268.896	8.078	-93.002	-92.002	0.0
57	15105	15106	SN	1	57.615	58.281	0.0	0.003	297.678	2.895	1220.272	1271.288	0.0	-93.2	-92.159	0.0
58	15105	15106	SN	1	57.615	58.281	0.0	0.003	297.678	3.892	1220.272	1271.288	0.0	-93.2	-92.159	0.0
59	15105	15106	NS	1	57.443	58.133	0.0	0.0	297.27	2.099	1206.056	1260.152	9.511	-93.017	-92.002	0.0
60	15106	15107	SN	1	57.622	58.278	0.0	0.0	292.074	4.015	1220.64	1271.08	0.0	-93.015	-92.118	0.0
61	15106	15107	SN	1	57.622	58.278	0.0	0.0	292.074	3.622	1220.64	1271.08	0.0	-93.015	-92.118	0.0
62	15106	15107	NS	1	57.441	58.133	0.0	0.0	292.025	4.008	1206.2	1268.736	6.759	-93.079	-91.997	0.0
63	15107	15108	NS	1	57.474	58.136	0.0	0.0	297.556	3.605	1205.976	1269.024	6.357	-93.068	-91.986	0.0
64	15107	15108	SN	1	57.628	58.309	0.0	0.0	296.994	3.427	1220.192	1271.312	0.0	-93.419	-92.128	0.0
65	15107	15108	SN	1	57.628	58.309	0.0	0.0	296.994	3.424	1220.192	1271.312	0.0	-93.419	-92.128	0.0
66	15107	15108	SN	1	57.628	58.309	0.0	0.0	296.994	3.775	1220.192	1271.312	0.0	-95.115	-92.128	0.0
67	15107	15108	NS	1	57.475	58.137	0.0	0.0	297.501	3.605	1206.136	1269.008	6.346	-93.013	-91.986	0.0
68	15108	15109	NS	1	57.449	58.138	0.0	0.0	297.678	3.613	1206.344	1269.136	6.471	-93.038	-91.99	0.0
69	15108	15109	SN	1	57.602	58.279	0.0	0.0	290.999	3.334	1220.328	1271.352	0.0	-93.142	-92.153	0.0
70	15108	15109	NS	1	57.449	58.147	0.0	0.0	297.678	3.609	1206.776	1269.136	6.491	-93.162	-91.99	0.0
71	15108	15109	SN	1	57.429	58.279	0.0	0.0	290.977	3.66	1220.328	1271.352	0.0	-94.076	-92.153	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	15108	15109	SN	2	57.428	58.279	0.0	0.0	290.977	3.662	1220.328	1271.352	0.0	-94.076	-92.153	0.0
73	15109	15110	SN	1	57.613	58.281	0.0	0.0	288.07	3.653	1219.824	1271.208	0.0	-93.22	-92.121	0.0
74	15109	15110	SN	1	57.611	58.281	0.0	0.0	288.07	3.65	1219.536	1271.208	0.0	-93.22	-92.121	0.0
75	15109	15110	NS	1	57.465	58.137	0.0	0.0	285.092	3.83	1206.912	1269.04	5.931	-93.08	-91.993	0.0
76	15109	15110	NS	2	57.465	58.138	0.0	0.0	285.004	3.834	1206.92	1269.032	5.926	-93.312	-91.993	0.0
77	15109	15110	SN	1	57.613	58.281	0.0	0.0	286.058	3.285	1219.824	1271.208	0.0	-93.22	-92.121	0.0
78	15110	15111	NS	1	57.456	58.138	0.0	0.0	287.221	3.781	1206.896	1268.96	6.765	-93.042	-92.009	0.0
79	15110	15111	SN	1	57.586	58.296	0.0	0.0	286.201	3.63	1220.256	1271.152	0.0	-93.329	-92.153	0.0
80	15110	15111	SN	1	57.615	58.296	0.0	0.0	286.228	3.626	1220.256	1271.152	0.0	-93.198	-92.153	0.0
81	15110	15111	NS	2	57.456	58.138	0.0	0.0	296.244	3.781	1206.896	1268.96	6.768	-93.042	-92.009	0.0
82	15111	15112	NS	2	57.457	58.146	0.0	0.0	297.242	3.964	1206.88	1268.768	6.814	-93.162	-92.015	0.0
83	15111	15112	SN	2	57.601	58.29	0.0	0.0	296.806	3.715	1220.28	1271.024	0.0	-93.234	-92.153	0.0
84	15111	15112	SN	1	57.599	58.29	0.0	0.0	296.806	3.04	1220.28	1271.024	0.0	-93.234	-92.153	0.0
85	15111	15112	NS	1	57.458	58.166	0.0	0.0	290.503	3.964	1206.888	1268.76	6.788	-93.162	-92.015	0.0
86	15111	15112	SN	1	57.601	58.29	0.0	0.0	296.806	3.715	1220.28	1271.024	0.0	-93.234	-92.153	0.0
87	15112	15113	NS	1	57.442	58.137	0.0	0.0	295.047	3.708	1206.112	1268.848	7.188	-93.079	-92.018	0.0
88	15112	15113	SN	1	57.577	58.278	0.0	0.0	299.817	4.053	1220.464	1271.144	0.0	-93.361	-92.145	0.0
89	15112	15113	SN	2	57.576	58.278	0.0	0.0	299.906	4.054	1220.464	1271.144	0.0	-93.361	-92.145	0.0
90	15112	15113	SN	1	57.607	58.278	0.0	0.0	290.514	3.04	1220.464	1271.144	0.0	-93.33	-92.145	0.0
91	15112	15113	NS	1	57.442	58.138	0.0	0.0	295.124	3.715	1206.136	1268.832	7.123	-93.079	-92.018	0.0
92	15113	15114	SN	1	57.644	58.28	0.0	0.0	288.203	2.425	1220.712	1271.344	0.0	-93.156	-92.113	0.0
93	15113	15114	NS	1	57.45	58.136	0.0	0.0	294.959	3.841	1205.72	1269.04	7.359	-93.229	-92.016	0.0
94	15113	15114	SN	2	57.644	58.313	0.0	0.0	293.359	3.796	1220.712	1271.344	0.0	-95.959	-92.113	0.0
95	15113	15114	SN	1	57.643	58.313	0.0	0.0	293.359	3.798	1220.712	1271.32	0.0	-95.959	-92.113	0.0
96	15113	15114	NS	1	57.446	58.169	0.0	0.0	295.008	3.832	1205.816	1269.016	7.318	-93.115	-92.016	0.0
97	15114	15115	NS	1	57.446	58.137	0.0	0.0	297.01	3.912	1205.808	1269.04	6.597	-93.088	-91.983	0.0
98	15114	15115	SN	1	57.507	58.28	0.0	0.0	289.146	3.71	1220.728	1271.424	0.0	-95.242	-92.101	0.0
99	15114	15115	NS	1	57.446	58.137	0.0	0.0	297.01	3.916	1206.36	1269.04	6.604	-93.157	-91.983	0.0
100	15115	15116	SN	1	57.62	58.279	0.0	0.0	286.874	3.734	1220.48	1271.264	0.0	-93.043	-92.138	0.0
101	15115	15116	NS	1	57.476	58.297	0.0	0.0	284.491	4.024	1206.024	1268.928	7.023	-95.956	-91.989	0.0
102	15116	15117	NS	1	57.476	58.154	0.0	0.0	296.806	3.206	1205.76	1267.864	7.4	-93.295	-92.018	0.0
103	15117	15118	SN	1	57.606	58.28	0.0	0.0	296.089	3.826	1220.392	1271.416	0.0	-93.15	-92.132	0.0
104	15117	15118	NS	1	57.439	58.17	0.0	0.0	290.834	3.85	1205.44	1269.12	7.564	-93.157	-92.012	0.0
105	15117	15118	SN	1	57.64	58.28	0.0	0.003	286.24	2.359	1220.392	1266.912	0.0	-93.173	-92.132	0.0
106	15117	15118	SN	1	57.612	58.079	0.0	0.006	286.24	2.996	1220.392	1240.0	0.0	-93.078	-92.132	0.0
107	15118	15119	SN	1	57.608	58.282	0.0	0.003	290.503	3.747	1220.152	1271.592	0.0	-93.173	-92.155	0.0
108	15118	15119	NS	1	57.447	58.135	0.0	0.0	296.536	3.696	1205.544	1269.16	8.153	-93.073	-92.014	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	15119	15120	SN	1	57.616	58.313	0.0	0.0	287.718	2.463	1220.024	1271.672	0.0	-93.212	-92.158	0.0
110	15119	15120	NS	1	57.438	58.158	0.0	0.0	297.363	3.876	1205.672	1269.264	8.322	-93.146	-92.014	0.0
111	15119	15120	NS	1	57.407	58.161	0.0	0.0	297.363	3.873	1205.32	1269.264	8.312	-93.126	-92.014	0.0
112	15119	15120	SN	1	57.417	58.313	0.0	0.0	293.773	3.831	1220.024	1271.672	0.0	-95.229	-92.158	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	15091	15092	SN	2	-34.204	20.617	0.0	-34.711	20.783	0.0	-31.523	22.34	0.009	-32.17	22.401	0.004	0.086	195.007	4.39	0.086	219.239	3.531	0.086	105.222	0.195	0.086	122.116	0.222
2	15091	15092	SN	1	-34.204	20.617	0.0	-34.711	20.783	0.0	-31.523	22.34	0.009	-32.17	22.401	0.004	0.086	195.007	4.39	0.086	219.239	3.531	0.086	105.222	0.195	0.086	122.116	0.222
3	15091	15092	SN	1	-34.843	20.617	0.0	-34.366	20.783	0.0	-31.838	22.34	0.009	-32.17	22.401	0.004	0.086	225.909	4.481	0.086	202.466	3.68	0.086	113.157	0.197	0.086	122.116	0.223
4	15092	15093	SN	1	-34.704	19.519	0.0	-34.543	20.02	0.0	-26.368	22.354	0.004	-33.232	22.816	0.014	0.086	218.807	3.89	0.086	210.829	3.142	0.086	32.162	0.282	0.086	155.94	0.352
5	15092	15093	SN	1	-34.552	19.519	0.0	-34.543	20.02	0.0	-26.296	22.354	0.004	-33.553	22.816	0.015	0.086	211.333	3.887	0.086	210.829	3.133	0.086	31.629	0.28	0.086	167.896	0.353
6	15092	15093	NS	1	-34.444	19.29	0.0	-34.786	20.071	0.0	-18.686	22.58	0.014	-6.981	23.983	0.065	0.086	206.128	1.91	0.086	222.985	2.023	0.086	5.537	0.002	0.086	0.437	0.0
7	15093	15094	SN	1	-34.569	16.439	0.0	-34.728	16.532	0.0	-22.968	22.18	0.006	-17.459	23.131	0.019	0.087	212.11	2.729	0.087	220.038	2.365	0.086	14.73	0.034	0.086	4.19	0.062
8	15093	15094	NS	1	-34.646	15.549	0.0	-34.17	15.473	0.0	-20.055	22.754	0.012	-26.486	22.962	0.042	0.087	215.934	1.257	0.087	193.545	1.153	0.086	7.565	0.002	0.086	33.042	0.048
9	15093	15094	SN	1	-34.569	16.439	0.0	-34.728	16.532	0.0	-22.968	22.18	0.006	-17.459	23.131	0.019	0.087	212.11	2.687	0.087	220.038	2.475	0.086	14.73	0.034	0.086	4.19	0.062
10	15093	15094	SN	1	-34.617	16.439	0.0	-33.242	16.532	0.0	-22.99	22.18	0.006	-17.462	23.131	0.019	0.087	214.502	2.727	0.087	156.31	2.361	0.086	14.805	0.034	0.086	4.193	0.062
11	15094	15095	SN	1	-34.943	16.05	0.0	-34.663	16.832	0.0	0.782	21.569	0.0	1.502	21.595	0.0	0.087	231.212	3.089	0.087	216.78	2.815	0.086	0.138	0.0	0.086	0.129	0.0
12	15094	15095	NS	1	-33.437	14.688	0.0	-33.576	15.323	0.0	-28.585	22.036	0.002	-28.319	22.339	0.024	0.088	163.456	1.544	0.087	168.781	1.11	0.086	53.541	0.146	0.086	50.352	0.146
13	15094	15095	SN	1	-34.943	16.05	0.0	-34.844	16.832	0.0	0.782	21.569	0.0	1.502	21.595	0.0	0.087	231.212	3.058	0.087	226.012	2.768	0.086	0.138	0.0	0.086	0.129	0.0
14	15095	15096	NS	1	-34.837	14.318	0.0	-33.512	15.088	0.0	-7.642	22.552	0.008	-27.594	22.947	0.049	0.088	225.657	2.516	0.087	166.325	2.079	0.086	0.497	0.0	0.086	42.623	0.005
15	15095	15096	SN	1	-34.708	17.005	0.0	-34.942	17.402	0.0	1.057	22.231	0.006	2.477	22.825	0.03	0.087	219.084	4.784	0.087	231.138	4.32	0.086	0.134	0.0	0.086	0.12	0.0
16	15095	15096	SN	1	-34.905	17.005	0.0	-34.942	17.402	0.0	1.057	22.231	0.006	2.477	22.825	0.032	0.087	229.163	4.835	0.087	231.138	4.348	0.086	0.134	0.0	0.086	0.12	0.0
17	15095	15096	NS	1	-34.284	14.318	0.0	-34.803	15.088	0.0	-7.642	22.552	0.008	-27.753	22.945	0.049	0.088	198.702	2.537	0.087	223.879	2.081	0.086	0.497	0.0	0.086	44.213	0.005
18	15096	15097	NS	1	-34.592	14.454	0.0	-34.586	14.474	0.0	-17.759	21.909	0.0	-20.357	22.752	0.016	0.088	213.254	2.565	0.088	212.966	2.308	0.086	4.485	0.01	0.086	8.103	0.019
19	15096	15097	SN	1	-34.991	16.999	0.0	-34.946	17.327	0.0	0.718	21.64	0.0	2.202	22.107	0.014	0.087	233.763	8.237	0.087	231.417	7.472	0.086	0.139	0.0	0.086	0.122	0.0
20	15096	15097	SN	1	-34.991	16.999	0.0	-34.946	17.327	0.0	0.718	21.64	0.0	2.202	22.107	0.013	0.087	233.763	8.113	0.087	231.417	7.251	0.086	0.139	0.0	0.086	0.122	0.0
21	15096	15097	NS	1	-34.837	14.454	0.0	-34.957	14.474	0.0	-17.759	21.909	0.0	-20.35	22.755	0.016	0.088	225.634	2.563	0.088	231.983	2.315	0.086	4.485	0.01	0.086	8.093	0.019
22	15097	15098	NS	2	-34.951	20.845	0.0	-34.898	21.258	0.0	-25.883	22.228	0.009	-17.167	22.797	0.044	0.086	231.606	4.591	0.086	228.878	4.639	0.086	28.76	0.124	0.086	3.921	0.044
23	15097	15098	NS	1	-34.891	20.845	0.0	-34.898	21.258	0.0	-25.883	22.228	0.009	-17.167	22.797	0.044	0.086	228.484	4.591	0.086	228.878	4.641	0.086	28.76	0.124	0.086	3.921	0.044
24	15097	15098	SN	1	-34.86	15.724	0.0	-34.803	15.51	0.0	-4.167	22.862	0.082	0.512	23.45	0.169	0.087	226.825	3.788	0.087	223.823	3.556	0.086	0.263	0.0	0.086	0.142	0.0
25	15097	15098	SN	1	-34.86	15.724	0.0	-34.722	15.51	0.0	-4.167	22.862	0.077	0.512	23.45	0.169	0.087	226.825	3.894	0.087	219.759	3.393	0.086	0.263	0.0	0.086	0.142	0.0
26	15097	15098	SN	1	-34.105	15.724	0.0	-34.786	15.51	0.0	-4.17	22.862	0.077	0.522	23.45	0.169	0.087	190.656	3.908	0.087	222.953	3.387	0.086	0.264	0.0	0.086	0.142	0.0
27	15098	15099	SN	1	-34.091	16.173	0.0	-34.99	16.04	0.0	-13.169	23.487	0.161	-9.523	23.696	0.557	0.087	190.034	1.72	0.087	233.757	1.63	0.086	1.602	0.001	0.086	0.73	0.0
28	15098	15099	NS	1	-34.564	20.364	0.0	-34.996	20.008	0.0	-1.192	21.985	0.0	0.761	23.629	0.098	0.086	211.919	5.966	0.086	234.049	5.122	0.086	0.171	0.0	0.086	0.138	0.0
29	15098	15099	SN	1	-34.091	16.173	0.0	-34.554	16.04	0.0	-13.386	23.487	0.173	-9.523	23.696	0.558	0.087	190.034	1.257	0.087	211.415	1.333	0.086	1.68	0.002	0.086	0.73	0.0
30	15098	15099	SN	1	-34.527	16.173	0.0	-34.982	16.04	0.0	-13.098	23.487	0.161	-9.515	23.696	0.557	0.087	210.124	1.719	0.087	233.319	1.637	0.086	1.576	0.001	0.086	0.728	0.0
31	15099	15100	NS	2	-34.866	16.994	0.0	-34.998	16.59	0.0	-0.725	21.859	0.0	-20.965	23.686	0.439	0.087	227.155	6.584	0.087	234.148	6.712	0.086	0.162	0.0	0.086	9.313	0.01
32	15099	15100	NS	1	-34.866	16.994	0.0	-34.86	16.59	0.0	-0.725	21.859	0.0	-20.974	23.686	0.439	0.087	227.155	6.581	0.087	226.837	6.711	0.086	0.162	0.0	0.086	9.332	0.01

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		







107	15118	15119	SN	1	-34.807	16.878	0.0	-34.748	16.57	0.0	-25.66	22.936	0.161	-24.051	22.863	0.027	0.087	224.089	5.348	0.087	221.055	4.523	0.086	27.326	0.112	0.086	18.886	0.155
108	15118	15119	NS	1	-34.718	19.273	0.0	-34.665	16.487	0.0	0.625	22.362	0.006	-2.676	23.526	0.78	0.086	219.554	3.002	0.087	216.838	2.413	0.086	0.14	0.0	0.086	0.209	0.0
109	15119	15120	SN	1	-34.898	13.639	0.0	-34.875	14.256	0.0	-0.028	22.781	0.049	-0.219	22.422	0.025	0.088	228.839	6.562	0.088	227.61	6.279	0.086	0.15	0.0	0.086	0.153	0.0
110	15119	15120	NS	1	-34.994	17.113	0.0	-34.966	17.879	0.0	-0.343	23.202	0.318	2.449	23.53	0.748	0.087	233.937	9.807	0.086	232.445	9.507	0.086	0.155	0.0	0.086	0.12	0.0
111	15119	15120	NS	1	-34.953	17.118	0.0	-34.966	17.879	0.0	-0.343	23.201	0.318	2.448	23.53	0.748	0.087	231.689	9.865	0.086	232.445	9.52	0.086	0.155	0.0	0.086	0.12	0.0
112	15119	15120	SN	1	-34.784	13.639	0.0	-34.875	14.256	0.0	-0.45	22.781	0.042	-0.224	22.422	0.023	0.088	222.932	6.932	0.088	227.61	5.879	0.086	0.157	0.0	0.086	0.153	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors