




Inner Sea Aft Sigma0VsKp




Outer Sea Aft Sigma0VsKp




Inner Sea Fore Sigma0VsKp




Outer Sea Fore Sigma0VsKp




Inner Land Aft Sigma0VsKp




Outer Land Aft Sigma0VsKp



Inner Land Fore Sigma0VsKp



Outer Land Fore Sigma0VsKp



SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 10-AUG-2019 To 11-AUG-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15193	15194	SN	1	48.814	49.435	0.0	0.003	32.475	2.463	1040.896	1083.208	0.0	-91.611	-90.064	0.0
2	15193	15194	NS	1	48.674	49.295	0.0	0.003	41.933	2.632	1029.472	1081.904	0.0	-91.7	-89.946	0.0
3	15193	15194	SN	2	48.814	49.435	0.0	0.003	32.475	2.744	1040.896	1083.208	0.0	-91.587	-90.064	0.0
4	15193	15194	NS	1	48.645	49.295	0.0	0.003	41.933	2.63	1029.472	1081.904	0.0	-91.602	-89.946	0.0
5	15193	15194	SN	1	48.814	49.435	0.0	0.003	32.475	2.743	1040.896	1083.208	0.0	-91.587	-90.064	0.0
6	15194	15195	SN	1	48.823	49.434	0.0	0.003	6.53	2.416	1039.832	1083.368	0.0	-91.877	-90.074	0.0
7	15194	15195	NS	2	48.707	49.297	0.0	0.0	43.119	2.655	1029.648	1082.12	0.0	-91.639	-89.934	0.0
8	15194	15195	SN	1	48.823	49.434	0.0	0.003	6.53	2.54	1039.832	1083.368	0.0	-91.877	-90.074	0.0
9	15194	15195	NS	1	48.706	49.297	0.0	0.0	264.985	2.655	1029.64	1082.112	0.0	-91.639	-89.934	0.0
10	15194	15195	SN	1	48.823	49.434	0.0	0.003	6.53	2.413	1039.832	1083.368	0.0	-91.877	-90.074	0.0
11	15195	15196	SN	1	48.798	49.476	0.0	0.003	214.374	2.332	1040.456	1083.408	0.0	-91.801	-90.099	0.0
12	15195	15196	NS	1	48.707	49.332	0.0	0.003	207.0	2.515	1029.792	1082.216	0.0	-92.068	-89.94	0.0
13	15195	15196	SN	1	48.793	49.476	0.0	0.003	214.374	2.49	1040.456	1083.408	0.0	-91.801	-90.099	0.0
14	15196	15197	NS	1	48.666	49.299	0.0	0.003	210.64	2.687	1029.592	1082.128	0.0	-91.657	-89.948	0.0
15	15196	15197	SN	1	48.656	49.486	0.0	0.0	169.162	3.001	1040.0	1083.312	0.0	-94.647	-90.072	0.0
16	15197	15198	SN	1	48.815	49.433	0.0	0.003	279.644	2.529	1040.352	1083.256	0.0	-91.673	-90.098	0.0
17	15197	15198	NS	1	48.649	49.3	0.0	0.003	264.213	2.601	1029.88	1082.024	0.0	-91.669	-89.962	0.0
18	15197	15198	NS	1	48.648	49.301	0.0	0.003	206.785	2.596	1029.896	1081.992	0.0	-91.77	-89.962	0.0
19	15197	15198	SN	1	48.798	49.455	0.0	0.003	279.644	2.518	1040.352	1083.256	0.0	-91.861	-90.098	0.0
20	15197	15198	SN	1	48.798	49.455	0.0	0.003	279.644	2.071	1040.352	1083.256	0.0	-91.861	-90.098	0.0
21	15198	15199	NS	1	48.668	49.299	0.0	0.0	267.318	2.714	1029.888	1081.888	0.0	-91.683	-89.966	0.0
22	15198	15199	NS	1	48.652	49.297	0.0	0.0	210.734	2.717	1029.8	1081.936	0.0	-91.763	-89.966	0.0
23	15198	15199	SN	1	48.815	49.444	0.0	0.003	6.502	1.856	1040.224	1083.168	0.0	-91.851	-90.099	0.0
24	15198	15199	SN	2	48.815	49.444	0.0	0.003	6.502	2.572	1040.224	1083.168	0.0	-91.851	-90.099	0.0
25	15198	15199	SN	1	48.815	49.444	0.0	0.003	6.502	2.572	1040.224	1083.168	0.0	-91.851	-90.099	0.0
26	15199	15200	NS	1	48.647	49.312	0.0	0.003	210.353	2.546	1028.752	1081.992	0.0	-92.108	-89.971	0.0
27	15199	15200	SN	1	48.852	49.443	0.0	0.003	215.493	1.643	1040.552	1083.248	0.0	-91.836	-90.094	0.0
28	15199	15200	SN	1	48.822	49.434	0.0	0.003	215.493	2.65	1040.552	1083.248	0.0	-91.876	-90.094	0.0
29	15199	15200	NS	1	48.644	49.308	0.0	0.003	267.224	2.544	1028.8	1081.944	0.0	-92.108	-89.972	0.0
30	15199	15200	SN	1	48.852	49.443	0.0	0.003	215.493	2.652	1040.552	1083.248	0.0	-91.836	-90.094	0.0
31	15200	15201	SN	1	48.638	49.438	0.0	0.003	6.524	2.596	1040.728	1083.4	0.0	-92.629	-90.062	0.0
32	15200	15201	SN	1	48.638	49.435	0.0	0.003	6.524	2.595	1040.72	1083.336	0.0	-92.629	-90.062	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	15200	15201	NS	2	48.656	49.393	0.0	0.003	210.607	2.664	1029.232	1082.128	0.0	-93.999	-89.97	0.0
34	15200	15201	NS	1	48.644	49.395	0.0	0.003	207.281	2.663	1029.264	1082.072	0.0	-94.0	-89.971	0.0
35	15200	15201	SN	1	48.825	49.438	0.0	0.003	6.524	1.543	1040.728	1083.4	0.0	-91.876	-90.062	0.0
36	15201	15202	SN	1	48.836	49.434	0.0	0.003	280.813	2.53	1040.656	1083.424	0.0	-91.716	-90.045	0.0
37	15201	15202	NS	1	48.665	49.362	0.0	0.003	42.672	2.65	1029.288	1082.152	0.0	-94.374	-89.966	0.0
38	15202	15203	NS	1	48.691	49.323	0.0	0.0	267.417	2.805	1029.768	1082.016	0.0	-91.879	-89.945	0.0
39	15202	15203	SN	1	48.817	49.435	0.0	0.003	280.178	2.558	1040.56	1083.36	0.0	-91.682	-90.084	0.0
40	15203	15204	SN	2	48.817	49.434	0.0	0.003	6.519	2.629	1040.512	1083.368	0.0	-91.749	-90.082	0.0
41	15203	15204	SN	1	48.798	49.435	0.0	0.003	6.519	2.629	1040.512	1083.368	0.0	-91.749	-90.082	0.0
42	15203	15204	NS	1	48.707	49.298	0.0	0.003	210.348	2.52	1029.696	1081.84	0.0	-91.586	-89.971	0.0
43	15203	15204	NS	1	48.707	49.298	0.0	0.003	210.348	2.592	1029.696	1082.056	0.0	-91.586	-89.971	0.0
44	15203	15204	NS	1	48.707	49.298	0.0	0.003	210.348	2.589	1029.696	1082.056	0.0	-91.586	-89.971	0.0
45	15204	15205	NS	1	48.65	49.326	0.0	0.003	19.363	2.239	1028.736	1080.624	0.0	-91.804	-89.968	0.0
46	15204	15205	SN	1	48.805	49.468	0.0	0.003	6.508	2.571	1040.456	1083.44	0.0	-91.789	-90.078	0.0
47	15204	15205	NS	1	48.65	49.326	0.0	0.003	19.363	2.618	1028.736	1082.152	0.0	-91.804	-89.968	0.0
48	15204	15205	SN	1	48.805	49.468	0.0	0.003	6.508	2.575	1040.456	1083.44	0.0	-91.789	-90.078	0.0
49	15204	15205	NS	1	48.65	49.326	0.0	0.003	19.363	2.616	1028.736	1082.136	0.0	-91.804	-89.968	0.0
50	15205	15206	SN	1	48.796	49.472	0.0	0.003	280.879	2.586	1040.328	1083.536	0.0	-91.874	-90.101	0.0
51	15205	15206	SN	1	48.796	49.472	0.0	0.003	280.879	2.581	1040.328	1083.536	0.0	-91.874	-90.101	0.0
52	15205	15206	NS	1	48.645	49.328	0.0	0.003	264.554	1.664	1028.76	1079.48	0.0	-91.731	-89.967	0.0
53	15205	15206	NS	1	48.645	49.328	0.0	0.003	264.554	2.591	1028.76	1082.256	0.0	-91.765	-89.967	0.0
54	15205	15206	NS	2	48.645	49.328	0.0	0.003	264.554	2.591	1028.76	1082.256	0.0	-91.765	-89.967	0.0
55	15206	15207	NS	2	48.647	49.297	0.0	0.0	267.417	2.717	1028.608	1082.328	0.0	-91.637	-89.966	0.0
56	15206	15207	SN	1	48.814	49.437	0.0	0.003	280.962	2.642	1040.528	1083.624	0.0	-91.91	-90.102	0.0
57	15206	15207	NS	1	48.647	49.297	0.0	0.0	267.417	1.678	1028.608	1076.688	0.0	-91.637	-89.966	0.0
58	15206	15207	SN	1	48.797	49.46	0.0	0.003	280.962	2.64	1040.24	1083.624	0.0	-91.877	-90.102	0.0
59	15206	15207	NS	1	48.647	49.297	0.0	0.0	267.417	2.717	1028.608	1082.296	0.0	-91.637	-89.966	0.0
60	15206	15207	SN	1	48.814	49.437	0.0	0.003	280.962	1.531	1040.528	1083.624	0.0	-91.91	-90.102	0.0
61	15207	15208	NS	1	48.598	49.364	0.0	0.0	80.58	2.658	1029.216	1082.28	0.0	-92.528	-89.966	0.0
62	15207	15208	SN	2	48.826	49.437	0.0	0.0	107.763	2.769	1040.64	1083.584	0.0	-91.831	-90.09	0.0
63	15207	15208	SN	1	48.826	49.437	0.0	0.003	6.53	2.036	1040.64	1083.584	0.0	-91.831	-90.09	0.0
64	15207	15208	SN	1	48.824	49.435	0.0	0.0	107.763	2.769	1040.624	1083.552	0.0	-91.831	-90.09	0.0
65	15207	15208	NS	1	48.599	49.356	0.0	0.0	267.323	2.657	1029.256	1082.24	0.0	-92.528	-89.966	0.0
66	15208	15209	NS	1	48.705	49.304	0.0	0.003	264.61	2.604	1029.576	1082.264	0.0	-91.608	-89.951	0.0
67	15208	15209	SN	1	48.829	49.435	0.0	0.003	31.141	2.459	1039.736	1083.552	0.0	-91.742	-90.066	0.0
68	15208	15209	NS	1	48.705	49.304	0.0	0.003	264.61	2.602	1029.576	1082.264	0.0	-91.659	-89.951	0.0
69	15208	15209	SN	2	48.829	49.435	0.0	0.003	31.141	2.621	1039.736	1083.552	0.0	-91.742	-90.066	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	15208	15209	SN	1	48.829	49.435	0.0	0.003	31.141	2.621	1039.736	1083.552	0.0	-91.742	-90.066	0.0
71	15209	15210	NS	1	48.706	49.316	0.0	0.003	13.567	2.503	1029.704	1082.456	0.0	-91.727	-89.913	0.0
72	15209	15210	NS	1	48.706	49.3	0.0	0.003	13.567	2.509	1029.712	1082.448	0.0	-91.638	-89.913	0.0
73	15209	15210	SN	2	48.804	49.461	0.0	0.003	281.166	2.377	1039.544	1083.68	0.0	-92.178	-90.1	0.0
74	15209	15210	SN	1	48.804	49.461	0.0	0.003	281.166	2.379	1039.544	1083.68	0.0	-92.178	-90.1	0.0
75	15209	15210	SN	1	48.804	49.461	0.0	0.003	281.166	2.377	1039.544	1083.68	0.0	-92.178	-90.1	0.0
76	15210	15211	NS	1	48.707	49.3	0.0	0.003	19.854	2.559	1029.88	1082.432	0.0	-91.644	-89.967	0.0
77	15210	15211	SN	1	48.641	49.464	0.0	0.003	6.53	2.516	1040.128	1083.616	0.0	-92.687	-90.097	0.0
78	15210	15211	SN	1	48.792	49.464	0.0	0.003	6.53	2.31	1040.128	1083.616	0.0	-91.94	-90.097	0.0
79	15210	15211	NS	1	48.707	49.326	0.0	0.003	19.854	2.565	1029.88	1082.432	0.0	-91.632	-89.967	0.0
80	15210	15211	SN	1	48.641	49.464	0.0	0.003	6.53	2.514	1040.128	1083.616	0.0	-92.687	-90.097	0.0
81	15211	15212	SN	1	48.791	49.469	0.0	0.003	6.524	2.163	1039.96	1083.504	0.0	-91.972	-90.097	0.0
82	15211	15212	NS	1	48.682	49.302	0.0	0.003	43.136	2.605	1029.176	1082.296	0.0	-91.824	-89.948	0.0
83	15211	15212	SN	1	48.785	49.472	0.0	0.003	6.524	2.5	1039.744	1083.504	0.0	-91.857	-90.097	0.0
84	15211	15212	SN	1	48.785	49.469	0.0	0.003	6.524	2.502	1039.96	1083.504	0.0	-91.972	-90.097	0.0
85	15211	15212	NS	2	48.681	49.301	0.0	0.003	207.309	2.605	1029.168	1082.312	0.0	-91.824	-89.948	0.0
86	15212	15213	SN	1	48.8	49.486	0.0	0.003	278.144	2.514	1039.784	1083.448	0.0	-91.766	-90.098	0.0
87	15212	15213	SN	1	48.793	49.486	0.0	0.003	278.144	2.512	1040.12	1083.448	0.0	-91.778	-90.098	0.0
88	15212	15213	NS	2	48.657	49.311	0.0	0.003	267.312	2.683	1029.2	1082.24	0.0	-91.671	-89.959	0.0
89	15212	15213	NS	1	48.657	49.451	0.0	0.003	267.312	2.684	1029.2	1082.24	0.0	-93.939	-89.959	0.0
90	15212	15213	SN	1	48.8	49.486	0.0	0.003	278.144	1.958	1039.784	1083.448	0.0	-91.942	-90.098	0.0
91	15213	15214	NS	1	48.708	49.367	0.0	0.003	267.411	2.556	1029.776	1082.176	0.0	-91.828	-89.972	0.0
92	15213	15214	SN	1	48.817	49.434	0.0	0.003	29.367	2.601	1040.16	1083.432	0.0	-91.668	-90.099	0.0
93	15213	15214	SN	2	48.817	49.434	0.0	0.003	29.367	2.601	1040.16	1083.432	0.0	-91.668	-90.099	0.0
94	15213	15214	NS	1	48.706	49.364	0.0	0.003	41.525	2.558	1029.736	1082.208	0.0	-91.823	-89.972	0.0
95	15213	15214	SN	1	48.817	49.434	0.0	0.003	29.367	1.753	1040.16	1083.432	0.0	-91.668	-90.099	0.0
96	15214	15215	SN	1	48.839	49.435	0.0	0.003	215.504	1.582	1040.432	1083.6	0.0	-91.693	-90.086	0.0
97	15214	15215	NS	1	48.644	49.3	0.0	0.0	264.626	2.718	1029.624	1082.352	0.0	-91.689	-89.971	0.0
98	15214	15215	NS	1	48.644	49.3	0.0	0.0	264.626	2.715	1029.624	1082.352	0.0	-91.728	-89.971	0.0
99	15214	15215	SN	1	48.839	49.435	0.0	0.003	215.504	2.681	1040.432	1083.6	0.0	-91.693	-90.086	0.0
100	15214	15215	SN	2	48.839	49.435	0.0	0.003	215.504	2.682	1040.432	1083.6	0.0	-91.693	-90.086	0.0
101	15215	15216	SN	2	48.81	49.435	0.0	0.003	280.896	2.583	1040.456	1083.688	0.0	-91.669	-90.036	0.0
102	15215	15216	NS	1	48.656	49.308	0.0	0.003	267.411	2.6	1028.688	1082.44	0.0	-91.866	-89.953	0.0
103	15215	15216	SN	1	48.81	49.435	0.0	0.003	280.896	2.583	1040.456	1083.688	0.0	-91.669	-90.036	0.0
104	15215	15216	NS	1	48.654	49.365	0.0	0.003	267.411	2.612	1029.624	1082.432	0.0	-91.828	-89.953	0.0
105	15216	15217	SN	1	48.845	49.436	0.0	0.003	214.914	2.558	1040.424	1083.648	0.0	-91.74	-90.08	0.0
106	15216	15217	NS	2	48.668	49.357	0.0	0.003	210.634	2.725	1029.728	1082.376	0.0	-91.85	-89.94	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	15216	15217	NS	1	48.669	49.358	0.0	0.003	267.224	2.726	1029.736	1082.376	0.0	-91.85	-89.94	0.0
108	15217	15218	SN	1	48.821	49.436	0.0	0.003	281.486	2.604	1040.304	1083.592	0.0	-91.763	-90.072	0.0
109	15217	15218	NS	1	48.687	49.343	0.0	0.003	43.224	2.626	1028.768	1082.336	0.0	-91.746	-89.972	0.0
110	15218	15219	NS	1	48.641	49.342	0.0	0.0	206.785	2.542	1029.64	1081.624	0.0	-91.85	-89.97	0.0
111	15218	15219	NS	1	48.641	49.342	0.0	0.0	206.785	2.747	1029.64	1082.416	0.0	-91.711	-89.97	0.0
112	15218	15219	SN	1	48.8	49.436	0.0	0.003	280.984	2.575	1040.288	1083.68	0.0	-91.829	-90.07	0.0
113	15218	15219	SN	1	48.797	49.473	0.0	0.003	280.984	2.578	1040.288	1083.68	0.0	-91.865	-90.07	0.0
114	15219	15220	NS	2	48.659	49.324	0.0	0.003	13.457	2.578	1028.944	1082.464	0.0	-91.761	-89.968	0.0
115	15219	15220	SN	1	48.797	49.436	0.0	0.0	245.666	2.655	1040.28	1083.704	0.0	-91.773	-90.078	0.0
116	15219	15220	NS	1	48.659	49.324	0.0	0.003	13.457	1.939	1028.944	1080.36	0.0	-91.761	-89.968	0.0
117	15219	15220	NS	1	48.659	49.324	0.0	0.003	13.457	2.578	1028.944	1082.464	0.0	-91.761	-89.968	0.0
118	15220	15221	NS	1	48.645	49.324	0.0	0.003	210.678	1.531	1028.392	1078.648	0.0	-91.649	-89.967	0.0
119	15220	15221	SN	2	48.8	49.486	0.0	0.003	6.524	2.578	1040.296	1083.832	0.0	-91.88	-90.101	0.0
120	15220	15221	SN	1	48.8	49.438	0.0	0.003	6.524	2.576	1040.296	1083.816	0.0	-91.88	-90.101	0.0
121	15220	15221	NS	1	48.645	49.324	0.0	0.003	210.678	2.626	1028.392	1082.6	0.0	-91.649	-89.967	0.0
122	15220	15221	NS	1	48.647	49.323	0.0	0.003	210.678	2.624	1029.376	1082.6	0.0	-91.649	-89.967	0.0
123	15221	15222	SN	1	48.814	49.438	0.0	0.0	21.409	2.724	1040.464	1083.888	0.0	-93.003	-90.102	0.0
124	15221	15222	NS	1	48.664	49.335	0.0	0.003	267.229	2.527	1029.168	1082.64	0.0	-91.77	-89.964	0.0
125	15221	15222	NS	1	48.65	49.333	0.0	0.003	267.229	2.525	1029.336	1082.64	0.0	-92.076	-89.964	0.0
126	15221	15222	NS	1	48.664	49.335	0.0	0.003	267.229	1.518	1029.168	1074.688	0.0	-92.3	-89.964	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

112	15218	15219	SN	1	-34.914	23.561	0.004	-34.75	24.039	0.005	-26.834	30.359	12.374	-9.736	30.264	12.491	0.116	300.458	3.23	0.116	289.353	2.597	0.116	46.828	0.011	0.116	1.004	0.001
113	15218	15219	SN	1	-34.832	23.556	0.004	-34.465	24.039	0.005	-26.877	30.359	12.376	-9.74	30.264	12.49	0.116	294.868	3.238	0.116	270.981	2.593	0.116	47.302	0.011	0.116	1.004	0.001
114	15219	15220	NS	2	-34.852	23.306	0.004	-34.891	22.568	0.005	4.23	27.896	19.075	9.579	29.215	32.846	0.116	296.207	6.24	0.116	298.863	5.454	0.116	0.146	0.0	0.116	0.124	0.0
115	15219	15220	SN	1	-34.131	24.468	0.006	-34.962	23.43	0.004	-22.782	29.531	20.97	-7.283	29.661	22.058	0.116	250.919	2.66	0.116	303.79	2.478	0.116	18.478	0.002	0.116	0.612	0.0
116	15219	15220	NS	1	-34.852	23.309	0.004	-34.891	22.568	0.005	4.23	27.896	6.451	9.579	29.217	26.573	0.116	296.207	6.247	0.116	298.863	5.454	0.116	0.146	0.0	0.116	0.124	0.0
117	15219	15220	NS	1	-34.852	23.306	0.004	-34.891	22.568	0.005	4.23	27.896	19.075	9.579	29.215	32.846	0.116	296.207	6.24	0.116	298.863	5.454	0.116	0.146	0.0	0.116	0.124	0.0
118	15220	15221	NS	1	-34.999	23.499	0.007	-34.679	24.205	0.013	-0.699	27.262	0.66	7.84	30.779	12.333	0.116	306.418	6.034	0.116	284.659	4.606	0.116	0.216	0.0	0.116	0.128	0.0
119	15220	15221	SN	2	-34.977	18.789	0.0	-34.841	22.897	0.011	4.439	28.872	35.707	7.706	30.243	46.987	0.117	304.941	5.939	0.116	295.53	5.301	0.116	0.144	0.0	0.116	0.129	0.0
120	15220	15221	SN	1	-34.937	18.789	0.0	-34.841	22.897	0.011	4.439	28.872	35.707	7.706	30.243	46.984	0.117	302.119	5.939	0.116	295.53	5.301	0.116	0.144	0.0	0.116	0.129	0.0
121	15220	15221	NS	1	-34.999	23.467	0.009	-34.679	24.231	0.013	-0.699	28.501	24.81	7.84	30.779	36.873	0.116	306.418	6.029	0.116	284.659	4.606	0.116	0.216	0.0	0.116	0.128	0.0
122	15220	15221	NS	1	-34.971	23.467	0.009	-34.953	24.231	0.013	-0.699	28.499	24.81	7.84	30.779	36.877	0.116	304.5	6.025	0.116	303.163	4.617	0.116	0.216	0.0	0.116	0.128	0.0
123	15221	15222	SN	1	-34.73	21.833	0.0	-34.993	22.938	0.024	5.364	28.84	11.381	5.996	29.647	9.675	0.116	288.024	3.265	0.116	305.961	2.679	0.116	0.139	0.0	0.116	0.135	0.0
124	15221	15222	NS	1	-34.606	23.722	0.024	-34.847	23.717	0.02	5.862	28.607	13.643	6.702	28.821	23.292	0.116	279.919	6.071	0.116	295.952	5.351	0.116	0.136	0.0	0.116	0.132	0.0
125	15221	15222	NS	1	-34.634	23.722	0.024	-34.847	23.717	0.02	5.863	28.606	13.641	6.704	28.821	23.291	0.116	281.72	6.062	0.116	295.952	5.36	0.116	0.136	0.0	0.116	0.132	0.0
126	15221	15222	NS	1	-34.507	23.502	0.013	-34.847	23.708	0.019	5.862	24.5	3.762	6.645	26.06	6.74	0.116	273.666	6.417	0.116	295.952	5.381	0.116	0.136	0.0	0.116	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15193	15194	SN	1	57.608	58.289	0.0	0.0	292.146	3.638	1219.448	1273.192	0.0	-93.078	-92.117	0.0
2	15193	15194	NS	1	57.445	58.148	0.0	0.0	291.413	3.837	1205.944	1270.928	7.401	-93.168	-91.993	0.0
3	15193	15194	SN	2	57.345	58.289	0.0	0.0	295.576	3.996	1219.448	1273.192	0.0	-94.974	-92.117	0.0
4	15193	15194	NS	1	57.435	58.15	0.0	0.0	291.413	3.833	1205.976	1270.928	7.394	-93.082	-91.993	0.0
5	15193	15194	SN	1	57.345	58.289	0.0	0.0	295.565	3.998	1219.448	1273.192	0.0	-94.974	-92.117	0.0
6	15194	15195	SN	1	57.614	58.289	0.0	0.0	293.078	3.428	1219.56	1273.376	0.0	-93.187	-92.12	0.0
7	15194	15195	NS	2	57.432	58.152	0.0	0.0	291.887	3.756	1206.184	1271.176	7.079	-94.26	-91.975	0.0
8	15194	15195	SN	1	57.614	58.289	0.0	0.0	293.078	3.733	1219.584	1273.376	0.0	-93.17	-92.12	0.0
9	15194	15195	NS	1	57.432	58.151	0.0	0.0	291.848	3.756	1206.184	1271.176	7.09	-94.26	-91.975	0.0
10	15194	15195	SN	1	57.614	58.289	0.0	0.0	293.078	3.424	1219.584	1273.376	0.0	-93.17	-92.12	0.0
11	15195	15196	SN	1	57.59	58.289	0.0	0.0	298.615	3.331	1219.288	1273.424	0.0	-93.194	-92.148	0.0
12	15195	15196	NS	1	57.443	58.153	0.0	0.0	292.835	3.619	1205.576	1271.304	7.226	-93.181	-91.978	0.0
13	15195	15196	SN	1	57.423	58.289	0.0	0.0	298.615	3.647	1219.288	1273.424	0.0	-94.225	-92.148	0.0
14	15196	15197	NS	1	57.451	58.153	0.0	0.0	297.181	3.808	1206.224	1271.192	6.598	-93.158	-91.988	0.0
15	15196	15197	SN	1	57.462	58.312	0.0	0.0	291.407	4.123	1219.064	1273.272	0.0	-95.878	-92.116	0.0
16	15197	15198	SN	1	57.589	58.3	0.0	0.0	297.6	3.66	1219.152	1273.24	0.0	-93.302	-92.147	0.0
17	15197	15198	NS	1	57.448	58.153	0.0	0.0	292.676	3.748	1205.696	1271.08	7.443	-93.083	-92.004	0.0
18	15197	15198	NS	1	57.45	58.154	0.0	0.0	292.587	3.746	1205.728	1271.032	7.395	-93.128	-92.005	0.0
19	15197	15198	SN	1	57.589	58.287	0.0	0.0	297.6	3.618	1219.152	1273.24	0.0	-93.122	-92.147	0.0
20	15197	15198	SN	1	57.589	58.287	0.0	0.0	297.6	3.162	1219.152	1273.24	0.0	-93.243	-92.147	0.0
21	15198	15199	NS	1	57.447	58.17	0.0	0.0	296.994	3.94	1206.52	1270.896	7.474	-93.267	-92.012	0.0
22	15198	15199	NS	1	57.454	58.156	0.0	0.0	297.143	3.943	1206.464	1270.968	7.565	-93.143	-92.011	0.0
23	15198	15199	SN	1	57.589	58.319	0.0	0.0	293.089	3.042	1219.2	1273.12	0.0	-93.184	-92.147	0.0
24	15198	15199	SN	2	57.589	58.319	0.0	0.0	299.387	3.722	1219.2	1273.12	0.0	-94.093	-92.147	0.0
25	15198	15199	SN	1	57.589	58.319	0.0	0.0	299.387	3.722	1219.2	1273.12	0.0	-94.093	-92.147	0.0
26	15199	15200	NS	1	57.434	58.17	0.0	0.0	296.95	3.716	1205.384	1271.04	7.87	-93.209	-92.015	0.0
27	15199	15200	SN	1	57.63	58.308	0.0	0.0	290.993	2.838	1219.384	1273.24	0.0	-93.143	-92.145	0.0
28	15199	15200	SN	1	57.411	58.308	0.0	0.0	295.146	3.837	1219.384	1273.24	0.0	-94.085	-92.145	0.0
29	15199	15200	NS	1	57.437	58.178	0.0	0.0	293.933	3.711	1205.424	1270.96	7.747	-93.14	-92.016	0.0
30	15199	15200	SN	1	57.409	58.308	0.0	0.0	295.124	3.842	1219.384	1273.24	0.0	-94.085	-92.145	0.0
31	15200	15201	SN	1	57.632	58.29	0.0	0.0	292.554	3.746	1219.608	1273.416	0.0	-93.209	-92.103	0.0
32	15200	15201	SN	1	57.629	58.287	0.0	0.0	292.405	3.741	1219.592	1273.328	0.0	-93.209	-92.104	0.0
33	15200	15201	NS	2	57.407	58.21	0.0	0.0	293.42	3.82	1205.592	1271.192	8.055	-95.509	-92.015	0.0
34	15200	15201	NS	1	57.409	58.213	0.0	0.0	293.464	3.825	1205.648	1271.104	7.957	-95.51	-92.015	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	15200	15201	SN	1	57.632	58.29	0.0	0.0	292.554	2.424	1219.608	1273.416	0.0	-93.209	-92.103	0.0
36	15201	15202	SN	1	57.631	58.322	0.0	0.0	291.903	3.675	1219.464	1273.48	0.0	-93.114	-92.09	0.0
37	15201	15202	NS	1	57.439	58.287	0.0	0.0	294.115	3.918	1206.216	1271.232	7.214	-95.94	-91.983	0.0
38	15202	15203	NS	1	57.471	58.182	0.0	0.0	295.946	3.977	1205.616	1271.056	7.58	-93.198	-91.984	0.0
39	15202	15203	SN	1	57.601	58.289	0.0	0.0	289.708	3.719	1219.352	1273.328	0.0	-93.118	-92.129	0.0
40	15203	15204	SN	2	57.608	58.29	0.0	0.0	297.126	3.832	1219.32	1273.376	0.0	-93.166	-92.131	0.0
41	15203	15204	SN	1	57.608	58.291	0.0	0.0	297.099	3.831	1219.32	1273.384	0.0	-93.166	-92.131	0.0
42	15203	15204	NS	1	57.445	58.15	0.0	0.0	294.258	3.427	1205.448	1270.792	7.914	-93.052	-92.016	0.0
43	15203	15204	NS	1	57.445	58.15	0.0	0.0	294.258	3.712	1205.448	1271.088	7.863	-93.052	-92.016	0.0
44	15203	15204	NS	1	57.445	58.15	0.0	0.0	294.258	3.708	1205.448	1271.088	7.854	-93.058	-92.016	0.0
45	15204	15205	NS	1	57.456	58.149	0.0	0.0	289.091	3.125	1205.552	1269.248	8.426	-93.163	-92.011	0.0
46	15204	15205	SN	1	57.629	58.29	0.0	0.0	299.52	3.717	1219.248	1273.496	0.0	-93.179	-92.124	0.0
47	15204	15205	NS	1	57.456	58.149	0.0	0.0	299.371	3.748	1205.552	1271.216	8.161	-93.144	-92.011	0.0
48	15204	15205	SN	1	57.629	58.29	0.0	0.0	299.52	3.729	1219.248	1273.496	0.0	-93.179	-92.124	0.0
49	15204	15205	NS	1	57.456	58.149	0.0	0.0	299.371	3.745	1205.304	1271.192	8.198	-93.144	-92.011	0.0
50	15205	15206	SN	1	57.595	58.304	0.0	0.0	295.758	3.712	1218.992	1273.584	0.0	-93.222	-92.149	0.0
51	15205	15206	SN	1	57.595	58.304	0.0	0.0	295.758	3.699	1218.992	1273.584	0.0	-93.181	-92.149	0.0
52	15205	15206	NS	1	57.408	58.15	0.0	0.003	294.336	2.62	1205.184	1268.384	9.354	-95.123	-92.011	0.0
53	15205	15206	NS	1	57.408	58.15	0.0	0.0	294.336	3.742	1205.184	1271.344	8.698	-95.123	-92.011	0.0
54	15205	15206	NS	2	57.408	58.15	0.0	0.0	294.336	3.742	1205.184	1271.344	8.698	-95.123	-92.011	0.0
55	15206	15207	NS	2	57.433	58.151	0.0	0.0	296.972	3.859	1205.344	1271.424	8.901	-93.111	-92.01	0.0
56	15206	15207	SN	1	57.603	58.316	0.0	0.0	293.277	3.773	1219.328	1273.72	0.0	-93.171	-92.151	0.0
57	15206	15207	NS	1	57.433	58.157	0.0	0.0	296.972	2.163	1205.344	1265.36	10.137	-93.009	-92.01	0.0
58	15206	15207	SN	1	57.602	58.316	0.0	0.0	293.232	3.769	1219.328	1273.72	0.0	-93.217	-92.151	0.0
59	15206	15207	NS	1	57.433	58.151	0.0	0.0	296.972	3.86	1205.344	1271.376	8.901	-93.042	-92.01	0.0
60	15206	15207	SN	1	57.603	58.316	0.0	0.003	292.56	2.599	1219.328	1273.72	0.0	-93.465	-92.151	0.0
61	15207	15208	NS	1	57.455	58.237	0.0	0.0	297.27	3.861	1205.376	1271.36	8.543	-95.486	-92.01	0.0
62	15207	15208	SN	2	57.606	58.31	0.0	0.0	291.699	4.05	1219.48	1273.656	0.0	-93.171	-92.137	0.0
63	15207	15208	SN	1	57.606	58.31	0.0	0.0	288.633	3.348	1219.48	1273.656	0.0	-93.171	-92.137	0.0
64	15207	15208	SN	1	57.612	58.308	0.0	0.0	291.699	4.053	1219.464	1273.6	0.0	-93.171	-92.137	0.0
65	15207	15208	NS	1	57.457	58.239	0.0	0.0	296.657	3.853	1205.416	1271.304	8.472	-95.486	-92.01	0.0
66	15208	15209	NS	1	57.467	58.153	0.0	0.0	299.988	3.751	1205.656	1271.352	7.219	-93.145	-91.997	0.0
67	15208	15209	SN	1	57.608	58.29	0.0	0.0	298.748	3.521	1218.632	1273.576	0.0	-93.328	-92.112	0.0
68	15208	15209	NS	1	57.467	58.153	0.0	0.0	299.988	3.748	1205.656	1271.352	7.211	-93.059	-91.997	0.0
69	15208	15209	SN	2	57.608	58.29	0.0	0.0	298.748	3.844	1218.632	1273.576	0.0	-93.328	-92.112	0.0
70	15208	15209	SN	1	57.608	58.29	0.0	0.0	298.748	3.844	1218.632	1273.576	0.0	-93.328	-92.112	0.0
71	15209	15210	NS	1	57.465	58.156	0.0	0.0	298.124	3.597	1205.64	1271.584	7.215	-93.126	-91.955	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	15209	15210	NS	1	57.465	58.156	0.0	0.0	298.097	3.607	1205.808	1271.56	7.173	-93.086	-91.956	0.0
73	15209	15210	SN	2	57.588	58.324	0.0	0.0	296.52	3.377	1218.736	1273.744	0.0	-93.322	-92.135	0.0
74	15209	15210	SN	1	57.588	58.324	0.0	0.0	296.52	3.366	1218.736	1273.744	0.0	-93.322	-92.135	0.0
75	15209	15210	SN	1	57.588	58.324	0.0	0.0	296.52	3.377	1218.736	1273.744	0.0	-93.322	-92.135	0.0
76	15210	15211	NS	1	57.468	58.156	0.0	0.0	292.416	3.662	1206.48	1271.544	7.075	-93.187	-92.015	0.0
77	15210	15211	SN	1	57.587	58.317	0.0	0.0	296.834	3.636	1218.88	1273.656	0.0	-93.811	-92.145	0.0
78	15210	15211	SN	1	57.592	58.317	0.0	0.003	294.258	3.328	1218.88	1273.656	0.0	-93.251	-92.145	0.0
79	15210	15211	NS	1	57.468	58.156	0.0	0.0	292.416	3.674	1206.48	1271.544	7.069	-93.084	-92.015	0.0
80	15210	15211	SN	1	57.588	58.317	0.0	0.0	296.872	3.638	1218.88	1273.656	0.0	-93.811	-92.145	0.0
81	15211	15212	SN	1	57.589	58.288	0.0	0.0	292.102	3.277	1218.856	1273.528	0.0	-93.192	-92.145	0.0
82	15211	15212	NS	1	57.41	58.299	0.0	0.0	293.657	3.749	1205.904	1271.384	6.952	-95.505	-91.989	0.0
83	15211	15212	SN	1	57.588	58.308	0.0	0.0	294.159	3.646	1218.856	1273.528	0.0	-93.238	-92.145	0.0
84	15211	15212	SN	1	57.589	58.288	0.0	0.0	294.159	3.649	1218.856	1273.528	0.0	-93.192	-92.145	0.0
85	15211	15212	NS	2	57.409	58.298	0.0	0.0	293.619	3.751	1205.888	1271.4	6.979	-95.505	-91.988	0.0
86	15212	15213	SN	1	57.587	58.287	0.0	0.0	293.304	3.603	1218.608	1273.456	0.0	-93.354	-92.146	0.0
87	15212	15213	SN	1	57.588	58.287	0.0	0.0	293.293	3.6	1218.824	1273.456	0.0	-93.209	-92.146	0.0
88	15212	15213	NS	2	57.443	58.153	0.0	0.0	294.848	3.842	1206.24	1271.312	7.274	-93.156	-92.002	0.0
89	15212	15213	NS	1	57.32	58.175	0.0	0.0	294.848	3.846	1206.24	1271.312	7.274	-95.221	-92.002	0.0
90	15212	15213	SN	1	57.587	58.287	0.0	0.0	292.03	3.09	1218.608	1273.456	0.0	-93.354	-92.146	0.0
91	15213	15214	NS	1	57.452	58.169	0.0	0.0	298.146	3.702	1206.008	1271.232	7.299	-93.176	-92.016	0.0
92	15213	15214	SN	1	57.609	58.288	0.0	0.0	291.192	3.803	1219.008	1273.424	0.0	-93.203	-92.145	0.0
93	15213	15214	SN	2	57.609	58.288	0.0	0.0	291.192	3.803	1219.008	1273.424	0.0	-93.203	-92.145	0.0
94	15213	15214	NS	1	57.45	58.154	0.0	0.0	298.168	3.707	1205.952	1271.28	7.386	-93.108	-92.016	0.0
95	15213	15214	SN	1	57.609	58.288	0.0	0.0	286.918	2.989	1219.008	1273.424	0.0	-93.203	-92.145	0.0
96	15214	15215	SN	1	57.628	58.29	0.0	0.003	296.426	2.687	1219.24	1273.656	0.0	-93.802	-92.128	0.0
97	15214	15215	NS	1	57.436	58.154	0.0	0.0	294.942	3.842	1205.568	1271.464	7.952	-93.114	-92.015	0.0
98	15214	15215	NS	1	57.436	58.154	0.0	0.0	294.942	3.838	1205.568	1271.464	7.944	-93.069	-92.015	0.0
99	15214	15215	SN	1	57.628	58.29	0.0	0.003	296.426	3.886	1219.24	1273.656	0.0	-93.802	-92.128	0.0
100	15214	15215	SN	2	57.628	58.29	0.0	0.003	296.426	3.884	1219.24	1273.656	0.0	-93.802	-92.128	0.0
101	15215	15216	SN	2	57.594	58.29	0.0	0.0	298.306	3.759	1219.224	1273.784	0.0	-93.056	-92.084	0.0
102	15215	15216	NS	1	57.435	58.155	0.0	0.0	291.021	3.79	1206.12	1271.576	7.846	-93.157	-91.993	0.0
103	15215	15216	SN	1	57.594	58.29	0.0	0.0	298.306	3.759	1219.224	1273.784	0.0	-93.056	-92.084	0.0
104	15215	15216	NS	1	57.436	58.163	0.0	0.0	290.139	3.792	1205.832	1271.56	7.813	-93.152	-91.994	0.0
105	15216	15217	SN	1	57.626	58.315	0.0	0.0	295.064	3.725	1219.184	1273.76	0.0	-93.134	-92.123	0.0
106	15216	15217	NS	2	57.439	58.294	0.0	0.0	291.865	3.974	1205.856	1271.488	7.161	-95.939	-91.986	0.0
107	15216	15217	NS	1	57.439	58.294	0.0	0.0	291.898	3.975	1205.864	1271.488	7.147	-95.939	-91.986	0.0
108	15217	15218	SN	1	57.318	58.29	0.0	0.0	293.459	3.796	1219.168	1273.648	0.0	-95.556	-92.113	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	15217	15218	NS	1	57.452	58.168	0.0	0.0	292.356	3.787	1205.68	1271.448	7.51	-93.171	-92.016	0.0
110	15218	15219	NS	1	57.43	58.178	0.0	0.0	294.473	3.296	1205.616	1270.44	8.087	-93.219	-92.015	0.0
111	15218	15219	NS	1	57.43	58.178	0.0	0.0	294.473	3.842	1205.616	1271.544	7.937	-93.287	-92.015	0.0
112	15218	15219	SN	1	57.601	58.324	0.0	0.0	293.293	3.754	1219.032	1273.728	0.0	-93.158	-92.119	0.0
113	15218	15219	SN	1	57.59	58.324	0.0	0.0	293.293	3.757	1219.032	1273.728	0.0	-93.171	-92.119	0.0
114	15219	15220	NS	2	57.437	58.153	0.0	0.0	298.455	3.715	1205.328	1271.616	8.332	-93.261	-92.012	0.0
115	15219	15220	SN	1	57.596	58.292	0.0	0.0	291.104	3.825	1219.016	1273.792	0.0	-94.353	-92.128	0.0
116	15219	15220	NS	1	57.437	58.153	0.0	0.003	298.455	2.891	1205.328	1269.224	8.768	-93.261	-92.012	0.0
117	15219	15220	NS	1	57.437	58.153	0.0	0.0	298.455	3.715	1205.328	1271.616	8.332	-93.261	-92.012	0.0
118	15220	15221	NS	1	57.43	58.155	0.0	0.0	290.425	2.311	1205.136	1267.568	9.586	-93.126	-92.012	0.0
119	15220	15221	SN	2	57.597	58.307	0.0	0.0	296.139	3.738	1219.04	1273.936	0.0	-93.322	-92.149	0.0
120	15220	15221	SN	1	57.596	58.307	0.0	0.003	296.161	3.736	1219.04	1273.912	0.0	-93.322	-92.149	0.0
121	15220	15221	NS	1	57.43	58.155	0.0	0.0	296.376	3.788	1205.136	1271.784	8.71	-93.126	-92.012	0.0
122	15220	15221	NS	1	57.43	58.155	0.0	0.0	296.376	3.783	1205.2	1271.784	8.705	-93.059	-92.012	0.0
123	15221	15222	SN	1	57.608	58.315	0.0	0.0	298.224	3.909	1219.256	1273.968	0.0	-95.856	-92.151	0.0
124	15221	15222	NS	1	57.443	58.18	0.0	0.0	296.69	3.763	1205.096	1271.824	8.923	-93.068	-92.004	0.0
125	15221	15222	NS	1	57.443	58.18	0.0	0.0	296.69	3.76	1205.064	1271.824	8.912	-93.163	-92.004	0.0
126	15221	15222	NS	1	57.443	58.173	0.0	0.003	296.69	2.041	1205.096	1263.096	10.502	-93.076	-92.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	15216	15217	NS	1	-34.778	20.631	0.0	-34.991	19.8	0.0	-23.683	21.623	0.0	-16.956	23.97	0.656	0.086	222.556	2.642	0.086	233.833	2.406	0.086	17.354	0.11	0.086	3.739	0.036
108	15217	15218	SN	1	-34.29	19.291	0.0	-34.931	20.617	0.0	-29.433	22.99	0.05	-20.764	22.791	0.02	0.086	198.938	1.512	0.086	230.565	1.45	0.086	65.062	0.168	0.086	8.895	0.032
109	15217	15218	NS	1	-34.795	16.494	0.0	-34.43	17.164	0.0	-20.026	22.056	0.003	-27.31	23.176	0.561	0.087	223.481	1.736	0.087	205.466	1.826	0.086	7.513	0.014	0.086	39.929	0.028
110	15218	15219	NS	1	-34.936	19.619	0.0	-34.803	18.377	0.0	-19.066	22.147	0.005	-24.974	23.784	0.607	0.086	230.814	3.74	0.086	223.895	3.379	0.086	6.038	0.045	0.086	23.348	0.015
111	15218	15219	NS	1	-34.936	19.619	0.0	-34.803	18.377	0.0	-19.066	22.135	0.014	-24.974	23.782	0.547	0.086	230.814	3.733	0.086	223.895	3.379	0.086	6.038	0.041	0.086	23.348	0.014
112	15218	15219	SN	1	-34.939	17.618	0.0	-33.921	17.868	0.0	-32.326	23.096	0.048	-27.453	23.119	0.019	0.087	230.991	3.955	0.087	182.708	3.904	0.086	126.605	0.13	0.086	41.264	0.16
113	15218	15219	SN	1	-34.683	17.614	0.0	-34.024	17.599	0.0	-33.061	23.096	0.048	-27.632	23.119	0.019	0.087	217.772	3.962	0.087	187.136	3.909	0.086	149.894	0.132	0.086	42.993	0.16
114	15219	15220	NS	2	-34.875	18.988	0.0	-34.478	16.541	0.0	-20.801	21.411	0.0	-16.477	23.649	0.617	0.086	227.608	5.45	0.087	207.743	4.756	0.086	8.971	0.006	0.086	3.354	0.016
115	15219	15220	SN	1	-34.954	17.641	0.0	-34.928	16.134	0.0	-33.571	22.817	0.113	-25.538	22.652	0.065	0.087	231.794	3.129	0.087	230.438	2.955	0.086	168.629	0.084	0.086	26.572	0.085
116	15219	15220	NS	1	-34.875	18.988	0.0	-34.478	16.539	0.0	-20.801	21.035	0.0	-16.477	23.638	0.852	0.086	227.608	5.469	0.087	207.743	4.756	0.086	8.971	0.009	0.086	3.354	0.023
117	15219	15220	NS	1	-34.875	18.988	0.0	-34.478	16.541	0.0	-20.801	21.411	0.0	-16.477	23.649	0.617	0.086	227.608	5.45	0.087	207.743	4.756	0.086	8.971	0.006	0.086	3.354	0.016
118	15220	15221	NS	1	-34.611	18.538	0.0	-34.916	19.206	0.0	1.3	20.773	0.0	2.844	23.295	0.182	0.086	214.19	5.355	0.086	229.781	4.656	0.086	0.132	0.0	0.086	0.117	0.0
119	15220	15221	SN	2	-34.922	12.656	0.0	-34.956	15.787	0.0	1.38	22.653	0.099	3.036	22.466	0.103	0.089	230.066	4.763	0.087	231.883	4.447	0.086	0.131	0.0	0.086	0.116	0.0
120	15220	15221	SN	1	-34.922	12.656	0.0	-34.973	15.787	0.0	1.38	22.653	0.099	3.036	22.466	0.103	0.089	230.066	4.762	0.087	232.771	4.446	0.086	0.131	0.0	0.086	0.116	0.0
121	15220	15221	NS	1	-34.611	18.538	0.0	-34.916	19.206	0.0	1.3	22.362	0.116	2.243	23.478	0.619	0.086	214.19	5.297	0.086	229.781	4.657	0.086	0.132	0.0	0.086	0.122	0.0
122	15220	15221	NS	1	-34.843	18.538	0.0	-34.968	19.206	0.0	1.3	22.358	0.116	2.245	23.479	0.619	0.086	225.924	5.3	0.086	232.595	4.675	0.086	0.132	0.0	0.086	0.122	0.0
123	15221	15222	SN	1	-34.253	16.118	0.0	-34.659	16.419	0.0	1.235	22.534	0.009	2.162	22.457	0.017	0.087	197.3	2.997	0.087	216.552	2.451	0.086	0.132	0.0	0.086	0.123	0.0
124	15221	15222	NS	1	-34.985	16.821	0.0	-34.914	17.184	0.0	1.937	23.21	0.284	1.043	23.467	0.635	0.087	233.444	5.331	0.087	229.674	5.314	0.086	0.125	0.0	0.086	0.135	0.0
125	15221	15222	NS	1	-34.81	16.821	0.0	-34.636	17.184	0.0	1.937	23.21	0.284	1.043	23.467	0.635	0.087	224.249	5.328	0.087	215.424	5.311	0.086	0.125	0.0	0.086	0.135	0.0
126	15221	15222	NS	1	-34.985	15.613	0.0	-34.914	17.191	0.0	1.937	20.32	0.0	1.052	20.079	0.0	0.087	233.444	5.749	0.087	229.674	5.345	0.086	0.125	0.0	0.086	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors