

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-DEC-2019 To 21-DEC-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 20-DEC-2019 To 21-DEC-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17107	17108	SN	2	48.792	49.44	0.0	0.003	6.668	2.732	1035.856	1086.032	0.0	-91.834	-90.035	0.0
2	17107	17108	SN	1	48.792	49.44	0.0	0.003	6.668	2.457	1035.856	1086.032	0.0	-91.834	-90.035	0.0
3	17107	17108	NS	1	48.706	49.349	0.0	0.003	41.365	2.689	1030.368	1085.264	0.0	-91.783	-89.953	0.0
4	17107	17108	NS	1	48.706	49.335	0.0	0.003	41.365	2.691	1030.368	1085.264	0.0	-91.844	-89.953	0.0
5	17107	17108	SN	1	48.792	49.44	0.0	0.003	6.668	2.732	1035.856	1086.032	0.0	-91.834	-90.035	0.0
6	17108	17109	SN	1	48.746	49.443	0.0	0.0	34.761	2.426	1035.248	1086.184	0.0	-92.853	-90.03	0.0
7	17108	17109	SN	1	48.747	49.443	0.0	0.0	34.761	2.421	1035.536	1086.184	0.0	-92.853	-90.03	0.0
8	17108	17109	SN	1	48.747	49.443	0.0	0.0	34.761	2.53	1035.536	1086.184	0.0	-92.853	-90.03	0.0
9	17108	17109	NS	1	48.708	49.388	0.0	0.0	52.045	2.646	1030.808	1085.48	0.0	-91.902	-89.927	0.0
10	17108	17109	NS	2	48.709	49.388	0.0	0.0	267.08	2.65	1030.816	1085.464	0.0	-91.902	-89.927	0.0
11	17109	17110	SN	1	48.79	49.463	0.0	0.003	6.673	2.35	1036.12	1086.24	0.0	-91.95	-90.062	0.0
12	17109	17110	NS	1	48.709	49.342	0.0	0.003	41.602	2.523	1030.352	1085.56	0.0	-91.73	-89.933	0.0
13	17109	17110	SN	1	48.79	49.463	0.0	0.003	6.673	2.488	1036.12	1086.24	0.0	-91.95	-90.062	0.0
14	17109	17110	SN	1	48.79	49.463	0.0	0.003	6.673	2.485	1036.12	1086.24	0.0	-92.099	-90.062	0.0
15	17110	17111	NS	1	48.703	49.331	0.0	0.0	264.532	2.768	1030.344	1085.416	0.0	-91.696	-89.957	0.0
16	17110	17111	SN	1	48.79	49.486	0.0	0.003	6.668	2.285	1036.04	1086.136	0.0	-92.05	-90.03	0.0
17	17110	17111	SN	1	48.79	49.486	0.0	0.003	6.668	2.556	1036.04	1086.136	0.0	-92.05	-90.03	0.0
18	17110	17111	NS	1	48.702	49.33	0.0	0.0	206.945	2.756	1030.32	1085.44	0.0	-91.696	-89.957	0.0
19	17111	17112	SN	1	48.745	49.486	0.0	0.003	6.668	2.539	1035.32	1086.04	0.0	-91.828	-90.06	0.0
20	17111	17112	NS	1	48.69	49.331	0.0	0.003	210.612	2.624	1031.08	1085.344	0.0	-91.739	-89.968	0.0
21	17112	17113	SN	2	48.736	49.457	0.0	0.003	6.651	2.614	1035.08	1085.952	0.0	-91.73	-90.06	0.0
22	17112	17113	NS	1	48.711	49.382	0.0	0.0	51.273	2.74	1031.08	1085.224	0.0	-91.757	-89.976	0.0
23	17112	17113	NS	1	48.709	49.357	0.0	0.0	51.278	2.743	1031.056	1085.256	0.0	-91.923	-89.975	0.0
24	17112	17113	SN	1	48.736	49.457	0.0	0.003	6.651	1.923	1035.08	1085.952	0.0	-91.73	-90.06	0.0
25	17112	17113	SN	1	48.736	49.457	0.0	0.003	6.651	2.615	1035.08	1085.952	0.0	-91.73	-90.06	0.0
26	17113	17114	NS	2	48.673	49.374	0.0	0.0	264.709	2.651	1030.728	1085.264	0.0	-91.896	-89.978	0.0
27	17113	17114	SN	1	48.751	49.459	0.0	0.003	6.657	2.647	1036.208	1086.016	0.0	-91.91	-90.062	0.0
28	17113	17114	SN	1	48.751	49.459	0.0	0.003	6.657	2.65	1036.208	1086.016	0.0	-91.91	-90.062	0.0
29	17113	17114	SN	1	48.751	49.459	0.0	0.003	6.657	1.667	1036.208	1086.016	0.0	-91.91	-90.062	0.0
30	17113	17114	NS	1	48.671	49.372	0.0	0.0	264.323	2.651	1030.904	1085.312	0.0	-91.896	-89.978	0.0
31	17114	17115	SN	2	48.791	49.44	0.0	0.003	281.254	2.593	1036.344	1086.168	0.0	-91.603	-90.016	0.0
32	17114	17115	SN	1	48.791	49.44	0.0	0.003	281.254	1.546	1036.344	1086.168	0.0	-91.603	-90.016	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	17114	17115	NS	1	48.662	49.335	0.0	0.0	264.455	2.694	1030.28	1085.4	0.0	-91.892	-89.978	0.0
34	17114	17115	SN	1	48.789	49.438	0.0	0.003	29.1	2.593	1036.328	1086.12	0.0	-91.603	-90.017	0.0
35	17114	17115	NS	1	48.707	49.361	0.0	0.0	264.455	2.693	1030.784	1085.4	0.0	-91.831	-89.978	0.0
36	17115	17116	NS	1	48.708	49.38	0.0	0.003	267.323	2.667	1030.92	1085.4	0.0	-92.176	-89.972	0.0
37	17115	17116	SN	1	48.786	49.461	0.0	0.003	281.403	2.529	1036.312	1086.144	0.0	-91.937	-90.0	0.0
38	17115	17116	NS	1	48.708	49.38	0.0	0.003	267.323	2.664	1030.92	1085.4	0.0	-92.176	-89.972	0.0
39	17115	17116	SN	2	48.786	49.461	0.0	0.003	281.403	2.529	1036.312	1086.144	0.0	-91.937	-90.0	0.0
40	17116	17117	NS	1	48.683	49.324	0.0	0.003	15.861	2.706	1030.256	1085.248	0.0	-91.747	-89.951	0.0
41	17116	17117	NS	1	48.683	49.324	0.0	0.003	15.861	2.703	1030.256	1085.248	0.0	-91.717	-89.951	0.0
42	17116	17117	SN	1	48.744	49.503	0.0	0.003	6.673	2.567	1035.176	1086.024	0.0	-91.834	-90.036	0.0
43	17117	17118	NS	1	48.653	49.386	0.0	0.003	41.437	2.596	1030.992	1085.328	0.0	-91.847	-89.982	0.0
44	17117	17118	SN	1	48.731	49.504	0.0	0.003	6.657	2.649	1035.52	1086.08	0.0	-92.038	-90.048	0.0
45	17118	17119	SN	1	48.74	49.439	0.0	0.003	6.662	2.567	1036.048	1086.144	0.0	-91.636	-90.037	0.0
46	17118	17119	NS	1	48.678	49.32	0.0	0.003	210.59	2.192	1029.952	1084.144	0.0	-91.676	-89.978	0.0
47	17118	17119	NS	1	48.678	49.32	0.0	0.003	210.59	2.557	1029.952	1085.4	0.0	-91.724	-89.978	0.0
48	17118	17119	SN	1	48.76	49.44	0.0	0.003	6.662	2.568	1036.048	1086.152	0.0	-91.636	-90.037	0.0
49	17119	17120	NS	1	48.647	49.376	0.0	0.0	39.824	2.454	1030.064	1084.464	0.0	-91.806	-89.976	0.0
50	17119	17120	SN	2	48.757	49.442	0.0	0.003	6.668	2.577	1035.872	1086.232	0.0	-91.635	-90.061	0.0
51	17119	17120	SN	1	48.757	49.442	0.0	0.003	6.668	2.577	1035.872	1086.232	0.0	-91.635	-90.061	0.0
52	17119	17120	NS	1	48.647	49.376	0.0	0.0	39.824	2.764	1030.064	1085.416	0.0	-91.842	-89.976	0.0
53	17119	17120	NS	2	48.647	49.376	0.0	0.0	39.824	2.764	1030.064	1085.392	0.0	-91.842	-89.976	0.0
54	17120	17121	SN	1	48.792	49.476	0.0	0.003	29.674	1.552	1036.088	1086.328	0.0	-91.909	-90.061	0.0
55	17120	17121	NS	1	48.664	49.321	0.0	0.003	210.237	1.507	1030.648	1080.624	0.0	-92.406	-89.976	0.0
56	17120	17121	NS	1	48.674	49.321	0.0	0.003	210.237	2.586	1030.576	1085.496	0.0	-91.528	-89.976	0.0
57	17120	17121	SN	2	48.792	49.476	0.0	0.0	117.525	2.719	1036.088	1086.328	0.0	-91.909	-90.061	0.0
58	17120	17121	NS	1	48.664	49.321	0.0	0.003	211.511	2.591	1030.648	1085.528	0.0	-92.406	-89.976	0.0
59	17120	17121	SN	1	48.792	49.476	0.0	0.0	117.525	2.719	1036.088	1086.328	0.0	-91.909	-90.061	0.0
60	17121	17122	SN	3	48.79	49.476	0.0	0.0	78.49	2.747	1036.264	1086.272	0.0	-91.837	-90.056	0.0
61	17121	17122	NS	1	48.643	49.391	0.0	0.003	18.266	2.763	1030.744	1085.472	0.0	-91.742	-89.975	0.0
62	17121	17122	NS	1	48.649	49.391	0.0	0.003	18.266	2.76	1030.744	1085.472	0.0	-91.895	-89.975	0.0
63	17121	17122	SN	1	48.79	49.476	0.0	0.0	78.49	2.747	1036.264	1086.272	0.0	-91.837	-90.056	0.0
64	17121	17122	SN	1	48.79	49.476	0.0	0.003	28.587	2.054	1036.264	1086.272	0.0	-91.837	-90.056	0.0
65	17121	17122	SN	2	48.79	49.476	0.0	0.0	78.49	2.747	1036.264	1086.272	0.0	-91.837	-90.056	0.0
66	17121	17122	SN	2	48.79	49.476	0.0	0.003	28.587	2.054	1036.264	1086.272	0.0	-91.837	-90.056	0.0
67	17121	17122	SN	4	48.79	49.476	0.0	0.0	78.49	2.747	1036.264	1086.272	0.0	-91.837	-90.056	0.0
68	17122	17123	SN	1	48.77	49.439	0.0	0.003	6.673	2.58	1035.744	1086.216	0.0	-91.777	-90.027	0.0
69	17122	17123	SN	2	48.79	49.439	0.0	0.003	6.673	2.578	1035.664	1086.216	0.0	-91.798	-90.027	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	17122	17123	SN	2	48.77	49.439	0.0	0.003	6.673	2.457	1035.744	1086.216	0.0	-91.777	-90.027	0.0
71	17122	17123	SN	1	48.77	49.439	0.0	0.003	6.673	2.457	1035.744	1086.216	0.0	-91.777	-90.027	0.0
72	17122	17123	SN	2	48.77	49.439	0.0	0.003	6.673	2.58	1035.744	1086.216	0.0	-91.777	-90.027	0.0
73	17122	17123	SN	1	48.79	49.439	0.0	0.003	6.673	2.578	1035.664	1086.216	0.0	-91.798	-90.027	0.0
74	17122	17123	NS	2	48.708	49.385	0.0	0.003	189.639	2.532	1030.944	1085.448	0.0	-92.406	-89.964	0.0
75	17122	17123	NS	1	48.708	49.385	0.0	0.003	189.639	2.532	1030.944	1085.448	0.0	-92.406	-89.964	0.0
76	17123	17124	SN	2	48.731	49.457	0.0	0.003	6.69	2.379	1035.096	1086.36	0.0	-91.826	-90.057	0.0
77	17123	17124	NS	2	48.696	49.384	0.0	0.0	267.169	2.648	1030.088	1085.632	0.0	-91.9	-89.915	0.0
78	17123	17124	SN	2	48.731	49.457	0.0	0.003	6.69	2.502	1035.096	1086.36	0.0	-91.826	-90.057	0.0
79	17123	17124	SN	3	48.731	49.457	0.0	0.003	6.69	2.379	1035.096	1086.36	0.0	-91.826	-90.057	0.0
80	17123	17124	NS	1	48.696	49.384	0.0	0.0	267.169	2.648	1030.088	1085.632	0.0	-91.9	-89.915	0.0
81	17123	17124	SN	4	48.731	49.457	0.0	0.003	6.69	2.379	1035.096	1086.36	0.0	-91.826	-90.057	0.0
82	17123	17124	NS	2	48.696	49.392	0.0	0.0	267.169	2.646	1030.096	1085.616	0.0	-91.9	-89.915	0.0
83	17123	17124	NS	1	48.696	49.392	0.0	0.0	267.169	2.646	1030.096	1085.616	0.0	-91.9	-89.915	0.0
84	17123	17124	SN	1	48.731	49.457	0.0	0.003	6.69	2.502	1035.096	1086.36	0.0	-91.826	-90.057	0.0
85	17123	17124	SN	1	48.731	49.457	0.0	0.003	6.69	2.379	1035.096	1086.36	0.0	-91.826	-90.057	0.0
86	17124	17125	NS	1	48.71	49.394	0.0	0.003	12.883	2.533	1031.24	1085.584	0.0	-91.771	-89.968	0.0
87	17124	17125	NS	1	48.71	49.392	0.0	0.003	12.883	2.531	1031.24	1085.584	0.0	-91.735	-89.968	0.0
88	17124	17125	SN	1	48.788	49.439	0.0	0.003	6.684	2.54	1035.68	1086.28	0.0	-91.803	-90.057	0.0
89	17124	17125	SN	2	48.788	49.439	0.0	0.003	6.684	2.333	1035.68	1086.28	0.0	-91.803	-90.057	0.0
90	17124	17125	NS	2	48.71	49.392	0.0	0.003	12.883	2.531	1031.24	1085.584	0.0	-91.735	-89.968	0.0
91	17124	17125	NS	2	48.71	49.394	0.0	0.003	12.883	2.533	1031.24	1085.584	0.0	-91.771	-89.968	0.0
92	17124	17125	SN	3	48.788	49.439	0.0	0.003	6.684	2.54	1035.68	1086.28	0.0	-91.803	-90.057	0.0
93	17124	17125	SN	2	48.788	49.439	0.0	0.003	6.684	2.54	1035.68	1086.28	0.0	-91.803	-90.057	0.0
94	17124	17125	SN	1	48.788	49.439	0.0	0.003	6.684	2.333	1035.68	1086.28	0.0	-91.803	-90.057	0.0
95	17124	17125	SN	4	48.788	49.439	0.0	0.003	6.684	2.54	1035.68	1086.28	0.0	-91.803	-90.057	0.0
96	17125	17126	SN	1	48.778	49.468	0.0	0.003	6.668	2.181	1035.256	1086.16	0.0	-91.917	-90.056	0.0
97	17125	17126	NS	2	48.71	49.325	0.0	0.003	264.527	2.667	1031.312	1085.48	0.0	-91.966	-89.969	0.0
98	17125	17126	NS	1	48.71	49.324	0.0	0.003	264.527	2.668	1031.312	1085.48	0.0	-91.866	-89.969	0.0
99	17125	17126	NS	1	48.71	49.325	0.0	0.003	264.527	2.667	1031.312	1085.48	0.0	-91.966	-89.969	0.0
100	17125	17126	SN	2	48.778	49.468	0.0	0.003	6.668	2.519	1035.256	1086.16	0.0	-91.917	-90.056	0.0
101	17125	17126	SN	1	48.778	49.468	0.0	0.003	6.668	2.519	1035.256	1086.16	0.0	-91.917	-90.056	0.0
102	17125	17126	SN	2	48.778	49.468	0.0	0.003	6.668	2.181	1035.256	1086.16	0.0	-91.917	-90.056	0.0
103	17125	17126	NS	2	48.71	49.324	0.0	0.003	264.527	2.668	1031.312	1085.48	0.0	-91.866	-89.969	0.0
104	17126	17127	SN	1	48.785	49.467	0.0	0.003	6.651	2.559	1035.656	1086.064	0.0	-91.863	-90.056	0.0
105	17126	17127	NS	2	48.711	49.385	0.0	0.003	42.766	2.628	1031.32	1085.408	0.0	-91.89	-89.968	0.0
106	17126	17127	NS	1	48.711	49.385	0.0	0.003	42.766	2.628	1031.32	1085.408	0.0	-91.89	-89.968	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	17126	17127	SN	2	48.785	49.467	0.0	0.003	6.651	2.559	1035.656	1086.064	0.0	-91.863	-90.056	0.0
108	17127	17128	SN	1	48.787	49.437	0.0	0.003	32.519	1.802	1035.76	1086.032	0.0	-91.845	-90.052	0.0
109	17127	17128	NS	2	48.705	49.324	0.0	0.0	267.086	2.725	1031.224	1085.344	0.0	-91.774	-89.979	0.0
110	17127	17128	SN	1	48.787	49.437	0.0	0.003	32.519	2.641	1035.76	1086.032	0.0	-91.845	-90.052	0.0
111	17127	17128	NS	4	48.705	49.324	0.0	0.0	267.086	2.725	1031.224	1085.344	0.0	-91.774	-89.979	0.0
112	17127	17128	NS	3	48.705	49.324	0.0	0.0	267.086	2.725	1031.224	1085.344	0.0	-91.774	-89.979	0.0
113	17127	17128	SN	2	48.787	49.437	0.0	0.003	32.519	1.802	1035.76	1086.032	0.0	-91.845	-90.052	0.0
114	17127	17128	SN	2	48.787	49.437	0.0	0.003	32.519	2.641	1035.76	1086.032	0.0	-91.845	-90.052	0.0
115	17127	17128	SN	2	48.787	49.497	0.0	0.003	32.519	1.804	1035.76	1086.032	0.0	-91.873	-90.052	0.0
116	17127	17128	NS	1	48.705	49.324	0.0	0.0	267.086	2.725	1031.224	1085.344	0.0	-91.774	-89.979	0.0
117	17127	17128	SN	1	48.787	49.497	0.0	0.003	32.519	1.804	1035.76	1086.032	0.0	-91.873	-90.052	0.0
118	17128	17129	NS	1	48.673	49.331	0.0	0.003	267.323	2.56	1030.856	1085.488	0.0	-91.838	-89.981	0.0
119	17128	17129	SN	2	48.788	49.438	0.0	0.003	280.311	2.675	1035.944	1086.2	0.0	-91.732	-90.046	0.0
120	17128	17129	SN	1	48.788	49.438	0.0	0.003	280.311	2.675	1035.944	1086.2	0.0	-91.732	-90.046	0.0
121	17128	17129	NS	2	48.673	49.331	0.0	0.003	267.323	2.56	1030.856	1085.488	0.0	-91.838	-89.981	0.0
122	17129	17130	SN	1	48.782	49.505	0.0	0.003	29.607	2.577	1035.504	1086.256	0.0	-91.894	-89.993	0.0
123	17129	17130	NS	2	48.709	49.384	0.0	0.003	206.73	2.702	1031.064	1085.56	0.0	-91.892	-89.97	0.0
124	17129	17130	SN	2	48.782	49.505	0.0	0.003	29.607	2.577	1035.504	1086.256	0.0	-91.894	-89.993	0.0
125	17129	17130	NS	1	48.682	49.354	0.0	0.003	206.73	2.716	1030.232	1085.552	0.0	-91.872	-89.97	0.0
126	17129	17130	NS	1	48.709	49.384	0.0	0.003	206.73	2.702	1031.064	1085.56	0.0	-91.892	-89.97	0.0
127	17129	17130	NS	2	48.682	49.354	0.0	0.003	206.73	2.716	1030.232	1085.552	0.0	-91.872	-89.97	0.0
128	17130	17131	NS	2	48.711	49.324	0.0	0.003	267.318	2.657	1030.824	1085.488	0.0	-91.613	-89.953	0.0
129	17130	17131	SN	2	48.79	49.475	0.0	0.003	6.668	2.557	1036.032	1086.2	0.0	-91.928	-90.032	0.0
130	17130	17131	SN	1	48.79	49.475	0.0	0.003	6.668	2.557	1036.032	1086.2	0.0	-91.928	-90.032	0.0
131	17130	17131	NS	1	48.711	49.324	0.0	0.003	267.318	2.657	1030.824	1085.488	0.0	-91.613	-89.953	0.0
132	17131	17132	SN	2	48.762	49.495	0.0	0.003	6.673	2.611	1035.128	1086.128	0.0	-91.938	-90.032	0.0
133	17131	17132	NS	1	48.679	49.323	0.0	0.003	13.606	2.628	1030.376	1085.432	0.0	-91.905	-89.973	0.0
134	17131	17132	NS	2	48.679	49.323	0.0	0.003	13.606	2.628	1030.376	1085.432	0.0	-91.905	-89.973	0.0
135	17131	17132	SN	1	48.762	49.495	0.0	0.003	6.673	2.611	1035.128	1086.128	0.0	-91.938	-90.032	0.0
136	17132	17133	SN	2	48.736	49.439	0.0	0.003	211.77	2.61	1034.768	1086.2	0.0	-91.846	-90.027	0.0
137	17132	17133	NS	1	48.67	49.361	0.0	0.0	46.64	2.546	1030.192	1084.96	0.0	-91.79	-89.981	0.0
138	17132	17133	NS	1	48.67	49.361	0.0	0.0	46.64	2.714	1030.192	1085.52	0.0	-91.79	-89.981	0.0
139	17132	17133	NS	1	48.67	49.327	0.0	0.0	46.64	2.724	1030.248	1085.504	0.0	-91.75	-89.981	0.0
140	17132	17133	SN	1	48.735	49.438	0.0	0.003	6.673	2.609	1034.76	1086.184	0.0	-91.846	-90.027	0.0
141	17132	17133	NS	2	48.67	49.361	0.0	0.0	46.64	2.546	1030.192	1084.96	0.0	-91.79	-89.981	0.0
142	17132	17133	NS	2	48.67	49.361	0.0	0.0	46.64	2.714	1030.192	1085.52	0.0	-91.79	-89.981	0.0
143	17132	17133	NS	2	48.67	49.327	0.0	0.0	46.64	2.724	1030.248	1085.504	0.0	-91.75	-89.981	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

144	17132	17133	SN	3	48.735	49.438	0.0	0.003	6.673	2.609	1034.76	1086.184	0.0	-91.846	-90.027	0.0
145	17132	17133	SN	4	48.736	49.439	0.0	0.003	211.77	2.61	1034.768	1086.2	0.0	-91.846	-90.027	0.0
146	17133	17134	NS	2	48.665	49.339	0.0	0.003	42.568	2.595	1031.016	1085.52	0.0	-91.837	-89.981	0.0
147	17133	17134	NS	1	48.665	49.339	0.0	0.003	42.568	2.595	1031.016	1085.52	0.0	-91.837	-89.981	0.0
148	17133	17134	SN	3	48.723	49.457	0.0	0.003	28.162	2.592	1035.376	1086.224	0.0	-91.864	-90.035	0.0
149	17133	17134	SN	1	48.723	49.457	0.0	0.003	28.162	2.592	1035.376	1086.224	0.0	-91.864	-90.035	0.0
150	17133	17134	SN	2	48.723	49.457	0.0	0.003	35.263	2.592	1035.376	1086.2	0.0	-91.864	-90.035	0.0
151	17133	17134	NS	2	48.709	49.349	0.0	0.003	42.568	2.596	1031.0	1085.536	0.0	-91.682	-89.98	0.0
152	17133	17134	NS	1	48.709	49.349	0.0	0.003	42.568	2.596	1031.0	1085.536	0.0	-91.682	-89.98	0.0
153	17133	17134	SN	4	48.723	49.457	0.0	0.003	35.263	2.592	1035.376	1086.2	0.0	-91.864	-90.035	0.0
154	17134	17135	SN	2	48.79	49.464	0.0	0.003	6.657	2.56	1035.656	1086.328	0.0	-91.853	-90.059	0.0
155	17134	17135	SN	2	48.79	49.464	0.0	0.003	6.657	2.558	1035.656	1086.328	0.0	-91.853	-90.059	0.0
156	17134	17135	NS	2	48.646	49.323	0.0	0.003	264.428	2.614	1030.904	1085.648	0.0	-91.733	-89.979	0.0
157	17134	17135	NS	2	48.685	49.328	0.0	0.003	264.428	2.616	1030.904	1085.656	0.0	-91.949	-89.979	0.0
158	17134	17135	NS	2	48.685	49.323	0.0	0.003	264.428	2.276	1030.904	1084.48	0.0	-91.736	-89.979	0.0
159	17134	17135	SN	1	48.79	49.464	0.0	0.003	6.657	2.558	1035.656	1086.328	0.0	-91.853	-90.059	0.0
160	17134	17135	SN	1	48.79	49.464	0.0	0.003	6.657	2.56	1035.656	1086.328	0.0	-91.853	-90.059	0.0
161	17134	17135	NS	1	48.646	49.323	0.0	0.003	264.428	2.614	1030.904	1085.648	0.0	-91.733	-89.979	0.0
162	17134	17135	NS	1	48.685	49.328	0.0	0.003	264.428	2.616	1030.904	1085.656	0.0	-91.949	-89.979	0.0
163	17134	17135	NS	1	48.685	49.323	0.0	0.003	264.428	2.276	1030.904	1084.48	0.0	-91.736	-89.979	0.0
164	17135	17136	NS	2	48.687	49.488	0.0	0.003	42.077	2.602	1030.84	1085.696	0.0	-91.928	-89.978	0.0
165	17135	17136	NS	3	48.687	49.389	0.0	0.003	267.064	2.602	1030.84	1085.696	0.0	-91.845	-89.978	0.0
166	17135	17136	NS	1	48.687	49.389	0.0	0.003	267.064	2.602	1030.84	1085.696	0.0	-91.845	-89.978	0.0
167	17135	17136	SN	1	48.749	49.497	0.0	0.003	28.16	1.734	1035.224	1086.368	0.0	-91.888	-90.06	0.0
168	17135	17136	SN	1	48.749	49.497	0.0	0.0	72.528	2.753	1035.224	1086.368	0.0	-91.888	-90.06	0.0
169	17135	17136	NS	1	48.687	49.323	0.0	0.003	42.077	1.575	1030.84	1078.88	0.0	-91.626	-89.978	0.0
170	17135	17136	SN	1	48.719	49.475	0.0	0.0	72.528	2.767	1035.224	1086.368	0.0	-91.847	-90.06	0.0
171	17135	17136	NS	2	48.687	49.323	0.0	0.003	42.077	1.575	1030.84	1078.88	0.0	-91.626	-89.978	0.0
172	17135	17136	SN	2	48.749	49.497	0.0	0.003	28.16	1.734	1035.224	1086.368	0.0	-91.888	-90.06	0.0
173	17135	17136	SN	2	48.749	49.497	0.0	0.0	72.528	2.753	1035.224	1086.368	0.0	-91.888	-90.06	0.0
174	17135	17136	SN	2	48.719	49.475	0.0	0.0	72.528	2.767	1035.224	1086.368	0.0	-91.847	-90.06	0.0
175	17135	17136	NS	4	48.687	49.488	0.0	0.003	42.077	2.602	1030.84	1085.696	0.0	-91.928	-89.978	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

151	17133	17134	NS	2	-34.274	23.608	0.334	-32.236	25.923	0.375	7.446	29.121	24.05	11.19	29.658	35.687	0.116	259.336	1.196	0.116	162.245	0.979	0.116	0.13	0.0	0.116	0.122	0.0
152	17133	17134	NS	1	-34.274	23.608	0.334	-32.236	25.923	0.375	7.446	29.121	24.05	11.19	29.658	35.687	0.116	259.336	1.196	0.116	162.245	0.979	0.116	0.13	0.0	0.116	0.122	0.0
153	17133	17134	SN	4	-34.779	22.84	0.032	-34.679	24.188	0.989	-10.819	29.506	21.398	-7.93	30.004	24.01	0.116	291.298	2.626	0.116	284.698	2.556	0.116	1.261	0.002	0.116	0.694	0.0
154	17134	17135	SN	2	-34.724	23.198	0.058	-34.625	24.658	0.847	5.918	29.028	36.159	7.721	30.04	49.671	0.116	287.576	1.513	0.116	281.134	1.697	0.116	0.136	0.0	0.116	0.129	0.0
155	17134	17135	SN	2	-34.724	23.191	0.055	-34.625	24.658	0.846	5.918	29.028	36.163	7.721	30.04	49.677	0.116	287.576	1.512	0.116	281.134	1.695	0.116	0.136	0.0	0.116	0.129	0.0
156	17134	17135	NS	2	-34.538	23.651	0.273	-34.854	22.641	0.037	5.876	28.176	26.874	7.355	30.584	36.558	0.116	275.579	1.992	0.116	296.317	1.742	0.116	0.136	0.0	0.116	0.13	0.0
157	17134	17135	NS	2	-33.786	23.651	0.275	-34.985	22.639	0.037	5.874	28.174	26.985	7.353	30.586	36.565	0.116	231.761	1.994	0.116	305.466	1.745	0.116	0.136	0.0	0.116	0.13	0.0
158	17134	17135	NS	2	-33.786	23.651	0.275	-34.985	22.639	0.037	5.87	27.919	17.714	7.364	30.586	33.739	0.116	231.761	1.994	0.116	305.466	1.745	0.116	0.136	0.0	0.116	0.13	0.0
159	17134	17135	SN	1	-34.724	23.191	0.055	-34.625	24.658	0.846	5.918	29.028	36.163	7.721	30.04	49.677	0.116	287.576	1.512	0.116	281.134	1.695	0.116	0.136	0.0	0.116	0.129	0.0
160	17134	17135	SN	1	-34.724	23.198	0.058	-34.625	24.658	0.847	5.918	29.028	36.159	7.721	30.04	49.671	0.116	287.576	1.513	0.116	281.134	1.697	0.116	0.136	0.0	0.116	0.129	0.0
161	17134	17135	NS	1	-34.538	23.651	0.273	-34.854	22.641	0.037	5.876	28.176	26.874	7.355	30.584	36.558	0.116	275.579	1.992	0.116	296.317	1.742	0.116	0.136	0.0	0.116	0.13	0.0
162	17134	17135	NS	1	-33.786	23.651	0.275	-34.985	22.639	0.037	5.874	28.174	26.985	7.353	30.586	36.565	0.116	231.761	1.994	0.116	305.466	1.745	0.116	0.136	0.0	0.116	0.13	0.0
163	17134	17135	NS	1	-33.786	23.651	0.275	-34.985	22.639	0.037	5.87	27.919	17.714	7.364	30.586	33.739	0.116	231.761	1.994	0.116	305.466	1.745	0.116	0.136	0.0	0.116	0.13	0.0
164	17135	17136	NS	2	-34.998	23.297	0.228	-34.909	23.686	0.054	5.978	28.423	12.793	6.123	28.804	21.978	0.116	306.332	2.029	0.116	300.22	1.678	0.116	0.135	0.0	0.116	0.135	0.0
165	17135	17136	NS	3	-34.998	23.297	0.228	-34.909	23.686	0.054	5.978	28.423	12.793	6.123	28.804	21.978	0.116	306.332	2.029	0.116	300.22	1.68	0.116	0.135	0.0	0.116	0.135	0.0
166	17135	17136	NS	1	-34.998	23.297	0.228	-34.909	23.686	0.054	5.978	28.423	12.793	6.123	28.804	21.978	0.116	306.332	2.029	0.116	300.22	1.68	0.116	0.135	0.0	0.116	0.135	0.0
167	17135	17136	SN	1	-34.79	20.034	0.0	-33.962	23.394	0.025	5.879	27.399	10.398	9.199	28.751	13.049	0.116	292.021	2.04	0.116	241.409	1.334	0.116	0.136	0.0	0.116	0.125	0.0
168	17135	17136	SN	1	-34.79	23.091	0.101	-33.962	24.483	1.081	5.879	28.726	11.313	9.199	28.767	13.308	0.116	292.021	1.988	0.116	241.409	1.217	0.116	0.136	0.0	0.116	0.125	0.0
169	17135	17136	NS	1	-34.998	23.297	0.238	-34.909	23.686	0.054	7.048	27.116	3.409	6.14	25.68	7.286	0.116	306.332	1.917	0.116	300.22	1.683	0.116	0.131	0.0	0.116	0.135	0.0
170	17135	17136	SN	1	-34.756	23.085	0.099	-33.871	24.482	1.08	5.88	28.726	11.354	9.199	28.767	13.353	0.116	289.731	1.987	0.116	236.411	1.218	0.116	0.136	0.0	0.116	0.125	0.0
171	17135	17136	NS	2	-34.998	23.297	0.238	-34.909	23.686	0.054	7.048	27.116	3.409	6.14	25.68	7.286	0.116	306.332	1.917	0.116	300.22	1.683	0.116	0.131	0.0	0.116	0.135	0.0
172	17135	17136	SN	2	-34.79	20.034	0.0	-33.962	23.394	0.025	5.879	27.399	10.398	9.199	28.751	13.049	0.116	292.021	2.04	0.116	241.409	1.334	0.116	0.136	0.0	0.116	0.125	0.0
173	17135	17136	SN	2	-34.79	23.091	0.101	-33.962	24.483	1.081	5.879	28.726	11.313	9.199	28.767	13.308	0.116	292.021	1.988	0.116	241.409	1.217	0.116	0.136	0.0	0.116	0.125	0.0
174	17135	17136	SN	2	-34.756	23.085	0.099	-33.871	24.482	1.08	5.88	28.726	11.354	9.199	28.767	13.353	0.116	289.731	1.987	0.116	236.411	1.218	0.116	0.136	0.0	0.116	0.125	0.0
175	17135	17136	NS	4	-34.998	23.297	0.228	-34.909	23.686	0.054	5.978	28.423	12.793	6.123	28.804	21.978	0.116	306.332	2.029	0.116	300.22	1.678	0.116	0.135	0.0	0.116	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	17107	17108	SN	2	57.548	58.325	0.0	0.0	299.117	4.055	1214.368	1276.48	0.0	-93.221	-92.088	0.0
2	17107	17108	SN	1	57.548	58.325	0.0	0.0	299.117	3.715	1214.368	1276.48	0.0	-93.221	-92.088	0.0
3	17107	17108	NS	1	57.47	58.194	0.0	0.0	299.884	3.905	1207.008	1275.072	4.653	-93.24	-91.996	0.0
4	17107	17108	NS	1	57.457	58.194	0.0	0.0	299.884	3.907	1206.624	1275.072	4.621	-93.588	-91.996	0.0
5	17107	17108	SN	1	57.548	58.325	0.0	0.0	299.117	4.055	1214.368	1276.48	0.0	-93.221	-92.088	0.0
6	17108	17109	SN	1	57.544	58.328	0.0	0.0	298.157	3.507	1213.808	1276.672	0.0	-93.555	-92.078	0.0
7	17108	17109	SN	1	57.528	58.328	0.0	0.0	298.157	3.5	1213.328	1276.672	0.0	-93.555	-92.078	0.0
8	17108	17109	SN	1	57.528	58.328	0.0	0.0	298.157	3.783	1213.328	1276.672	0.0	-93.555	-92.078	0.0
9	17108	17109	NS	1	57.472	58.202	0.0	0.0	297.391	3.81	1207.424	1275.336	4.391	-93.554	-91.969	0.0
10	17108	17109	NS	2	57.473	58.202	0.0	0.0	297.358	3.811	1207.008	1275.312	4.365	-93.554	-91.969	0.0
11	17109	17110	SN	1	57.516	58.308	0.0	0.0	297.005	3.403	1213.064	1276.704	0.0	-93.268	-92.111	0.0
12	17109	17110	NS	1	57.449	58.205	0.0	0.0	298.566	3.655	1207.704	1275.44	4.306	-93.183	-91.971	0.0
13	17109	17110	SN	1	57.516	58.308	0.0	0.0	296.988	3.696	1213.064	1276.704	0.0	-93.268	-92.111	0.0
14	17109	17110	SN	1	57.51	58.308	0.0	0.0	296.988	3.694	1213.2	1276.704	0.0	-93.268	-92.111	0.0
15	17110	17111	NS	1	57.463	58.195	0.0	0.0	286.537	3.91	1207.088	1275.248	3.689	-93.143	-91.996	0.0
16	17110	17111	SN	1	57.529	58.31	0.0	0.0	288.721	3.406	1213.664	1276.568	0.0	-93.235	-92.077	0.0
17	17110	17111	SN	1	57.523	58.31	0.0	0.0	299.911	3.737	1213.664	1276.568	0.0	-93.235	-92.077	0.0
18	17110	17111	NS	1	57.462	58.194	0.0	0.0	286.598	3.907	1207.064	1275.28	3.732	-93.143	-91.996	0.0
19	17111	17112	SN	1	57.511	58.303	0.0	0.0	288.49	3.738	1212.976	1276.44	0.0	-93.294	-92.109	0.0
20	17111	17112	NS	1	57.448	58.195	0.0	0.0	294.396	3.799	1207.792	1275.16	4.27	-93.226	-92.01	0.0
21	17112	17113	SN	2	57.511	58.297	0.0	0.0	295.643	3.816	1213.384	1276.352	0.0	-94.578	-92.109	0.0
22	17112	17113	NS	1	57.463	58.206	0.0	0.0	298.874	3.99	1207.24	1275.0	4.316	-93.24	-92.02	0.0
23	17112	17113	NS	1	57.473	58.205	0.0	0.0	298.836	3.998	1207.84	1275.056	4.378	-93.258	-92.02	0.0
24	17112	17113	SN	1	57.511	58.297	0.0	0.0	295.643	3.183	1213.384	1276.352	0.0	-93.182	-92.109	0.0
25	17112	17113	SN	1	57.511	58.297	0.0	0.0	295.643	3.815	1213.384	1276.352	0.0	-94.578	-92.109	0.0
26	17113	17114	NS	2	57.444	58.188	0.0	0.0	299.542	3.824	1207.624	1275.224	4.496	-93.224	-92.023	0.0
27	17113	17114	SN	1	57.542	58.312	0.0	0.0	297.849	3.868	1213.824	1276.44	0.0	-93.227	-92.11	0.0
28	17113	17114	SN	1	57.542	58.312	0.0	0.0	297.898	3.874	1213.8	1276.44	0.0	-93.227	-92.11	0.0
29	17113	17114	SN	1	57.542	58.312	0.0	0.0	289.791	2.934	1213.8	1276.44	0.0	-93.227	-92.11	0.0
30	17113	17114	NS	1	57.442	58.185	0.0	0.0	299.558	3.828	1207.576	1275.264	4.607	-93.38	-92.023	0.0
31	17114	17115	SN	2	57.544	58.3	0.0	0.0	297.22	3.824	1213.776	1276.624	0.0	-93.1	-92.058	0.0
32	17114	17115	SN	1	57.544	58.3	0.0	0.0	288.672	2.531	1213.776	1276.624	0.0	-93.1	-92.058	0.0
33	17114	17115	NS	1	57.461	58.19	0.0	0.0	286.394	3.822	1206.808	1275.232	4.994	-93.19	-92.023	0.0
34	17114	17115	SN	1	57.543	58.298	0.0	0.0	297.22	3.825	1213.752	1276.544	0.0	-93.351	-92.059	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	17114	17115	NS	1	57.451	58.19	0.0	0.0	286.394	3.833	1206.808	1275.232	4.987	-93.536	-92.023	0.0
36	17115	17116	NS	1	57.471	58.199	0.0	0.003	290.558	3.971	1206.992	1275.232	4.183	-93.24	-92.004	0.0
37	17115	17116	SN	1	57.54	58.33	0.0	0.0	289.295	3.743	1213.944	1276.584	0.0	-93.254	-92.047	0.0
38	17115	17116	NS	1	57.471	58.185	0.0	0.003	290.558	3.979	1206.992	1275.232	4.178	-93.263	-92.004	0.0
39	17115	17116	SN	2	57.54	58.33	0.0	0.0	289.295	3.743	1213.944	1276.584	0.0	-93.254	-92.047	0.0
40	17116	17117	NS	1	57.475	58.186	0.0	0.0	297.396	3.838	1207.088	1275.032	4.136	-93.237	-91.992	0.0
41	17116	17117	NS	1	57.475	58.186	0.0	0.0	297.396	3.834	1207.088	1275.032	4.132	-93.249	-91.992	0.0
42	17116	17117	SN	1	57.481	58.327	0.0	0.0	299.994	3.817	1213.04	1276.456	0.0	-95.196	-92.079	0.0
43	17117	17118	NS	1	57.446	58.2	0.0	0.0	297.231	3.796	1207.768	1275.136	4.429	-95.181	-92.022	0.0
44	17117	17118	SN	1	57.534	58.331	0.0	0.0	298.753	3.88	1212.792	1276.52	0.0	-93.254	-92.098	0.0
45	17118	17119	SN	1	57.543	58.329	0.0	0.0	298.538	3.76	1213.64	1276.584	0.0	-93.25	-92.084	0.0
46	17118	17119	NS	1	57.452	58.201	0.0	0.003	278.011	3.059	1206.84	1273.472	4.871	-93.22	-92.012	0.0
47	17118	17119	NS	1	57.452	58.201	0.0	0.0	284.828	3.717	1206.84	1275.224	4.72	-93.226	-92.012	0.0
48	17118	17119	SN	1	57.54	58.327	0.0	0.0	298.577	3.765	1213.648	1276.608	0.0	-93.25	-92.084	0.0
49	17119	17120	NS	1	57.442	58.189	0.0	0.0	295.94	3.27	1207.424	1273.872	5.37	-93.214	-92.021	0.0
50	17119	17120	SN	2	57.477	58.344	0.0	0.0	297.088	3.788	1212.144	1276.688	0.0	-93.364	-92.11	0.0
51	17119	17120	SN	1	57.477	58.344	0.0	0.0	297.088	3.788	1212.144	1276.688	0.0	-93.364	-92.11	0.0
52	17119	17120	NS	1	57.442	58.189	0.0	0.0	295.94	3.908	1207.424	1275.224	5.218	-93.222	-92.021	0.0
53	17119	17120	NS	2	57.442	58.189	0.0	0.0	295.94	3.908	1207.424	1275.192	5.218	-93.258	-92.021	0.0
54	17120	17121	SN	1	57.544	58.326	0.0	0.0	283.774	2.604	1213.656	1276.816	0.0	-93.35	-92.11	0.0
55	17120	17121	NS	1	57.433	58.183	0.0	0.0	270.632	1.983	1207.336	1270.152	6.195	-93.212	-92.021	0.0
56	17120	17121	NS	1	57.433	58.199	0.0	0.0	292.891	3.773	1207.336	1275.312	5.463	-93.235	-92.021	0.0
57	17120	17121	SN	2	57.544	58.326	0.0	0.0	283.774	3.968	1213.656	1276.816	0.0	-93.35	-92.11	0.0
58	17120	17121	NS	1	57.433	58.183	0.0	0.0	292.951	3.778	1207.336	1275.36	5.439	-93.204	-92.021	0.0
59	17120	17121	SN	1	57.544	58.326	0.0	0.0	283.774	3.968	1213.656	1276.816	0.0	-93.35	-92.11	0.0
60	17121	17122	SN	3	57.544	58.329	0.0	0.0	298.759	4.079	1213.984	1276.744	0.0	-93.301	-92.097	0.0
61	17121	17122	NS	1	57.439	58.214	0.0	0.0	298.577	4.032	1207.32	1275.296	5.401	-93.27	-92.022	0.0
62	17121	17122	NS	1	57.439	58.211	0.0	0.0	298.577	4.029	1207.28	1275.296	5.397	-93.261	-92.022	0.0
63	17121	17122	SN	1	57.544	58.329	0.0	0.0	298.759	4.079	1213.984	1276.744	0.0	-93.301	-92.097	0.0
64	17121	17122	SN	1	57.544	58.329	0.0	0.003	293.806	3.423	1213.984	1276.744	0.0	-93.301	-92.097	0.0
65	17121	17122	SN	2	57.544	58.329	0.0	0.0	298.759	4.079	1213.984	1276.744	0.0	-93.301	-92.097	0.0
66	17121	17122	SN	2	57.544	58.329	0.0	0.003	293.806	3.423	1213.984	1276.744	0.0	-93.301	-92.097	0.0
67	17121	17122	SN	4	57.544	58.329	0.0	0.0	298.759	4.079	1213.984	1276.744	0.0	-93.301	-92.097	0.0
68	17122	17123	SN	1	57.544	58.299	0.0	0.0	296.839	3.836	1213.184	1276.68	0.0	-93.209	-92.075	0.0
69	17122	17123	SN	2	57.544	58.32	0.0	0.0	296.839	3.831	1213.528	1276.68	0.0	-93.209	-92.075	0.0
70	17122	17123	SN	2	57.544	58.299	0.0	0.0	296.817	3.537	1213.184	1276.68	0.0	-93.209	-92.075	0.0
71	17122	17123	SN	1	57.544	58.299	0.0	0.0	296.817	3.537	1213.184	1276.68	0.0	-93.209	-92.075	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	17122	17123	SN	2	57.544	58.299	0.0	0.0	296.839	3.836	1213.184	1276.68	0.0	-93.209	-92.075	0.0
73	17122	17123	SN	1	57.544	58.32	0.0	0.0	296.839	3.831	1213.528	1276.68	0.0	-93.209	-92.075	0.0
74	17122	17123	NS	2	57.472	58.215	0.0	0.0	299.977	3.727	1207.696	1275.272	4.217	-93.272	-92.009	0.0
75	17122	17123	NS	1	57.472	58.215	0.0	0.0	299.977	3.727	1207.696	1275.272	4.217	-93.272	-92.009	0.0
76	17123	17124	SN	2	57.513	58.3	0.0	0.0	295.588	3.423	1212.792	1276.856	0.0	-93.248	-92.092	0.0
77	17123	17124	NS	2	57.473	58.197	0.0	0.0	287.784	3.695	1207.104	1275.488	3.821	-93.217	-91.955	0.0
78	17123	17124	SN	2	57.513	58.3	0.0	0.0	295.588	3.717	1212.792	1276.856	0.0	-93.248	-92.092	0.0
79	17123	17124	SN	3	57.513	58.3	0.0	0.0	295.588	3.423	1212.792	1276.856	0.0	-93.248	-92.092	0.0
80	17123	17124	NS	1	57.473	58.197	0.0	0.0	287.784	3.695	1207.104	1275.488	3.821	-93.217	-91.955	0.0
81	17123	17124	SN	4	57.513	58.3	0.0	0.0	295.588	3.423	1212.792	1276.856	0.0	-93.248	-92.092	0.0
82	17123	17124	NS	2	57.474	58.22	0.0	0.0	287.751	3.69	1207.12	1275.472	3.794	-93.229	-91.955	0.0
83	17123	17124	NS	1	57.474	58.22	0.0	0.0	287.751	3.69	1207.12	1275.472	3.794	-93.229	-91.955	0.0
84	17123	17124	SN	1	57.513	58.3	0.0	0.0	295.588	3.717	1212.792	1276.856	0.0	-93.248	-92.092	0.0
85	17123	17124	SN	1	57.513	58.3	0.0	0.0	295.588	3.423	1212.792	1276.856	0.0	-93.248	-92.092	0.0
86	17124	17125	NS	1	57.474	58.211	0.0	0.0	296.166	3.712	1207.848	1275.44	3.637	-93.455	-92.013	0.0
87	17124	17125	NS	1	57.474	58.211	0.0	0.0	296.166	3.708	1207.848	1275.44	3.633	-93.148	-92.013	0.0
88	17124	17125	SN	1	57.54	58.307	0.0	0.0	289.924	3.737	1213.232	1276.752	0.0	-93.797	-92.106	0.0
89	17124	17125	SN	2	57.54	58.307	0.0	0.0	289.924	3.422	1213.232	1276.752	0.0	-93.797	-92.106	0.0
90	17124	17125	NS	2	57.474	58.211	0.0	0.0	296.166	3.708	1207.848	1275.44	3.633	-93.148	-92.013	0.0
91	17124	17125	NS	2	57.474	58.211	0.0	0.0	296.166	3.712	1207.848	1275.44	3.637	-93.455	-92.013	0.0
92	17124	17125	SN	3	57.54	58.307	0.0	0.0	289.924	3.737	1213.232	1276.752	0.0	-93.797	-92.106	0.0
93	17124	17125	SN	2	57.54	58.307	0.0	0.0	289.924	3.738	1213.232	1276.752	0.0	-93.797	-92.106	0.0
94	17124	17125	SN	1	57.54	58.307	0.0	0.0	289.924	3.422	1213.232	1276.752	0.0	-93.797	-92.106	0.0
95	17124	17125	SN	4	57.54	58.307	0.0	0.0	289.924	3.738	1213.232	1276.752	0.0	-93.797	-92.106	0.0
96	17125	17126	SN	1	57.537	58.327	0.0	0.0	297.534	3.388	1212.528	1276.6	0.0	-93.236	-92.105	0.0
97	17125	17126	NS	2	57.473	58.219	0.0	0.0	298.268	3.826	1207.28	1275.304	3.472	-93.296	-92.008	0.0
98	17125	17126	NS	1	57.474	58.207	0.0	0.0	298.24	3.819	1207.632	1275.312	3.474	-93.255	-92.008	0.0
99	17125	17126	NS	1	57.473	58.219	0.0	0.0	298.268	3.826	1207.28	1275.304	3.472	-93.296	-92.008	0.0
100	17125	17126	SN	2	57.537	58.327	0.0	0.0	297.534	3.768	1212.528	1276.6	0.0	-93.236	-92.105	0.0
101	17125	17126	SN	1	57.537	58.327	0.0	0.0	297.534	3.768	1212.528	1276.6	0.0	-93.236	-92.105	0.0
102	17125	17126	SN	2	57.537	58.327	0.0	0.0	297.534	3.388	1212.528	1276.6	0.0	-93.236	-92.105	0.0
103	17125	17126	NS	2	57.474	58.207	0.0	0.0	298.24	3.819	1207.632	1275.312	3.474	-93.255	-92.008	0.0
104	17126	17127	SN	1	57.508	58.32	0.0	0.0	298.356	3.711	1213.192	1276.48	0.0	-93.198	-92.106	0.0
105	17126	17127	NS	2	57.475	58.213	0.0	0.003	299.514	3.862	1207.304	1275.208	3.674	-93.286	-92.012	0.0
106	17126	17127	NS	1	57.475	58.213	0.0	0.003	299.514	3.862	1207.304	1275.208	3.674	-93.286	-92.012	0.0
107	17126	17127	SN	2	57.508	58.32	0.0	0.0	298.356	3.711	1213.192	1276.48	0.0	-93.198	-92.106	0.0
108	17127	17128	SN	1	57.466	58.296	0.0	0.0	287.993	3.074	1212.808	1276.456	0.0	-93.237	-92.098	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	17127	17128	NS	2	57.455	58.548	0.0	0.0	284.817	3.878	1207.408	1285.664	3.677	-96.03	-92.024	0.0
110	17127	17128	SN	1	57.466	58.296	0.0	0.0	287.993	3.851	1212.808	1276.456	0.0	-93.237	-92.098	0.0
111	17127	17128	NS	4	57.455	58.548	0.0	0.0	284.817	3.878	1207.408	1285.664	3.677	-96.03	-92.024	0.0
112	17127	17128	NS	3	57.455	58.548	0.0	0.0	284.817	3.878	1207.408	1285.664	3.677	-96.03	-92.024	0.0
113	17127	17128	SN	2	57.466	58.296	0.0	0.0	287.993	3.074	1212.808	1276.456	0.0	-93.237	-92.098	0.0
114	17127	17128	SN	2	57.466	58.296	0.0	0.0	287.993	3.851	1212.808	1276.456	0.0	-93.237	-92.098	0.0
115	17127	17128	SN	2	57.512	58.316	0.0	0.0	287.993	3.077	1212.808	1276.456	0.0	-93.243	-92.098	0.0
116	17127	17128	NS	1	57.455	58.548	0.0	0.0	284.817	3.878	1207.408	1285.664	3.677	-96.03	-92.024	0.0
117	17127	17128	SN	1	57.512	58.316	0.0	0.0	287.993	3.077	1212.808	1276.456	0.0	-93.243	-92.098	0.0
118	17128	17129	NS	1	57.447	58.197	0.0	0.0	293.861	3.699	1207.184	1275.336	4.224	-93.203	-92.025	0.0
119	17128	17129	SN	2	57.52	58.327	0.0	0.0	288.909	3.934	1212.856	1276.816	0.0	-93.841	-92.091	0.0
120	17128	17129	SN	1	57.52	58.327	0.0	0.0	288.909	3.934	1212.856	1276.816	0.0	-93.841	-92.091	0.0
121	17128	17129	NS	2	57.447	58.197	0.0	0.0	293.861	3.699	1207.184	1275.336	4.224	-93.203	-92.025	0.0
122	17129	17130	SN	1	57.512	58.328	0.0	0.0	299.713	3.808	1212.816	1276.744	0.0	-93.265	-92.039	0.0
123	17129	17130	NS	2	57.449	58.216	0.0	0.0	297.964	3.897	1207.216	1275.416	4.149	-93.295	-92.01	0.0
124	17129	17130	SN	2	57.512	58.328	0.0	0.0	299.713	3.808	1212.816	1276.744	0.0	-93.265	-92.039	0.0
125	17129	17130	NS	1	57.461	58.218	0.0	0.003	298.014	3.907	1207.048	1275.4	4.118	-93.268	-92.01	0.0
126	17129	17130	NS	1	57.449	58.216	0.0	0.0	297.964	3.897	1207.216	1275.416	4.149	-93.295	-92.01	0.0
127	17129	17130	NS	2	57.461	58.218	0.0	0.003	298.014	3.907	1207.048	1275.4	4.118	-93.268	-92.01	0.0
128	17130	17131	NS	2	57.476	58.188	0.0	0.0	297.038	3.94	1207.32	1275.328	3.421	-93.291	-91.994	0.0
129	17130	17131	SN	2	57.528	58.322	0.0	0.0	297.054	3.767	1213.168	1276.672	0.0	-93.225	-92.078	0.0
130	17130	17131	SN	1	57.528	58.322	0.0	0.0	297.054	3.767	1213.168	1276.672	0.0	-93.225	-92.078	0.0
131	17130	17131	NS	1	57.476	58.188	0.0	0.0	297.038	3.94	1207.32	1275.328	3.421	-93.291	-91.994	0.0
132	17131	17132	SN	2	57.512	58.33	0.0	0.0	297.203	3.858	1212.744	1276.6	0.0	-93.234	-92.074	0.0
133	17131	17132	NS	1	57.475	58.198	0.0	0.0	299.244	3.819	1207.6	1275.264	3.653	-93.314	-92.016	0.0
134	17131	17132	NS	2	57.475	58.198	0.0	0.0	299.244	3.819	1207.6	1275.264	3.653	-93.314	-92.016	0.0
135	17131	17132	SN	1	57.512	58.33	0.0	0.0	297.203	3.858	1212.744	1276.6	0.0	-93.234	-92.074	0.0
136	17132	17133	SN	2	57.539	58.316	0.0	0.0	294.556	3.88	1212.968	1276.728	0.0	-93.169	-92.076	0.0
137	17132	17133	NS	1	57.46	58.198	0.0	0.0	285.909	3.266	1207.272	1274.56	4.102	-93.271	-92.026	0.0
138	17132	17133	NS	1	57.46	58.198	0.0	0.0	287.072	3.858	1207.272	1275.376	4.04	-93.271	-92.026	0.0
139	17132	17133	NS	1	57.46	58.208	0.0	0.0	287.078	3.859	1207.4	1275.352	4.032	-93.218	-92.026	0.0
140	17132	17133	SN	1	57.538	58.315	0.0	0.0	294.644	3.884	1212.968	1276.704	0.0	-93.213	-92.076	0.0
141	17132	17133	NS	2	57.46	58.198	0.0	0.0	285.909	3.266	1207.272	1274.56	4.102	-93.271	-92.026	0.0
142	17132	17133	NS	2	57.46	58.198	0.0	0.0	287.072	3.858	1207.272	1275.376	4.04	-93.271	-92.026	0.0
143	17132	17133	NS	2	57.46	58.208	0.0	0.0	287.078	3.859	1207.4	1275.352	4.032	-93.218	-92.026	0.0
144	17132	17133	SN	3	57.538	58.315	0.0	0.0	294.644	3.884	1212.968	1276.704	0.0	-93.213	-92.076	0.0
145	17132	17133	SN	4	57.539	58.316	0.0	0.0	294.556	3.88	1212.968	1276.728	0.0	-93.169	-92.076	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

146	17133	17134	NS	2	57.447	58.21	0.0	0.0	299.823	3.747	1207.792	1275.368	4.341	-93.183	-92.024	0.0
147	17133	17134	NS	1	57.447	58.21	0.0	0.0	299.823	3.747	1207.792	1275.368	4.341	-93.183	-92.024	0.0
148	17133	17134	SN	3	57.508	58.311	0.0	0.0	285.854	3.798	1212.912	1276.712	0.0	-93.388	-92.082	0.0
149	17133	17134	SN	1	57.508	58.311	0.0	0.0	285.854	3.798	1212.912	1276.712	0.0	-93.388	-92.082	0.0
150	17133	17134	SN	2	57.508	58.311	0.0	0.0	286.052	3.799	1212.912	1276.68	0.0	-93.388	-92.082	0.0
151	17133	17134	NS	2	57.445	58.209	0.0	0.0	291.01	3.75	1207.76	1275.4	4.402	-93.426	-92.024	0.0
152	17133	17134	NS	1	57.445	58.209	0.0	0.0	291.01	3.75	1207.76	1275.4	4.402	-93.426	-92.024	0.0
153	17133	17134	SN	4	57.508	58.311	0.0	0.0	286.052	3.799	1212.912	1276.68	0.0	-93.388	-92.082	0.0
154	17134	17135	SN	2	57.508	58.333	0.0	0.0	299.624	3.746	1212.408	1276.856	0.0	-93.269	-92.108	0.0
155	17134	17135	SN	2	57.513	58.333	0.0	0.0	299.624	3.742	1212.512	1276.856	0.0	-93.269	-92.108	0.0
156	17134	17135	NS	2	57.441	58.22	0.0	0.0	299.371	3.829	1207.616	1275.528	4.739	-93.175	-92.023	0.0
157	17134	17135	NS	2	57.467	58.188	0.0	0.0	299.371	3.832	1207.616	1275.552	4.742	-93.175	-92.023	0.0
158	17134	17135	NS	2	57.467	58.188	0.0	0.0	299.371	3.172	1207.616	1273.856	4.894	-93.252	-92.023	0.0
159	17134	17135	SN	1	57.513	58.333	0.0	0.0	299.624	3.742	1212.512	1276.856	0.0	-93.269	-92.108	0.0
160	17134	17135	SN	1	57.508	58.333	0.0	0.0	299.624	3.746	1212.408	1276.856	0.0	-93.269	-92.108	0.0
161	17134	17135	NS	1	57.441	58.22	0.0	0.0	299.371	3.829	1207.616	1275.528	4.739	-93.175	-92.023	0.0
162	17134	17135	NS	1	57.467	58.188	0.0	0.0	299.371	3.832	1207.616	1275.552	4.742	-93.175	-92.023	0.0
163	17134	17135	NS	1	57.467	58.188	0.0	0.0	299.371	3.172	1207.616	1273.856	4.894	-93.252	-92.023	0.0
164	17135	17136	NS	2	57.46	58.219	0.0	0.0	286.212	3.88	1207.576	1275.6	4.951	-93.263	-92.022	0.0
165	17135	17136	NS	3	57.46	58.189	0.0	0.0	286.212	3.88	1207.576	1275.6	4.951	-93.263	-92.022	0.0
166	17135	17136	NS	1	57.46	58.189	0.0	0.0	286.212	3.88	1207.576	1275.6	4.951	-93.263	-92.022	0.0
167	17135	17136	SN	1	57.512	58.333	0.0	0.0	290.05	3.019	1213.456	1276.904	0.0	-93.255	-92.109	0.0
168	17135	17136	SN	1	57.512	58.333	0.0	0.0	297.749	3.968	1213.456	1276.904	0.0	-93.255	-92.109	0.0
169	17135	17136	NS	1	57.46	58.206	0.0	0.0	279.07	2.093	1207.576	1268.208	5.837	-93.185	-92.022	0.0
170	17135	17136	SN	1	57.523	58.334	0.0	0.0	297.749	3.976	1213.456	1276.904	0.0	-93.249	-92.109	0.0
171	17135	17136	NS	2	57.46	58.206	0.0	0.0	279.07	2.093	1207.576	1268.208	5.837	-93.185	-92.022	0.0
172	17135	17136	SN	2	57.512	58.333	0.0	0.0	290.05	3.019	1213.456	1276.904	0.0	-93.255	-92.109	0.0
173	17135	17136	SN	2	57.512	58.333	0.0	0.0	297.749	3.968	1213.456	1276.904	0.0	-93.255	-92.109	0.0
174	17135	17136	SN	2	57.523	58.334	0.0	0.0	297.749	3.976	1213.456	1276.904	0.0	-93.249	-92.109	0.0
175	17135	17136	NS	4	57.46	58.219	0.0	0.0	286.212	3.88	1207.576	1275.6	4.951	-93.263	-92.022	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

144	17132	17133	SN	3	-34.721	16.123	0.0	-34.018	17.611	0.0	-26.743	22.35	0.002	-29.304	23.456	0.086	0.087	219.638	1.333	0.087	186.886	1.145	0.086	35.049	0.098	0.086	63.167	0.119
145	17132	17133	SN	4	-34.721	16.123	0.0	-34.066	17.611	0.0	-26.707	22.35	0.002	-29.263	23.456	0.086	0.087	219.638	1.333	0.087	188.971	1.145	0.086	34.756	0.098	0.086	62.569	0.119
146	17133	17134	NS	2	-33.475	20.07	0.0	-34.536	16.459	0.0	2.842	22.438	0.036	2.74	22.699	0.12	0.086	164.953	1.212	0.087	210.533	1.074	0.086	0.117	0.0	0.086	0.118	0.0
147	17133	17134	NS	1	-33.475	20.07	0.0	-34.536	16.459	0.0	2.842	22.438	0.036	2.74	22.699	0.12	0.086	164.953	1.212	0.087	210.533	1.074	0.086	0.117	0.0	0.086	0.118	0.0
148	17133	17134	SN	3	-34.889	16.303	0.0	-34.659	17.508	0.0	-20.535	22.808	0.048	-21.652	22.894	0.263	0.087	228.4	3.154	0.087	216.54	2.49	0.086	8.44	0.067	0.086	10.897	0.083
149	17133	17134	SN	1	-34.889	16.303	0.0	-34.659	17.508	0.0	-20.535	22.808	0.048	-21.652	22.894	0.263	0.087	228.4	3.154	0.087	216.54	2.49	0.086	8.44	0.067	0.086	10.897	0.083
150	17133	17134	SN	2	-34.937	16.303	0.0	-34.659	17.508	0.0	-20.535	22.808	0.048	-21.652	22.894	0.263	0.087	230.88	3.154	0.087	216.54	2.492	0.086	8.44	0.067	0.086	10.897	0.083
151	17133	17134	NS	2	-34.434	20.07	0.0	-34.462	16.459	0.0	2.842	22.438	0.036	2.74	22.699	0.12	0.086	205.678	1.211	0.087	206.959	1.07	0.086	0.117	0.0	0.086	0.118	0.0
152	17133	17134	NS	1	-34.434	20.07	0.0	-34.462	16.459	0.0	2.842	22.438	0.036	2.74	22.699	0.12	0.086	205.678	1.211	0.087	206.959	1.07	0.086	0.117	0.0	0.086	0.118	0.0
153	17133	17134	SN	4	-34.937	16.303	0.0	-34.659	17.508	0.0	-20.535	22.808	0.048	-21.652	22.894	0.263	0.087	230.88	3.154	0.087	216.54	2.492	0.086	8.44	0.067	0.086	10.897	0.083
154	17134	17135	SN	2	-33.958	16.778	0.0	-34.824	17.551	0.0	1.806	22.673	0.142	2.114	23.369	1.26	0.087	184.282	1.804	0.087	224.991	1.909	0.086	0.126	0.0	0.086	0.123	0.0
155	17134	17135	SN	2	-33.958	16.776	0.0	-34.824	17.551	0.0	1.806	22.67	0.142	2.114	23.371	1.26	0.087	184.282	1.808	0.087	224.991	1.908	0.086	0.126	0.0	0.086	0.123	0.0
156	17134	17135	NS	2	-34.594	20.656	0.0	-34.827	18.843	0.0	1.502	22.251	0.041	2.189	22.709	0.124	0.086	213.32	2.083	0.086	225.136	1.988	0.086	0.129	0.0	0.086	0.123	0.0
157	17134	17135	NS	2	-34.342	20.656	0.0	-34.096	18.843	0.0	1.502	22.251	0.041	2.192	22.707	0.124	0.086	201.345	2.085	0.086	190.264	1.989	0.086	0.129	0.0	0.086	0.123	0.0
158	17134	17135	NS	2	-34.342	20.656	0.0	-34.725	18.843	0.0	1.502	22.251	0.039	2.182	22.707	0.141	0.086	201.345	2.085	0.086	219.93	1.989	0.086	0.129	0.0	0.086	0.123	0.0
159	17134	17135	SN	1	-33.958	16.776	0.0	-34.824	17.551	0.0	1.806	22.67	0.142	2.114	23.371	1.26	0.087	184.282	1.808	0.087	224.991	1.908	0.086	0.126	0.0	0.086	0.123	0.0
160	17134	17135	SN	1	-33.958	16.778	0.0	-34.824	17.551	0.0	1.806	22.673	0.142	2.114	23.369	1.26	0.087	184.282	1.804	0.087	224.991	1.909	0.086	0.126	0.0	0.086	0.123	0.0
161	17134	17135	NS	1	-34.594	20.656	0.0	-34.827	18.843	0.0	1.502	22.251	0.041	2.189	22.709	0.124	0.086	213.32	2.083	0.086	225.136	1.988	0.086	0.129	0.0	0.086	0.123	0.0
162	17134	17135	NS	1	-34.342	20.656	0.0	-34.096	18.843	0.0	1.502	22.251	0.041	2.192	22.707	0.124	0.086	201.345	2.085	0.086	190.264	1.989	0.086	0.129	0.0	0.086	0.123	0.0
163	17134	17135	NS	1	-34.342	20.656	0.0	-34.725	18.843	0.0	1.502	22.251	0.039	2.182	22.707	0.141	0.086	201.345	2.085	0.086	219.93	1.989	0.086	0.129	0.0	0.086	0.123	0.0
164	17135	17136	NS	2	-34.465	16.906	0.0	-34.451	16.457	0.0	1.082	22.183	0.017	-0.19	22.829	0.103	0.087	207.172	2.074	0.087	206.498	1.856	0.086	0.134	0.0	0.086	0.152	0.0
165	17135	17136	NS	3	-34.465	16.906	0.0	-34.98	16.457	0.0	1.082	22.183	0.017	-0.188	22.829	0.103	0.087	207.172	2.073	0.087	233.188	1.856	0.086	0.134	0.0	0.086	0.152	0.0
166	17135	17136	NS	1	-34.465	16.906	0.0	-34.98	16.457	0.0	1.082	22.183	0.017	-0.188	22.829	0.103	0.087	207.172	2.073	0.087	233.188	1.856	0.086	0.134	0.0	0.086	0.152	0.0
167	17135	17136	SN	1	-33.26	13.283	0.0	-34.178	17.217	0.0	1.612	21.719	0.0	4.029	23.179	0.09	0.088	156.97	1.937	0.087	193.886	1.647	0.086	0.128	0.0	0.086	0.109	0.0
168	17135	17136	SN	1	-33.26	16.969	0.0	-34.178	17.61	0.0	1.612	22.89	0.042	4.029	23.179	0.095	0.087	156.97	1.889	0.087	193.886	1.493	0.086	0.128	0.0	0.086	0.109	0.0
169	17135	17136	NS	1	-34.465	16.906	0.0	-33.302	16.231	0.0	1.714	21.357	0.0	-0.215	19.584	0.0	0.087	207.172	1.851	0.087	158.497	1.791	0.086	0.127	0.0	0.086	0.153	0.0
170	17135	17136	SN	1	-34.928	16.969	0.0	-34.304	17.61	0.0	1.614	22.89	0.042	4.029	23.179	0.092	0.087	236.296	1.884	0.087	199.622	1.493	0.086	0.128	0.0	0.086	0.109	0.0
171	17135	17136	NS	2	-34.465	16.906	0.0	-33.302	16.231	0.0	1.714	21.357	0.0	-0.215	19.584	0.0	0.087	207.172	1.851	0.087	158.497	1.791	0.086	0.127	0.0	0.086	0.153	0.0
172	17135	17136	SN	2	-33.26	13.283	0.0	-34.178	17.217	0.0	1.612	21.719	0.0	4.029	23.179	0.09	0.088	156.97	1.937	0.087	193.886	1.647	0.086	0.128	0.0	0.086	0.109	0.0
173	17135	17136	SN	2	-33.26	16.969	0.0	-34.178	17.61	0.0	1.612	22.89	0.042	4.029	23.179	0.095	0.087	156.97	1.889	0.087	193.886	1.493	0.086	0.128	0.0	0.086	0.109	0.0
174	17135	17136	SN	2	-34.928	16.969	0.0	-34.304	17.61	0.0	1.614	22.89	0.042	4.029	23.179	0.092	0.087	236.296	1.884	0.087	199.622	1.493	0.086	0.128	0.0	0.086	0.109	0.0
175	17135	17136	NS	4	-34.465	16.906	0.0	-34.451	16.457	0.0	1.082	22.183	0.017	-0.19	22.829	0.103	0.087	207.172	2.074	0.087	206.498	1.856	0.086	0.134	0.0	0.086	0.152	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

█ Normal	█ Deviations
█ Alarming	█ High Errors