



SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 09-MAY-2018 To 10-MAY-2018


Inner Sea Aft Sigma0VsSNR




Inner Sea Fore Sigma0VsSNR




Inner Land Aft Sigma0VsSNR




Inner Land Fore Sigma0VsSNR




Outer Sea Aft Sigma0VsSNR




Outer Sea Fore Sigma0VsSNR



Outer Land Aft Sigma0VsSNR



Outer Land Fore Sigma0VsSNR



SCATSAT-1 Scatterometer Level-2A Data Quality Cycle wise Report

Report between 09-MAY-2018 To 10-MAY-2018

Sr No	Start Orbit	End Orbit	Dir.	Ver.	SNR												Sigma0											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8552	8553	NS	1	0.0	50.545	2.768	0.0	53.764	3.425	0.0	44.448	2.093	0.0	45.151	2.673	0.0	50.58	2.86	0.0	55.548	3.299	0.0	44.417	2.033	0.0	42.817	2.523
2	8552	8553	NS	1	0.0	50.545	2.774	0.0	49.417	3.439	0.0	45.104	2.081	0.0	43.246	2.657	0.0	50.58	2.873	0.0	50.965	3.31	0.0	44.789	2.021	0.0	43.052	2.521
3	8552	8553	SN	1	0.0	47.709	1.642	0.0	54.408	2.049	0.0	45.604	1.101	0.0	42.94	1.648	0.0	46.618	1.685	0.0	54.035	1.996	0.0	43.785	1.048	0.0	40.706	1.505
4	8552	8553	SN	1	0.0	52.477	6.874	0.0	51.602	7.832	0.0	49.625	4.701	0.0	46.617	5.56	0.0	54.603	7.017	0.0	50.234	7.741	0.0	50.016	4.58	0.0	46.513	5.474
5	8552	8553	SN	1	0.0	47.709	1.642	0.0	54.408	2.049	0.0	45.604	1.101	0.0	42.94	1.648	0.0	46.618	1.685	0.0	54.035	1.996	0.0	43.785	1.048	0.0	40.706	1.505
6	8552	8553	SN	1	0.0	52.477	6.874	0.0	51.602	7.832	0.0	49.625	4.701	0.0	46.617	5.56	0.0	54.603	7.017	0.0	50.234	7.741	0.0	50.016	4.58	0.0	46.513	5.474
7	8552	8553	NS	1	0.0	53.121	10.182	0.0	57.876	11.444	0.0	49.498	7.553	0.0	50.359	8.468	0.0	53.366	10.263	0.0	55.31	11.454	0.0	49.063	7.347	0.0	48.169	8.347
8	8552	8553	NS	1	0.0	53.252	10.253	0.0	57.876	11.454	0.0	52.762	7.538	0.0	50.253	8.482	0.0	53.496	10.344	0.0	55.31	11.454	0.0	51.166	7.34	0.0	47.574	8.383
9	8553	8554	SN	1	0.0	48.31	1.601	0.0	42.12	1.922	0.0	39.643	1.545	0.0	45.375	1.954	0.0	49.024	1.603	0.0	42.621	1.743	0.0	39.059	1.538	0.0	47.708	1.765
10	8553	8554	SN	1	0.0	49.4	5.841	0.0	55.271	6.838	0.0	46.473	4.612	0.0	45.865	5.734	0.0	49.139	6.129	0.0	56.159	6.694	0.0	47.566	4.835	0.0	43.12	5.547
11	8553	8554	SN	1	0.0	48.31	1.581	0.0	42.12	1.9	0.0	39.643	1.526	0.0	45.375	1.933	0.0	49.024	1.584	0.0	42.621	1.723	0.0	39.059	1.519	0.0	47.708	1.745
12	8553	8554	SN	1	0.0	49.651	5.83	0.0	47.406	6.848	0.0	42.044	4.604	0.0	46.297	5.792	0.0	49.389	6.129	0.0	46.464	6.735	0.0	42.571	4.813	0.0	43.275	5.54
13	8553	8554	NS	1	0.0	48.826	1.57	0.0	55.065	1.784	0.0	41.56	1.022	0.0	41.272	1.427	0.0	48.889	1.566	0.0	52.617	1.775	0.0	43.265	1.035	0.0	41.44	1.371
14	8553	8554	SN	1	0.0	49.4	5.769	0.0	55.271	6.768	0.0	46.473	4.553	0.0	45.865	5.682	0.0	49.139	6.054	0.0	56.159	6.626	0.0	47.566	4.774	0.0	43.12	5.49
15	8553	8554	NS	1	0.0	48.735	4.836	0.0	52.241	5.245	0.0	43.955	3.75	0.0	49.51	4.313	0.0	49.736	4.897	0.0	50.794	5.235	0.0	45.419	3.708	0.0	49.755	4.356
16	8553	8554	NS	1	0.0	48.644	1.552	0.0	50.199	1.779	0.0	40.896	1.03	0.0	38.246	1.422	0.0	48.707	1.557	0.0	47.75	1.777	0.0	42.633	1.03	0.0	41.076	1.358
17	8553	8554	NS	1	0.0	50.22	4.806	0.0	49.093	5.225	0.0	42.96	3.8	0.0	49.338	4.292	0.0	50.312	4.887	0.0	49.849	5.215	0.0	45.306	3.672	0.0	49.584	4.384
18	8553	8554	SN	1	0.0	47.829	1.619	0.0	42.389	1.919	0.0	39.645	1.535	0.0	45.293	1.949	0.0	48.54	1.615	0.0	42.892	1.75	0.0	39.105	1.518	0.0	47.626	1.772
19	8554	8555	NS	1	0.0	44.888	0.899	0.0	39.563	1.367	0.0	36.566	1.118	0.0	39.356	1.456	0.0	42.968	0.894	0.0	40.453	1.177	0.0	35.276	1.088	0.0	36.005	1.275
20	8554	8555	SN	1	0.0	44.877	2.56	0.0	45.725	3.684	0.0	44.342	3.223	0.0	37.734	4.37	0.0	45.301	2.692	0.0	46.992	3.491	0.0	44.744	2.945	0.0	39.371	4.057
21	8554	8555	NS	1	0.0	46.719	2.934	0.0	50.206	4.243	0.0	42.244	3.488	0.0	45.047	4.58	0.0	46.982	2.874	0.0	49.676	3.857	0.0	44.495	3.304	0.0	45.118	4.274
22	8554	8555	SN	1	0.0	44.877	2.599	0.0	45.725	3.742	0.0	44.342	3.275	0.0	37.734	4.439	0.0	45.301	2.733	0.0	46.992	3.545	0.0	44.744	2.993	0.0	39.371	4.12
23	8554	8555	SN	1	0.0	42.631	2.57	0.0	45.725	3.684	0.0	44.456	3.209	0.0	39.271	4.385	0.0	42.663	2.732	0.0	46.992	3.491	0.0	44.859	2.967	0.0	39.371	4.064
24	8554	8555	NS	1	0.0	46.616	2.955	0.0	50.132	4.284	0.0	42.321	3.375	0.0	45.326	4.559	0.0	47.867	2.833	0.0	50.975	3.847	0.0	45.49	3.346	0.0	45.398	4.182
25	8554	8555	SN	1	0.0	42.655	0.926	0.0	41.8	1.154	0.0	38.384	1.133	0.0	35.909	1.519	0.0	41.977	0.869	0.0	43.862	1.053	0.0	39.075	1.03	0.0	37.143	1.25
26	8554	8555	SN	1	0.0	42.655	0.912	0.0	41.8	1.138	0.0	38.384	1.117	0.0	35.909	1.497	0.0	41.977	0.855	0.0	43.862	1.038	0.0	39.075	1.014	0.0	37.143	1.232
27	8554	8555	SN	1	0.0	42.343	0.914	0.0	39.783	1.14	0.0	39.059	1.123	0.0	35.909	1.497	0.0	41.825	0.866	0.0	39.233	1.043	0.0	39.751	1.027	0.0	37.143	1.232
28	8554	8555	NS	1	0.0	43.994	0.933	0.0	39.136	1.355	0.0	36.747	1.086	0.0	37.711	1.466	0.0	43.506	0.915	0.0	40.029	1.186	0.0	37.031	1.047	0.0	35.957	1.295
29	8555	8556	SN	1	0.0	43.067	2.215	0.0	40.629	2.88	0.0	41.241	2.242	0.0	43.078	3.529	0.0	41.565	2.174	0.0	40.515	2.626	0.0	40.269	1.986	0.0	40.908	2.802
30	8555	8556	NS	1	0.0	42.269	0.865	0.0	48.678	1.182	0.0	40.668	0.796	0.0	46.665	1.013	0.0	41.892	0.858	0.0	49.396	1.058	0.0	38.4	0.72	0.0	45.691	0.808
31	8555	8556	NS	1	0.0	51.167	3.966	0.0	50.833	4.883	0.0	45.366	3.24	0.0	43.537	3.826	0.0	51.964	3.966	0.0	51.441	4.527	0.0	44.105	3.063	0.0	41.257	3.342

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0	Alarming	High Errors

32	8555	8556	NS	1	0.0	50.146	0.838	0.0	45.435	1.112	0.0	38.188	0.819	0.0	43.91	1.084	0.0	48.069	0.835	0.0	44.675	1.02	0.0	37.405	0.729	0.0	39.934	0.886
33	8555	8556	SN	1	0.0	40.293	0.582	0.0	41.105	0.875	0.0	35.627	0.755	0.0	40.533	1.294	0.0	40.411	0.554	0.0	41.539	0.741	0.0	36.306	0.654	0.0	37.662	0.935
34	8555	8556	SN	1	0.0	42.863	2.265	0.0	40.702	2.88	0.0	39.232	2.242	0.0	43.075	3.515	0.0	41.361	2.225	0.0	40.586	2.626	0.0	38.258	2.007	0.0	40.905	2.781
35	8555	8556	SN	1	0.0	38.734	0.605	0.0	41.006	0.893	0.0	35.627	0.764	0.0	40.533	1.33	0.0	38.855	0.575	0.0	40.783	0.754	0.0	36.306	0.662	0.0	37.662	0.969
36	8555	8556	SN	1	0.0	42.863	2.319	0.0	40.702	2.958	0.0	40.997	2.274	0.0	43.075	3.583	0.0	41.361	2.277	0.0	40.586	2.677	0.0	40.024	2.055	0.0	40.905	2.817
37	8555	8556	SN	1	0.0	36.061	0.579	0.0	41.305	0.861	0.0	36.149	0.75	0.0	40.938	1.284	0.0	36.041	0.548	0.0	41.215	0.732	0.0	36.339	0.647	0.0	38.067	0.928
38	8555	8556	NS	1	0.0	48.532	4.024	0.0	54.23	4.69	0.0	41.251	3.147	0.0	48.554	3.803	0.0	47.113	3.943	0.0	56.722	4.417	0.0	41.863	3.012	0.0	48.322	3.157
39	8556	8557	NS	1	0.0	47.826	1.188	0.0	49.481	1.389	0.0	46.477	1.152	0.0	46.559	1.533	0.0	47.864	1.231	0.0	51.187	1.262	0.0	45.636	1.117	0.0	44.785	1.402
40	8556	8557	SN	1	0.0	43.625	3.493	0.0	49.283	4.062	0.0	36.885	2.974	0.0	40.155	3.93	0.0	44.497	3.443	0.0	48.988	3.736	0.0	37.465	3.031	0.0	39.311	3.623
41	8556	8557	SN	1	0.0	38.195	0.706	0.0	44.937	1.111	0.0	37.222	0.986	0.0	37.272	1.362	0.0	39.076	0.708	0.0	44.192	0.966	0.0	37.462	0.915	0.0	37.992	1.143
42	8556	8557	SN	1	0.0	41.557	0.722	0.0	44.354	1.102	0.0	41.26	0.982	0.0	37.287	1.36	0.0	42.466	0.731	0.0	42.715	0.975	0.0	41.558	0.922	0.0	36.813	1.141
43	8556	8557	NS	1	0.0	48.164	1.19	0.0	49.793	1.398	0.0	43.834	1.143	0.0	46.608	1.536	0.0	47.396	1.228	0.0	51.499	1.28	0.0	42.699	1.11	0.0	44.98	1.405
44	8556	8557	SN	1	0.0	43.779	3.585	0.0	49.717	4.072	0.0	37.673	2.974	0.0	38.526	4.058	0.0	44.354	3.524	0.0	49.423	3.756	0.0	38.185	2.995	0.0	38.437	3.666
45	8556	8557	NS	1	0.0	50.213	4.171	0.0	53.382	4.798	0.0	50.553	4.0	0.0	47.643	5.026	0.0	50.962	4.292	0.0	53.434	4.626	0.0	48.407	3.844	0.0	46.789	4.713
46	8556	8557	NS	1	0.0	50.658	4.181	0.0	53.119	4.737	0.0	45.787	4.036	0.0	47.652	5.047	0.0	51.407	4.282	0.0	53.174	4.575	0.0	46.505	3.866	0.0	46.799	4.763
47	8557	8558	SN	1	0.0	45.355	1.231	0.0	44.883	1.633	0.0	38.282	1.384	0.0	37.642	1.877	0.0	44.408	1.251	0.0	43.561	1.551	0.0	39.67	1.346	0.0	37.0	1.569
48	8557	8558	SN	1	0.0	47.576	5.423	0.0	43.845	7.024	0.0	39.47	4.368	0.0	39.973	5.955	0.0	47.077	5.504	0.0	44.993	6.444	0.0	39.41	4.197	0.0	38.86	5.063
49	8557	8558	NS	1	0.0	48.511	5.079	0.0	53.868	6.375	0.0	49.92	5.253	0.0	49.054	6.467	0.0	48.66	5.16	0.0	53.656	6.132	0.0	48.661	5.161	0.0	50.334	6.02
50	8557	8558	NS	1	0.0	48.511	5.079	0.0	53.868	6.375	0.0	49.92	5.253	0.0	49.054	6.467	0.0	48.66	5.16	0.0	53.656	6.132	0.0	48.661	5.161	0.0	50.334	6.02
51	8557	8558	SN	1	0.0	49.439	5.555	0.0	47.561	6.973	0.0	43.562	4.283	0.0	44.038	5.855	0.0	49.609	5.585	0.0	46.1	6.414	0.0	41.452	4.183	0.0	43.006	5.113
52	8557	8558	SN	1	0.0	45.355	1.303	0.0	44.883	1.72	0.0	38.282	1.459	0.0	37.642	1.979	0.0	44.408	1.331	0.0	43.561	1.636	0.0	39.67	1.418	0.0	37.25	1.66
53	8557	8558	NS	1	0.0	42.032	1.419	0.0	49.775	1.817	0.0	45.309	1.472	0.0	46.359	2.079	0.0	42.5	1.419	0.0	47.367	1.732	0.0	45.22	1.376	0.0	43.361	1.762
54	8557	8558	NS	1	0.0	42.032	1.419	0.0	49.775	1.817	0.0	45.309	1.472	0.0	46.359	2.079	0.0	42.5	1.419	0.0	47.367	1.732	0.0	45.22	1.376	0.0	43.361	1.762
55	8557	8558	SN	1	0.0	49.244	1.244	0.0	46.347	1.63	0.0	37.631	1.389	0.0	35.561	1.88	0.0	48.082	1.262	0.0	45.018	1.558	0.0	37.905	1.318	0.0	37.267	1.579
56	8557	8558	SN	1	0.0	47.576	5.73	0.0	43.845	7.399	0.0	39.47	4.596	0.0	39.973	6.242	0.0	47.077	5.816	0.0	44.993	6.808	0.0	39.41	4.43	0.0	38.86	5.344
57	8558	8559	SN	1	0.0	49.082	1.976	0.0	43.149	2.348	0.0	42.99	1.648	0.0	45.711	2.098	0.0	48.699	1.983	0.0	45.016	2.289	0.0	41.311	1.682	0.0	46.042	1.977
58	8558	8559	NS	1	0.0	41.529	0.732	0.0	47.273	1.085	0.0	37.963	0.918	0.0	45.558	1.229	0.0	40.164	0.714	0.0	43.997	0.893	0.0	35.842	0.823	0.0	41.209	0.908
59	8558	8559	SN	1	0.0	49.082	2.136	0.0	43.149	2.505	0.0	42.99	1.765	0.0	45.711	2.24	0.0	48.699	2.141	0.0	45.016	2.453	0.0	41.311	1.813	0.0	46.327	2.117
60	8558	8559	SN	1	0.0	51.292	7.615	0.0	52.493	8.707	0.0	50.16	5.796	0.0	48.842	6.807	0.0	52.672	7.808	0.0	54.742	8.361	0.0	49.686	6.002	0.0	46.427	6.765
61	8558	8559	NS	1	0.0	46.577	0.728	0.0	47.276	1.073	0.0	37.6	0.913	0.0	41.973	1.211	0.0	45.22	0.712	0.0	43.998	0.893	0.0	35.677	0.807	0.0	37.041	0.887
62	8558	8559	SN	1	0.0	51.292	7.615	0.0	52.493	8.707	0.0	50.16	5.796	0.0	48.842	6.807	0.0	52.672	7.808	0.0	54.742	8.361	0.0	49.686	6.002	0.0	46.427	6.765
63	8558	8559	NS	1	0.0	40.728	3.209	0.0	52.442	4.099	0.0	39.292	3.248	0.0	45.886	3.803	0.0	40.316	3.057	0.0	52.949	3.551	0.0	38.008	2.922	0.0	41.659	3.028
64	8558	8559	NS	1	0.0	41.5	3.188	0.0	52.641	4.068	0.0	38.929	3.234	0.0	40.75	3.746	0.0	40.466	3.016	0.0	53.151	3.53	0.0	37.646	2.886	0.0	39.258	2.943
65	8558	8559	SN	1	0.0	51.292	8.208	0.0	52.493	9.291	0.0	50.16	6.216	0.0	48.842	7.185	0.0	52.672	8.428	0.0	54.742	8.95	0.0	49.686	6.455	0.0	46.427	7.193
66	8558	8559	SN	1	0.0	49.082	1.976	0.0	43.149	2.348	0.0	42.99	1.648	0.0	45.711	2.098	0.0	48.699	1.983	0.0	45.016	2.289	0.0	41.311	1.682	0.0	46.042	1.977
67	8559	8560	SN	1	0.0	44.342	1.036	0.0	41.065	1.475	0.0	48.704	0.915	0.0	41.003	1.287	0.0	43.581	1.025	0.0	41.848	1.387	0.0	47.954	0.913	0.0	40.267	1.143

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

140	8572	8573	SN	1	0.0	51.057	7.711	0.0	50.882	9.124	0.0	50.684	6.106	0.0	50.839	7.542	0.0	50.705	7.782	0.0	50.004	8.768	0.0	49.339	6.106	0.0	50.622	7.214
141	8572	8573	SN	1	0.0	49.832	2.183	0.0	49.898	2.753	0.0	44.701	1.758	0.0	41.874	2.452	0.0	48.915	2.141	0.0	49.914	2.681	0.0	46.76	1.727	0.0	41.898	2.218
142	8572	8573	NS	1	0.0	45.899	4.636	0.0	52.125	5.549	0.0	43.772	4.595	0.0	45.842	5.31	0.0	45.649	4.606	0.0	51.528	5.275	0.0	44.044	4.319	0.0	45.364	4.692
143	8573	8574	SN	1	0.0	54.903	6.471	0.0	56.763	7.064	0.0	47.525	4.625	0.0	50.01	5.491	0.0	53.98	6.542	0.0	56.374	6.749	0.0	46.168	4.611	0.0	47.681	5.091
144	8573	8574	NS	1	0.0	48.124	0.818	0.0	41.752	1.195	0.0	43.52	0.994	0.0	44.557	1.299	0.0	50.941	0.831	0.0	44.222	1.112	0.0	41.081	0.927	0.0	39.327	1.177
145	8573	8574	SN	1	0.0	54.903	6.471	0.0	56.763	7.064	0.0	47.669	4.632	0.0	50.01	5.476	0.0	53.98	6.542	0.0	56.374	6.749	0.0	46.31	4.625	0.0	47.681	5.077
146	8573	8574	NS	1	0.0	48.823	3.247	0.0	43.929	4.496	0.0	37.931	3.382	0.0	45.819	4.245	0.0	50.708	3.308	0.0	43.118	4.263	0.0	38.343	3.07	0.0	49.051	4.039
147	8573	8574	SN	1	0.0	49.176	1.611	0.0	46.549	2.124	0.0	46.74	1.213	0.0	44.96	1.513	0.0	48.797	1.629	0.0	47.953	1.99	0.0	46.543	1.172	0.0	43.356	1.33
148	8573	8574	SN	1	0.0	54.903	6.883	0.0	56.763	7.412	0.0	47.669	4.877	0.0	50.01	5.715	0.0	53.98	6.96	0.0	56.374	7.118	0.0	46.31	4.877	0.0	47.681	5.387
149	8573	8574	SN	1	0.0	49.176	1.717	0.0	46.549	2.235	0.0	46.74	1.273	0.0	44.96	1.574	0.0	48.797	1.739	0.0	47.953	2.104	0.0	46.543	1.245	0.0	43.356	1.394
150	8573	8574	SN	1	0.0	49.176	1.611	0.0	46.549	2.124	0.0	46.74	1.215	0.0	44.96	1.51	0.0	48.797	1.629	0.0	47.953	1.993	0.0	46.543	1.171	0.0	43.356	1.328
151	8574	8575	NS	1	0.0	48.5	3.145	0.0	52.621	3.996	0.0	39.161	3.204	0.0	45.513	4.424	0.0	48.058	3.205	0.0	53.404	3.885	0.0	39.484	3.225	0.0	48.291	3.878
152	8574	8575	NS	1	0.0	48.102	3.065	0.0	45.326	4.181	0.0	46.305	3.027	0.0	46.133	4.437	0.0	48.629	3.166	0.0	44.1	3.948	0.0	44.781	2.914	0.0	45.476	3.797
153	8574	8575	SN	1	0.0	45.239	1.382	0.0	47.641	1.798	0.0	39.674	1.391	0.0	48.929	1.706	0.0	46.005	1.432	0.0	50.249	1.707	0.0	40.3	1.446	0.0	47.881	1.636
154	8574	8575	NS	1	0.0	46.149	0.872	0.0	54.473	1.407	0.0	40.604	0.955	0.0	40.287	1.54	0.0	45.951	0.888	0.0	53.182	1.292	0.0	39.978	0.883	0.0	41.149	1.317
155	8574	8575	SN	1	0.0	48.404	5.851	0.0	53.757	6.372	0.0	46.096	4.86	0.0	43.943	5.619	0.0	48.972	5.933	0.0	54.049	6.281	0.0	44.888	4.888	0.0	44.697	5.348
156	8574	8575	NS	1	0.0	47.521	0.869	0.0	54.962	1.47	0.0	38.743	0.962	0.0	47.612	1.425	0.0	48.595	0.89	0.0	53.36	1.357	0.0	38.19	0.918	0.0	43.298	1.219
157	8575	8576	NS	1	0.0	43.452	1.493	0.0	50.838	1.862	0.0	38.364	1.546	0.0	44.137	2.014	0.0	43.27	1.477	0.0	48.729	1.812	0.0	38.432	1.397	0.0	44.162	1.747
158	8575	8576	SN	1	0.0	45.827	5.647	0.0	50.779	7.097	0.0	42.874	4.452	0.0	44.267	5.992	0.0	44.668	5.779	0.0	50.629	6.588	0.0	44.806	4.538	0.0	44.749	5.857
159	8575	8576	NS	1	0.0	56.749	5.592	0.0	56.204	6.718	0.0	43.856	5.033	0.0	48.235	6.417	0.0	54.907	5.551	0.0	55.339	6.516	0.0	44.002	4.841	0.0	48.087	5.679
160	8575	8576	SN	1	0.0	49.499	1.303	0.0	47.971	1.796	0.0	39.947	1.351	0.0	38.85	1.864	0.0	48.457	1.327	0.0	46.681	1.74	0.0	39.411	1.337	0.0	37.196	1.765
161	8576	8577	NS	1	0.0	43.966	0.788	0.0	42.662	1.409	0.0	42.173	0.868	0.0	39.866	1.37	0.0	42.938	0.829	0.0	40.189	1.305	0.0	41.613	0.812	0.0	35.949	1.136
162	8576	8577	NS	1	0.0	43.785	2.983	0.0	42.662	4.634	0.0	36.082	2.949	0.0	48.873	3.878	0.0	43.88	3.104	0.0	41.96	4.371	0.0	36.347	2.786	0.0	50.522	3.368

Parameter Specifications	Parameters	SNR	Sigma0	Normal	Deviations
	Range	20.0	20.0		

Sr No	Start Orbit	End Orbit	Dir.	Ver.	Azimuth Angle												Incidence Angle											
					Inner Aft			Inner Fore			Outer Aft			Outer Fore			Inner Aft			Inner Fore			Outer Aft			Outer Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8552	8553	NS	1	0.0	269.088	6.98	0.0	23.643	8.58	0.0	175.964	4.192	0.0	125.235	5.21	0.0	1.427	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.173	0.0
2	8552	8553	NS	1	0.0	269.088	6.98	0.0	23.643	8.58	0.0	175.964	4.192	0.0	125.235	5.21	0.0	1.427	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.173	0.0
3	8552	8553	SN	1	0.0	23.191	4.878	0.0	74.488	6.411	0.0	81.909	1.081	0.0	24.492	1.527	0.0	1.376	0.0	0.0	1.738	0.0	0.0	1.796	0.0	0.0	2.09	0.0
4	8552	8553	SN	1	0.0	28.353	12.338	0.0	34.571	12.959	0.0	78.749	8.072	0.0	44.672	9.758	0.0	1.388	0.0	0.0	1.738	0.0	0.0	1.788	0.0	0.0	2.091	0.0
5	8552	8553	SN	1	0.0	23.191	4.878	0.0	74.488	6.411	0.0	81.909	1.081	0.0	24.492	1.527	0.0	1.376	0.0	0.0	1.738	0.0	0.0	1.796	0.0	0.0	2.09	0.0
6	8552	8553	SN	1	0.0	28.353	12.338	0.0	34.571	12.959	0.0	78.749	8.072	0.0	44.672	9.758	0.0	1.388	0.0	0.0	1.738	0.0	0.0	1.788	0.0	0.0	2.091	0.0
7	8552	8553	NS	1	0.0	149.586	10.445	0.0	30.917	15.522	0.0	189.746	13.311	0.0	76.206	14.988	0.0	1.4	0.0	0.0	1.814	0.0	0.0	1.86	0.0	0.0	2.171	0.0
8	8552	8553	NS	1	0.0	149.586	10.445	0.0	30.917	15.522	0.0	189.746	13.311	0.0	76.206	14.988	0.0	1.4	0.0	0.0	1.814	0.0	0.0	1.86	0.0	0.0	2.171	0.0
9	8553	8554	SN	1	0.0	23.169	4.92	0.0	18.199	6.347	0.0	85.4	1.079	0.0	13.407	1.444	0.0	1.382	0.0	0.0	1.738	0.0	0.0	1.806	0.0	0.0	2.09	0.0
10	8553	8554	SN	1	0.0	28.353	12.38	0.0	23.273	12.967	0.0	76.041	8.07	0.0	21.111	9.725	0.0	1.387	0.0	0.0	1.741	0.0	0.0	1.797	0.0	0.0	2.092	0.0
11	8553	8554	SN	1	0.0	23.169	4.916	0.0	20.146	6.372	0.0	85.4	1.075	0.0	24.04	1.538	0.0	1.382	0.0	0.0	1.738	0.0	0.0	1.806	0.0	0.0	2.09	0.0
12	8553	8554	SN	1	0.0	28.353	12.38	0.0	231.876	12.977	0.0	76.063	8.085	0.0	44.503	9.703	0.0	1.389	0.0	0.0	1.741	0.0	0.0	1.797	0.0	0.0	2.092	0.0
13	8553	8554	NS	1	0.0	124.821	6.994	0.0	23.621	8.586	0.0	227.905	4.184	0.0	140.814	5.187	0.0	1.424	0.0	0.0	1.814	0.0	0.0	1.879	0.0	0.0	2.172	0.0
14	8553	8554	SN	1	0.0	28.353	12.372	0.0	23.273	13.079	0.0	76.041	8.032	0.0	38.732	9.946	0.0	1.387	0.0	0.0	1.741	0.0	0.0	1.797	0.0	0.0	2.092	0.0
15	8553	8554	NS	1	0.0	150.769	10.299	0.0	31.011	15.614	0.0	254.575	13.279	0.0	129.189	15.033	0.0	1.403	0.0	0.0	1.814	0.0	0.0	1.877	0.0	0.0	2.172	0.0
16	8553	8554	NS	1	0.0	124.821	6.994	0.0	23.621	8.586	0.0	227.905	4.182	0.0	140.814	5.187	0.0	1.424	0.0	0.0	1.814	0.0	0.0	1.879	0.0	0.0	2.172	0.0
17	8553	8554	NS	1	0.0	150.769	10.299	0.0	31.011	15.614	0.0	254.575	13.279	0.0	129.189	15.033	0.0	1.403	0.0	0.0	1.814	0.0	0.0	1.877	0.0	0.0	2.172	0.0
18	8553	8554	SN	1	0.0	23.169	4.918	0.0	266.716	6.352	0.0	85.444	1.079	0.0	221.105	1.437	0.0	1.382	0.0	0.0	1.738	0.0	0.0	1.806	0.0	0.0	2.09	0.0
19	8554	8555	NS	1	0.0	156.394	7.01	0.0	23.61	8.572	0.0	352.902	4.141	0.0	136.634	5.155	0.0	1.433	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.171	0.0
20	8554	8555	SN	1	0.0	28.342	12.382	0.0	23.284	13.038	0.0	94.985	8.011	0.0	71.268	9.981	0.0	1.386	0.0	0.0	1.74	0.0	0.0	1.796	0.0	0.0	2.091	0.0
21	8554	8555	NS	1	0.0	157.718	10.301	0.0	29.213	15.592	0.0	135.675	13.272	0.0	69.301	14.999	0.0	1.402	0.0	0.0	1.814	0.0	0.0	1.878	0.0	0.0	2.169	0.0
22	8554	8555	SN	1	0.0	28.342	12.388	0.0	23.284	12.889	0.0	94.985	8.067	0.0	71.268	9.667	0.0	1.386	0.0	0.0	1.74	0.0	0.0	1.796	0.0	0.0	2.091	0.0
23	8554	8555	SN	1	0.0	28.342	12.382	0.0	23.284	13.038	0.0	94.985	8.011	0.0	71.268	9.981	0.0	1.386	0.0	0.0	1.74	0.0	0.0	1.796	0.0	0.0	2.091	0.0
24	8554	8555	NS	1	0.0	157.718	10.301	0.0	29.213	15.592	0.0	135.675	13.272	0.0	69.301	14.999	0.0	1.402	0.0	0.0	1.814	0.0	0.0	1.878	0.0	0.0	2.169	0.0
25	8554	8555	SN	1	0.0	23.169	4.922	0.0	18.227	6.361	0.0	87.92	1.05	0.0	160.5	1.412	0.0	1.381	0.0	0.0	1.738	0.0	0.0	1.8	0.0	0.0	2.09	0.0
26	8554	8555	SN	1	0.0	23.169	4.913	0.0	20.108	6.388	0.0	87.92	1.046	0.0	160.5	1.513	0.0	1.381	0.0	0.0	1.738	0.0	0.0	1.8	0.0	0.0	2.09	0.0
27	8554	8555	SN	1	0.0	23.169	4.913	0.0	20.108	6.388	0.0	87.92	1.046	0.0	160.5	1.513	0.0	1.381	0.0	0.0	1.738	0.0	0.0	1.8	0.0	0.0	2.09	0.0
28	8554	8555	NS	1	0.0	156.394	7.01	0.0	23.61	8.572	0.0	352.902	4.143	0.0	136.634	5.155	0.0	1.433	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.171	0.0
29	8555	8556	SN	1	0.0	28.325	12.343	0.0	23.284	13.006	0.0	97.638	7.95	0.0	170.858	10.01	0.0	1.385	0.0	0.0	1.74	0.0	0.0	1.796	0.0	0.0	2.092	0.0
30	8555	8556	NS	1	0.0	23.61	6.988	0.0	23.621	8.57	0.0	187.535	4.14	0.0	117.243	5.168	0.0	1.433	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.171	0.0
31	8555	8556	NS	1	0.0	272.091	10.311	0.0	29.241	15.602	0.0	188.439	13.293	0.0	69.892	15.005	0.0	1.402	0.0	0.0	1.813	0.0	0.0	1.871	0.0	0.0	2.172	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors

32	8555	8556	NS	1	0.0	23.61	6.986	0.0	23.615	8.572	0.0	250.638	4.147	0.0	132.707	5.157	0.0	1.428	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.173	0.0
33	8555	8556	SN	1	0.0	23.163	4.938	0.0	20.058	6.395	0.0	84.782	1.009	0.0	244.943	1.506	0.0	1.38	0.0	0.0	1.738	0.0	0.0	1.804	0.0	0.0	2.09	0.0
34	8555	8556	SN	1	0.0	28.325	12.343	0.0	23.284	13.006	0.0	97.621	7.964	0.0	258.496	10.017	0.0	1.384	0.0	0.0	1.739	0.0	0.0	1.796	0.0	0.0	2.092	0.0
35	8555	8556	SN	1	0.0	23.163	4.958	0.0	18.045	6.354	0.0	84.782	1.015	0.0	244.943	1.359	0.0	1.38	0.0	0.0	1.738	0.0	0.0	1.804	0.0	0.0	2.09	0.0
36	8555	8556	SN	1	0.0	28.325	12.353	0.0	23.284	12.738	0.0	97.621	8.039	0.0	258.496	9.575	0.0	1.384	0.0	0.0	1.739	0.0	0.0	1.796	0.0	0.0	2.092	0.0
37	8555	8556	SN	1	0.0	23.163	4.944	0.0	20.058	6.395	0.0	84.804	1.006	0.0	145.607	1.508	0.0	1.38	0.0	0.0	1.738	0.0	0.0	1.804	0.0	0.0	2.091	0.0
38	8555	8556	NS	1	0.0	272.096	10.263	0.0	29.241	15.478	0.0	253.991	13.319	0.0	132.707	15.035	0.0	1.407	0.0	0.0	1.811	0.0	0.0	1.86	0.0	0.0	2.173	0.0
39	8556	8557	NS	1	0.0	199.58	6.982	0.0	23.621	8.588	0.0	186.239	4.164	0.0	131.053	5.175	0.0	1.431	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.172	0.0
40	8556	8557	SN	1	0.0	28.342	12.318	0.0	217.994	12.99	0.0	93.441	7.96	0.0	41.081	10.056	0.0	1.384	0.0	0.0	1.74	0.0	0.0	1.799	0.0	0.0	2.092	0.0
41	8556	8557	SN	1	0.0	23.18	4.898	0.0	134.423	6.447	0.0	130.336	1.02	0.0	24.465	1.483	0.0	1.374	0.0	0.0	1.737	0.0	0.0	1.811	0.0	0.0	2.09	0.0
42	8556	8557	SN	1	0.0	23.18	4.898	0.0	134.423	6.447	0.0	130.336	1.02	0.0	24.465	1.483	0.0	1.374	0.0	0.0	1.737	0.0	0.0	1.811	0.0	0.0	2.09	0.0
43	8556	8557	NS	1	0.0	229.391	6.991	0.0	23.615	8.584	0.0	186.283	4.17	0.0	131.119	5.182	0.0	1.431	0.0	0.0	1.813	0.0	0.0	1.879	0.0	0.0	2.172	0.0
44	8556	8557	SN	1	0.0	28.342	12.318	0.0	217.994	12.99	0.0	93.441	7.96	0.0	41.081	10.056	0.0	1.384	0.0	0.0	1.74	0.0	0.0	1.799	0.0	0.0	2.092	0.0
45	8556	8557	NS	1	0.0	205.972	10.306	0.0	29.23	15.429	0.0	139.014	13.412	0.0	66.219	15.006	0.0	1.405	0.0	0.0	1.811	0.0	0.0	1.86	0.0	0.0	2.173	0.0
46	8556	8557	NS	1	0.0	172.746	10.296	0.0	29.23	15.429	0.0	139.036	13.405	0.0	66.186	15.013	0.0	1.406	0.0	0.0	1.811	0.0	0.0	1.86	0.0	0.0	2.173	0.0
47	8557	8558	SN	1	0.0	23.185	4.891	0.0	20.262	6.413	0.0	64.735	1.023	0.0	117.23	1.519	0.0	1.367	0.0	0.0	1.738	0.0	0.0	1.812	0.0	0.0	2.09	0.0
48	8557	8558	SN	1	0.0	29.809	12.318	0.0	23.29	12.939	0.0	80.707	8.003	0.0	133.372	10.141	0.0	1.383	0.0	0.0	1.74	0.0	0.0	1.818	0.0	0.0	2.093	0.0
49	8557	8558	NS	1	0.0	271.12	10.341	0.0	30.89	15.574	0.0	247.935	13.336	0.0	161.573	15.062	0.0	1.406	0.0	0.0	1.815	0.0	0.0	1.863	0.0	0.0	2.17	0.0
50	8557	8558	NS	1	0.0	271.12	10.341	0.0	30.89	15.574	0.0	247.935	13.336	0.0	161.573	15.062	0.0	1.406	0.0	0.0	1.815	0.0	0.0	1.863	0.0	0.0	2.17	0.0
51	8557	8558	SN	1	0.0	29.809	12.318	0.0	23.29	12.939	0.0	80.707	8.003	0.0	133.372	10.148	0.0	1.383	0.0	0.0	1.74	0.0	0.0	1.818	0.0	0.0	2.093	0.0
52	8557	8558	SN	1	0.0	23.185	4.953	0.0	18.045	6.344	0.0	64.735	1.067	0.0	117.23	1.329	0.0	1.367	0.0	0.0	1.738	0.0	0.0	1.812	0.0	0.0	2.09	0.0
53	8557	8558	NS	1	0.0	238.88	7.016	0.0	26.251	8.595	0.0	249.165	4.162	0.0	165.02	5.214	0.0	1.429	0.0	0.0	1.814	0.0	0.0	1.878	0.0	0.0	2.172	0.0
54	8557	8558	NS	1	0.0	238.88	7.016	0.0	26.251	8.595	0.0	249.165	4.162	0.0	165.02	5.214	0.0	1.429	0.0	0.0	1.814	0.0	0.0	1.878	0.0	0.0	2.172	0.0
55	8557	8558	SN	1	0.0	23.185	4.891	0.0	20.262	6.411	0.0	64.735	1.025	0.0	117.23	1.517	0.0	1.367	0.0	0.0	1.738	0.0	0.0	1.812	0.0	0.0	2.09	0.0
56	8557	8558	SN	1	0.0	29.809	12.373	0.0	23.29	12.616	0.0	80.707	8.221	0.0	133.372	9.264	0.0	1.383	0.0	0.0	1.74	0.0	0.0	1.818	0.0	0.0	2.093	0.0
57	8558	8559	SN	1	0.0	23.174	4.857	0.0	18.045	6.422	0.0	71.386	1.048	0.0	182.533	1.557	0.0	1.363	0.0	0.0	1.738	0.0	0.0	1.795	0.0	0.0	2.09	0.0
58	8558	8559	NS	1	0.0	141.777	6.962	0.0	23.637	8.575	0.0	139.444	4.185	0.0	123.475	5.221	0.0	1.43	0.0	0.0	1.814	0.0	0.0	1.879	0.0	0.0	2.174	0.0
59	8558	8559	SN	1	0.0	23.174	4.945	0.0	18.045	6.372	0.0	71.386	1.115	0.0	182.533	1.409	0.0	1.363	0.0	0.0	1.738	0.0	0.0	1.795	0.0	0.0	2.09	0.0
60	8558	8559	SN	1	0.0	28.336	12.326	0.0	47.972	13.0	0.0	80.116	7.965	0.0	240.826	10.036	0.0	1.39	0.0	0.0	1.739	0.0	0.0	1.788	0.0	0.0	2.09	0.0
61	8558	8559	NS	1	0.0	141.777	6.968	0.0	23.637	8.588	0.0	139.571	4.185	0.0	123.31	5.196	0.0	1.431	0.0	0.0	1.814	0.0	0.0	1.879	0.0	0.0	2.174	0.0
62	8558	8559	SN	1	0.0	28.336	12.326	0.0	47.972	13.0	0.0	80.116	7.965	0.0	240.826	10.036	0.0	1.39	0.0	0.0	1.739	0.0	0.0	1.788	0.0	0.0	2.09	0.0
63	8558	8559	NS	1	0.0	270.784	10.364	0.0	30.923	15.552	0.0	154.936	13.29	0.0	75.241	14.985	0.0	1.4	0.0	0.0	1.816	0.0	0.0	1.861	0.0	0.0	2.173	0.0
64	8558	8559	NS	1	0.0	270.778	10.374	0.0	30.923	15.512	0.0	133.471	13.318	0.0	75.169	14.978	0.0	1.401	0.0	0.0	1.816	0.0	0.0	1.861	0.0	0.0	2.173	0.0
65	8558	8559	SN	1	0.0	28.336	12.416	0.0	47.972	12.552	0.0	80.116	8.295	0.0	240.826	8.972	0.0	1.39	0.0	0.0	1.739	0.0	0.0	1.788	0.0	0.0	2.09	0.0
66	8558	8559	SN	1	0.0	23.174	4.857	0.0	18.045	6.422	0.0	71.386	1.048	0.0	182.533	1.557	0.0	1.363	0.0	0.0	1.738	0.0	0.0	1.795	0.0	0.0	2.09	0.0
67	8559	8560	SN	1	0.0	23.141	4.831	0.0	128.155	6.408	0.0	69.682	1.038	0.0	46.072	1.591	0.0	1.365	0.0	0.0	1.737	0.0	0.0	1.795	0.0	0.0	2.089	0.0
68	8559	8560	SN	1	0.0	28.303	12.503	0.0	23.284	12.461	0.0	79.901	8.426	0.0	13.06	8.787	0.0	1.388	0.0	0.0	1.738	0.0	0.0	1.787	0.0	0.0	2.09	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range		10.0	3.0	Alarming

143	8573	8574	SN	1	0.0	28.264	12.393	0.0	23.29	12.958	0.0	82.587	7.67	0.0	139.913	9.726	0.0	1.38	0.0	0.0	1.737	0.0	0.0	1.797	0.0	0.0	2.088	0.0
144	8573	8574	NS	1	0.0	185.243	6.812	0.0	23.604	8.685	0.0	352.417	4.223	0.0	138.884	5.345	0.0	1.434	0.0	0.0	1.816	0.0	0.0	1.882	0.0	0.0	2.175	0.0
145	8573	8574	SN	1	0.0	28.264	12.393	0.0	23.29	12.958	0.0	82.587	7.67	0.0	139.913	9.726	0.0	1.38	0.0	0.0	1.737	0.0	0.0	1.797	0.0	0.0	2.088	0.0
146	8573	8574	NS	1	0.0	269.104	10.511	0.0	30.928	15.599	0.0	216.108	13.435	0.0	63.704	15.082	0.0	1.408	0.0	0.0	1.818	0.0	0.0	1.862	0.0	0.0	2.174	0.0
147	8573	8574	SN	1	0.0	23.119	4.755	0.0	20.042	6.42	0.0	71.127	0.904	0.0	129.01	1.684	0.0	1.367	0.0	0.0	1.735	0.0	0.0	1.807	0.0	0.0	2.088	0.0
148	8573	8574	SN	1	0.0	28.264	12.429	0.0	23.29	12.535	0.0	82.587	7.933	0.0	139.913	8.687	0.0	1.38	0.0	0.0	1.737	0.0	0.0	1.797	0.0	0.0	2.088	0.0
149	8573	8574	SN	1	0.0	23.119	4.81	0.0	18.045	6.338	0.0	71.127	0.959	0.0	129.01	1.509	0.0	1.367	0.0	0.0	1.735	0.0	0.0	1.807	0.0	0.0	2.088	0.0
150	8573	8574	SN	1	0.0	23.119	4.755	0.0	20.042	6.42	0.0	71.127	0.904	0.0	129.01	1.684	0.0	1.367	0.0	0.0	1.735	0.0	0.0	1.807	0.0	0.0	2.088	0.0
151	8574	8575	NS	1	0.0	24.387	10.334	0.0	29.224	15.601	0.0	263.984	13.482	0.0	141.537	15.152	0.0	1.392	0.0	0.0	1.814	0.0	0.0	1.88	0.0	0.0	2.174	0.0
152	8574	8575	NS	1	0.0	24.387	10.42	0.0	30.906	15.599	0.0	167.554	13.463	0.0	67.057	15.095	0.0	1.407	0.0	0.0	1.818	0.0	0.0	1.862	0.0	0.0	2.174	0.0
153	8574	8575	SN	1	0.0	23.113	4.708	0.0	20.036	6.4	0.0	61.663	0.876	0.0	252.281	1.697	0.0	1.363	0.0	0.0	1.735	0.0	0.0	1.803	0.0	0.0	2.087	0.0
154	8574	8575	NS	1	0.0	23.692	6.846	0.0	23.615	8.678	0.0	204.651	4.193	0.0	131.797	5.34	0.0	1.436	0.0	0.0	1.816	0.0	0.0	1.883	0.0	0.0	2.176	0.0
155	8574	8575	SN	1	0.0	28.259	12.403	0.0	23.29	12.948	0.0	73.465	7.613	0.0	125.111	9.683	0.0	1.372	0.0	0.0	1.737	0.0	0.0	1.797	0.0	0.0	2.085	0.0
156	8574	8575	NS	1	0.0	23.692	6.851	0.0	23.615	8.675	0.0	206.54	4.213	0.0	124.099	5.334	0.0	1.435	0.0	0.0	1.816	0.0	0.0	1.882	0.0	0.0	2.176	0.0
157	8575	8576	NS	1	0.0	167.62	6.844	0.0	23.604	8.673	0.0	209.487	4.213	0.0	130.413	5.317	0.0	1.434	0.0	0.0	1.816	0.0	0.0	1.882	0.0	0.0	2.176	0.0
158	8575	8576	SN	1	0.0	28.242	12.391	0.0	51.309	12.891	0.0	82.284	7.681	0.0	149.139	9.752	0.0	1.365	0.0	0.0	1.738	0.0	0.0	1.808	0.0	0.0	2.087	0.0
159	8575	8576	NS	1	0.0	255.722	10.364	0.0	29.185	15.641	0.0	243.92	13.411	0.0	144.057	15.138	0.0	1.401	0.0	0.0	1.815	0.0	0.0	1.873	0.0	0.0	2.174	0.0
160	8575	8576	SN	1	0.0	23.108	4.695	0.0	20.229	6.401	0.0	118.396	0.907	0.0	211.961	1.692	0.0	1.358	0.0	0.0	1.735	0.0	0.0	1.805	0.0	0.0	2.087	0.0
161	8576	8577	NS	1	0.0	23.665	6.862	0.0	23.615	8.684	0.0	145.538	4.202	0.0	128.417	5.331	0.0	1.434	0.0	0.0	1.816	0.0	0.0	1.883	0.0	0.0	2.176	0.0
162	8576	8577	NS	1	0.0	54.083	10.364	0.0	29.196	15.631	0.0	353.354	13.375	0.0	146.12	15.109	0.0	1.392	0.0	0.0	1.814	0.0	0.0	1.875	0.0	0.0	2.173	0.0

Parameter Specifications	Parameters	Azi.Angle	Inci.Angle	Normal	Deviations
	Range	10.0	3.0	Alarming	High Errors