

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 29-NOV-2017 To 30-NOV-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 29-NOV-2017 To 30-NOV-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6217	6218	SN	1	48.706	49.314	0.0	0.003	6.16	2.713	1019.616	1075.696	23.896	-93.04	-89.224	0.0
2	6217	6218	SN	2	48.706	49.314	0.0	0.003	6.16	2.713	1019.616	1075.696	23.898	-93.04	-89.224	0.0
3	6217	6218	SN	1	48.706	49.314	0.0	0.003	6.16	2.004	1019.616	1075.696	24.919	-93.04	-89.224	0.0
4	6218	6219	NS	1	48.911	49.432	0.0	0.003	6.122	2.484	1056.256	1080.272	0.0	-92.188	-89.428	0.0
5	6218	6219	SN	2	48.712	49.281	0.0	0.003	6.177	2.604	1019.096	1075.632	23.238	-92.214	-89.218	0.0
6	6218	6219	NS	1	48.911	49.432	0.0	0.003	6.122	2.486	1056.256	1080.272	0.0	-92.188	-89.428	0.0
7	6218	6219	SN	1	48.712	49.281	0.0	0.003	6.177	2.604	1019.096	1075.632	23.238	-92.214	-89.218	0.0
8	6218	6219	SN	1	48.712	49.281	0.0	0.003	6.177	2.425	1019.096	1075.632	23.611	-92.214	-89.218	0.0
9	6219	6220	NS	1	48.911	49.465	0.0	0.003	6.127	2.459	1055.744	1080.456	0.0	-92.262	-89.388	0.0
10	6219	6220	NS	1	48.911	49.465	0.0	0.003	6.127	2.457	1055.744	1080.456	0.0	-92.262	-89.388	0.0
11	6219	6220	SN	2	48.705	49.281	0.0	0.003	208.881	2.504	1018.68	1075.744	23.735	-91.808	-89.237	0.0
12	6219	6220	SN	1	48.701	49.281	0.0	0.003	6.177	2.503	1018.68	1075.736	23.74	-91.808	-89.237	0.0
13	6220	6221	SN	1	48.726	49.333	0.0	0.003	6.188	2.534	1018.64	1075.624	24.635	-92.42	-89.235	0.0
14	6220	6221	NS	1	48.912	49.449	0.0	0.003	6.155	2.502	1055.824	1080.408	0.0	-92.13	-89.43	0.0
15	6221	6222	SN	1	48.716	49.28	0.0	0.003	6.182	2.518	1018.608	1075.432	24.417	-91.825	-89.235	0.0
16	6222	6223	SN	1	48.703	49.316	0.0	0.003	6.155	2.525	1018.888	1075.264	24.464	-91.93	-89.235	0.0
17	6222	6223	NS	1	48.912	49.415	0.0	0.003	6.116	2.594	1056.616	1080.04	0.0	-92.128	-89.436	0.0
18	6222	6223	SN	1	48.703	49.316	0.0	0.003	6.155	2.523	1018.888	1075.264	24.543	-91.93	-89.235	0.0
19	6222	6223	SN	1	48.703	49.316	0.0	0.003	6.155	1.965	1018.888	1075.264	25.37	-91.93	-89.235	0.0
20	6222	6223	NS	2	48.897	49.424	0.0	0.003	6.122	2.593	1056.64	1080.056	0.0	-92.291	-89.436	0.0
21	6223	6224	NS	1	48.914	49.451	0.0	0.003	6.094	2.524	1056.192	1079.864	0.0	-92.801	-89.446	0.0
22	6223	6224	SN	1	48.705	49.279	0.0	0.003	6.149	2.637	1018.752	1075.112	24.038	-91.952	-89.236	0.0
23	6223	6224	SN	1	48.705	49.279	0.0	0.003	6.149	1.754	1018.752	1075.112	25.448	-91.952	-89.236	0.0
24	6224	6225	SN	1	48.739	49.278	0.0	0.003	6.155	1.55	1019.216	1075.144	21.989	-91.778	-89.226	0.0
25	6224	6225	SN	2	48.739	49.278	0.0	0.003	6.155	2.665	1019.216	1075.144	20.404	-91.778	-89.226	0.0
26	6224	6225	NS	1	48.879	49.457	0.0	0.003	6.105	2.528	1055.84	1079.84	0.0	-92.109	-89.448	0.0
27	6224	6225	NS	1	48.879	49.457	0.0	0.003	6.105	2.514	1055.84	1079.84	0.0	-92.109	-89.448	0.0
28	6224	6225	SN	1	48.739	49.278	0.0	0.003	6.155	2.665	1019.216	1075.144	20.404	-91.778	-89.226	0.0
29	6225	6226	NS	1	48.869	49.436	0.0	0.003	6.111	2.6	1056.376	1079.776	0.0	-92.245	-89.427	0.0
30	6225	6226	SN	1	48.719	49.319	0.0	0.003	6.166	2.556	1019.92	1075.104	21.102	-91.778	-89.21	0.0
31	6225	6226	NS	1	48.869	49.436	0.0	0.003	6.111	2.614	1056.376	1079.776	0.0	-92.245	-89.427	0.0
32	6225	6226	SN	2	48.719	49.319	0.0	0.003	6.166	2.556	1019.92	1075.104	21.102	-91.778	-89.21	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	6226	6227	NS	1	48.914	49.414	0.0	0.003	207.678	2.609	1056.136	1079.648	0.0	-92.196	-89.424	0.0
34	6226	6227	NS	1	48.914	49.414	0.0	0.003	207.678	2.607	1056.136	1079.648	0.0	-92.196	-89.424	0.0
35	6226	6227	SN	1	48.723	49.325	0.0	0.003	6.144	2.534	1019.528	1074.96	22.576	-91.876	-89.242	0.0
36	6227	6228	NS	1	48.91	49.434	0.0	0.003	6.111	2.587	1055.816	1079.512	0.0	-92.211	-89.44	0.0
37	6232	6233	NS	1	48.915	49.427	0.0	0.003	6.094	2.653	1055.856	1079.088	0.0	-92.146	-89.424	0.0
38	6232	6233	SN	1	48.722	49.306	0.0	0.003	6.133	2.433	1020.048	1074.496	22.516	-91.841	-89.196	0.0
39	6232	6233	NS	1	48.915	49.427	0.0	0.003	6.094	2.658	1055.856	1079.088	0.0	-92.146	-89.424	0.0
40	6232	6233	SN	1	48.722	49.306	0.0	0.003	6.133	2.728	1020.048	1074.496	21.944	-91.841	-89.196	0.0
41	6232	6233	SN	2	48.722	49.306	0.0	0.003	6.133	2.728	1020.048	1074.496	21.944	-91.841	-89.196	0.0
42	6233	6234	SN	1	48.73	49.278	0.0	0.003	6.138	2.371	1019.352	1074.624	22.944	-92.014	-89.232	0.0
43	6233	6234	SN	1	48.73	49.278	0.0	0.003	6.138	2.522	1019.352	1074.624	22.641	-92.014	-89.232	0.0
44	6233	6234	SN	2	48.73	49.278	0.0	0.003	6.138	2.371	1019.352	1074.624	22.944	-92.014	-89.232	0.0
45	6233	6234	NS	1	48.914	49.41	0.0	0.003	6.1	2.455	1056.432	1079.28	0.0	-92.391	-89.398	0.0
46	6233	6234	NS	1	48.914	49.41	0.0	0.003	6.1	2.462	1056.432	1079.28	0.0	-92.391	-89.398	0.0
47	6234	6235	NS	1	48.914	49.446	0.0	0.003	6.105	2.461	1055.784	1079.36	0.0	-92.136	-89.405	0.0
48	6234	6235	SN	1	48.721	49.294	0.0	0.008	6.16	2.314	1018.936	1074.68	23.418	-91.872	-89.24	0.0
49	6234	6235	SN	2	48.721	49.294	0.0	0.008	6.16	2.505	1018.936	1074.68	23.083	-91.872	-89.24	0.0
50	6234	6235	NS	1	48.914	49.446	0.0	0.003	6.105	2.464	1055.784	1079.36	0.0	-92.136	-89.405	0.0
51	6234	6235	SN	1	48.721	49.294	0.0	0.008	6.16	2.505	1018.936	1074.68	23.083	-91.872	-89.24	0.0
52	6235	6236	SN	1	48.708	49.275	0.0	0.003	6.16	2.558	1019.376	1074.504	23.563	-91.741	-89.238	0.0
53	6235	6236	NS	1	48.894	49.412	0.0	0.008	6.1	2.571	1056.048	1079.256	0.0	-92.177	-89.428	0.0
54	6235	6236	SN	1	48.708	49.275	0.0	0.003	6.16	2.242	1019.376	1074.504	24.067	-91.741	-89.238	0.0
55	6235	6236	SN	2	48.708	49.275	0.0	0.003	6.16	2.558	1019.376	1074.504	23.563	-91.741	-89.238	0.0
56	6235	6236	NS	1	48.894	49.412	0.0	0.008	6.1	2.574	1056.048	1079.256	0.0	-92.177	-89.428	0.0
57	6236	6237	SN	1	48.74	49.282	0.0	0.003	6.144	2.531	1019.408	1074.36	23.354	-91.786	-89.238	0.0
58	6236	6237	NS	1	48.917	49.419	0.0	0.003	6.094	2.561	1056.72	1079.104	0.0	-92.068	-89.441	0.0
59	6236	6237	SN	2	48.731	49.276	0.0	0.003	6.144	2.531	1019.608	1074.352	23.364	-91.786	-89.238	0.0
60	6236	6237	NS	1	48.917	49.419	0.0	0.003	6.094	2.559	1056.72	1079.104	0.0	-92.068	-89.441	0.0
61	6237	6238	SN	1	48.702	49.273	0.0	0.003	6.133	2.373	1019.28	1074.152	23.58	-92.038	-89.239	0.0
62	6237	6238	SN	1	48.702	49.273	0.0	0.003	6.133	2.567	1019.28	1074.152	23.281	-92.038	-89.239	0.0
63	6237	6238	NS	1	48.904	49.442	0.0	0.003	6.089	2.575	1056.512	1078.888	0.0	-92.202	-89.443	0.0
64	6237	6238	SN	1	48.702	49.273	0.0	0.003	6.133	2.569	1019.28	1074.152	23.255	-92.038	-89.239	0.0
65	6237	6238	NS	2	48.914	49.449	0.0	0.003	6.089	2.575	1056.504	1078.832	0.0	-92.191	-89.443	0.0
66	6238	6239	NS	2	48.874	49.459	0.0	0.003	6.1	2.531	1055.8	1078.76	0.0	-92.529	-89.448	0.0
67	6238	6239	NS	1	48.874	49.459	0.0	0.003	6.1	2.531	1055.8	1078.76	0.0	-92.529	-89.448	0.0
68	6238	6239	SN	1	48.711	49.3	0.0	0.003	6.127	1.625	1019.368	1074.088	23.535	-91.688	-89.221	0.0
69	6238	6239	SN	1	48.711	49.3	0.0	0.003	6.127	2.64	1019.368	1074.088	22.129	-91.688	-89.221	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	6238	6239	SN	1	48.711	49.3	0.0	0.003	6.127	2.642	1019.368	1074.088	22.087	-91.688	-89.221	0.0
71	6239	6240	SN	2	48.725	49.274	0.0	0.003	6.155	2.584	1020.152	1074.128	20.179	-91.674	-89.227	0.0
72	6239	6240	NS	1	48.873	49.448	0.0	0.003	6.105	2.543	1055.776	1078.688	0.0	-92.212	-89.444	0.0
73	6239	6240	SN	1	48.725	49.274	0.0	0.003	6.155	1.512	1020.152	1074.128	21.938	-91.674	-89.227	0.0
74	6239	6240	SN	1	48.725	49.274	0.0	0.003	6.155	2.584	1020.152	1074.128	20.179	-91.674	-89.227	0.0
75	6239	6240	NS	1	48.916	49.457	0.0	0.003	6.105	2.548	1056.0	1078.76	0.0	-92.204	-89.445	0.0
76	6240	6241	NS	1	48.914	49.426	0.0	0.003	6.089	2.633	1055.744	1078.92	0.0	-92.022	-89.441	0.0
77	6240	6241	SN	1	48.742	49.274	0.0	0.003	6.138	2.519	1019.592	1074.032	21.318	-91.86	-89.237	0.0
78	6240	6241	NS	1	48.914	49.426	0.0	0.003	6.089	2.631	1055.744	1078.92	0.0	-92.022	-89.441	0.0
79	6240	6241	SN	2	48.742	49.274	0.0	0.003	6.138	2.519	1019.592	1074.032	21.318	-91.86	-89.237	0.0
80	6241	6242	NS	1	48.916	49.406	0.0	0.003	6.089	2.615	1056.584	1078.472	0.0	-92.182	-89.42	0.0
81	6241	6242	NS	1	48.916	49.406	0.0	0.003	6.089	2.612	1056.584	1078.472	0.0	-92.182	-89.42	0.0
82	6242	6243	NS	1	48.881	49.454	0.0	0.003	5.874	2.506	1056.552	1078.456	0.0	-92.182	-89.449	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6217	6218	SN	1	-34.877	23.962	1.012	-32.847	25.452	3.347	-3.807	27.214	6.634	0.333	29.5	17.281	0.103	259.651	2.878	0.103	162.749	1.693	0.103	0.29	0.0	0.102	0.171	0.0
2	6217	6218	SN	2	-34.877	23.962	1.01	-32.847	25.452	3.342	-3.807	27.214	6.634	0.333	29.5	17.281	0.103	259.651	2.878	0.103	162.749	1.693	0.103	0.29	0.0	0.102	0.171	0.0
3	6217	6218	SN	1	-34.877	23.532	0.178	-32.847	25.452	2.825	-3.807	27.214	6.539	0.333	29.5	17.281	0.103	259.651	3.037	0.103	162.749	1.882	0.103	0.29	0.0	0.102	0.171	0.0
4	6218	6219	NS	1	-34.905	25.032	0.033	-33.958	27.682	0.065	-4.537	31.288	5.783	-3.86	35.758	23.435	0.103	261.302	2.477	0.103	210.17	2.285	0.102	0.326	0.0	0.102	0.292	0.0
5	6218	6219	SN	2	-33.039	24.016	0.644	-34.311	25.168	1.812	2.882	31.64	7.824	3.555	30.682	7.508	0.103	170.072	2.471	0.103	227.955	1.677	0.102	0.139	0.0	0.102	0.134	0.0
6	6218	6219	NS	1	-34.905	25.032	0.033	-33.958	27.682	0.065	-4.537	31.288	5.772	-3.86	35.758	23.437	0.103	261.302	2.477	0.103	210.17	2.285	0.102	0.326	0.0	0.102	0.292	0.0
7	6218	6219	SN	1	-33.039	24.016	0.644	-34.311	25.168	1.812	2.882	31.64	7.824	3.555	30.682	7.508	0.103	170.072	2.471	0.103	227.955	1.677	0.102	0.139	0.0	0.102	0.134	0.0
8	6218	6219	SN	1	-33.039	24.016	0.661	-34.311	25.168	1.831	2.882	31.64	7.824	3.555	30.682	7.508	0.103	170.072	2.539	0.103	227.955	1.721	0.102	0.139	0.0	0.102	0.134	0.0
9	6219	6220	NS	1	-34.999	21.587	0.0	-34.411	23.668	0.05	-4.314	28.583	6.33	-6.234	30.394	17.978	0.103	267.101	3.495	0.103	233.254	3.13	0.102	0.315	0.0	0.102	0.44	0.0
10	6219	6220	NS	1	-34.999	21.587	0.0	-34.411	23.668	0.05	-4.314	28.583	6.327	-6.234	30.394	17.97	0.103	267.101	3.495	0.103	233.254	3.13	0.102	0.315	0.0	0.102	0.44	0.0
11	6219	6220	SN	2	-34.824	23.556	0.107	-34.939	25.555	0.622	5.866	27.212	10.057	6.26	31.128	11.319	0.103	256.524	2.792	0.103	263.396	2.488	0.103	0.12	0.0	0.102	0.119	0.0
12	6219	6220	SN	1	-34.894	23.556	0.107	-34.847	25.555	0.622	5.866	27.212	10.057	6.26	31.128	11.319	0.103	260.676	2.792	0.103	257.931	2.488	0.103	0.12	0.0	0.102	0.119	0.0
13	6220	6221	SN	1	-31.93	22.486	0.011	-32.969	23.31	0.136	6.623	27.654	10.331	6.693	28.204	10.28	0.103	131.787	0.441	0.103	167.394	0.267	0.103	0.117	0.0	0.103	0.117	0.0
14	6220	6221	NS	1	-34.311	21.841	0.0	-34.671	22.916	0.017	-7.775	27.356	5.689	-9.884	29.304	15.261	0.103	227.953	3.737	0.103	247.659	3.267	0.103	0.589	0.0	0.102	0.904	0.0
15	6221	6222	SN	1	-34.942	20.858	0.0	-31.257	23.493	0.057	6.342	28.338	14.952	7.605	28.352	21.027	0.103	263.576	1.395	0.103	112.852	1.021	0.103	0.118	0.0	0.103	0.114	0.0
16	6222	6223	SN	1	-34.83	22.734	0.002	-34.739	24.26	0.066	5.545	27.9	14.535	8.278	29.262	23.109	0.103	256.915	2.465	0.103	251.585	1.916	0.103	0.122	0.0	0.102	0.112	0.0
17	6222	6223	NS	1	-34.974	22.948	0.083	-34.079	24.791	0.418	-7.073	27.885	3.619	-7.237	29.222	10.586	0.103	265.569	2.856	0.103	216.048	1.774	0.103	0.514	0.0	0.102	0.531	0.0
18	6222	6223	SN	1	-34.83	22.734	0.002	-34.739	24.26	0.066	5.545	27.9	14.534	8.278	29.262	23.109	0.103	256.915	2.462	0.103	251.585	1.914	0.103	0.122	0.0	0.102	0.112	0.0
19	6222	6223	SN	1	-34.83	22.734	0.001	-34.739	24.26	0.063	5.545	27.9	15.152	8.278	29.262	23.515	0.103	256.915	2.549	0.103	251.585	1.996	0.103	0.122	0.0	0.102	0.112	0.0
20	6222	6223	NS	2	-34.765	22.95	0.083	-34.937	24.791	0.418	-7.063	27.883	3.621	-7.238	29.222	10.582	0.103	253.094	2.858	0.103	263.256	1.774	0.103	0.513	0.0	0.102	0.531	0.0
21	6223	6224	NS	1	-34.092	23.42	0.141	-34.532	24.975	0.773	-6.036	29.446	8.796	-9.656	30.84	16.49	0.103	216.747	2.582	0.103	239.8	1.877	0.102	0.424	0.0	0.102	0.863	0.0
22	6223	6224	SN	1	-34.998	22.594	0.014	-34.86	23.114	0.066	5.082	27.788	8.424	8.704	30.187	17.269	0.103	266.998	4.208	0.103	258.616	3.022	0.103	0.124	0.0	0.102	0.112	0.0
23	6223	6224	SN	1	-34.998	20.099	0.0	-34.86	23.114	0.031	5.082	27.788	8.909	8.704	30.187	17.3	0.103	266.998	4.434	0.103	258.616	3.263	0.103	0.124	0.0	0.102	0.112	0.0
24	6224	6225	SN	1	-34.82	21.108	0.0	-34.128	22.529	0.009	0.457	31.49	10.213	3.544	33.219	17.128	0.103	256.223	3.345	0.103	218.584	2.158	0.102	0.169	0.0	0.102	0.134	0.0
25	6224	6225	SN	2	-34.82	21.108	0.0	-34.128	24.061	0.38	0.457	31.49	9.631	3.544	33.219	17.107	0.103	256.223	3.08	0.103	218.584	1.863	0.102	0.169	0.0	0.102	0.134	0.0
26	6224	6225	NS	1	-34.374	22.935	0.042	-34.755	25.043	0.511	4.7	29.163	7.818	7.468	29.296	15.475	0.103	231.303	3.585	0.103	252.481	2.868	0.102	0.126	0.0	0.102	0.115	0.0
27	6224	6225	NS	1	-34.374	22.935	0.042	-34.755	25.043	0.511	4.7	29.163	7.793	7.468	29.296	15.491	0.103	231.303	3.587	0.103	252.481	2.868	0.102	0.126	0.0	0.102	0.115	0.0
28	6224	6225	SN	1	-34.82	21.108	0.0	-34.128	24.061	0.38	0.457	31.49	9.631	3.544	33.219	17.107	0.103	256.223	3.08	0.103	218.584	1.863	0.102	0.169	0.0	0.102	0.134	0.0
29	6225	6226	NS	1	-33.864	23.208	0.186	-33.579	23.993	0.63	-2.147	27.71	11.392	1.937	29.769	33.397	0.103	205.651	2.465	0.103	192.579	1.844	0.103	0.228	0.0	0.102	0.149	0.0
30	6225	6226	SN	1	-34.993	21.726	0.0	-34.601	24.205	0.697	-10.761	28.405	13.58	-3.139	30.154	21.372	0.103	266.678	1.162	0.103	243.714	0.875	0.103	1.088	0.003	0.102	0.262	0.0
31	6225	6226	NS	1	-33.864	23.208	0.185	-33.579	23.993	0.63	-2.147	27.71	11.386	1.937	29.769	33.44	0.103	205.651	2.463	0.103	192.579	1.844	0.103	0.228	0.0	0.102	0.149	0.0
32	6225	6226	SN	2	-34.993	21.726	0.0	-34.601	24.205	0.697	-10.761	28.405	13.58	-3.139	30.154	21.372	0.103	266.678	1.162	0.103	243.714	0.875	0.103	1.088	0.003	0.102	0.262	0.0
33	6226	6227	NS	1	-34.98	23.372	0.133	-34.549	24.027	0.273	-23.116	28.471	10.851	-23.294	29.981	24.893	0.103	265.902	3.335	0.103	240.784	2.794	0.102	17.387	0.06	0.102	18.112	0.007

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	6226	6227	NS	1	-34.98	23.372	0.133	-34.549	24.027	0.273	-23.116	28.471	10.851	-23.294	29.981	24.893	0.103	265.902	3.33	0.103	240.784	2.79	0.102	17.387	0.06	0.102	18.112	0.007
35	6226	6227	SN	1	-34.806	25.654	0.027	-34.482	25.357	0.976	-3.855	28.021	13.623	-1.117	29.953	15.926	0.103	255.421	2.604	0.103	237.082	1.783	0.103	0.292	0.0	0.102	0.2	0.0
36	6227	6228	NS	1	-33.928	23.81	0.562	-34.868	24.848	0.779	5.285	27.825	13.709	6.601	31.768	22.329	0.103	208.747	1.972	0.103	259.096	2.032	0.103	0.123	0.0	0.102	0.117	0.0
37	6232	6233	NS	1	-34.844	26.157	0.161	-33.44	27.606	0.025	8.516	31.725	8.735	6.816	31.813	27.366	0.103	257.71	2.342	0.103	186.531	2.066	0.102	0.112	0.0	0.102	0.117	0.0
38	6232	6233	SN	1	-33.437	24.0	0.45	-34.328	25.045	2.506	-21.752	35.154	7.515	-17.844	30.346	18.174	0.103	186.416	2.35	0.103	228.823	1.607	0.102	12.724	0.014	0.102	5.221	0.008
39	6232	6233	NS	1	-34.844	26.157	0.165	-33.44	27.606	0.025	8.516	31.725	8.727	6.816	31.813	27.462	0.103	257.71	2.342	0.103	186.531	2.066	0.102	0.112	0.0	0.102	0.117	0.0
40	6232	6233	SN	1	-33.437	24.0	0.884	-34.328	25.045	2.384	-21.752	35.154	7.515	-17.844	30.346	18.174	0.103	186.416	2.216	0.103	228.823	1.522	0.102	12.724	0.014	0.102	5.221	0.008
41	6232	6233	SN	2	-33.437	24.0	0.884	-34.328	25.045	2.384	-21.752	35.154	7.515	-17.844	30.346	18.174	0.103	186.416	2.216	0.103	228.823	1.522	0.102	12.724	0.014	0.102	5.221	0.008
42	6233	6234	SN	1	-34.346	23.151	0.178	-32.955	25.236	0.733	5.409	29.364	7.257	6.389	30.656	5.86	0.103	229.788	3.027	0.103	166.854	2.495	0.102	0.122	0.0	0.102	0.118	0.0
43	6233	6234	SN	1	-34.346	23.151	0.174	-32.955	25.236	0.784	5.409	29.364	7.257	6.389	30.656	5.86	0.103	229.788	2.964	0.103	166.854	2.446	0.102	0.122	0.0	0.102	0.118	0.0
44	6233	6234	SN	2	-34.346	23.151	0.178	-32.955	25.236	0.733	5.409	29.364	7.257	6.389	30.656	5.86	0.103	229.788	3.027	0.103	166.854	2.495	0.102	0.122	0.0	0.102	0.118	0.0
45	6233	6234	NS	1	-33.812	26.855	0.028	-32.624	26.414	0.112	-4.831	32.175	4.742	-4.189	30.433	20.295	0.103	203.259	2.685	0.103	154.617	2.373	0.102	0.343	0.0	0.102	0.308	0.0
46	6233	6234	NS	1	-33.812	26.855	0.028	-32.624	26.414	0.112	-4.831	32.175	4.74	-4.189	30.433	20.347	0.103	203.259	2.685	0.103	154.617	2.373	0.102	0.343	0.0	0.102	0.308	0.0
47	6234	6235	NS	1	-34.804	21.764	0.0	-34.982	23.276	0.032	-1.938	28.671	6.303	-7.979	29.87	16.608	0.103	255.336	3.07	0.103	266.032	2.668	0.102	0.221	0.0	0.102	0.614	0.0
48	6234	6235	SN	1	-34.868	22.135	0.001	-34.798	23.966	0.193	7.271	27.545	12.64	8.274	28.696	14.017	0.103	259.059	1.133	0.103	254.953	0.836	0.103	0.115	0.0	0.102	0.112	0.0
49	6234	6235	SN	2	-34.868	22.135	0.001	-34.798	23.966	0.192	7.271	27.545	12.639	8.274	28.696	13.998	0.103	259.059	1.113	0.103	254.953	0.823	0.103	0.115	0.0	0.102	0.112	0.0
50	6234	6235	NS	1	-34.804	21.764	0.0	-34.982	23.276	0.032	-1.938	28.671	6.315	-7.979	29.87	16.62	0.103	255.336	3.07	0.103	266.032	2.668	0.102	0.221	0.0	0.102	0.614	0.0
51	6234	6235	SN	1	-34.868	22.135	0.001	-34.798	23.966	0.192	7.271	27.545	12.639	8.274	28.696	13.998	0.103	259.059	1.113	0.103	254.953	0.823	0.103	0.115	0.0	0.102	0.112	0.0
52	6235	6236	SN	1	-34.69	21.524	0.0	-33.726	23.898	0.079	6.055	26.254	10.285	6.864	27.842	9.154	0.103	248.683	1.343	0.103	199.232	1.03	0.103	0.12	0.0	0.103	0.116	0.0
53	6235	6236	NS	1	-34.886	22.184	0.002	-34.252	22.258	0.009	-7.871	31.68	3.815	-14.192	29.752	10.416	0.103	260.19	5.195	0.103	224.844	4.175	0.102	0.601	0.0	0.102	2.298	0.001
54	6235	6236	SN	1	-34.69	21.259	0.0	-33.726	23.898	0.079	6.055	26.254	10.292	6.864	27.524	9.271	0.103	248.683	1.378	0.103	199.232	1.051	0.103	0.12	0.0	0.103	0.116	0.0
55	6235	6236	SN	2	-34.69	21.524	0.0	-33.726	23.898	0.079	6.055	26.254	10.285	6.864	27.842	9.154	0.103	248.683	1.343	0.103	199.232	1.03	0.103	0.12	0.0	0.103	0.116	0.0
56	6235	6236	NS	1	-34.886	22.184	0.002	-34.252	22.258	0.009	-7.871	31.68	3.823	-14.192	29.752	10.432	0.103	260.19	5.195	0.103	224.844	4.176	0.102	0.601	0.0	0.102	2.298	0.001
57	6236	6237	SN	1	-34.462	23.55	0.001	-34.911	24.126	0.073	5.778	27.839	14.89	8.659	28.79	22.753	0.103	236.052	1.341	0.103	261.671	1.145	0.103	0.121	0.0	0.102	0.112	0.0
58	6236	6237	NS	1	-34.052	21.793	0.0	-32.146	22.819	0.017	-4.455	27.076	2.8	-4.475	30.685	11.972	0.103	214.763	1.656	0.103	138.523	1.296	0.103	0.322	0.0	0.102	0.323	0.0
59	6236	6237	SN	2	-34.335	23.55	0.001	-34.987	24.123	0.072	5.777	27.839	14.882	8.659	28.79	22.746	0.103	229.248	1.336	0.103	266.32	1.145	0.103	0.121	0.0	0.102	0.112	0.0
60	6236	6237	NS	1	-34.052	21.793	0.0	-32.146	22.819	0.017	-4.455	27.076	2.796	-4.475	30.685	11.959	0.103	214.763	1.656	0.103	138.523	1.296	0.103	0.322	0.0	0.102	0.323	0.0
61	6237	6238	SN	1	-34.999	22.224	0.002	-34.914	24.212	0.061	4.764	27.5	12.309	8.018	29.116	18.703	0.103	267.047	2.638	0.103	261.84	1.841	0.103	0.126	0.0	0.102	0.113	0.0
62	6237	6238	SN	1	-34.999	22.224	0.002	-34.914	24.212	0.063	4.764	27.5	12.295	8.018	29.116	18.703	0.103	267.047	2.595	0.103	261.84	1.807	0.103	0.126	0.0	0.102	0.113	0.0
63	6237	6238	NS	1	-34.58	22.522	0.007	-34.28	24.624	0.36	-18.867	31.508	4.959	-7.67	29.707	12.866	0.103	242.498	1.806	0.103	226.321	1.224	0.102	6.585	0.002	0.102	0.577	0.0
64	6237	6238	SN	1	-34.999	22.224	0.002	-34.914	24.212	0.063	4.764	27.5	12.296	8.018	29.116	18.703	0.103	267.047	2.598	0.103	261.84	1.809	0.103	0.126	0.0	0.102	0.113	0.0
65	6237	6238	NS	2	-34.875	22.517	0.007	-33.39	24.624	0.36	-18.906	31.493	4.951	-7.667	29.706	12.86	0.103	259.523	1.803	0.103	184.393	1.223	0.102	6.644	0.002	0.102	0.577	0.0
66	6238	6239	NS	2	-34.581	22.792	0.017	-34.841	24.704	0.152	6.874	27.702	11.059	8.046	29.43	21.406	0.103	242.615	4.481	0.103	257.537	4.194	0.103	0.116	0.0	0.102	0.113	0.0
67	6238	6239	NS	1	-34.581	22.792	0.017	-34.841	24.704	0.152	6.874	27.702	11.059	8.046	29.43	21.406	0.103	242.615	4.481	0.103	257.537	4.195	0.103	0.116	0.0	0.102	0.113	0.0
68	6238	6239	SN	1	-34.936	21.262	0.0	-34.663	22.226	0.001	-2.588	32.169	9.007	0.599	31.737	15.389	0.103	263.231	3.151	0.103	247.206	2.425	0.102	0.242	0.0	0.102	0.166	0.0
69	6238	6239	SN	1	-34.936	21.262	0.0	-34.663	22.857	0.061	-2.588	32.169	8.606	0.599	31.737	15.475	0.103	263.231	2.941	0.103	247.206	2.17	0.102	0.242	0.0	0.102	0.166	0.0
70	6238	6239	SN	1	-34.936	21.262	0.0	-34.663	22.857	0.061	-2.588	32.169	8.623	0.599	31.737	15.418	0.103	263.231	2.941	0.103	247.206	2.167	0.102	0.242	0.0	0.102	0.166	0.0
71	6239	6240	SN	2	-34.575	23.818	0.003	-34.261	26.026	0.511	-4.416	30.472	10.599	-1.988	29.811	18.24	0.103	242.271	3.481	0.103	225.338	2.715	0.102	0.32	0.0	0.102	0.223	0.0
72	6239	6240	NS	1	-34.413	23.14	0.028	-34.928	24.147	0.456	-5.841	28.235	10.994	-2.484	31.55	24.074	0.103	233.357	2.234	0.103	262.767	1.989	0.103	0.409	0.0	0.102	0.238	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal
 Deviations
 Alarming
 High Errors


73	6239	6240	SN	1	-34.575	23.818	0.004	-34.261	26.026	0.035	-4.416	30.472	11.305	-1.988	29.811	18.317	0.103	242.271	3.798	0.103	225.338	3.15	0.102	0.32	0.0	0.102	0.223	0.0
74	6239	6240	SN	1	-34.575	23.818	0.003	-34.261	26.026	0.511	-4.416	30.472	10.599	-1.988	29.811	18.24	0.103	242.271	3.481	0.103	225.338	2.715	0.102	0.32	0.0	0.102	0.223	0.0
75	6239	6240	NS	1	-34.598	23.142	0.028	-34.654	24.15	0.455	-5.888	28.235	10.969	-2.487	31.544	24.066	0.103	243.521	2.242	0.103	246.669	2.001	0.103	0.413	0.0	0.102	0.238	0.0
76	6240	6241	NS	1	-33.141	23.044	0.1	-34.755	23.994	0.285	-5.358	27.283	16.379	-3.527	31.216	34.587	0.103	174.14	1.278	0.103	252.411	0.789	0.103	0.376	0.0	0.102	0.278	0.0
77	6240	6241	SN	1	-34.677	24.553	0.012	-34.844	25.156	0.785	-12.54	30.244	14.346	0.034	30.92	18.03	0.103	247.97	2.584	0.103	257.703	1.856	0.102	1.597	0.002	0.102	0.176	0.0
78	6240	6241	NS	1	-33.141	23.044	0.1	-34.755	23.994	0.285	-5.358	27.283	16.379	-3.527	31.216	34.597	0.103	174.14	1.276	0.103	252.411	0.788	0.103	0.376	0.0	0.102	0.278	0.0
79	6240	6241	SN	2	-34.677	24.553	0.012	-34.844	25.156	0.785	-12.54	30.244	14.346	0.034	30.92	18.03	0.103	247.97	2.584	0.103	257.703	1.856	0.102	1.597	0.002	0.102	0.176	0.0
80	6241	6242	NS	1	-34.942	23.731	0.208	-34.748	24.203	0.375	4.513	29.785	10.875	4.193	31.545	21.243	0.103	263.552	2.573	0.103	252.068	2.246	0.102	0.127	0.0	0.102	0.129	0.0
81	6241	6242	NS	1	-34.942	23.731	0.208	-34.748	24.203	0.375	4.513	29.785	10.875	4.193	31.545	21.243	0.103	263.552	2.568	0.103	252.068	2.243	0.102	0.127	0.0	0.102	0.129	0.0
82	6242	6243	NS	1	-34.965	24.42	0.689	-34.786	25.069	1.184	5.372	27.95	16.017	3.828	30.407	25.265	0.103	264.961	2.04	0.103	254.29	1.625	0.103	0.123	0.0	0.102	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	6217	6218	SN	1	57.498	58.147	0.0	0.0	299.305	4.007	1195.36	1264.608	39.337	-93.563	-91.686	0.0
2	6217	6218	SN	2	57.498	58.147	0.0	0.0	299.305	4.006	1195.36	1264.608	39.336	-93.563	-91.686	0.0
3	6217	6218	SN	1	57.498	58.147	0.0	0.0	299.305	3.33	1195.36	1264.608	40.925	-93.563	-91.686	0.0
4	6218	6219	NS	1	57.758	58.329	0.0	0.0	297.937	3.545	1239.72	1271.088	0.0	-94.041	-91.84	0.0
5	6218	6219	SN	2	57.502	58.146	0.0	0.0	290.056	3.839	1194.928	1264.528	37.441	-93.306	-91.679	0.0
6	6218	6219	NS	1	57.758	58.329	0.0	0.0	297.937	3.548	1239.72	1271.088	0.0	-94.041	-91.84	0.0
7	6218	6219	SN	1	57.502	58.146	0.0	0.0	290.056	3.839	1194.928	1264.528	37.441	-93.306	-91.679	0.0
8	6218	6219	SN	1	57.502	58.146	0.0	0.0	290.056	3.51	1194.928	1264.528	38.039	-93.306	-91.679	0.0
9	6219	6220	NS	1	57.758	58.352	0.0	0.0	299.117	3.442	1239.8	1271.32	0.0	-93.825	-91.79	0.0
10	6219	6220	NS	1	57.758	58.352	0.0	0.0	299.117	3.438	1239.8	1271.32	0.0	-93.825	-91.79	0.0
11	6219	6220	SN	2	57.496	58.146	0.0	0.0	289.002	3.686	1194.304	1264.664	37.58	-93.362	-91.704	0.0
12	6219	6220	SN	1	57.494	58.154	0.0	0.0	289.008	3.687	1194.504	1264.656	37.587	-93.362	-91.704	0.0
13	6220	6221	SN	1	57.498	58.163	0.0	0.003	288.622	3.689	1194.856	1264.52	38.452	-93.497	-91.703	0.0
14	6220	6221	NS	1	57.759	58.349	0.0	0.0	299.597	3.549	1239.16	1271.28	0.0	-93.798	-91.835	0.0
15	6221	6222	SN	1	57.496	58.144	0.0	0.0	295.593	3.698	1194.352	1264.288	38.763	-93.396	-91.702	0.0
16	6222	6223	SN	1	57.506	58.142	0.0	0.0	290.061	3.667	1195.016	1264.096	37.869	-93.334	-91.703	0.0
17	6222	6223	NS	1	57.76	58.321	0.0	0.003	292.218	3.655	1240.096	1270.8	0.0	-93.83	-91.838	0.0
18	6222	6223	SN	1	57.506	58.142	0.0	0.0	290.061	3.665	1195.016	1264.096	37.934	-93.334	-91.703	0.0
19	6222	6223	SN	1	57.506	58.142	0.0	0.0	290.061	3.141	1195.016	1264.096	39.25	-93.334	-91.703	0.0
20	6222	6223	NS	2	57.761	58.322	0.0	0.003	292.218	3.655	1239.36	1270.832	0.0	-93.882	-91.838	0.0
21	6223	6224	NS	1	57.761	58.348	0.0	0.0	291.341	3.588	1239.44	1270.616	0.0	-94.187	-91.851	0.0
22	6223	6224	SN	1	57.494	58.142	0.0	0.0	298.417	3.857	1194.632	1263.904	36.686	-93.332	-91.704	0.0
23	6223	6224	SN	1	57.494	58.142	0.0	0.0	298.417	3.013	1194.632	1263.904	38.744	-93.332	-91.704	0.0
24	6224	6225	SN	1	57.526	58.145	0.0	0.0	297.832	2.675	1194.832	1263.936	36.399	-93.472	-91.694	0.0
25	6224	6225	SN	2	57.526	58.145	0.0	0.0	297.832	3.881	1194.832	1263.936	33.716	-93.472	-91.694	0.0
26	6224	6225	NS	1	57.739	58.339	0.0	0.0	292.709	3.526	1239.144	1270.568	0.0	-93.746	-91.852	0.0
27	6224	6225	NS	1	57.739	58.339	0.0	0.0	292.709	3.514	1239.144	1270.568	0.0	-93.746	-91.852	0.0
28	6224	6225	SN	1	57.526	58.145	0.0	0.0	297.832	3.881	1194.832	1263.936	33.716	-93.472	-91.694	0.0
29	6225	6226	NS	1	57.732	58.332	0.0	0.0	295.064	3.69	1239.576	1270.464	0.0	-93.757	-91.83	0.0
30	6225	6226	SN	1	57.523	58.152	0.0	0.003	298.461	3.747	1195.448	1263.888	35.598	-93.451	-91.682	0.0
31	6225	6226	NS	1	57.732	58.332	0.0	0.0	295.064	3.702	1239.576	1270.464	0.0	-93.757	-91.83	0.0
32	6225	6226	SN	2	57.523	58.152	0.0	0.003	298.461	3.747	1195.448	1263.888	35.598	-93.451	-91.682	0.0
33	6226	6227	NS	1	57.761	58.318	0.0	0.0	296.657	3.716	1239.416	1270.32	0.0	-93.683	-91.827	0.0
34	6226	6227	NS	1	57.761	58.318	0.0	0.0	296.657	3.712	1239.416	1270.32	0.0	-93.683	-91.827	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	6226	6227	SN	1	57.506	58.159	0.0	0.0	299.393	3.716	1195.384	1263.704	36.916	-93.401	-91.709	0.0
36	6227	6228	NS	1	57.738	58.317	0.0	0.0	298.174	3.63	1238.608	1270.176	0.0	-93.704	-91.837	0.0
37	6232	6233	NS	1	57.762	58.345	0.0	0.0	291.402	3.761	1239.336	1269.64	0.0	-93.661	-91.832	0.0
38	6232	6233	SN	1	57.518	58.139	0.0	0.0	296.062	3.633	1195.912	1263.128	38.109	-93.354	-91.664	0.0
39	6232	6233	NS	1	57.762	58.345	0.0	0.0	291.402	3.772	1239.336	1269.64	0.0	-93.661	-91.832	0.0
40	6232	6233	SN	1	57.518	58.139	0.0	0.0	296.062	4.015	1195.912	1263.128	37.234	-93.354	-91.664	0.0
41	6232	6233	SN	2	57.518	58.139	0.0	0.0	296.062	4.015	1195.912	1263.128	37.234	-93.354	-91.664	0.0
42	6233	6234	SN	1	57.508	58.141	0.0	0.0	297.159	3.428	1195.184	1263.28	37.471	-93.434	-91.697	0.0
43	6233	6234	SN	1	57.508	58.141	0.0	0.0	297.159	3.765	1195.184	1263.28	37.0	-93.434	-91.697	0.0
44	6233	6234	SN	2	57.508	58.141	0.0	0.0	297.159	3.428	1195.184	1263.28	37.471	-93.434	-91.697	0.0
45	6233	6234	NS	1	57.762	58.314	0.0	0.003	293.541	3.455	1239.904	1269.864	0.0	-93.977	-91.803	0.0
46	6233	6234	NS	1	57.762	58.314	0.0	0.003	293.541	3.467	1239.904	1269.864	0.0	-93.977	-91.803	0.0
47	6234	6235	NS	1	57.73	58.332	0.0	0.0	295.422	3.454	1239.64	1269.968	0.0	-93.791	-91.802	0.0
48	6234	6235	SN	1	57.512	58.14	0.0	0.0	297.887	3.367	1195.088	1263.352	38.29	-93.366	-91.707	0.0
49	6234	6235	SN	2	57.512	58.14	0.0	0.0	297.887	3.709	1195.088	1263.352	37.769	-93.366	-91.707	0.0
50	6234	6235	NS	1	57.73	58.332	0.0	0.0	295.422	3.457	1239.64	1269.968	0.0	-93.791	-91.802	0.0
51	6234	6235	SN	1	57.512	58.14	0.0	0.0	297.887	3.709	1195.088	1263.352	37.769	-93.366	-91.707	0.0
52	6235	6236	SN	1	57.51	58.161	0.0	0.0	297.253	3.708	1195.104	1263.144	37.541	-93.295	-91.702	0.0
53	6235	6236	NS	1	57.765	58.316	0.0	0.0	297.611	3.57	1239.72	1269.872	0.0	-93.711	-91.831	0.0
54	6235	6236	SN	1	57.51	58.161	0.0	0.0	297.253	3.315	1195.104	1263.144	38.285	-93.295	-91.702	0.0
55	6235	6236	SN	2	57.51	58.161	0.0	0.0	297.253	3.708	1195.104	1263.144	37.541	-93.295	-91.702	0.0
56	6235	6236	NS	1	57.765	58.316	0.0	0.0	297.611	3.573	1239.72	1269.872	0.0	-93.711	-91.831	0.0
57	6236	6237	SN	1	57.509	58.147	0.0	0.0	293.944	3.697	1195.56	1262.968	37.487	-93.401	-91.706	0.0
58	6236	6237	NS	1	57.74	58.315	0.0	0.0	296.834	3.627	1240.296	1269.68	0.0	-93.752	-91.842	0.0
59	6236	6237	SN	2	57.51	58.149	0.0	0.0	294.247	3.695	1195.584	1262.96	37.49	-93.401	-91.706	0.0
60	6236	6237	NS	1	57.74	58.315	0.0	0.0	296.834	3.624	1240.296	1269.68	0.0	-93.752	-91.842	0.0
61	6237	6238	SN	1	57.503	58.152	0.0	0.0	299.349	3.418	1195.168	1262.72	38.288	-93.523	-91.706	0.0
62	6237	6238	SN	1	57.503	58.152	0.0	0.0	299.349	3.761	1195.168	1262.72	37.826	-93.523	-91.706	0.0
63	6237	6238	NS	1	57.766	58.327	0.0	0.0	297.214	3.694	1240.272	1269.408	0.0	-93.73	-91.847	0.0
64	6237	6238	SN	1	57.503	58.152	0.0	0.0	299.349	3.764	1195.168	1262.72	37.761	-93.523	-91.706	0.0
65	6237	6238	NS	2	57.755	58.323	0.0	0.0	297.082	3.698	1239.936	1269.312	0.0	-93.712	-91.847	0.0
66	6238	6239	NS	2	57.747	58.336	0.0	0.0	298.946	3.575	1239.408	1269.256	0.0	-93.793	-91.854	0.0
67	6238	6239	NS	1	57.747	58.336	0.0	0.0	298.946	3.575	1239.408	1269.256	0.0	-93.793	-91.854	0.0
68	6238	6239	SN	1	57.508	58.149	0.0	0.003	296.189	2.837	1195.36	1262.64	35.934	-93.321	-91.679	0.0
69	6238	6239	SN	1	57.508	58.149	0.0	0.0	296.382	3.838	1195.36	1262.64	33.666	-93.321	-91.679	0.0
70	6238	6239	SN	1	57.508	58.149	0.0	0.0	296.189	3.839	1195.36	1262.64	33.603	-93.321	-91.679	0.0
71	6239	6240	SN	2	57.534	58.147	0.0	0.0	295.35	3.788	1195.712	1262.68	33.619	-93.383	-91.702	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	6239	6240	NS	1	57.729	58.339	0.0	0.003	288.909	3.596	1239.208	1269.128	0.0	-93.724	-91.852	0.0
73	6239	6240	SN	1	57.534	58.147	0.0	0.003	295.35	2.432	1195.712	1262.68	36.682	-93.383	-91.702	0.0
74	6239	6240	SN	1	57.534	58.147	0.0	0.0	295.35	3.788	1195.712	1262.68	33.619	-93.383	-91.702	0.0
75	6239	6240	NS	1	57.75	58.337	0.0	0.0	289.129	3.597	1239.36	1269.24	0.0	-93.838	-91.853	0.0
76	6240	6241	NS	1	57.761	58.312	0.0	0.0	290.663	3.77	1239.368	1269.144	0.0	-93.72	-91.846	0.0
77	6240	6241	SN	1	57.51	58.137	0.0	0.0	295.521	3.697	1195.68	1262.56	35.68	-93.384	-91.692	0.0
78	6240	6241	NS	1	57.761	58.312	0.0	0.0	290.663	3.772	1239.368	1269.144	0.0	-93.72	-91.846	0.0
79	6240	6241	SN	2	57.51	58.137	0.0	0.0	295.521	3.697	1195.68	1262.56	35.68	-93.384	-91.692	0.0
80	6241	6242	NS	1	57.765	58.32	0.0	0.0	291.319	3.686	1239.6	1268.888	0.0	-93.798	-91.829	0.0
81	6241	6242	NS	1	57.765	58.32	0.0	0.0	291.319	3.682	1239.6	1268.888	0.0	-93.798	-91.829	0.0
82	6242	6243	NS	1	57.74	58.338	0.0	0.0	292.824	3.424	1239.68	1268.888	0.0	-93.734	-91.854	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	6217	6218	SN	1	-34.063	17.636	0.0	-34.583	19.129	0.0	-2.06	22.195	0.011	-0.824	22.803	0.011	0.084	175.812	1.963	0.083	198.127	1.352	0.083	0.182	0.0	0.083	0.156	0.0
2	6217	6218	SN	2	-34.063	17.636	0.0	-34.583	19.129	0.0	-2.06	22.195	0.011	-0.824	22.803	0.011	0.084	175.812	1.963	0.083	198.127	1.352	0.083	0.182	0.0	0.083	0.156	0.0
3	6217	6218	SN	1	-34.063	16.417	0.0	-34.583	19.127	0.0	-2.06	22.195	0.011	-0.824	22.803	0.011	0.084	175.812	2.043	0.083	198.127	1.504	0.083	0.182	0.0	0.083	0.156	0.0
4	6218	6219	NS	1	-34.951	19.574	0.0	-34.501	21.442	0.0	-5.858	22.164	0.002	-4.483	23.824	0.147	0.083	215.65	2.607	0.083	194.43	2.767	0.083	0.334	0.0	0.083	0.262	0.0
5	6218	6219	SN	2	-34.976	18.1	0.0	-34.408	18.767	0.0	-0.584	22.486	0.012	-2.73	23.838	0.129	0.083	216.896	2.486	0.083	190.318	1.703	0.083	0.152	0.0	0.083	0.2	0.0
6	6218	6219	NS	1	-34.951	19.574	0.0	-34.501	21.442	0.0	-5.858	22.164	0.002	-4.483	23.824	0.147	0.083	215.65	2.608	0.083	194.43	2.767	0.083	0.334	0.0	0.083	0.262	0.0
7	6218	6219	SN	1	-34.976	18.1	0.0	-34.408	18.767	0.0	-0.584	22.486	0.012	-2.73	23.838	0.129	0.083	216.896	2.486	0.083	190.318	1.703	0.083	0.152	0.0	0.083	0.2	0.0
8	6218	6219	SN	1	-34.976	18.1	0.0	-34.408	18.767	0.0	-0.584	22.486	0.012	-2.73	23.838	0.129	0.083	216.896	2.558	0.083	190.318	1.746	0.083	0.152	0.0	0.083	0.2	0.0
9	6219	6220	NS	1	-34.875	16.179	0.0	-33.639	15.976	0.0	-9.214	22.116	0.007	-32.626	23.03	0.105	0.084	211.982	3.58	0.084	159.487	3.74	0.083	0.641	0.0	0.083	126.282	0.081
10	6219	6220	NS	1	-34.875	16.179	0.0	-33.639	15.976	0.0	-9.214	22.116	0.007	-32.626	23.03	0.104	0.084	211.982	3.58	0.084	159.487	3.74	0.083	0.641	0.0	0.083	126.282	0.081
11	6219	6220	SN	2	-34.696	17.554	0.0	-34.591	18.617	0.0	1.071	22.941	0.077	2.318	24.482	0.203	0.084	203.387	2.752	0.083	198.501	2.576	0.083	0.129	0.0	0.083	0.117	0.0
12	6219	6220	SN	1	-34.71	17.554	0.0	-34.832	18.617	0.0	1.071	22.942	0.077	2.319	24.482	0.202	0.084	204.038	2.752	0.083	209.819	2.577	0.083	0.129	0.0	0.083	0.117	0.0
13	6220	6221	SN	1	-34.943	17.133	0.0	-31.218	17.757	0.0	1.198	22.079	0.012	2.126	22.237	0.064	0.084	215.263	0.551	0.083	91.344	0.455	0.083	0.127	0.0	0.083	0.118	0.0
14	6220	6221	NS	1	-34.775	16.199	0.0	-34.538	15.831	0.0	-31.549	21.708	0.0	-26.412	22.907	0.067	0.084	207.125	3.69	0.084	196.137	3.349	0.083	98.573	0.319	0.083	30.24	0.165
15	6221	6222	SN	1	-34.931	16.712	0.0	-32.798	17.648	0.0	1.122	22.22	0.042	2.349	23.187	0.431	0.084	214.669	1.24	0.084	131.366	1.115	0.083	0.128	0.0	0.083	0.116	0.0
16	6222	6223	SN	1	-34.372	16.21	0.0	-34.442	18.346	0.0	1.014	21.975	0.0	2.865	22.834	0.25	0.084	188.807	2.045	0.083	191.812	1.706	0.083	0.129	0.0	0.083	0.112	0.0
17	6222	6223	NS	1	-34.484	17.024	0.0	-34.94	17.296	0.0	-13.457	22.057	0.002	-21.435	23.105	0.055	0.084	193.677	2.022	0.084	215.12	1.416	0.083	1.593	0.004	0.083	9.661	0.025
18	6222	6223	SN	1	-34.372	16.21	0.0	-34.442	18.346	0.0	1.014	21.975	0.0	2.865	22.834	0.25	0.084	188.807	2.045	0.083	191.812	1.71	0.083	0.129	0.0	0.083	0.112	0.0
19	6222	6223	SN	1	-34.372	15.84	0.0	-34.442	18.346	0.0	1.014	21.975	0.0	2.865	22.834	0.256	0.084	188.807	2.104	0.083	191.812	1.77	0.083	0.129	0.0	0.083	0.112	0.0
20	6222	6223	NS	2	-34.27	17.024	0.0	-34.518	17.296	0.0	-13.469	22.057	0.002	-21.484	23.105	0.055	0.084	184.4	2.019	0.084	195.177	1.412	0.083	1.598	0.004	0.083	9.771	0.025
21	6223	6224	NS	1	-34.306	17.291	0.0	-34.923	18.253	0.0	-17.779	22.395	0.022	-26.566	23.176	0.286	0.084	185.937	1.927	0.083	214.278	1.74	0.083	4.199	0.063	0.083	31.338	0.196
22	6223	6224	SN	1	-33.989	16.641	0.0	-34.629	17.545	0.0	0.047	23.092	0.158	7.089	23.349	0.377	0.084	172.818	3.433	0.084	200.302	2.744	0.083	0.142	0.0	0.083	0.093	0.0
23	6223	6224	SN	1	-33.989	16.641	0.0	-34.629	17.545	0.0	0.047	23.092	0.169	7.089	23.349	0.377	0.084	172.818	3.587	0.084	200.302	2.957	0.083	0.142	0.0	0.083	0.093	0.0
24	6224	6225	SN	1	-33.486	14.418	0.0	-33.986	15.167	0.0	-18.387	23.368	0.294	-11.095	24.906	1.16	0.084	153.917	3.0	0.084	172.725	2.408	0.083	4.821	0.003	0.083	0.952	0.0
25	6224	6225	SN	2	-33.486	15.941	0.0	-33.986	17.669	0.0	-18.387	23.368	0.274	-11.095	24.906	1.16	0.084	153.917	2.783	0.084	172.725	2.065	0.083	4.821	0.003	0.083	0.952	0.0
26	6224	6225	NS	1	-34.934	17.673	0.0	-34.052	18.023	0.0	2.014	22.176	0.009	1.979	23.665	0.492	0.084	214.838	2.543	0.083	178.733	2.289	0.083	0.119	0.0	0.083	0.12	0.0
27	6224	6225	NS	1	-34.934	17.673	0.0	-34.052	18.023	0.0	2.014	22.176	0.009	1.979	23.665	0.493	0.084	214.838	2.545	0.083	178.733	2.29	0.083	0.119	0.0	0.083	0.12	0.0
28	6224	6225	SN	1	-33.486	15.941	0.0	-33.986	17.669	0.0	-18.387	23.368	0.274	-11.095	24.906	1.16	0.084	153.917	2.783	0.084	172.725	2.065	0.083	4.821	0.003	0.083	0.952	0.0
29	6225	6226	NS	1	-34.908	17.454	0.0	-34.609	17.879	0.0	1.227	22.373	0.01	0.489	23.792	1.393	0.084	213.515	1.882	0.083	199.387	1.608	0.083	0.127	0.0	0.083	0.136	0.0
30	6225	6226	SN	1	-34.9	16.282	0.0	-34.49	18.269	0.0	-24.302	23.134	0.099	-15.357	24.33	0.814	0.084	213.156	1.682	0.083	193.96	1.263	0.083	18.632	0.087	0.083	2.432	0.007
31	6225	6226	NS	1	-34.908	17.454	0.0	-34.609	17.879	0.0	1.227	22.373	0.01	0.489	23.792	1.391	0.084	213.515	1.88	0.083	199.387	1.607	0.083	0.127	0.0	0.083	0.136	0.0
32	6225	6226	SN	2	-34.9	16.282	0.0	-34.49	18.269	0.0	-24.302	23.134	0.099	-15.357	24.33	0.814	0.084	213.156	1.682	0.083	193.96	1.263	0.083	18.632	0.087	0.083	2.432	0.007

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

33	6226	6227	NS	1	-33.885	18.331	0.0	-34.467	18.286	0.0	-18.233	22.839	0.099	-7.47	24.217	1.962	0.083	168.754	2.676	0.083	192.908	2.492	0.083	4.654	0.012	0.083	0.452	0.0
34	6226	6227	NS	1	-33.885	18.331	0.0	-34.467	18.286	0.0	-18.233	22.839	0.099	-7.47	24.217	1.962	0.083	168.754	2.674	0.083	192.908	2.488	0.083	4.654	0.012	0.083	0.452	0.0
35	6226	6227	SN	1	-34.798	16.99	0.0	-34.668	18.84	0.0	-5.768	23.082	0.099	-3.112	23.719	0.425	0.084	208.229	2.192	0.083	202.056	1.795	0.083	0.328	0.0	0.083	0.212	0.0
36	6227	6228	NS	1	-34.371	17.956	0.0	-32.612	18.625	0.0	0.837	21.982	0.0	0.155	24.13	1.531	0.083	188.698	1.28	0.083	125.911	1.16	0.083	0.132	0.0	0.083	0.14	0.0
37	6232	6233	NS	1	-34.569	19.571	0.0	-34.767	20.269	0.0	0.28	22.501	0.012	0.5	23.492	0.252	0.083	197.484	2.178	0.083	206.718	2.249	0.083	0.139	0.0	0.083	0.136	0.0
38	6232	6233	SN	1	-34.219	17.359	0.0	-34.98	19.104	0.0	-12.25	22.532	0.007	-5.165	23.301	0.081	0.084	182.219	1.584	0.083	217.157	1.298	0.083	1.222	0.003	0.083	0.295	0.0
39	6232	6233	NS	1	-34.569	19.571	0.0	-34.767	20.269	0.0	0.28	22.501	0.012	0.5	23.492	0.253	0.083	197.484	2.176	0.083	206.718	2.248	0.083	0.139	0.0	0.083	0.136	0.0
40	6232	6233	SN	1	-34.219	17.959	0.0	-34.98	19.104	0.0	-12.25	22.532	0.007	-5.165	23.301	0.081	0.083	182.219	1.515	0.083	217.157	1.232	0.083	1.222	0.003	0.083	0.295	0.0
41	6232	6233	SN	2	-34.219	17.959	0.0	-34.98	19.104	0.0	-12.25	22.532	0.007	-5.165	23.301	0.081	0.083	182.219	1.515	0.083	217.157	1.232	0.083	1.222	0.003	0.083	0.295	0.0
42	6233	6234	SN	1	-33.941	17.846	0.0	-34.994	18.663	0.0	2.067	22.328	0.01	1.711	23.518	0.117	0.083	170.956	2.681	0.083	217.812	2.103	0.083	0.119	0.0	0.083	0.122	0.0
43	6233	6234	SN	1	-33.941	17.848	0.0	-34.994	18.663	0.0	2.067	22.328	0.01	1.711	23.518	0.117	0.083	170.956	2.623	0.083	217.812	2.067	0.083	0.119	0.0	0.083	0.122	0.0
44	6233	6234	SN	2	-33.941	17.846	0.0	-34.994	18.663	0.0	2.067	22.328	0.01	1.711	23.518	0.117	0.083	170.956	2.681	0.083	217.812	2.103	0.083	0.119	0.0	0.083	0.122	0.0
45	6233	6234	NS	1	-34.875	19.579	0.0	-33.961	20.428	0.0	-12.12	22.436	0.009	-8.052	23.594	0.124	0.083	211.951	2.642	0.083	171.737	2.454	0.083	1.188	0.002	0.083	0.507	0.0
46	6233	6234	NS	1	-34.875	19.579	0.0	-33.961	20.428	0.0	-12.12	22.436	0.009	-8.052	23.594	0.124	0.083	211.951	2.639	0.083	171.737	2.454	0.083	1.188	0.002	0.083	0.507	0.0
47	6234	6235	NS	1	-34.897	16.14	0.0	-34.682	16.205	0.0	-6.571	21.698	0.0	-28.497	23.003	0.06	0.084	213.025	2.449	0.084	202.696	2.631	0.083	0.38	0.0	0.083	48.847	0.055
48	6234	6235	SN	1	-34.807	16.578	0.0	-33.729	17.299	0.0	1.868	21.915	0.0	2.74	22.406	0.036	0.084	208.682	1.081	0.084	162.82	0.989	0.083	0.121	0.0	0.083	0.113	0.0
49	6234	6235	SN	2	-34.807	16.578	0.0	-33.729	17.299	0.0	1.868	21.915	0.0	2.74	22.406	0.036	0.084	208.682	1.061	0.084	162.82	0.977	0.083	0.121	0.0	0.083	0.113	0.0
50	6234	6235	NS	1	-34.897	16.14	0.0	-34.682	16.205	0.0	-6.571	21.698	0.0	-28.497	23.003	0.06	0.084	213.025	2.449	0.084	202.696	2.631	0.083	0.38	0.0	0.083	48.847	0.055
51	6234	6235	SN	1	-34.807	16.578	0.0	-33.729	17.299	0.0	1.868	21.915	0.0	2.74	22.406	0.036	0.084	208.682	1.061	0.084	162.82	0.977	0.083	0.121	0.0	0.083	0.113	0.0
52	6235	6236	SN	1	-34.184	16.222	0.0	-34.685	17.673	0.0	0.984	22.426	0.072	2.41	23.032	0.233	0.084	180.734	1.263	0.084	202.862	1.056	0.083	0.13	0.0	0.083	0.116	0.0
53	6235	6236	NS	1	-34.792	16.549	0.0	-34.789	16.566	0.0	-24.49	22.542	0.004	-23.014	22.911	0.072	0.084	213.198	3.779	0.084	207.786	3.623	0.083	19.451	0.019	0.083	13.868	0.054
54	6235	6236	SN	1	-34.184	16.222	0.0	-34.685	17.673	0.0	0.984	22.426	0.072	2.41	23.032	0.242	0.084	180.734	1.293	0.084	202.862	1.074	0.083	0.13	0.0	0.083	0.116	0.0
55	6235	6236	SN	2	-34.184	16.222	0.0	-34.685	17.673	0.0	0.984	22.426	0.072	2.41	23.032	0.233	0.084	180.734	1.263	0.084	202.862	1.056	0.083	0.13	0.0	0.083	0.116	0.0
56	6235	6236	NS	1	-34.792	16.549	0.0	-34.789	16.566	0.0	-24.49	22.542	0.004	-23.014	22.911	0.073	0.084	213.198	3.779	0.084	207.786	3.623	0.083	19.451	0.019	0.083	13.868	0.054
57	6236	6237	SN	1	-33.966	16.474	0.0	-34.663	17.457	0.0	0.73	22.068	0.005	2.223	23.27	0.439	0.084	171.935	1.158	0.084	201.87	1.095	0.083	0.133	0.0	0.083	0.117	0.0
58	6236	6237	NS	1	-34.931	16.378	0.0	-33.76	16.044	0.0	-23.336	22.661	0.011	-21.002	23.06	0.04	0.084	214.644	1.769	0.084	163.943	1.825	0.083	14.932	0.017	0.083	8.747	0.02
59	6236	6237	SN	2	-34.796	16.462	0.0	-33.774	17.454	0.0	0.727	22.067	0.005	2.23	23.269	0.431	0.084	208.149	1.154	0.084	164.506	1.096	0.083	0.133	0.0	0.083	0.117	0.0
60	6236	6237	NS	1	-34.931	16.378	0.0	-33.76	16.044	0.0	-23.336	22.661	0.011	-21.002	23.06	0.04	0.084	214.644	1.769	0.084	163.943	1.825	0.083	14.932	0.017	0.083	8.747	0.02
61	6237	6238	SN	1	-34.204	15.285	0.0	-33.896	17.372	0.0	-0.216	22.013	0.004	4.494	22.194	0.005	0.084	181.613	1.833	0.084	173.446	1.535	0.083	0.146	0.0	0.083	0.103	0.0
62	6237	6238	SN	1	-34.204	16.259	0.0	-33.896	17.372	0.0	-0.216	22.013	0.004	4.494	22.194	0.005	0.084	181.613	1.809	0.084	173.446	1.507	0.083	0.146	0.0	0.083	0.103	0.0
63	6237	6238	NS	1	-34.283	16.946	0.0	-33.809	16.864	0.0	-29.666	21.812	0.0	-26.289	23.143	0.156	0.084	184.917	1.605	0.084	165.827	1.438	0.083	63.92	0.108	0.083	29.405	0.027
64	6237	6238	SN	1	-34.204	16.259	0.0	-33.896	17.372	0.0	-0.216	22.013	0.004	4.494	22.194	0.005	0.084	181.613	1.811	0.084	173.446	1.509	0.083	0.146	0.0	0.083	0.103	0.0
65	6237	6238	NS	2	-34.892	16.946	0.0	-34.642	16.864	0.0	-32.312	21.813	0.0	-26.543	23.143	0.158	0.084	212.807	1.601	0.084	200.865	1.441	0.083	117.49	0.108	0.083	31.167	0.027
66	6238	6239	NS	2	-34.803	17.143	0.0	-34.88	17.098	0.0	3.119	22.351	0.045	2.045	23.007	0.492	0.084	208.436	3.59	0.084	212.186	3.767	0.083	0.111	0.0	0.083	0.119	0.0
67	6238	6239	NS	1	-34.803	17.143	0.0	-34.88	17.098	0.0	3.119	22.351	0.045	2.045	23.007	0.492	0.084	208.436	3.59	0.084	212.186	3.768	0.083	0.111	0.0	0.083	0.119	0.0
68	6238	6239	SN	1	-33.652	14.698	0.0	-34.086	16.929	0.0	-5.953	23.481	0.213	0.799	23.762	0.806	0.084	159.9	2.016	0.084	176.777	1.867	0.083	0.339	0.0	0.083	0.132	0.0
69	6238	6239	SN	1	-33.652	16.604	0.0	-34.086	17.659	0.0	-5.953	23.481	0.2	0.799	23.762	0.802	0.084	159.9	1.891	0.084	176.777	1.692	0.083	0.339	0.0	0.083	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	6238	6239	SN	1	-33.652	16.603	0.0	-34.086	17.659	0.0	-5.953	23.481	0.2	0.799	23.762	0.803	0.084	159.9	1.892	0.084	176.777	1.689	0.083	0.339	0.0	0.083	0.132	0.0
71	6239	6240	SN	2	-34.864	15.953	0.0	-34.699	18.116	0.0	-10.202	24.191	0.142	-5.566	24.277	1.018	0.084	211.456	2.868	0.083	203.49	2.274	0.083	0.788	0.0	0.083	0.316	0.0
72	6239	6240	NS	1	-34.889	17.367	0.0	-34.021	18.041	0.0	-3.716	22.512	0.028	-1.664	23.949	0.741	0.084	212.648	1.963	0.083	174.142	1.979	0.083	0.232	0.0	0.083	0.173	0.0
73	6239	6240	SN	1	-34.864	15.953	0.0	-34.699	17.32	0.0	-10.202	24.191	0.155	-5.566	24.277	0.921	0.084	211.456	3.089	0.084	203.49	2.631	0.083	0.788	0.0	0.083	0.316	0.0
74	6239	6240	SN	1	-34.864	15.953	0.0	-34.699	18.116	0.0	-10.202	24.191	0.142	-5.566	24.277	1.018	0.084	211.456	2.868	0.083	203.49	2.274	0.083	0.788	0.0	0.083	0.316	0.0
75	6239	6240	NS	1	-34.974	17.367	0.0	-34.691	18.041	0.0	-3.731	22.512	0.028	-1.697	23.952	0.742	0.084	216.807	1.974	0.083	203.187	1.984	0.083	0.232	0.0	0.083	0.174	0.0
76	6240	6241	NS	1	-34.728	17.447	0.0	-33.865	18.049	0.0	-2.424	22.483	0.018	-1.155	24.266	1.933	0.084	204.928	0.872	0.083	167.994	0.642	0.083	0.192	0.0	0.083	0.162	0.0
77	6240	6241	SN	1	-33.842	17.226	0.0	-34.806	18.467	0.0	-25.573	22.882	0.091	-4.834	24.531	0.605	0.084	167.054	2.214	0.083	208.599	1.91	0.083	24.946	0.043	0.083	0.278	0.0
78	6240	6241	NS	1	-34.728	17.447	0.0	-33.865	18.049	0.0	-2.424	22.483	0.018	-1.155	24.266	1.93	0.084	204.928	0.871	0.083	167.994	0.642	0.083	0.192	0.0	0.083	0.162	0.0
79	6240	6241	SN	2	-33.842	17.226	0.0	-34.806	18.467	0.0	-25.573	22.882	0.091	-4.834	24.531	0.605	0.084	167.054	2.214	0.083	208.599	1.91	0.083	24.946	0.043	0.083	0.278	0.0
80	6241	6242	NS	1	-34.686	18.157	0.0	-34.764	18.598	0.0	0.098	22.251	0.003	1.509	25.068	1.662	0.083	202.919	2.249	0.083	206.551	1.962	0.083	0.141	0.0	0.083	0.124	0.0
81	6241	6242	NS	1	-34.686	18.157	0.0	-34.764	18.598	0.0	0.098	22.251	0.003	1.509	25.068	1.662	0.083	202.919	2.247	0.083	206.551	1.959	0.083	0.141	0.0	0.083	0.124	0.0
82	6242	6243	NS	1	-34.184	17.639	0.0	-33.525	18.53	0.0	1.068	22.22	0.014	-0.277	24.175	1.715	0.084	180.772	1.721	0.083	155.302	1.609	0.083	0.129	0.0	0.083	0.147	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors