










# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report


Report between 10-NOV-2018 To 11-NOV-2018




Inner Sea Aft Sigma0VsKp




Outer Sea Aft Sigma0VsKp




Inner Sea Fore Sigma0VsKp




Outer Sea Fore Sigma0VsKp




Inner Land Aft Sigma0VsKp




Outer Land Aft Sigma0VsKp



Inner Land Fore Sigma0VsKp



Outer Land Fore Sigma0VsKp



# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 10-NOV-2018 To 11-NOV-2018





					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11234	11235	NS	1	48.775	49.393	0.0	0.003	206.653	2.745	1050.672	1085.088	0.0	-91.784	-90.035	0.0
2	11234	11235	SN	1	48.643	49.349	0.0	0.003	28.025	2.079	1016.872	1081.624	29.375	-91.461	-89.707	0.0
3	11235	11236	NS	1	48.821	49.447	0.0	0.003	12.188	2.523	1050.864	1085.056	0.0	-91.833	-90.044	0.0
4	11235	11236	SN	1	48.656	49.406	0.0	0.003	6.425	2.638	1015.872	1081.552	27.061	-91.543	-89.686	0.0
5	11236	11237	NS	1	48.811	49.386	0.0	0.003	264.235	2.562	1050.944	1085.24	0.0	-91.689	-89.994	0.0
6	11236	11237	SN	1	48.638	49.349	0.0	0.003	6.425	2.386	1015.744	1081.696	27.906	-91.633	-89.72	0.0
7	11236	11237	SN	1	48.638	49.349	0.0	0.003	6.425	2.537	1015.744	1081.696	27.556	-91.633	-89.72	0.0
8	11237	11238	NS	1	48.802	49.454	0.0	0.003	210.061	2.537	1050.952	1085.2	0.0	-92.088	-90.031	0.0
9	11238	11239	NS	1	48.818	49.419	0.0	0.0	207.292	2.743	1051.016	1085.024	0.0	-91.67	-90.035	0.0
10	11238	11239	SN	1	48.651	49.345	0.0	0.003	283.658	2.553	1015.648	1081.328	28.59	-91.383	-89.718	0.0
11	11239	11240	NS	1	48.767	49.412	0.0	0.003	206.834	2.699	1051.12	1084.864	0.0	-91.77	-90.049	0.0
12	11240	11241	SN	1	48.649	49.354	0.0	0.003	28.008	1.806	1016.152	1081.008	29.028	-91.886	-89.72	0.0
13	11240	11241	NS	1	48.826	49.405	0.0	0.003	210.276	2.574	1051.272	1084.68	0.0	-91.73	-90.052	0.0
14	11241	11242	SN	1	48.683	49.345	0.0	0.003	215.918	2.706	1016.856	1081.064	24.751	-91.438	-89.713	0.0
15	11241	11242	NS	1	48.776	49.399	0.0	0.003	266.893	2.568	1051.28	1084.624	0.0	-91.756	-90.048	0.0
16	11242	11243	NS	1	48.789	49.452	0.0	0.0	42.901	2.78	1051.408	1084.592	0.0	-91.802	-90.03	0.0
17	11242	11243	NS	2	48.789	49.452	0.0	0.0	42.901	2.779	1051.408	1084.592	0.0	-91.802	-90.03	0.0
18	11242	11243	SN	1	48.67	49.362	0.0	0.003	6.408	2.645	1016.008	1081.032	25.075	-91.641	-89.677	0.0
19	11243	11244	SN	1	48.65	49.345	0.0	0.003	6.403	2.576	1016.416	1080.944	27.053	-91.488	-89.724	0.0
20	11243	11244	NS	1	48.812	49.438	0.0	0.003	263.976	2.731	1051.688	1084.432	0.0	-91.757	-90.024	0.0
21	11244	11245	SN	1	48.634	49.365	0.0	0.003	6.392	2.66	1016.832	1080.792	26.584	-91.579	-89.696	0.0
22	11244	11245	NS	1	48.793	49.415	0.0	0.003	266.744	2.675	1051.824	1084.304	0.0	-91.757	-90.035	0.0
23	11245	11246	NS	1	48.826	49.428	0.0	0.0	264.279	2.547	1051.744	1084.288	0.0	-91.752	-90.048	0.0
24	11245	11246	NS	1	48.826	49.428	0.0	0.0	264.279	2.713	1051.744	1084.288	0.0	-91.819	-90.048	0.0
25	11245	11246	SN	1	48.702	49.345	0.0	0.003	181.102	2.636	1016.808	1080.768	27.837	-91.516	-89.701	0.0
26	11245	11246	SN	1	48.702	49.345	0.0	0.003	181.102	2.637	1016.808	1080.768	27.855	-91.497	-89.701	0.0
27	11246	11247	SN	1	48.661	49.344	0.0	0.003	26.927	2.599	1016.84	1080.704	27.356	-91.455	-89.719	0.0
28	11246	11247	NS	1	48.826	49.425	0.0	0.003	12.337	2.582	1051.664	1084.2	0.0	-92.371	-90.055	0.0
29	11247	11248	SN	1	48.651	49.344	0.0	0.003	215.918	2.582	1016.888	1080.736	27.707	-91.249	-89.724	0.0
30	11247	11248	NS	1	48.824	49.389	0.0	0.003	266.91	2.561	1051.736	1084.216	0.0	-91.742	-90.054	0.0
31	11248	11249	SN	1	48.67	49.345	0.0	0.0	283.284	2.811	1016.168	1080.696	28.683	-91.213	-89.726	0.0
32	11248	11249	SN	1	48.67	49.345	0.0	0.003	283.284	1.631	1016.168	1080.696	30.854	-91.329	-89.726	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

33	11249	11250	NS	1	48.777	49.435	0.0	0.003	266.898	2.682	1051.92	1083.96	0.0	-91.842	-90.043	0.0
34	11249	11250	SN	1	48.67	49.355	0.0	0.003	6.386	2.773	1016.616	1080.48	26.589	-91.477	-89.682	0.0
35	11250	11251	SN	1	48.645	49.342	0.0	0.003	6.392	2.434	1016.536	1080.616	27.327	-91.489	-89.706	0.0
36	11250	11251	SN	1	48.645	49.342	0.0	0.003	6.392	2.569	1016.536	1080.616	27.002	-91.489	-89.706	0.0
37	11251	11252	SN	1	48.65	49.342	0.0	0.003	216.425	2.531	1016.656	1080.6	27.866	-91.446	-89.719	0.0
38	11251	11252	NS	1	48.827	49.384	0.0	0.003	43.152	2.57	1052.04	1084.288	0.0	-91.758	-90.007	0.0
39	11252	11253	SN	1	48.676	49.341	0.0	0.003	6.392	2.579	1016.384	1080.4	28.451	-91.417	-89.696	0.0
40	11252	11253	NS	1	48.817	49.383	0.0	0.003	264.08	2.612	1052.048	1084.12	0.0	-91.673	-90.04	0.0
41	11253	11254	SN	1	48.699	49.34	0.0	0.003	280.085	2.561	1016.64	1080.232	28.246	-91.719	-89.72	0.0
42	11254	11255	SN	1	48.651	49.338	0.0	0.003	6.375	2.625	1015.664	1080.064	28.338	-91.448	-89.721	0.0
43	11254	11255	NS	1	48.808	49.383	0.0	0.003	12.199	2.587	1052.272	1083.744	0.0	-92.235	-90.053	0.0
44	11255	11256	NS	1	48.79	49.383	0.0	0.008	207.028	2.623	1052.328	1083.624	0.0	-91.746	-90.057	0.0
45	11256	11257	SN	1	48.677	49.339	0.0	0.0	140.098	1.634	1016.336	1080.064	26.007	-91.508	-89.707	0.0
46	11257	11258	NS	1	48.788	49.424	0.0	0.003	14.311	2.695	1052.304	1083.552	0.0	-91.75	-90.042	0.0
47	11257	11258	SN	1	48.705	49.339	0.0	0.003	6.381	2.56	1017.072	1079.992	26.455	-91.382	-89.694	0.0
48	11258	11259	NS	1	48.795	49.434	0.0	0.0	266.926	2.79	1052.848	1083.344	0.0	-91.752	-90.036	0.0
49	11259	11260	NS	1	48.777	49.407	0.0	0.003	266.507	2.586	1052.472	1083.328	0.0	-92.014	-90.047	0.0
50	11259	11260	SN	1	48.648	49.338	0.0	0.003	281.822	2.68	1016.992	1079.744	27.301	-91.451	-89.698	0.0
51	11260	11261	SN	1	48.666	49.338	0.0	0.003	6.364	2.594	1016.48	1079.704	27.196	-91.44	-89.702	0.0
52	11261	11262	NS	1	48.797	49.414	0.0	0.003	43.29	2.619	1052.416	1083.28	0.0	-91.764	-90.065	0.0
53	11262	11263	NS	1	48.797	49.392	0.0	0.0	46.69	2.72	1052.136	1083.272	0.0	-91.632	-90.064	0.0
54	11262	11263	SN	1	48.668	49.339	0.0	0.003	6.364	2.694	1016.56	1079.736	28.041	-91.356	-89.726	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR															Kp													
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11234	11235	NS	1	-34.776	25.662	2.04	-34.696	25.495	0.131	6.902	31.346	13.043	7.574	29.2	23.07	0.116	291.079	4.984	0.116	285.779	4.377	0.116	0.132	0.0	0.116	0.129	0.0
2	11234	11235	SN	1	-32.815	25.583	0.124	-34.119	26.533	3.908	1.507	28.286	13.512	-0.371	31.74	22.009	0.116	185.344	1.952	0.116	250.228	1.478	0.116	0.174	0.0	0.116	0.208	0.0
3	11235	11236	NS	1	-34.617	25.79	1.176	-34.147	26.618	0.062	-6.096	32.99	11.992	-3.883	36.383	25.44	0.116	280.641	1.8	0.116	251.871	1.483	0.116	0.489	0.0	0.116	0.334	0.0
4	11235	11236	SN	1	-34.959	26.816	2.758	-34.68	27.378	4.668	1.438	32.551	11.824	4.069	31.165	9.371	0.116	303.632	4.435	0.116	284.75	3.483	0.116	0.175	0.0	0.116	0.147	0.0
5	11236	11237	NS	1	-34.324	23.962	0.449	-34.23	23.478	0.01	-3.228	29.308	10.053	-5.778	29.86	19.029	0.116	262.387	1.286	0.116	256.703	1.294	0.116	0.302	0.0	0.116	0.462	0.0
6	11236	11237	SN	1	-34.902	24.779	1.398	-34.762	25.453	2.707	2.838	28.332	13.851	2.027	30.648	10.585	0.116	299.677	3.16	0.116	290.188	2.233	0.116	0.158	0.0	0.116	0.167	0.0
7	11236	11237	SN	1	-34.902	24.779	1.581	-34.762	25.453	2.682	2.838	28.332	13.851	2.027	30.648	10.585	0.116	299.677	3.104	0.116	290.188	2.2	0.116	0.158	0.0	0.116	0.167	0.0
8	11237	11238	NS	1	-34.956	23.635	0.107	-34.464	24.977	0.01	-5.598	28.982	9.287	-3.779	29.732	19.115	0.116	303.394	8.199	0.116	270.926	7.913	0.116	0.447	0.0	0.116	0.329	0.0
9	11238	11239	NS	1	-34.968	22.73	0.104	-30.422	22.945	0.166	-15.513	28.889	5.796	-20.477	30.656	12.538	0.116	304.315	1.278	0.116	106.858	1.03	0.116	3.538	0.011	0.116	10.904	0.006
10	11238	11239	SN	1	-33.918	23.052	0.029	-34.382	23.827	0.193	6.227	28.634	17.63	7.664	28.617	19.042	0.116	238.915	0.664	0.116	265.88	0.474	0.116	0.134	0.0	0.116	0.129	0.0
11	11239	11240	NS	1	-34.304	25.065	0.06	-33.299	23.671	0.08	-6.087	28.433	7.138	-6.432	29.78	12.469	0.116	261.183	3.525	0.116	207.186	3.181	0.116	0.488	0.0	0.116	0.52	0.0
12	11240	11241	SN	1	-34.547	21.66	0.0	-34.919	23.385	0.001	4.405	30.597	11.476	9.095	28.951	12.094	0.116	276.202	3.835	0.116	300.84	2.81	0.116	0.144	0.0	0.116	0.125	0.0
13	11240	11241	NS	1	-34.656	26.344	0.113	-34.111	27.265	0.208	-6.918	30.139	11.65	-8.912	30.704	17.041	0.116	283.142	1.343	0.116	249.796	1.39	0.116	0.57	0.0	0.116	0.846	0.0
14	11241	11242	SN	1	-34.965	23.004	0.029	-34.883	24.409	0.627	-11.118	33.798	13.015	-0.741	33.646	18.096	0.116	304.012	5.326	0.116	298.418	4.624	0.116	1.344	0.002	0.116	0.217	0.0
15	11241	11242	NS	1	-34.414	26.103	0.444	-33.33	27.396	0.853	5.353	33.784	10.941	6.306	29.554	19.525	0.116	267.871	1.136	0.116	208.707	0.932	0.116	0.139	0.0	0.116	0.134	0.0
16	11242	11243	NS	1	-34.66	26.646	0.37	-34.987	25.928	0.859	-9.72	29.454	20.494	-3.281	30.637	37.258	0.116	283.476	3.416	0.116	305.529	2.457	0.116	1.0	0.002	0.116	0.304	0.0
17	11242	11243	NS	2	-34.66	26.646	0.372	-34.987	25.934	0.861	-9.72	29.454	20.494	-3.281	30.637	37.258	0.116	283.476	3.417	0.116	305.529	2.458	0.116	1.0	0.002	0.116	0.304	0.0
18	11242	11243	SN	1	-33.944	24.194	0.084	-34.985	25.19	0.859	-7.521	29.068	22.556	-6.853	30.561	27.976	0.116	240.401	2.42	0.116	305.425	2.248	0.116	0.641	0.0	0.116	0.563	0.0
19	11243	11244	SN	1	-34.721	27.08	0.086	-33.413	27.577	1.023	-3.092	30.147	18.011	-4.723	30.438	19.507	0.116	287.457	3.87	0.116	212.717	2.931	0.116	0.296	0.0	0.116	0.384	0.0
20	11243	11244	NS	1	-33.642	26.454	0.633	-34.58	27.11	0.754	-11.994	31.4	13.916	-12.917	30.083	25.447	0.116	224.218	2.436	0.116	278.208	2.314	0.116	1.624	0.003	0.116	1.987	0.005
21	11244	11245	SN	1	-34.959	27.289	0.066	-34.926	27.552	1.539	-11.591	30.063	17.495	-12.866	30.86	18.762	0.116	303.633	5.372	0.116	301.374	5.202	0.116	1.489	0.007	0.116	1.965	0.002
22	11244	11245	NS	1	-34.312	25.654	1.225	-34.274	26.394	1.057	1.765	28.595	14.925	-2.026	35.674	22.631	0.116	261.623	2.705	0.116	259.345	2.706	0.116	0.17	0.0	0.116	0.254	0.0
23	11245	11246	NS	1	-33.05	26.012	2.406	-34.162	25.762	2.395	0.446	28.459	20.747	-1.182	30.297	33.621	0.116	195.688	0.615	0.116	252.724	0.584	0.116	0.191	0.0	0.116	0.228	0.0
24	11245	11246	NS	1	-33.05	26.012	2.406	-34.162	25.762	2.395	0.446	28.459	25.046	-1.182	30.269	36.69	0.116	195.688	0.615	0.116	252.724	0.584	0.116	0.191	0.0	0.116	0.228	0.0
25	11245	11246	SN	1	-31.071	23.351	0.146	-34.459	25.746	3.85	-14.455	34.101	17.311	-22.597	32.603	19.99	0.116	124.093	1.888	0.116	270.666	1.808	0.116	2.792	0.011	0.116	17.71	0.012
26	11245	11246	SN	1	-30.471	23.343	0.146	-34.459	25.747	3.873	-14.455	34.099	17.325	-22.597	32.603	19.98	0.116	108.098	1.887	0.116	270.666	1.809	0.116	2.792	0.011	0.116	17.71	0.012
27	11246	11247	SN	1	-34.656	23.98	0.135	-33.585	26.183	3.241	-9.616	30.428	26.868	-8.234	30.284	29.645	0.116	283.178	2.576	0.116	221.304	2.226	0.116	0.979	0.0	0.116	0.738	0.0
28	11246	11247	NS	1	-33.874	26.876	2.064	-34.696	25.628	1.865	10.859	28.908	25.714	11.782	29.864	38.974	0.116	236.508	2.155	0.116	285.789	1.905	0.116	0.122	0.0	0.116	0.121	0.0
29	11247	11248	SN	1	-32.114	24.039	0.324	-34.365	26.163	3.085	7.584	29.655	45.778	8.45	30.815	56.521	0.116	157.77	0.955	0.116	264.838	0.963	0.116	0.129	0.0	0.116	0.127	0.0
30	11247	11248	NS	1	-34.024	25.045	2.113	-34.843	25.232	1.037	7.066	29.376	27.265	8.933	30.042	39.179	0.116	244.903	2.218	0.116	295.666	2.205	0.116	0.131	0.0	0.116	0.126	0.0
31	11248	11249	SN	1	-34.849	24.254	1.021	-31.189	26.784	4.122	6.971	28.694	17.449	10.399	29.007	24.629	0.116	296.053	0.912	0.116	127.492	0.554	0.116	0.131	0.0	0.116	0.123	0.0
32	11248	11249	SN	1	-33.536	22.82	0.004	-31.189	23.273	0.069	6.971	28.694	16.942	10.399	29.007	23.654	0.116	218.84	0.955	0.116	127.492	0.619	0.116	0.131	0.0	0.116	0.123	0.0
33	11249	11250	NS	1	-34.502	26.634	1.669	-34.227	26.539	0.061	0.857	31.278	15.787	5.562	36.264	28.352	0.116	273.386	2.276	0.116	256.579	2.144	0.116	0.184	0.0	0.116	0.138	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	11249	11250	SN	1	-33.924	25.97	3.202	-33.543	26.914	5.993	-25.366	35.53	16.037	-28.112	30.532	20.847	0.116	239.289	2.363	0.116	219.163	1.907	0.116	33.426	0.014	0.116	62.833	0.008
35	11250	11251	SN	1	-34.501	26.423	2.001	-34.082	26.649	3.75	-0.953	31.593	10.285	4.819	29.373	6.667	0.116	273.225	3.116	0.116	248.07	2.374	0.116	0.222	0.0	0.116	0.142	0.0
36	11250	11251	SN	1	-34.501	26.423	2.302	-34.082	26.649	3.715	-0.953	31.593	10.285	4.819	29.373	6.667	0.116	273.225	3.058	0.116	248.07	2.331	0.116	0.222	0.0	0.116	0.142	0.0
37	11251	11252	SN	1	-33.265	24.348	0.69	-34.673	24.983	1.364	7.055	27.395	17.735	7.704	28.621	12.476	0.116	205.616	1.897	0.116	284.283	1.492	0.116	0.131	0.0	0.116	0.129	0.0
38	11251	11252	NS	1	-34.905	23.762	0.246	-34.838	22.136	0.001	-7.026	28.866	10.348	-5.241	30.196	20.842	0.116	299.843	5.603	0.116	295.292	5.294	0.116	0.582	0.0	0.116	0.419	0.0
39	11252	11253	SN	1	-33.5	24.242	0.388	-33.894	25.052	0.842	6.386	27.633	13.25	6.12	28.43	8.041	0.116	217.009	1.002	0.116	237.652	1.102	0.116	0.134	0.0	0.116	0.135	0.0
40	11252	11253	NS	1	-34.875	23.283	0.073	-34.625	24.025	0.042	-6.434	35.49	6.097	-8.706	31.737	12.675	0.116	297.845	5.181	0.116	281.174	4.865	0.116	0.52	0.0	0.116	0.812	0.0
41	11253	11254	SN	1	-34.153	23.478	0.037	-33.848	23.852	0.259	6.233	28.635	15.793	8.362	28.706	21.281	0.116	252.201	1.539	0.116	235.086	1.119	0.116	0.134	0.0	0.116	0.127	0.0
42	11254	11255	SN	1	-34.179	21.963	0.0	-34.816	23.456	0.183	5.837	28.295	14.193	8.416	28.419	15.871	0.116	253.754	2.733	0.116	293.87	2.089	0.116	0.136	0.0	0.116	0.127	0.0
43	11254	11255	NS	1	-34.007	22.704	0.054	-33.817	26.383	0.135	-17.077	30.804	8.143	-9.755	31.686	14.035	0.116	243.932	2.147	0.116	233.448	1.969	0.116	5.033	0.005	0.116	1.008	0.002
44	11255	11256	NS	1	-33.905	26.267	0.216	-31.476	26.293	0.474	-4.885	28.134	14.364	8.131	29.423	22.971	0.116	238.208	0.559	0.116	136.228	0.41	0.116	0.394	0.0	0.116	0.128	0.0
45	11256	11257	SN	1	-34.809	25.187	0.023	-34.076	25.263	0.029	-18.027	29.482	17.296	-5.711	30.634	23.906	0.116	293.276	3.531	0.116	247.773	2.792	0.116	6.242	0.002	0.116	0.456	0.0
46	11257	11258	NS	1	-34.966	28.782	0.647	-34.911	25.199	1.137	-11.816	29.749	24.016	-14.576	30.448	37.346	0.116	304.165	2.117	0.116	300.323	2.126	0.116	1.563	0.003	0.116	2.869	0.005
47	11257	11258	SN	1	-34.946	25.202	0.104	-34.734	24.927	1.035	-7.769	29.573	17.848	-1.146	30.156	20.107	0.116	302.734	2.431	0.116	288.335	1.854	0.116	0.673	0.0	0.116	0.228	0.0
48	11258	11259	NS	1	-34.219	26.861	0.771	-34.66	25.12	0.757	-9.939	33.48	12.888	-1.663	33.699	22.518	0.116	256.104	1.785	0.116	283.464	1.733	0.116	1.047	0.003	0.116	0.243	0.0
49	11259	11260	NS	1	-34.75	26.552	1.92	-34.844	26.504	1.74	1.097	28.465	18.889	-0.713	31.474	26.619	0.116	289.34	3.901	0.116	295.711	3.308	0.116	0.18	0.0	0.116	0.216	0.0
50	11259	11260	SN	1	-34.561	23.314	0.091	-32.974	25.679	2.507	-26.842	28.915	15.54	-34.122	29.599	15.156	0.116	277.081	1.489	0.116	192.276	1.421	0.116	46.922	0.083	0.116	250.424	0.097
51	11260	11261	SN	1	-34.636	23.832	0.229	-34.738	26.686	4.095	-5.028	32.192	20.354	-3.326	31.66	23.711	0.116	281.89	1.704	0.116	288.559	1.753	0.116	0.404	0.0	0.116	0.306	0.0
52	11261	11262	NS	1	-34.963	27.036	2.063	-34.024	25.128	1.419	-11.259	28.787	27.776	8.874	29.752	39.517	0.116	303.916	2.094	0.116	244.843	1.828	0.116	1.386	0.006	0.116	0.126	0.0
53	11262	11263	NS	1	-34.598	26.59	2.174	-34.637	25.625	0.582	7.879	28.985	19.136	8.048	29.712	29.66	0.116	279.456	3.128	0.116	281.923	3.154	0.116	0.128	0.0	0.116	0.128	0.0
54	11262	11263	SN	1	-33.16	24.044	0.585	-33.831	25.976	3.487	7.308	29.842	34.95	9.828	30.577	39.131	0.116	201.208	0.809	0.116	234.227	0.748	0.116	0.13	0.0	0.116	0.124	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11234	11235	NS	1	57.605	58.271	0.0	0.0	294.374	3.819	1231.944	1275.712	0.0	-93.531	-92.085	0.0
2	11234	11235	SN	1	57.396	58.183	0.0	0.003	293.591	3.388	1190.672	1270.568	45.937	-92.796	-91.762	0.0
3	11235	11236	NS	1	57.623	58.294	0.0	0.0	293.817	3.531	1232.176	1275.656	0.0	-93.534	-92.091	0.0
4	11235	11236	SN	1	57.421	58.182	0.0	0.0	292.698	3.815	1189.888	1270.504	42.678	-92.906	-91.741	0.0
5	11236	11237	NS	1	57.625	58.295	0.0	0.0	296.569	3.437	1232.272	1275.888	0.0	-93.538	-92.032	0.0
6	11236	11237	SN	1	57.391	58.182	0.0	0.0	294.01	3.41	1189.432	1270.664	42.874	-92.925	-91.776	0.0
7	11236	11237	SN	1	57.391	58.182	0.0	0.0	294.01	3.692	1189.432	1270.664	42.344	-92.925	-91.776	0.0
8	11237	11238	NS	1	57.626	58.298	0.0	0.0	295.466	3.507	1232.28	1275.848	0.0	-93.534	-92.075	0.0
9	11238	11239	NS	1	57.628	58.269	0.0	0.0	294.391	3.733	1232.424	1275.64	0.0	-93.064	-92.084	0.0
10	11238	11239	SN	1	57.395	58.178	0.0	0.003	286.73	3.734	1190.096	1270.216	43.745	-92.95	-91.775	0.0
11	11239	11240	NS	1	57.629	58.267	0.0	0.0	295.372	3.645	1232.496	1275.456	0.0	-93.536	-92.098	0.0
12	11240	11241	SN	1	57.414	58.176	0.0	0.0	291.203	3.034	1189.864	1269.816	42.85	-92.844	-91.777	0.0
13	11240	11241	NS	1	57.599	58.266	0.0	0.0	298.367	3.596	1232.632	1275.232	0.0	-93.088	-92.1	0.0
14	11241	11242	SN	1	57.424	58.178	0.0	0.0	290.227	3.858	1190.688	1269.896	38.855	-92.812	-91.765	0.0
15	11241	11242	NS	1	57.609	58.292	0.0	0.0	292.096	3.511	1232.696	1275.136	0.0	-93.537	-92.101	0.0
16	11242	11243	NS	1	57.611	58.296	0.0	0.0	299.9	3.822	1232.36	1275.112	0.0	-93.539	-92.078	0.0
17	11242	11243	NS	2	57.611	58.296	0.0	0.0	299.9	3.822	1232.848	1275.112	0.0	-93.539	-92.078	0.0
18	11242	11243	SN	1	57.42	58.178	0.0	0.0	291.81	3.827	1190.4	1269.856	39.772	-93.142	-91.73	0.0
19	11243	11244	SN	1	57.388	58.177	0.0	0.0	291.346	3.739	1190.0	1269.752	40.853	-92.942	-91.778	0.0
20	11243	11244	NS	1	57.63	58.262	0.0	0.0	298.709	3.703	1233.192	1274.896	0.0	-93.542	-92.076	0.0
21	11244	11245	SN	1	57.401	58.176	0.0	0.0	299.691	3.871	1190.88	1269.568	39.779	-93.011	-91.746	0.0
22	11244	11245	NS	1	57.632	58.262	0.0	0.003	299.426	3.665	1233.36	1274.744	0.0	-93.089	-92.078	0.0
23	11245	11246	NS	1	57.619	58.286	0.0	0.0	282.285	3.262	1233.224	1274.736	0.0	-93.521	-92.106	0.0
24	11245	11246	NS	1	57.619	58.286	0.0	0.0	294.165	3.668	1233.224	1274.736	0.0	-93.521	-92.106	0.0
25	11245	11246	SN	1	57.411	58.176	0.0	0.0	294.214	3.805	1190.624	1269.536	42.346	-92.891	-91.757	0.0
26	11245	11246	SN	1	57.411	58.176	0.0	0.0	294.214	3.809	1190.624	1269.536	42.333	-92.997	-91.757	0.0
27	11246	11247	SN	1	57.419	58.176	0.0	0.003	294.076	3.718	1190.68	1269.456	42.063	-92.799	-91.774	0.0
28	11246	11247	NS	1	57.63	58.287	0.0	0.0	297.049	3.586	1233.224	1274.624	0.0	-93.324	-92.1	0.0
29	11247	11248	SN	1	57.4	58.177	0.0	0.0	288.743	3.708	1190.632	1269.496	43.154	-93.097	-91.781	0.0
30	11247	11248	NS	1	57.592	58.268	0.0	0.0	299.404	3.576	1233.064	1274.64	0.0	-93.317	-92.107	0.0
31	11248	11249	SN	1	57.395	58.177	0.0	0.0	289.659	3.954	1190.808	1269.456	43.364	-92.78	-91.783	0.0
32	11248	11249	SN	1	57.395	58.177	0.0	0.003	289.659	2.368	1190.808	1269.456	47.016	-92.78	-91.783	0.0
33	11249	11250	NS	1	57.598	58.288	0.0	0.0	298.935	3.695	1232.952	1274.328	0.0	-93.545	-92.087	0.0
34	11249	11250	SN	1	57.411	58.174	0.0	0.0	297.777	4.039	1190.832	1269.184	42.803	-93.097	-91.74	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	11250	11251	SN	1	57.394	58.175	0.0	0.003	297.589	3.462	1190.392	1269.352	42.444	-92.924	-91.76	0.0
36	11250	11251	SN	1	57.394	58.175	0.0	0.0	297.589	3.776	1190.392	1269.352	41.964	-92.924	-91.76	0.0
37	11251	11252	SN	1	57.397	58.202	0.0	0.003	297.507	3.682	1189.92	1269.336	42.72	-92.967	-91.776	0.0
38	11251	11252	NS	1	57.61	58.285	0.0	0.0	294.484	3.47	1233.616	1274.808	0.0	-93.545	-92.053	0.0
39	11252	11253	SN	1	57.424	58.172	0.0	0.0	291.562	3.684	1190.344	1269.096	42.872	-92.883	-91.748	0.0
40	11252	11253	NS	1	57.634	58.261	0.0	0.0	296.249	3.578	1233.648	1274.544	0.0	-93.546	-92.09	0.0
41	11253	11254	SN	1	57.425	58.17	0.0	0.0	287.398	3.664	1190.48	1268.888	42.836	-92.887	-91.776	0.0
42	11254	11255	SN	1	57.412	58.168	0.0	0.0	286.179	3.792	1190.392	1268.672	41.595	-92.832	-91.777	0.0
43	11254	11255	NS	1	57.628	58.26	0.0	0.003	298.367	3.637	1233.912	1274.112	0.0	-93.079	-92.099	0.0
44	11255	11256	NS	1	57.623	58.261	0.0	0.0	298.345	3.534	1233.968	1273.952	0.0	-93.548	-92.115	0.0
45	11256	11257	SN	1	57.427	58.213	0.0	0.0	294.302	2.694	1190.904	1268.68	41.7	-95.469	-91.752	0.0
46	11257	11258	NS	1	57.475	58.257	0.0	0.0	293.332	3.786	1227.656	1273.856	0.0	-94.222	-92.087	0.0
47	11257	11258	SN	1	57.423	58.17	0.0	0.0	294.992	3.684	1190.688	1268.6	41.232	-92.89	-91.743	0.0
48	11258	11259	NS	1	57.617	58.26	0.0	0.0	295.725	3.833	1234.248	1273.592	0.0	-93.553	-92.085	0.0
49	11259	11260	NS	1	57.616	58.266	0.0	0.0	298.913	3.579	1234.064	1274.272	0.0	-93.512	-92.09	0.0
50	11259	11260	SN	1	57.4	58.168	0.0	0.0	286.068	3.827	1190.832	1268.296	40.363	-92.837	-91.755	0.0
51	11260	11261	SN	1	57.425	58.168	0.0	0.0	285.142	3.724	1190.824	1268.248	41.545	-92.812	-91.762	0.0
52	11261	11262	NS	1	57.632	58.272	0.0	0.0	297.043	3.561	1234.224	1273.48	0.0	-93.544	-92.116	0.0
53	11262	11263	NS	1	57.615	58.261	0.0	0.0	298.698	3.743	1233.608	1273.504	0.0	-93.077	-92.117	0.0
54	11262	11263	SN	1	57.422	58.168	0.0	0.0	292.802	3.882	1190.184	1268.28	42.942	-92.879	-91.782	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors



Outer																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11234	11235	NS	1	-34.444	20.585	0.0	-34.561	19.711	0.0	0.594	23.516	0.291	-0.208	23.79	0.564	0.086	206.093	3.856	0.086	211.758	3.724	0.086	0.14	0.0	0.086	0.152	0.0
2	11234	11235	SN	1	-34.541	21.663	0.0	-34.696	21.579	0.0	-1.126	23.13	0.038	-1.312	23.261	0.023	0.086	218.088	1.677	0.086	225.943	1.396	0.086	0.17	0.0	0.086	0.174	0.0
3	11235	11236	NS	1	-34.533	18.97	0.0	-34.929	20.537	0.0	-5.028	22.347	0.005	-1.22	25.348	0.104	0.086	210.388	2.005	0.086	230.454	2.116	0.086	0.305	0.0	0.086	0.172	0.0
4	11235	11236	SN	1	-34.467	20.495	0.0	-34.936	20.554	0.0	-0.618	22.792	0.041	2.601	22.768	0.033	0.086	207.209	3.388	0.086	230.781	2.934	0.086	0.16	0.0	0.086	0.119	0.0
5	11236	11237	NS	1	-34.94	18.317	0.0	-33.792	16.812	0.0	-13.394	22.597	0.013	-21.395	22.811	0.056	0.086	231.103	1.174	0.087	177.39	1.374	0.086	1.683	0.009	0.086	10.274	0.042
6	11236	11237	SN	1	-34.985	19.695	0.0	-34.816	19.488	0.0	2.123	22.604	0.079	1.82	23.082	0.101	0.086	233.504	2.395	0.086	224.557	1.87	0.086	0.123	0.0	0.086	0.126	0.0
7	11236	11237	SN	1	-34.985	19.695	0.0	-34.816	19.488	0.0	2.123	22.604	0.079	1.82	23.082	0.101	0.086	233.504	2.352	0.086	224.557	1.845	0.086	0.123	0.0	0.086	0.126	0.0
8	11237	11238	NS	1	-34.931	18.156	0.0	-34.57	17.454	0.0	-28.345	21.98	0.0	-24.68	23.075	0.065	0.086	230.544	5.243	0.087	212.25	5.653	0.086	50.661	0.171	0.086	21.824	0.149
9	11238	11239	NS	1	-34.089	17.941	0.0	-34.205	16.759	0.0	-14.167	23.068	0.049	-14.956	23.252	0.096	0.086	189.956	1.546	0.087	195.142	1.358	0.086	1.998	0.001	0.086	2.382	0.001
10	11238	11239	SN	1	-33.455	17.682	0.0	-33.981	18.372	0.0	1.062	22.559	0.024	2.619	22.811	0.201	0.086	164.15	0.546	0.086	185.314	0.523	0.086	0.134	0.0	0.086	0.119	0.0
11	11239	11240	NS	1	-34.813	20.339	0.0	-34.397	16.926	0.0	-16.902	22.361	0.008	-17.326	22.822	0.037	0.086	224.414	2.95	0.087	203.934	2.849	0.086	3.693	0.014	0.086	4.065	0.012
12	11240	11241	SN	1	-34.648	14.697	0.0	-34.772	15.051	0.0	0.5	23.584	0.28	6.869	23.496	0.444	0.088	216.004	2.405	0.087	222.287	2.094	0.086	0.142	0.0	0.086	0.098	0.0
13	11240	11241	NS	1	-33.924	20.942	0.0	-34.032	21.095	0.0	-23.118	22.486	0.032	-25.548	23.213	0.109	0.086	182.861	1.072	0.086	187.471	1.219	0.086	15.251	0.14	0.086	26.64	0.196
14	11241	11242	SN	1	-34.826	17.811	0.0	-34.354	17.703	0.0	-13.326	24.146	0.511	-9.139	24.191	1.118	0.086	225.081	4.283	0.086	201.925	3.817	0.086	1.781	0.001	0.086	0.725	0.0
15	11241	11242	NS	1	-32.51	21.316	0.0	-34.601	21.047	0.0	2.652	22.229	0.009	1.496	23.264	0.237	0.086	132.076	1.114	0.086	213.759	0.961	0.086	0.119	0.0	0.086	0.13	0.0
16	11242	11243	NS	1	-34.761	22.368	0.005	-34.168	21.378	0.0	-4.896	22.786	0.156	-1.455	24.742	1.177	0.086	221.714	2.895	0.086	193.469	2.602	0.086	0.298	0.0	0.086	0.177	0.0
17	11242	11243	NS	2	-34.761	22.368	0.003	-34.168	21.378	0.0	-4.896	22.786	0.156	-1.455	24.742	1.184	0.086	221.714	2.893	0.086	193.469	2.603	0.086	0.298	0.0	0.086	0.177	0.0
18	11242	11243	SN	1	-34.854	16.951	0.0	-34.721	18.994	0.0	-27.18	23.86	0.265	-17.789	24.157	0.609	0.087	226.477	2.335	0.086	219.7	2.197	0.086	38.762	0.066	0.086	4.671	0.011
19	11243	11244	SN	1	-34.917	19.936	0.0	-34.761	20.133	0.0	-7.575	23.281	0.287	-6.912	23.36	0.226	0.086	229.859	3.6	0.086	222.284	3.349	0.086	0.508	0.0	0.086	0.447	0.0
20	11243	11244	NS	1	-34.549	22.534	0.003	-33.463	20.178	0.0	-5.756	23.145	0.336	-8.895	23.946	1.85	0.086	211.164	1.992	0.086	164.463	2.121	0.086	0.347	0.0	0.086	0.64	0.0
21	11244	11245	SN	1	-33.553	19.839	0.0	-34.95	20.399	0.0	-25.785	23.952	0.28	-24.32	23.512	0.23	0.086	167.874	4.934	0.086	231.567	4.47	0.086	28.127	0.102	0.086	20.094	0.037
22	11244	11245	NS	1	-34.73	22.138	0.001	-34.988	19.435	0.0	0.74	22.75	0.027	0.967	23.788	1.128	0.086	220.107	2.525	0.086	233.629	2.624	0.086	0.138	0.0	0.086	0.136	0.0
23	11245	11246	NS	1	-32.937	21.589	0.0	-34.959	20.121	0.0	-0.018	22.412	0.11	-0.176	23.714	1.273	0.086	145.698	0.626	0.086	232.072	0.826	0.086	0.149	0.0	0.086	0.152	0.0
24	11245	11246	NS	1	-32.937	21.589	0.0	-34.959	20.121	0.0	-0.018	22.412	0.101	-0.176	23.69	1.165	0.086	145.698	0.625	0.086	232.072	0.826	0.086	0.149	0.0	0.086	0.152	0.0
25	11245	11246	SN	1	-33.396	17.509	0.0	-32.095	19.724	0.0	-22.142	23.301	0.216	-20.661	22.986	0.221	0.087	161.961	1.755	0.086	120.058	1.619	0.086	12.19	0.027	0.086	8.689	0.025
26	11245	11246	SN	1	-34.843	17.509	0.0	-33.942	19.724	0.0	-22.142	23.301	0.217	-20.661	22.986	0.221	0.087	225.905	1.729	0.086	183.638	1.624	0.086	12.19	0.027	0.086	8.689	0.026
27	11246	11247	SN	1	-34.512	17.93	0.0	-34.928	19.777	0.0	-30.937	23.417	0.477	-21.778	23.403	0.636	0.086	209.36	1.998	0.086	230.444	1.732	0.086	91.952	0.052	0.086	11.218	0.051
28	11246	11247	NS	1	-34.716	21.442	0.0	-34.863	18.782	0.0	2.37	22.464	0.055	2.675	23.468	1.221	0.086	219.416	1.796	0.086	226.991	1.59	0.086	0.121	0.0	0.086	0.118	0.0
29	11247	11248	SN	1	-34.928	17.656	0.0	-34.816	19.923	0.0	2.879	23.507	0.678	3.128	24.048	1.935	0.087	230.427	1.926	0.086	224.613	1.589	0.086	0.117	0.0	0.086	0.115	0.0
30	11247	11248	NS	1	-34.636	21.774	0.0	-34.554	19.027	0.0	2.46	22.9	0.432	2.7	23.672	1.394	0.086	215.383	2.204	0.086	211.37	2.208	0.086	0.12	0.0	0.086	0.118	0.0
31	11248	11249	SN	1	-34.894	17.952	0.0	-32.94	19.78	0.0	1.767	22.832	0.094	4.9	22.684	0.146	0.086	228.644	1.224	0.086	145.804	1.008	0.086	0.127	0.0	0.086	0.105	0.0
32	11248	11249	SN	1	-33.402	16.145	0.0	-32.94	16.382	0.0	1.767	22.832	0.044	4.9	22.279	0.015	0.087	162.184	1.251	0.087	145.804	1.12	0.086	0.127	0.0	0.086	0.105	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	11249	11250	NS	1	-34.164	19.431	0.0	-33.245	19.066	0.0	-0.651	23.564	0.04	-0.142	28.326	0.215	0.086	193.23	2.104	0.086	156.389	2.334	0.086	0.16	0.0	0.086	0.151	0.0
34	11249	11250	SN	1	-34.597	20.337	0.0	-33.836	20.608	0.0	-19.958	23.03	0.049	-11.144	22.851	0.022	0.086	213.523	1.878	0.086	185.389	1.548	0.086	7.398	0.003	0.086	1.029	0.002
35	11250	11251	SN	1	-34.549	21.015	0.0	-34.193	20.801	0.0	0.579	22.786	0.039	1.032	22.979	0.022	0.086	211.153	2.486	0.086	194.57	1.922	0.086	0.141	0.0	0.086	0.135	0.0
36	11250	11251	SN	1	-34.549	21.015	0.0	-34.193	20.801	0.0	0.579	22.786	0.039	1.032	22.979	0.022	0.086	211.153	2.439	0.086	194.57	1.892	0.086	0.141	0.0	0.086	0.135	0.0
37	11251	11252	SN	1	-34.51	18.284	0.0	-34.538	18.775	0.0	1.137	22.798	0.063	2.344	22.286	0.015	0.086	209.302	1.984	0.086	210.611	1.641	0.086	0.134	0.0	0.086	0.121	0.0
38	11251	11252	NS	1	-34.71	18.075	0.0	-34.868	16.883	0.0	-11.361	22.268	0.002	-30.525	22.802	0.062	0.086	219.14	5.453	0.087	227.197	5.632	0.086	1.078	0.002	0.086	83.634	0.029
39	11252	11253	SN	1	-34.765	17.987	0.0	-34.232	18.533	0.0	0.8	22.893	0.116	1.646	22.659	0.174	0.086	221.978	0.863	0.086	196.323	0.866	0.086	0.138	0.0	0.086	0.128	0.0
40	11252	11253	NS	1	-34.752	18.165	0.0	-34.939	18.451	0.0	-25.917	22.531	0.017	-28.802	22.814	0.045	0.086	221.232	4.872	0.086	231.02	5.697	0.086	28.985	0.027	0.086	56.26	0.079
41	11253	11254	SN	1	-33.976	17.593	0.0	-33.814	17.384	0.0	0.577	22.501	0.04	1.19	22.701	0.2	0.087	185.123	1.33	0.087	178.315	1.023	0.086	0.141	0.0	0.086	0.133	0.0
42	11254	11255	SN	1	-34.885	17.155	0.0	-34.301	17.537	0.0	0.796	22.252	0.007	3.575	22.314	0.005	0.087	228.089	2.492	0.087	199.433	2.255	0.086	0.138	0.0	0.086	0.112	0.0
43	11254	11255	NS	1	-34.806	20.933	0.0	-34.256	20.892	0.0	-22.714	22.761	0.003	-25.142	23.112	0.067	0.086	223.985	2.105	0.086	197.424	2.042	0.086	13.902	0.146	0.086	24.26	0.046
44	11255	11256	NS	1	-34.589	21.196	0.0	-34.94	20.544	0.0	2.745	22.554	0.053	1.998	22.862	0.218	0.086	213.09	0.94	0.086	231.105	0.805	0.086	0.118	0.0	0.086	0.124	0.0
45	11256	11257	SN	1	-33.947	17.693	0.0	-34.965	17.819	0.0	-13.189	23.261	0.313	-6.59	24.271	0.829	0.086	183.84	2.903	0.086	232.354	2.361	0.086	1.608	0.002	0.086	0.406	0.0
46	11257	11258	NS	1	-34.275	22.076	0.001	-34.866	20.911	0.0	-8.853	22.921	0.282	-7.554	23.838	1.853	0.086	198.264	2.456	0.086	227.187	2.508	0.086	0.635	0.0	0.086	0.489	0.0
47	11257	11258	SN	1	-34.193	18.038	0.0	-33.271	18.414	0.0	-14.647	23.445	0.235	-9.834	23.343	0.429	0.086	201.265	1.912	0.086	157.357	1.569	0.086	2.224	0.017	0.086	0.778	0.0
48	11258	11259	NS	1	-34.617	20.243	0.0	-34.444	20.404	0.0	-8.604	22.432	0.053	-3.162	24.195	1.307	0.086	214.492	1.359	0.086	206.09	1.156	0.086	0.604	0.0	0.086	0.224	0.0
49	11259	11260	NS	1	-34.538	20.0	0.0	-34.929	22.467	0.001	-0.079	22.531	0.077	-1.472	23.611	1.063	0.086	210.659	2.227	0.086	230.474	2.118	0.086	0.15	0.0	0.086	0.177	0.0
50	11259	11260	SN	1	-34.609	20.221	0.0	-33.28	20.574	0.0	-30.152	23.434	0.184	-22.366	23.318	0.18	0.086	214.145	1.806	0.086	157.669	1.644	0.086	76.774	0.062	0.086	12.833	0.039
51	11260	11261	SN	1	-34.821	18.148	0.0	-33.32	19.683	0.0	-10.358	23.426	0.288	-15.052	23.402	0.339	0.086	224.842	1.575	0.086	159.17	1.825	0.086	0.87	0.0	0.086	2.434	0.003
52	11261	11262	NS	1	-34.882	19.885	0.0	-34.589	18.184	0.0	-22.88	22.474	0.059	1.759	23.72	1.472	0.086	227.928	2.504	0.086	213.14	2.605	0.086	14.44	0.033	0.086	0.127	0.0
53	11262	11263	NS	1	-34.068	19.57	0.0	-34.642	18.427	0.0	2.096	23.555	0.731	2.629	24.264	1.383	0.086	189.045	2.773	0.086	215.71	2.791	0.086	0.123	0.0	0.086	0.119	0.0
54	11262	11263	SN	1	-31.025	17.741	0.0	-34.122	19.706	0.0	2.132	23.19	0.457	4.743	23.731	1.416	0.086	93.82	0.775	0.086	191.409	0.653	0.086	0.123	0.0	0.086	0.105	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors