

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 12-NOV-2018 To 13-NOV-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 12-NOV-2018 To 13-NOV-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11263	11264	SN	1	48.666	49.336	0.0	0.003	27.986	2.753	1017.232	1079.584	27.233	-91.491	-89.709	0.0
2	11263	11264	NS	1	48.8	49.411	0.0	0.003	16.209	2.745	1052.832	1083.136	0.0	-91.825	-90.048	0.0
3	11263	11264	SN	2	48.667	49.337	0.0	0.003	282.958	2.753	1017.224	1079.608	27.247	-91.491	-89.709	0.0
4	11264	11265	SN	1	48.676	49.336	0.0	0.003	28.058	2.636	1016.248	1079.512	26.308	-91.336	-89.69	0.0
5	11265	11266	SN	1	48.643	49.337	0.0	0.003	6.375	2.518	1016.912	1079.6	26.802	-91.421	-89.719	0.0
6	11265	11266	SN	1	48.65	49.337	0.0	0.003	6.375	2.521	1015.904	1079.6	26.828	-91.421	-89.719	0.0
7	11265	11266	NS	1	48.833	49.423	0.0	0.003	43.141	2.514	1053.112	1083.272	0.0	-91.764	-90.004	0.0
8	11265	11266	SN	1	48.65	49.337	0.0	0.003	6.375	2.382	1015.904	1079.6	27.141	-91.421	-89.719	0.0
9	11266	11267	SN	1	48.644	49.336	0.0	0.003	6.37	2.565	1015.776	1079.504	27.897	-91.404	-89.72	0.0
10	11267	11268	NS	1	48.819	49.433	0.0	0.003	266.92	2.671	1053.096	1083.048	0.0	-91.683	-90.052	0.0
11	11268	11269	NS	1	48.835	49.433	0.0	0.003	13.854	2.636	1053.328	1082.872	0.0	-91.739	-90.061	0.0
12	11268	11269	SN	1	48.698	49.333	0.0	0.003	6.348	2.584	1016.872	1079.12	27.807	-91.471	-89.72	0.0
13	11268	11269	NS	2	48.835	49.433	0.0	0.003	13.854	2.636	1053.328	1082.872	0.0	-91.739	-90.061	0.0
14	11269	11270	SN	1	48.647	49.334	0.0	0.003	216.453	2.293	1016.016	1078.968	27.356	-91.446	-89.721	0.0
15	11269	11270	NS	1	48.774	49.434	0.0	0.003	43.086	2.618	1053.488	1082.688	0.0	-92.154	-90.07	0.0
16	11270	11271	SN	1	48.667	49.334	0.0	0.003	282.583	2.701	1016.448	1079.024	24.073	-91.457	-89.717	0.0
17	11270	11271	SN	1	48.671	49.334	0.0	0.003	282.583	1.787	1016.448	1079.024	25.431	-91.457	-89.717	0.0
18	11270	11271	SN	1	48.671	49.334	0.0	0.003	282.583	2.703	1016.448	1079.024	24.007	-91.57	-89.717	0.0
19	11270	11271	NS	1	48.802	49.429	0.0	0.003	210.86	2.625	1052.816	1082.64	0.0	-91.737	-90.07	0.0
20	11271	11272	SN	1	48.68	49.334	0.0	0.003	6.364	2.625	1017.36	1079.0	24.483	-91.576	-89.686	0.0
21	11271	11272	NS	1	48.834	49.387	0.0	0.003	206.846	2.698	1053.616	1082.632	0.0	-91.739	-90.051	0.0
22	11272	11273	NS	1	48.836	49.408	0.0	0.003	210.469	2.66	1053.848	1082.456	0.0	-91.686	-90.045	0.0
23	11272	11273	SN	1	48.649	49.333	0.0	0.003	282.517	2.566	1016.448	1078.84	26.101	-91.515	-89.728	0.0
24	11273	11274	NS	1	48.836	49.44	0.0	0.003	18.337	2.676	1053.76	1082.328	0.0	-91.983	-90.051	0.0
25	11273	11274	NS	1	48.836	49.44	0.0	0.003	18.337	2.679	1053.76	1082.328	0.0	-91.983	-90.051	0.0
26	11274	11275	SN	1	48.71	49.333	0.0	0.003	6.337	2.646	1017.272	1078.72	26.982	-91.517	-89.707	0.0
27	11274	11275	SN	2	48.71	49.333	0.0	0.003	6.337	2.646	1017.272	1078.72	26.982	-91.517	-89.707	0.0
28	11275	11276	SN	1	48.681	49.332	0.0	0.003	6.337	2.61	1017.312	1078.656	26.39	-92.243	-89.722	0.0
29	11275	11276	NS	1	48.804	49.408	0.0	0.0	210.519	2.712	1052.704	1082.224	0.0	-92.004	-90.072	0.0
30	11275	11276	NS	1	48.804	49.408	0.0	0.0	210.519	2.094	1052.704	1082.224	0.0	-92.004	-90.072	0.0
31	11276	11277	SN	1	48.576	49.333	0.0	0.003	216.436	2.58	1015.104	1078.68	26.682	-91.481	-89.725	0.0
32	11276	11277	NS	1	48.834	49.387	0.0	0.003	210.27	1.551	1053.008	1082.224	0.0	-91.619	-90.07	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	11276	11277	NS	1	48.834	49.399	0.0	0.003	267.522	2.632	1053.264	1082.224	0.0	-91.618	-90.07	0.0
34	11277	11278	NS	1	48.808	49.42	0.0	0.003	43.213	1.976	1052.672	1082.168	0.0	-91.637	-90.071	0.0
35	11277	11278	SN	1	48.667	49.333	0.0	0.0	282.5	2.81	1016.504	1078.616	27.559	-91.464	-89.726	0.0
36	11277	11278	SN	1	48.694	49.333	0.0	0.003	282.5	1.737	1017.496	1078.616	28.847	-91.464	-89.726	0.0
37	11277	11278	SN	1	48.694	49.333	0.0	0.0	282.5	2.813	1017.496	1078.616	27.487	-91.464	-89.726	0.0
38	11278	11279	NS	1	48.804	49.42	0.0	0.0	266.987	2.829	1052.864	1081.96	0.0	-91.703	-90.056	0.0
39	11278	11279	SN	1	48.715	49.364	0.0	0.003	6.342	2.47	1017.48	1078.416	26.167	-91.566	-89.679	0.0
40	11278	11279	SN	1	48.715	49.364	0.0	0.003	6.342	2.763	1017.48	1078.416	25.505	-91.566	-89.679	0.0
41	11279	11280	NS	1	48.837	49.389	0.0	0.0	52.051	2.641	1053.952	1082.192	0.0	-91.654	-90.023	0.0
42	11279	11280	SN	1	48.667	49.331	0.0	0.003	283.019	2.421	1016.648	1078.536	26.247	-91.386	-89.712	0.0
43	11279	11280	SN	1	48.667	49.331	0.0	0.003	283.019	2.566	1016.648	1078.536	25.9	-91.386	-89.712	0.0
44	11280	11281	SN	1	48.673	49.331	0.0	0.003	6.337	2.54	1016.096	1078.52	26.744	-91.616	-89.726	0.0
45	11280	11281	SN	1	48.673	49.331	0.0	0.003	6.337	2.356	1016.096	1078.52	27.137	-91.616	-89.726	0.0
46	11281	11282	NS	1	48.837	49.391	0.0	0.003	264.047	2.638	1053.448	1082.144	0.0	-91.698	-90.052	0.0
47	11281	11282	SN	1	48.655	49.329	0.0	0.003	6.337	2.294	1017.056	1078.328	27.825	-91.491	-89.702	0.0
48	11281	11282	SN	1	48.655	49.329	0.0	0.003	6.337	2.584	1017.056	1078.328	27.273	-91.422	-89.702	0.0
49	11282	11283	SN	1	48.612	49.329	0.0	0.003	282.55	2.56	1016.904	1078.168	27.095	-91.627	-89.723	0.0
50	11282	11283	NS	1	48.785	49.417	0.0	0.0	206.851	2.748	1053.936	1082.0	0.0	-91.773	-90.07	0.0
51	11284	11285	NS	1	48.783	49.428	0.0	0.003	17.598	2.611	1053.832	1081.64	0.0	-91.924	-90.076	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

34	11277	11278	NS	1	-34.47	26.759	2.056	-34.827	24.348	0.221	7.11	29.379	6.99	6.386	29.486	18.397	0.116	271.271	2.503	0.116	294.553	1.882	0.116	0.131	0.0	0.116	0.134	0.0
35	11277	11278	SN	1	-31.309	24.497	1.039	-32.148	26.166	4.025	5.675	28.696	16.626	10.928	30.493	21.645	0.116	131.089	1.533	0.116	159.002	1.262	0.116	0.137	0.0	0.116	0.122	0.0
36	11277	11278	SN	1	-31.54	23.041	0.008	-32.148	25.193	0.261	5.67	28.696	15.733	10.928	30.493	21.38	0.116	138.237	1.574	0.116	159.002	1.388	0.116	0.137	0.0	0.116	0.122	0.0
37	11277	11278	SN	1	-31.54	24.5	1.042	-32.148	26.166	4.032	5.673	28.696	16.643	10.928	30.493	21.65	0.116	138.237	1.531	0.116	159.002	1.264	0.116	0.137	0.0	0.116	0.122	0.0
38	11278	11279	NS	1	-34.837	26.624	1.657	-34.855	27.288	0.072	-2.251	31.069	15.35	1.83	33.275	27.777	0.116	295.207	2.88	0.116	296.422	2.275	0.116	0.262	0.0	0.116	0.17	0.0
39	11278	11279	SN	1	-34.261	26.745	1.03	-33.888	27.277	5.754	-19.71	36.383	15.839	-10.413	29.042	21.231	0.116	258.608	1.273	0.116	237.276	0.954	0.116	9.155	0.033	0.116	1.157	0.003
40	11278	11279	SN	1	-34.261	26.745	3.084	-33.888	27.277	5.771	-19.71	36.383	15.839	-10.413	29.042	21.231	0.116	258.608	1.202	0.116	237.276	0.904	0.116	9.155	0.033	0.116	1.157	0.003
41	11279	11280	NS	1	-34.979	25.933	0.657	-34.753	25.838	0.043	-18.793	32.535	10.086	-3.694	30.926	21.429	0.116	305.009	2.581	0.116	289.612	3.194	0.116	7.427	0.005	0.116	0.324	0.0
42	11279	11280	SN	1	-34.731	26.565	1.826	-34.988	27.014	3.472	3.506	31.782	10.382	3.453	30.436	6.57	0.116	288.181	3.237	0.116	305.627	2.666	0.116	0.152	0.0	0.116	0.152	0.0
43	11279	11280	SN	1	-34.731	26.565	2.112	-34.988	27.014	3.424	3.506	31.782	10.382	3.453	30.436	6.57	0.116	288.181	3.169	0.116	305.627	2.611	0.116	0.152	0.0	0.116	0.152	0.0
44	11280	11281	SN	1	-34.659	24.302	0.592	-34.236	24.93	1.17	6.942	28.14	17.58	8.482	28.272	12.382	0.116	283.355	4.119	0.116	257.122	3.628	0.116	0.131	0.0	0.116	0.127	0.0
45	11280	11281	SN	1	-34.659	24.302	0.498	-34.236	24.93	1.179	6.942	28.14	17.581	8.482	28.272	12.395	0.116	283.355	4.194	0.116	257.122	3.685	0.116	0.131	0.0	0.116	0.127	0.0
46	11281	11282	NS	1	-34.216	22.772	0.051	-33.474	23.82	0.026	-6.85	32.209	5.532	-11.646	31.339	11.302	0.116	255.896	3.808	0.116	215.7	3.337	0.116	0.563	0.0	0.116	1.506	0.001
47	11281	11282	SN	1	-34.776	24.008	0.319	-34.02	24.806	0.734	6.13	27.741	13.432	6.57	28.171	8.71	0.116	291.157	2.478	0.116	244.62	1.915	0.116	0.135	0.0	0.116	0.133	0.0
48	11281	11282	SN	1	-34.776	24.008	0.353	-34.02	24.806	0.755	6.13	27.741	13.416	6.57	28.171	8.598	0.116	291.157	2.424	0.116	244.62	1.879	0.116	0.135	0.0	0.116	0.133	0.0
49	11282	11283	SN	1	-34.882	22.678	0.014	-34.868	23.542	0.175	5.597	28.023	15.726	8.236	28.968	20.513	0.116	298.292	3.74	0.116	297.27	3.325	0.116	0.137	0.0	0.116	0.127	0.0
50	11282	11283	NS	1	-34.481	22.686	0.062	-34.849	26.319	0.107	-5.713	30.048	6.434	-7.125	29.554	14.411	0.116	271.972	5.255	0.116	295.991	5.56	0.116	0.456	0.0	0.116	0.593	0.0
51	11284	11285	NS	1	-34.704	26.052	0.139	-34.957	26.661	0.321	-4.121	27.786	14.003	8.332	28.996	22.762	0.116	286.316	1.827	0.116	303.544	1.679	0.116	0.347	0.0	0.116	0.127	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11263	11264	SN	1	57.401	58.176	0.0	0.0	293.133	4.007	1191.104	1268.096	43.676	-92.903	-91.76	0.0
2	11263	11264	NS	1	57.599	58.285	0.0	0.0	295.819	3.732	1233.824	1273.376	0.0	-93.553	-92.098	0.0
3	11263	11264	SN	2	57.401	58.176	0.0	0.0	293.133	4.005	1191.104	1268.128	43.687	-92.903	-91.76	0.0
4	11264	11265	SN	1	57.42	58.176	0.0	0.0	286.681	3.813	1190.344	1268.016	41.822	-92.896	-91.744	0.0
5	11265	11266	SN	1	57.407	58.166	0.0	0.0	285.903	3.659	1190.216	1268.128	41.668	-92.817	-91.776	0.0
6	11265	11266	SN	1	57.395	58.166	0.0	0.0	285.903	3.662	1190.192	1268.128	41.678	-93.08	-91.776	0.0
7	11265	11266	NS	1	57.64	58.268	0.0	0.0	296.646	3.451	1234.808	1273.52	0.0	-93.555	-92.044	0.0
8	11265	11266	SN	1	57.395	58.166	0.0	0.0	285.903	3.353	1190.192	1268.128	42.155	-93.08	-91.776	0.0
9	11266	11267	SN	1	57.408	58.164	0.0	0.0	285.341	3.678	1190.52	1268.008	42.536	-92.993	-91.776	0.0
10	11267	11268	NS	1	57.641	58.254	0.0	0.003	294.87	3.574	1234.864	1273.256	0.0	-93.228	-92.098	0.0
11	11268	11269	NS	1	57.613	58.273	0.0	0.0	296.933	3.628	1235.216	1273.024	0.0	-93.557	-92.11	0.0
12	11268	11269	SN	1	57.411	58.161	0.0	0.0	291.975	3.715	1190.584	1267.52	41.91	-92.871	-91.777	0.0
13	11268	11269	NS	2	57.613	58.273	0.0	0.0	296.933	3.628	1235.216	1273.024	0.0	-93.557	-92.11	0.0
14	11269	11270	SN	1	57.402	58.161	0.0	0.0	286.422	3.441	1190.64	1267.352	40.982	-92.81	-91.778	0.0
15	11269	11270	NS	1	57.629	58.262	0.0	0.0	288.898	3.644	1234.984	1272.8	0.0	-93.083	-92.111	0.0
16	11270	11271	SN	1	57.429	58.162	0.0	0.0	284.491	3.87	1190.68	1267.416	37.938	-92.921	-91.768	0.0
17	11270	11271	SN	1	57.429	58.162	0.0	0.0	283.852	2.991	1191.088	1267.416	40.095	-92.921	-91.768	0.0
18	11270	11271	SN	1	57.429	58.162	0.0	0.0	284.491	3.874	1191.088	1267.416	37.881	-92.921	-91.768	0.0
19	11270	11271	NS	1	57.61	58.265	0.0	0.0	294.093	3.533	1234.664	1273.088	0.0	-93.559	-92.124	0.0
20	11271	11272	SN	1	57.406	58.162	0.0	0.0	283.769	3.801	1190.952	1267.392	39.556	-93.092	-91.736	0.0
21	11271	11272	NS	1	57.636	58.275	0.0	0.0	293.817	3.663	1234.712	1272.736	0.0	-94.085	-92.098	0.0
22	11272	11273	NS	1	57.644	58.249	0.0	0.0	295.968	3.707	1235.624	1272.512	0.0	-93.562	-92.094	0.0
23	11272	11273	SN	1	57.405	58.161	0.0	0.0	299.255	3.696	1190.392	1267.192	40.073	-92.883	-91.784	0.0
24	11273	11274	NS	1	57.645	58.27	0.0	0.0	291.948	3.642	1235.696	1272.352	0.0	-93.095	-92.091	0.0
25	11273	11274	NS	1	57.645	58.276	0.0	0.0	291.948	3.646	1235.696	1272.352	0.0	-93.113	-92.091	0.0
26	11274	11275	SN	1	57.399	58.161	0.0	0.0	291.126	3.836	1191.168	1267.048	41.574	-92.822	-91.76	0.0
27	11274	11275	SN	2	57.399	58.161	0.0	0.0	291.126	3.836	1191.168	1267.048	41.574	-92.822	-91.76	0.0
28	11275	11276	SN	1	57.411	58.16	0.0	0.0	292.521	3.755	1191.272	1266.968	41.154	-93.012	-91.776	0.0
29	11275	11276	NS	1	57.626	58.247	0.0	0.0	298.064	3.731	1234.392	1272.216	0.0	-93.293	-92.12	0.0
30	11275	11276	NS	1	57.626	58.247	0.0	0.0	298.064	3.056	1234.392	1272.216	0.0	-93.293	-92.12	0.0
31	11276	11277	SN	1	57.414	58.16	0.0	0.003	299.74	3.712	1190.68	1267.0	42.274	-92.849	-91.782	0.0
32	11276	11277	NS	1	57.629	58.245	0.0	0.0	295.984	2.3	1234.352	1272.224	0.0	-93.068	-92.121	0.0
33	11276	11277	NS	1	57.624	58.245	0.0	0.0	295.984	3.598	1234.728	1272.224	0.0	-93.068	-92.121	0.0
34	11277	11278	NS	1	57.608	58.267	0.0	0.003	293.541	3.026	1234.328	1272.152	0.0	-93.561	-92.121	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	11277	11278	SN	1	57.414	58.16	0.0	0.0	282.098	3.954	1191.376	1266.92	42.72	-92.928	-91.782	0.0
36	11277	11278	SN	1	57.426	58.16	0.0	0.0	282.098	2.924	1191.376	1266.92	45.04	-92.869	-91.782	0.0
37	11277	11278	SN	1	57.426	58.16	0.0	0.0	282.098	3.958	1191.376	1266.92	42.657	-92.869	-91.782	0.0
38	11278	11279	NS	1	57.633	58.244	0.0	0.0	291.97	3.809	1234.56	1271.904	0.0	-93.564	-92.097	0.0
39	11278	11279	SN	1	57.4	58.158	0.0	0.0	283.272	3.642	1191.208	1266.672	42.809	-92.89	-91.74	0.0
40	11278	11279	SN	1	57.4	58.158	0.0	0.0	298.748	4.019	1191.208	1266.672	41.823	-92.89	-91.74	0.0
41	11279	11280	NS	1	57.641	58.246	0.0	0.0	292.058	3.614	1235.624	1272.192	0.0	-93.569	-92.067	0.0
42	11279	11280	SN	1	57.413	58.158	0.0	0.003	298.328	3.428	1190.376	1266.816	41.796	-92.92	-91.766	0.0
43	11279	11280	SN	1	57.413	58.158	0.0	0.0	298.334	3.763	1190.376	1266.816	41.27	-92.92	-91.766	0.0
44	11280	11281	SN	1	57.407	58.158	0.0	0.0	298.786	3.709	1190.848	1266.8	41.908	-92.962	-91.781	0.0
45	11280	11281	SN	1	57.407	58.158	0.0	0.0	298.786	3.371	1190.848	1266.8	42.497	-92.962	-91.781	0.0
46	11281	11282	NS	1	57.648	58.247	0.0	0.0	297.231	3.555	1235.208	1272.136	0.0	-93.57	-92.102	0.0
47	11281	11282	SN	1	57.411	58.156	0.0	0.0	285.826	3.336	1191.064	1266.56	42.693	-92.831	-91.752	0.0
48	11281	11282	SN	1	57.401	58.156	0.0	0.0	289.835	3.7	1191.064	1266.56	41.911	-92.984	-91.752	0.0
49	11282	11283	SN	1	57.414	58.154	0.0	0.0	298.417	3.671	1190.52	1266.36	41.91	-92.839	-91.778	0.0
50	11282	11283	NS	1	57.616	58.266	0.0	0.0	290.139	3.81	1235.744	1271.96	0.0	-93.1	-92.116	0.0
51	11284	11285	NS	1	57.621	58.247	0.0	0.0	291.55	3.565	1235.88	1271.52	0.0	-93.569	-92.128	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

33	11276	11277	NS	1	-34.346	21.538	0.0	-34.512	22.138	0.001	2.782	23.572	0.505	2.274	24.158	1.554	0.086	201.525	1.675	0.086	209.397	1.807	0.086	0.118	0.0	0.086	0.122	0.0
34	11277	11278	NS	1	-34.618	18.837	0.0	-34.849	21.463	0.0	1.193	22.763	0.01	0.932	24.37	0.963	0.086	214.555	2.204	0.086	226.274	1.903	0.086	0.133	0.0	0.086	0.136	0.0
35	11277	11278	SN	1	-34.77	18.02	0.0	-34.205	19.806	0.0	1.801	23.006	0.073	5.02	22.791	0.115	0.086	222.152	1.001	0.086	195.096	0.911	0.086	0.126	0.0	0.086	0.104	0.0
36	11277	11278	SN	1	-34.77	15.747	0.0	-34.205	19.805	0.0	1.801	23.006	0.038	5.02	22.652	0.104	0.087	222.152	1.028	0.086	195.096	1.011	0.086	0.126	0.0	0.086	0.104	0.0
37	11277	11278	SN	1	-34.77	18.021	0.0	-34.205	19.806	0.0	1.801	23.006	0.074	5.02	22.791	0.115	0.086	222.152	1.002	0.086	195.096	0.915	0.086	0.126	0.0	0.086	0.104	0.0
38	11278	11279	NS	1	-34.838	19.647	0.0	-34.671	19.499	0.0	-0.911	22.848	0.033	0.067	23.408	0.195	0.086	225.678	2.874	0.086	217.155	2.79	0.086	0.165	0.0	0.086	0.148	0.0
39	11278	11279	SN	1	-33.56	21.081	0.0	-34.158	20.676	0.0	-16.749	22.831	0.034	-11.596	22.409	0.01	0.086	168.201	0.783	0.086	192.998	0.624	0.086	3.568	0.01	0.086	1.135	0.002
40	11278	11279	SN	1	-33.56	21.081	0.0	-34.158	20.676	0.0	-16.749	22.831	0.034	-11.596	22.409	0.01	0.086	168.201	0.749	0.086	192.998	0.593	0.086	3.568	0.01	0.086	1.135	0.002
41	11279	11280	NS	1	-34.43	18.959	0.0	-34.807	20.425	0.0	-12.787	22.586	0.014	-9.944	23.558	0.093	0.086	205.46	2.34	0.086	224.068	2.749	0.086	1.472	0.003	0.086	0.797	0.0
42	11279	11280	SN	1	-34.28	20.49	0.0	-33.885	21.233	0.0	1.456	23.465	0.033	0.167	22.393	0.024	0.086	198.495	2.372	0.086	187.471	2.0	0.086	0.13	0.0	0.086	0.147	0.0
43	11279	11280	SN	1	-34.28	20.49	0.0	-33.885	21.233	0.0	1.456	23.465	0.033	0.167	22.393	0.024	0.086	198.495	2.321	0.086	187.471	1.964	0.086	0.13	0.0	0.086	0.147	0.0
44	11280	11281	SN	1	-34.883	18.768	0.0	-34.741	18.502	0.0	1.11	23.134	0.058	1.942	22.367	0.015	0.086	228.076	3.431	0.086	220.694	3.026	0.086	0.134	0.0	0.086	0.125	0.0
45	11280	11281	SN	1	-34.883	18.768	0.0	-34.741	18.502	0.0	1.11	23.134	0.058	1.942	22.367	0.015	0.086	228.076	3.498	0.086	220.694	3.064	0.086	0.134	0.0	0.086	0.125	0.0
46	11281	11282	NS	1	-34.821	17.602	0.0	-33.645	17.135	0.0	-23.946	22.752	0.029	-29.357	23.034	0.045	0.087	224.796	3.976	0.087	171.518	4.486	0.086	18.436	0.026	0.086	63.943	0.104
47	11281	11282	SN	1	-34.998	18.049	0.0	-34.75	18.051	0.0	0.166	22.806	0.1	1.764	22.71	0.197	0.086	234.103	2.196	0.086	221.154	1.849	0.086	0.147	0.0	0.086	0.127	0.0
48	11281	11282	SN	1	-34.998	18.246	0.0	-34.114	18.037	0.0	0.166	22.806	0.1	1.764	22.71	0.19	0.086	234.103	2.151	0.086	191.074	1.82	0.086	0.147	0.0	0.086	0.127	0.0
49	11282	11283	SN	1	-34.832	17.285	0.0	-34.943	17.457	0.0	0.689	22.252	0.05	2.418	22.54	0.199	0.087	225.351	3.805	0.087	231.261	3.511	0.086	0.139	0.0	0.086	0.121	0.0
50	11282	11283	NS	1	-34.718	20.605	0.0	-34.849	18.16	0.0	-21.402	22.534	0.014	-16.908	23.074	0.049	0.086	219.542	4.527	0.086	226.276	5.063	0.086	10.292	0.048	0.086	3.698	0.015
51	11284	11285	NS	1	-34.088	20.486	0.0	-34.309	21.043	0.0	3.066	22.433	0.053	1.256	22.726	0.198	0.086	189.909	1.671	0.086	199.806	1.75	0.086	0.115	0.0	0.086	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors