

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 17-NOV-2018 To 18-NOV-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 17-NOV-2018 To 18-NOV-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11335	11336	SN	1	48.72	49.314	0.0	0.003	6.248	1.731	1018.848	1074.424	24.9	-91.325	-89.737	0.0
2	11335	11336	SN	1	48.72	49.314	0.0	0.003	6.248	2.752	1018.848	1074.424	23.689	-91.155	-89.737	0.0
3	11335	11336	SN	2	48.72	49.314	0.0	0.003	6.248	2.752	1018.848	1074.424	23.689	-91.155	-89.737	0.0
4	11335	11336	SN	1	48.72	49.314	0.0	0.003	6.248	2.756	1018.848	1074.424	23.716	-91.226	-89.737	0.0
5	11336	11337	SN	1	48.672	49.312	0.0	0.003	6.248	2.459	1017.8	1074.176	22.933	-91.431	-89.688	0.0
6	11336	11337	SN	1	48.672	49.312	0.0	0.003	6.248	2.738	1017.8	1074.176	22.371	-91.431	-89.688	0.0
7	11336	11337	SN	1	48.672	49.312	0.0	0.003	6.248	2.735	1017.8	1074.176	22.346	-91.431	-89.688	0.0
8	11336	11337	NS	1	48.84	49.424	0.0	0.003	43.114	2.697	1053.936	1077.84	0.0	-91.782	-90.068	0.0
9	11337	11338	SN	1	48.669	49.376	0.0	0.003	6.248	2.406	1018.32	1074.304	22.897	-91.611	-89.729	0.0
10	11337	11338	NS	1	48.853	49.403	0.0	0.0	267.742	2.642	1054.224	1078.072	0.0	-91.612	-90.041	0.0
11	11337	11338	SN	1	48.678	49.312	0.0	0.003	6.248	2.418	1018.648	1074.304	22.873	-91.375	-89.729	0.0
12	11337	11338	NS	2	48.852	49.403	0.0	0.0	47.319	2.642	1054.216	1078.056	0.0	-91.612	-90.041	0.0
13	11338	11339	NS	1	48.853	49.407	0.0	0.003	16.732	2.564	1054.896	1078.152	0.0	-91.646	-90.042	0.0
14	11338	11339	SN	1	48.674	49.312	0.0	0.003	283.102	2.537	1017.912	1074.28	23.332	-91.775	-89.733	0.0
15	11338	11339	SN	1	48.674	49.312	0.0	0.003	283.102	2.523	1017.76	1074.28	23.353	-91.334	-89.733	0.0
16	11339	11340	SN	1	48.663	49.31	0.0	0.003	6.232	2.59	1017.64	1074.16	23.778	-91.749	-89.72	0.0
17	11339	11340	SN	1	48.663	49.31	0.0	0.003	6.232	2.297	1017.64	1074.16	24.271	-91.749	-89.72	0.0
18	11339	11340	NS	1	48.855	49.404	0.0	0.003	14.207	2.615	1054.32	1078.008	0.0	-91.667	-90.07	0.0
19	11339	11340	NS	1	48.855	49.404	0.0	0.003	14.207	2.613	1054.328	1078.024	0.0	-91.667	-90.07	0.0
20	11340	11341	NS	1	48.854	49.411	0.0	0.0	265.426	2.747	1055.408	1077.848	0.0	-91.714	-90.081	0.0
21	11340	11341	SN	1	48.661	49.336	0.0	0.003	6.232	2.571	1017.856	1074.0	23.586	-91.484	-89.732	0.0
22	11340	11341	SN	2	48.661	49.336	0.0	0.003	6.232	2.571	1017.856	1074.0	23.586	-91.484	-89.732	0.0
23	11341	11342	SN	1	48.664	49.309	0.0	0.003	6.232	2.613	1017.536	1073.8	23.574	-91.603	-89.734	0.0
24	11341	11342	NS	1	48.856	49.423	0.0	0.003	16.446	2.647	1055.184	1077.656	0.0	-91.653	-90.083	0.0
25	11341	11342	NS	1	48.854	49.44	0.0	0.003	16.44	2.631	1055.168	1077.64	0.0	-91.661	-90.083	0.0
26	11341	11342	SN	1	48.662	49.309	0.0	0.003	6.232	2.611	1018.232	1073.8	23.597	-91.603	-89.734	0.0
27	11341	11342	SN	1	48.664	49.309	0.0	0.003	6.232	2.406	1017.536	1073.8	23.911	-91.603	-89.734	0.0
28	11342	11343	SN	1	48.666	49.309	0.0	0.003	6.232	2.669	1018.088	1073.744	22.303	-91.575	-89.71	0.0
29	11342	11343	SN	1	48.666	49.309	0.0	0.003	6.232	2.04	1018.088	1073.744	23.208	-91.575	-89.71	0.0
30	11342	11343	SN	1	48.662	49.309	0.0	0.003	6.232	2.667	1018.088	1073.744	22.312	-91.575	-89.71	0.0
31	11342	11343	NS	2	48.854	49.404	0.0	0.003	41.547	2.629	1054.536	1077.496	0.0	-91.697	-90.087	0.0
32	11342	11343	NS	1	48.857	49.403	0.0	0.003	16.573	2.629	1054.6	1077.528	0.0	-91.696	-90.088	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

33	11343	11344	NS	1	48.814	49.402	0.0	0.003	263.876	2.622	1054.68	1077.616	0.0	-91.641	-90.084	0.0
34	11343	11344	SN	1	48.666	49.31	0.0	0.003	6.232	2.619	1018.072	1073.816	20.698	-91.386	-89.724	0.0
35	11343	11344	SN	1	48.679	49.308	0.0	0.003	216.48	2.635	1018.072	1073.776	20.666	-91.752	-89.724	0.0
36	11343	11344	NS	2	48.812	49.404	0.0	0.003	206.559	2.62	1054.64	1077.584	0.0	-91.641	-90.084	0.0
37	11343	11344	SN	1	48.666	49.31	0.0	0.003	6.232	1.551	1018.072	1073.816	22.513	-91.261	-89.724	0.0
38	11344	11345	SN	1	48.684	49.309	0.0	0.003	6.232	2.557	1018.0	1073.72	21.628	-91.337	-89.728	0.0
39	11344	11345	NS	1	48.848	49.405	0.0	0.0	43.285	2.803	1054.336	1077.416	0.0	-91.749	-90.08	0.0
40	11345	11346	NS	1	48.857	49.405	0.0	0.0	210.171	2.785	1054.36	1077.208	0.0	-91.652	-90.058	0.0
41	11346	11347	SN	1	48.665	49.309	0.0	0.003	215.626	2.685	1019.016	1073.512	22.702	-91.452	-89.703	0.0
42	11346	11347	NS	1	48.799	49.449	0.0	0.003	264.025	2.61	1054.408	1077.16	0.0	-91.666	-90.085	0.0
43	11346	11347	NS	1	48.799	49.449	0.0	0.003	264.025	2.649	1054.408	1077.16	0.0	-91.666	-90.085	0.0
44	11346	11347	NS	1	48.799	49.449	0.0	0.003	264.025	2.647	1054.296	1077.16	0.0	-92.084	-90.085	0.0
45	11346	11347	SN	2	48.666	49.309	0.0	0.003	215.714	2.686	1019.024	1073.512	22.687	-91.452	-89.703	0.0
46	11347	11348	NS	1	48.819	49.465	0.0	0.003	210.535	2.554	1055.112	1077.096	0.0	-91.667	-90.083	0.0
47	11347	11348	SN	1	48.694	49.309	0.0	0.003	282.285	2.59	1018.216	1073.504	22.207	-91.18	-89.712	0.0
48	11347	11348	SN	1	48.694	49.309	0.0	0.003	282.285	2.592	1018.216	1073.504	22.137	-91.226	-89.712	0.0
49	11347	11348	NS	1	48.819	49.466	0.0	0.003	210.535	2.217	1054.264	1077.096	0.0	-91.697	-90.083	0.0
50	11348	11349	NS	1	48.854	49.454	0.0	0.003	265.762	2.626	1054.96	1077.064	0.0	-92.007	-90.082	0.0
51	11348	11349	NS	1	48.854	49.454	0.0	0.003	14.769	1.715	1054.96	1077.064	0.0	-92.007	-90.082	0.0
52	11348	11349	SN	1	48.662	49.309	0.0	0.003	6.221	2.598	1018.096	1073.496	21.983	-91.332	-89.736	0.0
53	11348	11349	SN	1	48.662	49.308	0.0	0.003	6.221	2.592	1019.128	1073.48	22.025	-91.331	-89.737	0.0
54	11349	11350	NS	1	48.83	49.403	0.0	0.0	266.485	2.725	1054.432	1077.064	0.0	-91.733	-90.08	0.0
55	11349	11350	SN	1	48.673	49.31	0.0	0.003	29.138	1.556	1018.456	1073.52	23.719	-91.492	-89.738	0.0
56	11349	11350	NS	1	48.83	49.403	0.0	0.0	266.485	1.711	1054.432	1077.064	0.0	-91.726	-90.08	0.0
57	11349	11350	SN	1	48.673	49.31	0.0	0.003	29.138	2.692	1018.456	1073.52	22.452	-91.483	-89.738	0.0
58	11349	11350	SN	2	48.673	49.31	0.0	0.003	29.138	2.692	1018.456	1073.52	22.452	-91.483	-89.738	0.0
59	11350	11351	SN	1	48.718	49.347	0.0	0.0	127.474	2.106	1019.232	1073.384	22.475	-91.461	-89.72	0.0
60	11350	11351	NS	1	48.81	49.42	0.0	0.003	17.207	2.75	1054.208	1076.936	0.0	-91.63	-90.077	0.0
61	11350	11351	NS	2	48.81	49.42	0.0	0.003	17.207	2.75	1054.208	1076.936	0.0	-91.63	-90.077	0.0
62	11350	11351	SN	2	48.722	49.345	0.0	0.0	127.485	2.104	1019.24	1073.352	22.457	-91.461	-89.72	0.0
63	11350	11351	SN	1	48.722	49.345	0.0	0.0	127.474	2.845	1019.24	1073.352	21.528	-91.467	-89.72	0.0
64	11351	11352	SN	1	48.676	49.306	0.0	0.0	230.797	2.838	1018.0	1073.28	21.222	-91.465	-89.714	0.0
65	11351	11352	NS	1	48.856	49.411	0.0	0.0	264.384	2.788	1054.576	1076.912	0.0	-92.234	-90.073	0.0
66	11351	11352	SN	1	48.674	49.306	0.0	0.0	230.797	2.835	1018.0	1073.28	21.269	-91.465	-89.714	0.0
67	11352	11353	SN	1	48.528	49.309	0.0	0.0	281.596	2.582	1018.92	1073.392	22.308	-92.166	-89.734	0.0
68	11352	11353	NS	1	48.835	49.406	0.0	0.0	176.149	2.781	1054.272	1077.104	0.0	-91.671	-90.027	0.0
69	11352	11353	SN	1	48.528	49.309	0.0	0.0	281.596	2.724	1018.92	1073.392	22.042	-92.166	-89.734	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	11352	11353	SN	1	48.528	49.308	0.0	0.0	281.59	2.571	1018.92	1073.368	22.337	-92.166	-89.734	0.0
71	11352	11353	NS	1	48.836	49.406	0.0	0.0	176.149	2.786	1054.312	1077.104	0.0	-91.608	-90.027	0.0
72	11353	11354	NS	1	48.852	49.406	0.0	0.003	263.81	2.529	1054.784	1077.056	0.0	-91.634	-90.072	0.0
73	11353	11354	SN	1	48.663	49.31	0.0	0.003	6.226	2.332	1018.368	1073.256	23.006	-91.344	-89.736	0.0
74	11356	11357	SN	1	48.668	49.305	0.0	0.003	6.199	1.799	1018.104	1072.768	22.901	-91.261	-89.74	0.0
75	11356	11357	NS	1	48.858	49.407	0.0	0.003	19.275	2.623	1054.56	1076.496	0.0	-91.644	-90.086	0.0
76	11357	11358	SN	1	48.671	49.305	0.0	0.003	215.956	1.599	1018.4	1072.848	20.055	-91.575	-89.734	0.0
77	11357	11358	SN	1	48.671	49.305	0.0	0.003	215.956	2.707	1018.4	1072.848	18.579	-91.575	-89.734	0.0
78	11357	11358	NS	1	48.826	49.407	0.0	0.003	206.912	2.619	1054.264	1076.432	0.0	-91.689	-90.086	0.0
79	11357	11358	SN	2	48.671	49.305	0.0	0.003	215.956	2.707	1018.4	1072.848	18.579	-91.575	-89.734	0.0
80	11357	11358	NS	1	48.826	49.407	0.0	0.003	206.912	2.622	1055.136	1076.432	0.0	-91.689	-90.086	0.0
81	11358	11359	NS	1	48.805	49.443	0.0	0.003	14.085	2.632	1055.128	1076.416	0.0	-92.116	-90.062	0.0
82	11358	11359	SN	2	48.685	49.305	0.0	0.0	116.488	2.632	1018.744	1072.824	18.933	-91.392	-89.717	0.0
83	11358	11359	SN	1	48.676	49.305	0.0	0.0	116.488	2.633	1018.744	1072.84	18.924	-91.392	-89.717	0.0
84	11359	11360	SN	1	48.689	49.306	0.0	0.003	27.269	2.576	1018.696	1072.672	20.324	-91.472	-89.746	0.0
85	11359	11360	NS	1	48.809	49.407	0.0	0.003	206.956	2.716	1054.44	1076.272	0.0	-91.657	-90.063	0.0
86	11359	11360	NS	1	48.859	49.423	0.0	0.003	206.956	2.715	1054.224	1076.272	0.0	-91.657	-90.063	0.0
87	11360	11361	NS	1	48.816	49.408	0.0	0.003	210.546	2.613	1054.832	1076.104	0.0	-91.68	-90.078	0.0
88	11360	11361	SN	1	48.662	49.305	0.0	0.003	6.215	2.641	1019.088	1072.536	20.331	-91.285	-89.723	0.0
89	11361	11362	NS	1	48.797	49.41	0.0	0.0	266.639	2.739	1054.216	1076.088	0.0	-91.702	-90.084	0.0
90	11361	11362	SN	1	48.69	49.305	0.0	0.003	6.204	2.623	1019.504	1072.608	21.446	-91.512	-89.733	0.0
91	11361	11362	SN	1	48.721	49.306	0.0	0.003	6.204	2.625	1019.504	1072.616	21.356	-91.512	-89.733	0.0
92	11362	11363	SN	1	48.691	49.358	0.0	0.003	6.193	2.593	1018.656	1072.456	20.651	-91.526	-89.738	0.0
93	11362	11363	NS	1	48.839	49.421	0.0	0.003	267.036	2.605	1054.128	1075.992	0.0	-91.683	-90.082	0.0
94	11362	11363	SN	2	48.691	49.358	0.0	0.003	6.188	2.593	1018.656	1072.448	20.651	-91.526	-89.738	0.0
95	11362	11363	NS	2	48.859	49.421	0.0	0.003	267.119	2.604	1054.144	1076.016	0.0	-91.683	-90.082	0.0
96	11363	11364	SN	1	48.673	49.306	0.0	0.003	28.333	2.596	1018.976	1072.52	20.465	-91.371	-89.742	0.0
97	11363	11364	NS	1	48.839	49.426	0.0	0.003	14.753	2.58	1054.288	1076.408	0.0	-91.728	-90.082	0.0
98	11363	11364	NS	1	48.839	49.426	0.0	0.003	14.753	2.582	1054.288	1075.984	0.0	-91.741	-90.082	0.0
99	11364	11365	NS	2	48.796	49.469	0.0	0.003	267.031	2.641	1054.144	1075.928	0.0	-91.682	-90.064	0.0
100	11364	11365	NS	1	48.796	49.469	0.0	0.003	267.031	1.666	1054.144	1075.816	0.0	-91.734	-90.064	0.0
101	11364	11365	NS	1	48.796	49.469	0.0	0.003	267.031	2.641	1054.152	1075.928	0.0	-91.682	-90.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

Inner																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11335	11336	SN	1	-31.866	20.897	0.0	-29.377	24.884	0.128	7.5	28.205	16.459	10.69	29.345	23.962	0.116	148.994	0.215	0.116	84.048	0.272	0.116	0.129	0.0	0.116	0.122	0.0
2	11335	11336	SN	1	-33.904	24.692	1.073	-29.424	26.256	3.843	7.5	28.205	17.403	10.69	29.345	24.234	0.116	238.129	0.209	0.116	84.942	0.251	0.116	0.129	0.0	0.116	0.122	0.0
3	11335	11336	SN	2	-33.904	24.692	1.073	-29.424	26.256	3.843	7.5	28.205	17.403	10.69	29.345	24.234	0.116	238.129	0.209	0.116	84.942	0.251	0.116	0.129	0.0	0.116	0.122	0.0
4	11335	11336	SN	1	-31.866	24.694	1.077	-29.377	26.256	3.853	7.5	28.205	17.403	10.69	29.345	24.234	0.116	148.994	0.209	0.116	84.048	0.248	0.116	0.129	0.0	0.116	0.122	0.0
5	11336	11337	SN	1	-30.542	26.66	1.075	-33.693	27.04	5.745	-1.429	36.346	16.032	3.331	30.694	20.504	0.116	109.87	1.339	0.116	226.928	1.005	0.116	0.236	0.0	0.116	0.153	0.0
6	11336	11337	SN	1	-30.542	26.66	3.059	-33.693	27.04	5.714	-1.429	36.346	16.035	3.331	30.694	20.506	0.116	109.87	1.267	0.116	226.928	0.953	0.116	0.236	0.0	0.116	0.153	0.0
7	11336	11337	SN	1	-30.542	26.66	3.063	-33.693	27.04	5.712	-1.429	36.346	16.001	3.331	30.694	20.461	0.116	109.87	1.267	0.116	226.928	0.953	0.116	0.236	0.0	0.116	0.153	0.0
8	11336	11337	NS	1	-34.841	27.424	1.615	-34.81	26.63	0.073	-0.342	31.737	16.128	-0.14	33.265	29.404	0.116	295.563	4.566	0.116	293.464	4.229	0.116	0.208	0.0	0.116	0.203	0.0
9	11337	11338	SN	1	-34.914	26.59	1.996	-34.45	26.519	3.945	-5.221	32.353	10.869	3.332	29.423	7.467	0.116	316.055	3.017	0.116	270.032	2.114	0.116	0.418	0.0	0.116	0.153	0.0
10	11337	11338	NS	1	-34.224	26.132	0.623	-33.994	26.725	0.052	-12.665	34.652	10.948	-6.729	31.437	22.22	0.116	256.372	2.239	0.116	243.123	1.921	0.116	1.88	0.002	0.116	0.55	0.0
11	11337	11338	SN	1	-33.941	26.59	1.995	-34.736	26.519	3.943	-5.207	32.354	10.918	3.32	29.423	7.488	0.116	240.173	3.019	0.116	288.471	2.11	0.116	0.417	0.0	0.116	0.153	0.0
12	11337	11338	NS	2	-34.224	26.132	0.623	-33.879	26.725	0.052	-12.662	34.652	10.952	-6.729	31.437	22.22	0.116	256.372	2.239	0.116	236.791	1.922	0.116	1.879	0.002	0.116	0.55	0.0
13	11338	11339	NS	1	-34.133	23.465	0.193	-34.181	22.724	0.005	-2.69	28.977	9.982	-5.62	29.15	19.266	0.116	251.059	1.785	0.116	253.822	1.667	0.116	0.279	0.0	0.116	0.449	0.0
14	11338	11339	SN	1	-34.864	24.236	0.637	-34.994	25.733	1.391	6.156	28.221	18.991	7.635	29.18	14.357	0.116	297.122	4.069	0.116	306.076	3.115	0.116	0.135	0.0	0.116	0.129	0.0
15	11338	11339	SN	1	-34.847	24.237	0.639	-34.804	25.733	1.393	6.154	28.221	18.964	7.635	29.18	14.359	0.116	295.936	4.075	0.116	292.971	3.111	0.116	0.135	0.0	0.116	0.129	0.0
16	11339	11340	SN	1	-34.962	24.474	0.345	-34.11	24.94	0.635	5.152	27.489	13.792	7.25	28.628	8.492	0.116	303.808	2.842	0.116	262.633	2.044	0.116	0.14	0.0	0.116	0.13	0.0
17	11339	11340	SN	1	-34.962	24.474	0.315	-34.11	24.94	0.62	5.152	27.489	13.806	7.25	27.811	8.59	0.116	303.808	2.913	0.116	262.633	2.083	0.116	0.14	0.0	0.116	0.13	0.0
18	11339	11340	NS	1	-34.584	23.267	0.054	-33.497	23.499	0.021	-16.016	35.116	5.718	-11.005	31.793	11.594	0.116	278.525	3.426	0.116	216.884	3.13	0.116	3.961	0.001	0.116	1.312	0.003
19	11339	11340	NS	1	-34.261	23.267	0.054	-34.748	23.499	0.021	-16.014	35.116	5.713	-11.01	31.793	11.584	0.116	258.569	3.482	0.116	289.23	3.126	0.116	3.96	0.001	0.116	1.314	0.003
20	11340	11341	NS	1	-34.25	23.089	0.067	-34.878	23.923	0.106	-5.478	29.051	6.872	-4.251	30.396	14.369	0.116	257.902	1.842	0.116	298.083	1.39	0.116	0.437	0.0	0.116	0.355	0.0
21	11340	11341	SN	1	-34.882	23.643	0.003	-34.852	24.206	0.113	6.012	28.283	16.01	8.128	29.328	21.051	0.116	298.3	4.842	0.116	296.27	4.383	0.116	0.135	0.0	0.116	0.128	0.0
22	11340	11341	SN	2	-34.882	23.643	0.003	-34.852	24.206	0.113	6.012	28.283	16.01	8.128	29.328	21.051	0.116	298.3	4.842	0.116	296.27	4.383	0.116	0.135	0.0	0.116	0.128	0.0
23	11341	11342	SN	1	-34.405	21.962	0.0	-34.895	23.529	0.169	5.384	28.629	14.634	8.17	29.218	17.189	0.116	267.32	3.953	0.116	299.192	3.422	0.116	0.138	0.0	0.116	0.127	0.0
24	11341	11342	NS	1	-34.996	22.597	0.05	-33.389	25.589	0.04	-18.42	30.356	7.262	-10.354	29.392	12.616	0.116	306.207	1.076	0.116	211.516	0.817	0.116	6.823	0.014	0.116	1.143	0.002
25	11341	11342	NS	1	-32.878	22.6	0.05	-33.399	25.589	0.041	-18.42	30.357	7.258	-10.352	29.392	12.619	0.116	188.045	1.076	0.116	212.068	0.817	0.116	6.823	0.014	0.116	1.142	0.002
26	11341	11342	SN	1	-34.974	21.958	0.0	-34.895	23.529	0.169	5.384	28.629	14.634	8.17	29.218	17.189	0.116	304.736	3.978	0.116	299.192	3.418	0.116	0.138	0.0	0.116	0.127	0.0
27	11341	11342	SN	1	-34.405	19.434	0.0	-34.895	23.518	0.101	5.384	28.629	14.665	8.17	29.218	17.189	0.117	267.32	4.017	0.116	299.192	3.459	0.116	0.138	0.0	0.116	0.127	0.0
28	11342	11343	SN	1	-34.912	24.72	0.039	-34.174	24.755	0.514	-4.457	32.251	12.256	-3.696	31.975	14.561	0.116	300.402	2.335	0.116	253.477	1.891	0.116	0.367	0.0	0.116	0.324	0.0
29	11342	11343	SN	1	-34.912	24.72	0.032	-34.174	24.755	0.031	-4.457	32.251	12.332	-3.696	31.975	14.493	0.116	300.402	2.455	0.116	253.477	1.991	0.116	0.367	0.0	0.116	0.324	0.0
30	11342	11343	SN	1	-34.912	24.715	0.039	-34.174	24.755	0.514	-4.454	32.249	12.26	-3.697	31.975	14.564	0.116	300.402	2.33	0.116	253.477	1.891	0.116	0.367	0.0	0.116	0.324	0.0
31	11342	11343	NS	2	-32.338	25.735	0.503	-33.932	26.519	0.83	7.89	27.996	13.8	8.09	29.019	22.824	0.116	166.114	0.819	0.116	239.648	0.845	0.116	0.128	0.0	0.116	0.128	0.0
32	11342	11343	NS	1	-32.338	25.735	0.503	-34.089	26.52	0.83	7.89	27.996	13.81	8.09	29.019	22.816	0.116	166.114	0.82	0.116	248.557	0.845	0.116	0.128	0.0	0.116	0.128	0.0
33	11343	11344	NS	1	-34.171	27.351	0.786	-34.844	26.476	1.533	-2.965	29.387	15.942	-3.224	30.134	27.341	0.116	253.325	1.813	0.116	295.697	1.378	0.116	0.29	0.0	0.116	0.302	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors



73	11353	11354	SN	1	-33.189	24.03	0.348	-34.507	25.272	0.913	6.403	27.091	15.29	7.406	28.46	8.951	0.116	202.009	1.903	0.116	273.623	1.455	0.116	0.134	0.0	0.116	0.13	0.0
74	11356	11357	SN	1	-34.974	22.71	0.001	-34.558	22.528	0.001	-12.701	27.938	12.392	-9.108	28.624	14.832	0.116	304.698	2.814	0.116	276.903	2.081	0.116	1.895	0.003	0.116	0.881	0.0
75	11356	11357	NS	1	-34.83	26.705	0.111	-34.187	26.901	0.231	-7.34	29.067	10.923	-9.057	29.48	16.31	0.116	294.782	1.491	0.116	254.211	1.372	0.116	0.619	0.0	0.116	0.872	0.0
76	11357	11358	SN	1	-33.819	23.999	0.007	-33.994	24.899	0.005	0.457	33.861	14.815	3.264	33.938	19.343	0.116	233.518	3.97	0.116	243.119	3.525	0.116	0.191	0.0	0.116	0.154	0.0
77	11357	11358	SN	1	-33.819	23.999	0.013	-33.994	24.899	0.544	0.452	33.861	13.952	3.264	33.938	19.322	0.116	233.518	3.651	0.116	243.119	3.026	0.116	0.191	0.0	0.116	0.154	0.0
78	11357	11358	NS	1	-34.755	26.013	0.729	-31.744	26.417	1.174	5.993	31.103	10.297	7.856	29.265	18.131	0.116	289.706	0.827	0.116	144.854	0.823	0.116	0.135	0.0	0.116	0.128	0.0
79	11357	11358	SN	2	-33.819	23.999	0.013	-33.994	24.899	0.544	0.452	33.861	13.952	3.264	33.938	19.322	0.116	233.518	3.651	0.116	243.119	3.026	0.116	0.191	0.0	0.116	0.154	0.0
80	11357	11358	NS	1	-34.761	26.016	0.729	-33.684	26.417	1.176	5.992	31.107	10.297	7.858	29.265	18.133	0.116	290.109	0.81	0.116	226.371	0.822	0.116	0.135	0.0	0.116	0.128	0.0
81	11358	11359	NS	1	-34.563	25.906	0.795	-33.732	25.011	1.419	-11.749	29.291	20.812	-1.547	30.424	38.202	0.116	277.142	1.17	0.116	228.925	0.874	0.116	1.54	0.005	0.116	0.239	0.0
82	11358	11359	SN	2	-34.806	23.719	0.048	-34.702	24.068	0.599	-8.941	29.175	20.582	-5.263	30.068	23.77	0.116	293.072	2.557	0.116	286.198	1.848	0.116	0.852	0.0	0.116	0.421	0.0
83	11358	11359	SN	1	-34.631	23.719	0.048	-34.702	24.068	0.599	-8.941	29.175	20.583	-5.263	30.068	23.77	0.116	281.543	2.556	0.116	286.198	1.848	0.116	0.852	0.0	0.116	0.421	0.0
84	11359	11360	SN	1	-34.919	27.115	0.073	-34.863	27.141	0.865	-6.536	29.239	17.695	-3.004	30.637	18.057	0.116	300.859	4.386	0.116	297.017	3.905	0.116	0.53	0.0	0.116	0.292	0.0
85	11359	11360	NS	1	-33.786	26.411	0.558	-34.957	27.599	0.738	-18.414	31.308	13.932	-7.664	29.865	25.63	0.116	231.83	2.024	0.116	303.563	1.839	0.116	6.815	0.017	0.116	0.659	0.0
86	11359	11360	NS	1	-34.079	26.406	0.559	-33.63	27.603	0.738	-34.178	31.31	14.018	-7.637	29.865	25.607	0.116	247.959	2.027	0.116	223.57	1.839	0.116	253.605	0.02	0.116	0.656	0.0
87	11360	11361	NS	1	-34.718	27.86	1.28	-34.632	26.502	1.147	4.101	28.635	14.913	6.993	33.699	22.953	0.116	287.181	2.28	0.116	281.593	2.207	0.116	0.147	0.0	0.116	0.131	0.0
88	11360	11361	SN	1	-34.349	26.353	0.028	-34.866	27.87	1.308	-20.559	29.758	17.737	-13.078	30.575	19.009	0.116	263.906	3.617	0.116	297.213	2.948	0.116	11.112	0.012	0.116	2.059	0.005
89	11361	11362	NS	1	-34.666	26.403	2.347	-34.919	27.121	2.397	-0.171	29.413	25.945	5.549	30.41	37.458	0.116	283.901	2.517	0.116	300.853	2.409	0.116	0.204	0.0	0.116	0.138	0.0
90	11361	11362	SN	1	-34.242	23.799	0.075	-29.465	25.796	3.476	-7.071	29.656	17.131	-6.31	29.967	19.913	0.116	257.428	0.802	0.116	85.758	0.525	0.116	0.587	0.0	0.116	0.509	0.0
91	11361	11362	SN	1	-33.449	23.799	0.075	-29.721	25.795	3.473	-7.073	29.656	17.15	-6.316	29.967	19.836	0.116	214.507	0.798	0.116	90.966	0.525	0.116	0.588	0.0	0.116	0.509	0.0
92	11362	11363	SN	1	-34.097	23.983	0.061	-34.122	26.208	3.147	-10.097	30.407	26.764	-7.846	31.005	29.923	0.116	248.958	2.023	0.116	250.44	1.631	0.116	1.082	0.002	0.116	0.683	0.0
93	11362	11363	NS	1	-34.891	24.661	1.998	-34.928	26.098	1.681	4.381	28.669	25.825	10.104	29.995	39.787	0.116	298.864	2.846	0.116	301.503	2.95	0.116	0.145	0.0	0.116	0.123	0.0
94	11362	11363	SN	2	-34.097	23.983	0.062	-34.122	26.208	3.157	-10.097	30.407	26.764	-7.846	31.005	29.926	0.116	248.958	2.023	0.116	250.44	1.631	0.116	1.082	0.002	0.116	0.683	0.0
95	11362	11363	NS	2	-34.946	24.661	2.0	-34.928	26.097	1.683	4.381	28.669	25.827	10.104	29.995	39.785	0.116	302.755	2.846	0.116	301.503	2.951	0.116	0.145	0.0	0.116	0.123	0.0
96	11363	11364	SN	1	-34.193	24.1	0.352	-34.671	26.18	2.975	7.8	29.46	46.547	9.004	30.693	57.443	0.116	254.533	1.421	0.116	284.198	1.083	0.116	0.128	0.0	0.116	0.125	0.0
97	11363	11364	NS	1	-34.792	24.861	1.895	-34.321	24.862	0.85	8.469	29.112	27.717	8.428	31.859	40.068	0.116	292.181	2.181	0.116	262.168	1.79	0.116	0.127	0.0	0.116	0.127	0.0
98	11363	11364	NS	1	-34.516	24.861	1.897	-34.321	24.862	0.851	8.467	29.112	27.712	8.428	31.861	40.068	0.116	274.175	2.179	0.116	262.168	1.787	0.116	0.127	0.0	0.116	0.127	0.0
99	11364	11365	NS	2	-34.759	24.978	1.956	-34.346	23.923	0.137	7.025	29.368	16.016	7.545	29.635	26.625	0.116	289.945	3.391	0.116	263.64	3.253	0.116	0.131	0.0	0.116	0.129	0.0
100	11364	11365	NS	1	-34.759	24.978	2.078	-34.346	23.923	0.138	8.119	26.358	5.39	7.542	26.822	8.802	0.116	289.945	3.62	0.116	263.64	3.276	0.116	0.128	0.0	0.116	0.129	0.0
101	11364	11365	NS	1	-34.759	24.978	1.956	-34.329	23.923	0.137	7.025	29.368	16.016	7.545	29.635	26.625	0.116	289.945	3.391	0.116	262.7	3.253	0.116	0.131	0.0	0.116	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	11335	11336	SN	1	57.451	58.133	0.0	0.0	286.388	2.874	1193.08	1261.752	42.611	-92.783	-91.792	0.0
2	11335	11336	SN	1	57.451	58.133	0.0	0.0	294.473	3.904	1193.08	1261.752	40.355	-92.783	-91.792	0.0
3	11335	11336	SN	2	57.451	58.133	0.0	0.0	294.473	3.904	1193.08	1261.752	40.355	-92.783	-91.792	0.0
4	11335	11336	SN	1	57.451	58.133	0.0	0.0	294.473	3.907	1193.08	1261.752	40.328	-92.783	-91.792	0.0
5	11336	11337	SN	1	57.422	58.13	0.0	0.0	286.708	3.571	1192.264	1261.448	40.371	-92.878	-91.747	0.0
6	11336	11337	SN	1	57.422	58.13	0.0	0.0	289.366	3.976	1192.264	1261.448	39.467	-92.878	-91.747	0.0
7	11336	11337	SN	1	57.428	58.13	0.0	0.0	289.366	3.972	1192.264	1261.448	39.459	-92.878	-91.747	0.0
8	11336	11337	NS	1	57.651	58.242	0.0	0.0	297.054	3.74	1236.424	1266.888	0.0	-93.607	-92.116	0.0
9	11337	11338	SN	1	57.386	58.143	0.0	0.0	289.333	3.367	1191.992	1261.608	39.474	-92.946	-91.782	0.0
10	11337	11338	NS	1	57.666	58.24	0.0	0.0	299.216	3.615	1236.6	1267.192	0.0	-93.607	-92.088	0.0
11	11337	11338	SN	1	57.419	58.143	0.0	0.0	289.333	3.381	1192.824	1261.608	39.435	-93.016	-91.782	0.0
12	11337	11338	NS	2	57.666	58.241	0.0	0.0	299.2	3.614	1236.592	1267.168	0.0	-93.607	-92.088	0.0
13	11338	11339	NS	1	57.644	58.24	0.0	0.0	289.984	3.458	1237.112	1267.304	0.0	-93.608	-92.086	0.0
14	11338	11339	SN	1	57.418	58.129	0.0	0.0	296.045	3.679	1192.408	1261.576	39.727	-92.903	-91.788	0.0
15	11338	11339	SN	1	57.418	58.129	0.0	0.0	296.045	3.668	1192.208	1261.576	39.764	-92.926	-91.788	0.0
16	11339	11340	SN	1	57.423	58.128	0.0	0.0	290.745	3.712	1191.616	1261.416	39.454	-92.882	-91.771	0.0
17	11339	11340	SN	1	57.423	58.128	0.0	0.0	290.745	3.296	1191.616	1261.416	40.207	-92.882	-91.771	0.0
18	11339	11340	NS	1	57.664	58.242	0.0	0.0	290.001	3.543	1236.728	1267.128	0.0	-93.608	-92.114	0.0
19	11339	11340	NS	1	57.665	58.241	0.0	0.0	290.001	3.54	1236.752	1267.144	0.0	-93.608	-92.114	0.0
20	11340	11341	NS	1	57.668	58.245	0.0	0.0	287.988	3.775	1237.6	1266.944	0.0	-93.057	-92.13	0.0
21	11340	11341	SN	1	57.424	58.134	0.0	0.0	299.597	3.701	1192.336	1261.224	39.425	-93.974	-91.788	0.0
22	11340	11341	SN	2	57.424	58.134	0.0	0.003	299.619	3.701	1192.336	1261.224	39.424	-93.974	-91.788	0.0
23	11341	11342	SN	1	57.416	58.147	0.0	0.0	299.404	3.762	1191.688	1260.984	39.079	-92.833	-91.79	0.0
24	11341	11342	NS	1	57.646	58.246	0.0	0.0	289.56	3.619	1237.624	1266.688	0.0	-93.023	-92.134	0.0
25	11341	11342	NS	1	57.669	58.247	0.0	0.003	289.675	3.606	1237.216	1267.2	0.0	-92.984	-92.134	0.0
26	11341	11342	SN	1	57.414	58.147	0.0	0.0	299.404	3.758	1191.688	1260.984	39.144	-92.833	-91.79	0.0
27	11341	11342	SN	1	57.416	58.147	0.0	0.0	299.404	3.373	1191.688	1260.984	39.634	-92.833	-91.79	0.0
28	11342	11343	SN	1	57.443	58.14	0.0	0.0	288.644	3.829	1193.184	1260.928	35.459	-92.884	-91.77	0.0
29	11342	11343	SN	1	57.443	58.14	0.0	0.0	283.89	3.197	1193.184	1260.928	36.915	-92.884	-91.77	0.0
30	11342	11343	SN	1	57.443	58.14	0.0	0.0	288.694	3.825	1193.184	1260.928	35.514	-92.884	-91.77	0.0
31	11342	11343	NS	2	57.668	58.242	0.0	0.0	294.457	3.564	1236.656	1266.48	0.0	-93.61	-92.139	0.0
32	11342	11343	NS	1	57.671	58.24	0.0	0.0	294.269	3.567	1236.72	1266.536	0.0	-93.61	-92.14	0.0
33	11343	11344	NS	1	57.645	58.24	0.0	0.0	298.924	3.602	1237.224	1266.704	0.0	-93.612	-92.137	0.0
34	11343	11344	SN	1	57.439	58.128	0.0	0.0	296.977	3.757	1193.136	1261.024	35.938	-92.888	-91.78	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

<span style="color: green;">■</span> Normal	<span style="color: yellow;">■</span> Deviations
<span style="color: orange;">■</span> Alarming	<span style="color: red;">■</span> High Errors

35	11343	11344	SN	1	57.423	58.126	0.0	0.0	297.088	3.782	1192.288	1260.96	35.892	-92.767	-91.781	0.0
36	11343	11344	NS	2	57.643	58.242	0.0	0.0	299.145	3.6	1237.168	1266.656	0.0	-93.612	-92.137	0.0
37	11343	11344	SN	1	57.439	58.128	0.0	0.0	296.977	2.371	1193.136	1261.024	39.203	-92.888	-91.78	0.0
38	11344	11345	SN	1	57.428	58.125	0.0	0.0	292.747	3.656	1192.48	1260.888	37.708	-92.846	-91.777	0.0
39	11344	11345	NS	1	57.666	58.25	0.0	0.0	287.53	3.872	1236.8	1266.4	0.0	-93.613	-92.104	0.0
40	11345	11346	NS	1	57.672	58.243	0.0	0.0	290.332	3.79	1236.784	1266.136	0.0	-93.614	-92.105	0.0
41	11346	11347	SN	1	57.451	58.125	0.0	0.0	299.514	3.858	1193.296	1260.64	37.842	-92.891	-91.758	0.0
42	11346	11347	NS	1	57.643	58.245	0.0	0.0	286.841	3.404	1236.592	1266.056	0.0	-93.574	-92.128	0.0
43	11346	11347	NS	1	57.643	58.245	0.0	0.0	286.841	3.538	1236.592	1266.056	0.0	-93.574	-92.128	0.0
44	11346	11347	NS	1	57.643	58.265	0.0	0.0	286.841	3.534	1236.648	1266.056	0.0	-93.574	-92.128	0.0
45	11346	11347	SN	2	57.452	58.125	0.0	0.0	299.525	3.859	1193.296	1260.632	37.841	-92.891	-91.758	0.0
46	11347	11348	NS	1	57.651	58.266	0.0	0.003	288.572	3.482	1236.904	1265.968	0.0	-93.613	-92.128	0.0
47	11347	11348	SN	1	57.437	58.126	0.0	0.0	298.863	3.709	1192.488	1260.64	38.653	-92.755	-91.77	0.0
48	11347	11348	SN	1	57.438	58.126	0.0	0.0	298.863	3.713	1192.6	1260.64	38.588	-92.787	-91.77	0.0
49	11347	11348	NS	1	57.66	58.266	0.0	0.003	282.318	3.074	1236.4	1265.968	0.0	-93.613	-92.128	0.0
50	11348	11349	NS	1	57.637	58.271	0.0	0.0	294.931	3.58	1237.104	1265.968	0.0	-93.122	-92.134	0.0
51	11348	11349	NS	1	57.637	58.271	0.0	0.0	294.931	2.661	1237.104	1265.968	0.0	-93.122	-92.134	0.0
52	11348	11349	SN	1	57.416	58.126	0.0	0.0	288.832	3.709	1192.536	1260.632	38.613	-92.777	-91.792	0.0
53	11348	11349	SN	1	57.414	58.124	0.0	0.0	288.848	3.706	1193.072	1260.592	38.663	-92.771	-91.793	0.0
54	11349	11350	NS	1	57.64	58.264	0.0	0.0	297.429	3.748	1236.328	1265.928	0.0	-93.032	-92.132	0.0
55	11349	11350	SN	1	57.431	58.126	0.0	0.0	295.494	2.584	1193.432	1260.64	42.28	-92.804	-91.793	0.0
56	11349	11350	NS	1	57.64	58.264	0.0	0.0	297.429	2.24	1236.328	1265.936	0.0	-93.048	-92.132	0.0
57	11349	11350	SN	1	57.431	58.126	0.0	0.0	295.494	3.852	1193.432	1260.64	39.829	-92.821	-91.793	0.0
58	11349	11350	SN	2	57.431	58.126	0.0	0.0	295.494	3.852	1193.432	1260.64	39.829	-92.821	-91.793	0.0
59	11350	11351	SN	1	57.449	58.125	0.0	0.0	289.675	3.321	1193.552	1260.48	41.564	-93.097	-91.771	0.0
60	11350	11351	NS	1	57.63	58.276	0.0	0.0	285.44	3.751	1237.008	1265.768	0.0	-93.614	-92.132	0.0
61	11350	11351	NS	2	57.63	58.276	0.0	0.0	285.44	3.751	1237.008	1265.768	0.0	-93.614	-92.132	0.0
62	11350	11351	SN	2	57.45	58.123	0.0	0.0	289.725	3.323	1193.568	1260.424	41.549	-93.097	-91.771	0.0
63	11350	11351	SN	1	57.45	58.123	0.0	0.0	289.725	4.099	1193.568	1260.424	39.92	-93.097	-91.771	0.0
64	11351	11352	SN	1	57.444	58.122	0.0	0.0	299.685	4.044	1193.176	1260.352	37.944	-93.089	-91.764	0.0
65	11351	11352	NS	1	57.456	58.407	0.0	0.0	290.442	3.786	1229.992	1265.76	0.0	-95.479	-92.123	0.0
66	11351	11352	SN	1	57.434	58.122	0.0	0.0	299.685	4.039	1192.648	1260.352	38.01	-93.089	-91.764	0.0
67	11352	11353	SN	1	57.365	58.124	0.0	0.0	299.674	3.497	1193.176	1260.496	38.454	-93.23	-91.79	0.0
68	11352	11353	NS	1	57.672	58.245	0.0	0.0	287.431	3.722	1236.68	1266.0	0.0	-93.616	-92.068	0.0
69	11352	11353	SN	1	57.365	58.124	0.0	0.0	299.674	3.867	1193.176	1260.496	38.003	-93.23	-91.79	0.0
70	11352	11353	SN	1	57.365	58.123	0.0	0.0	299.591	3.486	1193.176	1260.456	38.488	-93.23	-91.79	0.0
71	11352	11353	NS	1	57.672	58.245	0.0	0.0	287.431	3.724	1236.576	1266.0	0.0	-93.616	-92.068	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	11353	11354	NS	1	57.648	58.245	0.0	0.0	289.229	3.538	1237.328	1265.936	0.0	-93.616	-92.123	0.0
73	11353	11354	SN	1	57.434	58.122	0.0	0.0	299.685	3.273	1192.856	1260.328	39.481	-92.82	-91.791	0.0
74	11356	11357	SN	1	57.437	58.119	0.0	0.0	299.608	2.931	1193.4	1259.728	38.983	-92.812	-91.783	0.0
75	11356	11357	NS	1	57.648	58.252	0.0	0.0	299.371	3.663	1237.168	1265.256	0.0	-93.421	-92.137	0.0
76	11357	11358	SN	1	57.432	58.12	0.0	0.003	297.529	2.606	1193.288	1259.832	37.817	-92.782	-91.789	0.0
77	11357	11358	SN	1	57.432	58.12	0.0	0.0	297.529	3.886	1193.288	1259.832	34.989	-92.782	-91.789	0.0
78	11357	11358	NS	1	57.662	58.246	0.0	0.0	298.295	3.5	1236.448	1265.176	0.0	-93.62	-92.138	0.0
79	11357	11358	SN	2	57.432	58.12	0.0	0.0	297.529	3.886	1193.288	1259.832	34.989	-92.782	-91.789	0.0
80	11357	11358	NS	1	57.662	58.246	0.0	0.0	298.295	3.504	1236.864	1265.392	0.0	-93.62	-92.138	0.0
81	11358	11359	NS	1	57.645	58.266	0.0	0.0	299.503	3.645	1237.384	1265.152	0.0	-93.621	-92.107	0.0
82	11358	11359	SN	2	57.429	58.119	0.0	0.0	297.826	3.8	1193.296	1259.8	36.361	-92.869	-91.771	0.0
83	11358	11359	SN	1	57.429	58.12	0.0	0.0	297.816	3.8	1193.088	1259.824	36.357	-92.869	-91.771	0.0
84	11359	11360	SN	1	57.396	58.13	0.0	0.0	299.376	3.714	1193.04	1259.616	37.07	-92.924	-91.801	0.0
85	11359	11360	NS	1	57.675	58.246	0.0	0.0	289.085	3.773	1236.944	1265.0	0.0	-93.624	-92.113	0.0
86	11359	11360	NS	1	57.675	58.246	0.0	0.0	289.085	3.783	1236.944	1265.0	0.0	-93.624	-92.113	0.0
87	11360	11361	NS	1	57.675	58.247	0.0	0.0	291.981	3.604	1236.896	1264.768	0.0	-93.152	-92.127	0.0
88	11360	11361	SN	1	57.437	58.118	0.0	0.0	285.17	3.842	1193.816	1259.456	36.769	-92.902	-91.771	0.0
89	11361	11362	NS	1	57.647	58.261	0.0	0.0	297.032	3.608	1236.736	1264.744	0.0	-93.599	-92.136	0.0
90	11361	11362	SN	1	57.439	58.118	0.0	0.0	293.222	3.79	1193.992	1259.576	38.914	-92.75	-91.787	0.0
91	11361	11362	SN	1	57.456	58.119	0.0	0.0	293.133	3.795	1194.0	1259.584	38.847	-92.768	-91.787	0.0
92	11362	11363	SN	1	57.436	58.118	0.0	0.0	299.15	3.706	1193.136	1259.36	37.519	-92.807	-91.793	0.0
93	11362	11363	NS	1	57.641	58.245	0.0	0.0	298.466	3.582	1236.408	1264.624	0.0	-93.042	-92.136	0.0
94	11362	11363	SN	2	57.436	58.118	0.0	0.0	299.15	3.705	1193.136	1259.336	37.519	-92.807	-91.793	0.0
95	11362	11363	NS	2	57.642	58.244	0.0	0.0	298.538	3.582	1236.432	1264.664	0.0	-93.087	-92.136	0.0
96	11363	11364	SN	1	57.431	58.119	0.0	0.0	296.304	3.733	1193.328	1259.424	38.148	-92.763	-91.798	0.0
97	11363	11364	NS	1	57.64	58.244	0.0	0.0	297.209	3.547	1236.248	1264.616	0.0	-93.082	-92.134	0.0
98	11363	11364	NS	1	57.64	58.244	0.0	0.0	297.22	3.551	1236.248	1264.616	0.0	-93.081	-92.134	0.0
99	11364	11365	NS	2	57.633	58.278	0.0	0.0	298.323	3.784	1236.2	1264.528	0.0	-93.623	-92.113	0.0
100	11364	11365	NS	1	57.633	58.278	0.0	0.0	276.759	2.292	1236.2	1264.472	0.0	-93.623	-92.113	0.0
101	11364	11365	NS	1	57.635	58.277	0.0	0.0	298.323	3.784	1236.208	1264.528	0.0	-93.623	-92.113	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR														Kp														
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	11335	11336	SN	1	-33.942	16.033	0.0	-34.651	19.749	0.0	2.488	22.979	0.04	5.155	22.786	0.113	0.087	183.652	0.378	0.086	216.162	0.379	0.086	0.12	0.0	0.086	0.104	0.0
2	11335	11336	SN	1	-28.939	17.986	0.0	-32.355	19.961	0.0	2.488	22.998	0.065	5.155	22.802	0.14	0.086	58.07	0.365	0.086	127.432	0.342	0.086	0.12	0.0	0.086	0.104	0.0
3	11335	11336	SN	2	-28.939	17.986	0.0	-32.355	19.961	0.0	2.488	22.998	0.065	5.155	22.802	0.14	0.086	58.07	0.365	0.086	127.432	0.342	0.086	0.12	0.0	0.086	0.104	0.0
4	11335	11336	SN	1	-33.942	17.992	0.0	-34.651	19.961	0.0	2.488	22.998	0.065	5.155	22.805	0.14	0.086	183.652	0.368	0.086	216.162	0.342	0.086	0.12	0.0	0.086	0.104	0.0
5	11336	11337	SN	1	-33.984	21.112	0.0	-32.19	20.896	0.0	-2.76	22.837	0.039	-2.797	23.611	0.029	0.086	185.408	1.37	0.086	122.696	1.016	0.086	0.211	0.0	0.086	0.212	0.0
6	11336	11337	SN	1	-33.984	21.112	0.0	-32.19	20.896	0.0	-2.76	22.837	0.039	-2.787	23.611	0.029	0.086	185.408	1.313	0.086	122.696	0.966	0.086	0.211	0.0	0.086	0.212	0.0
7	11336	11337	SN	1	-34.634	21.112	0.0	-32.19	20.896	0.0	-2.76	22.837	0.039	-2.79	23.611	0.028	0.086	215.316	1.312	0.086	122.696	0.966	0.086	0.211	0.0	0.086	0.212	0.0
8	11336	11337	NS	1	-34.88	19.958	0.0	-34.984	20.036	0.0	-1.098	23.119	0.051	-0.66	24.341	0.244	0.086	227.862	3.319	0.086	233.371	3.642	0.086	0.169	0.0	0.086	0.16	0.0
9	11337	11338	SN	1	-34.326	20.821	0.0	-34.6	20.718	0.0	-0.295	22.743	0.037	1.376	22.789	0.053	0.086	200.615	2.442	0.086	213.65	1.887	0.086	0.154	0.0	0.086	0.131	0.0
10	11337	11338	NS	1	-34.962	19.353	0.0	-34.88	20.282	0.0	-9.727	22.418	0.014	-12.141	23.575	0.113	0.086	232.185	2.939	0.086	227.91	2.837	0.086	0.762	0.0	0.086	1.277	0.001
11	11337	11338	SN	1	-34.971	20.821	0.0	-34.274	20.719	0.0	-0.292	22.743	0.037	1.376	22.789	0.053	0.086	232.694	2.435	0.086	198.157	1.888	0.086	0.154	0.0	0.086	0.131	0.0
12	11337	11338	NS	2	-34.747	19.353	0.0	-34.88	20.282	0.0	-9.729	22.418	0.014	-12.141	23.575	0.113	0.086	221.003	2.939	0.086	227.91	2.835	0.086	0.762	0.0	0.086	1.277	0.001
13	11338	11339	NS	1	-34.246	17.678	0.0	-34.66	17.356	0.0	-9.456	21.914	0.0	-19.858	22.768	0.065	0.086	196.946	1.781	0.087	216.639	1.945	0.086	0.72	0.0	0.086	7.234	0.032
14	11338	11339	SN	1	-34.764	18.693	0.0	-34.821	18.298	0.0	1.332	22.438	0.058	1.812	22.409	0.036	0.086	221.894	3.895	0.086	224.815	3.341	0.086	0.131	0.0	0.086	0.126	0.0
15	11338	11339	SN	1	-34.998	18.693	0.0	-34.713	18.298	0.0	1.332	22.438	0.059	1.815	22.407	0.036	0.086	234.161	3.891	0.086	219.31	3.335	0.086	0.131	0.0	0.086	0.126	0.0
16	11339	11340	SN	1	-33.823	18.241	0.0	-34.454	18.287	0.0	0.484	22.607	0.083	1.369	22.599	0.163	0.086	178.71	2.258	0.086	206.634	1.988	0.086	0.142	0.0	0.086	0.131	0.0
17	11339	11340	SN	1	-33.823	17.992	0.0	-34.454	18.289	0.0	0.484	22.607	0.083	1.369	22.599	0.169	0.086	178.71	2.309	0.086	206.634	2.021	0.086	0.142	0.0	0.086	0.131	0.0
18	11339	11340	NS	1	-34.575	18.006	0.0	-34.793	17.048	0.0	-25.278	22.879	0.037	-25.556	22.887	0.075	0.086	212.48	2.777	0.087	223.403	3.215	0.086	25.03	0.039	0.086	26.683	0.071
19	11339	11340	NS	1	-34.877	18.006	0.0	-34.543	17.048	0.0	-25.34	22.879	0.037	-25.61	22.887	0.075	0.086	227.702	2.798	0.087	210.86	3.211	0.086	25.389	0.039	0.086	27.015	0.071
20	11340	11341	NS	1	-34.577	19.656	0.0	-33.398	18.303	0.0	-31.262	22.743	0.024	-26.633	22.839	0.05	0.086	212.534	1.525	0.086	162.018	1.351	0.086	99.078	0.036	0.086	34.171	0.02
21	11340	11341	SN	1	-34.801	17.382	0.0	-34.932	17.877	0.0	-0.554	22.591	0.025	2.256	22.816	0.143	0.087	223.762	3.991	0.086	230.669	4.225	0.086	0.158	0.0	0.086	0.122	0.0
22	11340	11341	SN	2	-34.801	17.382	0.0	-34.932	17.877	0.0	-0.554	22.591	0.025	2.256	22.816	0.143	0.087	223.762	3.991	0.086	230.669	4.225	0.086	0.158	0.0	0.086	0.122	0.0
23	11341	11342	SN	1	-34.19	16.861	0.0	-34.711	17.604	0.0	0.341	22.45	0.025	3.379	22.206	0.01	0.087	194.43	2.957	0.087	219.183	2.704	0.086	0.144	0.0	0.086	0.113	0.0
24	11341	11342	NS	1	-34.139	20.939	0.0	-34.885	20.91	0.0	-25.16	22.296	0.015	-19.226	22.778	0.098	0.086	192.169	1.408	0.086	228.139	1.324	0.086	24.368	0.126	0.086	6.262	0.033
25	11341	11342	NS	1	-34.857	20.939	0.0	-34.114	20.91	0.0	-25.276	22.3	0.015	-19.19	22.78	0.098	0.086	226.7	1.409	0.086	191.045	1.332	0.086	25.021	0.126	0.086	6.211	0.035
26	11341	11342	SN	1	-34.629	16.846	0.0	-34.711	17.604	0.0	0.341	22.45	0.025	3.379	22.206	0.01	0.087	215.128	2.964	0.087	219.183	2.699	0.086	0.144	0.0	0.086	0.113	0.0
27	11341	11342	SN	1	-34.19	15.5	0.0	-34.711	17.186	0.0	0.341	22.45	0.025	3.379	22.206	0.01	0.087	194.43	2.993	0.087	219.183	2.731	0.086	0.144	0.0	0.086	0.113	0.0
28	11342	11343	SN	1	-33.15	17.096	0.0	-34.113	17.786	0.0	-4.52	23.433	0.436	-3.77	23.863	0.826	0.087	153.043	2.18	0.086	190.967	1.8	0.086	0.279	0.0	0.086	0.247	0.0
29	11342	11343	SN	1	-33.15	17.096	0.0	-34.113	17.07	0.0	-4.52	23.433	0.445	-3.77	23.863	0.826	0.087	153.043	2.291	0.087	190.967	1.908	0.086	0.279	0.0	0.086	0.247	0.0
30	11342	11343	SN	1	-34.105	17.096	0.0	-34.123	17.782	0.0	-4.522	23.433	0.436	-3.764	23.863	0.825	0.087	190.616	2.181	0.086	191.494	1.797	0.086	0.279	0.0	0.086	0.247	0.0
31	11342	11343	NS	2	-34.9	20.322	0.0	-34.837	21.733	0.0	3.091	22.372	0.06	1.496	23.507	0.257	0.086	228.937	1.038	0.086	225.614	0.926	0.086	0.115	0.0	0.086	0.13	0.0
32	11342	11343	NS	1	-34.75	20.322	0.0	-34.837	21.733	0.0	3.091	22.372	0.06	1.496	23.507	0.257	0.086	221.181	1.037	0.086	225.614	0.926	0.086	0.115	0.0	0.086	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	11343	11344	NS	1	-34.714	20.942	0.0	-34.696	21.258	0.0	-2.523	22.693	0.082	-16.676	24.144	0.695	0.086	219.33	1.53	0.086	218.436	1.394	0.086	0.204	0.0	0.086	3.51	0.002
34	11343	11344	SN	1	-34.97	18.032	0.0	-34.213	17.622	0.0	-10.932	23.481	0.338	-9.104	23.908	0.916	0.086	232.654	2.368	0.087	200.437	1.921	0.086	0.983	0.0	0.086	0.669	0.0
35	11343	11344	SN	1	-34.622	18.034	0.0	-33.644	17.622	0.0	-10.932	23.479	0.338	-9.098	23.908	0.938	0.086	214.689	2.357	0.087	175.806	1.918	0.086	0.983	0.0	0.086	0.668	0.0
36	11343	11344	NS	2	-34.714	20.942	0.0	-34.696	21.258	0.0	-2.523	22.693	0.082	-16.684	24.144	0.695	0.086	219.33	1.53	0.086	218.436	1.394	0.086	0.204	0.0	0.086	3.516	0.002
37	11343	11344	SN	1	-34.97	18.032	0.0	-34.213	17.198	0.0	-10.932	23.481	0.368	-9.104	23.908	0.844	0.086	232.654	2.564	0.087	200.437	2.217	0.086	0.983	0.0	0.086	0.669	0.0
38	11344	11345	SN	1	-33.707	19.076	0.0	-34.567	18.417	0.0	-24.155	23.642	0.292	-10.267	23.656	0.432	0.086	173.944	3.533	0.086	212.091	2.824	0.086	19.339	0.021	0.086	0.853	0.0
39	11344	11345	NS	1	-34.4	22.105	0.001	-34.192	21.049	0.0	0.393	23.111	0.173	-2.852	24.007	1.924	0.086	204.056	1.525	0.086	194.473	1.352	0.086	0.143	0.0	0.086	0.214	0.0
40	11345	11346	NS	1	-33.138	20.17	0.0	-34.275	20.011	0.0	-3.391	22.39	0.032	1.038	24.076	1.42	0.086	152.61	1.322	0.086	198.295	1.558	0.086	0.232	0.0	0.086	0.135	0.0
41	11346	11347	SN	1	-33.031	20.357	0.0	-33.095	19.842	0.0	-21.57	23.331	0.233	-21.645	23.273	0.186	0.086	148.912	2.106	0.086	151.096	1.946	0.086	10.693	0.014	0.086	10.881	0.008
42	11346	11347	NS	1	-34.988	18.864	0.0	-34.821	20.62	0.0	-1.132	22.514	0.071	-1.873	24.328	1.369	0.086	233.666	4.837	0.086	224.818	5.039	0.086	0.17	0.0	0.086	0.187	0.0
43	11346	11347	NS	1	-34.988	18.864	0.0	-34.821	20.62	0.0	-1.132	22.514	0.074	-1.873	24.328	1.35	0.086	233.666	4.834	0.086	224.818	5.039	0.086	0.17	0.0	0.086	0.187	0.0
44	11346	11347	NS	1	-34.951	18.864	0.0	-34.954	20.62	0.0	-1.132	22.514	0.073	-1.873	24.328	1.344	0.086	231.645	4.836	0.086	231.817	5.042	0.086	0.17	0.0	0.086	0.187	0.0
45	11346	11347	SN	2	-33.031	20.357	0.0	-33.095	19.842	0.0	-21.57	23.331	0.233	-21.647	23.273	0.186	0.086	148.912	2.106	0.086	151.096	1.947	0.086	10.693	0.014	0.086	10.884	0.008
46	11347	11348	NS	1	-33.684	18.884	0.0	-34.108	21.273	0.0	3.161	22.634	0.046	5.638	23.888	1.559	0.086	173.047	1.456	0.086	190.81	1.453	0.086	0.115	0.0	0.086	0.102	0.0
47	11347	11348	SN	1	-34.238	17.707	0.0	-33.447	22.221	0.001	-17.588	23.287	0.315	-17.656	23.196	0.324	0.086	196.582	0.406	0.086	163.843	0.892	0.086	4.314	0.004	0.086	4.38	0.002
48	11347	11348	SN	1	-32.434	17.707	0.0	-33.678	22.221	0.001	-17.588	23.287	0.316	-17.648	23.196	0.325	0.086	129.778	0.407	0.086	172.804	0.892	0.086	4.314	0.004	0.086	4.373	0.002
49	11347	11348	NS	1	-33.925	18.886	0.0	-34.321	21.273	0.0	3.161	22.634	0.036	5.504	23.884	1.875	0.086	182.919	1.462	0.086	200.392	1.456	0.086	0.115	0.0	0.086	0.102	0.0
50	11348	11349	NS	1	-34.922	20.582	0.0	-34.948	18.929	0.0	2.066	22.404	0.072	2.251	23.663	1.777	0.086	230.114	3.228	0.086	231.476	3.354	0.086	0.124	0.0	0.086	0.122	0.0
51	11348	11349	NS	1	-34.922	20.582	0.0	-34.948	18.929	0.0	2.248	22.404	0.085	2.262	23.654	2.31	0.086	230.114	3.239	0.086	231.476	3.355	0.086	0.122	0.0	0.086	0.122	0.0
52	11348	11349	SN	1	-33.942	17.282	0.0	-34.748	19.728	0.0	-26.972	23.317	0.732	-16.285	23.697	0.976	0.087	183.641	1.323	0.086	221.122	1.261	0.086	36.944	0.092	0.086	3.213	0.079
53	11348	11349	SN	1	-34.615	17.28	0.0	-34.218	19.728	0.0	-26.62	23.317	0.731	-15.798	23.697	0.974	0.087	214.436	1.328	0.086	195.696	1.264	0.086	34.078	0.091	0.086	2.952	0.079
54	11349	11350	NS	1	-34.365	19.751	0.0	-34.447	17.661	0.0	2.622	23.792	1.071	2.933	24.113	1.677	0.086	202.381	2.158	0.087	206.265	1.982	0.086	0.119	0.0	0.086	0.116	0.0
55	11349	11350	SN	1	-33.966	15.257	0.0	-34.575	15.05	0.0	2.072	24.132	0.385	5.178	23.294	1.141	0.087	184.636	1.28	0.087	212.424	1.244	0.086	0.124	0.0	0.086	0.103	0.0
56	11349	11350	NS	1	-34.365	19.751	0.0	-34.447	17.661	0.0	3.466	22.192	0.018	2.961	20.97	0.0	0.086	202.381	2.253	0.087	206.265	1.987	0.086	0.113	0.0	0.086	0.116	0.0
57	11349	11350	SN	1	-33.966	17.726	0.0	-34.575	19.884	0.0	2.072	24.132	0.382	5.178	23.294	1.12	0.086	184.636	1.25	0.086	212.424	1.153	0.086	0.124	0.0	0.086	0.103	0.0
58	11349	11350	SN	2	-33.966	17.726	0.0	-34.575	19.884	0.0	2.072	24.132	0.382	5.178	23.294	1.12	0.086	184.636	1.25	0.086	212.424	1.153	0.086	0.124	0.0	0.086	0.103	0.0
59	11350	11351	SN	1	-34.796	21.949	0.0	-34.648	20.858	0.0	-7.139	23.713	0.044	-9.059	22.843	0.025	0.086	223.554	2.0	0.086	216.06	1.586	0.086	0.451	0.0	0.086	0.662	0.0
60	11350	11351	NS	1	-34.36	20.282	0.0	-34.139	20.707	0.0	-3.753	23.519	0.388	-3.292	23.608	0.681	0.086	202.173	2.979	0.086	192.177	2.929	0.086	0.246	0.0	0.086	0.229	0.0
61	11350	11351	NS	2	-34.36	20.282	0.0	-34.139	20.707	0.0	-3.753	23.519	0.388	-3.292	23.608	0.681	0.086	202.173	2.979	0.086	192.177	2.929	0.086	0.246	0.0	0.086	0.229	0.0
62	11350	11351	SN	2	-34.796	21.949	0.0	-34.929	20.858	0.0	-7.138	23.713	0.044	-9.059	22.843	0.025	0.086	223.554	2.0	0.086	230.526	1.586	0.086	0.45	0.0	0.086	0.662	0.0
63	11350	11351	SN	1	-34.796	21.949	0.0	-34.929	20.858	0.0	-7.138	23.713	0.043	-9.059	22.843	0.025	0.086	223.554	1.919	0.086	230.526	1.424	0.086	0.45	0.0	0.086	0.662	0.0
64	11351	11352	SN	1	-34.131	20.86	0.0	-34.224	20.713	0.0	-13.228	23.027	0.043	-23.861	22.941	0.046	0.086	191.776	1.93	0.086	195.932	1.398	0.086	1.622	0.005	0.086	18.081	0.012
65	11351	11352	NS	1	-34.911	19.316	0.0	-34.973	20.586	0.0	-3.485	22.955	0.024	-3.31	24.888	0.141	0.086	229.498	3.938	0.086	232.809	4.349	0.086	0.236	0.0	0.086	0.23	0.0
66	11351	11352	SN	1	-34.772	20.86	0.0	-34.224	20.713	0.0	-13.112	23.027	0.043	-23.641	22.941	0.046	0.086	222.273	1.931	0.086	195.932	1.399	0.086	1.581	0.005	0.086	17.192	0.012
67	11352	11353	SN	1	-34.894	19.14	0.0	-34.572	19.307	0.0	0.406	22.693	0.052	2.652	22.837	0.07	0.086	229.834	5.0	0.086	212.322	4.047	0.086	0.143	0.0	0.086	0.119	0.0
68	11352	11353	NS	1	-33.856	18.202	0.0	-34.866	17.017	0.0	-21.981	22.664	0.014	-22.507	22.91	0.089	0.086	180.035	2.849	0.087	227.132	2.805	0.086	11.75	0.005	0.086	13.257	0.064
69	11352	11353	SN	1	-34.894	19.14	0.0	-34.572	19.353	0.0	0.406	22.693	0.052	2.652	22.837	0.07	0.086	229.834	4.917	0.086	212.322	3.992	0.086	0.143	0.0	0.086	0.119	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

70	11352	11353	SN	1	-34.991	19.14	0.0	-34.564	19.305	0.0	0.406	22.693	0.052	2.652	22.837	0.07	0.086	233.826	5.003	0.086	211.946	4.053	0.086	0.143	0.0	0.086	0.119	0.0
71	11352	11353	NS	1	-34.868	18.202	0.0	-34.931	17.017	0.0	-21.984	22.664	0.014	-22.427	22.91	0.089	0.086	227.222	2.849	0.087	230.563	2.802	0.086	11.759	0.005	0.086	13.013	0.064
72	11353	11354	NS	1	-34.642	17.76	0.0	-34.99	17.109	0.0	-28.785	22.13	0.004	-34.713	23.041	0.084	0.086	215.733	4.259	0.087	233.685	4.005	0.086	56.053	0.284	0.086	219.309	0.159
73	11353	11354	SN	1	-34.017	17.764	0.0	-34.773	18.066	0.0	1.256	22.761	0.069	1.792	22.518	0.047	0.086	186.786	1.446	0.086	222.336	1.276	0.086	0.132	0.0	0.086	0.126	0.0
74	11356	11357	SN	1	-34.224	14.776	0.0	-34.456	14.7	0.0	-6.166	23.47	0.315	-0.863	23.772	0.531	0.088	195.961	2.047	0.088	206.684	1.849	0.086	0.374	0.0	0.086	0.164	0.0
75	11356	11357	NS	1	-34.752	20.92	0.0	-33.566	21.316	0.0	-23.754	22.802	0.077	-24.933	22.802	0.17	0.086	221.268	1.658	0.086	168.399	1.655	0.086	17.642	0.149	0.086	23.124	0.176
76	11357	11358	SN	1	-34.581	16.527	0.0	-34.458	18.049	0.0	-10.59	23.867	0.656	-11.366	23.994	1.25	0.087	212.717	3.922	0.086	206.779	3.715	0.086	0.914	0.0	0.086	1.08	0.002
77	11357	11358	SN	1	-34.581	16.894	0.0	-34.458	18.049	0.0	-10.59	23.867	0.612	-11.366	23.994	1.249	0.087	212.717	3.637	0.086	206.779	3.167	0.086	0.914	0.0	0.086	1.08	0.002
78	11357	11358	NS	1	-33.828	20.668	0.0	-34.156	21.405	0.0	2.206	22.542	0.024	1.874	23.908	0.221	0.086	178.894	0.934	0.086	192.895	0.936	0.086	0.122	0.0	0.086	0.126	0.0
79	11357	11358	SN	2	-34.581	16.894	0.0	-34.458	18.049	0.0	-10.59	23.867	0.612	-11.366	23.994	1.249	0.087	212.717	3.637	0.086	206.779	3.167	0.086	0.914	0.0	0.086	1.08	0.002
80	11357	11358	NS	1	-34.444	20.67	0.0	-34.196	21.405	0.0	2.206	22.543	0.024	1.874	23.906	0.224	0.086	206.1	0.932	0.086	194.697	0.933	0.086	0.122	0.0	0.086	0.126	0.0
81	11358	11359	NS	1	-34.338	22.09	0.003	-34.792	18.652	0.0	-4.056	22.975	0.099	-2.613	24.318	1.12	0.086	201.187	1.38	0.086	223.316	1.244	0.086	0.258	0.0	0.086	0.207	0.0
82	11358	11359	SN	2	-34.916	16.824	0.0	-34.83	18.144	0.0	-24.076	23.77	0.297	-20.064	23.956	0.697	0.087	229.746	2.577	0.086	225.284	2.11	0.086	18.994	0.068	0.086	7.581	0.019
83	11358	11359	SN	1	-34.916	16.824	0.0	-34.83	18.144	0.0	-24.082	23.77	0.297	-20.067	23.956	0.697	0.087	229.746	2.577	0.086	225.284	2.11	0.086	19.024	0.068	0.086	7.586	0.019
84	11359	11360	SN	1	-34.071	20.475	0.0	-34.979	20.192	0.0	-5.929	23.574	0.326	-3.12	23.574	0.2	0.086	189.188	3.316	0.086	233.112	2.832	0.086	0.358	0.0	0.086	0.223	0.0
85	11359	11360	NS	1	-34.586	20.322	0.0	-34.646	21.983	0.0	-8.657	23.044	0.247	-5.942	24.407	1.919	0.086	212.938	2.193	0.086	215.918	2.198	0.086	0.61	0.0	0.086	0.359	0.0
86	11359	11360	NS	1	-34.96	20.32	0.0	-34.227	21.983	0.0	-8.649	23.044	0.25	-5.94	24.407	1.926	0.086	232.125	2.198	0.086	196.11	2.201	0.086	0.609	0.0	0.086	0.359	0.0
87	11360	11361	NS	1	-34.914	21.651	0.0	-34.473	19.364	0.0	0.085	22.24	0.008	0.146	23.948	1.316	0.086	229.684	2.609	0.086	207.517	2.381	0.086	0.148	0.0	0.086	0.147	0.0
88	11360	11361	SN	1	-34.82	19.868	0.0	-33.484	21.091	0.0	-23.134	23.458	0.318	-18.37	23.309	0.158	0.086	224.763	2.897	0.086	165.281	2.256	0.086	15.3	0.17	0.086	5.152	0.022
89	11361	11362	NS	1	-34.8	19.636	0.0	-34.475	20.981	0.0	0.277	22.964	0.119	4.177	23.988	1.49	0.086	223.69	2.246	0.086	207.605	2.042	0.086	0.145	0.0	0.086	0.108	0.0
90	11361	11362	SN	1	-34.96	16.89	0.0	-28.612	19.417	0.0	-21.039	23.546	0.234	-17.95	23.479	0.186	0.087	232.123	0.703	0.086	53.854	0.541	0.086	9.473	0.031	0.086	4.682	0.016
91	11361	11362	SN	1	-33.07	16.889	0.0	-34.58	19.418	0.0	-21.071	23.546	0.234	-18.002	23.479	0.187	0.087	150.218	0.701	0.086	212.634	0.543	0.086	9.542	0.031	0.086	4.739	0.017
92	11362	11363	SN	1	-34.538	17.587	0.0	-34.625	19.444	0.0	-22.419	23.765	0.58	-23.225	23.261	0.621	0.087	210.644	1.703	0.086	214.888	1.264	0.086	12.992	0.045	0.086	15.624	0.026
93	11362	11363	NS	1	-34.569	21.276	0.0	-34.849	21.148	0.0	4.089	22.483	0.067	4.261	23.727	1.63	0.086	212.128	2.393	0.086	226.256	2.599	0.086	0.109	0.0	0.086	0.108	0.0
94	11362	11363	SN	2	-34.538	17.587	0.0	-34.625	19.444	0.0	-22.419	23.765	0.58	-23.225	23.261	0.621	0.087	210.644	1.704	0.086	214.888	1.264	0.086	12.992	0.045	0.086	15.624	0.026
95	11362	11363	NS	2	-34.524	21.276	0.0	-34.849	21.146	0.0	4.089	22.483	0.067	4.261	23.727	1.63	0.086	209.94	2.393	0.086	226.256	2.599	0.086	0.109	0.0	0.086	0.108	0.0
96	11363	11364	SN	1	-34.487	17.197	0.0	-33.682	19.508	0.0	3.198	23.416	0.636	3.742	23.538	1.423	0.087	208.19	1.213	0.086	173.005	1.084	0.086	0.114	0.0	0.086	0.111	0.0
97	11363	11364	NS	1	-34.902	22.299	0.001	-33.045	18.914	0.0	2.964	22.959	0.509	3.268	23.852	1.953	0.086	229.023	2.227	0.086	149.403	1.943	0.086	0.116	0.0	0.086	0.114	0.0
98	11363	11364	NS	1	-34.49	22.299	0.001	-34.821	18.914	0.0	2.964	22.959	0.509	3.269	23.852	1.953	0.086	208.354	2.231	0.086	224.836	1.942	0.086	0.116	0.0	0.086	0.114	0.0
99	11364	11365	NS	2	-34.857	21.49	0.0	-34.442	17.916	0.0	2.887	23.911	0.825	0.393	23.815	1.345	0.086	226.69	3.285	0.086	206.037	3.02	0.086	0.117	0.0	0.086	0.143	0.0
100	11364	11365	NS	1	-34.857	21.49	0.0	-34.442	17.916	0.0	3.07	21.601	0.0	0.389	21.623	0.0	0.086	226.69	3.43	0.086	206.037	3.041	0.086	0.115	0.0	0.086	0.143	0.0
101	11364	11365	NS	1	-34.838	21.49	0.0	-34.442	17.916	0.0	2.887	23.911	0.825	0.393	23.815	1.345	0.086	225.72	3.285	0.086	206.037	3.02	0.086	0.117	0.0	0.086	0.143	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors