

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-NOV-2019 To 28-NOV-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-NOV-2019 To 28-NOV-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	16773	16774	SN	1	48.791	49.453	0.0	0.0	80.822	2.745	1041.904	1080.864	0.0	-92.364	-90.093	0.0
2	16773	16774	SN	1	48.791	49.453	0.0	0.003	6.502	2.016	1041.904	1080.864	0.0	-92.364	-90.093	0.0
3	16773	16774	SN	1	48.791	49.453	0.0	0.0	80.822	2.744	1041.904	1080.864	0.0	-92.364	-90.093	0.0
4	16774	16775	SN	1	48.813	49.422	0.0	0.003	214.798	2.579	1040.768	1080.808	0.0	-91.839	-90.073	0.0
5	16774	16775	SN	1	48.813	49.422	0.0	0.003	214.798	2.58	1040.768	1080.808	0.0	-91.839	-90.073	0.0
6	16774	16775	NS	1	48.718	49.342	0.0	0.0	264.615	2.686	1029.064	1079.456	0.0	-91.815	-89.954	0.0
7	16774	16775	SN	1	48.813	49.422	0.0	0.003	214.798	2.416	1040.768	1080.808	0.0	-91.839	-90.073	0.0
8	16774	16775	NS	1	48.718	49.342	0.0	0.0	264.615	2.673	1029.824	1079.456	0.0	-91.815	-89.954	0.0
9	16775	16776	SN	1	48.808	49.456	0.0	0.003	6.524	2.359	1040.544	1080.976	0.0	-92.09	-90.106	0.0
10	16775	16776	SN	1	48.802	49.484	0.0	0.003	6.524	2.493	1040.48	1080.976	0.0	-91.9	-90.106	0.0
11	16775	16776	SN	1	48.802	49.484	0.0	0.003	6.524	2.357	1040.48	1080.976	0.0	-91.9	-90.106	0.0
12	16775	16776	NS	1	48.701	49.311	0.0	0.003	267.218	2.502	1029.896	1079.6	0.0	-91.859	-89.924	0.0
13	16775	16776	NS	2	48.701	49.31	0.0	0.003	267.213	2.501	1029.88	1079.616	0.0	-91.859	-89.924	0.0
14	16776	16777	SN	1	48.816	49.485	0.0	0.003	6.519	2.509	1041.432	1080.896	0.0	-91.88	-90.103	0.0
15	16776	16777	SN	1	48.82	49.488	0.0	0.003	6.519	2.309	1041.432	1080.896	0.0	-91.88	-90.103	0.0
16	16776	16777	SN	1	48.82	49.488	0.0	0.003	6.519	2.511	1041.432	1080.896	0.0	-91.88	-90.103	0.0
17	16776	16777	NS	1	48.719	49.279	0.0	0.003	43.103	2.608	1030.168	1079.592	0.0	-92.44	-89.974	0.0
18	16777	16778	SN	1	48.816	49.421	0.0	0.003	6.513	2.167	1041.208	1080.784	0.0	-92.065	-90.103	0.0
19	16777	16778	SN	2	48.816	49.421	0.0	0.003	6.513	2.528	1041.208	1080.784	0.0	-92.065	-90.103	0.0
20	16777	16778	NS	1	48.678	49.33	0.0	0.003	37.946	2.606	1030.352	1079.512	0.0	-91.798	-89.948	0.0
21	16777	16778	SN	1	48.816	49.421	0.0	0.003	6.513	2.528	1041.208	1080.784	0.0	-92.065	-90.103	0.0
22	16777	16778	NS	1	48.678	49.285	0.0	0.003	205.301	2.608	1030.352	1079.512	0.0	-91.733	-89.948	0.0
23	16778	16779	SN	1	48.823	49.423	0.0	0.0	79.631	2.017	1041.448	1080.72	0.0	-91.73	-90.105	0.0
24	16778	16779	SN	1	48.82	49.423	0.0	0.0	79.631	2.588	1041.448	1080.72	0.0	-91.73	-90.105	0.0
25	16778	16779	SN	2	48.823	49.423	0.0	0.0	79.631	2.588	1041.448	1080.72	0.0	-91.73	-90.105	0.0
26	16778	16779	NS	1	48.663	49.341	0.0	0.0	267.058	2.783	1030.048	1079.448	0.0	-91.804	-89.961	0.0
27	16778	16779	NS	1	48.663	49.342	0.0	0.0	267.058	2.78	1030.048	1079.448	0.0	-92.212	-89.961	0.0
28	16779	16780	SN	1	48.782	49.471	0.0	0.003	6.502	1.773	1041.336	1080.704	0.0	-91.771	-90.105	0.0
29	16779	16780	SN	1	48.782	49.471	0.0	0.003	6.502	2.638	1041.336	1080.704	0.0	-91.771	-90.105	0.0
30	16779	16780	NS	2	48.707	49.342	0.0	0.003	43.174	2.563	1029.28	1079.376	0.0	-91.969	-89.97	0.0
31	16779	16780	SN	1	48.782	49.471	0.0	0.003	6.502	2.637	1041.336	1080.704	0.0	-91.771	-90.105	0.0
32	16779	16780	NS	1	48.662	49.346	0.0	0.003	267.373	2.562	1029.296	1079.36	0.0	-91.969	-89.971	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	16780	16781	SN	1	48.824	49.463	0.0	0.003	6.508	2.651	1041.784	1080.904	0.0	-91.76	-90.094	0.0
34	16780	16781	SN	1	48.824	49.463	0.0	0.003	6.508	2.655	1041.784	1080.904	0.0	-91.76	-90.094	0.0
35	16780	16781	NS	1	48.655	49.335	0.0	0.003	264.306	2.634	1029.984	1079.544	0.0	-91.828	-89.969	0.0
36	16780	16781	SN	1	48.824	49.463	0.0	0.003	6.508	1.561	1041.784	1080.904	0.0	-91.76	-90.094	0.0
37	16781	16782	NS	2	48.671	49.338	0.0	0.003	207.011	2.639	1029.512	1079.608	0.0	-91.877	-89.948	0.0
38	16781	16782	SN	1	48.788	49.446	0.0	0.003	6.519	2.555	1041.808	1080.984	0.0	-91.919	-90.055	0.0
39	16781	16782	NS	1	48.671	49.338	0.0	0.003	207.011	2.638	1029.512	1079.608	0.0	-91.877	-89.948	0.0
40	16782	16783	NS	1	48.67	49.325	0.0	0.0	267.455	2.814	1029.264	1079.552	0.0	-91.893	-89.942	0.0
41	16782	16783	NS	1	48.671	49.323	0.0	0.0	267.455	2.827	1029.272	1079.552	0.0	-92.288	-89.942	0.0
42	16782	16783	SN	1	48.799	49.481	0.0	0.003	6.524	2.546	1041.768	1080.928	0.0	-91.812	-90.097	0.0
43	16783	16784	NS	1	48.693	49.279	0.0	0.003	207.028	2.623	1029.096	1079.528	0.0	-91.849	-89.972	0.0
44	16783	16784	NS	1	48.693	49.279	0.0	0.003	207.028	2.637	1029.096	1079.536	0.0	-91.773	-89.972	0.0
45	16783	16784	SN	1	48.787	49.423	0.0	0.003	6.513	2.625	1040.68	1080.904	0.0	-91.887	-90.081	0.0
46	16783	16784	SN	2	48.787	49.423	0.0	0.003	6.513	2.625	1040.68	1080.904	0.0	-91.887	-90.081	0.0
47	16784	16785	SN	1	48.799	49.459	0.0	0.0	153.631	2.664	1041.656	1081.0	0.0	-91.72	-90.08	0.0
48	16784	16785	NS	1	48.719	49.284	0.0	0.003	266.965	2.654	1029.936	1079.632	0.0	-91.826	-89.97	0.0
49	16784	16785	SN	2	48.799	49.459	0.0	0.0	153.631	2.664	1041.656	1081.0	0.0	-91.72	-90.08	0.0
50	16784	16785	NS	1	48.719	49.279	0.0	0.003	266.965	2.652	1029.944	1079.616	0.0	-91.826	-89.97	0.0
51	16785	16786	SN	1	48.762	49.432	0.0	0.003	29.624	2.568	1041.664	1081.04	0.0	-91.838	-90.097	0.0
52	16785	16786	NS	1	48.669	49.336	0.0	0.003	264.692	2.554	1028.808	1079.656	0.0	-91.916	-89.968	0.0
53	16785	16786	NS	1	48.669	49.343	0.0	0.003	264.692	2.556	1029.808	1079.656	0.0	-91.849	-89.968	0.0
54	16785	16786	NS	1	48.669	49.343	0.0	0.003	264.692	1.946	1029.808	1077.384	0.0	-91.849	-89.968	0.0
55	16785	16786	SN	1	48.781	49.432	0.0	0.003	29.624	2.566	1041.664	1081.04	0.0	-91.838	-90.097	0.0
56	16786	16787	NS	2	48.657	49.342	0.0	0.0	210.673	2.729	1029.704	1079.768	0.0	-91.917	-89.968	0.0
57	16786	16787	NS	1	48.657	49.339	0.0	0.0	210.673	1.648	1029.704	1075.632	0.0	-91.917	-89.968	0.0
58	16786	16787	SN	1	48.781	49.485	0.0	0.003	280.46	2.564	1041.12	1081.16	0.0	-91.88	-90.108	0.0
59	16786	16787	NS	1	48.657	49.342	0.0	0.0	210.673	2.726	1029.704	1079.76	0.0	-91.917	-89.968	0.0
60	16786	16787	SN	1	48.778	49.49	0.0	0.003	280.46	2.554	1040.712	1081.16	0.0	-91.887	-90.108	0.0
61	16787	16788	SN	1	48.786	49.486	0.0	0.003	6.513	2.698	1040.904	1081.216	0.0	-91.896	-90.11	0.0
62	16787	16788	NS	1	48.716	49.327	0.0	0.003	41.42	1.554	1029.648	1071.88	0.0	-91.999	-89.958	0.0
63	16787	16788	SN	1	48.786	49.486	0.0	0.003	6.513	1.688	1040.904	1081.216	0.0	-91.851	-90.11	0.0
64	16787	16788	SN	1	48.772	49.486	0.0	0.003	6.513	2.711	1040.904	1081.216	0.0	-91.862	-90.11	0.0
65	16787	16788	NS	1	48.716	49.324	0.0	0.003	41.42	2.58	1029.648	1079.824	0.0	-91.999	-89.958	0.0
66	16787	16788	NS	1	48.716	49.333	0.0	0.003	41.42	2.578	1029.648	1079.824	0.0	-91.999	-89.958	0.0
67	16788	16789	NS	1	48.717	49.317	0.0	0.003	207.022	2.751	1028.784	1079.68	0.0	-91.792	-89.949	0.0
68	16788	16789	SN	1	48.833	49.488	0.0	0.003	275.524	2.45	1041.88	1081.056	0.0	-91.809	-90.067	0.0
69	16788	16789	SN	1	48.833	49.488	0.0	0.003	275.524	2.739	1041.88	1081.056	0.0	-91.809	-90.067	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	16788	16789	NS	1	48.717	49.328	0.0	0.003	207.022	2.748	1028.784	1079.68	0.0	-91.792	-89.949	0.0
71	16789	16790	SN	1	48.824	49.424	0.0	0.003	6.519	2.403	1041.056	1081.232	0.0	-91.73	-90.079	0.0
72	16789	16790	SN	1	48.824	49.426	0.0	0.003	29.817	2.391	1041.056	1081.248	0.0	-91.731	-90.079	0.0
73	16789	16790	SN	1	48.824	49.424	0.0	0.003	6.519	2.542	1041.056	1081.232	0.0	-91.73	-90.079	0.0
74	16789	16790	NS	1	48.717	49.348	0.0	0.0	264.836	2.561	1029.68	1079.936	0.0	-91.806	-89.939	0.0
75	16790	16791	SN	2	48.801	49.487	0.0	0.003	6.53	2.498	1040.88	1081.312	0.0	-91.92	-90.105	0.0
76	16790	16791	NS	2	48.671	49.307	0.0	0.0	264.604	2.655	1029.176	1080.024	0.0	-91.654	-89.948	0.0
77	16790	16791	NS	1	48.669	49.31	0.0	0.0	210.695	2.655	1029.152	1080.064	0.0	-91.654	-89.948	0.0
78	16790	16791	SN	1	48.799	49.484	0.0	0.003	6.524	2.333	1040.84	1081.28	0.0	-91.92	-90.105	0.0
79	16790	16791	SN	1	48.799	49.484	0.0	0.003	6.524	2.498	1040.84	1081.28	0.0	-91.92	-90.105	0.0
80	16791	16792	SN	1	48.788	49.433	0.0	0.003	6.524	2.255	1040.456	1081.216	0.0	-92.026	-90.076	0.0
81	16791	16792	NS	2	48.661	49.32	0.0	0.003	210.535	2.611	1030.16	1079.968	0.0	-91.832	-89.948	0.0
82	16791	16792	NS	1	48.66	49.32	0.0	0.003	267.196	2.611	1030.152	1079.976	0.0	-91.832	-89.948	0.0
83	16791	16792	SN	2	48.788	49.433	0.0	0.003	6.524	2.541	1040.448	1081.208	0.0	-92.025	-90.076	0.0
84	16791	16792	SN	1	48.788	49.433	0.0	0.003	6.524	2.528	1040.456	1081.216	0.0	-92.026	-90.076	0.0
85	16792	16793	NS	2	48.663	49.335	0.0	0.003	19.269	2.684	1030.144	1079.904	0.0	-91.942	-89.96	0.0
86	16792	16793	SN	1	48.788	49.488	0.0	0.003	6.519	2.079	1041.384	1081.112	0.0	-91.81	-90.104	0.0
87	16792	16793	SN	1	48.78	49.476	0.0	0.003	29.629	2.525	1041.304	1081.144	0.0	-91.798	-90.104	0.0
88	16792	16793	NS	1	48.666	49.326	0.0	0.003	19.28	2.683	1030.184	1079.832	0.0	-91.817	-89.96	0.0
89	16793	16794	SN	1	48.805	49.445	0.0	0.003	279.004	2.599	1040.976	1081.04	0.0	-92.471	-90.105	0.0
90	16793	16794	SN	1	48.804	49.443	0.0	0.003	280.493	1.887	1040.96	1081.008	0.0	-92.18	-90.105	0.0
91	16793	16794	SN	2	48.804	49.443	0.0	0.003	280.493	2.598	1040.96	1081.008	0.0	-92.471	-90.105	0.0
92	16793	16794	NS	1	48.718	49.328	0.0	0.003	267.069	2.613	1030.136	1079.736	0.0	-91.82	-89.965	0.0
93	16793	16794	NS	2	48.718	49.328	0.0	0.003	267.069	2.613	1030.136	1079.736	0.0	-91.82	-89.965	0.0
94	16794	16795	SN	2	48.829	49.436	0.0	0.003	279.34	2.672	1041.592	1081.976	0.0	-91.868	-90.093	0.0
95	16794	16795	SN	1	48.829	49.436	0.0	0.003	279.34	2.673	1041.592	1081.976	0.0	-91.868	-90.093	0.0
96	16794	16795	NS	1	48.657	49.346	0.0	0.0	264.742	2.705	1029.12	1079.8	0.0	-92.201	-89.968	0.0
97	16794	16795	NS	1	48.65	49.314	0.0	0.0	264.461	2.704	1029.512	1079.776	0.0	-91.788	-89.968	0.0
98	16794	16795	SN	1	48.829	49.436	0.0	0.003	279.34	1.656	1041.592	1081.976	0.0	-91.868	-90.093	0.0
99	16795	16796	SN	1	48.826	49.445	0.0	0.003	214.92	2.603	1041.76	1081.272	0.0	-91.849	-90.072	0.0
100	16795	16796	SN	1	48.826	49.445	0.0	0.003	214.92	2.605	1041.76	1081.272	0.0	-91.849	-90.072	0.0
101	16795	16796	NS	1	48.662	49.335	0.0	0.003	13.181	2.587	1029.784	1079.976	0.0	-92.812	-89.967	0.0
102	16795	16796	SN	1	48.826	49.445	0.0	0.003	214.92	1.542	1041.76	1081.272	0.0	-91.849	-90.072	0.0
103	16795	16796	NS	2	48.662	49.336	0.0	0.003	266.722	2.588	1029.176	1079.952	0.0	-92.811	-89.968	0.0
104	16796	16797	NS	1	48.717	49.34	0.0	0.003	41.895	2.752	1029.928	1080.144	0.0	-91.83	-89.963	0.0
105	16796	16797	SN	1	48.828	49.426	0.0	0.003	279.605	2.531	1041.728	1081.464	0.0	-91.697	-90.056	0.0
106	16797	16798	NS	1	48.669	49.343	0.0	0.003	267.218	2.652	1029.152	1079.856	0.0	-91.892	-89.946	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	16797	16798	SN	1	48.784	49.425	0.0	0.003	215.052	2.549	1040.784	1081.176	0.0	-91.822	-90.094	0.0
108	16798	16799	SN	1	48.766	49.425	0.0	0.003	6.524	2.637	1041.6	1081.264	0.0	-91.742	-90.081	0.0
109	16798	16799	NS	1	48.659	49.28	0.0	0.0	268.614	2.745	1029.384	1079.904	0.0	-91.719	-89.97	0.0
110	16798	16799	NS	1	48.659	49.28	0.0	0.0	268.614	2.685	1029.384	1079.552	0.0	-91.719	-89.97	0.0
111	16799	16800	NS	1	48.698	49.293	0.0	0.003	14.218	2.561	1029.776	1079.976	0.0	-91.711	-89.968	0.0
112	16799	16800	SN	1	48.806	49.444	0.0	0.003	210.789	2.582	1041.536	1081.344	0.0	-91.866	-90.086	0.0
113	16799	16800	NS	1	48.698	49.293	0.0	0.003	14.218	2.193	1029.776	1078.376	0.0	-91.724	-89.968	0.0
114	16800	16801	NS	1	48.654	49.317	0.0	0.003	19.678	1.762	1029.632	1077.08	0.0	-91.724	-89.964	0.0
115	16800	16801	NS	1	48.654	49.317	0.0	0.003	19.678	2.678	1029.632	1080.072	0.0	-91.809	-89.964	0.0
116	16800	16801	SN	1	48.776	49.493	0.0	0.003	6.519	2.589	1040.736	1081.432	0.0	-91.816	-90.107	0.0
117	16801	16802	NS	1	48.714	49.333	0.0	0.003	267.224	2.585	1029.56	1080.168	0.0	-91.808	-89.964	0.0
118	16801	16802	SN	1	48.793	49.487	0.0	0.0	169.735	2.711	1040.432	1081.528	0.0	-91.879	-90.108	0.0
119	16801	16802	NS	1	48.714	49.342	0.0	0.003	267.224	1.528	1029.56	1074.248	0.0	-92.191	-89.964	0.0
120	16801	16802	SN	1	48.793	49.487	0.0	0.003	6.53	1.532	1040.432	1081.528	0.0	-91.879	-90.108	0.0
121	16802	16803	NS	1	48.714	49.281	0.0	0.0	206.675	2.847	1029.632	1080.072	0.0	-91.632	-89.964	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

112	16799	16800	SN	1	-32.955	22.511	0.019	-34.656	24.308	0.837	-5.408	29.868	14.777	-8.485	30.338	16.453	0.116	191.423	3.001	0.116	283.176	3.14	0.116	0.432	0.0	0.116	0.776	0.0
113	16799	16800	NS	1	-34.982	23.552	0.244	-34.765	27.398	0.401	7.953	28.382	17.65	11.077	29.007	34.972	0.116	305.292	3.378	0.116	290.416	3.25	0.116	0.128	0.0	0.116	0.122	0.0
114	16800	16801	NS	1	-34.931	27.834	0.366	-34.663	25.589	0.352	7.881	28.561	10.091	8.844	28.676	24.317	0.116	301.654	6.886	0.116	283.654	5.991	0.116	0.128	0.0	0.116	0.126	0.0
115	16800	16801	NS	1	-34.931	27.834	0.366	-34.663	25.589	0.351	8.004	28.561	24.823	8.965	28.826	33.984	0.116	301.654	6.883	0.116	283.654	5.993	0.116	0.128	0.0	0.116	0.125	0.0
116	16800	16801	SN	1	-34.895	22.97	0.035	-34.753	23.942	0.7	-5.06	29.197	33.029	-6.57	29.766	42.001	0.116	299.209	4.947	0.116	289.532	4.526	0.116	0.406	0.0	0.116	0.534	0.0
117	16801	16802	NS	1	-34.762	23.651	0.286	-34.85	23.448	0.023	6.688	30.363	17.063	7.856	29.444	25.958	0.116	290.185	5.333	0.116	296.141	4.431	0.116	0.132	0.0	0.116	0.128	0.0
118	16801	16802	SN	1	-34.523	23.606	0.072	-35.001	24.404	0.856	6.461	29.528	26.827	8.407	30.154	31.976	0.116	274.589	2.8	0.116	306.501	2.29	0.116	0.133	0.0	0.116	0.127	0.0
119	16801	16802	NS	1	-34.762	23.651	0.283	-34.798	23.44	0.023	7.216	30.363	2.787	7.856	29.444	2.693	0.116	290.185	5.446	0.116	292.56	4.433	0.116	0.13	0.0	0.116	0.128	0.0
120	16801	16802	SN	1	-34.523	21.128	0.0	-35.001	22.661	0.006	6.487	29.528	23.462	8.408	30.147	29.324	0.116	274.589	2.881	0.116	306.501	2.447	0.116	0.133	0.0	0.116	0.127	0.0
121	16802	16803	NS	1	-34.92	24.302	0.219	-34.13	24.273	0.02	7.511	29.805	10.211	7.71	29.013	19.003	0.116	300.888	2.628	0.116	250.894	2.195	0.116	0.129	0.0	0.116	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	16773	16774	SN	1	57.578	58.309	0.0	0.0	291.137	4.069	1220.928	1270.288	0.0	-93.201	-92.137	0.0
2	16773	16774	SN	1	57.578	58.309	0.0	0.0	291.137	3.321	1220.928	1270.288	0.0	-93.201	-92.137	0.0
3	16773	16774	SN	1	57.578	58.309	0.0	0.0	291.137	4.067	1220.928	1270.288	0.0	-93.201	-92.137	0.0
4	16774	16775	SN	1	57.602	58.277	0.0	0.0	290.359	3.82	1220.064	1270.224	0.0	-93.238	-92.12	0.0
5	16774	16775	SN	1	57.602	58.277	0.0	0.0	290.359	3.823	1220.064	1270.224	0.0	-93.238	-92.12	0.0
6	16774	16775	NS	1	57.484	58.146	0.0	0.0	296.95	3.862	1206.672	1267.936	6.373	-93.17	-91.999	0.0
7	16774	16775	SN	1	57.602	58.277	0.0	0.0	290.359	3.477	1220.064	1270.224	0.0	-93.238	-92.12	0.0
8	16774	16775	NS	1	57.484	58.152	0.0	0.0	296.95	3.85	1206.8	1267.936	6.38	-93.152	-91.999	0.0
9	16775	16776	SN	1	57.599	58.306	0.0	0.0	291.578	3.332	1220.088	1270.408	0.0	-93.219	-92.151	0.0
10	16775	16776	SN	1	57.599	58.303	0.0	0.0	291.578	3.67	1220.336	1270.408	0.0	-93.21	-92.151	0.0
11	16775	16776	SN	1	57.599	58.303	0.0	0.0	291.578	3.329	1220.336	1270.408	0.0	-93.21	-92.151	0.0
12	16775	16776	NS	1	57.474	58.155	0.0	0.0	287.265	3.636	1206.336	1268.096	6.255	-93.156	-91.961	0.0
13	16775	16776	NS	2	57.473	58.154	0.0	0.0	287.287	3.637	1206.312	1268.12	6.291	-93.156	-91.961	0.0
14	16776	16777	SN	1	57.57	58.305	0.0	0.0	288.528	3.669	1220.376	1270.304	0.0	-93.228	-92.151	0.0
15	16776	16777	SN	1	57.57	58.3	0.0	0.0	288.528	3.319	1220.376	1270.304	0.0	-93.219	-92.151	0.0
16	16776	16777	SN	1	57.57	58.3	0.0	0.0	288.528	3.674	1220.376	1270.304	0.0	-93.219	-92.151	0.0
17	16776	16777	NS	1	57.482	58.141	0.0	0.0	287.48	3.801	1206.816	1268.096	6.106	-93.098	-92.019	0.0
18	16777	16778	SN	1	57.597	58.3	0.0	0.003	296.266	3.322	1220.36	1270.16	0.0	-93.264	-92.151	0.0
19	16777	16778	SN	2	57.597	58.3	0.0	0.0	297.727	3.756	1220.36	1270.16	0.0	-93.264	-92.151	0.0
20	16777	16778	NS	1	57.465	58.141	0.0	0.0	289.157	3.757	1207.2	1268.008	6.017	-93.146	-91.987	0.0
21	16777	16778	SN	1	57.597	58.3	0.0	0.0	297.727	3.756	1220.36	1270.16	0.0	-93.264	-92.151	0.0
22	16777	16778	NS	1	57.465	58.141	0.0	0.0	289.157	3.762	1207.2	1268.008	6.026	-93.143	-91.987	0.0
23	16778	16779	SN	1	57.575	58.272	0.0	0.0	291.595	3.168	1220.4	1270.088	0.0	-93.776	-92.153	0.0
24	16778	16779	SN	1	57.575	58.272	0.0	0.0	291.595	3.743	1220.4	1270.088	0.0	-93.776	-92.153	0.0
25	16778	16779	SN	2	57.575	58.272	0.0	0.0	291.595	3.745	1220.4	1270.088	0.0	-93.776	-92.153	0.0
26	16778	16779	NS	1	57.467	58.149	0.0	0.0	293.387	3.983	1206.744	1267.92	6.376	-93.246	-92.004	0.0
27	16778	16779	NS	1	57.467	58.149	0.0	0.0	293.387	3.979	1206.744	1267.92	6.369	-93.156	-92.004	0.0
28	16779	16780	SN	1	57.573	58.284	0.0	0.003	288.97	2.987	1220.544	1270.064	0.0	-93.208	-92.153	0.0
29	16779	16780	SN	1	57.573	58.284	0.0	0.0	288.97	3.86	1220.544	1270.064	0.0	-93.208	-92.153	0.0
30	16779	16780	NS	2	57.455	58.149	0.0	0.0	290.652	3.808	1206.68	1267.832	6.586	-93.149	-92.015	0.0
31	16779	16780	SN	1	57.575	58.284	0.0	0.0	288.97	3.856	1220.544	1270.064	0.0	-93.208	-92.153	0.0
32	16779	16780	NS	1	57.457	58.151	0.0	0.0	288.76	3.811	1206.808	1267.808	6.525	-93.149	-92.016	0.0
33	16780	16781	SN	1	57.599	58.298	0.0	0.003	289.813	3.858	1220.768	1270.312	0.0	-93.23	-92.137	0.0
34	16780	16781	SN	1	57.599	58.298	0.0	0.003	289.813	3.861	1220.768	1270.312	0.0	-93.23	-92.137	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	16780	16781	NS	1	57.459	58.16	0.0	0.0	285.804	3.801	1206.656	1268.048	7.141	-93.174	-92.014	0.0
36	16780	16781	SN	1	57.599	58.298	0.0	0.003	289.813	2.66	1220.768	1270.312	0.0	-93.23	-92.137	0.0
37	16781	16782	NS	2	57.463	58.153	0.0	0.0	296.839	3.866	1206.44	1268.12	7.077	-93.175	-91.99	0.0
38	16781	16782	SN	1	57.58	58.297	0.0	0.0	287.701	3.749	1220.184	1270.432	0.0	-93.23	-92.096	0.0
39	16781	16782	NS	1	57.463	58.149	0.0	0.003	296.839	3.868	1206.432	1268.12	7.08	-93.209	-91.99	0.0
40	16782	16783	NS	1	57.485	58.16	0.0	0.0	290.503	4.062	1206.416	1268.056	6.555	-93.192	-91.985	0.0
41	16782	16783	NS	1	57.486	58.16	0.0	0.0	290.541	4.07	1206.432	1268.048	6.526	-93.192	-91.985	0.0
42	16782	16783	SN	1	57.571	58.304	0.0	0.0	298.334	3.764	1220.432	1270.368	0.0	-93.174	-92.139	0.0
43	16783	16784	NS	1	57.486	58.148	0.0	0.0	293.122	3.783	1206.072	1268.024	6.883	-93.179	-92.016	0.0
44	16783	16784	NS	1	57.486	58.148	0.0	0.0	293.111	3.796	1206.072	1268.04	6.876	-93.181	-92.016	0.0
45	16783	16784	SN	1	57.574	58.275	0.0	0.0	294.231	3.891	1220.752	1270.328	0.0	-93.174	-92.123	0.0
46	16783	16784	SN	2	57.574	58.275	0.0	0.0	294.231	3.891	1220.752	1270.328	0.0	-93.174	-92.123	0.0
47	16784	16785	SN	1	57.559	58.276	0.0	0.0	290.872	3.917	1219.728	1270.44	0.0	-93.135	-92.126	0.0
48	16784	16785	NS	1	57.484	58.147	0.0	0.0	298.339	3.776	1206.72	1268.16	7.294	-93.076	-92.015	0.0
49	16784	16785	SN	2	57.559	58.276	0.0	0.0	290.872	3.917	1219.728	1270.44	0.0	-93.135	-92.126	0.0
50	16784	16785	NS	1	57.485	58.126	0.0	0.0	298.323	3.775	1206.744	1268.144	7.256	-93.254	-92.015	0.0
51	16785	16786	SN	1	57.561	58.31	0.0	0.0	290.122	3.739	1220.584	1270.496	0.0	-93.284	-92.14	0.0
52	16785	16786	NS	1	57.455	58.141	0.0	0.0	286.267	3.741	1205.824	1268.192	7.757	-93.133	-92.014	0.0
53	16785	16786	NS	1	57.461	58.154	0.0	0.0	286.267	3.744	1205.672	1268.192	7.764	-93.191	-92.014	0.0
54	16785	16786	NS	1	57.461	58.154	0.0	0.0	277.465	2.938	1205.672	1265.592	8.161	-93.187	-92.014	0.0
55	16785	16786	SN	1	57.561	58.31	0.0	0.0	290.122	3.735	1220.584	1270.496	0.0	-93.182	-92.14	0.0
56	16786	16787	NS	2	57.464	58.158	0.0	0.0	286.951	3.916	1206.408	1268.328	8.144	-93.178	-92.013	0.0
57	16786	16787	NS	1	57.464	58.162	0.0	0.0	280.25	2.478	1206.408	1263.84	8.968	-93.198	-92.013	0.0
58	16786	16787	SN	1	57.572	58.294	0.0	0.0	290.227	3.768	1220.528	1270.648	0.0	-93.208	-92.157	0.0
59	16786	16787	NS	1	57.464	58.158	0.0	0.0	286.923	3.915	1206.408	1268.32	8.144	-93.178	-92.013	0.0
60	16786	16787	SN	1	57.563	58.309	0.0	0.0	290.227	3.731	1220.592	1270.648	0.0	-93.387	-92.157	0.0
61	16787	16788	SN	1	57.589	58.315	0.0	0.0	297.942	3.904	1220.016	1270.712	0.0	-93.448	-92.159	0.0
62	16787	16788	NS	1	57.481	58.155	0.0	0.0	284.0	2.151	1206.352	1259.64	9.885	-93.072	-92.0	0.0
63	16787	16788	SN	1	57.587	58.315	0.0	0.0	297.942	2.894	1220.016	1270.712	0.0	-93.448	-92.159	0.0
64	16787	16788	SN	1	57.58	58.311	0.0	0.0	297.942	3.904	1220.056	1270.712	0.0	-93.17	-92.159	0.0
65	16787	16788	NS	1	57.481	58.156	0.0	0.0	290.061	3.872	1206.352	1268.4	8.388	-93.199	-92.0	0.0
66	16787	16788	NS	1	57.481	58.156	0.0	0.0	290.061	3.867	1206.36	1268.4	8.369	-93.246	-92.0	0.0
67	16788	16789	NS	1	57.482	58.132	0.0	0.0	294.231	3.997	1206.264	1268.216	7.04	-93.134	-91.991	0.0
68	16788	16789	SN	1	57.577	58.313	0.0	0.0	294.314	3.646	1220.328	1270.512	0.0	-93.147	-92.115	0.0
69	16788	16789	SN	1	57.577	58.313	0.0	0.0	294.314	4.059	1220.328	1270.512	0.0	-93.147	-92.115	0.0
70	16788	16789	NS	1	57.482	58.132	0.0	0.0	294.231	3.995	1206.264	1268.216	7.037	-93.126	-91.991	0.0
71	16789	16790	SN	1	57.594	58.289	0.0	0.0	293.023	3.437	1219.72	1270.76	0.0	-93.192	-92.126	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	16789	16790	SN	1	57.6	58.29	0.0	0.003	292.995	3.431	1219.968	1270.784	0.0	-93.192	-92.126	0.0
73	16789	16790	SN	1	57.594	58.289	0.0	0.0	293.023	3.794	1219.72	1270.76	0.0	-93.192	-92.126	0.0
74	16789	16790	NS	1	57.483	58.154	0.0	0.0	295.256	3.712	1205.976	1268.552	6.512	-93.146	-91.98	0.0
75	16790	16791	SN	2	57.571	58.301	0.0	0.0	292.372	3.689	1220.456	1270.848	0.0	-93.392	-92.153	0.0
76	16790	16791	NS	2	57.471	58.131	0.0	0.0	289.769	3.82	1206.072	1268.656	6.625	-93.061	-91.984	0.0
77	16790	16791	NS	1	57.48	58.128	0.0	0.0	289.543	3.814	1206.016	1268.712	6.688	-93.062	-91.983	0.0
78	16790	16791	SN	1	57.569	58.299	0.0	0.0	292.334	3.35	1220.136	1270.792	0.0	-93.392	-92.153	0.0
79	16790	16791	SN	1	57.569	58.299	0.0	0.0	292.334	3.714	1220.136	1270.792	0.0	-93.392	-92.153	0.0
80	16791	16792	SN	1	57.598	58.299	0.0	0.0	298.566	3.32	1219.568	1270.712	0.0	-93.394	-92.12	0.0
81	16791	16792	NS	2	57.452	58.157	0.0	0.003	287.795	3.79	1206.944	1268.592	6.119	-93.171	-91.99	0.0
82	16791	16792	NS	1	57.452	58.14	0.0	0.0	287.811	3.788	1206.936	1268.608	6.129	-93.134	-91.99	0.0
83	16791	16792	SN	2	57.598	58.298	0.0	0.0	298.566	3.703	1219.56	1270.696	0.0	-93.234	-92.12	0.0
84	16791	16792	SN	1	57.598	58.299	0.0	0.0	298.566	3.694	1219.568	1270.712	0.0	-93.394	-92.12	0.0
85	16792	16793	NS	2	57.464	58.145	0.0	0.0	288.357	3.917	1206.928	1268.52	7.042	-93.216	-92.004	0.0
86	16792	16793	SN	1	57.571	58.283	0.0	0.0	287.111	3.225	1220.328	1270.576	0.0	-93.198	-92.152	0.0
87	16792	16793	SN	1	57.565	58.287	0.0	0.0	286.637	3.682	1220.368	1270.64	0.0	-93.199	-92.152	0.0
88	16792	16793	NS	1	57.466	58.148	0.0	0.0	288.363	3.9	1206.984	1268.4	6.955	-93.216	-92.005	0.0
89	16793	16794	SN	1	57.574	58.294	0.0	0.0	296.69	3.785	1219.864	1270.512	0.0	-93.368	-92.153	0.0
90	16793	16794	SN	1	57.572	58.295	0.0	0.0	295.4	3.087	1219.848	1270.456	0.0	-93.368	-92.153	0.0
91	16793	16794	SN	2	57.572	58.295	0.0	0.0	296.69	3.789	1219.848	1270.456	0.0	-93.368	-92.153	0.0
92	16793	16794	NS	1	57.482	58.147	0.0	0.0	298.102	3.853	1206.712	1268.296	6.991	-93.247	-92.01	0.0
93	16793	16794	NS	2	57.482	58.147	0.0	0.0	298.102	3.853	1206.712	1268.296	6.991	-93.247	-92.01	0.0
94	16794	16795	SN	2	57.449	58.288	0.0	0.0	291.754	3.898	1220.576	1271.016	0.0	-94.791	-92.145	0.0
95	16794	16795	SN	1	57.449	58.288	0.0	0.0	291.754	3.897	1220.576	1271.016	0.0	-94.791	-92.145	0.0
96	16794	16795	NS	1	57.446	58.145	0.0	0.0	297.727	3.907	1206.16	1268.376	7.45	-93.2	-92.014	0.0
97	16794	16795	NS	1	57.448	58.159	0.0	0.0	297.352	3.909	1206.504	1268.336	7.403	-93.187	-92.014	0.0
98	16794	16795	SN	1	57.597	58.288	0.0	0.0	291.754	2.864	1220.576	1271.016	0.0	-93.271	-92.145	0.0
99	16795	16796	SN	1	57.598	58.298	0.0	0.003	291.683	3.793	1220.456	1271.064	0.0	-93.225	-92.114	0.0
100	16795	16796	SN	1	57.598	58.298	0.0	0.003	291.683	3.796	1220.76	1271.064	0.0	-93.225	-92.114	0.0
101	16795	16796	NS	1	57.449	58.389	0.0	0.0	288.462	3.814	1206.016	1275.936	7.547	-95.06	-92.012	0.0
102	16795	16796	SN	1	57.598	58.298	0.0	0.003	291.683	2.426	1220.76	1271.064	0.0	-93.225	-92.114	0.0
103	16795	16796	NS	2	57.447	58.39	0.0	0.0	288.754	3.817	1206.04	1275.976	7.521	-95.06	-92.012	0.0
104	16796	16797	NS	1	57.465	58.244	0.0	0.0	288.903	4.072	1206.664	1268.576	6.798	-95.89	-91.978	0.0
105	16796	16797	SN	1	57.595	58.279	0.0	0.0	293.04	3.72	1220.104	1270.848	0.0	-93.23	-92.1	0.0
106	16797	16798	NS	1	57.484	58.157	0.0	0.0	289.455	3.869	1205.896	1268.456	7.217	-93.193	-91.99	0.0
107	16797	16798	SN	1	57.582	58.278	0.0	0.0	289.824	3.757	1219.976	1270.672	0.0	-93.154	-92.136	0.0
108	16798	16799	SN	1	57.578	58.278	0.0	0.0	298.345	3.868	1219.504	1270.8	0.0	-93.151	-92.13	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	16798	16799	NS	1	57.468	58.144	0.0	0.0	291.186	3.89	1206.192	1268.488	7.466	-93.198	-92.015	0.0
110	16798	16799	NS	1	57.468	58.144	0.0	0.0	291.186	3.649	1206.192	1267.976	7.508	-93.198	-92.015	0.0
111	16799	16800	NS	1	57.453	58.149	0.0	0.0	295.102	3.721	1205.696	1268.584	7.76	-93.212	-92.009	0.0
112	16799	16800	SN	1	57.564	58.297	0.0	0.0	293.999	3.793	1220.216	1270.888	0.0	-93.203	-92.132	0.0
113	16799	16800	NS	1	57.453	58.149	0.0	0.0	290.607	3.096	1205.696	1266.384	8.005	-93.16	-92.009	0.0
114	16800	16801	NS	1	57.48	58.159	0.0	0.0	299.988	2.77	1206.176	1265.4	9.043	-93.122	-92.009	0.0
115	16800	16801	NS	1	57.48	58.159	0.0	0.0	299.988	3.87	1206.176	1268.704	8.413	-93.165	-92.009	0.0
116	16800	16801	SN	1	57.57	58.297	0.0	0.0	291.71	3.776	1219.416	1271.0	0.0	-93.17	-92.156	0.0
117	16801	16802	NS	1	57.461	58.159	0.0	0.0	288.429	3.794	1206.24	1268.816	8.635	-93.196	-92.009	0.0
118	16801	16802	SN	1	57.574	58.309	0.0	0.0	292.802	3.903	1219.616	1271.128	0.0	-93.189	-92.156	0.0
119	16801	16802	NS	1	57.461	58.158	0.0	0.0	280.542	2.064	1206.24	1262.336	9.848	-93.14	-92.009	0.0
120	16801	16802	SN	1	57.574	58.309	0.0	0.0	292.802	2.485	1219.616	1271.128	0.0	-93.189	-92.156	0.0
121	16802	16803	NS	1	57.479	58.155	0.0	0.0	290.012	4.129	1206.12	1268.688	8.213	-93.172	-92.009	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR															Kp													
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	16773	16774	SN	1	-34.554	16.313	0.0	-34.716	17.701	0.0	-25.05	21.832	0.0	-34.54	22.381	0.004	0.087	211.362	5.135	0.086	219.446	3.982	0.086	23.753	0.02	0.086	210.746	0.016
2	16773	16774	SN	1	-34.554	14.588	0.0	-34.716	17.707	0.0	-25.05	21.832	0.0	-34.54	22.381	0.005	0.088	211.362	5.337	0.086	219.446	4.425	0.086	23.753	0.02	0.086	210.746	0.016
3	16773	16774	SN	1	-34.554	16.293	0.0	-34.716	17.703	0.0	-25.067	21.832	0.0	-34.54	22.381	0.004	0.087	211.362	5.134	0.086	219.446	3.982	0.086	23.852	0.02	0.086	210.746	0.016
4	16774	16775	SN	1	-34.755	16.618	0.0	-34.812	17.599	0.0	-2.707	22.925	0.005	-3.638	21.125	0.0	0.087	221.419	3.511	0.087	224.31	2.685	0.086	0.21	0.0	0.086	0.242	0.0
5	16774	16775	SN	1	-34.755	16.615	0.0	-34.812	17.597	0.0	-2.707	22.925	0.005	-3.638	21.125	0.0	0.087	221.419	3.511	0.087	224.31	2.686	0.086	0.21	0.0	0.086	0.242	0.0
6	16774	16775	NS	1	-34.793	17.828	0.0	-34.8	17.701	0.0	-4.687	22.741	0.004	-6.926	23.821	0.025	0.086	223.388	1.748	0.086	223.682	1.764	0.086	0.287	0.0	0.086	0.432	0.0
7	16774	16775	SN	1	-34.755	16.615	0.0	-34.812	17.597	0.0	-2.707	22.925	0.005	-3.638	21.125	0.0	0.087	221.419	3.608	0.087	224.31	2.753	0.086	0.21	0.0	0.086	0.242	0.0
8	16774	16775	NS	1	-34.629	17.828	0.0	-33.455	17.706	0.0	-4.679	22.741	0.004	-6.926	23.821	0.025	0.086	215.118	1.756	0.086	164.143	1.767	0.086	0.287	0.0	0.086	0.432	0.0
9	16775	16776	SN	1	-34.501	16.634	0.0	-34.739	17.478	0.0	-1.001	21.539	0.0	-1.813	21.75	0.0	0.087	208.85	2.034	0.087	220.625	1.707	0.086	0.167	0.0	0.086	0.185	0.0
10	16775	16776	SN	1	-34.861	17.005	0.0	-34.683	17.478	0.0	-1.002	21.539	0.0	-1.813	21.75	0.0	0.087	226.886	2.003	0.087	217.766	1.69	0.086	0.167	0.0	0.086	0.185	0.0
11	16775	16776	SN	1	-34.861	16.628	0.0	-34.683	17.478	0.0	-1.002	21.539	0.0	-1.813	21.75	0.0	0.087	226.886	2.037	0.087	217.766	1.712	0.086	0.167	0.0	0.086	0.185	0.0
12	16775	16776	NS	1	-33.932	17.113	0.0	-33.755	16.115	0.0	-13.743	22.503	0.002	-32.08	22.721	0.012	0.087	183.215	0.535	0.087	175.884	0.534	0.086	1.818	0.002	0.086	119.622	0.062
13	16775	16776	NS	2	-34.139	17.113	0.0	-33.755	16.115	0.0	-13.736	22.503	0.002	-32.08	22.721	0.012	0.087	192.15	0.535	0.087	175.884	0.535	0.086	1.815	0.002	0.086	119.622	0.062
14	16776	16777	SN	1	-34.731	16.423	0.0	-34.864	16.915	0.0	-0.136	21.632	0.0	-0.181	20.9	0.0	0.087	220.198	2.143	0.087	227.074	1.761	0.086	0.151	0.0	0.086	0.152	0.0
15	16776	16777	SN	1	-34.916	16.42	0.0	-34.179	16.911	0.0	-0.136	21.632	0.0	-0.181	20.9	0.0	0.087	229.726	2.183	0.087	193.913	1.778	0.086	0.151	0.0	0.086	0.152	0.0
16	16776	16777	SN	1	-34.916	16.42	0.0	-34.179	16.917	0.0	-0.136	21.632	0.0	-0.181	20.9	0.0	0.087	229.726	2.143	0.087	193.913	1.757	0.086	0.151	0.0	0.086	0.152	0.0
17	16776	16777	NS	1	-34.837	17.006	0.0	-34.815	15.524	0.0	-27.658	21.91	0.0	-23.731	22.269	0.009	0.087	225.608	4.478	0.087	224.475	4.408	0.086	43.256	0.144	0.086	17.55	0.07
18	16777	16778	SN	1	-34.891	15.542	0.0	-34.993	16.262	0.0	0.638	21.578	0.0	1.759	21.889	0.0	0.087	228.467	4.023	0.087	233.86	3.418	0.086	0.14	0.0	0.086	0.127	0.0
19	16777	16778	SN	2	-34.891	15.542	0.0	-34.993	16.262	0.0	0.638	21.578	0.0	1.759	21.889	0.0	0.087	228.467	3.928	0.087	233.86	3.346	0.086	0.14	0.0	0.086	0.127	0.0
20	16777	16778	NS	1	-34.618	17.819	0.0	-34.898	16.287	0.0	-28.505	22.146	0.003	-8.567	22.65	0.009	0.086	214.553	4.389	0.087	228.846	3.875	0.086	52.562	0.005	0.086	0.599	0.0
21	16777	16778	SN	1	-34.891	15.542	0.0	-34.993	16.262	0.0	0.638	21.578	0.0	1.759	21.889	0.0	0.087	228.467	3.928	0.087	233.86	3.346	0.086	0.14	0.0	0.086	0.127	0.0
22	16777	16778	NS	1	-34.942	17.819	0.0	-34.618	16.287	0.0	-28.461	22.146	0.003	-8.567	22.65	0.009	0.086	231.144	4.381	0.087	214.589	3.874	0.086	52.039	0.005	0.086	0.599	0.0
23	16778	16779	SN	1	-34.976	16.066	0.0	-34.297	16.069	0.0	-0.691	21.347	0.0	1.883	22.04	0.007	0.087	232.991	2.553	0.087	199.222	1.947	0.086	0.161	0.0	0.086	0.126	0.0
24	16778	16779	SN	1	-34.976	16.066	0.0	-34.297	16.583	0.0	-0.691	21.347	0.0	1.883	22.04	0.007	0.087	232.991	2.481	0.087	199.222	1.875	0.086	0.161	0.0	0.086	0.126	0.0
25	16778	16779	SN	2	-34.976	16.066	0.0	-34.297	16.583	0.0	-0.691	21.347	0.0	1.883	22.04	0.007	0.087	232.991	2.481	0.087	199.222	1.875	0.086	0.161	0.0	0.086	0.126	0.0
26	16778	16779	NS	1	-34.829	19.333	0.0	-34.96	16.453	0.0	-25.363	21.552	0.0	-14.483	21.968	0.0	0.086	225.248	7.564	0.087	232.161	8.254	0.086	25.523	0.01	0.086	2.143	0.007
27	16778	16779	NS	1	-34.768	19.333	0.0	-34.908	16.453	0.0	-25.363	21.55	0.0	-14.483	21.968	0.0	0.086	222.077	7.564	0.087	229.363	8.238	0.086	25.523	0.01	0.086	2.143	0.007
28	16779	16780	SN	1	-34.496	16.562	0.0	-34.144	17.184	0.0	-1.169	22.562	0.02	6.451	22.559	0.044	0.087	208.623	2.578	0.087	192.34	2.324	0.086	0.17	0.0	0.086	0.099	0.0
29	16779	16780	SN	1	-34.496	16.562	0.0	-34.144	17.184	0.0	-1.169	22.562	0.019	6.451	22.559	0.044	0.087	208.623	2.468	0.087	192.34	2.159	0.086	0.17	0.0	0.086	0.099	0.0
30	16779	16780	NS	2	-34.473	16.705	0.0	-34.408	16.252	0.0	-30.083	21.977	0.0	-28.271	22.551	0.006	0.087	207.534	3.758	0.087	204.432	3.758	0.086	75.559	0.112	0.086	49.812	0.134
31	16779	16780	SN	1	-34.496	16.562	0.0	-34.144	17.184	0.0	-1.169	22.562	0.019	6.451	22.559	0.044	0.087	208.623	2.466	0.087	192.34	2.16	0.086	0.17	0.0	0.086	0.099	0.0
32	16779	16780	NS	1	-34.303	16.703	0.0	-34.891	16.252	0.0	-30.076	21.977	0.0	-28.24	22.551	0.006	0.087	199.528	3.756	0.087	228.468	3.758	0.086	75.441	0.112	0.086	49.445	0.134

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	16797	16798	SN	1	-34.998	18.004	0.0	-34.95	18.368	0.0	-30.93	22.481	0.026	-29.419	23.16	0.099	0.086	234.15	3.151	0.086	231.534	3.008	0.086	91.808	0.153	0.086	64.842	0.183
108	16798	16799	SN	1	-34.966	17.707	0.0	-34.894	18.11	0.0	-18.445	23.459	0.015	-29.086	22.836	0.069	0.086	232.483	3.332	0.086	228.632	2.988	0.086	5.241	0.014	0.086	60.086	0.011
109	16798	16799	NS	1	-34.7	17.274	0.0	-34.487	19.186	0.0	-0.684	22.766	0.007	0.293	23.094	0.212	0.087	218.659	1.858	0.086	208.205	1.427	0.086	0.161	0.0	0.086	0.145	0.0
110	16798	16799	NS	1	-34.7	17.274	0.0	-34.487	19.186	0.0	-0.684	22.766	0.007	0.293	23.094	0.217	0.087	218.659	1.86	0.086	208.205	1.427	0.086	0.161	0.0	0.086	0.145	0.0
111	16799	16800	NS	1	-34.705	20.64	0.0	-34.67	20.693	0.0	4.004	22.754	0.023	5.048	23.3	0.204	0.086	218.895	2.406	0.086	217.138	2.595	0.086	0.109	0.0	0.086	0.104	0.0
112	16799	16800	SN	1	-34.575	16.553	0.0	-34.868	17.076	0.0	-12.294	22.345	0.017	-20.969	22.938	0.102	0.087	212.438	3.479	0.087	227.231	3.498	0.086	1.321	0.006	0.086	9.323	0.014
113	16799	16800	NS	1	-34.705	20.64	0.0	-34.67	20.693	0.0	4.004	22.754	0.029	5.108	23.3	0.247	0.086	218.895	2.406	0.086	217.138	2.595	0.086	0.109	0.0	0.086	0.104	0.0
114	16800	16801	NS	1	-34.94	21.417	0.0	-34.994	17.364	0.0	0.523	22.381	0.099	1.362	23.125	0.366	0.086	231.083	6.051	0.087	233.967	5.618	0.086	0.141	0.0	0.086	0.131	0.0
115	16800	16801	NS	1	-34.956	21.417	0.0	-34.994	17.364	0.0	0.585	22.381	0.045	1.363	23.119	0.236	0.086	231.888	6.045	0.087	233.967	5.622	0.086	0.141	0.0	0.086	0.131	0.0
116	16800	16801	SN	1	-34.9	16.586	0.0	-34.898	17.484	0.0	-17.017	22.839	0.135	-29.814	23.552	0.464	0.087	228.912	4.275	0.087	228.896	4.068	0.086	3.791	0.056	0.086	71.0	0.173
117	16801	16802	NS	1	-34.656	19.332	0.0	-34.987	17.14	0.0	1.56	23.014	0.057	2.163	23.212	0.27	0.086	216.437	4.382	0.087	233.567	4.073	0.086	0.129	0.0	0.086	0.123	0.0
118	16801	16802	SN	1	-34.359	16.951	0.0	-34.567	17.413	0.0	2.403	22.851	0.091	4.123	23.048	0.684	0.087	202.086	3.273	0.087	212.099	2.788	0.086	0.121	0.0	0.086	0.109	0.0
119	16801	16802	NS	1	-34.496	19.332	0.0	-34.977	17.14	0.0	1.56	22.435	0.012	2.2	20.625	0.0	0.086	208.634	4.471	0.087	233.089	4.077	0.086	0.129	0.0	0.086	0.122	0.0
120	16801	16802	SN	1	-34.92	14.384	0.0	-34.567	14.805	0.0	2.403	22.862	0.064	4.123	23.049	0.707	0.088	229.974	3.363	0.087	212.099	3.004	0.086	0.121	0.0	0.086	0.109	0.0
121	16802	16803	NS	1	-33.916	18.354	0.0	-34.184	20.622	0.0	0.361	22.842	0.051	0.016	23.246	0.108	0.086	182.568	2.032	0.086	194.122	1.934	0.086	0.144	0.0	0.086	0.149	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors