

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-OCT-2017 To 28-OCT-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-OCT-2017 To 28-OCT-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5739	5740	SN	1	48.715	49.501	0.0	0.003	6.75	2.735	1026.032	1100.376	9.724	-92.099	-89.316	0.0
2	5739	5740	SN	1	48.791	49.501	0.0	0.003	6.75	4.094	1030.296	1100.376	14.895	-92.099	-89.348	0.0
3	5739	5740	NS	1	48.68	49.511	0.0	0.003	6.761	2.632	1026.944	1100.432	10.83	-92.279	-89.151	0.0
4	5739	5740	NS	1	48.68	49.511	0.0	0.003	6.761	2.628	1026.944	1100.432	10.809	-92.279	-89.151	0.0
5	5740	5741	NS	1	48.727	49.516	0.0	0.003	6.772	2.47	1027.888	1100.648	10.455	-92.272	-89.11	0.0
6	5740	5741	NS	1	48.727	49.516	0.0	0.003	6.772	2.472	1027.888	1100.648	10.466	-92.272	-89.11	0.0
7	5740	5741	SN	1	48.726	49.491	0.0	0.003	6.75	2.497	1026.12	1100.56	8.954	-92.251	-89.289	0.0
8	5740	5741	SN	1	48.726	49.491	0.0	0.003	6.75	1.686	1026.12	1100.56	9.534	-92.251	-89.289	0.0
9	5740	5741	SN	1	48.726	49.491	0.0	0.003	6.75	2.393	1026.12	1100.56	9.042	-92.251	-89.289	0.0
10	5741	5742	SN	1	48.686	49.498	0.0	0.003	6.772	1.755	1025.184	1100.624	8.948	-92.341	-89.318	0.0
11	5741	5742	SN	1	48.686	49.498	0.0	0.003	6.772	2.457	1025.184	1100.624	8.484	-92.341	-89.318	0.0
12	5741	5742	SN	1	48.686	49.498	0.0	0.003	6.772	2.455	1025.184	1100.624	8.475	-92.341	-89.318	0.0
13	5741	5742	NS	1	48.725	49.476	0.0	0.003	6.778	2.494	1028.008	1100.736	10.264	-92.207	-89.107	0.0
14	5742	5743	SN	1	48.71	49.473	0.0	0.003	6.745	2.52	1025.264	1100.536	8.285	-92.128	-89.325	0.0
15	5742	5743	SN	1	48.71	49.473	0.0	0.003	6.745	2.518	1025.264	1100.536	8.276	-92.128	-89.325	0.0
16	5742	5743	NS	1	48.713	49.477	0.0	0.003	6.767	2.587	1027.736	1100.656	10.067	-92.588	-89.137	0.0
17	5742	5743	NS	2	48.713	49.477	0.0	0.003	6.767	2.587	1027.736	1100.656	10.066	-92.588	-89.137	0.0
18	5743	5744	SN	1	48.692	49.488	0.0	0.003	6.772	2.494	1025.048	1100.448	8.391	-92.217	-89.325	0.0
19	5743	5744	SN	1	48.679	49.467	0.0	0.003	6.778	2.497	1025.24	1100.464	8.415	-92.217	-89.325	0.0
20	5743	5744	NS	2	48.71	49.497	0.0	0.003	6.761	2.577	1028.224	1100.584	10.391	-92.234	-89.171	0.0
21	5743	5744	NS	1	48.71	49.497	0.0	0.003	6.761	2.577	1028.224	1100.584	10.391	-92.234	-89.171	0.0
22	5744	5745	SN	1	48.688	49.466	0.0	0.003	6.745	2.354	1024.912	1100.328	8.534	-92.093	-89.318	0.0
23	5744	5745	NS	1	48.721	49.51	0.0	0.003	6.75	2.572	1028.248	1100.416	9.866	-92.264	-89.157	0.0
24	5744	5745	NS	2	48.702	49.497	0.0	0.008	6.756	2.571	1027.832	1100.448	9.887	-92.28	-89.158	0.0
25	5744	5745	SN	1	48.688	49.466	0.0	0.003	6.745	2.544	1024.912	1100.328	8.427	-92.093	-89.318	0.0
26	5744	5745	SN	2	48.688	49.466	0.0	0.003	6.745	2.544	1024.912	1100.328	8.427	-92.093	-89.318	0.0
27	5745	5746	NS	1	48.715	49.478	0.0	0.003	6.734	2.519	1027.88	1100.44	9.332	-92.914	-89.175	0.0
28	5745	5746	SN	2	48.699	49.466	0.0	0.003	6.75	2.63	1025.448	1100.328	8.95	-92.018	-89.309	0.0
29	5745	5746	SN	1	48.699	49.466	0.0	0.003	6.75	1.622	1025.448	1100.328	9.528	-92.018	-89.309	0.0
30	5745	5746	SN	1	48.699	49.466	0.0	0.003	6.75	2.629	1025.448	1100.328	8.95	-92.018	-89.309	0.0
31	5745	5746	NS	1	48.715	49.478	0.0	0.003	6.734	2.521	1027.88	1100.44	9.341	-92.914	-89.175	0.0
32	5746	5747	SN	1	48.727	49.467	0.0	0.003	6.75	2.58	1025.928	1100.44	8.926	-92.026	-89.28	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors





33	5746	5747	SN	1	48.727	49.467	0.0	0.003	6.75	1.523	1025.928	1100.44	9.578	-92.026	-89.28	0.0
34	5746	5747	NS	1	48.724	49.552	0.0	0.003	6.75	2.553	1028.112	1100.512	9.139	-92.334	-89.175	0.0
35	5746	5747	NS	1	48.728	49.52	0.0	0.003	6.756	2.554	1028.072	1100.56	9.176	-92.375	-89.175	0.0
36	5746	5747	SN	2	48.727	49.467	0.0	0.003	6.75	2.58	1025.928	1100.44	8.926	-92.026	-89.28	0.0
37	5747	5748	NS	1	48.696	49.476	0.0	0.003	6.761	2.628	1027.768	1100.528	10.15	-92.197	-89.177	0.0
38	5747	5748	SN	2	48.701	49.467	0.0	0.003	6.761	2.509	1025.968	1100.416	9.11	-92.14	-89.254	0.0
39	5747	5748	SN	1	48.701	49.467	0.0	0.003	6.761	2.509	1025.968	1100.416	9.11	-92.14	-89.254	0.0
40	5747	5748	NS	1	48.696	49.476	0.0	0.003	6.761	2.627	1027.768	1100.528	10.143	-92.197	-89.177	0.0
41	5748	5749	NS	1	48.728	49.475	0.0	0.008	6.761	2.623	1028.496	1100.376	10.24	-92.459	-89.151	0.0
42	5748	5749	NS	2	48.728	49.475	0.0	0.008	6.761	2.623	1028.496	1100.376	10.24	-92.459	-89.151	0.0
43	5753	5754	SN	1	48.691	49.465	0.0	0.003	6.75	1.709	1025.064	1100.384	10.859	-92.048	-89.318	0.0
44	5753	5754	SN	1	48.691	49.465	0.0	0.003	6.75	2.891	1025.064	1100.384	10.05	-92.048	-89.318	0.0
45	5753	5754	SN	1	48.682	49.469	0.0	0.003	6.75	2.711	1025.144	1100.392	9.399	-92.034	-89.317	0.0
46	5754	5755	NS	1	48.73	49.518	0.0	0.003	6.745	2.517	1028.656	1100.504	10.782	-93.105	-89.159	0.0
47	5754	5755	SN	1	48.706	49.488	0.0	0.003	6.756	2.584	1024.856	1100.352	8.781	-92.479	-89.316	0.0
48	5754	5755	SN	1	48.706	49.488	0.0	0.003	6.756	2.451	1024.856	1100.352	8.954	-92.479	-89.316	0.0
49	5754	5755	SN	1	48.706	49.488	0.0	0.003	6.756	1.539	1024.856	1100.352	9.541	-92.479	-89.316	0.0
50	5754	5755	NS	1	48.73	49.518	0.0	0.003	6.745	2.515	1028.656	1100.504	10.771	-93.105	-89.159	0.0
51	5755	5756	SN	1	48.691	49.476	0.0	0.003	6.761	2.369	1024.8	1100.536	8.447	-92.291	-89.297	0.0
52	5755	5756	NS	1	48.73	49.478	0.0	0.003	6.756	2.467	1028.816	1100.672	10.441	-92.139	-89.113	0.0
53	5755	5756	NS	1	48.731	49.496	0.0	0.003	6.761	2.519	1028.824	1100.696	10.692	-92.218	-89.113	0.0
54	5755	5756	SN	1	48.691	49.476	0.0	0.003	6.761	2.489	1024.8	1100.536	8.369	-92.291	-89.297	0.0
55	5755	5756	SN	1	48.684	49.497	0.0	0.003	6.761	1.844	1024.632	1100.552	8.815	-92.291	-89.297	0.0
56	5756	5757	SN	1	48.683	49.472	0.0	0.003	6.756	2.517	1024.32	1100.488	8.013	-92.113	-89.318	0.0
57	5756	5757	NS	1	48.731	49.48	0.0	0.003	6.761	2.504	1028.968	1100.656	10.443	-92.036	-89.149	0.0
58	5756	5757	SN	1	48.683	49.472	0.0	0.003	6.756	1.659	1024.32	1100.488	8.512	-92.113	-89.318	0.0
59	5756	5757	NS	1	48.731	49.48	0.0	0.003	6.761	2.506	1028.968	1100.656	10.452	-92.036	-89.149	0.0
60	5757	5758	SN	2	48.68	49.464	0.0	0.003	6.745	2.483	1024.24	1100.36	8.027	-91.891	-89.317	0.0
61	5757	5758	SN	1	48.68	49.464	0.0	0.003	6.745	1.665	1024.24	1100.36	8.48	-91.891	-89.317	0.0
62	5757	5758	NS	1	48.731	49.479	0.0	0.003	6.761	2.598	1029.064	1100.536	10.609	-92.006	-89.153	0.0
63	5757	5758	NS	1	48.739	49.479	0.0	0.003	6.761	1.813	1029.088	1100.536	13.721	-92.006	-89.167	0.0
64	5757	5758	SN	1	48.686	49.484	0.0	0.003	6.745	2.483	1024.216	1100.36	8.001	-91.908	-89.317	0.0
65	5758	5759	NS	1	48.731	49.501	0.0	0.003	6.756	2.596	1029.12	1100.424	10.606	-92.225	-89.167	0.0
66	5758	5759	SN	1	48.693	49.463	0.0	0.003	6.734	1.556	1024.192	1100.264	8.143	-92.152	-89.312	0.0
67	5758	5759	SN	1	48.693	49.463	0.0	0.003	6.734	2.5	1024.192	1100.264	7.661	-92.152	-89.312	0.0
68	5758	5759	SN	1	48.693	49.463	0.0	0.003	6.734	2.498	1024.192	1100.264	7.653	-92.152	-89.312	0.0
69	5758	5759	NS	2	48.733	49.479	0.0	0.003	6.761	2.596	1029.16	1100.432	10.591	-92.177	-89.167	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	5759	5760	NS	1	48.69	49.478	0.0	0.003	6.756	2.54	1028.424	1100.36	9.516	-92.112	-89.178	0.0
71	5759	5760	SN	1	48.682	49.462	0.0	0.003	6.75	1.557	1025.008	1100.176	8.534	-91.945	-89.298	0.0
72	5759	5760	NS	2	48.69	49.478	0.0	0.003	6.756	2.54	1028.424	1100.36	9.516	-92.112	-89.178	0.0
73	5759	5760	SN	1	48.682	49.462	0.0	0.003	6.75	2.586	1025.008	1100.176	7.954	-91.945	-89.298	0.0
74	5759	5760	SN	1	48.682	49.462	0.0	0.003	6.75	2.584	1025.008	1100.176	7.946	-91.945	-89.298	0.0
75	5760	5761	SN	2	48.723	49.493	0.0	0.003	6.739	2.647	1025.128	1100.304	8.764	-92.069	-89.299	0.0
76	5760	5761	NS	1	48.722	49.52	0.0	0.003	6.734	2.527	1029.08	1100.456	9.365	-92.371	-89.183	0.0
77	5760	5761	NS	1	48.722	49.52	0.0	0.003	6.734	2.525	1029.08	1100.456	9.356	-92.371	-89.183	0.0
78	5760	5761	SN	1	48.723	49.493	0.0	0.003	6.739	1.579	1025.128	1100.304	9.49	-92.069	-89.299	0.0
79	5760	5761	SN	1	48.723	49.493	0.0	0.003	6.739	2.647	1025.128	1100.304	8.764	-92.069	-89.299	0.0
80	5761	5762	SN	1	48.724	49.503	0.0	0.003	6.756	2.545	1025.24	1100.328	8.613	-92.069	-89.246	0.0
81	5761	5762	SN	2	48.724	49.503	0.0	0.003	6.756	2.545	1025.24	1100.328	8.613	-92.069	-89.246	0.0
82	5761	5762	NS	1	48.692	49.529	0.0	0.003	6.739	2.58	1028.72	1100.488	9.955	-92.441	-89.181	0.0
83	5761	5762	NS	1	48.692	49.529	0.0	0.003	6.739	2.582	1028.72	1100.488	9.965	-92.441	-89.181	0.0
84	5762	5763	SN	1	48.723	49.462	0.0	0.003	6.756	2.515	1025.208	1100.224	8.599	-92.174	-89.277	0.0
85	5762	5763	NS	1	48.732	49.507	0.0	0.003	6.739	2.623	1029.28	1100.384	10.4	-92.146	-89.179	0.0
86	5762	5763	NS	1	48.732	49.507	0.0	0.003	6.739	2.625	1029.28	1100.384	10.412	-92.146	-89.179	0.0
87	5763	5764	NS	1	48.734	49.478	0.0	0.003	6.739	2.589	1029.392	1100.304	10.386	-92.238	-89.153	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5739	5740	SN	1	-34.731	24.257	1.188	-32.804	26.23	3.007	-13.754	35.174	6.32	-18.4	29.679	14.224	0.103	251.951	3.248	0.103	161.114	2.275	0.102	2.085	0.006	0.103	5.921	0.008
2	5739	5740	SN	1	-34.731	24.257	1.7	-32.804	26.23	3.736	-11.288	27.767	9.767	-6.412	29.573	22.01	0.103	251.951	3.025	0.103	161.114	2.326	0.103	1.218	0.002	0.103	0.454	0.0
3	5739	5740	NS	1	-33.899	25.623	0.274	-33.921	27.822	0.139	-7.758	30.246	8.194	-5.448	34.314	24.704	0.103	207.34	2.693	0.103	208.334	2.162	0.103	0.588	0.0	0.102	0.382	0.0
4	5739	5740	NS	1	-33.899	25.623	0.274	-33.921	27.822	0.138	-7.758	30.246	8.172	-5.448	34.314	24.726	0.103	207.34	2.704	0.103	208.334	2.163	0.103	0.588	0.0	0.102	0.382	0.0
5	5740	5741	NS	1	-34.863	25.472	0.033	-34.851	26.689	0.23	-9.013	32.866	5.41	-2.127	30.063	21.196	0.103	258.83	2.623	0.103	258.097	2.744	0.102	0.755	0.0	0.103	0.227	0.0
6	5740	5741	NS	1	-34.863	25.472	0.033	-34.851	26.689	0.23	-9.013	32.866	5.423	-2.127	30.063	21.242	0.103	258.83	2.623	0.103	258.097	2.744	0.102	0.755	0.0	0.103	0.227	0.0
7	5740	5741	SN	1	-34.758	24.028	0.295	-34.869	25.634	1.205	-12.482	27.542	6.196	-16.556	29.746	4.618	0.103	252.668	4.496	0.103	259.151	3.29	0.103	1.577	0.002	0.103	3.902	0.007
8	5740	5741	SN	1	-34.758	22.729	0.003	-34.869	25.634	0.614	-12.482	27.542	6.201	-16.556	29.746	4.618	0.103	252.668	4.951	0.103	259.151	3.638	0.103	1.577	0.002	0.103	3.902	0.007
9	5740	5741	SN	1	-34.758	24.028	0.299	-34.869	25.634	1.114	-12.482	27.542	6.196	-16.556	29.746	4.618	0.103	252.668	4.565	0.103	259.151	3.341	0.103	1.577	0.002	0.103	3.902	0.007
10	5741	5742	SN	1	-34.888	20.845	0.0	-34.939	22.563	0.003	6.184	27.125	10.445	7.898	28.553	9.122	0.103	260.322	5.143	0.103	263.367	3.815	0.103	0.119	0.0	0.103	0.113	0.0
11	5741	5742	SN	1	-34.888	22.361	0.009	-34.939	24.61	0.291	6.184	27.125	10.445	7.898	28.553	9.116	0.103	260.322	4.851	0.103	263.367	3.609	0.103	0.119	0.0	0.103	0.113	0.0
12	5741	5742	SN	1	-34.888	22.361	0.009	-34.939	24.61	0.29	6.184	27.125	10.445	7.898	28.553	9.116	0.103	260.322	4.846	0.103	263.367	3.605	0.103	0.119	0.0	0.103	0.113	0.0
13	5741	5742	NS	1	-34.769	22.698	0.004	-34.883	22.706	0.011	-5.768	28.041	6.789	-6.622	29.246	17.346	0.103	253.299	6.33	0.103	260.011	5.006	0.103	0.404	0.0	0.103	0.472	0.0
14	5742	5743	SN	1	-34.945	21.753	0.0	-34.784	24.811	0.288	6.026	26.482	8.359	7.086	28.151	7.644	0.103	263.781	7.32	0.103	254.136	5.886	0.103	0.12	0.0	0.103	0.116	0.0
15	5742	5743	SN	1	-34.945	21.753	0.0	-34.784	24.811	0.288	6.026	26.482	8.359	7.086	28.151	7.644	0.103	263.781	7.339	0.103	254.136	5.895	0.103	0.12	0.0	0.103	0.116	0.0
16	5742	5743	NS	1	-34.872	22.792	0.005	-34.179	23.499	0.13	-6.613	28.727	3.777	-7.387	29.72	11.166	0.103	259.398	2.48	0.103	221.167	2.64	0.103	0.472	0.0	0.103	0.546	0.0
17	5742	5743	NS	2	-34.872	22.792	0.005	-34.179	23.499	0.13	-6.613	28.727	3.777	-7.387	29.72	11.166	0.103	259.398	2.48	0.103	221.167	2.639	0.103	0.472	0.0	0.103	0.546	0.0
18	5743	5744	SN	1	-34.931	22.44	0.003	-34.7	24.799	0.332	5.501	27.17	11.761	8.267	28.711	16.801	0.103	262.952	3.131	0.103	249.293	2.567	0.103	0.122	0.0	0.103	0.113	0.0
19	5743	5744	SN	1	-34.979	22.44	0.003	-34.36	24.799	0.333	5.503	27.17	11.766	8.267	28.71	16.801	0.103	265.826	3.13	0.103	230.564	2.567	0.103	0.122	0.0	0.103	0.113	0.0
20	5743	5744	NS	2	-32.657	22.579	0.036	-34.733	24.123	0.187	-5.021	27.588	2.927	-3.552	30.871	14.103	0.103	155.793	1.112	0.103	251.234	0.812	0.103	0.354	0.0	0.103	0.279	0.0
21	5743	5744	NS	1	-32.657	22.579	0.036	-34.733	24.123	0.187	-5.021	27.588	2.927	-3.552	30.871	14.103	0.103	155.793	1.112	0.103	251.234	0.812	0.103	0.354	0.0	0.103	0.279	0.0
22	5744	5745	SN	1	-34.979	22.655	0.021	-34.912	24.325	0.345	6.137	27.121	10.722	8.009	29.037	11.932	0.103	265.821	3.702	0.103	261.799	2.94	0.103	0.119	0.0	0.103	0.113	0.0
23	5744	5745	NS	1	-34.855	22.916	0.024	-34.886	23.199	0.081	-14.661	28.346	4.555	-5.493	29.978	13.317	0.103	258.4	3.837	0.103	260.197	3.157	0.103	2.551	0.005	0.103	0.385	0.0
24	5744	5745	NS	2	-34.987	22.916	0.024	-34.685	23.199	0.081	-14.636	28.348	4.55	-5.485	29.981	13.314	0.103	266.321	3.844	0.103	248.418	3.165	0.103	2.537	0.005	0.103	0.384	0.0
25	5744	5745	SN	1	-34.979	22.655	0.021	-34.912	24.325	0.434	6.137	27.121	10.72	8.009	29.037	11.932	0.103	265.821	3.653	0.103	261.799	2.894	0.103	0.119	0.0	0.103	0.113	0.0
26	5744	5745	SN	2	-34.979	22.655	0.021	-34.912	24.325	0.434	6.137	27.121	10.72	8.009	29.037	11.932	0.103	265.821	3.653	0.103	261.799	2.894	0.103	0.119	0.0	0.103	0.113	0.0
27	5745	5746	NS	1	-34.98	23.719	0.197	-34.671	24.279	0.455	7.098	27.317	10.152	8.0	29.632	20.626	0.103	265.957	2.137	0.103	247.638	1.808	0.103	0.116	0.0	0.103	0.113	0.0
28	5745	5746	SN	2	-34.119	21.901	0.0	-34.4	24.471	1.034	-7.291	30.889	7.499	-7.99	32.709	10.153	0.103	218.078	4.942	0.103	232.669	3.755	0.103	0.536	0.0	0.102	0.615	0.0
29	5745	5746	SN	1	-34.119	21.337	0.0	-34.4	22.047	0.001	-7.291	30.889	7.825	-7.99	32.709	10.121	0.103	218.078	5.269	0.103	232.669	4.198	0.103	0.536	0.0	0.102	0.615	0.0
30	5745	5746	SN	1	-34.119	21.901	0.0	-34.4	24.474	1.035	-7.291	30.889	7.5	-7.99	32.709	10.151	0.103	218.078	4.942	0.103	232.669	3.755	0.103	0.536	0.0	0.102	0.615	0.0
31	5745	5746	NS	1	-34.98	23.719	0.197	-34.671	24.279	0.453	7.098	27.317	10.152	8.0	29.632	20.626	0.103	265.957	2.138	0.103	247.638	1.81	0.103	0.116	0.0	0.103	0.113	0.0
32	5746	5747	SN	1	-34.458	23.674	0.011	-34.564	25.473	1.904	-8.259	29.353	9.861	-3.454	30.117	18.164	0.103	235.759	2.758	0.103	241.639	1.88	0.103	0.649	0.0	0.103	0.275	0.0
33	5746	5747	SN	1	-34.458	23.674	0.007	-34.564	25.473	0.028	-8.259	29.353	10.258	-3.454	30.117	18.167	0.103	235.759	2.925	0.103	241.639	2.072	0.103	0.649	0.0	0.103	0.275	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	5746	5747	NS	1	-34.996	23.934	0.403	-34.337	25.272	0.607	5.738	30.368	10.729	7.231	29.851	25.485	0.103	266.903	5.937	0.103	229.3	4.908	0.103	0.121	0.0	0.103	0.115	0.0
35	5746	5747	NS	1	-34.793	23.934	0.401	-34.844	25.271	0.607	5.74	30.36	10.654	7.237	29.851	25.514	0.103	254.732	5.944	0.103	257.691	4.904	0.103	0.121	0.0	0.103	0.115	0.0
36	5746	5747	SN	2	-34.458	23.674	0.011	-34.564	25.473	1.904	-8.259	29.353	9.861	-3.454	30.117	18.164	0.103	235.759	2.758	0.103	241.639	1.88	0.103	0.649	0.0	0.103	0.275	0.0
37	5747	5748	NS	1	-33.29	23.784	0.422	-34.666	24.601	0.484	-1.523	27.921	16.646	-0.928	30.11	35.209	0.103	180.211	1.866	0.103	247.39	1.449	0.103	0.21	0.0	0.103	0.195	0.0
38	5747	5748	SN	2	-34.601	24.089	0.039	-34.045	26.033	1.848	-9.548	28.361	13.052	-0.957	29.96	16.805	0.103	243.686	4.345	0.103	214.387	3.696	0.103	0.843	0.0	0.103	0.196	0.0
39	5747	5748	SN	1	-34.601	24.089	0.039	-34.045	26.033	1.848	-9.548	28.361	13.052	-0.957	29.96	16.805	0.103	243.686	4.345	0.103	214.387	3.696	0.103	0.843	0.0	0.103	0.196	0.0
40	5747	5748	NS	1	-33.29	23.784	0.422	-34.666	24.601	0.483	-1.523	27.921	16.717	-0.928	30.11	35.169	0.103	180.211	1.866	0.103	247.39	1.458	0.103	0.21	0.0	0.103	0.195	0.0
41	5748	5749	NS	1	-34.473	24.07	0.59	-34.393	25.029	0.634	-0.306	33.774	10.899	1.239	32.854	22.596	0.103	236.575	4.553	0.103	232.263	3.47	0.102	0.182	0.0	0.102	0.157	0.0
42	5748	5749	NS	2	-34.473	24.07	0.59	-34.393	25.029	0.634	-0.306	33.774	10.899	1.239	32.854	22.596	0.103	236.575	4.553	0.103	232.263	3.47	0.102	0.182	0.0	0.102	0.157	0.0
43	5753	5754	SN	1	-34.612	22.682	0.007	-34.332	24.871	0.272	-7.837	26.688	6.295	-2.481	31.124	12.589	0.103	244.355	3.413	0.103	229.104	2.78	0.103	0.597	0.0	0.103	0.238	0.0
44	5753	5754	SN	1	-34.612	24.268	1.239	-34.332	26.324	3.298	-7.837	26.688	6.383	-2.481	31.124	12.796	0.103	244.355	3.192	0.103	229.104	2.359	0.103	0.597	0.0	0.103	0.238	0.0
45	5753	5754	SN	1	-34.414	24.268	1.202	-33.355	26.326	3.177	-7.804	26.706	5.863	-2.475	31.126	12.645	0.103	233.458	3.165	0.103	182.905	2.295	0.103	0.593	0.0	0.103	0.238	0.0
46	5754	5755	NS	1	-34.725	25.456	0.037	-34.96	27.866	0.203	4.828	31.74	6.0	5.559	35.734	24.688	0.103	250.775	1.713	0.103	264.671	1.259	0.102	0.125	0.0	0.102	0.122	0.0
47	5754	5755	SN	1	-34.498	24.297	0.695	-34.229	26.254	1.932	-8.4	30.444	6.927	-1.876	29.464	7.248	0.103	237.975	2.814	0.103	223.668	2.203	0.103	0.667	0.0	0.103	0.22	0.0
48	5754	5755	SN	1	-34.498	24.296	0.697	-34.229	26.254	1.292	-8.4	30.444	7.147	-1.876	29.464	7.249	0.103	237.975	2.822	0.103	223.668	2.29	0.103	0.667	0.0	0.103	0.22	0.0
49	5754	5755	SN	1	-34.498	23.151	0.001	-34.229	26.254	0.208	-8.4	30.444	7.172	-1.876	29.464	7.249	0.103	237.975	3.094	0.103	223.668	2.578	0.103	0.667	0.0	0.103	0.22	0.0
50	5754	5755	NS	1	-34.725	25.456	0.037	-34.96	27.866	0.203	4.828	31.74	6.0	5.559	35.734	24.688	0.103	250.775	1.71	0.103	264.671	1.262	0.102	0.125	0.0	0.102	0.122	0.0
51	5755	5756	SN	1	-34.982	24.84	0.064	-34.071	24.649	0.494	-31.753	27.118	8.291	-7.982	29.681	6.689	0.103	266.008	3.155	0.103	215.701	2.203	0.103	126.552	0.003	0.103	0.614	0.0
52	5755	5756	NS	1	-34.846	22.604	0.006	-34.173	24.355	0.099	-2.059	28.4	6.093	-7.377	29.3	18.17	0.103	257.828	5.154	0.103	220.837	4.948	0.103	0.225	0.0	0.103	0.545	0.0
53	5755	5756	NS	1	-34.606	22.605	0.006	-34.266	24.355	0.099	-2.059	28.4	6.433	-7.377	29.302	19.05	0.103	243.99	5.151	0.103	225.565	4.944	0.103	0.225	0.0	0.103	0.545	0.0
54	5755	5756	SN	1	-34.982	24.84	0.065	-34.071	24.649	0.501	-31.753	27.118	8.291	-7.982	29.681	6.689	0.103	266.008	3.115	0.103	215.701	2.179	0.103	126.552	0.003	0.103	0.614	0.0
55	5755	5756	SN	1	-34.919	24.84	0.065	-33.376	24.302	0.215	-30.245	27.118	8.294	-7.982	29.681	6.696	0.103	262.15	3.336	0.103	183.797	2.32	0.103	89.431	0.003	0.103	0.614	0.0
56	5756	5757	SN	1	-34.815	22.418	0.003	-34.852	24.845	0.268	6.544	27.218	7.979	7.2	28.346	6.09	0.103	255.938	4.024	0.103	258.147	2.906	0.103	0.118	0.0	0.103	0.115	0.0
57	5756	5757	NS	1	-34.878	22.891	0.014	-34.683	22.727	0.025	-4.406	27.99	6.179	-4.061	29.203	16.362	0.103	259.711	6.508	0.103	248.325	6.208	0.103	0.319	0.0	0.103	0.302	0.0
58	5756	5757	SN	1	-34.815	21.638	0.0	-34.852	22.246	0.004	6.544	27.218	7.996	7.2	28.346	6.058	0.103	255.938	4.317	0.103	258.147	3.099	0.103	0.118	0.0	0.103	0.115	0.0
59	5756	5757	NS	1	-34.878	22.891	0.014	-34.683	22.727	0.025	-4.406	27.99	6.188	-4.061	29.203	16.401	0.103	259.711	6.509	0.103	248.325	6.208	0.103	0.319	0.0	0.103	0.302	0.0
60	5757	5758	SN	2	-34.906	21.695	0.0	-34.902	25.167	0.326	5.806	27.574	12.662	8.161	27.969	17.672	0.103	270.79	4.465	0.103	261.103	3.825	0.103	0.121	0.0	0.103	0.113	0.0
61	5757	5758	SN	1	-34.906	21.695	0.0	-34.902	24.732	0.055	5.806	27.574	12.965	8.161	27.969	18.235	0.103	270.79	4.735	0.103	261.103	4.05	0.103	0.121	0.0	0.103	0.113	0.0
62	5757	5758	NS	1	-34.793	23.592	0.024	-33.922	23.358	0.184	-17.708	28.004	2.721	-17.916	32.855	10.971	0.103	254.664	1.012	0.103	208.432	0.977	0.103	5.062	0.01	0.102	5.306	0.002
63	5757	5758	NS	1	-34.793	20.763	0.0	-33.922	22.435	0.005	-17.708	26.873	3.434	-17.916	32.855	14.127	0.103	254.664	1.339	0.103	208.432	1.032	0.103	5.062	0.013	0.102	5.306	0.003
64	5757	5758	SN	1	-34.666	21.694	0.0	-34.216	25.167	0.326	5.806	27.574	12.656	8.161	27.969	17.674	0.103	247.357	4.462	0.103	222.995	3.827	0.103	0.121	0.0	0.103	0.113	0.0
65	5758	5759	NS	1	-34.852	23.001	0.031	-34.116	23.43	0.084	-5.015	27.317	3.656	-5.229	29.085	11.699	0.103	258.161	2.423	0.103	217.949	1.921	0.103	0.354	0.0	0.103	0.367	0.0
66	5758	5759	SN	1	-34.823	20.812	0.0	-34.968	25.543	0.039	5.88	26.802	14.345	8.626	28.99	18.03	0.103	256.47	2.596	0.103	265.202	1.789	0.103	0.12	0.0	0.103	0.112	0.0
67	5758	5759	SN	1	-34.823	22.472	0.008	-34.968	25.543	0.342	5.88	26.802	12.723	8.626	28.99	16.883	0.103	256.47	2.476	0.103	265.202	1.681	0.103	0.12	0.0	0.103	0.112	0.0
68	5758	5759	SN	1	-34.823	22.472	0.008	-34.968	25.543	0.342	5.88	26.802	12.716	8.626	28.99	16.88	0.103	256.47	2.502	0.103	265.202	1.679	0.103	0.12	0.0	0.103	0.112	0.0
69	5758	5759	NS	2	-33.944	23.0	0.031	-33.528	23.433	0.084	-5.009	27.316	3.66	-5.235	29.084	11.697	0.103	209.503	2.431	0.103	190.329	1.925	0.103	0.353	0.0	0.103	0.368	0.0
70	5759	5760	NS	1	-34.874	23.36	0.05	-34.663	24.715	0.456	-5.403	28.266	7.624	-7.008	30.696	14.996	0.103	259.427	2.349	0.103	247.212	2.032	0.103	0.379	0.0	0.103	0.508	0.0
71	5759	5760	SN	1	-34.752	19.254	0.0	-34.86	21.129	0.0	5.443	28.115	8.658	4.44	30.781	10.147	0.103	252.26	5.743	0.103	258.628	4.658	0.103	0.122	0.0	0.103	0.128	0.0
72	5759	5760	NS	2	-34.874	23.36	0.05	-34.663	24.715	0.456	-5.403	28.266	7.624	-7.008	30.696	14.996	0.103	259.427	2.349	0.103	247.212	2.031	0.103	0.379	0.0	0.103	0.508	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	5759	5760	SN	1	-34.752	23.177	0.018	-34.86	24.559	0.507	5.443	28.115	7.856	4.44	30.781	10.028	0.103	252.26	5.428	0.103	258.628	4.286	0.103	0.122	0.0	0.103	0.128	0.0
74	5759	5760	SN	1	-34.752	23.177	0.018	-34.86	24.559	0.507	5.443	28.115	7.851	4.44	30.781	10.013	0.103	252.26	5.425	0.103	258.628	4.297	0.103	0.122	0.0	0.103	0.128	0.0
75	5760	5761	SN	2	-34.936	21.604	0.0	-34.397	25.275	1.62	-0.334	33.931	9.107	3.187	33.527	13.277	0.103	263.206	5.192	0.103	232.554	3.384	0.102	0.183	0.0	0.102	0.136	0.0
76	5760	5761	NS	1	-34.993	24.598	0.415	-34.722	24.711	0.763	7.431	30.495	8.2	6.97	29.545	16.498	0.103	266.672	4.129	0.103	250.571	3.092	0.103	0.115	0.0	0.103	0.116	0.0
77	5760	5761	NS	1	-34.993	24.598	0.414	-34.722	24.711	0.762	7.431	30.495	8.2	6.97	29.545	16.498	0.103	266.672	4.14	0.103	250.571	3.088	0.103	0.115	0.0	0.103	0.116	0.0
78	5760	5761	SN	1	-34.936	20.845	0.0	-34.397	22.579	0.003	-0.334	33.931	9.791	3.187	33.527	13.307	0.103	263.206	5.593	0.103	232.554	3.815	0.102	0.183	0.0	0.102	0.136	0.0
79	5760	5761	SN	1	-34.936	21.604	0.0	-34.397	25.275	1.62	-0.334	33.931	9.107	3.187	33.527	13.277	0.103	263.206	5.192	0.103	232.554	3.384	0.102	0.183	0.0	0.102	0.136	0.0
80	5761	5762	SN	1	-34.804	23.246	0.019	-34.137	26.736	1.818	-8.534	31.486	12.576	-3.66	30.209	20.34	0.103	255.299	3.368	0.103	219.043	2.173	0.103	0.686	0.0	0.103	0.283	0.0
81	5761	5762	SN	2	-34.804	23.246	0.019	-34.137	26.736	1.818	-8.534	31.486	12.576	-3.66	30.209	20.34	0.103	255.299	3.368	0.103	219.043	2.173	0.103	0.686	0.0	0.103	0.283	0.0
82	5761	5762	NS	1	-34.863	23.843	0.387	-34.643	24.242	0.463	4.938	28.222	12.003	1.911	30.419	36.107	0.103	258.82	3.84	0.103	246.045	3.15	0.103	0.125	0.0	0.103	0.149	0.0
83	5761	5762	NS	1	-34.863	23.843	0.388	-34.643	24.242	0.463	4.938	28.222	12.011	1.911	30.419	36.126	0.103	258.82	3.845	0.103	246.045	3.154	0.103	0.125	0.0	0.103	0.149	0.0
84	5762	5763	SN	1	-34.818	26.773	0.09	-34.479	26.759	1.963	-1.202	28.055	12.776	-0.509	30.747	15.499	0.103	256.194	5.213	0.103	236.917	3.815	0.103	0.202	0.0	0.103	0.186	0.0
85	5762	5763	NS	1	-34.318	24.079	0.472	-34.328	24.776	0.502	-6.395	29.364	11.125	-0.461	30.496	26.373	0.103	228.297	2.599	0.103	228.781	2.399	0.103	0.453	0.0	0.103	0.185	0.0
86	5762	5763	NS	1	-34.318	24.079	0.473	-34.328	24.776	0.503	-6.395	29.364	11.125	-0.461	30.496	26.373	0.103	228.297	2.603	0.103	228.781	2.403	0.103	0.453	0.0	0.103	0.185	0.0
87	5763	5764	NS	1	-34.747	24.319	1.169	-34.974	25.257	1.072	-3.68	30.04	13.727	2.438	31.949	22.796	0.103	251.96	4.551	0.103	265.557	4.033	0.103	0.284	0.0	0.102	0.143	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5739	5740	SN	1	57.49	58.403	0.0	0.0	299.696	3.985	1202.28	1295.008	35.004	-93.519	-91.803	0.0
2	5739	5740	SN	1	57.574	58.403	0.0	0.0	299.696	5.55	1208.304	1295.008	27.257	-93.519	-91.826	0.0
3	5739	5740	NS	1	57.484	58.42	0.0	0.0	295.03	3.782	1204.168	1295.104	29.76	-93.831	-91.543	0.0
4	5739	5740	NS	1	57.484	58.42	0.0	0.0	295.03	3.775	1204.168	1295.104	29.745	-93.831	-91.543	0.0
5	5740	5741	NS	1	57.505	58.417	0.0	0.0	294.749	3.538	1204.592	1295.368	29.802	-94.123	-91.5	0.0
6	5740	5741	NS	1	57.505	58.417	0.0	0.0	294.749	3.542	1204.592	1295.368	29.792	-94.123	-91.5	0.0
7	5740	5741	SN	1	57.502	58.416	0.0	0.0	299.674	3.692	1202.528	1295.232	33.733	-93.757	-91.766	0.0
8	5740	5741	SN	1	57.502	58.416	0.0	0.0	287.547	3.143	1202.528	1295.232	35.74	-93.757	-91.766	0.0
9	5740	5741	SN	1	57.502	58.416	0.0	0.0	299.773	3.646	1202.528	1295.232	34.039	-93.757	-91.766	0.0
10	5741	5742	SN	1	57.475	58.401	0.0	0.0	299.437	3.179	1201.488	1295.312	35.957	-93.51	-91.785	0.0
11	5741	5742	SN	1	57.475	58.401	0.0	0.0	299.437	3.602	1201.488	1295.312	34.177	-93.51	-91.785	0.0
12	5741	5742	SN	1	57.475	58.401	0.0	0.0	299.437	3.598	1201.488	1295.312	34.141	-93.51	-91.785	0.0
13	5741	5742	NS	1	57.475	58.412	0.0	0.0	295.163	3.551	1204.088	1295.48	29.616	-93.79	-91.492	0.0
14	5742	5743	SN	1	57.482	58.4	0.0	0.0	296.326	3.611	1201.592	1295.2	35.069	-93.606	-91.806	0.0
15	5742	5743	SN	1	57.482	58.4	0.0	0.0	296.326	3.608	1201.592	1295.2	35.034	-93.606	-91.806	0.0
16	5742	5743	NS	1	57.507	58.412	0.0	0.0	296.795	3.66	1204.752	1295.384	29.771	-94.212	-91.531	0.0
17	5742	5743	NS	2	57.507	58.412	0.0	0.0	296.795	3.66	1204.752	1295.384	29.77	-94.212	-91.531	0.0
18	5743	5744	SN	1	57.472	58.402	0.0	0.0	292.306	3.591	1201.592	1295.112	34.825	-93.547	-91.805	0.0
19	5743	5744	SN	1	57.478	58.417	0.0	0.0	292.185	3.596	1201.552	1295.128	34.876	-93.557	-91.805	0.0
20	5743	5744	NS	2	57.478	58.413	0.0	0.0	299.294	3.706	1204.672	1295.304	29.674	-93.854	-91.557	0.0
21	5743	5744	NS	1	57.478	58.413	0.0	0.0	299.294	3.706	1204.672	1295.304	29.674	-93.854	-91.557	0.0
22	5744	5745	SN	1	57.472	58.399	0.0	0.0	288.308	3.619	1201.616	1294.96	34.986	-93.703	-91.796	0.0
23	5744	5745	NS	1	57.481	58.417	0.0	0.0	297.049	3.731	1204.848	1295.088	28.407	-93.828	-91.549	0.0
24	5744	5745	NS	2	57.484	58.411	0.0	0.0	297.27	3.734	1204.336	1295.136	28.334	-93.941	-91.55	0.0
25	5744	5745	SN	1	57.472	58.399	0.0	0.0	288.308	3.684	1201.616	1294.96	34.555	-93.703	-91.796	0.0
26	5744	5745	SN	2	57.472	58.399	0.0	0.0	288.308	3.684	1201.616	1294.96	34.555	-93.703	-91.796	0.0
27	5745	5746	NS	1	57.501	58.411	0.0	0.0	294.043	3.622	1204.688	1295.12	28.42	-93.826	-91.566	0.0
28	5745	5746	SN	2	57.484	58.414	0.0	0.0	286.124	3.809	1201.928	1294.96	35.161	-93.629	-91.787	0.0
29	5745	5746	SN	1	57.484	58.414	0.0	0.0	286.124	3.064	1201.928	1294.96	37.553	-93.629	-91.787	0.0
30	5745	5746	SN	1	57.484	58.414	0.0	0.0	286.124	3.808	1201.928	1294.96	35.161	-93.629	-91.787	0.0
31	5745	5746	NS	1	57.501	58.411	0.0	0.0	294.043	3.625	1204.688	1295.12	28.411	-93.826	-91.566	0.0
32	5746	5747	SN	1	57.503	58.4	0.0	0.0	299.448	3.737	1202.296	1295.088	35.447	-93.545	-91.757	0.0
33	5746	5747	SN	1	57.503	58.4	0.0	0.0	285.694	2.808	1202.296	1295.088	37.979	-93.545	-91.757	0.0
34	5746	5747	NS	1	57.503	58.428	0.0	0.0	295.554	3.661	1204.664	1295.192	29.418	-93.932	-91.565	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	5746	5747	NS	1	57.503	58.426	0.0	0.0	295.538	3.664	1204.96	1295.256	29.271	-94.045	-91.565	0.0
36	5746	5747	SN	2	57.503	58.4	0.0	0.0	299.448	3.737	1202.296	1295.088	35.447	-93.545	-91.757	0.0
37	5747	5748	NS	1	57.493	58.411	0.0	0.0	294.098	3.839	1205.152	1295.216	29.841	-93.76	-91.567	0.0
38	5747	5748	SN	2	57.503	58.4	0.0	0.0	298.72	3.652	1202.368	1295.056	34.268	-93.694	-91.734	0.0
39	5747	5748	SN	1	57.503	58.4	0.0	0.0	298.72	3.652	1202.368	1295.056	34.268	-93.694	-91.734	0.0
40	5747	5748	NS	1	57.493	58.411	0.0	0.0	294.098	3.837	1205.152	1295.216	29.851	-93.76	-91.567	0.0
41	5748	5749	NS	1	57.509	58.411	0.0	0.0	294.01	3.759	1205.336	1295.024	29.056	-94.062	-91.54	0.0
42	5748	5749	NS	2	57.509	58.411	0.0	0.0	294.01	3.759	1205.336	1295.024	29.056	-94.062	-91.54	0.0
43	5753	5754	SN	1	57.469	58.398	0.0	0.0	287.232	2.828	1201.304	1295.016	39.871	-93.963	-91.795	0.0
44	5753	5754	SN	1	57.469	58.398	0.0	0.0	287.232	4.12	1201.304	1295.016	37.437	-93.963	-91.795	0.0
45	5753	5754	SN	1	57.481	58.402	0.0	0.0	287.409	3.981	1201.36	1295.024	36.285	-93.571	-91.795	0.0
46	5754	5755	NS	1	57.511	58.43	0.0	0.0	295.494	3.619	1205.52	1295.208	27.726	-94.309	-91.551	0.0
47	5754	5755	SN	1	57.499	58.414	0.0	0.0	299.536	3.764	1201.416	1294.968	36.644	-94.035	-91.795	0.0
48	5754	5755	SN	1	57.499	58.414	0.0	0.0	299.459	3.397	1201.416	1294.968	37.017	-94.035	-91.795	0.0
49	5754	5755	SN	1	57.499	58.414	0.0	0.0	286.124	2.748	1201.416	1294.968	39.147	-94.035	-91.795	0.0
50	5754	5755	NS	1	57.511	58.43	0.0	0.0	295.494	3.615	1205.52	1295.208	27.707	-94.309	-91.551	0.0
51	5755	5756	SN	1	57.483	58.397	0.0	0.0	299.768	3.569	1201.296	1295.168	36.938	-93.863	-91.765	0.0
52	5755	5756	NS	1	57.511	58.426	0.0	0.0	294.214	3.517	1205.688	1295.424	27.547	-93.871	-91.497	0.0
53	5755	5756	NS	1	57.512	58.419	0.0	0.003	294.176	3.591	1205.712	1295.464	27.409	-93.854	-91.497	0.0
54	5755	5756	SN	1	57.483	58.397	0.0	0.0	299.685	3.626	1201.296	1295.168	36.602	-93.863	-91.765	0.0
55	5755	5756	SN	1	57.468	58.396	0.0	0.0	286.383	3.258	1200.92	1295.192	38.4	-93.863	-91.765	0.0
56	5756	5757	SN	1	57.465	58.396	0.0	0.0	285.655	3.625	1200.992	1295.128	37.252	-93.965	-91.797	0.0
57	5756	5757	NS	1	57.513	58.416	0.0	0.0	294.247	3.598	1205.872	1295.416	27.568	-93.711	-91.54	0.0
58	5756	5757	SN	1	57.465	58.396	0.0	0.0	285.655	3.03	1200.992	1295.128	39.317	-93.965	-91.797	0.0
59	5756	5757	NS	1	57.513	58.416	0.0	0.0	294.247	3.601	1205.872	1295.416	27.573	-93.711	-91.54	0.0
60	5757	5758	SN	2	57.482	58.395	0.0	0.0	298.891	3.641	1200.408	1294.96	37.443	-93.529	-91.796	0.0
61	5757	5758	SN	1	57.482	58.395	0.0	0.0	284.568	3.079	1200.408	1294.96	39.348	-93.529	-91.796	0.0
62	5757	5758	NS	1	57.511	58.416	0.0	0.0	295.35	3.702	1205.976	1295.28	27.329	-93.77	-91.548	0.0
63	5757	5758	NS	1	57.522	58.416	0.0	0.0	293.541	2.925	1206.032	1295.28	29.334	-93.77	-91.555	0.0
64	5757	5758	SN	1	57.468	58.396	0.0	0.0	298.891	3.638	1200.608	1294.968	37.467	-93.529	-91.796	0.0
65	5758	5759	NS	1	57.512	58.417	0.0	0.0	296.85	3.722	1206.048	1295.128	26.953	-93.764	-91.565	0.0
66	5758	5759	SN	1	57.496	58.394	0.0	0.0	298.841	2.911	1200.816	1294.848	39.954	-93.572	-91.792	0.0
67	5758	5759	SN	1	57.496	58.394	0.0	0.0	298.841	3.597	1200.816	1294.848	37.477	-93.572	-91.792	0.0
68	5758	5759	SN	1	57.496	58.394	0.0	0.0	298.841	3.593	1200.816	1294.848	37.439	-93.572	-91.792	0.0
69	5758	5759	NS	2	57.514	58.415	0.0	0.0	296.939	3.723	1206.112	1295.152	26.846	-93.772	-91.565	0.0
70	5759	5760	NS	1	57.482	58.414	0.0	0.0	299.404	3.672	1205.016	1295.064	25.263	-93.876	-91.568	0.0
71	5759	5760	SN	1	57.467	58.394	0.0	0.0	293.773	2.895	1200.848	1294.744	39.353	-93.597	-91.786	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	5759	5760	NS	2	57.482	58.414	0.0	0.0	299.404	3.672	1205.016	1295.064	25.262	-93.876	-91.568	0.0
73	5759	5760	SN	1	57.467	58.394	0.0	0.0	293.773	3.713	1200.848	1294.744	36.892	-93.597	-91.786	0.0
74	5759	5760	SN	1	57.467	58.394	0.0	0.0	293.773	3.709	1200.848	1294.744	36.844	-93.597	-91.786	0.0
75	5760	5761	SN	2	57.498	58.395	0.0	0.0	290.188	3.837	1201.352	1294.904	37.315	-93.642	-91.776	0.0
76	5760	5761	NS	1	57.514	58.454	0.0	0.0	295.88	3.576	1205.944	1295.176	26.847	-93.843	-91.574	0.0
77	5760	5761	NS	1	57.514	58.454	0.0	0.0	295.88	3.572	1205.944	1295.176	26.82	-93.843	-91.574	0.0
78	5760	5761	SN	1	57.498	58.395	0.0	0.0	290.188	2.808	1201.352	1294.904	40.001	-93.642	-91.776	0.0
79	5760	5761	SN	1	57.498	58.395	0.0	0.0	290.188	3.837	1201.352	1294.904	37.315	-93.642	-91.776	0.0
80	5761	5762	SN	1	57.476	58.395	0.0	0.0	299.806	3.71	1201.496	1294.92	36.241	-93.611	-91.728	0.0
81	5761	5762	SN	2	57.476	58.395	0.0	0.0	299.806	3.71	1201.496	1294.92	36.241	-93.611	-91.728	0.0
82	5761	5762	NS	1	57.488	58.434	0.0	0.0	298.648	3.687	1205.672	1295.216	27.532	-93.933	-91.575	0.0
83	5761	5762	NS	1	57.488	58.434	0.0	0.0	298.648	3.69	1205.672	1295.216	27.56	-93.933	-91.575	0.0
84	5762	5763	SN	1	57.498	58.394	0.0	0.0	299.018	3.673	1201.264	1294.808	35.683	-93.626	-91.755	0.0
85	5762	5763	NS	1	57.514	58.413	0.0	0.0	294.677	3.778	1206.032	1295.08	27.182	-93.822	-91.568	0.0
86	5762	5763	NS	1	57.514	58.413	0.0	0.0	294.677	3.781	1206.032	1295.08	27.212	-93.822	-91.568	0.0
87	5763	5764	NS	1	57.516	58.414	0.0	0.0	293.315	3.666	1206.4	1294.992	26.993	-93.89	-91.542	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5739	5740	SN	1	-34.685	18.504	0.0	-34.663	19.448	0.0	-17.431	21.671	0.0	-26.163	23.59	0.087	0.083	202.887	3.032	0.083	201.871	2.518	0.083	4.165	0.009	0.083	28.561	0.014
2	5739	5740	SN	1	-34.685	18.504	0.0	-34.663	19.448	0.0	-7.042	21.671	0.0	-3.29	23.59	0.158	0.083	202.887	3.043	0.083	201.871	2.707	0.083	0.416	0.0	0.083	0.217	0.0
3	5739	5740	NS	1	-34.631	19.929	0.0	-34.051	20.772	0.0	-4.576	22.778	0.009	-5.419	23.563	0.109	0.083	200.345	2.349	0.083	175.331	2.546	0.083	0.267	0.0	0.083	0.308	0.0
4	5739	5740	NS	1	-34.631	19.929	0.0	-34.051	20.772	0.0	-4.576	22.778	0.009	-5.419	23.563	0.109	0.083	200.345	2.35	0.083	175.331	2.542	0.083	0.267	0.0	0.083	0.308	0.0
5	5740	5741	NS	1	-34.601	20.082	0.0	-33.721	20.761	0.0	-8.138	21.986	0.0	-5.733	23.374	0.058	0.083	198.979	2.552	0.083	162.482	2.532	0.083	0.515	0.0	0.083	0.326	0.0
6	5740	5741	NS	1	-34.601	20.082	0.0	-33.721	20.761	0.0	-8.138	21.986	0.0	-5.733	23.374	0.059	0.083	198.979	2.552	0.083	162.482	2.532	0.083	0.515	0.0	0.083	0.326	0.0
7	5740	5741	SN	1	-34.796	18.41	0.0	-34.982	19.138	0.0	-10.826	21.442	0.0	-15.788	23.275	0.095	0.083	208.138	4.222	0.083	217.255	3.231	0.083	0.899	0.0	0.083	2.679	0.002
8	5740	5741	SN	1	-34.796	16.211	0.0	-34.982	19.138	0.0	-10.826	21.442	0.0	-15.788	23.275	0.095	0.084	208.138	4.534	0.083	217.255	3.545	0.083	0.899	0.0	0.083	2.679	0.002
9	5740	5741	SN	1	-34.796	18.41	0.0	-34.982	19.138	0.0	-10.826	21.442	0.0	-15.788	23.275	0.095	0.083	208.138	4.284	0.083	217.255	3.271	0.083	0.899	0.0	0.083	2.679	0.002
10	5741	5742	SN	1	-34.985	15.678	0.0	-34.871	17.3	0.0	1.912	21.448	0.0	2.189	22.44	0.015	0.084	217.366	4.027	0.084	211.729	3.154	0.083	0.12	0.0	0.083	0.118	0.0
11	5741	5742	SN	1	-34.985	16.685	0.0	-34.871	18.659	0.0	1.912	21.448	0.0	2.189	22.44	0.015	0.084	217.366	3.805	0.083	211.729	2.99	0.083	0.12	0.0	0.083	0.118	0.0
12	5741	5742	SN	1	-34.985	16.685	0.0	-34.871	18.659	0.0	1.912	21.448	0.0	2.189	22.44	0.015	0.084	217.366	3.802	0.083	211.729	2.993	0.083	0.12	0.0	0.083	0.118	0.0
13	5741	5742	NS	1	-34.868	17.014	0.0	-34.999	17.474	0.0	-6.899	20.633	0.0	-20.533	22.557	0.026	0.084	211.606	4.997	0.084	218.08	4.129	0.083	0.405	0.0	0.083	7.86	0.018
14	5742	5743	SN	1	-34.583	16.819	0.0	-34.993	18.492	0.0	0.59	22.353	0.011	2.542	22.402	0.1	0.084	198.171	5.977	0.083	217.769	5.077	0.083	0.135	0.0	0.083	0.115	0.0
15	5742	5743	SN	1	-34.583	16.819	0.0	-34.993	18.492	0.0	0.59	22.353	0.011	2.542	22.402	0.1	0.084	198.171	5.997	0.083	217.769	5.082	0.083	0.135	0.0	0.083	0.115	0.0
16	5742	5743	NS	1	-34.403	16.986	0.0	-34.298	17.505	0.0	-15.007	21.742	0.0	-29.219	22.716	0.021	0.084	190.12	2.612	0.083	185.587	2.913	0.083	2.249	0.007	0.083	57.685	0.054
17	5742	5743	NS	2	-34.403	16.986	0.0	-34.298	17.505	0.0	-15.007	21.742	0.0	-29.219	22.716	0.021	0.084	190.12	2.612	0.083	185.587	2.912	0.083	2.249	0.007	0.083	57.685	0.054
18	5743	5744	SN	1	-34.716	16.45	0.0	-34.909	18.628	0.0	0.664	20.971	0.0	2.72	22.829	0.099	0.084	204.35	3.186	0.083	213.616	2.804	0.083	0.134	0.0	0.083	0.113	0.0
19	5743	5744	SN	1	-34.994	16.45	0.0	-34.755	18.628	0.0	0.662	20.971	0.0	2.723	22.825	0.099	0.084	217.839	3.171	0.083	206.177	2.805	0.083	0.134	0.0	0.083	0.113	0.0
20	5743	5744	NS	2	-34.823	17.921	0.0	-34.329	17.956	0.0	-19.407	22.365	0.003	-13.98	22.797	0.008	0.083	209.407	1.354	0.083	186.921	1.132	0.083	6.08	0.009	0.083	1.788	0.007
21	5743	5744	NS	1	-34.823	17.921	0.0	-34.329	17.956	0.0	-19.407	22.365	0.003	-13.98	22.797	0.008	0.083	209.407	1.354	0.083	186.921	1.132	0.083	6.08	0.009	0.083	1.788	0.007
22	5744	5745	SN	1	-34.437	16.18	0.0	-33.966	18.43	0.0	-0.007	21.76	0.0	4.562	21.912	0.0	0.084	191.646	3.365	0.083	171.917	2.817	0.083	0.143	0.0	0.083	0.102	0.0
23	5744	5745	NS	1	-34.923	17.902	0.0	-34.741	18.068	0.0	-30.951	21.414	0.0	-22.719	22.662	0.033	0.083	214.295	3.309	0.083	205.453	2.972	0.083	85.888	0.11	0.083	12.962	0.008
24	5744	5745	NS	2	-34.997	17.899	0.0	-34.789	18.068	0.0	-31.95	21.411	0.0	-22.867	22.662	0.033	0.083	218.018	3.303	0.083	207.77	2.978	0.083	108.11	0.112	0.083	13.408	0.008
25	5744	5745	SN	1	-34.437	16.951	0.0	-33.966	18.43	0.0	-0.007	21.76	0.0	4.562	21.912	0.0	0.084	191.646	3.328	0.083	171.917	2.775	0.083	0.143	0.0	0.083	0.102	0.0
26	5744	5745	SN	2	-34.437	16.951	0.0	-33.966	18.43	0.0	-0.007	21.76	0.0	4.562	21.912	0.0	0.084	191.646	3.328	0.083	171.917	2.775	0.083	0.143	0.0	0.083	0.102	0.0
27	5745	5746	NS	1	-34.635	18.065	0.0	-34.717	18.207	0.0	2.706	22.333	0.016	2.288	22.795	0.192	0.083	200.54	2.304	0.083	204.419	2.189	0.083	0.114	0.0	0.083	0.117	0.0
28	5745	5746	SN	2	-34.929	17.039	0.0	-34.875	18.608	0.0	-6.505	22.684	0.058	-4.494	23.422	0.444	0.084	214.613	3.891	0.083	211.912	3.215	0.083	0.389	0.0	0.083	0.263	0.0
29	5745	5746	SN	1	-34.929	15.187	0.0	-34.875	17.797	0.0	-6.505	22.684	0.062	-4.494	23.422	0.445	0.084	214.613	4.126	0.083	211.912	3.575	0.083	0.389	0.0	0.083	0.263	0.0
30	5745	5746	SN	1	-34.929	17.036	0.0	-34.875	18.605	0.0	-6.505	22.684	0.058	-4.494	23.422	0.444	0.084	214.613	3.891	0.083	211.912	3.214	0.083	0.389	0.0	0.083	0.263	0.0
31	5745	5746	NS	1	-34.635	18.065	0.0	-34.717	18.207	0.0	2.706	22.333	0.016	2.288	22.795	0.192	0.083	200.54	2.305	0.083	204.419	2.182	0.083	0.114	0.0	0.083	0.117	0.0
32	5746	5747	SN	1	-34.878	16.463	0.0	-34.382	19.038	0.0	-6.735	22.744	0.02	-5.934	23.484	0.566	0.084	212.075	2.355	0.083	189.157	1.912	0.083	0.392	0.0	0.083	0.338	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	5746	5747	SN	1	-34.878	16.433	0.0	-34.382	18.731	0.0	-6.735	22.744	0.021	-5.934	23.484	0.484	0.084	212.075	2.545	0.083	189.157	2.194	0.083	0.392	0.0	0.083	0.338	0.0
34	5746	5747	NS	1	-34.386	17.85	0.0	-34.606	18.292	0.0	1.162	22.32	0.016	1.994	23.276	0.408	0.083	189.402	3.711	0.083	199.202	3.433	0.083	0.128	0.0	0.083	0.119	0.0
35	5746	5747	NS	1	-34.247	17.843	0.0	-34.979	18.295	0.0	1.151	22.317	0.016	1.99	23.273	0.408	0.083	183.415	3.706	0.083	217.058	3.411	0.083	0.128	0.0	0.083	0.119	0.0
36	5746	5747	SN	2	-34.878	16.463	0.0	-34.382	19.038	0.0	-6.735	22.744	0.02	-5.934	23.484	0.566	0.084	212.075	2.355	0.083	189.157	1.912	0.083	0.392	0.0	0.083	0.338	0.0
37	5747	5748	NS	1	-34.535	18.202	0.0	-34.427	18.389	0.0	-0.114	22.265	0.028	-2.265	24.082	1.165	0.083	195.997	2.273	0.083	191.153	1.905	0.083	0.144	0.0	0.083	0.187	0.0
38	5747	5748	SN	2	-34.032	16.863	0.0	-34.939	19.253	0.0	-22.728	22.047	0.003	-6.315	23.637	0.239	0.084	174.59	4.106	0.083	215.048	3.709	0.083	12.987	0.03	0.083	0.363	0.0
39	5747	5748	SN	1	-34.032	16.863	0.0	-34.939	19.253	0.0	-22.728	22.047	0.003	-6.315	23.637	0.239	0.084	174.59	4.106	0.083	215.048	3.709	0.083	12.987	0.03	0.083	0.363	0.0
40	5747	5748	NS	1	-34.535	18.202	0.0	-34.427	18.389	0.0	-0.114	22.265	0.028	-2.265	24.082	1.163	0.083	195.997	2.274	0.083	191.153	1.91	0.083	0.144	0.0	0.083	0.187	0.0
41	5748	5749	NS	1	-34.691	18.476	0.0	-34.963	19.155	0.0	-3.128	22.212	0.003	1.895	23.843	0.84	0.083	203.184	3.396	0.083	216.286	3.164	0.083	0.212	0.0	0.083	0.12	0.0
42	5748	5749	NS	2	-34.691	18.476	0.0	-34.963	19.155	0.0	-3.128	22.212	0.003	1.895	23.843	0.84	0.083	203.184	3.396	0.083	216.286	3.164	0.083	0.212	0.0	0.083	0.12	0.0
43	5753	5754	SN	1	-34.838	16.241	0.0	-34.174	17.585	0.0	-7.243	21.799	0.0	-3.524	22.582	0.011	0.084	210.117	3.449	0.083	180.404	3.157	0.083	0.432	0.0	0.083	0.225	0.0
44	5753	5754	SN	1	-34.838	17.86	0.0	-34.174	19.644	0.0	-7.243	21.799	0.0	-3.524	22.582	0.015	0.083	210.117	3.264	0.083	180.404	2.629	0.083	0.432	0.0	0.083	0.225	0.0
45	5753	5754	SN	1	-34.903	17.86	0.0	-34.835	19.638	0.0	-7.272	21.799	0.0	-3.539	22.583	0.014	0.083	213.322	3.247	0.083	210.021	2.492	0.083	0.435	0.0	0.083	0.226	0.0
46	5754	5755	NS	1	-33.466	19.087	0.0	-34.829	21.309	0.0	-4.455	21.123	0.0	-0.535	27.076	0.076	0.083	153.211	1.406	0.083	209.678	1.313	0.083	0.261	0.0	0.083	0.151	0.0
47	5754	5755	SN	1	-34.781	18.578	0.0	-34.962	19.07	0.0	-3.015	21.779	0.0	-5.445	23.055	0.071	0.083	207.403	2.854	0.083	216.24	2.274	0.083	0.208	0.0	0.083	0.31	0.0
48	5754	5755	SN	1	-34.781	18.578	0.0	-34.962	19.07	0.0	-3.015	21.779	0.0	-5.445	23.055	0.071	0.083	207.403	2.854	0.083	216.24	2.353	0.083	0.208	0.0	0.083	0.31	0.0
49	5754	5755	SN	1	-34.781	16.595	0.0	-34.962	19.07	0.0	-3.015	21.779	0.0	-5.445	23.055	0.071	0.084	207.403	3.047	0.083	216.24	2.641	0.083	0.208	0.0	0.083	0.31	0.0
50	5754	5755	NS	1	-33.466	19.087	0.0	-34.829	21.309	0.0	-4.455	21.123	0.0	-0.535	27.076	0.076	0.083	153.211	1.404	0.083	209.678	1.317	0.083	0.261	0.0	0.083	0.151	0.0
51	5755	5756	SN	1	-34.555	18.389	0.0	-34.611	18.86	0.0	-9.023	21.703	0.0	-9.071	24.497	0.027	0.083	196.877	3.157	0.083	199.434	2.533	0.083	0.617	0.0	0.083	0.623	0.0
52	5755	5756	NS	1	-34.88	17.039	0.0	-34.895	17.217	0.0	-8.835	21.183	0.0	-26.144	22.774	0.045	0.084	212.162	4.808	0.084	212.92	5.187	0.083	0.593	0.0	0.083	28.442	0.042
53	5755	5756	NS	1	-34.888	17.039	0.0	-34.898	17.217	0.0	-8.827	21.183	0.0	-26.048	22.772	0.048	0.084	212.531	4.8	0.084	213.052	5.186	0.083	0.592	0.0	0.083	27.816	0.044
54	5755	5756	SN	1	-34.555	18.389	0.0	-34.611	18.86	0.0	-9.023	21.703	0.0	-9.071	24.497	0.027	0.083	196.877	3.117	0.083	199.434	2.507	0.083	0.617	0.0	0.083	0.623	0.0
55	5755	5756	SN	1	-33.936	18.391	0.0	-33.825	18.861	0.0	-9.023	21.703	0.0	-9.077	24.497	0.027	0.083	170.772	3.32	0.083	166.441	2.663	0.083	0.617	0.0	0.083	0.624	0.0
56	5756	5757	SN	1	-34.691	16.938	0.0	-34.739	18.669	0.0	0.783	21.31	0.0	1.191	21.528	0.0	0.084	203.18	4.154	0.083	205.38	3.797	0.083	0.132	0.0	0.083	0.127	0.0
57	5756	5757	NS	1	-34.872	16.955	0.0	-34.36	17.427	0.0	-25.753	21.083	0.0	-28.625	22.713	0.031	0.084	211.774	5.619	0.084	188.253	6.01	0.083	25.996	0.103	0.083	50.316	0.08
58	5756	5757	SN	1	-34.691	14.711	0.0	-34.739	17.008	0.0	0.783	21.31	0.0	1.191	21.528	0.0	0.084	203.18	4.417	0.084	205.38	4.016	0.083	0.132	0.0	0.083	0.127	0.0
59	5756	5757	NS	1	-34.872	16.955	0.0	-34.36	17.427	0.0	-25.753	21.083	0.0	-28.625	22.713	0.031	0.084	211.774	5.622	0.084	188.253	6.01	0.083	25.996	0.103	0.083	50.316	0.081
60	5757	5758	SN	2	-34.912	16.377	0.0	-34.885	18.323	0.0	1.334	21.674	0.0	2.069	22.648	0.17	0.084	213.801	4.059	0.083	212.419	3.835	0.083	0.126	0.0	0.083	0.119	0.0
61	5757	5758	SN	1	-34.912	15.944	0.0	-34.885	18.323	0.0	1.334	21.674	0.0	2.069	22.648	0.19	0.084	213.801	4.247	0.083	212.419	4.013	0.083	0.126	0.0	0.083	0.119	0.0
62	5757	5758	NS	1	-32.917	17.421	0.0	-33.249	17.432	0.0	-13.966	22.133	0.004	-11.813	22.594	0.019	0.084	135.06	0.803	0.084	145.761	0.913	0.083	1.783	0.003	0.083	1.112	0.001
63	5757	5758	NS	1	-32.917	11.813	0.0	-33.249	15.003	0.0	-13.966	22.133	0.005	-11.813	22.594	0.025	0.086	135.06	0.989	0.084	145.761	0.945	0.083	1.783	0.003	0.083	1.112	0.002
64	5757	5758	SN	1	-34.908	16.377	0.0	-34.812	18.323	0.0	1.334	21.671	0.0	2.07	22.65	0.17	0.084	213.57	4.061	0.083	208.91	3.84	0.083	0.126	0.0	0.083	0.119	0.0
65	5758	5759	NS	1	-34.17	17.735	0.0	-34.439	17.805	0.0	-17.813	21.531	0.0	-17.741	22.749	0.023	0.083	180.155	2.085	0.083	191.712	1.956	0.083	4.232	0.01	0.083	4.163	0.004
66	5758	5759	SN	1	-34.615	15.187	0.0	-33.97	18.923	0.0	0.45	21.114	0.0	2.817	22.331	0.061	0.084	199.617	2.434	0.083	172.109	2.031	0.083	0.136	0.0	0.083	0.113	0.0
67	5758	5759	SN	1	-34.615	16.697	0.0	-33.97	18.923	0.0	0.45	21.114	0.0	2.817	22.331	0.055	0.084	199.617	2.345	0.083	172.109	1.917	0.083	0.136	0.0	0.083	0.113	0.0
68	5758	5759	SN	1	-34.615	16.697	0.0	-33.97	18.923	0.0	0.45	21.114	0.0	2.817	22.331	0.055	0.084	199.617	2.348	0.083	172.109	1.914	0.083	0.136	0.0	0.083	0.113	0.0
69	5758	5759	NS	2	-34.891	17.735	0.0	-34.719	17.806	0.0	-17.9	21.53	0.0	-17.47	22.747	0.023	0.083	212.679	2.086	0.083	204.432	1.959	0.083	4.316	0.01	0.083	3.915	0.004

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	5759	5760	NS	1	-33.498	18.054	0.0	-34.376	18.284	0.0	-19.221	21.511	0.0	-21.189	22.682	0.087	0.083	154.379	1.434	0.083	188.947	1.231	0.083	5.827	0.049	0.083	9.132	0.112
71	5759	5760	SN	1	-33.676	15.789	0.0	-34.756	17.791	0.0	0.025	22.764	0.068	4.236	23.133	0.206	0.084	160.833	4.432	0.083	206.21	3.784	0.083	0.142	0.0	0.083	0.104	0.0
72	5759	5760	NS	2	-33.498	18.054	0.0	-34.376	18.284	0.0	-19.221	21.511	0.0	-21.189	22.682	0.087	0.083	154.379	1.434	0.083	188.947	1.23	0.083	5.827	0.049	0.083	9.132	0.112
73	5759	5760	SN	1	-33.676	17.14	0.0	-34.756	18.519	0.0	0.025	22.764	0.061	4.236	23.133	0.204	0.084	160.833	4.236	0.083	206.21	3.515	0.083	0.142	0.0	0.083	0.104	0.0
74	5759	5760	SN	1	-33.676	17.14	0.0	-34.756	18.519	0.0	0.025	22.764	0.061	4.236	23.133	0.203	0.084	160.833	4.233	0.083	206.21	3.514	0.083	0.142	0.0	0.083	0.104	0.0
75	5760	5761	SN	2	-34.96	17.045	0.0	-34.801	18.524	0.0	-14.948	23.297	0.11	-8.746	24.955	0.72	0.084	216.129	4.179	0.083	208.38	3.422	0.083	2.296	0.001	0.083	0.603	0.0
76	5760	5761	NS	1	-34.782	17.924	0.0	-34.837	18.821	0.0	1.637	22.194	0.009	1.914	23.157	0.335	0.083	207.503	3.14	0.083	210.102	2.691	0.083	0.123	0.0	0.083	0.12	0.0
77	5760	5761	NS	1	-34.782	17.924	0.0	-34.837	18.821	0.0	1.637	22.194	0.009	1.914	23.157	0.334	0.083	207.503	3.142	0.083	210.102	2.69	0.083	0.123	0.0	0.083	0.12	0.0
78	5760	5761	SN	1	-34.96	17.045	0.0	-34.801	17.757	0.0	-14.948	23.297	0.12	-8.746	24.955	0.722	0.084	216.129	4.498	0.083	208.38	3.905	0.083	2.296	0.002	0.083	0.603	0.0
79	5760	5761	SN	1	-34.96	17.045	0.0	-34.801	18.524	0.0	-14.948	23.297	0.11	-8.746	24.955	0.72	0.084	216.129	4.179	0.083	208.38	3.422	0.083	2.296	0.001	0.083	0.603	0.0
80	5761	5762	SN	1	-34.912	16.417	0.0	-34.725	19.209	0.0	-31.266	22.0	0.002	-13.522	24.086	0.397	0.084	213.803	3.646	0.083	204.782	2.873	0.083	95.528	0.066	0.083	1.616	0.002
81	5761	5762	SN	2	-34.912	16.417	0.0	-34.725	19.209	0.0	-31.266	22.0	0.002	-13.522	24.086	0.397	0.084	213.803	3.646	0.083	204.782	2.873	0.083	95.528	0.066	0.083	1.616	0.002
82	5761	5762	NS	1	-34.527	18.168	0.0	-34.929	18.332	0.0	1.165	22.769	0.012	1.561	23.513	0.875	0.083	195.619	3.675	0.083	214.584	3.444	0.083	0.128	0.0	0.083	0.124	0.0
83	5761	5762	NS	1	-34.527	18.168	0.0	-34.929	18.332	0.0	1.165	22.769	0.012	1.561	23.513	0.876	0.083	195.619	3.679	0.083	214.584	3.449	0.083	0.128	0.0	0.083	0.124	0.0
84	5762	5763	SN	1	-34.456	20.363	0.0	-34.782	21.264	0.0	-4.891	22.17	0.002	-2.49	23.157	0.145	0.083	192.462	3.945	0.083	207.489	3.609	0.083	0.281	0.0	0.083	0.193	0.0
85	5762	5763	NS	1	-34.586	18.083	0.0	-34.065	18.427	0.0	0.084	22.789	0.105	0.709	23.846	1.076	0.083	198.296	2.624	0.083	175.857	2.398	0.083	0.141	0.0	0.083	0.133	0.0
86	5762	5763	NS	1	-34.586	18.083	0.0	-34.065	18.427	0.0	0.084	22.789	0.105	0.709	23.846	1.076	0.083	198.296	2.628	0.083	175.857	2.401	0.083	0.141	0.0	0.083	0.133	0.0
87	5763	5764	NS	1	-34.618	18.42	0.0	-34.925	18.894	0.0	-1.98	21.657	0.0	0.554	23.802	0.707	0.083	199.762	4.315	0.083	214.413	4.125	0.083	0.18	0.0	0.083	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors