

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-OCT-2017 To 31-OCT-2017





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-OCT-2017 To 31-OCT-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5782	5783	SN	1	48.718	49.462	0.0	0.003	6.767	1.656	1024.168	1100.096	11.967	-92.121	-89.303	0.0
2	5782	5783	SN	1	48.707	49.461	0.0	0.003	6.767	2.679	1024.24	1100.072	10.432	-91.89	-89.303	0.0
3	5782	5783	SN	1	48.718	49.462	0.0	0.003	6.767	2.798	1024.168	1100.096	11.105	-92.121	-89.303	0.0
4	5783	5784	SN	1	48.704	49.457	0.0	0.008	50.079	2.57	1023.416	1100.048	10.461	-91.944	-89.302	0.0
5	5783	5784	NS	1	48.74	49.483	0.0	0.003	6.756	2.502	1030.408	1100.312	11.202	-92.234	-89.177	0.0
6	5783	5784	SN	1	48.704	49.457	0.0	0.008	50.079	2.474	1023.416	1100.048	10.822	-91.944	-89.302	0.0
7	5783	5784	SN	1	48.704	49.457	0.0	0.008	50.079	1.557	1023.416	1100.048	11.549	-91.944	-89.302	0.0
8	5784	5785	SN	1	48.67	49.456	0.0	0.003	6.734	2.471	1023.24	1100.248	10.943	-92.02	-89.283	0.0
9	5784	5785	NS	2	48.729	49.485	0.0	0.003	6.761	2.484	1030.568	1100.536	10.777	-92.205	-89.12	0.0
10	5784	5785	SN	1	48.67	49.456	0.0	0.003	6.734	1.496	1023.24	1100.248	11.876	-92.02	-89.283	0.0
11	5784	5785	NS	1	48.729	49.485	0.0	0.003	6.761	2.484	1030.568	1100.536	10.777	-92.205	-89.12	0.0
12	5784	5785	SN	1	48.67	49.456	0.0	0.003	6.734	2.352	1023.24	1100.248	11.048	-92.02	-89.283	0.0
13	5785	5786	SN	1	48.679	49.49	0.0	0.003	6.734	2.494	1023.032	1100.184	11.501	-92.223	-89.302	0.0
14	5785	5786	NS	1	48.741	49.485	0.0	0.003	6.734	2.505	1030.68	1100.48	10.766	-92.15	-89.167	0.0
15	5785	5786	SN	1	48.679	49.49	0.0	0.003	6.734	1.518	1023.032	1100.184	12.339	-92.223	-89.302	0.0
16	5785	5786	NS	1	48.741	49.485	0.0	0.003	6.734	2.503	1030.68	1100.48	10.755	-92.15	-89.167	0.0
17	5785	5786	SN	1	48.679	49.49	0.0	0.003	6.734	2.523	1023.032	1100.184	11.288	-92.223	-89.302	0.0
18	5786	5787	NS	1	48.741	49.486	0.0	0.003	6.728	2.575	1030.808	1100.352	10.902	-92.174	-89.168	0.0
19	5786	5787	SN	1	48.667	49.455	0.0	0.003	6.734	1.501	1022.792	1100.048	12.259	-92.274	-89.302	0.0
20	5786	5787	SN	1	48.667	49.455	0.0	0.003	6.734	2.516	1022.792	1100.048	11.398	-92.274	-89.302	0.0
21	5786	5787	SN	1	48.668	49.495	0.0	0.003	6.734	2.504	1022.872	1100.048	11.233	-92.275	-89.301	0.0
22	5786	5787	NS	1	48.741	49.486	0.0	0.003	6.728	2.577	1030.808	1100.352	10.914	-92.174	-89.168	0.0
23	5787	5788	SN	1	48.717	49.456	0.0	0.003	6.734	2.531	1023.544	1099.944	10.85	-91.994	-89.3	0.0
24	5787	5788	SN	1	48.714	49.454	0.0	0.003	6.734	2.557	1023.504	1099.944	11.064	-92.188	-89.301	0.0
25	5787	5788	NS	1	48.743	49.496	0.0	0.003	6.717	2.591	1030.904	1100.256	11.026	-92.511	-89.193	0.0
26	5787	5788	NS	1	48.743	49.496	0.0	0.003	6.717	2.588	1030.904	1100.256	11.014	-92.511	-89.193	0.0
27	5788	5789	SN	1	48.701	49.454	0.0	0.003	6.728	2.613	1023.016	1099.856	10.601	-91.931	-89.284	0.0
28	5788	5789	SN	1	48.701	49.454	0.0	0.003	6.728	1.582	1023.016	1099.856	11.681	-91.931	-89.284	0.0
29	5788	5789	NS	1	48.71	49.484	0.0	0.003	6.717	2.547	1030.264	1100.168	9.856	-92.133	-89.197	0.0
30	5788	5789	NS	1	48.71	49.484	0.0	0.003	6.717	2.535	1030.264	1100.168	9.865	-92.133	-89.197	0.0
31	5788	5789	SN	1	48.701	49.454	0.0	0.003	6.728	2.599	1023.016	1099.856	10.54	-91.931	-89.284	0.0
32	5789	5790	SN	1	48.716	49.455	0.0	0.003	6.739	2.655	1023.72	1099.944	10.905	-91.879	-89.286	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal     
  Deviations  
 Alarming     
  High Errors

33	5789	5790	SN	1	48.716	49.455	0.0	0.003	6.739	1.624	1023.72	1099.944	12.173	-91.879	-89.286	0.0
34	5789	5790	NS	1	48.705	49.488	0.0	0.003	6.734	2.532	1030.128	1100.24	9.751	-92.122	-89.2	0.0
35	5789	5790	NS	1	48.705	49.488	0.0	0.003	6.734	2.545	1030.128	1100.24	9.741	-92.122	-89.2	0.0
36	5789	5790	SN	2	48.716	49.455	0.0	0.003	6.739	2.655	1023.72	1099.944	10.905	-91.879	-89.286	0.0
37	5790	5791	NS	1	48.702	49.485	0.0	0.003	6.75	2.568	1030.64	1100.288	10.412	-92.397	-89.189	0.0
38	5790	5791	NS	1	48.702	49.485	0.0	0.003	6.75	2.581	1030.64	1100.288	10.403	-92.397	-89.189	0.0
39	5790	5791	SN	2	48.717	49.455	0.0	0.003	6.739	2.549	1023.832	1099.968	10.485	-91.886	-89.232	0.0
40	5790	5791	SN	1	48.717	49.455	0.0	0.003	6.739	2.549	1023.832	1099.968	10.485	-91.886	-89.232	0.0
41	5791	5792	NS	1	48.732	49.484	0.0	0.003	6.75	2.631	1030.856	1100.176	10.863	-92.235	-89.196	0.0
42	5791	5792	NS	2	48.732	49.484	0.0	0.003	6.75	2.631	1030.856	1100.176	10.863	-92.235	-89.196	0.0
43	5792	5793	NS	1	48.743	49.493	0.0	0.003	6.75	2.529	1031.168	1100.096	10.817	-91.744	-88.712	0.0
44	5797	5798	SN	1	48.713	49.452	0.0	0.003	6.734	1.65	1023.12	1099.712	13.088	-91.933	-89.291	0.0
45	5797	5798	SN	1	48.713	49.452	0.0	0.003	6.734	2.718	1023.12	1099.712	11.794	-91.933	-89.291	0.0
46	5797	5798	NS	1	48.698	49.532	0.0	0.003	6.723	2.653	1030.528	1100.04	11.608	-92.172	-89.183	0.0
47	5797	5798	SN	1	48.713	49.452	0.0	0.003	6.734	2.791	1023.12	1099.712	12.138	-91.933	-89.291	0.0
48	5798	5799	SN	1	48.712	49.494	0.0	0.003	6.745	2.399	1022.816	1099.888	11.857	-91.919	-89.26	0.0
49	5798	5799	SN	1	48.712	49.494	0.0	0.003	6.745	1.53	1022.816	1099.888	13.028	-91.919	-89.26	0.0
50	5798	5799	NS	1	48.746	49.501	0.0	0.003	6.739	2.478	1031.392	1100.264	11.119	-92.192	-89.147	0.0
51	5798	5799	NS	2	48.746	49.501	0.0	0.003	6.739	2.477	1031.392	1100.264	11.115	-92.192	-89.147	0.0
52	5798	5799	SN	1	48.712	49.494	0.0	0.003	6.745	2.503	1022.816	1099.888	11.743	-91.919	-89.26	0.0
53	5799	5800	SN	1	48.671	49.452	0.0	0.003	6.772	2.468	1022.408	1099.96	12.879	-91.895	-89.291	0.0
54	5799	5800	SN	1	48.671	49.452	0.0	0.003	6.772	2.474	1022.408	1099.96	12.49	-91.895	-89.291	0.0
55	5799	5800	NS	1	48.705	49.487	0.0	0.003	6.75	2.482	1030.776	1100.36	11.044	-92.196	-89.135	0.0
56	5799	5800	SN	1	48.671	49.452	0.0	0.003	6.772	1.512	1022.408	1099.96	13.865	-91.895	-89.291	0.0
57	5800	5801	SN	2	48.8	49.062	0.0	0.008	5.372	16.6	1031.16	1036.832	0.0	-91.355	-89.356	0.0
58	5800	5801	SN	1	48.8	49.062	0.0	0.008	5.372	16.6	1031.16	1036.832	0.0	-91.355	-89.356	0.0
59	5801	5802	SN	1	48.681	49.451	0.0	0.003	6.717	1.494	1022.52	1099.736	13.622	-92.237	-89.294	0.0
60	5801	5802	SN	1	48.666	49.491	0.0	0.003	6.723	2.528	1022.536	1099.728	12.582	-91.885	-89.294	0.0
61	5801	5802	NS	1	48.748	49.489	0.0	0.003	6.739	2.571	1031.72	1100.184	11.106	-92.161	-89.202	0.0
62	5801	5802	NS	2	48.748	49.489	0.0	0.003	6.739	2.571	1031.72	1100.184	11.106	-92.161	-89.202	0.0
63	5801	5802	SN	2	48.681	49.451	0.0	0.003	6.717	2.529	1022.52	1099.736	12.656	-92.237	-89.294	0.0
64	5802	5803	SN	1	48.681	49.45	0.0	0.003	6.712	2.578	1022.096	1099.608	12.581	-92.283	-89.295	0.0
65	5802	5803	SN	2	48.681	49.45	0.0	0.003	6.712	2.578	1022.096	1099.608	12.581	-92.283	-89.295	0.0
66	5802	5803	SN	1	48.681	49.45	0.0	0.003	6.712	1.55	1022.096	1099.608	13.742	-92.283	-89.295	0.0
67	5802	5803	NS	1	48.721	49.483	0.0	0.003	6.712	2.564	1031.408	1099.992	10.688	-92.294	-89.194	0.0
68	5802	5803	NS	2	48.708	49.486	0.0	0.003	6.706	2.566	1031.112	1100.032	10.7	-92.294	-89.194	0.0
69	5803	5804	NS	2	48.704	49.486	0.0	0.003	6.712	2.519	1031.0	1100.016	10.05	-92.153	-89.208	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

70	5803	5804	SN	1	48.672	49.449	0.0	0.003	6.717	2.662	1022.336	1099.6	11.375	-91.98	-89.281	0.0
71	5803	5804	SN	2	48.672	49.449	0.0	0.003	6.717	2.66	1022.336	1099.6	11.376	-91.98	-89.281	0.0
72	5803	5804	NS	1	48.704	49.486	0.0	0.003	6.712	2.519	1031.0	1100.016	10.05	-92.153	-89.208	0.0
73	5803	5804	SN	1	48.672	49.449	0.0	0.003	6.717	1.62	1022.336	1099.6	12.617	-91.98	-89.281	0.0
74	5804	5805	NS	2	48.716	49.487	0.0	0.003	6.712	2.562	1031.24	1100.112	9.829	-92.01	-89.197	0.0
75	5804	5805	NS	1	48.701	49.486	0.0	0.003	6.712	2.558	1031.08	1100.04	9.82	-92.129	-89.197	0.0
76	5804	5805	SN	1	48.713	49.45	0.0	0.003	262.062	2.58	1023.104	1099.696	12.006	-92.031	-89.246	0.0
77	5804	5805	SN	1	48.713	49.45	0.0	0.003	6.728	1.608	1023.104	1099.696	13.676	-92.031	-89.246	0.0
78	5804	5805	SN	2	48.713	49.45	0.0	0.003	262.062	2.58	1023.104	1099.696	12.006	-92.031	-89.246	0.0
79	5805	5806	SN	1	48.702	49.451	0.0	0.003	6.767	2.51	1023.184	1099.656	11.771	-92.118	-89.223	0.0
80	5805	5806	NS	1	48.718	49.488	0.0	0.003	6.723	2.622	1031.312	1100.088	10.943	-92.333	-89.199	0.0
81	5805	5806	NS	2	48.718	49.488	0.0	0.003	6.723	2.622	1031.312	1100.088	10.943	-92.333	-89.199	0.0
82	5805	5806	SN	2	48.702	49.451	0.0	0.003	6.767	2.51	1023.184	1099.656	11.771	-92.118	-89.223	0.0
83	5806	5807	NS	2	48.748	49.509	0.0	0.003	6.723	2.631	1032.056	1099.936	10.993	-92.342	-89.191	0.0
84	5806	5807	NS	1	48.748	49.509	0.0	0.003	6.723	2.631	1032.056	1099.936	10.993	-92.342	-89.191	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors

					Inner																											
					SNR												Kp															
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore						
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)				
1	5782	5783	SN	1	-34.945	23.513	0.319	-34.656	25.074	1.404	-8.449	26.599	6.159	-4.737	30.108	14.587	0.103	263.786	2.852	0.103	246.723	2.573	0.103	0.674	0.0	0.103	0.338	0.0				
2	5782	5783	SN	1	-34.812	24.345	1.533	-34.485	25.749	4.171	-8.431	26.995	5.833	-4.737	30.111	13.942	0.103	255.767	2.751	0.103	237.311	2.181	0.103	0.671	0.0	0.103	0.337	0.0				
3	5782	5783	SN	1	-34.945	24.345	1.584	-34.656	25.749	4.218	-8.449	26.994	6.266	-4.737	30.108	14.764	0.103	263.786	2.669	0.103	246.723	2.195	0.103	0.674	0.0	0.103	0.338	0.0				
4	5783	5784	SN	1	-34.906	24.488	0.703	-34.796	25.724	1.927	-4.548	30.725	6.801	-1.262	29.559	6.989	0.103	261.446	3.096	0.103	254.935	2.249	0.103	0.327	0.0	0.103	0.203	0.0				
5	5783	5784	NS	1	-32.991	25.176	0.055	-33.31	27.919	0.203	0.921	30.475	5.805	3.931	35.255	23.081	0.103	168.221	1.967	0.103	181.027	1.863	0.103	0.162	0.0	0.102	0.131	0.0				
6	5783	5784	SN	1	-34.906	24.488	0.705	-34.796	24.74	1.155	-4.548	30.725	7.313	-1.262	29.559	7.054	0.103	261.446	3.072	0.103	254.935	2.312	0.103	0.327	0.0	0.103	0.203	0.0				
7	5783	5784	SN	1	-34.906	22.138	0.001	-34.796	24.008	0.023	-4.548	30.725	7.34	-1.262	29.559	7.054	0.103	261.446	3.347	0.103	254.935	2.609	0.103	0.327	0.0	0.103	0.203	0.0				
8	5784	5785	SN	1	-34.369	24.297	0.066	-34.962	25.476	0.506	-4.143	27.203	8.391	-6.358	30.603	7.256	0.103	231.065	4.482	0.103	264.836	2.991	0.103	0.306	0.0	0.103	0.45	0.0				
9	5784	5785	NS	2	-34.739	22.72	0.01	-34.925	25.1	0.084	-1.856	28.293	5.581	-6.61	29.294	17.045	0.103	251.59	3.875	0.103	262.55	3.018	0.103	0.219	0.0	0.103	0.471	0.0				
10	5784	5785	SN	1	-34.369	22.679	0.003	-34.962	24.118	0.111	-4.143	27.203	8.611	-6.358	30.603	7.256	0.103	231.065	4.892	0.103	264.836	3.321	0.103	0.306	0.0	0.103	0.45	0.0				
11	5784	5785	NS	1	-34.739	22.72	0.01	-34.925	25.1	0.084	-1.856	28.293	5.581	-6.61	29.294	17.045	0.103	251.59	3.875	0.103	262.55	3.018	0.103	0.219	0.0	0.103	0.471	0.0				
12	5784	5785	SN	1	-34.369	24.297	0.067	-34.962	25.476	0.487	-4.143	27.203	8.391	-6.358	30.603	7.256	0.103	231.065	4.543	0.103	264.836	3.024	0.103	0.306	0.0	0.103	0.45	0.0				
13	5785	5786	SN	1	-34.782	22.528	0.002	-34.849	24.332	0.276	6.744	27.266	8.732	6.691	28.245	6.328	0.103	254.085	5.625	0.103	258.023	4.098	0.103	0.117	0.0	0.103	0.117	0.0				
14	5785	5786	NS	1	-34.869	22.775	0.01	-34.993	23.725	0.02	-6.37	27.693	6.069	-4.146	29.215	16.138	0.103	259.192	6.367	0.103	266.683	5.425	0.103	0.451	0.0	0.103	0.306	0.0				
15	5785	5786	SN	1	-34.782	22.528	0.001	-34.849	23.399	0.046	6.744	27.266	8.754	6.691	28.1	6.306	0.103	254.085	6.013	0.103	258.023	4.425	0.103	0.117	0.0	0.103	0.117	0.0				
16	5785	5786	NS	1	-34.869	22.775	0.01	-34.993	23.725	0.02	-6.37	27.693	6.068	-4.146	29.215	16.138	0.103	259.192	6.358	0.103	266.683	5.422	0.103	0.451	0.0	0.103	0.306	0.0				
17	5785	5786	SN	1	-34.782	22.528	0.002	-34.849	24.332	0.269	6.744	27.266	8.077	6.691	28.245	6.28	0.103	254.085	5.624	0.103	258.023	4.004	0.103	0.117	0.0	0.103	0.117	0.0				
18	5786	5787	NS	1	-34.583	22.693	0.012	-34.436	24.39	0.107	-11.181	28.32	2.815	-9.311	30.634	11.51	0.103	242.634	1.843	0.103	234.58	1.503	0.103	1.19	0.002	0.103	0.803	0.0				
19	5786	5787	SN	1	-34.792	22.104	0.001	-34.954	23.471	0.037	6.324	27.608	14.958	7.958	28.064	18.764	0.103	254.613	2.368	0.103	275.176	2.191	0.103	0.118	0.0	0.103	0.113	0.0				
20	5786	5787	SN	1	-34.792	22.104	0.001	-34.954	24.952	0.293	6.324	27.608	13.565	7.958	28.182	17.835	0.103	254.613	2.233	0.103	275.176	2.033	0.103	0.118	0.0	0.103	0.113	0.0				
21	5786	5787	SN	1	-34.467	22.101	0.001	-34.51	24.952	0.29	6.324	27.608	12.637	7.958	28.179	17.381	0.103	236.289	2.256	0.103	238.644	2.019	0.103	0.118	0.0	0.103	0.113	0.0				
22	5786	5787	NS	1	-34.583	22.693	0.012	-34.436	24.39	0.107	-11.181	28.32	2.819	-9.311	30.634	11.51	0.103	242.634	1.842	0.103	234.58	1.503	0.103	1.19	0.002	0.103	0.803	0.0				
23	5787	5788	SN	1	-34.991	22.518	0.005	-34.883	24.599	0.33	5.594	27.056	12.793	8.431	28.843	16.569	0.103	266.609	5.327	0.103	259.978	4.849	0.103	0.122	0.0	0.103	0.112	0.0				
24	5787	5788	SN	1	-34.979	22.518	0.005	-34.753	24.599	0.332	5.591	27.051	13.623	8.433	28.841	17.084	0.103	265.837	5.338	0.103	252.373	4.894	0.103	0.122	0.0	0.103	0.112	0.0				
25	5787	5788	NS	1	-34.987	23.962	0.139	-33.412	23.806	0.379	-5.51	26.711	3.384	-6.7	29.834	11.515	0.103	266.281	3.333	0.103	185.339	2.506	0.103	0.386	0.0	0.103	0.479	0.0				
26	5787	5788	NS	1	-34.987	23.962	0.139	-33.412	23.806	0.379	-5.51	26.711	3.384	-6.7	29.834	11.515	0.103	266.281	3.33	0.103	185.339	2.504	0.103	0.386	0.0	0.103	0.479	0.0				
27	5788	5789	SN	1	-34.985	22.979	0.024	-34.939	24.435	0.5	1.705	28.137	8.264	8.365	29.871	11.546	0.103	266.173	5.049	0.103	263.354	3.894	0.103	0.151	0.0	0.103	0.112	0.0				
28	5788	5789	SN	1	-34.985	21.664	0.0	-34.939	24.185	0.008	1.705	28.137	9.966	8.365	29.871	12.23	0.103	266.173	5.353	0.103	263.354	4.244	0.103	0.151	0.0	0.103	0.112	0.0				
29	5788	5789	NS	1	-34.572	23.703	0.126	-34.227	24.672	0.843	-5.728	28.431	7.847	-6.729	30.04	15.0	0.103	242.099	3.167	0.103	223.608	2.769	0.103	0.401	0.0	0.103	0.482	0.0				
30	5788	5789	NS	1	-34.572	23.703	0.126	-34.227	24.672	0.844	-5.728	28.431	7.847	-6.729	30.04	15.0	0.103	242.099	3.17	0.103	223.608	2.771	0.103	0.401	0.0	0.103	0.482	0.0				
31	5788	5789	SN	1	-34.985	22.979	0.024	-34.939	24.435	0.499	1.705	28.137	8.096	8.365	29.871	11.407	0.103	266.173	5.049	0.103	263.354	3.884	0.103	0.151	0.0	0.103	0.112	0.0				
32	5789	5790	SN	1	-34.99	21.83	0.0	-34.829	24.995	1.63	-10.168	32.507	9.114	-5.971	33.408	13.095	0.103	266.485	6.583	0.103	256.806	4.845	0.102	0.96	0.0	0.102	0.419	0.0				
33	5789	5790	SN	1	-34.99	21.21	0.0	-34.829	23.94	0.005	-10.168	32.507	10.527	-5.971	33.408	13.67	0.103	266.485	7.137	0.103	256.806	5.571	0.102	0.96	0.0	0.102	0.419	0.0				

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

34	5789	5790	NS	1	-34.951	24.177	0.41	-34.651	25.213	0.775	4.742	33.247	8.055	7.431	29.451	15.799	0.103	264.133	3.009	0.103	246.526	2.534	0.102	0.126	0.0	0.103	0.115	0.0
35	5789	5790	NS	1	-34.951	24.177	0.41	-34.651	25.213	0.811	4.742	33.247	8.055	7.431	29.451	15.799	0.103	264.133	3.005	0.103	246.526	2.53	0.102	0.126	0.0	0.103	0.115	0.0
36	5789	5790	SN	2	-34.99	21.83	0.0	-34.829	24.995	1.63	-10.168	32.507	9.114	-5.971	33.408	13.095	0.103	266.485	6.583	0.103	256.806	4.845	0.102	0.96	0.0	0.102	0.419	0.0
37	5790	5791	NS	1	-34.762	23.73	0.413	-34.676	24.752	0.461	-3.128	27.956	12.333	-0.45	31.027	36.046	0.103	252.925	5.938	0.103	247.952	4.963	0.103	0.261	0.0	0.103	0.185	0.0
38	5790	5791	NS	1	-34.762	23.73	0.413	-34.676	24.752	0.477	-3.128	27.956	12.333	-0.45	31.027	36.087	0.103	252.925	5.937	0.103	247.952	4.959	0.103	0.261	0.0	0.103	0.185	0.0
39	5790	5791	SN	2	-34.275	23.502	0.022	-30.855	25.693	1.828	-8.94	27.933	12.678	-29.55	30.072	20.084	0.103	226.087	1.52	0.103	102.905	1.042	0.103	0.744	0.0	0.103	76.215	0.002
40	5790	5791	SN	1	-34.275	23.502	0.022	-30.855	25.693	1.828	-8.94	27.933	12.678	-29.55	30.072	20.084	0.103	226.087	1.52	0.103	102.905	1.042	0.103	0.744	0.0	0.103	76.215	0.002
41	5791	5792	NS	1	-34.885	24.146	0.498	-34.705	24.961	0.55	-7.506	28.227	11.164	-21.661	30.041	25.737	0.103	260.13	3.19	0.103	249.551	2.686	0.103	0.559	0.0	0.103	12.459	0.002
42	5791	5792	NS	2	-34.885	24.146	0.498	-34.705	24.961	0.55	-7.506	28.227	11.164	-21.661	30.041	25.737	0.103	260.13	3.19	0.103	249.551	2.686	0.103	0.559	0.0	0.103	12.459	0.002
43	5792	5793	NS	1	-34.855	24.434	1.118	-34.813	25.192	1.006	-1.981	28.728	13.665	0.273	33.31	22.293	0.103	258.358	3.376	0.103	255.854	3.308	0.103	0.223	0.0	0.102	0.172	0.0
44	5797	5798	SN	1	-34.173	22.919	0.097	-33.871	24.021	0.3	1.925	33.745	7.107	2.592	30.041	15.229	0.103	220.833	2.29	0.103	206.012	1.732	0.102	0.149	0.0	0.103	0.142	0.0
45	5797	5798	SN	1	-34.173	24.316	1.299	-33.871	26.078	3.232	1.925	33.745	6.625	2.592	30.041	14.908	0.103	220.833	2.095	0.103	206.012	1.412	0.102	0.149	0.0	0.103	0.142	0.0
46	5797	5798	NS	1	-34.919	26.193	0.319	-33.266	27.579	0.109	2.044	30.71	8.17	6.608	33.892	24.831	0.103	262.122	4.048	0.103	179.233	3.291	0.103	0.147	0.0	0.102	0.117	0.0
47	5797	5798	SN	1	-34.173	24.316	1.309	-33.871	26.078	3.112	1.925	33.745	7.07	2.592	30.041	15.326	0.103	220.833	2.089	0.103	206.012	1.422	0.102	0.149	0.0	0.103	0.142	0.0
48	5798	5799	SN	1	-34.864	24.137	0.302	-34.917	25.421	1.042	-2.105	28.071	6.293	-2.913	29.287	4.735	0.103	258.878	4.468	0.103	262.097	3.275	0.103	0.226	0.0	0.103	0.253	0.0
49	5798	5799	SN	1	-34.864	22.398	0.001	-34.917	24.203	0.01	-2.105	28.071	6.856	-2.913	29.287	4.701	0.103	258.878	4.771	0.103	262.097	3.763	0.103	0.226	0.0	0.103	0.253	0.0
50	5798	5799	NS	1	-34.054	25.943	0.038	-32.873	26.375	0.211	-3.709	32.642	4.853	-1.138	31.814	19.948	0.103	214.812	1.615	0.103	163.755	1.544	0.102	0.286	0.0	0.102	0.2	0.0
51	5798	5799	NS	2	-34.054	25.943	0.038	-32.873	26.375	0.212	-3.709	32.642	4.853	-1.138	31.814	19.948	0.103	214.812	1.615	0.103	163.755	1.542	0.102	0.286	0.0	0.102	0.2	0.0
52	5798	5799	SN	1	-34.864	24.137	0.301	-34.917	25.421	1.132	-2.105	28.071	6.293	-2.913	29.287	4.735	0.103	258.878	4.401	0.103	262.097	3.226	0.103	0.226	0.0	0.103	0.253	0.0
53	5799	5800	SN	1	-34.77	22.692	0.012	-34.058	24.932	0.293	6.923	26.825	11.663	8.056	28.318	8.986	0.103	253.336	1.583	0.103	215.052	1.017	0.103	0.116	0.0	0.103	0.113	0.0
54	5799	5800	SN	1	-34.77	22.692	0.012	-34.058	24.932	0.282	6.923	26.825	10.409	8.056	28.318	8.986	0.103	253.336	1.583	0.103	215.052	1.023	0.103	0.116	0.0	0.103	0.113	0.0
55	5799	5800	NS	1	-34.984	22.523	0.014	-32.242	22.905	0.007	-10.895	29.13	6.626	-7.085	28.765	17.138	0.103	266.156	2.929	0.103	141.594	2.326	0.103	1.119	0.002	0.103	0.516	0.0
56	5799	5800	SN	1	-34.77	20.415	0.0	-34.058	21.579	0.0	6.923	26.825	11.8	8.056	28.318	8.991	0.103	253.336	1.671	0.103	215.052	1.106	0.103	0.116	0.0	0.103	0.113	0.0
57	5800	5801	SN	2	-23.092	21.691	0.0	4.381	24.779	3.564	10.885	19.486	0.0	12.256	27.741	3.727	0.103	17.288	0.769	0.103	0.128	0.0	0.103	0.108	0.0	0.103	0.106	0.0
58	5800	5801	SN	1	-23.092	21.691	0.0	4.381	24.779	3.564	10.885	19.486	0.0	12.256	27.741	3.727	0.103	17.288	0.769	0.103	0.128	0.0	0.103	0.108	0.0	0.103	0.106	0.0
59	5801	5802	SN	1	-34.835	21.94	0.0	-34.974	23.375	0.004	5.552	27.467	14.517	8.478	28.592	18.102	0.103	257.176	5.663	0.103	265.533	4.824	0.103	0.122	0.0	0.103	0.112	0.0
60	5801	5802	SN	1	-34.898	22.26	0.001	-34.69	24.57	0.269	5.552	27.466	12.494	8.478	28.592	17.095	0.103	260.945	5.339	0.103	248.699	4.475	0.103	0.122	0.0	0.103	0.112	0.0
61	5801	5802	NS	1	-34.557	22.795	0.028	-34.635	23.165	0.054	-5.617	29.65	2.699	-4.673	33.216	13.566	0.103	241.235	5.35	0.103	245.643	4.165	0.103	0.393	0.0	0.102	0.334	0.0
62	5801	5802	NS	2	-34.557	22.795	0.028	-34.635	23.165	0.054	-5.617	29.65	2.699	-4.673	33.216	13.566	0.103	241.235	5.35	0.103	245.643	4.165	0.103	0.393	0.0	0.102	0.334	0.0
63	5801	5802	SN	2	-34.835	22.26	0.001	-34.974	24.57	0.269	5.552	27.467	12.494	8.478	28.592	17.082	0.103	257.176	5.342	0.103	265.533	4.476	0.103	0.122	0.0	0.103	0.112	0.0
64	5802	5803	SN	1	-34.571	23.001	0.021	-34.895	24.827	0.338	5.706	26.982	11.049	7.779	29.31	13.182	0.103	242.002	5.077	0.103	260.788	4.284	0.103	0.121	0.0	0.103	0.114	0.0
65	5802	5803	SN	2	-34.571	23.001	0.021	-34.895	24.827	0.338	5.706	26.982	11.049	7.779	29.31	13.182	0.103	242.002	5.077	0.103	260.788	4.284	0.103	0.121	0.0	0.103	0.114	0.0
66	5802	5803	SN	1	-34.571	21.692	0.0	-34.895	23.349	0.003	5.706	26.982	14.45	7.779	29.31	14.688	0.103	242.002	5.328	0.103	260.788	4.668	0.103	0.121	0.0	0.103	0.114	0.0
67	5802	5803	NS	1	-34.329	23.239	0.129	-34.685	25.447	0.77	-10.02	27.801	4.314	-7.809	31.036	12.241	0.103	228.911	3.064	0.103	248.427	2.686	0.103	0.931	0.0	0.103	0.593	0.0
68	5802	5803	NS	2	-34.892	23.239	0.129	-34.54	25.444	0.772	-9.978	27.8	4.316	-7.801	31.036	12.241	0.103	260.539	3.067	0.103	240.218	2.695	0.103	0.923	0.0	0.103	0.592	0.0
69	5803	5804	NS	2	-34.707	23.179	0.199	-34.789	24.364	0.644	6.637	27.59	10.34	7.918	29.215	20.314	0.103	249.664	1.608	0.103	254.482	1.428	0.103	0.117	0.0	0.103	0.113	0.0
70	5803	5804	SN	1	-34.496	22.002	0.001	-34.51	24.799	0.848	1.13	31.028	7.657	5.138	30.51	10.716	0.103	237.912	4.979	0.103	238.674	3.134	0.103	0.159	0.0	0.103	0.124	0.0
71	5803	5804	SN	2	-34.496	22.0	0.001	-34.51	24.8	0.848	1.13	31.028	7.659	5.138	30.51	10.716	0.103	237.912	4.979	0.103	238.674	3.133	0.103	0.159	0.0	0.103	0.124	0.0
72	5803	5804	NS	1	-34.707	23.179	0.199	-34.789	24.364	0.644	6.637	27.59	10.34	7.918	29.215	20.314	0.103	249.664	1.608	0.103	254.482	1.428	0.103	0.117	0.0	0.103	0.113	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	5803	5804	SN	1	-34.496	20.531	0.0	-34.51	21.001	0.0	1.13	31.028	8.849	5.138	30.51	11.096	0.103	237.912	5.341	0.103	238.674	3.519	0.103	0.159	0.0	0.103	0.124	0.0
74	5804	5805	NS	2	-34.846	23.86	0.372	-34.278	24.915	0.707	6.4	28.856	11.231	5.175	29.808	25.676	0.103	257.775	2.736	0.103	226.255	2.121	0.103	0.118	0.0	0.103	0.124	0.0
75	5804	5805	NS	1	-33.809	23.861	0.372	-34.734	24.915	0.71	6.411	28.846	11.227	5.189	29.808	25.645	0.103	203.083	2.736	0.103	251.298	2.117	0.103	0.118	0.0	0.103	0.123	0.0
76	5804	5805	SN	1	-33.622	24.376	0.011	-34.81	26.112	1.863	-9.401	28.942	9.869	-7.889	30.824	17.862	0.103	194.498	4.237	0.103	255.663	4.04	0.103	0.818	0.0	0.103	0.603	0.0
77	5804	5805	SN	1	-33.622	24.376	0.007	-34.81	25.148	0.034	-9.401	28.942	11.689	-7.889	30.824	19.19	0.103	194.498	4.581	0.103	255.663	4.68	0.103	0.818	0.0	0.103	0.603	0.0
78	5804	5805	SN	2	-33.622	24.376	0.011	-34.81	26.112	1.863	-9.401	28.942	9.869	-7.889	30.824	17.862	0.103	194.498	4.237	0.103	255.663	4.04	0.103	0.818	0.0	0.103	0.603	0.0
79	5805	5806	SN	1	-34.544	24.878	0.045	-34.56	25.472	1.81	-9.809	28.184	12.894	-2.074	30.063	16.679	0.103	240.535	2.872	0.103	241.342	2.348	0.103	0.891	0.0	0.103	0.225	0.0
80	5805	5806	NS	1	-34.976	23.963	0.458	-34.688	24.98	0.526	-1.604	28.077	17.279	0.628	30.255	35.371	0.103	265.619	2.429	0.103	248.598	1.883	0.103	0.212	0.0	0.103	0.166	0.0
81	5805	5806	NS	2	-34.976	23.963	0.458	-34.688	24.98	0.526	-1.604	28.077	17.279	0.628	30.255	35.371	0.103	265.619	2.429	0.103	248.598	1.883	0.103	0.212	0.0	0.103	0.166	0.0
82	5805	5806	SN	2	-34.544	24.878	0.045	-34.56	25.472	1.81	-9.809	28.184	12.894	-2.074	30.063	16.679	0.103	240.535	2.872	0.103	241.342	2.348	0.103	0.891	0.0	0.103	0.225	0.0
83	5806	5807	NS	2	-34.755	23.778	0.64	-34.951	25.452	0.655	-6.588	33.166	10.818	-9.122	32.453	22.269	0.103	252.419	3.029	0.103	264.129	2.74	0.102	0.469	0.0	0.102	0.773	0.0
84	5806	5807	NS	1	-34.755	23.778	0.64	-34.951	25.452	0.655	-6.588	33.166	10.818	-9.122	32.453	22.269	0.103	252.419	3.029	0.103	264.129	2.74	0.102	0.469	0.0	0.102	0.773	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	5782	5783	SN	1	57.491	58.39	0.0	0.0	282.892	2.752	1200.208	1294.64	42.324	-93.482	-91.78	0.0
2	5782	5783	SN	1	57.495	58.396	0.0	0.0	294.942	3.928	1200.32	1294.608	40.845	-93.483	-91.779	0.0
3	5782	5783	SN	1	57.491	58.39	0.0	0.0	294.942	4.015	1200.208	1294.64	39.854	-93.482	-91.78	0.0
4	5783	5784	SN	1	57.478	58.388	0.0	0.0	289.973	3.749	1199.288	1294.592	42.026	-93.796	-91.78	0.0
5	5783	5784	NS	1	57.524	58.418	0.0	0.0	297.882	3.611	1207.624	1295.048	23.601	-94.073	-91.567	0.0
6	5783	5784	SN	1	57.478	58.388	0.0	0.0	289.973	3.241	1199.288	1294.592	42.518	-93.796	-91.78	0.0
7	5783	5784	SN	1	57.478	58.388	0.0	0.0	284.679	2.564	1199.288	1294.592	45.031	-93.796	-91.78	0.0
8	5784	5785	SN	1	57.487	58.385	0.0	0.0	298.124	3.584	1199.104	1294.856	42.106	-93.517	-91.748	0.0
9	5784	5785	NS	2	57.525	58.438	0.0	0.0	294.038	3.525	1207.808	1295.336	23.013	-93.756	-91.517	0.0
10	5784	5785	SN	1	57.487	58.385	0.0	0.003	298.124	2.802	1199.104	1294.856	45.24	-93.517	-91.748	0.0
11	5784	5785	NS	1	57.525	58.438	0.0	0.0	294.038	3.525	1207.808	1295.336	23.013	-93.756	-91.517	0.0
12	5784	5785	SN	1	57.487	58.385	0.0	0.003	298.124	3.532	1199.104	1294.856	42.502	-93.517	-91.748	0.0
13	5785	5786	SN	1	57.46	58.408	0.0	0.0	294.385	3.397	1198.784	1294.76	43.803	-93.648	-91.781	0.0
14	5785	5786	NS	1	57.525	58.428	0.0	0.0	294.071	3.579	1207.96	1295.256	23.029	-93.708	-91.556	0.0
15	5785	5786	SN	1	57.46	58.408	0.0	0.0	294.385	2.646	1198.784	1294.76	46.617	-93.648	-91.781	0.0
16	5785	5786	NS	1	57.525	58.428	0.0	0.0	294.071	3.576	1207.96	1295.256	23.005	-93.708	-91.556	0.0
17	5785	5786	SN	1	57.46	58.408	0.0	0.0	294.385	3.64	1198.784	1294.76	43.31	-93.648	-91.781	0.0
18	5786	5787	NS	1	57.524	58.421	0.0	0.0	295.174	3.642	1208.104	1295.104	22.97	-93.855	-91.564	0.0
19	5786	5787	SN	1	57.461	58.386	0.0	0.0	290.288	2.694	1198.88	1294.608	46.396	-93.851	-91.78	0.0
20	5786	5787	SN	1	57.461	58.386	0.0	0.0	299.812	3.534	1198.88	1294.608	43.504	-93.851	-91.78	0.0
21	5786	5787	SN	1	57.462	58.387	0.0	0.0	299.922	3.67	1198.912	1294.6	43.405	-93.851	-91.78	0.0
22	5786	5787	NS	1	57.524	58.421	0.0	0.0	295.174	3.646	1208.104	1295.104	22.994	-93.855	-91.564	0.0
23	5787	5788	SN	1	57.489	58.387	0.0	0.0	299.845	3.642	1199.488	1294.472	43.556	-93.596	-91.78	0.0
24	5787	5788	SN	1	57.486	58.384	0.0	0.0	299.845	3.547	1199.432	1294.48	43.555	-93.529	-91.781	0.0
25	5787	5788	NS	1	57.513	58.421	0.0	0.003	296.194	3.694	1207.856	1294.992	22.755	-93.906	-91.576	0.0
26	5787	5788	NS	1	57.513	58.421	0.0	0.003	296.194	3.69	1207.856	1294.992	22.73	-93.906	-91.576	0.0
27	5788	5789	SN	1	57.486	58.383	0.0	0.0	283.918	3.737	1199.288	1294.376	42.657	-93.527	-91.762	0.0
28	5788	5789	SN	1	57.486	58.383	0.0	0.0	283.918	2.599	1199.288	1294.376	45.778	-93.527	-91.762	0.0
29	5788	5789	NS	1	57.505	58.42	0.0	0.0	298.891	3.647	1207.512	1294.888	21.104	-93.814	-91.584	0.0
30	5788	5789	NS	1	57.505	58.42	0.0	0.0	298.891	3.649	1207.512	1294.888	21.121	-93.814	-91.584	0.0
31	5788	5789	SN	1	57.486	58.383	0.0	0.0	283.918	3.758	1199.288	1294.376	42.641	-93.527	-91.762	0.0
32	5789	5790	SN	1	57.488	58.388	0.0	0.0	297.893	3.836	1199.688	1294.48	42.884	-93.515	-91.762	0.0
33	5789	5790	SN	1	57.488	58.388	0.0	0.0	283.173	2.647	1199.688	1294.48	45.995	-93.515	-91.762	0.0
34	5789	5790	NS	1	57.495	58.42	0.0	0.0	294.6	3.598	1207.368	1294.968	22.098	-93.759	-91.591	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

<span style="color: green;">■</span> Normal	<span style="color: yellow;">■</span> Deviations
<span style="color: orange;">■</span> Alarming	<span style="color: red;">■</span> High Errors

35	5789	5790	NS	1	57.495	58.42	0.0	0.0	294.6	3.6	1207.368	1294.968	22.081	-93.759	-91.591	0.0
36	5789	5790	SN	2	57.488	58.388	0.0	0.0	297.893	3.836	1199.688	1294.48	42.884	-93.515	-91.762	0.0
37	5790	5791	NS	1	57.508	58.42	0.0	0.0	295.102	3.7	1207.8	1295.032	23.108	-93.879	-91.586	0.0
38	5790	5791	NS	1	57.508	58.42	0.0	0.0	295.102	3.704	1207.8	1295.032	23.086	-93.879	-91.586	0.0
39	5790	5791	SN	2	57.49	58.386	0.0	0.0	293.911	3.706	1199.824	1294.504	42.067	-93.838	-91.708	0.0
40	5790	5791	SN	1	57.49	58.386	0.0	0.0	293.911	3.706	1199.824	1294.504	42.067	-93.838	-91.708	0.0
41	5791	5792	NS	1	57.528	58.419	0.0	0.0	295.648	3.808	1208.4	1294.872	23.227	-93.801	-91.589	0.0
42	5791	5792	NS	2	57.528	58.419	0.0	0.0	295.648	3.808	1208.4	1294.872	23.227	-93.801	-91.589	0.0
43	5792	5793	NS	1	57.529	58.442	0.0	0.0	297.749	3.604	1208.544	1294.792	22.483	-93.448	-91.176	0.0
44	5797	5798	SN	1	57.476	58.381	0.0	0.0	283.013	2.725	1198.792	1294.184	46.94	-93.493	-91.765	0.0
45	5797	5798	SN	1	57.476	58.381	0.0	0.0	297.788	3.973	1198.792	1294.184	44.159	-93.493	-91.765	0.0
46	5797	5798	NS	1	57.502	58.42	0.0	0.0	293.188	3.797	1207.968	1294.728	22.009	-93.838	-91.573	0.0
47	5797	5798	SN	1	57.476	58.381	0.0	0.0	297.788	3.789	1198.792	1294.184	43.848	-93.493	-91.765	0.0
48	5798	5799	SN	1	57.484	58.382	0.0	0.0	294.611	3.639	1198.696	1294.4	43.903	-93.519	-91.737	0.0
49	5798	5799	SN	1	57.484	58.382	0.0	0.0	283.504	2.553	1198.696	1294.4	46.949	-93.519	-91.737	0.0
50	5798	5799	NS	1	57.531	58.423	0.0	0.0	294.236	3.544	1208.808	1295.008	20.881	-93.795	-91.535	0.0
51	5798	5799	NS	2	57.531	58.423	0.0	0.0	294.236	3.543	1208.808	1295.008	20.874	-93.795	-91.535	0.0
52	5798	5799	SN	1	57.484	58.382	0.0	0.0	294.396	3.69	1198.696	1294.4	43.514	-93.519	-91.737	0.0
53	5799	5800	SN	1	57.463	58.381	0.0	0.0	290.585	3.278	1198.192	1294.488	44.58	-93.494	-91.774	0.0
54	5799	5800	SN	1	57.463	58.381	0.0	0.0	290.585	3.609	1198.192	1294.488	44.005	-93.494	-91.774	0.0
55	5799	5800	NS	1	57.531	58.424	0.0	0.0	295.924	3.534	1208.968	1295.144	20.558	-93.678	-91.525	0.0
56	5799	5800	SN	1	57.463	58.381	0.0	0.0	283.162	2.54	1198.192	1294.488	47.797	-93.494	-91.774	0.0
57	5800	5801	SN	2	57.582	57.861	0.0	0.006	287.547	14.877	1208.936	1217.24	1.352	-93.009	-91.831	0.0
58	5800	5801	SN	1	57.582	57.861	0.0	0.006	287.547	14.877	1208.936	1217.24	1.352	-93.009	-91.831	0.0
59	5801	5802	SN	1	57.475	58.391	0.0	0.0	297.645	2.585	1198.488	1294.224	48.566	-93.594	-91.773	0.0
60	5801	5802	SN	1	57.483	58.387	0.0	0.0	297.733	3.481	1198.704	1294.2	45.304	-93.618	-91.773	0.0
61	5801	5802	NS	1	57.535	58.43	0.0	0.0	291.473	3.696	1209.208	1294.944	20.799	-94.005	-91.593	0.0
62	5801	5802	NS	2	57.535	58.43	0.0	0.0	291.473	3.696	1209.208	1294.944	20.799	-94.005	-91.593	0.0
63	5801	5802	SN	2	57.475	58.391	0.0	0.0	297.645	3.479	1198.488	1294.224	45.245	-93.594	-91.773	0.0
64	5802	5803	SN	1	57.477	58.39	0.0	0.0	299.409	3.64	1197.96	1294.064	44.507	-93.876	-91.773	0.0
65	5802	5803	SN	2	57.477	58.39	0.0	0.0	299.409	3.64	1197.96	1294.064	44.507	-93.876	-91.773	0.0
66	5802	5803	SN	1	57.477	58.39	0.0	0.0	292.361	2.599	1197.96	1294.064	48.025	-93.876	-91.773	0.0
67	5802	5803	NS	1	57.502	58.42	0.0	0.0	294.92	3.696	1208.472	1294.68	20.124	-94.226	-91.581	0.0
68	5802	5803	NS	2	57.505	58.423	0.0	0.0	294.661	3.696	1208.552	1294.76	19.949	-94.214	-91.581	0.0
69	5803	5804	NS	2	57.508	58.423	0.0	0.0	293.354	3.601	1208.592	1294.744	19.591	-93.842	-91.6	0.0
70	5803	5804	SN	1	57.458	58.379	0.0	0.0	298.852	3.85	1198.28	1294.056	44.18	-93.675	-91.763	0.0
71	5803	5804	SN	2	57.458	58.379	0.0	0.0	298.725	3.851	1198.28	1294.056	44.215	-93.675	-91.763	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

72	5803	5804	NS	1	57.508	58.423	0.0	0.0	293.354	3.601	1208.592	1294.744	19.591	-93.842	-91.6	0.0
73	5803	5804	SN	1	57.458	58.379	0.0	0.0	287.795	2.659	1198.28	1294.056	47.768	-93.675	-91.763	0.0
74	5804	5805	NS	2	57.509	58.426	0.0	0.0	296.52	3.663	1208.984	1294.856	19.624	-93.711	-91.596	0.0
75	5804	5805	NS	1	57.502	58.418	0.0	0.0	296.144	3.663	1208.424	1294.728	19.927	-93.905	-91.595	0.0
76	5804	5805	SN	1	57.459	58.379	0.0	0.0	297.948	3.756	1198.936	1294.168	45.654	-93.582	-91.724	0.0
77	5804	5805	SN	1	57.459	58.379	0.0	0.0	285.644	2.647	1198.936	1294.168	49.148	-93.582	-91.724	0.0
78	5804	5805	SN	2	57.459	58.379	0.0	0.0	297.948	3.756	1198.936	1294.168	45.654	-93.582	-91.724	0.0
79	5805	5806	SN	1	57.465	58.379	0.0	0.0	297.104	3.659	1199.04	1294.12	44.194	-93.711	-91.699	0.0
80	5805	5806	NS	1	57.512	58.425	0.0	0.0	298.99	3.83	1208.744	1294.832	21.364	-93.906	-91.597	0.0
81	5805	5806	NS	2	57.512	58.425	0.0	0.0	298.99	3.83	1208.744	1294.832	21.364	-93.906	-91.597	0.0
82	5805	5806	SN	2	57.465	58.379	0.0	0.0	297.104	3.659	1199.04	1294.12	44.194	-93.711	-91.699	0.0
83	5806	5807	NS	2	57.535	58.449	0.0	0.0	291.887	3.754	1209.616	1294.64	20.515	-93.85	-91.578	0.0
84	5806	5807	NS	1	57.535	58.449	0.0	0.0	291.887	3.754	1209.616	1294.64	20.515	-93.85	-91.578	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
					Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	5782	5783	SN	1	-34.956	16.217	0.0	-34.574	17.198	0.0	-4.93	22.104	0.003	-6.194	22.641	0.008	0.084	215.875	3.713	0.084	197.747	3.366	0.083	0.293	0.0	0.083	0.355	0.0
2	5782	5783	SN	1	-34.982	18.117	0.0	-34.538	19.378	0.0	-4.871	22.102	0.003	-6.202	22.638	0.009	0.083	217.201	3.517	0.083	196.127	2.81	0.083	0.29	0.0	0.083	0.355	0.0
3	5782	5783	SN	1	-34.956	18.117	0.0	-34.574	19.38	0.0	-4.93	22.104	0.003	-6.194	22.641	0.01	0.083	215.875	3.499	0.083	197.747	2.841	0.083	0.293	0.0	0.083	0.355	0.0
4	5783	5784	SN	1	-34.843	18.233	0.0	-34.583	19.788	0.0	-1.265	21.719	0.0	-1.165	23.046	0.081	0.083	210.342	3.522	0.083	198.165	2.647	0.083	0.165	0.0	0.083	0.163	0.0
5	5783	5784	NS	1	-34.803	19.872	0.0	-34.739	20.416	0.0	-4.682	21.185	0.0	-9.218	23.824	0.061	0.083	208.455	1.425	0.083	205.393	1.433	0.083	0.271	0.0	0.083	0.642	0.0
6	5783	5784	SN	1	-34.843	18.233	0.0	-34.583	18.936	0.0	-1.265	21.719	0.0	-1.165	23.046	0.082	0.083	210.342	3.527	0.083	198.165	2.752	0.083	0.165	0.0	0.083	0.163	0.0
7	5783	5784	SN	1	-34.843	16.077	0.0	-34.583	18.38	0.0	-1.265	21.719	0.0	-1.165	23.046	0.082	0.084	210.342	3.677	0.083	198.165	3.02	0.083	0.165	0.0	0.083	0.163	0.0
8	5784	5785	SN	1	-34.809	18.256	0.0	-34.94	18.532	0.0	-7.15	22.048	0.003	-2.07	23.179	0.106	0.083	208.7	3.608	0.083	215.164	3.087	0.083	0.425	0.0	0.083	0.182	0.0
9	5784	5785	NS	2	-34.946	17.11	0.0	-34.83	17.594	0.0	-8.839	21.182	0.0	-25.833	22.774	0.042	0.084	215.416	3.352	0.083	209.755	3.11	0.083	0.594	0.0	0.083	26.476	0.041
10	5784	5785	SN	1	-34.809	15.668	0.0	-34.94	18.488	0.0	-7.15	22.048	0.003	-2.07	23.179	0.106	0.084	208.7	3.807	0.083	215.164	3.362	0.083	0.425	0.0	0.083	0.182	0.0
11	5784	5785	NS	1	-34.946	17.11	0.0	-34.83	17.594	0.0	-8.839	21.182	0.0	-25.833	22.774	0.042	0.084	215.416	3.352	0.083	209.755	3.11	0.083	0.594	0.0	0.083	26.476	0.041
12	5784	5785	SN	1	-34.809	18.256	0.0	-34.94	18.532	0.0	-7.15	22.048	0.003	-2.07	23.179	0.106	0.083	208.7	3.658	0.083	215.164	3.119	0.083	0.425	0.0	0.083	0.182	0.0
13	5785	5786	SN	1	-34.97	16.708	0.0	-34.895	18.126	0.0	1.321	21.217	0.0	1.7	21.782	0.0	0.084	216.598	4.545	0.083	212.923	3.746	0.083	0.126	0.0	0.083	0.122	0.0
14	5785	5786	NS	1	-34.834	17.387	0.0	-34.869	17.214	0.0	-24.455	20.893	0.0	-28.59	23.017	0.019	0.084	209.936	4.678	0.084	211.613	4.6	0.083	19.295	0.086	0.083	49.909	0.086
15	5785	5786	SN	1	-34.97	15.481	0.0	-34.895	16.457	0.0	1.321	21.217	0.0	1.7	21.782	0.0	0.084	216.598	4.77	0.084	212.923	4.003	0.083	0.126	0.0	0.083	0.122	0.0
16	5785	5786	NS	1	-34.834	17.387	0.0	-34.869	17.214	0.0	-24.455	20.893	0.0	-28.59	23.017	0.019	0.084	209.936	4.671	0.084	211.613	4.595	0.083	19.295	0.086	0.083	49.909	0.086
17	5785	5786	SN	1	-34.97	16.708	0.0	-34.895	18.126	0.0	1.321	21.217	0.0	1.7	21.782	0.0	0.084	216.598	4.553	0.083	212.923	3.665	0.083	0.126	0.0	0.083	0.122	0.0
18	5786	5787	NS	1	-32.609	17.31	0.0	-34.244	17.006	0.0	-8.29	22.348	0.003	-10.184	22.526	0.021	0.084	125.8	1.567	0.084	183.276	1.643	0.083	0.531	0.0	0.083	0.785	0.0
19	5786	5787	SN	1	-34.725	16.504	0.0	-34.767	16.332	0.0	0.466	21.372	0.0	2.093	22.693	0.113	0.084	219.643	2.054	0.084	206.712	2.036	0.083	0.136	0.0	0.083	0.119	0.0
20	5786	5787	SN	1	-34.725	16.504	0.0	-34.767	18.204	0.0	0.466	21.372	0.0	2.093	22.693	0.098	0.084	219.643	1.993	0.083	206.712	1.91	0.083	0.136	0.0	0.083	0.119	0.0
21	5786	5787	SN	1	-33.865	16.502	0.0	-34.94	18.204	0.0	0.466	21.372	0.0	2.092	22.693	0.095	0.084	171.586	1.995	0.083	215.164	1.894	0.083	0.136	0.0	0.083	0.119	0.0
22	5786	5787	NS	1	-32.609	17.31	0.0	-34.244	17.006	0.0	-8.29	22.348	0.003	-10.184	22.526	0.021	0.084	125.8	1.564	0.084	183.276	1.621	0.083	0.531	0.0	0.083	0.785	0.0
23	5787	5788	SN	1	-34.948	16.765	0.0	-34.915	18.273	0.0	0.413	21.095	0.0	2.291	22.339	0.014	0.084	215.552	4.392	0.083	213.926	4.228	0.083	0.137	0.0	0.083	0.117	0.0
24	5787	5788	SN	1	-34.922	16.765	0.0	-34.951	18.273	0.0	0.415	21.094	0.0	2.29	22.339	0.014	0.084	219.635	4.399	0.083	215.682	4.27	0.083	0.137	0.0	0.083	0.117	0.0
25	5787	5788	NS	1	-33.52	17.964	0.0	-34.583	17.939	0.0	-19.849	23.114	0.002	-17.854	22.949	0.032	0.083	155.154	3.006	0.083	198.186	2.678	0.083	6.724	0.012	0.083	4.271	0.011
26	5787	5788	NS	1	-33.52	17.964	0.0	-34.583	17.939	0.0	-19.849	23.114	0.002	-17.854	22.949	0.032	0.083	155.154	3.001	0.083	198.186	2.677	0.083	6.724	0.012	0.083	4.271	0.011
27	5788	5789	SN	1	-34.928	17.52	0.0	-34.974	18.379	0.0	-0.342	22.412	0.036	7.205	23.236	0.161	0.083	214.506	4.528	0.083	216.851	3.646	0.083	0.148	0.0	0.083	0.096	0.0
28	5788	5789	SN	1	-34.928	17.52	0.0	-34.974	18.045	0.0	-0.342	22.412	0.044	7.205	23.236	0.169	0.083	214.506	4.739	0.083	216.851	4.014	0.083	0.148	0.0	0.083	0.096	0.0
29	5788	5789	NS	1	-34.068	18.307	0.0	-34.954	18.408	0.0	-20.185	21.49	0.0	-30.661	22.916	0.071	0.083	175.975	2.318	0.083	215.838	2.021	0.083	7.259	0.081	0.083	80.368	0.096
30	5788	5789	NS	1	-34.068	18.307	0.0	-34.954	18.408	0.0	-20.185	21.49	0.0	-30.661	22.916	0.071	0.083	175.975	2.319	0.083	215.838	2.023	0.083	7.259	0.081	0.083	80.368	0.096
31	5788	5789	SN	1	-34.928	17.52	0.0	-34.974	18.379	0.0	-0.342	22.412	0.035	7.205	23.236	0.159	0.083	214.506	4.528	0.083	216.851	3.64	0.083	0.148	0.0	0.083	0.096	0.0
32	5789	5790	SN	1	-34.988	16.631	0.0	-34.195	18.739	0.0	-10.87	22.744	0.103	-10.082	25.374	0.682	0.084	217.536	4.099	0.083	181.24	3.666	0.083	0.975	0.0	0.083	0.825	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

33	5789	5790	SN	1	-34.988	16.631	0.0	-34.195	17.483	0.0	-10.87	22.744	0.12	-10.082	25.374	0.699	0.084	217.536	4.413	0.083	181.24	4.341	0.083	0.975	0.0	0.083	0.825	0.0
34	5789	5790	NS	1	-34.929	17.723	0.0	-34.721	18.391	0.0	2.329	22.272	0.024	1.914	23.191	0.378	0.083	214.622	2.096	0.083	204.566	1.877	0.083	0.117	0.0	0.083	0.12	0.0
35	5789	5790	NS	1	-34.929	17.723	0.0	-34.721	18.391	0.0	2.329	22.272	0.024	1.914	23.191	0.378	0.083	214.622	2.094	0.083	204.566	1.875	0.083	0.117	0.0	0.083	0.12	0.0
36	5789	5790	SN	2	-34.988	16.631	0.0	-34.195	18.739	0.0	-10.87	22.744	0.103	-10.082	25.374	0.682	0.084	217.536	4.099	0.083	181.24	3.666	0.083	0.975	0.0	0.083	0.825	0.0
37	5790	5791	NS	1	-34.586	18.337	0.0	-34.803	18.171	0.0	1.427	22.333	0.022	-2.942	23.671	0.938	0.083	198.278	4.934	0.083	208.458	4.196	0.083	0.125	0.0	0.083	0.206	0.0
38	5790	5791	NS	1	-34.586	18.337	0.0	-34.803	18.171	0.0	1.427	22.333	0.022	-2.942	23.671	0.937	0.083	198.278	4.927	0.083	208.458	4.192	0.083	0.125	0.0	0.083	0.206	0.0
39	5790	5791	SN	2	-34.895	17.717	0.0	-34.883	19.191	0.0	-17.792	22.662	0.014	-15.88	23.677	0.454	0.083	212.934	1.625	0.083	212.341	1.225	0.083	4.519	0.068	0.083	2.735	0.004
40	5790	5791	SN	1	-34.895	17.717	0.0	-34.883	19.191	0.0	-17.792	22.662	0.014	-15.88	23.677	0.454	0.083	212.934	1.625	0.083	212.341	1.225	0.083	4.519	0.068	0.083	2.735	0.004
41	5791	5792	NS	1	-34.012	18.326	0.0	-34.937	18.595	0.0	-9.896	22.91	0.124	-8.75	23.846	1.074	0.083	173.762	2.567	0.083	214.997	2.451	0.083	0.739	0.0	0.083	0.583	0.0
42	5791	5792	NS	2	-34.012	18.326	0.0	-34.937	18.595	0.0	-9.896	22.91	0.124	-8.75	23.846	1.074	0.083	173.762	2.567	0.083	214.997	2.451	0.083	0.739	0.0	0.083	0.583	0.0
43	5792	5793	NS	1	-34.807	18.391	0.0	-34.892	18.959	0.0	-7.985	22.034	0.003	-6.779	23.826	0.775	0.083	208.638	2.963	0.083	212.791	2.769	0.083	0.5	0.0	0.083	0.396	0.0
44	5797	5798	SN	1	-34.323	16.549	0.0	-33.726	17.217	0.0	1.281	21.788	0.0	0.514	23.77	0.082	0.084	186.624	2.226	0.084	162.655	1.969	0.083	0.126	0.0	0.083	0.136	0.0
45	5797	5798	SN	1	-34.323	18.278	0.0	-33.726	19.406	0.0	-2.127	21.79	0.0	-0.343	23.77	0.08	0.083	186.624	2.21	0.083	162.655	1.667	0.083	0.19	0.0	0.083	0.153	0.0
46	5797	5798	NS	1	-34.993	19.61	0.0	-34.948	21.576	0.0	-0.445	22.237	0.005	-0.796	23.208	0.115	0.083	217.767	3.502	0.083	215.542	3.581	0.083	0.15	0.0	0.083	0.156	0.0
47	5797	5798	SN	1	-34.323	18.278	0.0	-33.726	18.97	0.0	-0.3	21.79	0.0	0.514	23.77	0.082	0.083	186.624	2.174	0.083	162.655	1.691	0.083	0.153	0.0	0.083	0.136	0.0
48	5798	5799	SN	1	-34.922	18.547	0.0	-34.835	18.999	0.0	-3.245	21.886	0.0	-2.193	23.587	0.09	0.083	214.227	3.327	0.083	209.995	2.69	0.083	0.216	0.0	0.083	0.186	0.0
49	5798	5799	SN	1	-34.922	15.031	0.0	-34.835	18.269	0.0	-3.245	21.886	0.0	-2.193	23.587	0.092	0.084	214.227	3.472	0.083	209.995	3.095	0.083	0.216	0.0	0.083	0.186	0.0
50	5798	5799	NS	1	-33.002	19.4	0.0	-34.711	20.418	0.0	-9.689	21.584	0.0	-9.721	23.802	0.038	0.083	137.731	1.383	0.083	204.064	1.496	0.083	0.708	0.0	0.083	0.712	0.0
51	5798	5799	NS	2	-33.002	19.4	0.0	-34.711	20.418	0.0	-9.689	21.584	0.0	-9.721	23.802	0.038	0.083	137.731	1.383	0.083	204.064	1.494	0.083	0.708	0.0	0.083	0.712	0.0
52	5798	5799	SN	1	-34.922	18.547	0.0	-34.835	19.001	0.0	-3.245	21.886	0.0	-2.193	23.587	0.09	0.083	214.227	3.276	0.083	209.995	2.657	0.083	0.216	0.0	0.083	0.186	0.0
53	5799	5800	SN	1	-34.967	16.713	0.0	-34.973	18.338	0.0	0.932	21.983	0.0	2.381	22.226	0.007	0.084	223.873	1.749	0.083	224.179	1.477	0.083	0.13	0.0	0.083	0.116	0.0
54	5799	5800	SN	1	-34.967	16.713	0.0	-34.973	18.338	0.0	0.932	21.983	0.0	2.381	22.226	0.007	0.084	223.873	1.735	0.083	224.179	1.457	0.083	0.13	0.0	0.083	0.116	0.0
55	5799	5800	NS	1	-34.564	16.827	0.0	-34.617	17.492	0.0	-6.553	20.835	0.0	-26.989	22.478	0.026	0.084	197.327	2.371	0.083	199.696	2.016	0.083	0.379	0.0	0.083	34.533	0.033
56	5799	5800	SN	1	-34.967	14.445	0.0	-34.973	16.205	0.0	0.932	21.983	0.0	2.381	22.226	0.007	0.084	223.873	1.816	0.084	224.179	1.597	0.083	0.13	0.0	0.083	0.116	0.0
57	5800	5801	SN	2	-26.879	16.856	0.0	-13.415	18.219	0.0	7.595	14.692	0.0	7.25	17.392	0.0	0.084	33.669	0.573	0.083	1.578	0.013	0.085	0.096	0.0	0.084	0.094	0.0
58	5800	5801	SN	1	-26.879	16.856	0.0	-13.415	18.219	0.0	7.595	14.692	0.0	7.25	17.392	0.0	0.084	33.669	0.573	0.083	1.578	0.013	0.085	0.096	0.0	0.084	0.094	0.0
59	5801	5802	SN	1	-34.868	16.04	0.0	-34.922	16.156	0.0	0.395	21.217	0.0	2.561	22.605	0.082	0.084	211.536	6.098	0.084	214.188	5.399	0.083	0.137	0.0	0.083	0.115	0.0
60	5801	5802	SN	1	-34.912	16.439	0.0	-34.982	18.799	0.0	0.401	21.217	0.0	2.564	22.604	0.068	0.084	213.782	5.835	0.083	217.237	5.057	0.083	0.137	0.0	0.083	0.115	0.0
61	5801	5802	NS	1	-34.936	17.829	0.0	-34.945	18.173	0.0	-18.718	22.95	0.005	-16.717	23.549	0.016	0.083	214.939	3.878	0.083	215.374	3.796	0.083	5.198	0.012	0.083	3.302	0.013
62	5801	5802	NS	2	-34.936	17.829	0.0	-34.945	18.173	0.0	-18.718	22.95	0.005	-16.717	23.549	0.016	0.083	214.939	3.878	0.083	215.374	3.796	0.083	5.198	0.012	0.083	3.302	0.013
63	5801	5802	SN	2	-34.868	16.439	0.0	-34.922	18.799	0.0	0.395	21.217	0.0	2.561	22.605	0.068	0.084	211.536	5.828	0.083	214.188	5.052	0.083	0.137	0.0	0.083	0.115	0.0
64	5802	5803	SN	1	-34.982	16.966	0.0	-34.807	18.32	0.0	0.471	21.528	0.0	3.973	22.158	0.005	0.084	217.214	4.568	0.083	208.626	4.448	0.083	0.136	0.0	0.083	0.105	0.0
65	5802	5803	SN	2	-34.982	16.966	0.0	-34.807	18.32	0.0	0.471	21.528	0.0	3.973	22.158	0.005	0.084	217.214	4.568	0.083	208.626	4.448	0.083	0.136	0.0	0.083	0.105	0.0
66	5802	5803	SN	1	-34.982	15.384	0.0	-34.807	16.962	0.0	0.471	21.528	0.0	3.973	22.158	0.006	0.084	217.214	4.77	0.084	208.626	4.827	0.083	0.136	0.0	0.083	0.105	0.0
67	5802	5803	NS	1	-34.567	17.992	0.0	-34.476	18.001	0.0	-28.348	21.432	0.0	-22.174	22.423	0.027	0.083	197.435	2.537	0.083	193.355	2.466	0.083	47.201	0.09	0.083	11.439	0.037
68	5802	5803	NS	2	-34.218	17.992	0.0	-34.99	18.001	0.0	-28.78	21.432	0.0	-22.082	22.421	0.027	0.083	182.179	2.535	0.083	217.57	2.467	0.083	52.139	0.09	0.083	11.2	0.037
69	5803	5804	NS	2	-34.185	18.035	0.0	-34.762	18.383	0.0	3.028	22.418	0.078	1.888	22.744	0.265	0.083	180.837	1.453	0.083	206.507	1.322	0.083	0.111	0.0	0.083	0.12	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

70	5803	5804	SN	1	-34.407	16.878	0.0	-34.987	18.979	0.0	-1.638	22.865	0.092	0.059	23.306	0.456	0.084	190.277	3.491	0.083	217.424	2.61	0.083	0.179	0.0	0.083	0.142	0.0
71	5803	5804	SN	2	-34.407	16.881	0.0	-34.987	18.982	0.0	-1.638	22.865	0.092	0.059	23.306	0.456	0.084	190.277	3.489	0.083	217.424	2.611	0.083	0.179	0.0	0.083	0.142	0.0
72	5803	5804	NS	1	-34.185	18.035	0.0	-34.762	18.383	0.0	3.028	22.418	0.078	1.888	22.744	0.265	0.083	180.837	1.453	0.083	206.507	1.322	0.083	0.111	0.0	0.083	0.12	0.0
73	5803	5804	SN	1	-34.407	14.675	0.0	-34.987	15.302	0.0	-1.638	22.865	0.108	0.059	23.306	0.469	0.084	190.277	3.706	0.084	217.424	2.941	0.083	0.179	0.0	0.083	0.142	0.0
74	5804	5805	NS	2	-34.544	18.147	0.0	-34.858	18.343	0.0	1.833	22.774	0.055	1.86	23.42	0.635	0.083	196.369	2.113	0.083	211.153	1.82	0.083	0.121	0.0	0.083	0.121	0.0
75	5804	5805	NS	1	-34.601	18.147	0.0	-34.131	18.337	0.0	1.83	22.772	0.055	1.852	23.425	0.631	0.083	198.976	2.106	0.083	178.593	1.826	0.083	0.121	0.0	0.083	0.121	0.0
76	5804	5805	SN	1	-34.897	16.6	0.0	-34.94	19.044	0.0	-12.851	23.43	0.019	-7.988	23.853	0.594	0.084	212.991	3.578	0.083	215.15	3.252	0.083	1.442	0.001	0.083	0.5	0.0
77	5804	5805	SN	1	-34.897	16.139	0.0	-34.94	17.519	0.0	-12.851	23.43	0.022	-7.988	23.853	0.511	0.084	212.991	3.725	0.083	215.15	3.72	0.083	1.442	0.002	0.083	0.5	0.0
78	5804	5805	SN	2	-34.897	16.6	0.0	-34.94	19.044	0.0	-12.851	23.43	0.019	-7.988	23.853	0.594	0.084	212.991	3.578	0.083	215.15	3.252	0.083	1.442	0.001	0.083	0.5	0.0
79	5805	5806	SN	1	-34.974	16.32	0.0	-33.99	19.556	0.0	-18.991	22.5	0.008	-6.18	23.705	0.266	0.084	216.822	2.661	0.083	172.892	2.594	0.083	5.53	0.023	0.083	0.354	0.0
80	5805	5806	NS	1	-34.824	18.119	0.0	-34.674	18.671	0.0	-2.831	23.01	0.077	1.798	24.257	1.299	0.083	209.5	2.12	0.083	202.375	1.842	0.083	0.203	0.0	0.083	0.121	0.0
81	5805	5806	NS	2	-34.824	18.119	0.0	-34.674	18.671	0.0	-2.831	23.01	0.077	1.798	24.257	1.299	0.083	209.5	2.12	0.083	202.375	1.842	0.083	0.203	0.0	0.083	0.121	0.0
82	5805	5806	SN	2	-34.974	16.32	0.0	-33.99	19.556	0.0	-18.991	22.5	0.008	-6.18	23.705	0.266	0.084	216.822	2.661	0.083	172.892	2.594	0.083	5.53	0.023	0.083	0.354	0.0
83	5806	5807	NS	2	-34.241	18.533	0.0	-33.901	18.803	0.0	-5.671	22.051	0.003	-6.178	23.662	0.85	0.083	183.144	1.857	0.083	169.341	1.913	0.083	0.322	0.0	0.083	0.354	0.0
84	5806	5807	NS	1	-34.241	18.533	0.0	-33.901	18.803	0.0	-5.671	22.051	0.003	-6.178	23.662	0.85	0.083	183.144	1.857	0.083	169.341	1.913	0.083	0.322	0.0	0.083	0.354	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors