

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-JUL-2019 To 07-JUL-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-JUL-2019 To 07-JUL-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14685	14686	SN	2	48.799	49.441	0.0	0.003	6.315	2.711	1037.624	1075.448	0.0	-91.811	-90.071	0.0
2	14685	14686	SN	1	48.799	49.441	0.0	0.003	6.315	2.01	1037.624	1075.448	0.0	-91.811	-90.071	0.0
3	14685	14686	SN	1	48.799	49.441	0.0	0.003	6.315	2.709	1037.616	1075.448	0.0	-91.811	-90.07	0.0
4	14686	14687	NS	1	48.746	49.333	0.0	0.0	267.279	2.667	1036.608	1075.0	0.0	-91.762	-90.07	0.0
5	14686	14687	SN	1	48.769	49.4	0.0	0.003	6.32	2.44	1036.824	1075.392	0.0	-91.832	-90.064	0.0
6	14686	14687	NS	1	48.746	49.333	0.0	0.0	267.279	2.669	1036.608	1075.0	0.0	-91.809	-90.07	0.0
7	14686	14687	SN	2	48.769	49.4	0.0	0.003	6.32	2.628	1036.824	1075.392	0.0	-91.832	-90.064	0.0
8	14686	14687	SN	1	48.769	49.4	0.0	0.003	6.32	2.628	1036.824	1075.392	0.0	-91.832	-90.064	0.0
9	14687	14688	SN	2	48.771	49.441	0.0	0.003	6.32	2.378	1036.456	1075.56	0.0	-91.866	-90.09	0.0
10	14687	14688	SN	1	48.771	49.441	0.0	0.003	6.32	2.378	1036.456	1075.56	0.0	-91.866	-90.09	0.0
11	14687	14688	NS	1	48.764	49.351	0.0	0.003	267.56	2.508	1037.384	1075.208	0.0	-91.832	-90.044	0.0
12	14687	14688	NS	1	48.764	49.351	0.0	0.003	267.56	2.506	1037.384	1075.208	0.0	-92.164	-90.044	0.0
13	14687	14688	SN	1	48.771	49.441	0.0	0.003	6.32	2.528	1036.456	1075.56	0.0	-91.866	-90.09	0.0
14	14688	14689	SN	1	48.808	49.434	0.0	0.003	31.744	2.302	1036.512	1075.472	0.0	-91.866	-90.09	0.0
15	14688	14689	SN	1	48.808	49.434	0.0	0.003	31.744	2.528	1036.512	1075.472	0.0	-91.866	-90.09	0.0
16	14688	14689	NS	1	48.765	49.333	0.0	0.003	207.491	2.598	1037.872	1075.144	0.0	-91.677	-90.089	0.0
17	14688	14689	SN	1	48.808	49.434	0.0	0.003	31.744	2.531	1036.512	1075.472	0.0	-91.866	-90.09	0.0
18	14689	14690	NS	1	48.766	49.333	0.0	0.003	264.891	2.623	1037.888	1075.024	0.0	-91.71	-90.054	0.0
19	14689	14690	SN	1	48.814	49.378	0.0	0.0	160.646	2.636	1036.336	1075.352	0.0	-91.695	-90.089	0.0
20	14689	14690	SN	1	48.814	49.378	0.0	0.0	160.646	2.633	1036.336	1075.352	0.0	-91.665	-90.089	0.0
21	14689	14690	SN	1	48.814	49.378	0.0	0.0	160.646	1.768	1036.336	1075.352	0.0	-91.619	-90.089	0.0
22	14689	14690	NS	2	48.766	49.333	0.0	0.003	264.891	2.622	1037.888	1075.024	0.0	-91.714	-90.054	0.0
23	14690	14691	NS	2	48.617	49.362	0.0	0.0	51.824	2.767	1037.824	1074.936	0.0	-91.842	-90.075	0.0
24	14690	14691	SN	1	48.805	49.377	0.0	0.003	32.144	1.98	1036.32	1075.264	0.0	-91.712	-90.09	0.0
25	14690	14691	NS	1	48.617	49.362	0.0	0.0	51.824	2.767	1037.824	1074.936	0.0	-91.842	-90.075	0.0
26	14690	14691	SN	1	48.805	49.377	0.0	0.003	32.144	2.547	1036.32	1075.264	0.0	-91.687	-90.09	0.0
27	14691	14692	NS	1	48.729	49.37	0.0	0.003	267.367	2.583	1037.704	1074.872	0.0	-92.08	-90.086	0.0
28	14691	14692	SN	1	48.769	49.405	0.0	0.003	280.515	1.767	1036.584	1075.208	0.0	-91.709	-90.091	0.0
29	14691	14692	NS	2	48.729	49.371	0.0	0.003	267.367	2.582	1037.704	1074.872	0.0	-92.08	-90.086	0.0
30	14691	14692	SN	1	48.769	49.405	0.0	0.003	280.515	2.606	1036.584	1075.208	0.0	-91.709	-90.091	0.0
31	14692	14693	SN	1	48.782	49.43	0.0	0.003	215.421	1.572	1036.712	1075.36	0.0	-91.782	-90.084	0.0
32	14692	14693	NS	1	48.7	49.387	0.0	0.003	42.386	2.631	1036.8	1074.992	0.0	-91.777	-90.084	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	14692	14693	SN	1	48.782	49.43	0.0	0.003	215.421	2.67	1036.712	1075.36	0.0	-91.782	-90.084	0.0
34	14692	14693	SN	1	48.809	49.378	0.0	0.003	215.421	2.668	1036.712	1075.36	0.0	-91.8	-90.084	0.0
35	14693	14694	SN	1	48.764	49.422	0.0	0.003	6.304	2.566	1037.232	1075.416	0.0	-94.272	-90.055	0.0
36	14693	14694	NS	1	48.702	49.374	0.0	0.003	206.432	2.649	1037.44	1075.04	0.0	-91.858	-90.056	0.0
37	14693	14694	NS	2	48.702	49.374	0.0	0.003	206.432	2.649	1037.44	1075.04	0.0	-91.858	-90.056	0.0
38	14694	14695	SN	1	48.764	49.379	0.0	0.0	154.916	2.585	1036.912	1075.392	0.0	-91.672	-90.097	0.0
39	14694	14695	NS	1	48.716	49.388	0.0	0.003	16.843	2.725	1036.688	1074.96	0.0	-91.788	-90.06	0.0
40	14695	14696	NS	1	48.714	49.333	0.0	0.0	224.312	2.652	1036.736	1074.856	0.0	-91.697	-90.084	0.0
41	14695	14696	SN	1	48.764	49.379	0.0	0.003	6.309	2.624	1037.704	1075.312	0.0	-91.802	-90.073	0.0
42	14696	14697	SN	1	48.819	49.413	0.0	0.003	6.304	2.615	1037.664	1075.392	0.0	-91.896	-90.078	0.0
43	14696	14697	NS	1	48.705	49.381	0.0	0.003	210.717	2.458	1036.864	1074.312	0.0	-91.691	-90.083	0.0
44	14696	14697	NS	1	48.705	49.381	0.0	0.003	210.717	2.656	1036.864	1074.992	0.0	-91.691	-90.083	0.0
45	14697	14698	SN	1	48.77	49.379	0.0	0.003	29.232	2.584	1037.704	1075.368	0.0	-91.705	-90.091	0.0
46	14697	14698	NS	1	48.751	49.391	0.0	0.003	42.799	2.553	1036.52	1075.016	0.0	-91.74	-90.081	0.0
47	14697	14698	NS	1	48.757	49.391	0.0	0.003	263.964	1.942	1036.36	1073.512	0.0	-91.74	-90.081	0.0
48	14697	14698	NS	1	48.757	49.391	0.0	0.003	263.964	2.556	1036.36	1075.016	0.0	-91.74	-90.081	0.0
49	14698	14699	NS	1	48.7	49.391	0.0	0.003	17.45	1.545	1036.968	1072.752	0.0	-91.76	-90.08	0.0
50	14698	14699	NS	1	48.7	49.391	0.0	0.003	43.025	2.627	1036.968	1075.032	0.0	-91.76	-90.08	0.0
51	14698	14699	NS	1	48.7	49.391	0.0	0.003	43.025	2.624	1036.112	1075.032	0.0	-91.933	-90.08	0.0
52	14698	14699	SN	1	48.77	49.426	0.0	0.003	6.309	2.576	1037.344	1075.472	0.0	-91.803	-90.096	0.0
53	14698	14699	SN	2	48.77	49.426	0.0	0.003	6.309	2.576	1037.344	1075.472	0.0	-91.803	-90.096	0.0
54	14699	14700	SN	1	48.808	49.431	0.0	0.0	239.665	2.834	1037.184	1075.512	0.0	-94.147	-90.098	0.0
55	14699	14700	SN	1	48.816	49.431	0.0	0.0	239.665	1.775	1037.184	1075.512	0.0	-94.147	-90.098	0.0
56	14699	14700	NS	1	48.706	49.368	0.0	0.003	206.785	2.539	1036.208	1075.072	0.0	-91.863	-90.059	0.0
57	14699	14700	SN	2	48.808	49.431	0.0	0.0	239.665	2.834	1037.184	1075.512	0.0	-94.147	-90.098	0.0
58	14699	14700	NS	1	48.706	49.397	0.0	0.003	206.785	1.531	1036.16	1070.192	0.0	-92.096	-90.059	0.0
59	14699	14700	NS	1	48.706	49.397	0.0	0.003	206.785	2.541	1036.16	1075.072	0.0	-92.096	-90.059	0.0
60	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.457	1037.2	1075.336	0.0	-92.064	-90.047	0.0
61	14700	14701	NS	1	48.729	49.331	0.0	0.003	264.941	2.724	1036.552	1074.904	0.0	-91.634	-90.065	0.0
62	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.747	1037.2	1075.336	0.0	-92.064	-90.047	0.0
63	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.745	1037.2	1075.336	0.0	-92.064	-90.047	0.0
64	14701	14702	NS	2	48.762	49.332	0.0	0.003	12.938	2.499	1036.408	1075.12	0.0	-91.773	-90.06	0.0
65	14701	14702	NS	1	48.763	49.332	0.0	0.003	42.005	2.5	1036.416	1075.12	0.0	-91.773	-90.06	0.0
66	14701	14702	SN	1	48.778	49.437	0.0	0.003	214.677	2.412	1037.144	1075.504	0.0	-91.82	-90.082	0.0
67	14701	14702	SN	1	48.778	49.479	0.0	0.003	214.677	2.547	1037.144	1075.504	0.0	-94.058	-90.082	0.0
68	14701	14702	SN	1	48.776	49.438	0.0	0.003	214.677	2.412	1037.136	1075.512	0.0	-91.82	-90.082	0.0
69	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.515	1036.776	1075.552	0.0	-91.704	-90.093	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.342	1036.776	1075.552	0.0	-91.704	-90.093	0.0
71	14702	14703	NS	1	48.763	49.332	0.0	0.003	264.108	2.575	1036.736	1075.192	0.0	-91.695	-90.07	0.0
72	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.513	1036.776	1075.552	0.0	-91.692	-90.093	0.0
73	14703	14704	NS	2	48.764	49.331	0.0	0.003	13.412	2.605	1037.56	1075.088	0.0	-91.818	-90.064	0.0
74	14703	14704	SN	1	48.78	49.379	0.0	0.003	29.412	2.263	1036.744	1075.44	0.0	-91.734	-90.076	0.0
75	14703	14704	NS	1	48.764	49.331	0.0	0.003	13.412	2.605	1037.56	1075.088	0.0	-91.818	-90.064	0.0
76	14703	14704	SN	1	48.78	49.379	0.0	0.003	29.412	2.531	1036.744	1075.44	0.0	-91.714	-90.076	0.0
77	14704	14705	SN	1	48.787	49.378	0.0	0.003	215.421	2.071	1036.808	1075.376	0.0	-91.633	-90.094	0.0
78	14704	14705	NS	2	48.701	49.362	0.0	0.003	264.753	2.672	1037.52	1075.0	0.0	-91.78	-90.077	0.0
79	14704	14705	SN	1	48.787	49.378	0.0	0.003	215.421	2.517	1036.808	1075.376	0.0	-91.746	-90.094	0.0
80	14704	14705	SN	1	48.768	49.378	0.0	0.003	280.344	2.517	1036.896	1075.368	0.0	-91.78	-90.094	0.0
81	14704	14705	NS	1	48.701	49.362	0.0	0.003	264.753	2.67	1037.52	1074.992	0.0	-91.78	-90.077	0.0
82	14705	14706	NS	2	48.704	49.374	0.0	0.003	210.314	2.583	1036.912	1074.872	0.0	-91.801	-90.08	0.0
83	14705	14706	SN	1	48.674	49.378	0.0	0.0	262.575	2.635	1036.896	1075.248	0.0	-92.446	-90.094	0.0
84	14705	14706	NS	1	48.704	49.365	0.0	0.003	210.314	2.582	1036.928	1074.864	0.0	-91.801	-90.08	0.0
85	14705	14706	SN	1	48.674	49.378	0.0	0.0	262.575	2.637	1036.856	1075.248	0.0	-92.446	-90.094	0.0
86	14705	14706	SN	1	48.814	49.378	0.0	0.0	262.575	1.951	1036.856	1075.248	0.0	-92.064	-90.094	0.0
87	14706	14707	SN	1	48.827	49.428	0.0	0.003	281.789	1.644	1037.528	1075.296	0.0	-91.796	-90.068	0.0
88	14706	14707	SN	1	48.693	49.428	0.0	0.003	281.789	2.649	1037.528	1075.296	0.0	-92.788	-90.068	0.0
89	14706	14707	SN	1	48.693	49.428	0.0	0.003	281.789	2.646	1037.272	1075.296	0.0	-92.788	-90.068	0.0
90	14706	14707	NS	1	48.728	49.359	0.0	0.0	267.29	2.719	1036.904	1074.896	0.0	-91.848	-90.081	0.0
91	14707	14708	SN	1	48.808	49.464	0.0	0.003	6.309	2.603	1037.64	1075.432	0.0	-94.756	-90.082	0.0
92	14707	14708	NS	1	48.702	49.347	0.0	0.003	210.066	2.59	1036.16	1075.024	0.0	-91.823	-90.077	0.0
93	14707	14708	SN	1	48.814	49.441	0.0	0.003	6.309	1.534	1037.216	1075.432	0.0	-91.861	-90.082	0.0
94	14707	14708	SN	1	48.808	49.464	0.0	0.003	6.309	2.606	1037.216	1075.432	0.0	-94.756	-90.082	0.0
95	14708	14709	NS	1	48.705	49.339	0.0	0.003	210.717	2.717	1037.224	1075.016	0.0	-92.289	-90.065	0.0
96	14708	14709	SN	1	48.774	49.38	0.0	0.003	6.315	2.551	1037.68	1075.432	0.0	-91.856	-90.069	0.0
97	14708	14709	SN	2	48.774	49.38	0.0	0.003	6.315	2.551	1037.68	1075.432	0.0	-91.856	-90.069	0.0
98	14708	14709	NS	1	48.705	49.339	0.0	0.003	210.717	2.715	1037.224	1075.016	0.0	-92.289	-90.065	0.0
99	14709	14710	SN	1	48.817	49.436	0.0	0.003	280.708	2.572	1037.872	1075.344	0.0	-91.791	-90.098	0.0
100	14709	14710	NS	1	48.71	49.331	0.0	0.003	210.656	2.633	1036.384	1074.88	0.0	-92.002	-90.062	0.0
101	14709	14710	NS	1	48.71	49.331	0.0	0.003	210.656	2.636	1036.64	1074.88	0.0	-91.749	-90.062	0.0
102	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.734	1036.136	1074.936	0.0	-91.598	-90.081	0.0
103	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.688	1036.136	1074.768	0.0	-91.704	-90.081	0.0
104	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.737	1036.136	1074.936	0.0	-91.704	-90.081	0.0
105	14710	14711	SN	1	48.778	49.38	0.0	0.003	215.532	2.652	1037.952	1075.392	0.0	-91.778	-90.063	0.0
106	14710	14711	SN	2	48.778	49.38	0.0	0.003	215.532	2.652	1037.952	1075.392	0.0	-91.778	-90.063	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	14711	14712	NS	1	48.738	49.362	0.0	0.003	207.006	2.542	1036.28	1075.024	0.0	-91.703	-90.079	0.0
108	14711	14712	NS	1	48.75	49.355	0.0	0.003	207.006	2.544	1036.488	1075.024	0.0	-91.703	-90.079	0.0
109	14711	14712	NS	1	48.75	49.355	0.0	0.003	207.006	2.187	1036.488	1073.848	0.0	-91.703	-90.079	0.0
110	14711	14712	SN	1	48.788	49.393	0.0	0.003	29.254	2.589	1037.952	1075.416	0.0	-91.725	-90.073	0.0
111	14711	14712	SN	2	48.788	49.393	0.0	0.003	29.254	2.589	1037.952	1075.416	0.0	-91.725	-90.073	0.0
112	14712	14713	NS	1	48.698	49.373	0.0	0.003	266.65	2.616	1035.92	1075.088	0.0	-91.761	-90.078	0.0
113	14712	14713	NS	1	48.703	49.373	0.0	0.003	266.65	2.619	1035.92	1075.088	0.0	-91.761	-90.078	0.0
114	14712	14713	NS	1	48.703	49.373	0.0	0.003	266.65	1.911	1035.92	1073.448	0.0	-91.761	-90.078	0.0
115	14712	14713	SN	1	48.774	49.382	0.0	0.003	6.304	2.58	1037.144	1075.472	0.0	-91.766	-90.099	0.0
116	14712	14713	SN	1	48.774	49.382	0.0	0.003	6.304	2.582	1037.144	1075.472	0.0	-91.766	-90.099	0.0
117	14713	14714	NS	1	48.7	49.353	0.0	0.003	210.601	1.533	1035.792	1071.624	0.0	-91.857	-90.076	0.0
118	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	2.669	1037.368	1075.568	0.0	-91.961	-90.101	0.0
119	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	2.667	1037.368	1075.568	0.0	-92.499	-90.101	0.0
120	14713	14714	NS	1	48.7	49.353	0.0	0.003	210.601	2.578	1035.792	1075.112	0.0	-91.788	-90.076	0.0
121	14713	14714	NS	2	48.7	49.353	0.0	0.003	210.601	2.578	1035.792	1075.112	0.0	-91.788	-90.076	0.0
122	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	1.536	1037.368	1075.568	0.0	-91.961	-90.101	0.0
123	14714	14715	NS	1	48.729	49.368	0.0	0.0	45.692	2.801	1035.88	1075.056	0.0	-91.812	-90.076	0.0
124	14714	14715	NS	2	48.729	49.368	0.0	0.0	45.692	2.8	1035.88	1075.056	0.0	-91.812	-90.076	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

112	14712	14713	NS	1	-34.922	26.193	0.015	-34.334	25.396	0.009	4.572	28.453	23.349	8.602	29.116	35.47	0.116	301.056	5.464	0.116	262.889	4.985	0.116	0.143	0.0	0.116	0.126	0.0
113	14712	14713	NS	1	-34.617	26.193	0.015	-33.658	25.396	0.009	4.572	28.456	23.344	8.602	29.116	35.47	0.116	280.599	5.475	0.116	225.069	4.948	0.116	0.143	0.0	0.116	0.126	0.0
114	14712	14713	NS	1	-34.617	26.193	0.015	-33.658	25.396	0.009	4.572	26.734	4.293	8.602	29.109	28.053	0.116	280.599	5.475	0.116	225.069	4.948	0.116	0.143	0.0	0.116	0.126	0.0
115	14712	14713	SN	1	-34.875	19.274	0.0	-34.69	20.268	0.0	-3.963	28.314	28.261	-5.201	29.092	33.865	0.117	297.821	5.809	0.116	285.363	4.465	0.116	0.338	0.0	0.116	0.417	0.0
116	14712	14713	SN	1	-34.946	19.274	0.0	-34.79	20.268	0.0	-3.963	28.314	28.264	-5.201	29.092	33.868	0.117	302.775	5.796	0.116	292.075	4.463	0.116	0.338	0.0	0.116	0.417	0.0
117	14713	14714	NS	1	-34.956	20.269	0.0	-34.855	25.643	0.022	7.486	33.095	2.098	7.694	28.112	2.636	0.116	303.452	7.804	0.116	296.512	6.868	0.116	0.13	0.0	0.116	0.129	0.0
118	14713	14714	SN	1	-34.702	20.243	0.0	-34.592	20.182	0.0	0.972	28.211	23.266	2.525	29.214	24.964	0.116	286.176	5.495	0.116	279.009	4.783	0.116	0.182	0.0	0.116	0.161	0.0
119	14713	14714	SN	1	-34.725	20.243	0.0	-34.765	20.182	0.0	1.001	28.213	23.266	2.525	29.214	24.964	0.116	287.747	5.506	0.116	290.382	4.784	0.116	0.182	0.0	0.116	0.161	0.0
120	14713	14714	NS	1	-34.916	25.493	0.03	-34.855	25.569	0.022	6.788	33.095	17.603	7.694	29.338	27.856	0.116	300.638	7.644	0.116	296.512	6.862	0.116	0.132	0.0	0.116	0.129	0.0
121	14713	14714	NS	2	-34.916	25.493	0.03	-34.855	25.569	0.022	6.788	33.095	17.603	7.694	29.338	27.856	0.116	300.638	7.644	0.116	296.512	6.862	0.116	0.132	0.0	0.116	0.129	0.0
122	14713	14714	SN	1	-34.702	20.243	0.0	-34.592	20.182	0.0	1.857	28.196	23.752	2.514	29.214	24.417	0.116	286.176	5.409	0.116	279.009	5.115	0.116	0.169	0.0	0.116	0.161	0.0
123	14714	14715	NS	1	-34.934	24.989	0.034	-34.917	24.935	0.035	-10.46	34.678	11.302	-7.254	28.32	20.023	0.116	301.888	6.071	0.116	300.707	5.301	0.116	1.169	0.002	0.116	0.608	0.0
124	14714	14715	NS	2	-34.934	24.989	0.034	-34.917	24.935	0.035	-10.46	34.678	11.302	-7.254	28.32	20.023	0.116	301.888	6.071	0.116	300.707	5.296	0.116	1.169	0.002	0.116	0.608	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14685	14686	SN	2	57.488	58.236	0.0	0.0	298.505	4.001	1215.872	1263.432	0.0	-94.348	-92.108	0.0
2	14685	14686	SN	1	57.609	58.236	0.0	0.0	282.076	3.244	1215.872	1263.432	0.0	-93.2	-92.108	0.0
3	14685	14686	SN	1	57.488	58.237	0.0	0.003	298.505	4.001	1215.864	1263.44	0.0	-94.348	-92.108	0.0
4	14686	14687	NS	1	57.546	58.144	0.0	0.0	283.813	3.812	1215.168	1262.576	0.0	-93.051	-92.107	0.0
5	14686	14687	SN	1	57.583	58.24	0.0	0.0	297.369	3.437	1215.528	1263.376	0.0	-93.212	-92.099	0.0
6	14686	14687	NS	1	57.546	58.144	0.0	0.0	283.813	3.815	1215.168	1262.576	0.0	-93.195	-92.107	0.0
7	14686	14687	SN	2	57.583	58.24	0.0	0.0	297.369	3.849	1215.528	1263.376	0.0	-93.212	-92.099	0.0
8	14686	14687	SN	1	57.583	58.24	0.0	0.0	297.369	3.849	1215.528	1263.376	0.0	-93.212	-92.099	0.0
9	14687	14688	SN	2	57.587	58.242	0.0	0.0	295.626	3.285	1215.048	1263.544	0.0	-93.107	-92.13	0.0
10	14687	14688	SN	1	57.587	58.242	0.0	0.0	295.626	3.285	1215.048	1263.544	0.0	-93.107	-92.13	0.0
11	14687	14688	NS	1	57.547	58.156	0.0	0.0	290.602	3.557	1215.688	1262.824	0.0	-93.166	-92.082	0.0
12	14687	14688	NS	1	57.547	58.158	0.0	0.0	290.602	3.553	1215.688	1262.824	0.0	-93.136	-92.082	0.0
13	14687	14688	SN	1	57.587	58.242	0.0	0.0	295.626	3.682	1215.048	1263.544	0.0	-93.107	-92.13	0.0
14	14688	14689	SN	1	57.6	58.24	0.0	0.0	293.652	3.264	1214.84	1263.416	0.0	-93.341	-92.13	0.0
15	14688	14689	SN	1	57.6	58.24	0.0	0.0	295.179	3.672	1214.84	1263.416	0.0	-93.341	-92.13	0.0
16	14688	14689	NS	1	57.548	58.144	0.0	0.0	288.98	3.764	1215.648	1262.768	0.0	-93.081	-92.126	0.0
17	14688	14689	SN	1	57.6	58.24	0.0	0.0	295.179	3.675	1214.84	1263.416	0.0	-93.341	-92.13	0.0
18	14689	14690	NS	1	57.53	58.144	0.0	0.0	299.735	3.732	1216.344	1262.624	0.0	-93.093	-92.091	0.0
19	14689	14690	SN	1	57.601	58.212	0.0	0.0	294.595	3.809	1215.128	1263.272	0.0	-93.068	-92.129	0.0
20	14689	14690	SN	1	57.601	58.212	0.0	0.0	294.595	3.806	1215.128	1263.272	0.0	-93.068	-92.129	0.0
21	14689	14690	SN	1	57.601	58.212	0.0	0.0	289.262	2.874	1215.128	1263.272	0.0	-93.175	-92.129	0.0
22	14689	14690	NS	2	57.53	58.144	0.0	0.0	299.735	3.733	1216.344	1262.624	0.0	-93.093	-92.091	0.0
23	14690	14691	NS	2	57.519	58.169	0.0	0.0	298.77	3.946	1216.36	1262.52	0.0	-93.442	-92.11	0.0
24	14690	14691	SN	1	57.578	58.211	0.0	0.0	299.966	3.057	1214.864	1263.68	0.0	-93.322	-92.13	0.0
25	14690	14691	NS	1	57.519	58.269	0.0	0.0	298.77	3.946	1216.36	1262.52	0.0	-95.335	-92.11	0.0
26	14690	14691	SN	1	57.578	58.211	0.0	0.0	299.966	3.676	1214.864	1263.68	0.0	-93.164	-92.13	0.0
27	14691	14692	NS	1	57.53	58.171	0.0	0.0	298.522	3.741	1215.768	1262.44	0.0	-93.164	-92.123	0.0
28	14691	14692	SN	1	57.589	58.211	0.0	0.0	298.334	2.897	1214.992	1263.096	0.0	-93.254	-92.123	0.0
29	14691	14692	NS	2	57.53	58.171	0.0	0.0	298.522	3.741	1215.768	1262.44	0.0	-93.326	-92.123	0.0
30	14691	14692	SN	1	57.589	58.237	0.0	0.0	298.334	3.777	1214.992	1263.096	0.0	-94.672	-92.123	0.0
31	14692	14693	SN	1	57.601	58.237	0.0	0.0	298.384	2.581	1215.576	1263.304	0.0	-93.065	-92.121	0.0
32	14692	14693	NS	1	57.51	58.173	0.0	0.0	299.884	3.752	1215.072	1262.584	0.0	-93.146	-92.121	0.0
33	14692	14693	SN	1	57.601	58.237	0.0	0.0	298.384	3.843	1215.576	1263.304	0.0	-93.065	-92.121	0.0
34	14692	14693	SN	1	57.601	58.219	0.0	0.0	298.384	3.84	1215.464	1263.304	0.0	-93.075	-92.121	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	14693	14694	SN	1	57.591	58.226	0.0	0.0	299.431	3.731	1215.832	1263.376	0.0	-94.125	-92.095	0.0
36	14693	14694	NS	1	57.509	58.172	0.0	0.0	294.363	3.783	1215.128	1262.648	0.0	-93.485	-92.088	0.0
37	14693	14694	NS	2	57.509	58.172	0.0	0.0	294.363	3.783	1215.128	1262.648	0.0	-93.485	-92.088	0.0
38	14694	14695	SN	1	57.597	58.214	0.0	0.0	299.586	3.733	1215.712	1263.368	0.0	-93.121	-92.137	0.0
39	14694	14695	NS	1	57.521	58.147	0.0	0.0	294.038	3.859	1215.176	1262.544	0.0	-93.118	-92.099	0.0
40	14695	14696	NS	1	57.532	58.144	0.0	0.0	294.92	3.773	1215.384	1262.424	0.0	-93.102	-92.122	0.0
41	14695	14696	SN	1	57.594	58.221	0.0	0.0	299.387	3.832	1215.976	1263.32	0.0	-93.532	-92.105	0.0
42	14696	14697	SN	1	57.611	58.221	0.0	0.003	298.913	3.831	1215.928	1263.344	0.0	-94.215	-92.114	0.0
43	14696	14697	NS	1	57.526	58.165	0.0	0.0	297.165	3.193	1214.944	1261.48	0.0	-93.042	-92.121	0.0
44	14696	14697	NS	1	57.526	58.165	0.0	0.0	297.165	3.648	1214.944	1262.576	0.0	-93.181	-92.121	0.0
45	14697	14698	SN	1	57.605	58.214	0.0	0.0	279.539	3.758	1215.872	1263.328	0.0	-93.055	-92.129	0.0
46	14697	14698	NS	1	57.52	58.158	0.0	0.0	299.966	3.681	1214.976	1262.624	0.0	-93.069	-92.118	0.0
47	14697	14698	NS	1	57.526	58.158	0.0	0.0	299.988	2.972	1214.808	1260.856	0.0	-93.069	-92.118	0.0
48	14697	14698	NS	1	57.526	58.158	0.0	0.0	299.988	3.684	1214.808	1262.624	0.0	-93.069	-92.118	0.0
49	14698	14699	NS	1	57.507	58.169	0.0	0.0	282.997	2.321	1214.544	1260.304	0.0	-93.208	-92.117	0.0
50	14698	14699	NS	1	57.507	58.169	0.0	0.0	282.997	3.674	1214.544	1262.592	0.0	-93.092	-92.117	0.0
51	14698	14699	NS	1	57.51	58.169	0.0	0.0	282.997	3.67	1214.704	1262.592	0.0	-93.145	-92.117	0.0
52	14698	14699	SN	1	57.602	58.245	0.0	0.0	298.053	3.746	1215.504	1263.456	0.0	-93.182	-92.136	0.0
53	14698	14699	SN	2	57.602	58.245	0.0	0.0	298.053	3.746	1215.504	1263.456	0.0	-93.182	-92.136	0.0
54	14699	14700	SN	1	57.611	58.222	0.0	0.0	296.1	4.02	1216.264	1263.496	0.0	-93.121	-92.137	0.0
55	14699	14700	SN	1	57.611	58.222	0.0	0.0	296.1	2.923	1216.264	1263.496	0.0	-93.121	-92.137	0.0
56	14699	14700	NS	1	57.509	58.14	0.0	0.0	296.393	3.769	1214.424	1262.64	0.0	-93.141	-92.093	0.0
57	14699	14700	SN	2	57.611	58.222	0.0	0.0	296.1	4.02	1216.264	1263.496	0.0	-93.121	-92.137	0.0
58	14699	14700	NS	1	57.512	58.164	0.0	0.003	288.037	2.15	1214.6	1257.584	0.0	-93.178	-92.093	0.0
59	14699	14700	NS	1	57.512	58.164	0.0	0.0	296.393	3.772	1214.6	1262.64	0.0	-93.189	-92.093	0.0
60	14700	14701	SN	1	57.587	58.231	0.0	0.0	289.3	3.562	1215.888	1263.312	0.0	-93.159	-92.086	0.0
61	14700	14701	NS	1	57.518	58.144	0.0	0.0	289.968	3.856	1214.776	1262.448	0.0	-93.073	-92.105	0.0
62	14700	14701	SN	1	57.587	58.231	0.0	0.0	294.413	4.018	1215.888	1263.312	0.0	-93.159	-92.086	0.0
63	14700	14701	SN	1	57.587	58.231	0.0	0.0	294.424	4.013	1215.888	1263.304	0.0	-93.159	-92.086	0.0
64	14701	14702	NS	2	57.544	58.149	0.0	0.0	294.633	3.607	1215.04	1262.72	0.0	-93.522	-92.096	0.0
65	14701	14702	NS	1	57.545	58.15	0.0	0.0	292.135	3.609	1215.056	1262.712	0.0	-93.522	-92.096	0.0
66	14701	14702	SN	1	57.6	58.248	0.0	0.0	293.398	3.365	1215.6	1263.496	0.0	-93.194	-92.12	0.0
67	14701	14702	SN	1	57.6	58.248	0.0	0.0	293.398	3.761	1215.6	1263.496	0.0	-93.194	-92.12	0.0
68	14701	14702	SN	1	57.592	58.249	0.0	0.0	293.387	3.367	1215.608	1263.512	0.0	-93.194	-92.12	0.0
69	14702	14703	SN	1	57.598	58.214	0.0	0.0	293.652	3.688	1215.08	1263.552	0.0	-93.175	-92.132	0.0
70	14702	14703	SN	1	57.598	58.214	0.0	0.003	293.652	3.278	1215.08	1263.552	0.0	-93.175	-92.132	0.0
71	14702	14703	NS	1	57.52	58.154	0.0	0.0	291.655	3.657	1215.232	1262.8	0.0	-93.102	-92.097	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14702	14703	SN	1	57.598	58.214	0.0	0.0	293.652	3.684	1215.08	1263.552	0.0	-93.097	-92.132	0.0
73	14703	14704	NS	2	57.522	58.142	0.0	0.0	299.889	3.729	1215.408	1262.68	0.0	-93.153	-92.098	0.0
74	14703	14704	SN	1	57.591	58.213	0.0	0.0	299.691	3.24	1215.632	1263.4	0.0	-93.262	-92.115	0.0
75	14703	14704	NS	1	57.522	58.142	0.0	0.0	299.889	3.73	1215.408	1262.68	0.0	-93.153	-92.098	0.0
76	14703	14704	SN	1	57.591	58.213	0.0	0.0	299.691	3.653	1215.632	1263.4	0.0	-93.088	-92.115	0.0
77	14704	14705	SN	1	57.592	58.212	0.0	0.0	298.406	3.122	1215.616	1263.328	0.0	-93.151	-92.133	0.0
78	14704	14705	NS	2	57.526	58.148	0.0	0.0	299.84	3.834	1215.984	1262.568	0.0	-93.394	-92.112	0.0
79	14704	14705	SN	1	57.592	58.212	0.0	0.0	298.406	3.642	1215.616	1263.328	0.0	-93.151	-92.133	0.0
80	14704	14705	SN	1	57.6	58.212	0.0	0.0	298.362	3.652	1215.44	1263.32	0.0	-93.118	-92.133	0.0
81	14704	14705	NS	1	57.522	58.148	0.0	0.0	299.806	3.832	1215.984	1262.56	0.0	-93.394	-92.112	0.0
82	14705	14706	NS	2	57.538	58.166	0.0	0.0	294.799	3.779	1215.872	1262.416	0.0	-93.144	-92.116	0.0
83	14705	14706	SN	1	57.416	58.277	0.0	0.0	297.76	3.797	1215.32	1263.184	0.0	-95.622	-92.133	0.0
84	14705	14706	NS	1	57.547	58.166	0.0	0.0	294.837	3.779	1215.888	1262.4	0.0	-93.144	-92.116	0.0
85	14705	14706	SN	1	57.416	58.277	0.0	0.0	297.76	3.787	1215.184	1263.184	0.0	-95.622	-92.133	0.0
86	14705	14706	SN	1	57.588	58.212	0.0	0.0	297.76	3.064	1215.184	1263.184	0.0	-93.357	-92.133	0.0
87	14706	14707	SN	1	57.6	58.213	0.0	0.0	298.384	2.757	1216.24	1263.264	0.0	-93.33	-92.108	0.0
88	14706	14707	SN	1	57.6	58.213	0.0	0.0	298.384	3.825	1216.24	1263.264	0.0	-93.33	-92.108	0.0
89	14706	14707	SN	1	57.607	58.213	0.0	0.0	298.384	3.831	1216.24	1263.264	0.0	-93.2	-92.108	0.0
90	14706	14707	NS	1	57.522	58.171	0.0	0.0	296.371	3.778	1214.672	1262.448	0.0	-93.216	-92.119	0.0
91	14707	14708	SN	1	57.462	58.371	0.0	0.0	281.166	3.757	1215.616	1263.44	0.0	-96.052	-92.113	0.0
92	14707	14708	NS	1	57.507	58.155	0.0	0.0	297.689	3.743	1214.656	1262.608	0.0	-93.203	-92.114	0.0
93	14707	14708	SN	1	57.59	58.245	0.0	0.0	280.901	2.346	1215.616	1263.44	0.0	-93.255	-92.113	0.0
94	14707	14708	SN	1	57.462	58.371	0.0	0.0	281.166	3.76	1215.616	1263.44	0.0	-96.052	-92.113	0.0
95	14708	14709	NS	1	57.517	58.144	0.0	0.003	298.356	3.924	1215.112	1262.584	0.0	-93.103	-92.075	0.0
96	14708	14709	SN	1	57.592	58.344	0.0	0.0	299.961	3.725	1215.664	1263.496	0.0	-96.049	-92.105	0.0
97	14708	14709	SN	2	57.592	58.344	0.0	0.0	299.961	3.725	1215.664	1263.496	0.0	-96.049	-92.105	0.0
98	14708	14709	NS	1	57.517	58.144	0.0	0.003	298.356	3.92	1215.112	1262.584	0.0	-93.102	-92.075	0.0
99	14709	14710	SN	1	57.592	58.226	0.0	0.0	298.968	3.783	1216.272	1263.344	0.0	-94.652	-92.138	0.0
100	14709	14710	NS	1	57.516	58.142	0.0	0.003	299.123	3.769	1214.896	1262.416	0.0	-93.108	-92.098	0.0
101	14709	14710	NS	1	57.516	58.142	0.0	0.003	299.123	3.773	1214.944	1262.416	0.0	-93.175	-92.098	0.0
102	14710	14711	NS	1	57.509	58.141	0.0	0.0	283.603	3.814	1214.976	1262.496	0.0	-93.1	-92.118	0.0
103	14710	14711	NS	1	57.51	58.141	0.0	0.0	283.603	3.638	1215.216	1262.24	0.0	-93.1	-92.118	0.0
104	14710	14711	NS	1	57.51	58.141	0.0	0.0	283.603	3.818	1215.216	1262.496	0.0	-93.1	-92.118	0.0
105	14710	14711	SN	1	57.566	58.215	0.0	0.0	298.163	3.857	1216.288	1263.384	0.0	-93.78	-92.1	0.0
106	14710	14711	SN	2	57.566	58.215	0.0	0.0	298.163	3.857	1216.288	1263.384	0.0	-93.78	-92.1	0.0
107	14711	14712	NS	1	57.512	58.159	0.0	0.0	284.657	3.645	1214.448	1262.616	0.0	-93.257	-92.116	0.0
108	14711	14712	NS	1	57.507	58.159	0.0	0.0	284.657	3.648	1214.616	1262.616	0.0	-93.051	-92.116	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	14711	14712	NS	1	57.507	58.159	0.0	0.0	284.657	3.121	1214.616	1260.848	0.0	-93.051	-92.116	0.0
110	14711	14712	SN	1	57.602	58.216	0.0	0.0	297.407	3.763	1216.272	1263.416	0.0	-93.097	-92.116	0.0
111	14711	14712	SN	2	57.602	58.216	0.0	0.0	297.407	3.763	1216.272	1263.416	0.0	-93.097	-92.116	0.0
112	14712	14713	NS	1	57.505	58.168	0.0	0.0	299.437	3.703	1214.32	1262.696	0.0	-93.089	-92.115	0.0
113	14712	14713	NS	1	57.512	58.164	0.0	0.0	299.437	3.707	1214.6	1262.696	0.0	-93.157	-92.115	0.0
114	14712	14713	NS	1	57.512	58.164	0.0	0.003	290.387	2.927	1214.6	1260.872	0.0	-93.157	-92.115	0.0
115	14712	14713	SN	1	57.587	58.217	0.0	0.0	296.354	3.708	1215.6	1263.536	0.0	-93.214	-92.139	0.0
116	14712	14713	SN	1	57.587	58.217	0.0	0.0	296.354	3.712	1215.6	1263.536	0.0	-93.09	-92.139	0.0
117	14713	14714	NS	1	57.505	58.155	0.0	0.0	295.036	2.106	1214.32	1259.152	0.0	-93.23	-92.113	0.0
118	14713	14714	SN	1	57.612	58.242	0.0	0.0	294.876	3.819	1216.4	1263.592	0.0	-93.129	-92.14	0.0
119	14713	14714	SN	1	57.608	58.242	0.0	0.0	294.876	3.815	1216.4	1263.592	0.0	-93.129	-92.14	0.0
120	14713	14714	NS	1	57.505	58.154	0.0	0.0	299.635	3.724	1214.32	1262.696	0.0	-93.602	-92.113	0.0
121	14713	14714	NS	2	57.505	58.154	0.0	0.0	299.635	3.724	1214.32	1262.696	0.0	-93.602	-92.113	0.0
122	14713	14714	SN	1	57.61	58.242	0.0	0.0	286.052	2.527	1216.4	1263.592	0.0	-93.256	-92.14	0.0
123	14714	14715	NS	1	57.51	58.163	0.0	0.0	296.475	4.04	1214.216	1262.632	0.0	-93.41	-92.112	0.0
124	14714	14715	NS	2	57.51	58.163	0.0	0.0	296.475	4.039	1214.216	1262.632	0.0	-93.41	-92.112	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14702	14703	SN	1	-34.957	17.068	0.0	-34.942	17.509	0.0	1.764	22.596	0.014	-10.264	21.771	0.0	0.087	231.951	2.665	0.087	231.181	2.436	0.086	0.127	0.0	0.086	0.853	0.0
71	14702	14703	NS	1	-34.563	14.482	0.0	-32.493	16.332	0.0	-9.13	21.958	0.0	-26.777	22.388	0.014	0.088	211.802	0.706	0.087	131.563	0.446	0.086	0.672	0.0	0.086	35.319	0.045
72	14702	14703	SN	1	-34.877	17.068	0.0	-34.864	17.509	0.0	1.764	22.596	0.014	-10.266	21.771	0.0	0.087	227.7	2.627	0.087	227.046	2.41	0.086	0.127	0.0	0.086	0.853	0.0
73	14703	14704	NS	2	-34.017	16.686	0.0	-34.317	17.798	0.0	-17.076	22.454	0.01	-27.414	22.701	0.017	0.087	186.832	1.453	0.086	200.194	0.986	0.086	3.842	0.013	0.086	40.89	0.043
74	14703	14704	SN	1	-34.857	16.487	0.0	-34.991	17.636	0.0	0.367	22.433	0.05	0.372	22.214	0.045	0.087	226.684	3.351	0.087	233.805	2.577	0.086	0.144	0.0	0.086	0.144	0.0
75	14703	14704	NS	1	-34.017	16.686	0.0	-34.317	17.798	0.0	-17.076	22.454	0.01	-27.414	22.701	0.017	0.087	186.832	1.455	0.086	200.194	0.987	0.086	3.842	0.013	0.086	40.89	0.043
76	14703	14704	SN	1	-34.857	16.487	0.0	-34.991	17.636	0.0	0.367	22.433	0.05	0.372	22.214	0.044	0.087	226.684	3.28	0.087	233.805	2.538	0.086	0.144	0.0	0.086	0.144	0.0
77	14704	14705	SN	1	-34.649	17.415	0.0	-34.923	17.376	0.0	-0.074	21.805	0.0	2.341	22.085	0.009	0.087	216.121	4.111	0.087	230.131	4.065	0.086	0.15	0.0	0.086	0.121	0.0
78	14704	14705	NS	2	-34.725	15.472	0.0	-35.001	15.441	0.0	-25.576	22.263	0.006	-22.416	22.625	0.016	0.087	219.917	3.772	0.087	234.264	3.646	0.086	26.807	0.023	0.086	12.98	0.017
79	14704	14705	SN	1	-34.649	17.415	0.0	-34.923	17.376	0.0	-0.074	21.805	0.0	2.341	22.085	0.008	0.087	216.121	4.082	0.087	230.131	3.993	0.086	0.15	0.0	0.086	0.121	0.0
80	14704	14705	SN	1	-34.806	17.416	0.0	-34.973	17.376	0.0	-0.076	21.805	0.0	2.341	22.084	0.008	0.087	224.025	4.076	0.087	232.817	3.991	0.086	0.15	0.0	0.086	0.121	0.0
81	14704	14705	NS	1	-34.725	15.472	0.0	-35.001	15.441	0.0	-25.576	22.263	0.006	-22.416	22.625	0.016	0.087	219.917	3.771	0.087	234.264	3.646	0.086	26.807	0.023	0.086	12.98	0.017
82	14705	14706	NS	2	-34.804	16.628	0.0	-34.625	16.796	0.0	-28.974	22.2	0.005	-22.379	22.455	0.031	0.087	223.936	3.089	0.087	214.898	3.063	0.086	58.529	0.236	0.086	12.87	0.088
83	14705	14706	SN	1	-34.988	16.467	0.0	-34.829	16.525	0.0	-0.543	21.804	0.0	4.926	21.932	0.0	0.087	233.655	5.636	0.087	225.192	5.187	0.086	0.158	0.0	0.086	0.104	0.0
84	14705	14706	NS	1	-34.55	16.628	0.0	-34.615	16.796	0.0	-28.974	22.2	0.005	-22.379	22.455	0.031	0.087	211.24	3.09	0.087	214.45	3.063	0.086	58.529	0.236	0.086	12.87	0.088
85	14705	14706	SN	1	-34.931	16.467	0.0	-34.94	16.525	0.0	-0.541	21.804	0.0	4.932	21.932	0.0	0.087	230.548	5.63	0.087	231.102	5.192	0.086	0.158	0.0	0.086	0.104	0.0
86	14705	14706	SN	1	-34.826	16.467	0.0	-34.939	16.525	0.0	-0.541	21.804	0.0	5.263	21.932	0.0	0.087	225.075	5.678	0.087	230.947	5.213	0.086	0.158	0.0	0.086	0.103	0.0
87	14706	14707	SN	1	-34.481	17.078	0.0	-34.312	17.392	0.0	-14.774	22.891	0.151	-4.956	23.888	0.349	0.087	207.909	7.516	0.087	199.962	7.259	0.086	2.288	0.002	0.086	0.301	0.0
88	14706	14707	SN	1	-34.481	17.078	0.0	-34.408	17.392	0.0	-14.774	22.891	0.141	-4.956	23.888	0.348	0.087	207.909	7.181	0.087	204.411	7.15	0.086	2.288	0.002	0.086	0.301	0.0
89	14706	14707	SN	1	-34.988	17.078	0.0	-34.948	17.392	0.0	-14.774	22.891	0.143	-4.97	23.888	0.348	0.087	233.598	7.18	0.087	231.44	7.134	0.086	2.288	0.002	0.086	0.302	0.0
90	14706	14707	NS	1	-34.88	20.243	0.0	-34.464	21.084	0.0	2.584	22.068	0.008	0.812	22.443	0.086	0.086	227.889	4.662	0.086	207.098	4.102	0.086	0.119	0.0	0.086	0.138	0.0
91	14707	14708	SN	1	-34.377	17.495	0.0	-34.247	17.757	0.0	-11.14	22.913	0.077	-15.088	23.442	0.352	0.087	203.007	3.134	0.086	196.99	3.522	0.086	1.028	0.003	0.086	2.454	0.002
92	14707	14708	NS	1	-34.753	17.6	0.0	-34.988	17.124	0.0	1.803	22.04	0.002	1.295	23.45	0.195	0.087	221.286	7.465	0.087	233.638	6.222	0.086	0.126	0.0	0.086	0.132	0.0
93	14707	14708	SN	1	-34.359	17.495	0.0	-34.496	17.757	0.0	-11.294	22.913	0.084	-15.088	23.442	0.355	0.087	202.105	3.083	0.086	208.616	3.15	0.086	1.063	0.003	0.086	2.454	0.002
94	14707	14708	SN	1	-34.359	17.495	0.0	-34.496	17.757	0.0	-11.144	22.913	0.077	-15.088	23.442	0.352	0.087	202.105	3.133	0.086	208.616	3.527	0.086	1.029	0.003	0.086	2.454	0.002
95	14708	14709	NS	1	-34.524	21.14	0.0	-34.756	20.824	0.0	-18.209	21.844	0.0	-11.382	23.696	0.766	0.086	209.949	3.991	0.086	221.468	3.475	0.086	4.968	0.01	0.086	1.083	0.003
96	14708	14709	SN	1	-34.57	18.267	0.0	-34.496	18.232	0.0	-25.672	22.93	0.073	-10.102	23.165	0.115	0.086	212.239	3.103	0.086	208.63	2.97	0.086	27.405	0.045	0.086	0.824	0.0
97	14708	14709	SN	2	-34.57	18.267	0.0	-34.496	18.232	0.0	-25.672	22.93	0.073	-10.102	23.165	0.115	0.086	212.239	3.103	0.086	208.63	2.97	0.086	27.405	0.045	0.086	0.824	0.0
98	14708	14709	NS	1	-34.544	21.14	0.0	-34.872	20.824	0.0	-18.209	21.844	0.0	-11.382	23.696	0.768	0.086	210.92	3.983	0.086	227.464	3.471	0.086	4.968	0.01	0.086	1.083	0.003
99	14709	14710	SN	1	-34.914	20.298	0.0	-34.869	20.263	0.0	-32.665	23.25	0.114	-28.67	23.23	0.041	0.086	229.706	2.55	0.086	227.275	2.178	0.086	136.876	0.145	0.086	54.586	0.135
100	14709	14710	NS	1	-34.936	19.943	0.0	-34.985	17.741	0.0	-31.528	21.941	0.0	-27.925	23.703	0.708	0.086	230.817	3.884	0.086	233.431	3.295	0.086	105.344	0.208	0.086	45.991	0.193
101	14709	14710	NS	1	-34.898	19.943	0.0	-34.696	17.743	0.0	-31.528	21.937	0.0	-27.925	23.703	0.708	0.086	228.829	3.87	0.086	218.419	3.268	0.086	105.344	0.209	0.086	45.991	0.193
102	14710	14711	NS	1	-34.813	14.971	0.0	-33.981	16.672	0.0	-16.273	21.971	0.0	-11.362	23.628	0.677	0.087	230.177	1.778	0.087	185.298	1.456	0.086	3.203	0.01	0.086	1.079	0.003
103	14710	14711	NS	1	-34.755	14.971	0.0	-34.996	16.672	0.0	-16.273	21.971	0.0	-11.362	23.628	0.689	0.087	227.082	1.78	0.087	234.051	1.462	0.086	3.203	0.011	0.086	1.079	0.003
104	14710	14711	NS	1	-34.755	14.971	0.0	-34.996	16.672	0.0	-16.273	21.971	0.0	-11.362	23.628	0.677	0.087	227.082	1.779	0.087	234.051	1.462	0.086	3.203	0.01	0.086	1.079	0.003
105	14710	14711	SN	1	-34.776	20.139	0.0	-34.937	20.216	0.0	-28.854	23.236	0.068	-26.053	22.819	0.02	0.086	222.47	5.333	0.086	230.916	4.728	0.086	56.953	0.08	0.086	29.914	0.05
106	14710	14711	SN	2	-34.776	20.139	0.0	-34.937	20.216	0.0	-28.854	23.236	0.068	-26.053	22.819	0.02	0.086	222.47	5.333	0.086	230.916	4.728	0.086	56.953	0.08	0.086	29.914	0.05

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	14711	14712	NS	1	-34.998	18.651	0.0	-33.478	18.349	0.0	-5.004	21.601	0.0	-1.24	23.498	0.71	0.086	234.146	2.806	0.086	165.068	2.639	0.086	0.304	0.0	0.086	0.172	0.0
108	14711	14712	NS	1	-34.144	18.651	0.0	-34.657	18.349	0.0	-5.004	21.601	0.0	-1.24	23.498	0.714	0.086	192.316	2.799	0.086	216.474	2.633	0.086	0.304	0.0	0.086	0.172	0.0
109	14711	14712	NS	1	-34.144	18.651	0.0	-34.657	18.349	0.0	-5.004	21.609	0.0	-1.24	23.498	0.85	0.086	192.316	2.804	0.086	216.474	2.633	0.086	0.304	0.0	0.086	0.172	0.0
110	14711	14712	SN	1	-34.922	16.504	0.0	-34.608	14.737	0.0	-21.658	23.088	0.098	-16.478	23.116	0.048	0.087	230.05	6.183	0.088	214.051	5.653	0.086	10.911	0.006	0.086	3.356	0.005
111	14711	14712	SN	2	-34.922	16.504	0.0	-34.608	14.737	0.0	-21.658	23.088	0.098	-16.478	23.116	0.048	0.087	230.05	6.183	0.088	214.051	5.653	0.086	10.911	0.006	0.086	3.356	0.005
112	14712	14713	NS	1	-34.868	18.9	0.0	-34.898	19.608	0.0	2.024	21.909	0.0	0.025	23.38	0.84	0.086	227.22	5.001	0.086	228.897	4.632	0.086	0.124	0.0	0.086	0.149	0.0
113	14712	14713	NS	1	-34.909	18.9	0.0	-34.898	19.608	0.0	2.024	21.912	0.0	0.025	23.38	0.84	0.086	229.398	5.01	0.086	228.897	4.625	0.086	0.124	0.0	0.086	0.149	0.0
114	14712	14713	NS	1	-34.909	18.9	0.0	-34.898	19.608	0.0	1.985	21.425	0.0	0.025	23.385	1.175	0.086	229.398	5.013	0.086	228.897	4.625	0.086	0.124	0.0	0.086	0.149	0.0
115	14712	14713	SN	1	-34.92	17.014	0.0	-34.835	17.064	0.0	-30.963	23.091	0.151	-23.653	22.368	0.035	0.087	230.024	4.74	0.087	225.564	4.063	0.086	92.503	0.046	0.086	17.24	0.128
116	14712	14713	SN	1	-34.985	17.014	0.0	-34.984	17.064	0.0	-30.985	23.091	0.151	-23.653	22.368	0.035	0.087	233.48	4.74	0.087	233.382	4.052	0.086	92.963	0.046	0.086	17.24	0.128
117	14713	14714	NS	1	-34.705	14.831	0.0	-34.996	18.632	0.0	-7.872	20.346	0.0	2.018	21.341	0.0	0.087	218.891	6.997	0.086	234.083	6.207	0.086	0.521	0.0	0.086	0.124	0.0
118	14713	14714	SN	1	-34.807	14.742	0.0	-34.807	15.209	0.0	-2.514	22.758	0.052	0.211	22.381	0.023	0.088	224.129	5.146	0.087	224.131	4.592	0.086	0.204	0.0	0.086	0.146	0.0
119	14713	14714	SN	1	-34.744	14.742	0.0	-34.984	15.209	0.0	-2.526	22.758	0.052	0.211	22.381	0.023	0.088	220.865	5.152	0.087	233.408	4.602	0.086	0.204	0.0	0.086	0.146	0.0
120	14713	14714	NS	1	-34.996	17.6	0.0	-34.821	18.632	0.0	-7.872	22.816	0.296	2.018	23.827	0.811	0.087	234.074	6.759	0.086	224.858	6.198	0.086	0.521	0.0	0.086	0.124	0.0
121	14713	14714	NS	2	-34.996	17.6	0.0	-34.821	18.632	0.0	-7.872	22.816	0.296	2.018	23.827	0.811	0.087	234.074	6.759	0.086	224.858	6.198	0.086	0.521	0.0	0.086	0.124	0.0
122	14713	14714	SN	1	-34.557	14.742	0.0	-34.834	15.209	0.0	1.651	22.758	0.059	0.208	22.381	0.025	0.088	211.525	5.003	0.087	225.455	4.951	0.086	0.128	0.0	0.086	0.146	0.0
123	14714	14715	NS	1	-34.877	20.346	0.0	-34.858	20.53	0.0	-5.165	23.617	0.172	-0.346	23.406	0.299	0.086	227.704	6.854	0.086	226.766	7.04	0.086	0.312	0.0	0.086	0.155	0.0
124	14714	14715	NS	2	-34.877	20.346	0.0	-34.858	20.53	0.0	-5.165	23.617	0.172	-0.346	23.406	0.299	0.086	227.704	6.854	0.086	226.766	7.041	0.086	0.312	0.0	0.086	0.155	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors