

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-JUL-2019 To 22-JUL-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-JUL-2019 To 22-JUL-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14903	14904	NS	1	48.7	49.305	0.0	0.003	208.009	2.654	1031.448	1076.184	0.0	-91.57	-90.018	0.0
2	14903	14904	NS	1	48.686	49.305	0.0	0.003	208.009	2.642	1031.448	1076.184	0.0	-91.58	-90.018	0.0
3	14903	14904	SN	1	48.788	49.46	0.0	0.003	214.71	2.726	1041.216	1077.352	0.0	-91.81	-90.082	0.0
4	14903	14904	SN	1	48.788	49.46	0.0	0.003	214.71	2.436	1041.216	1077.352	0.0	-91.81	-90.082	0.0
5	14903	14904	SN	1	48.788	49.46	0.0	0.003	214.71	2.728	1041.216	1077.352	0.0	-91.81	-90.082	0.0
6	14904	14905	SN	1	48.799	49.401	0.0	0.003	6.392	2.388	1040.44	1077.544	0.0	-91.82	-90.108	0.0
7	14904	14905	NS	2	48.735	49.34	0.0	0.003	18.111	2.566	1032.592	1076.4	0.0	-91.757	-90.013	0.0
8	14904	14905	NS	1	48.734	49.339	0.0	0.003	18.117	2.564	1032.584	1076.408	0.0	-91.757	-90.013	0.0
9	14904	14905	SN	1	48.799	49.401	0.0	0.003	6.392	2.39	1040.656	1077.544	0.0	-91.82	-90.108	0.0
10	14904	14905	SN	1	48.799	49.401	0.0	0.003	6.392	2.533	1040.44	1077.544	0.0	-91.82	-90.108	0.0
11	14905	14906	SN	1	48.808	49.436	0.0	0.003	280.46	2.497	1040.728	1077.576	0.0	-92.264	-90.124	0.0
12	14905	14906	SN	1	48.793	49.456	0.0	0.003	280.46	2.316	1040.216	1077.576	0.0	-92.264	-90.124	0.0
13	14905	14906	NS	1	48.735	49.332	0.0	0.003	206.812	2.506	1032.72	1076.488	0.0	-91.818	-90.026	0.0
14	14905	14906	SN	1	48.793	49.456	0.0	0.003	280.46	2.5	1040.216	1077.576	0.0	-92.264	-90.124	0.0
15	14906	14907	SN	1	48.798	49.389	0.0	0.0	215.466	1.947	1039.736	1067.104	0.0	-94.027	-90.099	0.0
16	14906	14907	NS	1	48.483	49.605	0.0	0.0	247.0	6.125	1027.744	1076.384	0.0	-94.598	-90.016	0.0
17	14906	14907	SN	1	48.798	49.389	0.0	0.0	215.466	1.496	1039.736	1067.104	0.0	-94.027	-90.099	0.0
18	14906	14907	NS	1	48.475	49.614	0.0	0.0	247.0	33.174	1027.608	1060.312	0.0	-94.6	-90.021	0.0
19	14906	14907	SN	1	48.79	49.404	0.0	0.0	215.466	2.659	1039.952	1077.496	0.0	-94.027	-90.099	0.0
20	14907	14908	NS	1	48.683	49.331	0.0	0.003	39.931	2.604	1032.776	1076.328	0.0	-92.579	-90.03	0.0
21	14907	14908	SN	1	48.818	49.462	0.0	0.003	280.901	2.541	1039.952	1077.424	0.0	-91.847	-90.124	0.0
22	14907	14908	SN	2	48.818	49.462	0.0	0.003	280.901	2.541	1039.952	1077.424	0.0	-91.847	-90.124	0.0
23	14907	14908	NS	1	48.684	49.33	0.0	0.003	209.498	2.603	1032.784	1076.32	0.0	-91.752	-90.03	0.0
24	14908	14909	SN	1	48.836	49.414	0.0	0.003	6.364	1.849	1040.368	1077.312	0.0	-91.841	-90.124	0.0
25	14908	14909	NS	1	48.681	49.326	0.0	0.003	267.384	2.646	1031.752	1076.216	0.0	-92.024	-90.032	0.0
26	14908	14909	SN	1	48.836	49.414	0.0	0.003	6.364	2.564	1040.368	1077.312	0.0	-91.841	-90.124	0.0
27	14908	14909	NS	2	48.682	49.336	0.0	0.003	267.384	2.647	1031.768	1076.2	0.0	-91.766	-90.032	0.0
28	14909	14910	SN	1	48.81	49.421	0.0	0.003	6.37	2.651	1040.272	1077.36	0.0	-91.879	-90.103	0.0
29	14909	14910	NS	1	48.693	49.361	0.0	0.003	264.532	2.548	1031.464	1076.24	0.0	-91.76	-90.035	0.0
30	14910	14911	NS	2	48.674	49.362	0.0	0.0	209.035	2.749	1031.36	1076.384	0.0	-91.727	-90.03	0.0
31	14910	14911	NS	1	48.676	49.361	0.0	0.0	264.069	2.747	1031.392	1076.352	0.0	-91.727	-90.03	0.0
32	14910	14911	SN	1	48.836	49.402	0.0	0.003	6.386	2.591	1040.408	1077.552	0.0	-91.785	-90.107	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	14910	14911	SN	1	48.84	49.4	0.0	0.003	6.386	2.589	1040.424	1077.52	0.0	-91.746	-90.107	0.0
34	14911	14912	SN	1	48.837	49.402	0.0	0.003	215.228	2.536	1041.312	1077.592	0.0	-92.085	-90.088	0.0
35	14911	14912	NS	1	48.685	49.356	0.0	0.003	267.384	2.658	1031.752	1076.416	0.0	-91.747	-90.023	0.0
36	14912	14913	NS	1	48.72	49.333	0.0	0.003	207.022	2.728	1031.592	1076.312	0.0	-91.836	-90.016	0.0
37	14912	14913	SN	1	48.832	49.446	0.0	0.003	215.416	2.575	1041.216	1077.48	0.0	-91.783	-90.127	0.0
38	14913	14914	NS	1	48.714	49.304	0.0	0.003	210.695	2.516	1031.48	1076.056	0.0	-91.789	-90.035	0.0
39	14913	14914	SN	1	48.794	49.466	0.0	0.003	6.375	2.65	1041.208	1077.536	0.0	-91.839	-90.093	0.0
40	14913	14914	NS	1	48.714	49.304	0.0	0.003	210.695	2.589	1031.48	1076.384	0.0	-91.789	-90.035	0.0
41	14914	14915	NS	1	48.666	49.368	0.0	0.0	264.775	2.703	1031.856	1076.432	0.0	-92.321	-90.032	0.0
42	14914	14915	SN	1	48.807	49.402	0.0	0.0	280.879	2.564	1041.184	1077.6	0.0	-91.765	-90.106	0.0
43	14915	14916	SN	1	48.817	49.404	0.0	0.003	215.504	2.576	1040.112	1077.68	0.0	-91.743	-90.129	0.0
44	14915	14916	SN	1	48.817	49.404	0.0	0.003	215.504	2.579	1040.112	1077.68	0.0	-91.735	-90.129	0.0
45	14915	14916	NS	1	48.68	49.367	0.0	0.0	267.389	2.602	1031.2	1076.552	0.0	-91.702	-90.03	0.0
46	14916	14917	NS	1	48.68	49.368	0.0	0.003	267.417	2.64	1031.08	1076.64	0.0	-91.698	-90.029	0.0
47	14916	14917	NS	1	48.68	49.368	0.0	0.003	267.417	1.6	1031.08	1071.584	0.0	-91.698	-90.029	0.0
48	14916	14917	SN	1	48.82	49.43	0.0	0.003	214.649	2.646	1041.304	1077.776	0.0	-91.838	-90.13	0.0
49	14916	14917	SN	1	48.832	49.44	0.0	0.003	214.649	2.648	1041.304	1077.776	0.0	-91.838	-90.13	0.0
50	14917	14918	NS	1	48.668	49.302	0.0	0.003	13.148	2.654	1031.128	1076.568	0.0	-91.963	-90.03	0.0
51	14917	14918	SN	1	48.833	49.416	0.0	0.0	214.716	2.752	1041.392	1077.728	0.0	-91.877	-90.109	0.0
52	14918	14919	NS	1	48.702	49.304	0.0	0.0	267.147	2.681	1031.256	1076.568	0.0	-91.707	-90.018	0.0
53	14918	14919	SN	1	48.836	49.459	0.0	0.003	280.394	2.452	1040.784	1077.704	0.0	-91.861	-90.094	0.0
54	14918	14919	SN	2	48.836	49.459	0.0	0.003	280.394	2.626	1040.784	1077.704	0.0	-91.861	-90.094	0.0
55	14918	14919	SN	1	48.836	49.459	0.0	0.003	280.394	2.626	1040.784	1077.704	0.0	-91.861	-90.094	0.0
56	14918	14919	NS	1	48.702	49.304	0.0	0.0	267.147	2.678	1031.256	1076.568	0.0	-91.717	-90.018	0.0
57	14919	14920	NS	1	48.733	49.336	0.0	0.003	264.836	2.501	1032.048	1076.76	0.0	-92.546	-89.992	0.0
58	14919	14920	NS	1	48.733	49.343	0.0	0.003	264.836	2.499	1032.048	1076.76	0.0	-92.546	-89.992	0.0
59	14919	14920	SN	1	48.822	49.562	0.0	0.0	10.407	2.526	1040.128	1077.832	0.0	-94.329	-90.126	0.0
60	14919	14920	SN	1	48.826	49.562	0.0	0.0	10.407	2.375	1040.128	1077.848	0.0	-94.329	-90.126	0.0
61	14919	14920	SN	2	48.822	49.562	0.0	0.0	10.407	2.376	1040.128	1077.832	0.0	-94.329	-90.126	0.0
62	14920	14921	SN	1	48.817	49.469	0.0	0.003	281.326	2.53	1040.096	1077.776	0.0	-92.2	-90.125	0.0
63	14920	14921	SN	1	48.813	49.469	0.0	0.003	281.326	2.527	1040.88	1077.776	0.0	-91.855	-90.125	0.0
64	14920	14921	NS	1	48.692	49.333	0.0	0.003	19.28	2.6	1032.568	1076.712	0.0	-91.857	-90.035	0.0
65	14920	14921	SN	1	48.817	49.469	0.0	0.003	281.326	2.312	1040.096	1077.776	0.0	-92.2	-90.125	0.0
66	14921	14922	NS	1	48.734	49.35	0.0	0.003	210.717	2.599	1032.592	1076.624	0.0	-91.671	-90.004	0.0
67	14921	14922	SN	1	48.819	49.41	0.0	0.003	6.386	2.154	1040.184	1077.672	0.0	-91.711	-90.125	0.0
68	14921	14922	NS	2	48.734	49.35	0.0	0.003	210.717	2.598	1032.592	1076.624	0.0	-91.631	-90.004	0.0
69	14921	14922	SN	1	48.819	49.41	0.0	0.003	6.386	2.502	1040.184	1077.672	0.0	-91.758	-90.125	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14921	14922	SN	1	48.801	49.409	0.0	0.003	6.392	2.5	1040.176	1077.664	0.0	-92.134	-90.125	0.0
71	14922	14923	SN	1	48.809	49.464	0.0	0.003	29.37	1.98	1040.048	1077.592	0.0	-91.83	-90.125	0.0
72	14922	14923	SN	1	48.809	49.464	0.0	0.003	29.37	2.546	1040.048	1077.592	0.0	-91.83	-90.125	0.0
73	14922	14923	NS	2	48.689	49.334	0.0	0.003	207.028	2.683	1032.544	1076.504	0.0	-91.759	-90.024	0.0
74	14922	14923	NS	1	48.689	49.334	0.0	0.003	207.028	2.683	1032.544	1076.504	0.0	-91.759	-90.024	0.0
75	14923	14924	SN	1	48.816	49.444	0.0	0.003	6.386	2.626	1040.408	1077.552	0.0	-91.857	-90.127	0.0
76	14923	14924	SN	1	48.818	49.445	0.0	0.003	6.381	1.753	1040.44	1077.568	0.0	-92.032	-90.127	0.0
77	14923	14924	SN	1	48.818	49.445	0.0	0.003	6.381	2.62	1040.44	1077.568	0.0	-92.032	-90.127	0.0
78	14923	14924	NS	2	48.671	49.36	0.0	0.003	210.684	2.556	1032.424	1076.456	0.0	-91.741	-90.034	0.0
79	14923	14924	NS	1	48.671	49.36	0.0	0.003	210.684	2.556	1032.424	1076.456	0.0	-91.741	-90.034	0.0
80	14924	14925	SN	2	48.661	49.427	0.0	0.003	6.386	2.683	1040.224	1077.744	0.0	-94.087	-90.116	0.0
81	14924	14925	SN	1	48.819	49.404	0.0	0.003	6.386	1.576	1040.224	1077.744	0.0	-91.734	-90.116	0.0
82	14924	14925	SN	1	48.661	49.428	0.0	0.003	6.386	2.684	1040.224	1077.744	0.0	-94.087	-90.116	0.0
83	14924	14925	NS	1	48.684	49.356	0.0	0.003	267.141	2.636	1031.264	1076.6	0.0	-91.876	-90.032	0.0
84	14924	14925	NS	1	48.684	49.356	0.0	0.003	267.141	2.633	1031.264	1076.6	0.0	-91.876	-90.032	0.0
85	14925	14926	NS	1	48.699	49.37	0.0	0.003	267.141	2.616	1032.184	1076.68	0.0	-91.907	-90.008	0.0
86	14925	14926	SN	1	48.807	49.404	0.0	0.003	6.381	2.575	1041.392	1077.856	0.0	-91.808	-90.086	0.0
87	14925	14926	NS	2	48.699	49.37	0.0	0.003	267.648	2.614	1032.184	1076.68	0.0	-91.907	-90.008	0.0
88	14926	14927	NS	1	48.676	49.334	0.0	0.003	18.128	2.72	1031.528	1076.624	0.0	-91.658	-90.006	0.0
89	14926	14927	SN	1	48.855	49.404	0.0	0.003	6.397	2.556	1041.4	1077.816	0.0	-91.855	-90.132	0.0
90	14927	14928	SN	1	48.648	49.463	0.0	0.0	279.539	2.709	1041.392	1077.768	0.0	-92.593	-90.103	0.0
91	14927	14928	NS	1	48.712	49.303	0.0	0.003	41.172	2.611	1032.272	1076.6	0.0	-91.687	-90.031	0.0
92	14928	14929	SN	1	48.824	49.404	0.0	0.003	6.392	2.601	1041.312	1077.816	0.0	-91.742	-90.108	0.0
93	14928	14929	NS	1	48.67	49.332	0.0	0.0	210.678	2.546	1031.2	1075.888	0.0	-91.686	-90.03	0.0
94	14928	14929	NS	1	48.67	49.332	0.0	0.0	210.678	2.739	1031.2	1076.624	0.0	-91.592	-90.03	0.0
95	14929	14930	NS	1	48.67	49.331	0.0	0.003	42.689	2.559	1031.528	1076.656	0.0	-91.756	-90.028	0.0
96	14929	14930	NS	1	48.67	49.332	0.0	0.003	42.689	2.561	1031.528	1076.656	0.0	-91.756	-90.028	0.0
97	14929	14930	NS	1	48.67	49.332	0.0	0.003	42.689	1.933	1031.528	1074.672	0.0	-91.78	-90.028	0.0
98	14929	14930	SN	1	48.847	49.404	0.0	0.003	215.675	2.584	1041.224	1077.864	0.0	-91.821	-90.125	0.0
99	14930	14931	NS	1	48.678	49.348	0.0	0.003	210.287	2.639	1031.168	1076.784	0.0	-91.709	-90.027	0.0
100	14930	14931	NS	1	48.678	49.348	0.0	0.003	210.287	1.549	1031.168	1073.248	0.0	-91.709	-90.027	0.0
101	14930	14931	SN	2	48.798	49.406	0.0	0.003	215.173	2.576	1040.368	1077.976	0.0	-92.247	-90.13	0.0
102	14930	14931	SN	1	48.798	49.406	0.0	0.003	215.173	2.576	1040.368	1077.976	0.0	-92.247	-90.13	0.0
103	14930	14931	NS	1	48.678	49.348	0.0	0.003	210.287	2.637	1031.168	1076.784	0.0	-91.684	-90.027	0.0
104	14931	14932	NS	1	48.68	49.332	0.0	0.003	42.617	1.534	1030.928	1069.8	0.0	-92.045	-90.008	0.0
105	14931	14932	SN	1	48.821	49.407	0.0	0.003	33.12	1.704	1041.56	1078.048	0.0	-91.671	-90.133	0.0
106	14931	14932	SN	1	48.821	49.407	0.0	0.0	80.26	2.79	1041.56	1078.048	0.0	-91.687	-90.133	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	14931	14932	NS	1	48.68	49.332	0.0	0.003	42.617	2.542	1030.928	1076.864	0.0	-92.045	-90.008	0.0
108	14931	14932	NS	1	48.674	49.364	0.0	0.003	42.617	2.551	1030.84	1076.864	0.0	-91.719	-90.008	0.0
109	14931	14932	SN	1	48.821	49.407	0.0	0.0	80.26	2.793	1041.56	1078.048	0.0	-91.671	-90.133	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	14903	14904	NS	1	-34.959	26.643	0.024	-34.561	27.226	0.03	-7.487	30.948	13.029	1.014	32.311	24.857	0.116	303.571	3.542	0.116	277.057	2.997	0.116	0.636	0.0	0.116	0.182	0.0
2	14903	14904	NS	1	-34.823	26.641	0.024	-34.83	27.228	0.03	-7.487	30.95	13.022	1.015	32.309	24.863	0.116	294.265	3.539	0.116	294.723	3.01	0.116	0.637	0.0	0.116	0.181	0.0
3	14903	14904	SN	1	-34.815	27.101	0.241	-32.488	27.772	0.41	-27.276	35.049	9.232	-22.167	28.942	11.551	0.116	293.688	2.646	0.116	171.932	2.034	0.116	51.842	0.08	0.116	16.046	0.056
4	14903	14904	SN	1	-34.815	27.101	0.255	-32.488	27.772	0.433	-27.276	35.049	9.241	-22.167	28.942	11.561	0.116	293.688	2.801	0.116	171.932	2.15	0.116	51.842	0.08	0.116	16.046	0.056
5	14903	14904	SN	1	-34.815	27.101	0.241	-32.488	27.772	0.41	-27.276	35.049	9.24	-22.167	28.942	11.561	0.116	293.688	2.648	0.116	171.932	2.034	0.116	51.842	0.08	0.116	16.046	0.056
6	14904	14905	SN	1	-34.462	23.685	0.025	-34.837	24.344	0.047	-20.431	30.011	8.311	-27.142	30.014	4.144	0.116	270.81	3.89	0.116	295.171	3.257	0.116	10.79	0.049	0.116	50.265	0.044
7	14904	14905	NS	2	-33.928	26.052	0.031	-34.261	26.734	0.027	-22.802	32.029	8.364	-9.41	30.445	19.12	0.116	239.521	1.634	0.116	258.562	1.443	0.116	18.56	0.007	0.116	0.938	0.0
8	14904	14905	NS	1	-33.928	26.052	0.031	-34.332	26.734	0.027	-22.804	32.029	8.364	-9.41	30.445	19.118	0.116	239.521	1.633	0.116	262.795	1.443	0.116	18.572	0.007	0.116	0.938	0.0
9	14904	14905	SN	1	-34.462	23.685	0.026	-34.914	24.344	0.047	-20.691	30.011	8.311	-27.089	30.014	4.144	0.116	270.81	3.888	0.116	300.485	3.258	0.116	11.451	0.049	0.116	49.661	0.047
10	14904	14905	SN	1	-34.462	23.685	0.025	-34.837	24.344	0.046	-20.431	30.011	8.311	-27.142	30.014	4.144	0.116	270.81	3.806	0.116	295.171	3.192	0.116	10.79	0.049	0.116	50.265	0.044
11	14905	14906	SN	1	-34.6	23.458	0.022	-34.787	23.761	0.047	7.268	27.268	12.891	7.511	28.041	5.995	0.116	279.502	4.96	0.116	291.893	4.028	0.116	0.13	0.0	0.116	0.129	0.0
12	14905	14906	SN	1	-34.555	23.458	0.023	-34.812	23.761	0.048	7.268	27.268	12.897	7.512	28.041	5.986	0.116	276.682	5.056	0.116	293.556	4.109	0.116	0.13	0.0	0.116	0.129	0.0
13	14905	14906	NS	1	-33.536	23.577	0.004	-28.618	24.059	0.007	-5.85	28.874	7.761	-5.376	29.429	15.114	0.116	218.821	0.665	0.116	70.573	0.452	0.116	0.468	0.0	0.116	0.43	0.0
14	14905	14906	SN	1	-34.512	23.458	0.022	-34.277	23.761	0.047	7.268	27.268	12.896	7.511	28.041	5.988	0.116	273.974	4.97	0.116	259.489	4.03	0.116	0.13	0.0	0.116	0.129	0.0
15	14906	14907	SN	1	-34.824	16.77	0.0	-34.037	18.133	0.0	0.744	22.017	0.019	2.384	21.853	0.0	0.117	294.344	5.37	0.117	245.588	4.752	0.116	0.186	0.0	0.116	0.163	0.0
16	14906	14907	NS	1	-33.016	21.055	0.0	-33.942	23.542	0.005	-19.696	29.324	5.489	-25.813	32.008	10.296	0.116	194.146	1.124	0.116	240.313	0.763	0.116	9.125	0.009	0.116	37.039	0.012
17	14906	14907	SN	1	-34.928	16.77	0.0	-34.499	18.133	0.0	6.464	22.017	0.019	2.384	21.853	0.0	0.117	301.425	5.543	0.117	273.107	4.855	0.116	0.133	0.0	0.116	0.163	0.0
18	14906	14907	NS	1	-24.862	19.517	0.0	-27.795	20.877	0.0	5.591	24.48	0.129	-13.033	26.921	1.241	0.117	29.773	0.669	0.116	58.408	0.783	0.116	0.137	0.0	0.116	2.039	0.007
19	14906	14907	SN	1	-34.444	22.528	0.006	-34.875	24.194	0.067	0.763	27.466	11.093	2.4	27.192	6.784	0.116	269.696	4.829	0.116	297.869	4.176	0.116	0.186	0.0	0.116	0.163	0.0
20	14907	14908	NS	1	-34.95	22.014	0.002	-34.581	22.358	0.002	-26.234	28.176	6.271	-21.498	29.041	13.093	0.116	302.946	7.222	0.116	295.244	6.777	0.116	40.796	0.015	0.116	13.769	0.013
21	14907	14908	SN	1	-34.874	23.428	0.039	-34.773	24.692	0.31	5.242	28.043	13.327	8.484	28.549	15.84	0.116	297.702	6.292	0.116	290.944	5.182	0.116	0.139	0.0	0.116	0.127	0.0
22	14907	14908	SN	2	-34.874	23.428	0.039	-34.773	24.692	0.31	5.242	28.043	13.327	8.484	28.549	15.84	0.116	297.702	6.293	0.116	290.944	5.182	0.116	0.139	0.0	0.116	0.127	0.0
23	14907	14908	NS	1	-34.71	22.014	0.002	-34.985	22.356	0.002	-26.234	28.176	6.262	-21.498	29.041	13.086	0.116	286.692	7.253	0.116	305.474	6.801	0.116	40.796	0.015	0.116	13.769	0.013
24	14908	14909	SN	1	-34.984	22.944	0.088	-34.674	24.724	0.277	0.769	27.345	12.754	1.315	28.054	10.688	0.116	305.401	6.802	0.116	284.348	5.895	0.116	0.186	0.0	0.116	0.177	0.0
25	14908	14909	NS	1	-34.759	22.283	0.001	-34.69	21.828	0.0	-10.109	28.539	5.912	-8.88	30.486	11.473	0.116	289.971	3.854	0.116	285.381	3.086	0.116	1.085	0.002	0.116	0.841	0.0
26	14908	14909	SN	1	-34.759	22.944	0.085	-34.718	24.724	0.262	0.625	27.345	11.955	1.318	28.054	10.563	0.116	290.018	6.598	0.116	287.248	5.687	0.116	0.188	0.0	0.116	0.177	0.0
27	14908	14909	NS	2	-34.759	22.283	0.001	-34.807	21.828	0.0	-10.109	28.539	5.913	-8.88	30.486	11.477	0.116	289.971	3.855	0.116	293.201	3.086	0.116	1.085	0.002	0.116	0.841	0.0
28	14909	14910	SN	1	-34.52	23.344	0.014	-33.522	23.474	0.03	-16.941	30.66	9.424	-21.328	35.348	10.686	0.116	274.438	3.899	0.116	218.081	3.669	0.116	4.881	0.025	0.116	13.245	0.015
29	14909	14910	NS	1	-34.838	26.799	0.069	-34.614	27.706	0.204	7.955	27.962	11.564	8.478	28.808	21.365	0.116	295.307	3.82	0.116	280.439	3.611	0.116	0.128	0.0	0.116	0.127	0.0
30	14910	14911	NS	2	-34.632	24.065	0.05	-34.985	24.667	0.099	1.79	29.661	10.141	1.454	29.516	21.026	0.116	281.593	8.609	0.116	305.408	8.68	0.116	0.17	0.0	0.116	0.175	0.0
31	14910	14911	NS	1	-34.929	24.065	0.05	-34.993	24.667	0.099	1.79	29.661	10.139	1.454	29.516	21.025	0.116	301.538	8.608	0.116	306.017	8.677	0.116	0.17	0.0	0.116	0.175	0.0
32	14910	14911	SN	1	-34.82	23.982	0.013	-34.696	24.81	0.019	-15.298	29.992	12.34	-13.185	30.438	15.262	0.116	294.008	3.247	0.116	285.741	2.915	0.116	3.372	0.003	0.116	2.108	0.003
33	14910	14911	SN	1	-34.051	23.98	0.013	-34.984	24.81	0.019	-15.304	29.992	12.325	-13.157	30.438	15.264	0.116	246.317	3.252	0.116	305.383	2.912	0.116	3.376	0.003	0.116	2.095	0.003

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	14911	14912	SN	1	-34.356	25.094	0.037	-34.954	25.571	0.04	-9.554	29.154	13.994	-4.52	29.929	12.833	0.116	264.293	2.633	0.116	303.318	2.015	0.116	0.966	0.0	0.116	0.371	0.0
35	14911	14912	NS	1	-33.69	27.416	0.033	-34.943	24.287	0.075	-7.549	27.501	11.638	-8.861	29.56	26.157	0.116	226.729	2.527	0.116	302.488	1.868	0.116	0.644	0.0	0.116	0.838	0.0
36	14912	14913	NS	1	-34.976	25.104	0.027	-34.618	24.525	0.02	-30.101	34.791	7.761	-30.929	33.012	18.908	0.116	304.834	4.294	0.116	280.695	3.861	0.116	99.282	0.232	0.116	120.096	0.178
37	14912	14913	SN	1	-34.7	26.401	0.023	-34.53	26.968	0.018	-26.992	29.147	15.795	-32.943	29.4	14.638	0.116	286.061	2.485	0.116	275.117	2.342	0.116	48.558	0.048	0.116	190.907	0.024
38	14913	14914	NS	1	-34.925	22.743	0.024	-34.922	23.815	0.144	-34.846	28.36	13.383	-21.483	33.078	23.185	0.116	301.247	3.596	0.116	301.014	3.326	0.116	295.805	0.062	0.116	13.724	0.031
39	14913	14914	SN	1	-34.984	19.656	0.0	-33.57	22.695	0.002	-32.886	28.745	12.646	-24.481	30.283	9.905	0.116	305.325	3.282	0.116	220.537	3.216	0.116	188.381	0.065	0.116	27.282	0.05
40	14913	14914	NS	1	-34.925	22.743	0.024	-34.922	23.815	0.144	-34.846	28.36	14.514	-21.483	33.078	24.488	0.116	301.247	3.596	0.116	301.014	3.327	0.116	295.805	0.061	0.116	13.724	0.03
41	14914	14915	NS	1	-34.835	25.36	0.054	-34.988	23.453	0.148	-19.339	27.13	20.915	-17.349	29.133	36.995	0.116	295.086	3.822	0.116	305.636	3.89	0.116	8.411	0.043	0.116	5.353	0.021
42	14914	14915	SN	1	-34.586	23.496	0.006	-33.279	23.583	0.002	-8.375	29.099	13.355	-3.213	30.014	14.043	0.116	278.653	6.1	0.116	206.262	5.554	0.116	0.759	0.0	0.116	0.301	0.0
43	14915	14916	SN	1	-34.767	18.643	0.0	-34.727	18.311	0.0	-5.006	28.239	25.353	-3.894	28.869	29.759	0.117	290.509	3.469	0.117	287.79	2.488	0.116	0.403	0.0	0.116	0.335	0.0
44	14915	14916	SN	1	-34.558	18.643	0.0	-34.954	18.311	0.0	-5.001	28.239	25.356	-3.894	28.869	29.759	0.117	276.874	3.479	0.117	303.344	2.484	0.116	0.402	0.0	0.116	0.335	0.0
45	14915	14916	NS	1	-34.963	25.198	0.018	-34.816	23.174	0.032	4.889	28.47	23.193	1.883	29.918	36.024	0.116	303.91	5.801	0.116	293.862	5.093	0.116	0.141	0.0	0.116	0.169	0.0
46	14916	14917	NS	1	-34.943	24.851	0.021	-34.824	25.614	0.021	7.551	29.69	17.623	7.576	30.965	28.097	0.116	302.573	5.564	0.116	294.335	5.162	0.116	0.129	0.0	0.116	0.129	0.0
47	14916	14917	NS	1	-34.943	21.623	0.0	-34.824	25.617	0.021	7.578	29.69	2.111	7.576	30.965	2.714	0.116	302.573	5.713	0.116	294.335	5.163	0.116	0.129	0.0	0.116	0.129	0.0
48	14916	14917	SN	1	-33.811	18.603	0.0	-34.994	18.928	0.0	2.537	28.669	19.824	1.83	29.528	18.828	0.117	233.132	4.73	0.117	306.146	4.268	0.116	0.161	0.0	0.116	0.17	0.0
49	14916	14917	SN	1	-34.98	18.603	0.0	-34.454	18.928	0.0	2.537	28.669	19.824	1.83	29.528	18.828	0.117	305.107	4.742	0.117	284.324	4.275	0.116	0.161	0.0	0.116	0.17	0.0
50	14917	14918	NS	1	-34.956	24.619	0.031	-34.929	25.399	0.033	1.753	30.26	11.512	4.966	29.095	20.301	0.116	303.375	5.864	0.116	301.556	5.068	0.116	0.171	0.0	0.116	0.141	0.0
51	14917	14918	SN	1	-34.928	24.878	0.145	-34.317	25.291	0.324	-26.761	27.914	7.959	-21.098	30.425	8.4	0.116	301.429	3.358	0.116	261.926	2.486	0.116	46.056	0.062	0.116	12.567	0.034
52	14918	14919	NS	1	-33.712	26.169	0.031	-34.674	27.834	0.027	-15.917	31.79	9.829	-18.633	35.685	23.172	0.116	227.844	2.467	0.116	284.397	1.846	0.116	3.874	0.036	0.116	7.163	0.026
53	14918	14919	SN	1	-34.909	26.881	0.08	-34.601	27.973	0.143	-22.144	30.56	9.241	-29.985	29.378	5.427	0.116	300.226	2.824	0.116	279.676	2.374	0.116	15.962	0.098	0.116	96.652	0.091
54	14918	14919	SN	2	-34.909	26.881	0.078	-34.601	27.973	0.139	-22.144	30.56	9.241	-29.985	29.378	5.427	0.116	300.226	2.748	0.116	279.676	2.314	0.116	15.962	0.098	0.116	96.652	0.091
55	14918	14919	SN	1	-34.909	26.881	0.078	-34.601	27.973	0.139	-22.144	30.56	9.241	-29.985	29.378	5.427	0.116	300.226	2.748	0.116	279.676	2.314	0.116	15.962	0.098	0.116	96.652	0.091
56	14918	14919	NS	1	-33.441	26.169	0.031	-34.674	27.834	0.027	-15.917	31.79	9.835	-18.633	35.685	23.174	0.116	214.122	2.463	0.116	284.397	1.843	0.116	3.874	0.036	0.116	7.163	0.026
57	14919	14920	NS	1	-34.583	23.758	0.003	-34.847	23.9	0.004	-4.744	29.26	8.156	-4.995	29.584	15.893	0.116	278.42	1.703	0.116	295.964	1.091	0.116	0.385	0.0	0.116	0.402	0.0
58	14919	14920	NS	1	-33.231	23.758	0.003	-34.309	23.9	0.004	-4.744	29.259	8.156	-4.995	29.584	15.894	0.116	203.97	1.699	0.116	261.459	1.089	0.116	0.385	0.0	0.116	0.402	0.0
59	14919	14920	SN	1	-34.601	23.351	0.012	-34.75	23.942	0.017	-32.307	27.996	10.383	-23.041	29.068	5.144	0.116	279.613	3.857	0.116	289.34	3.316	0.116	164.935	0.076	0.116	19.608	0.087
60	14919	14920	SN	1	-34.564	23.351	0.012	-34.945	23.942	0.018	-32.307	27.996	10.383	-23.041	29.068	5.14	0.116	277.271	3.921	0.116	302.651	3.335	0.116	164.935	0.076	0.116	19.608	0.087
61	14919	14920	SN	2	-34.601	23.351	0.012	-34.945	23.942	0.018	-32.307	27.996	10.383	-23.041	29.068	5.144	0.116	279.613	3.921	0.116	302.651	3.335	0.116	164.935	0.076	0.116	19.608	0.087
62	14920	14921	SN	1	-34.883	23.691	0.007	-34.685	24.332	0.03	-3.525	26.996	10.421	0.01	27.441	3.298	0.116	298.4	7.135	0.116	285.096	5.304	0.116	0.316	0.0	0.116	0.2	0.0
63	14920	14921	SN	1	-34.982	23.691	0.007	-34.906	24.332	0.03	-3.459	26.996	10.421	-0.004	27.441	3.298	0.116	305.195	7.127	0.116	299.961	5.314	0.116	0.313	0.0	0.116	0.2	0.0
64	14920	14921	NS	1	-34.26	23.28	0.002	-31.555	24.97	0.005	-3.334	28.826	7.116	-4.144	29.455	13.517	0.116	258.478	1.167	0.116	138.698	0.707	0.116	0.307	0.0	0.116	0.348	0.0
65	14920	14921	SN	1	-34.934	23.691	0.007	-34.943	24.332	0.031	4.315	26.996	10.448	0.158	27.441	3.302	0.116	301.845	7.245	0.116	302.494	5.403	0.116	0.145	0.0	0.116	0.197	0.0
66	14921	14922	NS	1	-33.605	21.183	0.0	-34.688	22.113	0.002	-11.559	28.119	5.383	-7.832	29.43	10.099	0.116	222.359	2.092	0.116	285.264	1.702	0.116	1.478	0.001	0.116	0.681	0.0
67	14921	14922	SN	1	-34.762	23.133	0.021	-33.925	24.025	0.1	6.037	27.71	14.932	6.77	28.156	17.158	0.116	290.174	1.276	0.116	239.36	1.134	0.116	0.135	0.0	0.116	0.132	0.0
68	14921	14922	NS	2	-34.465	21.183	0.0	-34.688	22.113	0.002	-11.559	28.119	5.383	-7.832	29.43	10.098	0.116	271.016	2.102	0.116	285.264	1.704	0.116	1.478	0.001	0.116	0.681	0.0
69	14921	14922	SN	1	-34.762	23.133	0.02	-33.925	24.025	0.097	6.037	27.71	14.822	6.77	28.156	16.539	0.116	290.174	1.28	0.116	239.36	1.109	0.116	0.135	0.0	0.116	0.132	0.0
70	14921	14922	SN	1	-34.713	23.133	0.02	-32.236	24.025	0.097	6.037	27.71	14.822	6.77	28.156	16.538	0.116	286.901	1.278	0.116	162.246	1.11	0.116	0.135	0.0	0.116	0.132	0.0
71	14922	14923	SN	1	-34.386	23.091	0.029	-34.885	24.772	0.249	6.909	27.501	14.45	2.294	28.484	15.464	0.116	266.121	3.452	0.116	298.481	3.148	0.116	0.132	0.0	0.116	0.164	0.0
72	14922	14923	SN	1	-34.386	23.091	0.028	-34.885	24.772	0.239	-0.309	27.501	13.841	2.299	28.484	15.163	0.116	266.121	3.387	0.116	298.481	3.02	0.116	0.207	0.0	0.116	0.164	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	14922	14923	NS	2	-34.951	21.234	0.0	-34.71	21.646	0.0	-34.08	28.146	5.228	-19.336	29.342	10.598	0.116	303.038	2.978	0.116	286.694	2.589	0.116	248.06	0.043	0.116	8.404	0.022
74	14922	14923	NS	1	-34.951	21.234	0.0	-34.71	21.646	0.0	-34.08	28.146	5.228	-19.336	29.342	10.598	0.116	303.038	2.978	0.116	286.694	2.589	0.116	248.06	0.043	0.116	8.404	0.022
75	14923	14924	SN	1	-34.92	22.713	0.039	-34.932	22.992	0.079	0.44	32.374	9.606	-2.152	30.659	9.82	0.116	300.969	7.384	0.116	301.824	5.875	0.116	0.191	0.0	0.116	0.259	0.0
76	14923	14924	SN	1	-34.868	22.712	0.041	-34.926	22.99	0.086	0.441	32.374	10.203	-2.138	30.659	9.885	0.116	297.274	7.774	0.116	301.331	6.348	0.116	0.191	0.0	0.116	0.258	0.0
77	14923	14924	SN	1	-34.868	22.712	0.039	-34.926	22.99	0.08	0.441	32.374	9.592	-2.138	30.659	9.842	0.116	297.274	7.393	0.116	301.331	5.884	0.116	0.191	0.0	0.116	0.258	0.0
78	14923	14924	NS	2	-34.529	27.302	0.125	-34.532	27.614	0.224	-12.936	29.345	8.818	-7.944	30.693	14.217	0.116	274.998	3.763	0.116	275.229	3.08	0.116	1.996	0.004	0.116	0.73	0.0
79	14923	14924	NS	1	-34.529	27.302	0.125	-34.532	27.614	0.224	-12.936	29.345	8.818	-7.944	30.693	14.217	0.116	274.998	3.763	0.116	275.229	3.08	0.116	1.996	0.004	0.116	0.73	0.0
80	14924	14925	SN	2	-34.914	22.489	0.003	-34.382	23.703	0.007	-21.404	34.809	11.251	-21.554	32.732	13.649	0.116	300.504	4.725	0.116	265.88	4.15	0.116	13.478	0.015	0.116	13.95	0.003
81	14924	14925	SN	1	-34.914	22.489	0.003	-34.382	23.703	0.009	-21.701	34.809	11.973	-21.554	32.732	13.701	0.116	300.504	4.485	0.116	265.88	4.057	0.116	14.425	0.016	0.116	13.95	0.003
82	14924	14925	SN	1	-34.914	22.489	0.003	-34.382	23.703	0.007	-21.404	34.809	11.251	-21.554	32.732	13.649	0.116	300.504	4.726	0.116	265.88	4.15	0.116	13.478	0.015	0.116	13.95	0.003
83	14924	14925	NS	1	-34.554	27.011	0.082	-34.874	27.419	0.175	2.432	32.678	7.615	7.482	29.409	14.848	0.116	276.572	5.625	0.116	297.698	5.038	0.116	0.162	0.0	0.116	0.13	0.0
84	14924	14925	NS	1	-34.946	27.011	0.082	-34.874	27.418	0.176	2.429	32.678	7.612	7.482	29.409	14.847	0.116	302.733	5.616	0.116	297.698	5.034	0.116	0.162	0.0	0.116	0.13	0.0
85	14925	14926	NS	1	-34.792	23.266	0.013	-34.456	23.895	0.063	-10.498	28.276	13.518	-1.51	28.917	29.437	0.116	292.176	6.58	0.116	270.414	6.539	0.116	1.178	0.002	0.116	0.238	0.0
86	14925	14926	SN	1	-33.751	24.298	0.036	-34.369	25.606	0.035	-10.72	28.522	14.706	-4.914	29.847	15.516	0.116	229.91	2.148	0.116	265.131	2.76	0.116	1.235	0.003	0.116	0.396	0.0
87	14925	14926	NS	2	-34.792	23.266	0.013	-34.456	23.895	0.063	-10.498	28.276	13.518	-1.51	28.917	29.434	0.116	292.176	6.581	0.116	270.414	6.538	0.116	1.178	0.002	0.116	0.238	0.0
88	14926	14927	NS	1	-34.3	27.387	0.064	-34.502	23.71	0.065	-21.866	31.592	6.55	-26.016	32.127	19.324	0.116	260.904	3.029	0.116	273.378	2.314	0.116	14.982	0.087	0.116	38.8	0.047
89	14926	14927	SN	1	-34.852	26.691	0.056	-34.693	27.583	0.062	-10.504	30.625	14.179	-4.033	29.466	12.185	0.116	296.237	1.906	0.116	285.594	1.73	0.116	1.179	0.002	0.116	0.342	0.0
90	14927	14928	SN	1	-34.557	26.247	0.018	-34.4	27.483	0.02	-21.582	28.906	14.618	-23.299	29.478	13.605	0.116	276.733	2.514	0.116	266.959	2.14	0.116	14.037	0.03	0.116	20.798	0.025
91	14927	14928	NS	1	-34.7	25.947	0.209	-34.298	26.312	0.353	-24.749	28.151	11.208	-6.31	36.101	20.175	0.116	286.06	2.382	0.116	260.754	1.976	0.116	29.009	0.003	0.116	0.509	0.0
92	14928	14929	SN	1	-34.526	23.697	0.008	-33.514	24.554	0.007	-6.766	31.604	12.156	-5.994	30.102	12.029	0.116	274.794	4.749	0.116	217.712	3.815	0.116	0.554	0.0	0.116	0.48	0.0
93	14928	14929	NS	1	-34.557	27.121	0.038	-34.854	24.316	0.284	-21.806	27.956	14.87	-23.055	29.69	31.25	0.116	276.732	2.174	0.116	296.394	1.942	0.116	14.776	0.122	0.116	19.666	0.046
94	14928	14929	NS	1	-34.557	27.121	0.038	-34.854	24.316	0.284	-21.806	27.958	19.59	-23.055	29.686	34.481	0.116	276.732	2.173	0.116	296.394	1.942	0.116	14.776	0.109	0.116	19.666	0.042
95	14929	14930	NS	1	-34.738	21.552	0.0	-34.354	22.324	0.004	5.059	28.199	19.156	9.578	29.214	33.245	0.116	288.572	5.097	0.116	264.194	4.486	0.116	0.14	0.0	0.116	0.124	0.0
96	14929	14930	NS	1	-34.738	21.552	0.0	-34.354	22.324	0.004	5.059	28.199	19.192	9.578	29.212	33.26	0.116	288.572	5.101	0.116	264.194	4.488	0.116	0.14	0.0	0.116	0.124	0.0
97	14929	14930	NS	1	-34.738	21.552	0.0	-34.354	22.322	0.004	5.059	27.147	5.358	9.578	29.226	27.044	0.116	288.572	5.103	0.116	264.194	4.488	0.116	0.14	0.0	0.116	0.124	0.0
98	14929	14930	SN	1	-34.636	24.796	0.005	-34.682	24.791	0.002	-9.085	28.496	18.465	-7.501	29.223	19.159	0.116	281.815	3.527	0.116	284.838	2.87	0.116	0.877	0.0	0.116	0.638	0.0
99	14930	14931	NS	1	-34.19	23.826	0.006	-34.917	23.284	0.006	2.598	28.959	25.341	7.862	29.141	37.525	0.116	254.349	7.068	0.116	300.661	5.889	0.116	0.16	0.0	0.116	0.128	0.0
100	14930	14931	NS	1	-34.639	23.374	0.003	-34.917	23.239	0.006	2.598	27.357	0.552	7.811	29.191	13.146	0.116	282.049	7.075	0.116	300.661	5.888	0.116	0.16	0.0	0.116	0.128	0.0
101	14930	14931	SN	2	-34.789	19.497	0.0	-34.427	21.244	0.0	3.486	29.024	30.614	5.56	29.372	36.778	0.117	292.004	5.653	0.116	268.66	4.2	0.116	0.152	0.0	0.116	0.138	0.0
102	14930	14931	SN	1	-34.789	19.497	0.0	-34.427	21.244	0.0	3.486	29.024	30.614	5.56	29.372	36.778	0.117	292.004	5.653	0.116	268.66	4.2	0.116	0.152	0.0	0.116	0.138	0.0
103	14930	14931	NS	1	-34.634	23.826	0.006	-34.917	23.284	0.006	2.598	28.957	25.334	7.861	29.141	37.513	0.116	281.728	7.083	0.116	300.661	5.898	0.116	0.16	0.0	0.116	0.128	0.0
104	14931	14932	NS	1	-34.617	19.278	0.0	-34.787	24.769	0.012	5.75	25.336	4.209	4.807	25.817	7.053	0.117	280.653	6.722	0.116	291.848	5.58	0.116	0.136	0.0	0.116	0.142	0.0
105	14931	14932	SN	1	-34.951	23.672	0.026	-34.67	24.018	0.062	-2.096	28.515	12.069	4.275	29.302	10.119	0.116	303.086	5.502	0.116	284.035	4.861	0.116	0.257	0.0	0.116	0.145	0.0
106	14931	14932	SN	1	-34.499	23.672	0.025	-34.934	24.018	0.056	-1.876	28.515	11.864	4.262	29.302	10.078	0.116	273.114	5.371	0.116	301.861	4.444	0.116	0.25	0.0	0.116	0.146	0.0
107	14931	14932	NS	1	-34.617	24.124	0.015	-34.787	24.771	0.015	5.75	28.677	14.446	4.807	29.483	24.133	0.116	280.653	6.443	0.116	291.848	5.547	0.116	0.136	0.0	0.116	0.142	0.0
108	14931	14932	NS	1	-34.45	24.126	0.015	-34.588	24.771	0.015	5.749	28.677	14.441	4.805	29.483	24.123	0.116	270.029	6.438	0.116	278.771	5.544	0.116	0.137	0.0	0.116	0.142	0.0
109	14931	14932	SN	1	-34.897	23.672	0.025	-34.08	24.018	0.057	-1.881	28.515	11.864	4.265	29.302	10.078	0.116	299.37	5.376	0.116	247.999	4.449	0.116	0.25	0.0	0.116	0.146	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14903	14904	NS	1	57.477	58.113	0.0	0.0	299.442	3.882	1209.0	1263.912	0.199	-93.041	-92.055	0.0
2	14903	14904	NS	1	57.494	58.113	0.0	0.0	299.442	3.846	1209.056	1263.912	0.198	-93.194	-92.055	0.0
3	14903	14904	SN	1	57.629	58.265	0.0	0.003	298.731	3.969	1219.76	1265.936	0.0	-93.189	-92.123	0.0
4	14903	14904	SN	1	57.629	58.265	0.0	0.003	288.352	3.557	1219.76	1265.936	0.0	-93.189	-92.123	0.0
5	14903	14904	SN	1	57.629	58.265	0.0	0.003	298.714	3.972	1219.76	1265.936	0.0	-93.189	-92.123	0.0
6	14904	14905	SN	1	57.628	58.244	0.0	0.0	298.604	3.359	1220.08	1266.168	0.0	-93.113	-92.148	0.0
7	14904	14905	NS	2	57.506	58.117	0.0	0.0	299.779	3.615	1209.16	1264.176	0.017	-93.144	-92.047	0.0
8	14904	14905	NS	1	57.505	58.116	0.0	0.0	299.718	3.614	1209.128	1264.192	0.031	-93.144	-92.047	0.0
9	14904	14905	SN	1	57.637	58.274	0.0	0.0	298.604	3.363	1220.2	1266.168	0.0	-93.216	-92.148	0.0
10	14904	14905	SN	1	57.628	58.244	0.0	0.0	298.604	3.731	1220.08	1266.168	0.0	-93.113	-92.148	0.0
11	14905	14906	SN	1	57.626	58.256	0.0	0.0	288.175	3.649	1219.84	1266.2	0.0	-93.349	-92.165	0.0
12	14905	14906	SN	1	57.621	58.26	0.0	0.003	288.175	3.277	1219.696	1266.2	0.0	-93.343	-92.165	0.0
13	14905	14906	NS	1	57.506	58.117	0.0	0.0	299.652	3.615	1209.248	1264.288	0.001	-93.128	-92.055	0.0
14	14905	14906	SN	1	57.62	58.26	0.0	0.0	288.175	3.653	1219.696	1266.2	0.0	-93.343	-92.165	0.0
15	14906	14907	SN	1	57.614	58.226	0.0	0.0	288.181	2.621	1219.376	1254.432	0.0	-95.572	-92.139	0.0
16	14906	14907	NS	1	57.122	58.29	0.001	0.0	289.692	7.245	1201.888	1264.16	0.002	-95.386	-92.051	0.0
17	14906	14907	SN	1	57.616	58.226	0.0	0.0	191.365	1.991	1219.8	1254.432	0.0	-95.572	-92.139	0.0
18	14906	14907	NS	1	57.122	58.291	0.005	0.0	279.362	35.642	1201.88	1245.76	0.005	-95.386	-92.056	0.0
19	14906	14907	SN	1	57.618	58.27	0.0	0.0	299.514	3.805	1219.208	1266.12	0.0	-95.572	-92.139	0.0
20	14907	14908	NS	1	57.491	58.119	0.0	0.0	297.06	3.774	1209.944	1264.096	0.0	-93.111	-92.064	0.0
21	14907	14908	SN	1	57.406	58.274	0.0	0.0	291.33	3.682	1219.088	1265.992	0.0	-94.852	-92.164	0.0
22	14907	14908	SN	2	57.406	58.274	0.0	0.0	291.33	3.682	1219.088	1265.992	0.0	-94.853	-92.164	0.0
23	14907	14908	NS	1	57.492	58.123	0.0	0.0	297.06	3.77	1209.952	1264.08	0.0	-93.068	-92.064	0.0
24	14908	14909	SN	1	57.618	58.247	0.0	0.003	287.894	2.986	1219.248	1265.872	0.0	-93.174	-92.166	0.0
25	14908	14909	NS	1	57.506	58.14	0.0	0.0	294.424	3.854	1210.096	1263.96	0.0	-93.108	-92.069	0.0
26	14908	14909	SN	1	57.47	58.247	0.0	0.003	287.894	3.717	1219.248	1265.872	0.0	-94.133	-92.166	0.0
27	14908	14909	NS	2	57.506	58.139	0.0	0.0	295.323	3.85	1210.064	1263.936	0.0	-93.108	-92.07	0.0
28	14909	14910	SN	1	57.621	58.241	0.0	0.0	299.685	3.826	1220.336	1265.92	0.0	-93.212	-92.145	0.0
29	14909	14910	NS	1	57.478	58.131	0.0	0.0	299.437	3.704	1208.944	1263.976	0.071	-93.155	-92.072	0.0
30	14910	14911	NS	2	57.471	58.124	0.0	0.0	289.857	3.848	1209.464	1264.168	0.553	-93.3	-92.068	0.0
31	14910	14911	NS	1	57.473	58.118	0.0	0.0	289.896	3.847	1208.928	1264.112	0.474	-93.27	-92.068	0.0
32	14910	14911	SN	1	57.65	58.245	0.0	0.0	299.746	3.749	1220.112	1266.168	0.0	-93.062	-92.14	0.0
33	14910	14911	SN	1	57.626	58.243	0.0	0.0	299.746	3.745	1220.04	1266.12	0.0	-93.072	-92.14	0.0
34	14911	14912	SN	1	57.648	58.254	0.0	0.0	299.084	3.674	1220.4	1266.248	0.0	-93.168	-92.128	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

35	14911	14912	NS	1	57.48	58.12	0.0	0.0	296.415	3.927	1209.8	1264.216	0.242	-93.085	-92.029	0.0
36	14912	14913	NS	1	57.49	58.136	0.0	0.0	290.508	3.861	1208.88	1264.088	0.115	-93.154	-92.05	0.0
37	14912	14913	SN	1	57.629	58.282	0.0	0.0	295.091	3.772	1220.256	1266.112	0.0	-95.984	-92.163	0.0
38	14913	14914	NS	1	57.506	58.137	0.0	0.0	291.848	3.434	1208.928	1263.696	0.294	-93.135	-92.072	0.0
39	14913	14914	SN	1	57.649	58.266	0.0	0.0	290.778	3.853	1220.28	1266.152	0.0	-93.181	-92.136	0.0
40	14913	14914	NS	1	57.506	58.137	0.0	0.0	291.848	3.705	1208.928	1264.168	0.292	-93.135	-92.072	0.0
41	14914	14915	NS	1	57.479	58.133	0.0	0.0	294.937	3.819	1208.976	1264.224	0.723	-93.175	-92.069	0.0
42	14914	14915	SN	1	57.622	58.248	0.0	0.0	288.269	3.709	1220.232	1266.248	0.0	-93.293	-92.147	0.0
43	14915	14916	SN	1	57.624	58.26	0.0	0.0	288.854	3.698	1219.736	1266.344	0.0	-93.102	-92.17	0.0
44	14915	14916	SN	1	57.624	58.26	0.0	0.0	288.854	3.702	1219.736	1266.344	0.0	-93.137	-92.17	0.0
45	14915	14916	NS	1	57.48	58.121	0.0	0.0	296.751	3.755	1208.192	1264.384	1.175	-93.073	-92.069	0.0
46	14916	14917	NS	1	57.477	58.125	0.0	0.0	295.935	3.774	1208.52	1264.496	1.455	-93.082	-92.067	0.0
47	14916	14917	NS	1	57.477	58.125	0.0	0.0	295.935	2.094	1208.52	1259.112	1.661	-93.082	-92.067	0.0
48	14916	14917	SN	1	57.601	58.278	0.0	0.0	288.997	3.796	1220.264	1266.448	0.0	-93.279	-92.171	0.0
49	14916	14917	SN	1	57.623	58.278	0.0	0.0	288.997	3.799	1220.376	1266.448	0.0	-93.139	-92.171	0.0
50	14917	14918	NS	1	57.472	58.121	0.0	0.0	290.266	3.882	1208.704	1264.4	1.368	-93.227	-92.067	0.0
51	14917	14918	SN	1	57.627	58.273	0.0	0.0	296.751	4.016	1220.488	1266.416	0.0	-93.531	-92.148	0.0
52	14918	14919	NS	1	57.484	58.116	0.0	0.0	291.848	3.821	1208.688	1264.4	0.839	-93.141	-92.055	0.0
53	14918	14919	SN	1	57.64	58.279	0.0	0.0	293.464	3.458	1220.488	1266.368	0.0	-93.21	-92.134	0.0
54	14918	14919	SN	2	57.64	58.279	0.0	0.0	293.464	3.844	1220.488	1266.368	0.0	-93.21	-92.134	0.0
55	14918	14919	SN	1	57.64	58.279	0.0	0.0	293.464	3.844	1220.488	1266.368	0.0	-93.21	-92.134	0.0
56	14918	14919	NS	1	57.484	58.116	0.0	0.0	291.848	3.818	1208.688	1264.4	0.838	-93.301	-92.055	0.0
57	14919	14920	NS	1	57.504	58.144	0.0	0.0	294.76	3.589	1209.496	1264.64	0.424	-93.182	-92.023	0.0
58	14919	14920	NS	1	57.504	58.139	0.0	0.0	294.76	3.585	1209.496	1264.64	0.423	-93.162	-92.023	0.0
59	14919	14920	SN	1	57.63	58.57	0.0	0.0	296.845	3.681	1219.8	1266.536	0.0	-96.027	-92.167	0.0
60	14919	14920	SN	1	57.63	58.57	0.0	0.0	292.245	3.306	1219.8	1266.552	0.0	-96.027	-92.167	0.0
61	14919	14920	SN	2	57.63	58.57	0.0	0.0	296.845	3.305	1219.8	1266.536	0.0	-96.027	-92.167	0.0
62	14920	14921	SN	1	57.616	58.277	0.0	0.0	290.591	3.663	1219.552	1266.448	0.0	-93.435	-92.166	0.0
63	14920	14921	SN	1	57.616	58.277	0.0	0.0	290.591	3.659	1219.992	1266.448	0.0	-93.435	-92.166	0.0
64	14920	14921	NS	1	57.479	58.137	0.0	0.0	299.233	3.783	1209.864	1264.576	0.133	-93.191	-92.073	0.0
65	14920	14921	SN	1	57.616	58.277	0.0	0.0	290.591	3.276	1219.552	1266.448	0.0	-93.435	-92.166	0.0
66	14921	14922	NS	1	57.505	58.122	0.0	0.0	290.376	3.762	1209.92	1264.472	0.044	-93.046	-92.037	0.0
67	14921	14922	SN	1	57.625	58.27	0.0	0.0	289.736	3.226	1219.2	1266.32	0.0	-93.164	-92.166	0.0
68	14921	14922	NS	2	57.505	58.128	0.0	0.0	290.376	3.762	1209.92	1264.472	0.044	-93.046	-92.037	0.0
69	14921	14922	SN	1	57.625	58.27	0.0	0.0	289.736	3.66	1219.2	1266.32	0.0	-93.281	-92.166	0.0
70	14921	14922	SN	1	57.628	58.269	0.0	0.0	289.703	3.658	1219.336	1266.312	0.0	-93.164	-92.166	0.0
71	14922	14923	SN	1	57.608	58.274	0.0	0.0	288.705	3.078	1218.992	1266.248	0.0	-93.135	-92.167	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14922	14923	SN	1	57.608	58.274	0.0	0.0	299.161	3.663	1218.992	1266.248	0.0	-93.135	-92.167	0.0
73	14922	14923	NS	2	57.485	58.135	0.0	0.0	289.471	3.816	1209.896	1264.304	0.098	-93.136	-92.056	0.0
74	14922	14923	NS	1	57.485	58.135	0.0	0.0	289.471	3.816	1209.896	1264.304	0.098	-93.136	-92.056	0.0
75	14923	14924	SN	1	57.632	58.272	0.0	0.0	297.843	3.805	1219.912	1266.184	0.0	-94.64	-92.158	0.0
76	14923	14924	SN	1	57.62	58.268	0.0	0.0	295.67	2.885	1219.792	1266.224	0.0	-93.19	-92.158	0.0
77	14923	14924	SN	1	57.62	58.268	0.0	0.0	295.67	3.781	1219.792	1266.224	0.0	-94.64	-92.158	0.0
78	14923	14924	NS	2	57.478	58.128	0.0	0.0	296.426	3.751	1209.736	1264.256	0.417	-93.12	-92.071	0.0
79	14923	14924	NS	1	57.478	58.128	0.0	0.0	296.426	3.751	1209.736	1264.256	0.417	-93.12	-92.071	0.0
80	14924	14925	SN	2	57.631	58.246	0.0	0.003	291.997	3.877	1219.824	1266.448	0.0	-93.177	-92.151	0.0
81	14924	14925	SN	1	57.635	58.246	0.0	0.003	291.997	2.628	1219.824	1266.448	0.0	-93.177	-92.151	0.0
82	14924	14925	SN	1	57.631	58.246	0.0	0.0	291.997	3.877	1219.824	1266.448	0.0	-93.177	-92.151	0.0
83	14924	14925	NS	1	57.483	58.142	0.0	0.0	292.135	3.736	1208.672	1264.448	1.056	-93.545	-92.07	0.0
84	14924	14925	NS	1	57.483	58.143	0.0	0.0	292.135	3.733	1208.672	1264.448	1.054	-93.545	-92.07	0.0
85	14925	14926	NS	1	57.466	58.126	0.0	0.0	296.53	3.822	1209.416	1264.544	1.004	-94.435	-92.041	0.0
86	14925	14926	SN	1	57.541	58.258	0.0	0.0	291.137	3.748	1220.512	1266.608	0.0	-94.809	-92.12	0.0
87	14925	14926	NS	2	57.466	58.126	0.0	0.0	296.575	3.82	1209.424	1264.536	0.993	-94.435	-92.041	0.0
88	14926	14927	NS	1	57.474	58.141	0.0	0.0	286.951	3.89	1208.608	1264.464	0.775	-93.175	-92.042	0.0
89	14926	14927	SN	1	57.646	58.267	0.0	0.0	299.316	3.71	1220.48	1266.568	0.0	-93.192	-92.167	0.0
90	14927	14928	SN	1	57.521	58.284	0.0	0.0	290.916	3.922	1220.496	1266.464	0.0	-95.665	-92.138	0.0
91	14927	14928	NS	1	57.489	58.116	0.0	0.0	299.773	3.772	1208.776	1264.456	0.886	-93.151	-92.069	0.0
92	14928	14929	SN	1	57.632	58.249	0.0	0.0	287.696	3.803	1220.392	1266.544	0.0	-93.126	-92.145	0.0
93	14928	14929	NS	1	57.474	58.132	0.0	0.0	291.054	3.306	1208.88	1263.408	1.185	-93.124	-92.068	0.0
94	14928	14929	NS	1	57.474	58.132	0.0	0.0	291.054	3.797	1208.88	1264.464	1.164	-93.167	-92.068	0.0
95	14929	14930	NS	1	57.47	58.143	0.0	0.0	290.023	3.704	1209.192	1264.504	1.67	-93.196	-92.066	0.0
96	14929	14930	NS	1	57.47	58.142	0.0	0.0	290.023	3.707	1209.192	1264.504	1.671	-93.132	-92.066	0.0
97	14929	14930	NS	1	57.47	58.142	0.0	0.003	280.554	2.947	1209.192	1262.296	1.757	-93.341	-92.066	0.0
98	14929	14930	SN	1	57.632	58.253	0.0	0.0	295.665	3.735	1220.416	1266.6	0.0	-93.156	-92.166	0.0
99	14930	14931	NS	1	57.465	58.13	0.0	0.0	292.984	3.766	1208.168	1264.656	2.0	-93.109	-92.064	0.0
100	14930	14931	NS	1	57.465	58.126	0.0	0.0	287.64	2.361	1208.168	1260.928	2.199	-93.135	-92.064	0.0
101	14930	14931	SN	2	57.626	58.253	0.0	0.0	292.124	3.744	1220.208	1266.744	0.0	-93.262	-92.171	0.0
102	14930	14931	SN	1	57.626	58.253	0.0	0.0	292.124	3.744	1220.208	1266.744	0.0	-93.262	-92.171	0.0
103	14930	14931	NS	1	57.465	58.126	0.0	0.0	293.006	3.761	1208.168	1264.656	1.998	-93.124	-92.064	0.0
104	14931	14932	NS	1	57.47	58.135	0.0	0.0	296.376	2.127	1208.04	1257.096	2.638	-93.145	-92.044	0.0
105	14931	14932	SN	1	57.623	58.251	0.0	0.003	291.181	2.863	1220.696	1266.832	0.0	-93.12	-92.174	0.0
106	14931	14932	SN	1	57.607	58.251	0.0	0.0	291.181	3.959	1220.696	1266.832	0.0	-93.211	-92.174	0.0
107	14931	14932	NS	1	57.47	58.143	0.0	0.0	298.146	3.77	1208.04	1264.76	2.241	-93.145	-92.044	0.0
108	14931	14932	NS	1	57.477	58.116	0.0	0.0	298.146	3.783	1208.048	1264.76	2.21	-93.138	-92.044	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	14931	14932	SN	1	57.607	58.251	0.0	0.0	291.181	3.964	1220.696	1266.832	0.0	-93.211	-92.174	0.0
-----	-------	-------	----	---	--------	--------	-----	-----	---------	-------	----------	----------	-----	---------	---------	-----

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	14903	14904	NS	1	-34.158	20.512	0.0	-34.388	21.301	0.0	-1.53	22.644	0.016	0.978	24.96	0.118	0.086	192.984	3.382	0.086	203.476	3.01	0.086	0.178	0.0	0.086	0.136	0.0
2	14903	14904	NS	1	-34.801	20.512	0.0	-34.815	21.326	0.0	-1.528	22.644	0.016	0.978	24.96	0.118	0.086	229.071	3.389	0.086	224.52	3.02	0.086	0.178	0.0	0.086	0.136	0.0
3	14903	14904	SN	1	-34.451	20.396	0.0	-34.037	20.357	0.0	-30.684	22.221	0.004	-26.916	22.641	0.01	0.086	206.507	2.016	0.086	187.695	1.583	0.086	86.754	0.107	0.086	36.466	0.072
4	14903	14904	SN	1	-33.99	20.396	0.0	-34.037	20.357	0.0	-32.586	22.221	0.004	-28.72	22.641	0.01	0.086	185.677	2.105	0.086	187.695	1.67	0.086	134.381	0.106	0.086	55.222	0.073
5	14903	14904	SN	1	-34.773	20.396	0.0	-34.037	20.357	0.0	-30.934	22.221	0.004	-27.459	22.641	0.01	0.086	222.334	2.017	0.086	187.695	1.585	0.086	91.87	0.107	0.086	41.315	0.073
6	14904	14905	SN	1	-34.561	21.069	0.0	-34.431	20.209	0.0	-24.441	22.777	0.006	-27.006	22.413	0.01	0.086	211.736	3.896	0.086	210.747	3.034	0.086	20.658	0.014	0.086	37.237	0.022
7	14904	14905	NS	2	-33.891	20.0	0.0	-34.229	21.166	0.0	-19.882	22.897	0.01	-13.46	23.232	0.055	0.086	181.502	1.244	0.086	196.185	1.256	0.086	7.271	0.01	0.086	1.708	0.003
8	14904	14905	NS	1	-33.891	20.0	0.0	-34.385	21.166	0.0	-19.886	22.897	0.01	-13.459	23.232	0.055	0.086	181.502	1.242	0.086	203.374	1.256	0.086	7.278	0.01	0.086	1.707	0.003
9	14904	14905	SN	1	-34.869	21.069	0.0	-34.996	20.209	0.0	-24.37	22.777	0.006	-26.433	22.413	0.01	0.086	227.335	3.895	0.086	234.034	3.038	0.086	20.319	0.014	0.086	32.638	0.022
10	14904	14905	SN	1	-34.561	21.069	0.0	-34.431	20.209	0.0	-24.441	22.777	0.006	-27.006	22.413	0.01	0.086	211.736	3.811	0.086	210.747	2.986	0.086	20.658	0.014	0.086	37.237	0.022
11	14905	14906	SN	1	-34.756	17.331	0.0	-33.946	17.877	0.0	1.54	22.586	0.01	1.526	21.78	0.0	0.087	221.502	3.907	0.086	183.81	3.304	0.086	0.129	0.0	0.086	0.129	0.0
12	14905	14906	SN	1	-34.506	17.331	0.0	-34.931	17.877	0.0	1.54	22.586	0.01	1.524	21.78	0.0	0.087	214.394	3.984	0.086	230.545	3.35	0.086	0.129	0.0	0.086	0.129	0.0
13	14905	14906	NS	1	-34.872	16.083	0.0	-34.003	15.489	0.0	-6.096	22.231	0.004	-15.258	22.591	0.021	0.087	227.495	0.612	0.087	186.245	0.451	0.086	0.37	0.0	0.086	2.55	0.013
14	14905	14906	SN	1	-34.951	17.331	0.0	-34.931	17.877	0.0	1.54	22.586	0.01	1.524	21.78	0.0	0.087	231.673	3.909	0.086	230.545	3.308	0.086	0.129	0.0	0.086	0.129	0.0
15	14906	14907	SN	1	-34.929	11.177	0.0	-34.178	11.61	0.0	5.605	15.204	0.0	3.456	15.962	0.0	0.09	230.46	4.574	0.09	193.888	4.46	0.087	0.102	0.0	0.087	0.113	0.0
16	14906	14907	NS	1	-32.027	16.097	0.0	-32.03	17.122	0.0	-29.632	22.068	0.003	-27.683	22.446	0.023	0.087	118.182	1.345	0.087	118.252	1.058	0.086	68.109	0.022	0.086	43.501	0.066
17	14906	14907	SN	1	-34.929	11.177	0.0	-34.178	11.61	0.0	5.605	15.204	0.0	3.456	15.962	0.0	0.09	230.46	4.717	0.09	193.888	4.576	0.087	0.102	0.0	0.087	0.113	0.0
18	14906	14907	NS	1	-33.393	13.468	0.0	-31.707	11.296	0.0	-1.24	16.553	0.0	-26.792	21.256	0.0	0.088	161.843	1.97	0.09	109.8	3.611	0.087	0.172	0.0	0.086	35.452	0.147
19	14906	14907	SN	1	-34.898	17.033	0.0	-34.996	17.09	0.0	1.287	22.184	0.011	1.781	22.31	0.026	0.087	228.86	3.894	0.087	234.074	3.741	0.086	0.132	0.0	0.086	0.126	0.0
20	14907	14908	NS	1	-34.932	13.878	0.0	-34.734	15.322	0.0	-21.724	22.187	0.006	-21.72	22.672	0.012	0.088	230.618	7.98	0.087	220.344	8.197	0.086	11.079	0.039	0.086	11.068	0.025
21	14907	14908	SN	1	-34.834	17.348	0.0	-34.606	17.375	0.0	-0.366	22.133	0.005	2.78	22.302	0.064	0.087	225.456	5.812	0.087	213.973	4.73	0.086	0.155	0.0	0.086	0.118	0.0
22	14907	14908	SN	2	-34.834	17.348	0.0	-34.606	17.375	0.0	-0.366	22.133	0.005	2.78	22.302	0.064	0.087	225.456	5.812	0.087	213.973	4.731	0.086	0.155	0.0	0.086	0.118	0.0
23	14907	14908	NS	1	-34.815	13.878	0.0	-34.891	15.322	0.0	-21.724	22.187	0.006	-21.721	22.673	0.012	0.088	224.517	8.021	0.087	228.462	8.187	0.086	11.081	0.039	0.086	11.073	0.025
24	14908	14909	SN	1	-34.793	16.143	0.0	-34.604	16.807	0.0	0.91	22.036	0.004	5.407	21.972	0.0	0.087	223.378	5.955	0.087	213.857	5.6	0.086	0.136	0.0	0.086	0.102	0.0
25	14908	14909	NS	1	-34.951	16.612	0.0	-34.843	17.019	0.0	-34.099	21.787	0.0	-26.472	22.474	0.021	0.087	237.534	3.928	0.087	225.957	3.385	0.086	190.366	0.236	0.086	32.933	0.101
26	14908	14909	SN	1	-34.53	16.143	0.0	-34.604	16.807	0.0	0.91	22.036	0.004	3.282	21.972	0.0	0.087	210.226	5.805	0.087	213.857	5.456	0.086	0.136	0.0	0.086	0.114	0.0
27	14908	14909	NS	2	-34.951	16.612	0.0	-34.625	17.019	0.0	-34.006	21.787	0.0	-26.538	22.474	0.021	0.087	237.534	3.927	0.087	214.9	3.384	0.086	186.323	0.236	0.086	33.437	0.101
28	14909	14910	SN	1	-33.695	15.579	0.0	-34.886	16.476	0.0	-22.258	22.959	0.147	-10.795	24.593	0.416	0.087	173.506	4.274	0.087	228.239	4.316	0.086	12.519	0.007	0.086	0.955	0.0
29	14909	14910	NS	1	-34.634	20.303	0.0	-34.694	21.058	0.0	2.958	21.771	0.0	2.149	22.642	0.076	0.086	215.314	3.491	0.086	218.311	3.567	0.086	0.116	0.0	0.086	0.123	0.0
30	14910	14911	NS	2	-34.943	18.16	0.0	-34.06	17.338	0.0	-0.516	22.201	0.005	0.689	23.329	0.225	0.086	231.258	6.913	0.087	188.702	6.748	0.086	0.158	0.0	0.086	0.139	0.0
31	14910	14911	NS	1	-34.911	18.16	0.0	-34.838	17.338	0.0	-0.516	22.201	0.005	0.689	23.329	0.225	0.086	229.517	6.911	0.087	225.715	6.749	0.086	0.158	0.0	0.086	0.139	0.0
32	14910	14911	SN	1	-33.782	17.107	0.0	-33.01	17.88	0.0	-18.062	23.126	0.095	-22.987	23.826	0.353	0.087	176.997	4.437	0.086	148.175	4.682	0.086	4.804	0.003	0.086	14.795	0.008

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	14910	14911	SN	1	-33.721	17.107	0.0	-33.262	17.882	0.0	-18.135	23.126	0.095	-23.01	23.826	0.355	0.087	174.506	4.442	0.086	157.032	4.661	0.086	4.884	0.003	0.086	14.872	0.008
34	14911	14912	SN	1	-34.499	18.024	0.0	-34.809	17.259	0.0	-22.445	23.023	0.083	-9.879	23.162	0.092	0.086	208.756	2.019	0.087	224.16	1.825	0.086	13.067	0.028	0.086	0.786	0.0
35	14911	14912	NS	1	-34.222	20.186	0.0	-34.83	19.483	0.0	-9.492	21.046	0.0	-18.944	25.667	0.797	0.086	195.882	3.379	0.086	225.308	3.057	0.086	0.725	0.0	0.086	5.872	0.014
36	14912	14913	NS	1	-34.878	21.094	0.0	-34.168	18.063	0.0	-28.969	21.355	0.0	-20.751	23.959	0.753	0.086	227.837	3.9	0.086	193.453	3.326	0.086	58.464	0.095	0.086	8.869	0.032
37	14912	14913	SN	1	-33.565	20.535	0.0	-34.574	21.205	0.0	-30.519	23.052	0.102	-26.045	22.72	0.041	0.086	172.666	2.903	0.086	212.333	2.439	0.086	83.534	0.149	0.086	29.858	0.184
38	14913	14914	NS	1	-34.753	16.346	0.0	-34.9	16.136	0.0	-20.603	21.96	0.0	-29.275	23.38	0.685	0.087	221.302	2.308	0.087	228.918	2.241	0.086	8.571	0.039	0.086	62.732	0.02
39	14913	14914	SN	1	-34.359	19.616	0.0	-34.908	20.936	0.0	-27.99	23.32	0.08	-23.721	22.876	0.023	0.086	202.113	3.665	0.086	229.319	3.499	0.086	46.676	0.038	0.086	17.956	0.037
40	14913	14914	NS	1	-34.753	16.346	0.0	-34.9	16.136	0.0	-20.603	22.15	0.003	-29.275	23.38	0.667	0.087	221.302	2.306	0.087	228.918	2.241	0.086	8.571	0.038	0.086	62.732	0.02
41	14914	14915	NS	1	-34.581	18.775	0.0	-34.693	16.55	0.0	-27.569	21.601	0.0	-10.996	23.405	0.804	0.086	212.712	3.427	0.087	218.232	3.446	0.086	42.371	0.017	0.086	0.997	0.0
42	14914	14915	SN	1	-34.405	16.969	0.0	-34.869	17.127	0.0	-16.58	22.836	0.071	-14.37	22.828	0.061	0.087	204.292	6.189	0.087	227.311	5.839	0.086	3.435	0.006	0.086	2.09	0.002
43	14915	14916	SN	1	-34.846	16.883	0.0	-34.858	17.05	0.0	-24.715	23.148	0.181	-33.13	22.935	0.035	0.087	226.128	3.921	0.087	226.732	3.268	0.086	21.997	0.135	0.086	152.362	0.208
44	14915	14916	SN	1	-34.718	16.883	0.0	-34.891	17.05	0.0	-24.582	23.148	0.181	-33.13	22.935	0.035	0.087	219.523	3.92	0.087	228.469	3.269	0.086	21.331	0.135	0.086	152.362	0.208
45	14915	14916	NS	1	-34.984	19.237	0.0	-34.998	15.812	0.0	-2.348	22.47	0.032	-5.67	23.45	0.828	0.086	233.35	5.593	0.087	234.102	5.054	0.086	0.199	0.0	0.086	0.342	0.0
46	14916	14917	NS	1	-34.79	17.879	0.0	-34.468	17.698	0.0	1.682	23.051	0.4	2.124	23.442	0.804	0.086	223.191	4.992	0.086	207.314	4.844	0.086	0.128	0.0	0.086	0.123	0.0
47	14916	14917	NS	1	-34.79	13.105	0.0	-34.468	17.703	0.0	1.682	19.164	0.0	2.124	20.851	0.0	0.088	223.191	5.204	0.086	207.314	4.851	0.086	0.128	0.0	0.086	0.123	0.0
48	14916	14917	SN	1	-34.215	13.767	0.0	-34.786	14.143	0.0	-1.698	22.992	0.026	0.639	22.353	0.042	0.088	195.498	4.067	0.088	222.954	3.635	0.086	0.182	0.0	0.086	0.14	0.0
49	14916	14917	SN	1	-34.705	13.767	0.0	-34.897	14.143	0.0	-1.689	22.992	0.026	0.639	22.353	0.042	0.088	218.891	4.074	0.088	228.756	3.64	0.086	0.182	0.0	0.086	0.14	0.0
50	14917	14918	NS	1	-34.708	20.982	0.0	-34.922	20.91	0.0	1.351	23.51	0.167	1.371	23.47	0.316	0.086	219.064	5.082	0.086	230.072	5.255	0.086	0.131	0.0	0.086	0.131	0.0
51	14917	14918	SN	1	-34.247	21.165	0.0	-34.615	20.459	0.0	-31.353	22.599	0.008	-27.73	23.827	0.007	0.086	197.004	3.514	0.086	214.441	2.741	0.086	101.189	0.041	0.086	43.974	0.028
52	14918	14919	NS	1	-34.827	20.17	0.0	-34.631	21.307	0.0	-18.886	22.636	0.009	-20.725	23.34	0.068	0.086	225.113	2.106	0.086	215.209	1.944	0.086	5.794	0.007	0.086	8.816	0.006
53	14918	14919	SN	1	-34.911	20.693	0.0	-33.525	20.77	0.0	-28.594	22.22	0.002	-29.823	22.557	0.014	0.086	229.53	3.09	0.086	166.831	2.64	0.086	53.654	0.058	0.086	71.167	0.066
54	14918	14919	SN	2	-34.911	20.693	0.0	-33.525	20.77	0.0	-28.594	22.22	0.002	-29.823	22.557	0.014	0.086	229.53	3.091	0.086	166.831	2.647	0.086	53.654	0.058	0.086	71.167	0.066
55	14918	14919	SN	1	-34.911	20.693	0.0	-33.525	20.77	0.0	-28.594	22.22	0.002	-29.823	22.557	0.014	0.086	229.53	3.091	0.086	166.831	2.647	0.086	53.654	0.058	0.086	71.167	0.066
56	14918	14919	NS	1	-34.984	20.168	0.0	-33.99	21.307	0.0	-18.886	22.638	0.009	-20.725	23.34	0.066	0.086	233.38	2.103	0.086	185.698	1.935	0.086	5.794	0.007	0.086	8.816	0.006
57	14919	14920	NS	1	-34.499	16.303	0.0	-31.859	15.684	0.0	-11.85	22.528	0.009	-24.679	23.092	0.051	0.087	208.774	1.053	0.087	113.667	0.722	0.086	1.199	0.002	0.086	21.815	0.026
58	14919	14920	NS	1	-34.499	16.306	0.0	-32.564	15.684	0.0	-11.85	22.529	0.009	-24.679	23.092	0.051	0.087	208.774	1.076	0.087	133.712	0.72	0.086	1.199	0.002	0.086	21.815	0.026
59	14919	14920	SN	1	-34.99	16.663	0.0	-34.795	16.694	0.0	-23.353	22.316	0.015	-27.109	22.454	0.019	0.087	233.734	4.147	0.087	223.458	3.373	0.086	16.091	0.08	0.086	38.127	0.124
60	14919	14920	SN	1	-34.99	16.663	0.0	-34.821	16.694	0.0	-23.353	22.316	0.015	-27.109	22.454	0.019	0.087	233.734	4.216	0.087	224.838	3.42	0.086	16.091	0.08	0.086	38.127	0.124
61	14919	14920	SN	2	-34.99	16.663	0.0	-34.809	16.694	0.0	-23.353	22.316	0.015	-27.109	22.454	0.019	0.087	233.734	4.217	0.087	224.151	3.42	0.086	16.091	0.08	0.086	38.127	0.124
62	14920	14921	SN	1	-34.98	17.421	0.0	-34.905	17.452	0.0	1.187	22.05	0.006	2.021	21.661	0.0	0.087	233.179	5.508	0.087	229.172	4.465	0.086	0.133	0.0	0.086	0.124	0.0
63	14920	14921	SN	1	-34.98	17.421	0.0	-34.939	17.452	0.0	1.187	22.05	0.006	2.021	21.661	0.0	0.087	233.179	5.504	0.087	231.014	4.461	0.086	0.133	0.0	0.086	0.124	0.0
64	14920	14921	NS	1	-32.897	14.459	0.0	-33.036	17.04	0.0	-20.431	22.149	0.012	-31.866	22.452	0.012	0.088	144.368	1.012	0.087	149.046	0.901	0.086	8.242	0.216	0.086	113.907	0.126
65	14920	14921	SN	1	-34.98	17.421	0.0	-34.905	17.452	0.0	1.187	22.05	0.006	2.021	21.661	0.0	0.087	233.179	5.61	0.087	229.172	4.519	0.086	0.133	0.0	0.086	0.124	0.0
66	14921	14922	NS	1	-33.956	14.907	0.0	-32.609	15.104	0.0	-25.558	22.385	0.024	-23.828	22.831	0.041	0.087	184.21	1.786	0.087	135.124	1.767	0.086	26.695	0.046	0.086	17.947	0.023
67	14921	14922	SN	1	-34.499	17.05	0.0	-34.499	17.217	0.0	1.15	21.932	0.0	2.711	22.172	0.066	0.087	208.742	2.881	0.087	208.786	2.592	0.086	0.133	0.0	0.086	0.118	0.0
68	14921	14922	NS	2	-33.956	14.907	0.0	-32.962	15.104	0.0	-25.558	22.385	0.024	-23.842	22.831	0.041	0.087	184.21	1.789	0.087	146.515	1.766	0.086	26.695	0.046	0.086	18.002	0.023
69	14921	14922	SN	1	-34.499	17.05	0.0	-34.499	17.217	0.0	1.15	21.932	0.0	2.711	22.172	0.061	0.087	208.742	2.852	0.087	208.786	2.544	0.086	0.133	0.0	0.086	0.118	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

70	14921	14922	SN	1	-34.946	17.05	0.0	-34.677	17.217	0.0	1.15	21.932	0.0	2.709	22.172	0.061	0.087	231.396	2.845	0.087	223.051	2.544	0.086	0.133	0.0	0.086	0.118	0.0
71	14922	14923	SN	1	-34.793	17.764	0.0	-34.885	17.319	0.0	0.3	22.102	0.005	2.836	21.962	0.0	0.086	223.344	3.902	0.087	228.157	3.374	0.086	0.145	0.0	0.086	0.117	0.0
72	14922	14923	SN	1	-34.793	17.764	0.0	-34.885	17.319	0.0	0.3	22.102	0.004	2.836	21.962	0.0	0.086	223.344	3.845	0.087	228.157	3.286	0.086	0.145	0.0	0.086	0.117	0.0
73	14922	14923	NS	2	-34.603	14.346	0.0	-34.11	15.678	0.0	-19.35	21.943	0.0	-20.576	22.455	0.021	0.088	213.771	2.432	0.087	190.837	2.201	0.086	6.441	0.02	0.086	8.522	0.031
74	14922	14923	NS	1	-34.603	14.346	0.0	-34.11	15.678	0.0	-19.35	21.943	0.0	-20.576	22.455	0.021	0.088	213.771	2.432	0.087	190.837	2.201	0.086	6.441	0.02	0.086	8.522	0.031
75	14923	14924	SN	1	-34.857	16.677	0.0	-34.731	16.866	0.0	-0.954	23.01	0.089	-0.439	23.018	0.176	0.087	226.667	6.847	0.087	220.236	6.108	0.086	0.166	0.0	0.086	0.156	0.0
76	14923	14924	SN	1	-34.943	16.677	0.0	-34.849	16.866	0.0	-0.959	23.01	0.096	-0.433	23.01	0.176	0.087	231.268	6.912	0.087	226.228	6.277	0.086	0.166	0.0	0.086	0.156	0.0
77	14923	14924	SN	1	-34.943	16.677	0.0	-34.849	16.866	0.0	-0.959	23.01	0.089	-0.433	23.01	0.176	0.087	231.268	6.838	0.087	226.228	6.12	0.086	0.166	0.0	0.086	0.156	0.0
78	14923	14924	NS	2	-34.628	21.592	0.0	-34.974	21.075	0.0	-29.12	22.176	0.013	-22.352	22.752	0.051	0.086	215.042	3.986	0.086	238.783	3.623	0.086	60.558	0.098	0.086	12.796	0.092
79	14923	14924	NS	1	-34.628	21.592	0.0	-34.974	21.075	0.0	-29.12	22.176	0.013	-22.352	22.752	0.051	0.086	215.042	3.986	0.086	238.783	3.623	0.086	60.558	0.098	0.086	12.796	0.092
80	14924	14925	SN	2	-34.824	15.93	0.0	-34.898	16.222	0.0	-14.04	23.793	0.151	-16.639	25.309	0.523	0.087	224.992	4.336	0.087	228.834	3.887	0.086	1.942	0.001	0.086	3.48	0.002
81	14924	14925	SN	1	-34.824	15.93	0.0	-34.898	16.222	0.0	-14.077	23.793	0.161	-16.639	25.309	0.524	0.087	224.992	3.897	0.087	228.834	3.849	0.086	1.958	0.002	0.086	3.48	0.002
82	14924	14925	SN	1	-34.824	15.93	0.0	-34.898	16.222	0.0	-14.04	23.793	0.151	-16.639	25.309	0.523	0.087	224.992	4.334	0.087	228.834	3.887	0.086	1.942	0.001	0.086	3.48	0.002
83	14924	14925	NS	1	-34.807	20.484	0.0	-34.705	20.998	0.0	1.001	21.892	0.0	1.512	22.87	0.095	0.086	224.069	5.468	0.086	218.895	4.55	0.086	0.135	0.0	0.086	0.129	0.0
84	14924	14925	NS	1	-34.807	20.484	0.0	-34.267	20.998	0.0	1.001	21.892	0.0	1.512	22.87	0.095	0.086	224.069	5.468	0.086	197.903	4.551	0.086	0.135	0.0	0.086	0.129	0.0
85	14925	14926	NS	1	-34.882	21.23	0.0	-34.557	17.324	0.0	-1.868	22.226	0.005	-21.602	23.778	0.39	0.086	227.981	6.489	0.087	211.544	6.297	0.086	0.186	0.0	0.086	10.775	0.017
86	14925	14926	SN	1	-34.905	18.543	0.0	-34.547	16.958	0.0	-23.492	23.111	0.072	-21.983	23.632	0.222	0.086	229.214	1.856	0.087	211.06	2.431	0.086	16.613	0.067	0.086	11.755	0.003
87	14925	14926	NS	2	-34.882	21.23	0.0	-34.557	17.324	0.0	-1.868	22.226	0.005	-21.585	23.778	0.39	0.086	227.981	6.49	0.087	211.544	6.296	0.086	0.186	0.0	0.086	10.731	0.017
88	14926	14927	NS	1	-34.968	20.289	0.0	-34.714	19.612	0.0	-20.675	20.577	0.0	-16.534	24.144	0.843	0.086	232.594	3.202	0.086	219.364	2.692	0.086	8.716	0.07	0.086	3.399	0.021
89	14926	14927	SN	1	-33.946	20.271	0.0	-34.264	20.073	0.0	-6.989	22.885	0.074	-10.112	22.474	0.015	0.086	183.796	1.829	0.086	197.737	2.074	0.086	0.438	0.0	0.086	0.826	0.0
90	14927	14928	SN	1	-34.584	19.774	0.0	-34.866	21.296	0.0	-30.839	23.521	0.097	-26.588	23.168	0.032	0.086	212.866	1.862	0.086	227.151	1.64	0.086	89.922	0.205	0.086	33.82	0.032
91	14927	14928	NS	1	-34.464	16.596	0.0	-34.719	17.147	0.0	-25.83	22.036	0.005	-30.067	23.829	0.641	0.087	207.029	2.718	0.087	219.577	2.188	0.086	28.417	0.025	0.086	75.29	0.032
92	14928	14929	SN	1	-34.298	17.014	0.0	-34.546	16.852	0.0	-32.665	22.777	0.075	-31.591	23.103	0.046	0.087	199.337	4.022	0.087	210.987	3.661	0.086	136.85	0.099	0.086	106.906	0.097
93	14928	14929	NS	1	-34.945	18.998	0.0	-34.892	16.494	0.0	-23.963	22.46	0.025	-17.399	23.652	0.839	0.086	231.351	2.171	0.087	228.517	2.223	0.086	18.507	0.045	0.086	4.133	0.008
94	14928	14929	NS	1	-34.945	18.998	0.0	-34.892	16.494	0.0	-23.963	22.45	0.023	-17.399	23.652	0.772	0.086	231.351	2.171	0.087	228.517	2.223	0.086	18.507	0.041	0.086	4.133	0.007
95	14929	14930	NS	1	-34.516	16.248	0.0	-34.504	16.174	0.0	-16.778	21.833	0.0	-23.568	23.502	0.878	0.087	209.62	4.542	0.087	208.955	4.047	0.086	3.592	0.084	0.086	16.909	0.025
96	14929	14930	NS	1	-34.484	16.25	0.0	-34.504	16.173	0.0	-16.778	21.833	0.0	-23.568	23.502	0.879	0.087	208.045	4.537	0.087	208.955	4.044	0.086	3.592	0.084	0.086	16.909	0.025
97	14929	14930	NS	1	-34.484	16.258	0.0	-34.504	16.168	0.0	-16.778	21.391	0.0	-23.568	23.504	1.209	0.087	208.045	4.555	0.087	208.955	4.046	0.086	3.592	0.129	0.086	16.909	0.034
98	14929	14930	SN	1	-34.569	17.386	0.0	-34.547	14.296	0.0	-19.883	22.996	0.123	-25.824	23.133	0.062	0.087	212.16	3.852	0.088	211.116	3.615	0.086	7.275	0.071	0.086	28.375	0.054
99	14930	14931	NS	1	-34.996	18.7	0.0	-34.943	19.082	0.0	2.209	22.537	0.131	3.025	23.156	0.778	0.086	234.029	6.534	0.086	231.224	5.864	0.086	0.122	0.0	0.086	0.116	0.0
100	14930	14931	NS	1	-34.996	18.7	0.0	-34.943	19.082	0.0	2.432	20.487	0.0	3.048	23.01	0.243	0.086	234.029	6.6	0.086	231.224	5.866	0.086	0.12	0.0	0.086	0.116	0.0
101	14930	14931	SN	2	-34.898	12.876	0.0	-34.874	12.693	0.0	-2.046	22.749	0.155	-1.021	22.291	0.028	0.088	228.893	4.382	0.089	227.552	3.53	0.086	0.191	0.0	0.086	0.168	0.0
102	14930	14931	SN	1	-34.898	12.876	0.0	-34.874	12.693	0.0	-2.046	22.749	0.155	-1.021	22.291	0.028	0.088	228.893	4.382	0.089	227.552	3.53	0.086	0.191	0.0	0.086	0.168	0.0
103	14930	14931	NS	1	-34.971	18.7	0.0	-34.943	19.082	0.0	2.209	22.537	0.126	3.025	23.157	0.778	0.086	232.74	6.545	0.086	231.224	5.865	0.086	0.122	0.0	0.086	0.116	0.0
104	14931	14932	NS	1	-34.917	15.718	0.0	-34.88	17.907	0.0	1.902	20.575	0.0	0.661	22.088	0.004	0.087	229.848	5.874	0.086	227.854	4.947	0.086	0.125	0.0	0.086	0.14	0.0
105	14931	14932	SN	1	-34.425	16.394	0.0	-34.888	16.976	0.0	-0.733	22.576	0.002	0.571	22.642	0.02	0.087	205.239	4.716	0.087	228.265	3.978	0.086	0.162	0.0	0.086	0.141	0.0
106	14931	14932	SN	1	-34.929	16.394	0.0	-34.456	16.976	0.0	-0.796	22.576	0.002	0.57	22.642	0.02	0.087	230.486	4.721	0.087	206.719	3.623	0.086	0.163	0.0	0.086	0.141	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

107	14931	14932	NS	1	-34.917	16.986	0.0	-34.88	17.907	0.0	1.739	23.134	0.408	0.621	23.521	0.752	0.087	229.848	5.563	0.086	227.854	4.904	0.086	0.127	0.0	0.086	0.14	0.0
108	14931	14932	NS	1	-34.377	16.983	0.0	-34.762	17.907	0.0	1.738	23.134	0.408	0.621	23.521	0.749	0.087	205.004	5.559	0.086	221.785	4.91	0.086	0.127	0.0	0.086	0.14	0.0
109	14931	14932	SN	1	-34.408	16.394	0.0	-34.888	16.976	0.0	-0.798	22.576	0.002	0.57	22.642	0.02	0.087	204.428	4.725	0.087	228.265	3.631	0.086	0.163	0.0	0.086	0.141	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors