

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 04-FEB-2017 To 05-FEB-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 04-FEB-2017 To 05-FEB-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	1912	1913	SN	3	48.826	49.431	0.0	0.003	1.809	70.568	1051.904	1082.984	0.0	-91.25	-90.192	0.0
2	1912	1913	NS	2	48.715	49.345	0.0	0.003	6.386	0.206	1028.776	1080.72	0.0	-91.192	-89.984	0.0
3	1912	1913	NS	4	48.715	49.345	0.0	0.003	6.386	69.667	1028.776	1080.72	0.0	-91.192	-89.984	0.0
4	1912	1913	SN	1	48.826	49.431	0.0	0.003	1.809	0.145	1051.904	1082.984	0.0	-91.25	-90.192	0.0
5	1913	1914	SN	2	48.862	49.425	0.0	0.003	6.414	0.152	1051.536	1083.04	0.0	-91.327	-90.211	0.0
6	1913	1914	NS	1	48.734	49.341	0.0	0.003	1.809	0.183	1028.376	1080.768	0.0	-91.22	-89.986	0.0
7	1913	1914	SN	3	48.862	49.425	0.0	0.003	6.414	68.039	1051.536	1083.04	0.0	-91.327	-90.211	0.0
8	1913	1914	NS	4	48.734	49.341	0.0	0.003	1.809	66.062	1028.376	1080.768	0.0	-91.22	-89.986	0.0
9	1914	1915	NS	2	48.727	49.329	0.0	0.003	1.809	65.828	1028.624	1080.96	0.0	-91.26	-89.974	0.0
10	1914	1915	SN	1	48.817	49.433	0.0	0.003	5.559	0.147	1051.448	1083.12	0.0	-91.651	-90.228	0.0
11	1914	1915	NS	1	48.727	49.329	0.0	0.003	1.809	0.181	1028.624	1080.96	0.0	-91.26	-89.974	0.0
12	1914	1915	SN	2	48.817	49.433	0.0	0.003	5.559	66.149	1051.448	1083.12	0.0	-91.651	-90.228	0.0
13	1915	1916	NS	1	48.741	49.34	0.0	0.003	1.809	0.183	1029.328	1080.968	0.0	-91.236	-90.026	0.0
14	1915	1916	NS	2	48.741	49.34	0.0	0.003	1.809	66.223	1029.328	1080.968	0.0	-91.236	-90.026	0.0
15	1915	1916	SN	2	48.834	49.425	0.0	0.008	1.809	66.365	1051.144	1083.072	0.0	-91.331	-90.227	0.0
16	1915	1916	SN	1	48.834	49.425	0.0	0.008	1.809	0.139	1051.144	1083.072	0.0	-91.331	-90.227	0.0
17	1916	1917	NS	2	48.737	49.304	0.0	0.003	1.809	67.013	1029.376	1080.888	0.0	-91.233	-89.981	0.0
18	1916	1917	NS	1	48.737	49.304	0.0	0.003	1.809	0.185	1029.376	1080.888	0.0	-91.233	-89.981	0.0
19	1916	1917	SN	1	48.864	49.409	0.0	0.003	1.809	0.137	1051.168	1083.04	0.0	-91.286	-90.226	0.0
20	1916	1917	SN	2	48.864	49.409	0.0	0.003	1.809	66.039	1051.168	1083.04	0.0	-91.286	-90.226	0.0
21	1917	1918	NS	2	48.715	49.316	0.0	0.003	1.809	68.231	1028.976	1080.88	0.0	-91.245	-89.992	0.0
22	1917	1918	NS	1	48.715	49.316	0.0	0.003	1.809	0.19	1028.976	1080.88	0.0	-91.245	-89.992	0.0
23	1917	1918	SN	1	48.842	49.402	0.0	0.003	1.809	0.139	1051.744	1083.744	0.0	-91.774	-90.226	0.0
24	1917	1918	SN	2	48.842	49.402	0.0	0.003	1.809	67.91	1051.744	1083.744	0.0	-91.774	-90.226	0.0
25	1918	1919	NS	2	48.715	49.322	0.0	0.003	1.809	0.187	1028.656	1080.864	0.0	-91.272	-90.005	0.0
26	1918	1919	SN	1	48.841	49.381	0.0	0.003	1.809	0.14	1051.664	1082.984	0.0	-91.394	-90.227	0.0
27	1918	1919	SN	3	48.841	49.381	0.0	0.003	1.809	68.689	1051.664	1082.984	0.0	-91.394	-90.227	0.0
28	1918	1919	NS	4	48.715	49.322	0.0	0.003	1.809	67.011	1028.656	1080.864	0.0	-91.272	-90.005	0.0
29	1919	1920	SN	2	48.863	49.431	0.0	0.003	1.809	0.143	1051.48	1083.224	0.0	-91.344	-90.22	0.0
30	1919	1920	NS	1	48.742	49.324	0.0	0.003	1.803	0.187	1029.056	1081.072	0.0	-91.255	-90.013	0.0
31	1919	1920	NS	4	48.742	49.324	0.0	0.003	1.803	66.961	1029.056	1081.072	0.0	-91.255	-90.013	0.0
32	1919	1920	SN	3	48.863	49.431	0.0	0.003	1.809	69.771	1051.48	1083.224	0.0	-91.344	-90.22	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	1920	1921	NS	1	48.707	49.337	0.0	0.003	6.414	0.206	1029.024	1079.904	0.0	-91.256	-89.976	0.0
34	1920	1921	NS	1	48.707	49.337	0.0	0.003	6.414	69.21	1029.024	1081.144	0.0	-91.291	-89.976	0.0
35	1920	1921	SN	2	48.864	49.383	0.0	0.003	1.809	66.998	1051.64	1083.328	0.0	-91.523	-90.186	0.0
36	1921	1922	SN	1	48.863	49.383	0.0	0.003	1.809	0.137	1051.8	1083.28	0.0	-92.19	-90.205	0.0
37	1921	1922	SN	2	48.863	49.383	0.0	0.003	1.809	66.644	1051.8	1083.28	0.0	-92.19	-90.205	0.0
38	1921	1922	NS	1	48.714	49.339	0.0	0.003	6.425	68.507	1028.448	1081.12	0.0	-91.283	-89.995	0.0
39	1922	1923	SN	1	48.843	49.415	0.0	0.003	1.809	68.311	1051.896	1083.28	0.0	-91.332	-90.197	0.0
40	1923	1924	NS	3	48.701	49.346	0.0	0.003	1.803	67.105	1028.776	1081.232	0.0	-91.289	-90.011	0.0
41	1923	1924	SN	4	48.865	49.387	0.0	0.003	333.459	68.051	1052.024	1083.424	0.0	-91.234	-90.205	0.0
42	1923	1924	SN	1	48.865	49.387	0.0	0.003	333.459	0.141	1052.024	1083.424	0.0	-91.234	-90.205	0.0
43	1923	1924	NS	2	48.701	49.346	0.0	0.003	1.803	0.184	1028.776	1081.232	0.0	-91.289	-90.011	0.0
44	1924	1925	NS	1	48.717	49.33	0.0	0.003	1.803	0.185	1028.544	1081.28	0.0	-91.421	-90.01	0.0
45	1924	1925	NS	2	48.717	49.33	0.0	0.003	1.803	67.551	1028.544	1081.28	0.0	-91.421	-90.01	0.0
46	1924	1925	SN	2	48.85	49.389	0.0	0.003	1.814	67.277	1051.552	1083.528	0.0	-91.203	-90.224	0.0
47	1924	1925	SN	1	48.85	49.389	0.0	0.003	1.814	0.14	1051.552	1083.528	0.0	-91.203	-90.224	0.0
48	1925	1926	SN	3	48.86	49.384	0.0	0.003	1.814	67.22	1052.016	1083.624	0.0	-91.216	-90.229	0.0
49	1925	1926	SN	1	48.86	49.384	0.0	0.003	1.814	0.139	1052.016	1083.624	0.0	-91.216	-90.229	0.0
50	1925	1926	NS	4	48.718	49.333	0.0	0.003	6.381	66.769	1028.576	1081.424	0.0	-91.226	-90.008	0.0
51	1925	1926	NS	2	48.718	49.333	0.0	0.003	6.381	0.195	1028.576	1081.424	0.0	-91.226	-90.008	0.0
52	1926	1927	NS	1	48.721	49.337	0.0	0.003	1.809	0.187	1028.096	1081.456	0.0	-91.136	-89.995	0.0
53	1926	1927	NS	2	48.721	49.337	0.0	0.003	1.809	67.646	1028.096	1081.456	0.0	-91.136	-89.995	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	1912	1913	SN	3	-34.202	24.892	1.463	-30.347	25.159	1.86	3.295	28.112	7.924	2.813	31.943	7.582	0.103	222.336	0.798	0.103	91.562	0.574	0.103	0.136	0.0	0.102	0.14	0.0
2	1912	1913	NS	2	-34.812	26.462	0.809	-34.954	27.46	0.874	6.154	31.988	11.823	7.472	31.056	19.954	0.103	255.837	1.982	0.103	264.307	1.916	0.102	0.119	0.0	0.103	0.115	0.0
3	1912	1913	NS	4	-34.812	26.462	0.809	-34.954	27.46	0.874	6.154	31.988	11.823	7.472	31.056	19.954	0.103	255.837	1.982	0.103	264.307	1.916	0.102	0.119	0.0	0.103	0.115	0.0
4	1912	1913	SN	1	-34.202	24.892	1.463	-30.347	25.159	1.86	3.295	28.112	7.924	2.813	31.943	7.582	0.103	222.336	0.798	0.103	91.562	0.574	0.103	0.136	0.0	0.102	0.14	0.0
5	1913	1914	SN	2	-34.699	24.513	1.029	-34.782	25.84	1.532	7.082	28.405	9.246	4.889	30.393	6.201	0.103	249.235	7.299	0.103	254.087	5.858	0.103	0.116	0.0	0.103	0.125	0.0
6	1913	1914	NS	1	-34.71	27.0	0.497	-34.139	26.779	0.588	-0.147	30.908	8.25	1.618	35.99	16.871	0.103	249.838	2.345	0.103	219.101	2.618	0.103	0.179	0.0	0.102	0.152	0.0
7	1913	1914	SN	3	-34.699	24.513	1.029	-34.782	25.84	1.532	7.082	28.405	9.246	4.889	30.393	6.201	0.103	249.235	7.299	0.103	254.087	5.858	0.103	0.116	0.0	0.103	0.125	0.0
8	1913	1914	NS	4	-34.71	27.0	0.497	-34.139	26.779	0.588	-0.147	30.908	8.25	1.618	35.99	16.871	0.103	249.838	2.345	0.103	219.101	2.618	0.103	0.179	0.0	0.102	0.152	0.0
9	1914	1915	NS	2	-34.787	26.111	0.143	-34.979	26.143	0.171	-5.756	28.931	7.358	-8.728	29.738	13.078	0.103	254.328	5.803	0.103	265.863	6.627	0.103	0.403	0.0	0.103	0.713	0.0
10	1914	1915	SN	1	-34.974	24.052	0.137	-34.699	25.761	0.213	5.136	28.03	11.116	5.418	28.925	6.64	0.103	265.57	3.205	0.103	249.273	2.859	0.103	0.124	0.0	0.103	0.122	0.0
11	1914	1915	NS	1	-34.787	26.111	0.143	-34.979	26.143	0.171	-5.756	28.931	7.358	-8.728	29.738	13.078	0.103	254.328	5.803	0.103	265.863	6.627	0.103	0.403	0.0	0.103	0.713	0.0
12	1914	1915	SN	2	-34.974	24.052	0.137	-34.699	25.761	0.213	5.136	28.03	11.116	5.418	28.925	6.64	0.103	265.57	3.205	0.103	249.273	2.859	0.103	0.124	0.0	0.103	0.122	0.0
13	1915	1916	NS	1	-34.704	25.292	0.13	-34.719	25.831	0.137	-7.472	28.645	7.131	-10.351	29.881	12.083	0.103	249.473	1.851	0.103	250.418	1.98	0.103	0.555	0.0	0.103	0.998	0.0
14	1915	1916	NS	2	-34.704	25.292	0.13	-34.719	25.831	0.137	-7.472	28.645	7.131	-10.351	29.881	12.083	0.103	249.473	1.851	0.103	250.418	1.98	0.103	0.555	0.0	0.103	0.998	0.0
15	1915	1916	SN	2	-34.793	25.079	0.176	-34.898	26.788	0.206	6.838	27.631	12.663	6.816	28.095	7.747	0.103	254.71	3.622	0.103	260.924	3.526	0.103	0.117	0.0	0.103	0.117	0.0
16	1915	1916	SN	1	-34.793	25.079	0.176	-34.898	26.788	0.206	6.838	27.631	12.663	6.816	28.095	7.747	0.103	254.71	3.622	0.103	260.924	3.526	0.103	0.117	0.0	0.103	0.117	0.0
17	1916	1917	NS	2	-34.897	24.395	0.034	-34.82	24.762	0.049	-24.981	27.868	4.264	-21.703	28.932	8.624	0.103	260.836	1.668	0.103	256.219	1.912	0.103	26.661	0.017	0.103	12.58	0.009
18	1916	1917	NS	1	-34.897	24.395	0.034	-34.82	24.762	0.049	-24.981	27.868	4.264	-21.703	28.932	8.624	0.103	260.836	1.668	0.103	256.219	1.912	0.103	26.661	0.017	0.103	12.58	0.009
19	1916	1917	SN	1	-34.55	23.81	0.007	-34.249	26.61	0.015	6.137	28.187	17.416	7.214	28.261	20.996	0.103	240.822	2.74	0.103	224.694	2.401	0.103	0.119	0.0	0.103	0.115	0.0
20	1916	1917	SN	2	-34.55	23.81	0.007	-34.249	26.61	0.015	6.137	28.187	17.416	7.214	28.261	20.996	0.103	240.822	2.74	0.103	224.694	2.401	0.103	0.119	0.0	0.103	0.115	0.0
21	1917	1918	NS	2	-34.841	24.8	0.864	-34.823	25.176	1.054	-12.663	27.95	7.196	-15.06	28.976	11.371	0.103	268.068	1.557	0.103	256.422	1.075	0.103	1.641	0.002	0.103	2.788	0.002
22	1917	1918	NS	1	-34.841	24.8	0.864	-34.823	25.176	1.054	-12.663	27.95	7.196	-15.06	28.976	11.371	0.103	268.068	1.557	0.103	256.422	1.075	0.103	1.641	0.002	0.103	2.788	0.002
23	1917	1918	SN	1	-34.36	23.994	0.005	-34.946	24.553	0.009	6.601	27.981	16.909	7.625	28.016	16.699	0.103	230.51	3.624	0.103	263.839	2.914	0.103	0.117	0.0	0.103	0.114	0.0
24	1917	1918	SN	2	-34.36	23.994	0.005	-34.946	24.553	0.009	6.601	27.981	16.909	7.625	28.016	16.699	0.103	230.51	3.624	0.103	263.839	2.914	0.103	0.117	0.0	0.103	0.114	0.0
25	1918	1919	NS	2	-34.843	25.218	1.126	-33.693	25.691	1.51	-3.038	28.686	12.229	-5.416	29.994	17.746	0.103	257.611	2.243	0.103	197.713	2.412	0.103	0.258	0.0	0.103	0.379	0.0
26	1918	1919	SN	1	-33.398	24.14	0.091	-34.971	24.568	0.15	5.983	34.463	10.298	8.976	32.302	10.887	0.103	184.763	2.081	0.103	265.376	1.774	0.102	0.12	0.0	0.102	0.111	0.0
27	1918	1919	SN	3	-33.398	24.14	0.091	-34.971	24.568	0.15	5.983	34.463	10.298	8.976	32.302	10.887	0.103	184.763	2.081	0.103	265.376	1.774	0.102	0.12	0.0	0.102	0.111	0.0
28	1918	1919	NS	4	-34.843	25.218	1.126	-33.693	25.691	1.51	-3.038	28.686	12.229	-5.416	29.994	17.746	0.103	257.611	2.243	0.103	197.713	2.412	0.103	0.258	0.0	0.103	0.379	0.0
29	1919	1920	SN	2	-34.448	25.482	0.414	-34.679	25.595	0.582	0.95	30.745	10.889	1.263	33.482	11.221	0.103	235.264	3.372	0.103	258.251	2.942	0.103	0.161	0.0	0.102	0.157	0.0
30	1919	1920	NS	1	-34.923	26.613	1.377	-34.188	25.4	1.766	6.688	28.652	10.407	7.257	29.415	17.211	0.103	262.426	1.507	0.103	221.612	1.606	0.103	0.117	0.0	0.103	0.115	0.0
31	1919	1920	NS	4	-34.923	26.613	1.377	-34.188	25.4	1.766	6.688	28.652	10.407	7.257	29.415	17.211	0.103	262.426	1.507	0.103	221.612	1.606	0.103	0.117	0.0	0.103	0.115	0.0
32	1919	1920	SN	3	-34.448	25.482	0.414	-34.679	25.595	0.582	0.95	30.745	10.889	1.263	33.482	11.221	0.103	235.264	3.372	0.103	258.251	2.942	0.103	0.161	0.0	0.102	0.157	0.0
33	1920	1921	NS	1	-34.487	26.264	0.402	-34.742	25.513	0.486	0.387	29.254	21.818	-1.406	29.731	32.309	0.103	242.239	1.898	0.103	251.731	1.842	0.103	0.17	0.0	0.103	0.207	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	1920	1921	NS	1	-34.487	26.264	0.406	-34.742	25.513	0.479	0.387	29.254	20.351	-1.406	29.731	33.779	0.103	242.239	1.897	0.103	251.731	2.118	0.103	0.17	0.0	0.103	0.207	0.0
35	1920	1921	SN	2	-34.765	25.767	0.539	-34.108	26.542	0.688	-14.675	29.816	14.621	-10.402	29.621	12.591	0.103	253.038	5.309	0.103	217.52	3.566	0.103	2.559	0.008	0.103	1.008	0.002
36	1921	1922	SN	1	-34.397	26.194	0.274	-34.993	27.09	0.518	-3.559	28.728	14.032	-0.009	29.545	12.339	0.103	232.499	5.532	0.103	266.66	5.682	0.103	0.279	0.0	0.103	0.177	0.0
37	1921	1922	SN	2	-34.397	26.194	0.274	-34.993	27.09	0.518	-3.559	28.728	14.032	-0.009	29.545	12.339	0.103	232.499	5.532	0.103	266.66	5.682	0.103	0.279	0.0	0.103	0.177	0.0
38	1921	1922	NS	1	-34.98	24.913	0.085	-34.705	26.077	0.052	3.322	32.034	13.432	2.626	32.065	23.55	0.103	265.912	4.148	0.103	249.553	4.066	0.102	0.135	0.0	0.102	0.141	0.0
39	1922	1923	SN	1	-31.619	26.004	0.242	-34.648	26.547	0.387	-11.197	29.54	15.614	-7.766	29.618	15.525	0.103	122.685	0.721	0.103	246.358	0.572	0.103	1.194	0.002	0.103	0.588	0.0
40	1923	1924	NS	3	-34.803	24.495	0.133	-34.871	24.067	0.236	12.24	28.369	28.279	13.292	29.163	38.195	0.103	255.279	4.379	0.103	259.317	3.764	0.103	0.106	0.0	0.103	0.106	0.0
41	1923	1924	SN	4	-33.229	25.524	0.112	-34.328	25.834	0.525	-32.7	34.313	12.703	-19.11	29.724	11.744	0.103	177.705	0.637	0.103	228.86	0.495	0.102	157.309	0.007	0.103	6.96	0.009
42	1923	1924	SN	1	-33.229	25.524	0.112	-34.328	25.834	0.525	-32.7	34.313	12.703	-19.11	29.724	11.744	0.103	177.705	0.637	0.103	228.86	0.495	0.102	157.309	0.007	0.103	6.96	0.009
43	1923	1924	NS	2	-34.803	24.495	0.133	-34.871	24.067	0.236	12.24	28.369	28.279	13.292	29.163	38.195	0.103	255.279	4.379	0.103	259.317	3.764	0.103	0.106	0.0	0.103	0.106	0.0
44	1924	1925	NS	1	-34.906	24.178	0.327	-34.144	24.707	0.42	10.927	28.439	24.388	11.04	29.379	32.323	0.103	261.439	3.273	0.103	219.342	3.323	0.103	0.108	0.0	0.103	0.108	0.0
45	1924	1925	NS	2	-34.906	24.178	0.327	-34.144	24.707	0.42	10.927	28.439	24.388	11.04	29.379	32.323	0.103	261.439	3.273	0.103	219.342	3.323	0.103	0.108	0.0	0.103	0.108	0.0
46	1924	1925	SN	2	-33.359	24.926	0.101	-34.391	25.207	0.521	-14.144	28.935	22.015	-9.521	29.443	23.756	0.103	183.094	0.752	0.103	232.22	0.718	0.103	2.273	0.002	0.103	0.839	0.0
47	1924	1925	SN	1	-33.359	24.926	0.101	-34.391	25.207	0.521	-14.144	28.935	22.015	-9.521	29.443	23.756	0.103	183.094	0.752	0.103	232.22	0.718	0.103	2.273	0.002	0.103	0.839	0.0
48	1925	1926	SN	3	-34.536	24.392	0.113	-34.829	24.751	0.372	6.38	29.249	37.874	8.107	29.567	47.266	0.103	240.081	1.238	0.103	256.83	0.971	0.103	0.118	0.0	0.103	0.113	0.0
49	1925	1926	SN	1	-34.536	24.392	0.113	-34.829	24.751	0.372	6.38	29.249	37.874	8.107	29.567	47.266	0.103	240.081	1.238	0.103	256.83	0.971	0.103	0.118	0.0	0.103	0.113	0.0
50	1925	1926	NS	4	-32.131	26.505	0.662	-32.912	26.621	0.763	6.43	28.654	24.233	7.265	29.46	33.087	0.103	137.998	0.948	0.103	165.169	0.815	0.103	0.118	0.0	0.103	0.115	0.0
51	1925	1926	NS	2	-32.131	26.505	0.662	-32.912	26.621	0.763	6.43	28.654	24.233	7.265	29.46	33.087	0.103	137.998	0.948	0.103	165.169	0.815	0.103	0.118	0.0	0.103	0.115	0.0
52	1926	1927	NS	1	-34.431	26.627	0.612	-34.742	27.011	0.603	5.04	28.988	14.822	5.664	28.94	22.161	0.103	234.354	3.031	0.103	251.757	2.914	0.103	0.124	0.0	0.103	0.121	0.0
53	1926	1927	NS	2	-34.431	26.627	0.612	-34.742	27.011	0.603	5.04	28.988	14.822	5.664	28.94	22.161	0.103	234.354	3.031	0.103	251.757	2.914	0.103	0.124	0.0	0.103	0.121	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	1912	1913	SN	3	57.736	58.371	0.0	0.003	1.98	79.506	1235.464	1275.304	0.0	-93.334	-92.228	0.0
2	1912	1913	NS	2	57.568	58.246	0.0	0.003	20.968	0.214	1207.552	1271.952	5.26	-93.014	-92.02	0.0
3	1912	1913	NS	4	57.568	58.246	0.0	0.003	20.968	78.368	1207.552	1271.952	5.26	-93.014	-92.02	0.0
4	1912	1913	SN	1	57.736	58.371	0.0	0.003	1.98	0.212	1235.464	1275.304	0.0	-93.334	-92.228	0.0
5	1913	1914	SN	2	57.76	58.37	0.0	0.003	10.583	0.212	1235.256	1275.304	0.0	-93.065	-92.223	0.0
6	1913	1914	NS	1	57.602	58.229	0.0	0.003	1.974	0.153	1207.448	1272.016	4.304	-92.99	-92.01	0.0
7	1913	1914	SN	3	57.76	58.37	0.0	0.003	10.583	76.386	1235.256	1275.304	0.0	-93.065	-92.223	0.0
8	1913	1914	NS	4	57.602	58.229	0.0	0.003	1.974	73.509	1207.448	1272.016	4.304	-92.99	-92.01	0.0
9	1914	1915	NS	2	57.595	58.255	0.0	0.003	1.974	72.488	1207.904	1272.248	4.277	-93.455	-92.002	0.0
10	1914	1915	SN	1	57.728	58.367	0.0	0.003	5.719	0.203	1234.968	1275.472	0.0	-93.372	-92.251	0.0
11	1914	1915	NS	1	57.595	58.255	0.0	0.003	1.974	0.151	1207.904	1272.248	4.277	-93.455	-92.002	0.0
12	1914	1915	SN	2	57.728	58.367	0.0	0.003	5.719	73.707	1234.968	1275.472	0.0	-93.372	-92.251	0.0
13	1915	1916	NS	1	57.602	58.253	0.0	0.003	1.974	0.155	1208.592	1272.28	4.044	-93.166	-92.044	0.0
14	1915	1916	NS	2	57.602	58.253	0.0	0.003	1.974	74.143	1208.592	1272.28	4.044	-93.166	-92.044	0.0
15	1915	1916	SN	2	57.73	58.37	0.0	0.003	1.98	73.379	1234.744	1275.432	0.0	-93.354	-92.249	0.0
16	1915	1916	SN	1	57.73	58.37	0.0	0.003	1.98	0.195	1234.744	1275.432	0.0	-93.354	-92.249	0.0
17	1916	1917	NS	2	57.597	58.246	0.0	0.003	1.974	74.547	1208.552	1272.168	4.116	-93.045	-91.996	0.0
18	1916	1917	NS	1	57.597	58.246	0.0	0.003	1.974	0.156	1208.552	1272.168	4.116	-93.045	-91.996	0.0
19	1916	1917	SN	1	57.763	58.355	0.0	0.003	1.974	0.197	1235.064	1275.496	0.0	-93.192	-92.25	0.0
20	1916	1917	SN	2	57.763	58.355	0.0	0.003	1.974	73.965	1235.064	1275.496	0.0	-93.192	-92.25	0.0
21	1917	1918	NS	2	57.592	58.246	0.0	0.003	1.974	75.936	1207.832	1272.176	4.363	-93.002	-92.024	0.0
22	1917	1918	NS	1	57.592	58.246	0.0	0.003	1.974	0.158	1207.832	1272.176	4.363	-93.002	-92.024	0.0
23	1917	1918	SN	1	57.761	58.358	0.0	0.003	1.974	0.196	1235.12	1275.72	0.0	-93.168	-92.249	0.0
24	1917	1918	SN	2	57.761	58.358	0.0	0.003	1.974	74.538	1235.12	1275.72	0.0	-93.168	-92.249	0.0
25	1918	1919	NS	2	57.591	58.247	0.0	0.003	1.974	0.157	1207.648	1272.152	4.683	-93.122	-92.028	0.0
26	1918	1919	SN	1	57.744	58.364	0.0	0.003	1.974	0.206	1235.704	1275.304	0.0	-93.152	-92.251	0.0
27	1918	1919	SN	3	57.744	58.364	0.0	0.003	1.974	76.452	1235.704	1275.304	0.0	-93.152	-92.251	0.0
28	1918	1919	NS	4	57.591	58.247	0.0	0.003	1.974	75.447	1207.648	1272.152	4.683	-93.122	-92.028	0.0
29	1919	1920	SN	2	57.762	58.347	0.0	0.003	1.974	0.205	1235.88	1275.592	0.0	-93.086	-92.237	0.0
30	1919	1920	NS	1	57.602	58.231	0.0	0.003	1.974	0.152	1208.176	1272.416	5.407	-93.081	-92.033	0.0
31	1919	1920	NS	4	57.602	58.231	0.0	0.003	1.974	73.711	1208.176	1272.416	5.407	-93.081	-92.033	0.0
32	1919	1920	SN	3	57.762	58.347	0.0	0.003	1.974	77.084	1235.88	1275.592	0.0	-93.086	-92.237	0.0
33	1920	1921	NS	1	57.591	58.248	0.0	0.003	21.343	0.207	1208.136	1271.032	5.542	-93.051	-91.996	0.0
34	1920	1921	NS	1	57.591	58.248	0.0	0.003	21.343	76.739	1208.136	1272.496	5.38	-93.076	-91.996	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	1920	1921	SN	2	57.732	58.367	0.0	0.003	1.98	74.504	1235.376	1275.704	0.0	-93.093	-92.215	0.0
36	1921	1922	SN	1	57.762	58.368	0.0	0.003	1.98	0.197	1236.072	1275.664	0.0	-93.17	-92.227	0.0
37	1921	1922	SN	2	57.762	58.368	0.0	0.003	1.98	73.775	1236.072	1275.664	0.0	-93.17	-92.227	0.0
38	1921	1922	NS	1	57.566	58.245	0.0	0.003	21.238	76.893	1207.56	1272.48	5.244	-93.057	-92.017	0.0
39	1922	1923	SN	1	57.74	58.36	0.0	0.003	1.98	76.221	1235.544	1275.664	0.0	-93.088	-92.224	0.0
40	1923	1924	NS	3	57.583	58.256	0.0	0.003	1.969	73.752	1207.408	1272.608	6.014	-93.169	-92.031	0.0
41	1923	1924	SN	4	57.755	58.353	0.0	0.003	1.98	76.668	1235.912	1275.864	0.0	-93.091	-92.242	0.0
42	1923	1924	SN	1	57.755	58.353	0.0	0.003	1.98	0.205	1235.912	1275.864	0.0	-93.091	-92.242	0.0
43	1923	1924	NS	2	57.583	58.256	0.0	0.003	1.969	0.155	1207.408	1272.608	6.014	-93.169	-92.031	0.0
44	1924	1925	NS	1	57.581	58.249	0.0	0.003	1.969	0.157	1207.28	1272.664	6.8	-93.242	-92.029	0.0
45	1924	1925	NS	2	57.581	58.249	0.0	0.003	1.969	74.576	1207.28	1272.664	6.8	-93.242	-92.029	0.0
46	1924	1925	SN	2	57.734	58.351	0.0	0.003	1.98	75.04	1235.448	1275.992	0.0	-92.987	-92.246	0.0
47	1924	1925	SN	1	57.734	58.351	0.0	0.003	1.98	0.199	1235.448	1275.992	0.0	-92.987	-92.246	0.0
48	1925	1926	SN	3	57.758	58.346	0.0	0.003	1.98	74.984	1235.848	1276.08	0.0	-93.021	-92.252	0.0
49	1925	1926	SN	1	57.758	58.346	0.0	0.003	1.98	0.199	1235.848	1276.08	0.0	-93.021	-92.252	0.0
50	1925	1926	NS	4	57.591	58.243	0.0	0.003	21.74	74.429	1207.528	1272.84	7.171	-92.995	-92.028	0.0
51	1925	1926	NS	2	57.591	58.243	0.0	0.003	21.74	0.204	1207.528	1272.84	7.171	-92.995	-92.028	0.0
52	1926	1927	NS	1	57.573	58.253	0.0	0.003	1.969	0.156	1206.856	1272.864	7.313	-93.093	-92.006	0.0
53	1926	1927	NS	2	57.573	58.253	0.0	0.003	1.969	76.49	1206.856	1272.864	7.313	-93.093	-92.006	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	1912	1913	SN	3	-34.652	18.874	0.0	-33.704	19.005	0.0	-0.75	22.729	0.013	-3.907	22.211	0.002	0.08	195.175	1.761	0.08	156.857	1.435	0.08	0.15	0.0	0.08	0.231	0.0
2	1912	1913	NS	2	-34.951	20.47	0.0	-34.796	20.489	0.0	1.496	23.244	0.115	0.02	23.323	0.211	0.08	209.059	1.818	0.08	206.464	2.004	0.08	0.12	0.0	0.08	0.138	0.0
3	1912	1913	NS	4	-34.951	20.47	0.0	-34.796	20.489	0.0	1.496	23.244	0.115	0.02	23.323	0.211	0.08	209.059	1.818	0.08	206.464	2.004	0.08	0.12	0.0	0.08	0.138	0.0
4	1912	1913	SN	1	-34.652	18.874	0.0	-33.704	19.005	0.0	-0.75	22.729	0.013	-3.907	22.211	0.002	0.08	195.175	1.761	0.08	156.857	1.435	0.08	0.15	0.0	0.08	0.231	0.0
5	1913	1914	SN	2	-34.699	18.363	0.0	-34.475	18.816	0.0	1.49	23.665	0.002	0.345	22.645	0.013	0.081	197.231	6.404	0.08	187.311	5.33	0.08	0.12	0.0	0.08	0.133	0.0
6	1913	1914	NS	1	-34.673	20.452	0.0	-33.591	20.66	0.0	-9.59	24.248	0.016	-7.619	23.697	0.054	0.08	196.033	2.971	0.08	152.838	2.998	0.08	0.671	0.0	0.08	0.45	0.0
7	1913	1914	SN	3	-34.699	18.363	0.0	-34.475	18.816	0.0	1.49	23.665	0.002	0.345	22.645	0.013	0.081	197.231	6.404	0.08	187.311	5.33	0.08	0.12	0.0	0.08	0.133	0.0
8	1913	1914	NS	4	-34.673	20.452	0.0	-33.591	20.66	0.0	-9.59	24.248	0.016	-7.619	23.697	0.054	0.08	196.033	2.971	0.08	152.838	2.998	0.08	0.671	0.0	0.08	0.45	0.0
9	1914	1915	NS	2	-34.801	19.171	0.0	-34.948	19.254	0.0	-9.607	22.819	0.014	-20.962	22.791	0.042	0.08	201.957	4.59	0.08	208.878	5.473	0.08	0.674	0.0	0.08	8.399	0.07
10	1914	1915	SN	1	-34.246	18.98	0.0	-34.914	18.991	0.0	-0.278	22.579	0.01	1.326	23.168	0.02	0.08	177.718	2.945	0.08	212.149	2.423	0.08	0.142	0.0	0.08	0.122	0.0
11	1914	1915	NS	1	-34.801	19.171	0.0	-34.948	19.254	0.0	-9.607	22.819	0.014	-20.962	22.791	0.042	0.08	201.957	4.59	0.08	208.878	5.473	0.08	0.674	0.0	0.08	8.399	0.07
12	1914	1915	SN	2	-34.246	18.98	0.0	-34.914	18.991	0.0	-0.278	22.579	0.01	1.326	23.168	0.02	0.08	177.718	2.945	0.08	212.149	2.423	0.08	0.142	0.0	0.08	0.122	0.0
13	1915	1916	NS	1	-34.725	19.557	0.0	-32.002	18.775	0.0	-26.317	22.101	0.002	-30.114	22.457	0.02	0.08	198.451	1.809	0.08	106.055	1.801	0.08	28.688	0.126	0.08	68.67	0.111
14	1915	1916	NS	2	-34.725	19.557	0.0	-32.002	18.775	0.0	-26.317	22.101	0.002	-30.114	22.457	0.02	0.08	198.451	1.809	0.08	106.055	1.801	0.08	28.688	0.126	0.08	68.67	0.111
15	1915	1916	SN	2	-34.96	18.043	0.0	-34.934	18.909	0.0	1.269	21.42	0.0	1.533	21.312	0.0	0.081	209.478	2.965	0.08	208.23	3.013	0.08	0.122	0.0	0.08	0.12	0.0
16	1915	1916	SN	1	-34.96	18.043	0.0	-34.934	18.909	0.0	1.269	21.42	0.0	1.533	21.312	0.0	0.081	209.478	2.965	0.08	208.23	3.013	0.08	0.122	0.0	0.08	0.12	0.0
17	1916	1917	NS	2	-34.645	17.816	0.0	-33.97	18.278	0.0	-17.133	22.378	0.009	-23.087	23.239	0.022	0.081	194.82	1.609	0.081	166.784	1.759	0.08	3.515	0.007	0.08	13.668	0.003
18	1916	1917	NS	1	-34.645	17.816	0.0	-33.97	18.278	0.0	-17.133	22.378	0.009	-23.087	23.239	0.022	0.081	194.82	1.609	0.081	166.784	1.759	0.08	3.515	0.007	0.08	13.668	0.003
19	1916	1917	SN	1	-34.959	18.917	0.0	-34.92	18.7	0.0	0.41	22.03	0.006	1.727	22.351	0.072	0.08	209.413	3.395	0.08	207.543	3.053	0.08	0.132	0.0	0.08	0.118	0.0
20	1916	1917	SN	2	-34.959	18.917	0.0	-34.92	18.7	0.0	0.41	22.03	0.006	1.727	22.351	0.072	0.08	209.413	3.395	0.08	207.543	3.053	0.08	0.132	0.0	0.08	0.118	0.0
21	1917	1918	NS	2	-34.885	19.081	0.0	-34.713	19.237	0.0	-16.511	21.661	0.0	-20.938	22.769	0.021	0.08	205.833	1.467	0.08	197.876	1.515	0.08	3.054	0.01	0.08	8.356	0.028
22	1917	1918	NS	1	-34.885	19.081	0.0	-34.713	19.237	0.0	-16.511	21.661	0.0	-20.938	22.769	0.021	0.08	205.833	1.467	0.08	197.876	1.515	0.08	3.054	0.01	0.08	8.356	0.028
23	1917	1918	SN	1	-34.997	16.334	0.0	-34.752	15.995	0.0	0.274	21.796	0.0	6.982	20.657	0.0	0.081	211.31	3.424	0.081	199.614	2.998	0.08	0.134	0.0	0.08	0.09	0.0
24	1917	1918	SN	2	-34.997	16.334	0.0	-34.752	15.995	0.0	0.274	21.796	0.0	6.982	20.657	0.0	0.081	211.31	3.424	0.081	199.614	2.998	0.08	0.134	0.0	0.08	0.09	0.0
25	1918	1919	NS	2	-34.967	19.312	0.0	-33.814	19.602	0.0	-24.735	22.381	0.01	-34.072	22.667	0.047	0.08	209.754	1.516	0.08	160.905	1.582	0.08	19.939	0.105	0.08	170.778	0.164
26	1918	1919	SN	1	-34.694	17.57	0.0	-34.832	18.157	0.0	1.012	25.018	0.102	3.789	23.068	0.183	0.081	197.005	2.687	0.081	203.369	2.406	0.08	0.125	0.0	0.08	0.103	0.0
27	1918	1919	SN	3	-34.694	17.57	0.0	-34.832	18.157	0.0	1.012	25.018	0.102	3.789	23.068	0.183	0.081	197.005	2.687	0.081	203.369	2.406	0.08	0.125	0.0	0.08	0.103	0.0
28	1918	1919	NS	4	-34.967	19.312	0.0	-33.814	19.602	0.0	-24.735	22.381	0.01	-34.072	22.667	0.047	0.08	209.754	1.516	0.08	160.905	1.582	0.08	19.939	0.105	0.08	170.778	0.164
29	1919	1920	SN	2	-34.909	18.977	0.0	-34.502	20.165	0.0	-10.402	23.318	0.122	-15.03	23.652	0.421	0.08	207.006	3.228	0.08	188.491	2.679	0.08	0.796	0.0	0.08	2.19	0.002
30	1919	1920	NS	1	-34.902	19.271	0.0	-34.894	19.743	0.0	-1.291	22.846	0.045	0.641	23.136	0.202	0.08	206.69	1.358	0.08	206.262	1.755	0.08	0.16	0.0	0.08	0.129	0.0
31	1919	1920	NS	4	-34.902	19.271	0.0	-34.894	19.743	0.0	-1.291	22.846	0.045	0.641	23.136	0.202	0.08	206.69	1.358	0.08	206.262	1.755	0.08	0.16	0.0	0.08	0.129	0.0
32	1919	1920	SN	3	-34.909	18.977	0.0	-34.502	20.165	0.0	-10.402	23.318	0.122	-15.03	23.652	0.421	0.08	207.006	3.228	0.08	188.491	2.679	0.08	0.796	0.0	0.08	2.19	0.002

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	1920	1921	NS	1	-34.371	18.506	0.0	-34.354	19.16	0.0	-0.414	23.202	0.254	-1.907	23.744	0.622	0.081	182.902	2.382	0.08	182.179	2.449	0.08	0.144	0.0	0.08	0.173	0.0
34	1920	1921	NS	1	-34.371	18.506	0.0	-34.354	19.16	0.0	-0.414	23.202	0.238	-1.907	23.744	0.888	0.081	182.902	2.422	0.08	182.179	2.496	0.08	0.144	0.0	0.08	0.173	0.0
35	1920	1921	SN	2	-34.889	19.725	0.0	-34.628	19.825	0.0	-28.194	22.956	0.061	-16.133	23.513	0.268	0.08	206.105	4.393	0.08	194.006	3.815	0.08	44.157	0.105	0.08	2.805	0.009
36	1921	1922	SN	1	-34.942	19.194	0.0	-34.96	19.974	0.0	-9.217	22.896	0.061	-1.681	23.583	0.26	0.08	208.606	5.716	0.08	209.455	5.538	0.08	0.621	0.0	0.08	0.168	0.0
37	1921	1922	SN	2	-34.942	19.194	0.0	-34.96	19.974	0.0	-9.217	22.896	0.061	-1.681	23.583	0.26	0.08	208.606	5.716	0.08	209.455	5.538	0.08	0.621	0.0	0.08	0.168	0.0
38	1921	1922	NS	1	-34.96	19.316	0.0	-34.888	20.131	0.0	0.911	22.867	0.267	0.483	23.682	0.985	0.08	209.45	4.113	0.08	206.028	4.749	0.08	0.126	0.0	0.08	0.131	0.0
39	1922	1923	SN	1	-34.648	18.578	0.0	-34.506	18.92	0.0	-26.732	23.15	0.068	-24.088	23.309	0.247	0.081	194.923	1.292	0.08	188.663	1.141	0.08	32.288	0.142	0.08	17.195	0.106
40	1923	1924	NS	3	-34.651	18.441	0.0	-34.973	17.842	0.0	5.221	23.105	0.288	5.324	23.31	0.528	0.081	195.084	3.846	0.081	210.062	3.831	0.08	0.096	0.0	0.08	0.096	0.0
41	1923	1924	SN	4	-32.952	17.755	0.0	-34.954	18.635	0.0	-24.746	23.232	0.042	-25.777	23.663	0.168	0.081	131.954	1.016	0.08	209.199	0.762	0.08	19.993	0.029	0.08	25.335	0.041
42	1923	1924	SN	1	-32.952	17.755	0.0	-34.954	18.635	0.0	-24.746	23.232	0.042	-25.777	23.663	0.168	0.081	131.954	1.016	0.08	209.199	0.762	0.08	19.993	0.029	0.08	25.335	0.041
43	1923	1924	NS	2	-34.651	18.441	0.0	-34.973	17.842	0.0	5.221	23.105	0.288	5.324	23.31	0.528	0.081	195.084	3.846	0.081	210.062	3.831	0.08	0.096	0.0	0.08	0.096	0.0
44	1924	1925	NS	1	-34.911	18.786	0.0	-34.662	19.291	0.0	3.254	22.828	0.268	3.634	23.379	0.57	0.08	207.137	2.885	0.08	195.586	3.005	0.08	0.106	0.0	0.08	0.104	0.0
45	1924	1925	NS	2	-34.911	18.786	0.0	-34.662	19.291	0.0	3.254	22.828	0.268	3.634	23.379	0.57	0.08	207.137	2.885	0.08	195.586	3.005	0.08	0.106	0.0	0.08	0.104	0.0
46	1924	1925	SN	2	-33.85	19.243	0.0	-34.885	19.233	0.0	-20.482	23.164	0.284	-22.932	23.679	0.568	0.08	162.226	0.803	0.08	205.862	0.628	0.08	7.53	0.048	0.08	13.19	0.098
47	1924	1925	SN	1	-33.85	19.243	0.0	-34.885	19.233	0.0	-20.482	23.164	0.284	-22.932	23.679	0.568	0.08	162.226	0.803	0.08	205.862	0.628	0.08	7.53	0.048	0.08	13.19	0.098
48	1925	1926	SN	3	-34.77	17.938	0.0	-33.659	18.584	0.0	2.31	22.99	0.523	2.341	23.437	1.513	0.081	200.463	1.167	0.081	155.241	1.303	0.08	0.113	0.0	0.08	0.113	0.0
49	1925	1926	SN	1	-34.77	17.938	0.0	-33.659	18.584	0.0	2.31	22.99	0.523	2.341	23.437	1.513	0.081	200.463	1.167	0.081	155.241	1.303	0.08	0.113	0.0	0.08	0.113	0.0
50	1925	1926	NS	4	-34.326	20.325	0.0	-33.944	20.424	0.0	1.557	22.605	0.208	1.988	24.022	0.619	0.08	181.049	1.178	0.08	165.787	1.248	0.08	0.119	0.0	0.08	0.116	0.0
51	1925	1926	NS	2	-34.326	20.325	0.0	-33.944	20.424	0.0	1.557	22.605	0.208	1.988	24.022	0.619	0.08	181.049	1.178	0.08	165.787	1.248	0.08	0.119	0.0	0.08	0.116	0.0
52	1926	1927	NS	1	-33.726	20.855	0.0	-34.6	21.053	0.0	2.409	22.931	0.289	0.342	23.665	0.55	0.08	157.67	2.552	0.08	192.819	2.494	0.08	0.112	0.0	0.08	0.133	0.0
53	1926	1927	NS	2	-33.726	20.855	0.0	-34.6	21.053	0.0	2.409	22.931	0.289	0.342	23.665	0.55	0.08	157.67	2.552	0.08	192.819	2.494	0.08	0.112	0.0	0.08	0.133	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors