

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 17-FEB-2017 To 18-FEB-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 17-FEB-2017 To 18-FEB-2017





					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2086	2087	SN	1	48.823	49.455	0.0	0.003	6.469	0.158	1047.6	1090.264	0.0	-91.362	-90.17	0.0
2	2086	2087	NS	1	48.714	49.336	0.0	0.003	1.809	0.195	1026.96	1088.48	0.0	-91.092	-89.974	0.0
3	2087	2088	NS	1	48.71	49.337	0.0	0.003	1.809	0.183	1027.112	1088.6	0.0	-91.228	-89.957	0.0
4	2087	2088	SN	1	48.822	49.459	0.0	0.003	6.458	0.151	1047.888	1090.312	0.0	-91.456	-90.149	0.0
5	2088	2089	SN	1	48.788	49.43	0.0	0.003	6.48	0.146	1046.992	1090.464	0.0	-91.795	-90.168	0.0
6	2088	2089	NS	1	48.713	49.385	0.0	0.003	1.809	0.183	1027.064	1088.776	0.0	-91.213	-89.945	0.0
7	2089	2090	NS	2	48.713	49.337	0.0	0.003	1.809	0.187	1026.92	1088.736	0.0	-91.175	-89.975	0.0
8	2089	2090	SN	1	48.766	49.426	0.0	0.003	6.436	0.146	1046.968	1090.4	0.0	-91.736	-90.176	0.0
9	2090	2091	NS	1	48.716	49.376	0.0	0.003	6.232	0.199	1027.776	1088.664	0.0	-91.296	-89.967	0.0
10	2090	2091	SN	2	48.82	49.414	0.0	0.003	5.454	0.143	1047.496	1090.304	0.0	-91.276	-90.178	0.0
11	2091	2092	NS	2	48.672	49.388	0.0	0.003	1.809	0.187	1027.744	1088.592	0.0	-91.276	-89.98	0.0
12	2091	2092	SN	1	48.794	49.461	0.0	0.003	1.814	0.138	1046.968	1090.248	0.0	-91.429	-90.196	0.0
13	2092	2093	SN	1	48.822	49.442	0.0	0.003	1.814	0.142	1047.576	1090.28	0.0	-91.387	-90.189	0.0
14	2092	2093	NS	2	48.664	49.374	0.0	0.003	1.814	0.185	1027.632	1088.616	0.0	-91.325	-89.989	0.0
15	2093	2094	NS	1	48.698	49.391	0.0	0.003	1.814	0.185	1027.472	1088.76	0.0	-91.281	-89.989	0.0
16	2093	2094	SN	2	48.823	49.456	0.0	0.003	6.712	0.154	1047.72	1090.472	0.0	-91.369	-90.16	0.0
17	2094	2095	NS	1	48.702	49.366	0.0	0.003	1.814	0.192	1026.912	1088.856	0.0	-91.321	-89.943	0.0
18	2094	2095	SN	1	48.786	49.439	0.0	0.003	195.452	0.138	1047.184	1090.568	0.0	-91.322	-90.143	0.0
19	2095	2096	SN	1	48.819	49.416	0.0	0.003	1.814	0.136	1047.088	1090.504	0.0	-91.18	-90.142	0.0
20	2095	2096	NS	1	48.699	49.392	0.0	0.003	1.814	0.191	1026.912	1088.808	0.0	-91.353	-89.964	0.0
21	2096	2097	NS	1	48.693	49.341	0.0	0.003	1.809	0.188	1026.96	1088.84	0.0	-91.318	-89.986	0.0
22	2096	2097	SN	1	48.784	49.454	0.0	0.003	1.809	0.14	1047.304	1090.504	0.0	-91.592	-90.152	0.0
23	2097	2098	NS	1	48.714	49.392	0.0	0.003	1.814	0.186	1027.064	1088.888	0.0	-91.283	-89.986	0.0
24	2097	2098	SN	1	48.788	49.417	0.0	0.003	1.814	0.14	1047.464	1090.608	0.0	-91.313	-90.144	0.0
25	2098	2099	NS	1	48.677	49.364	0.0	0.003	1.809	0.188	1026.784	1088.96	0.0	-91.351	-89.985	0.0
26	2098	2099	SN	1	48.788	49.45	0.0	0.003	1.82	0.14	1047.456	1090.688	0.0	-91.617	-90.17	0.0
27	2099	2100	NS	1	48.713	49.385	0.0	0.003	6.177	0.193	1027.216	1083.584	0.0	-91.299	-89.983	0.0
28	2100	2101	SN	1	48.82	49.463	0.0	0.003	1.814	0.15	1047.112	1090.912	0.0	-91.397	-90.184	0.0
29	2101	2102	NS	1	48.685	49.341	0.0	0.003	1.809	0.189	1026.808	1089.096	0.0	-91.134	-89.974	0.0
30	2101	2102	SN	1	48.819	49.453	0.0	0.003	340.921	0.149	1047.176	1090.8	0.0	-91.377	-90.157	0.0
31	2102	2103	NS	1	48.714	49.363	0.0	0.003	1.809	0.182	1026.888	1089.376	0.0	-91.31	-89.95	0.0
32	2102	2103	SN	1	48.817	49.449	0.0	0.003	1.814	0.14	1046.648	1090.968	0.0	-91.736	-90.145	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	2103	2104	SN	1	48.786	49.473	0.0	0.003	5.565	0.146	1046.704	1090.976	0.0	-91.367	-90.176	0.0
34	2103	2104	NS	1	48.711	49.344	0.0	0.003	1.814	0.183	1027.08	1089.424	0.0	-91.106	-89.983	0.0
35	2104	2105	NS	1	48.71	49.344	0.0	0.003	1.809	0.185	1027.32	1089.336	0.0	-91.15	-89.95	0.0
36	2104	2105	SN	1	48.783	49.417	0.0	0.003	6.486	0.148	1046.32	1090.888	0.0	-91.473	-90.171	0.0
37	2105	2106	SN	1	48.792	49.463	0.0	0.003	6.453	0.149	1046.368	1090.856	0.0	-91.455	-90.186	0.0
38	2105	2106	NS	1	48.684	49.388	0.0	0.003	1.809	0.189	1027.768	1089.264	0.0	-91.299	-89.991	0.0
39	2106	2107	SN	1	48.819	49.466	0.0	0.003	6.408	0.149	1047.0	1091.224	0.0	-91.404	-90.184	0.0
40	2106	2107	NS	1	48.677	49.381	0.0	0.003	1.809	0.187	1027.288	1089.176	0.0	-91.182	-89.982	0.0
41	2107	2108	SN	1	48.778	49.464	0.0	0.003	6.364	0.153	1046.76	1090.888	0.0	-91.491	-90.159	0.0
42	2107	2108	NS	1	48.679	49.342	0.0	0.003	1.809	0.184	1027.568	1089.216	0.0	-91.886	-89.987	0.0
43	2108	2109	SN	1	48.819	49.419	0.0	0.003	1.814	0.14	1047.24	1091.032	0.0	-91.345	-90.151	0.0
44	2108	2109	NS	1	48.681	49.39	0.0	0.003	1.814	0.187	1027.2	1089.32	0.0	-91.308	-89.98	0.0
45	2109	2110	NS	1	48.673	49.382	0.0	0.003	1.814	0.192	1027.616	1089.32	0.0	-91.277	-89.977	0.0
46	2109	2110	SN	1	48.818	49.419	0.0	0.003	1.814	0.138	1047.28	1091.032	0.0	-91.364	-90.107	0.0
47	2110	2111	SN	1	48.817	49.438	0.0	0.003	1.814	0.137	1046.96	1090.936	0.0	-91.703	-90.146	0.0
48	2110	2111	NS	2	48.714	49.383	0.0	0.003	6.199	0.201	1027.016	1089.2	0.0	-91.339	-89.961	0.0
49	2111	2112	SN	1	48.778	49.418	0.0	0.003	1.814	0.141	1046.512	1091.024	0.0	-91.17	-90.162	0.0
50	2111	2112	NS	1	48.713	49.375	0.0	0.003	1.814	0.187	1027.536	1089.28	0.0	-91.259	-89.989	0.0
51	2112	2113	NS	1	48.705	49.395	0.0	0.003	6.182	0.198	1026.976	1089.4	0.0	-91.294	-89.986	0.0
52	2112	2113	SN	2	48.743	49.419	0.0	0.003	3.199	0.151	1046.744	1091.104	0.0	-91.361	-90.144	0.0
53	2113	2114	SN	1	48.786	49.419	0.0	0.003	1.814	0.139	1046.904	1091.232	0.0	-91.252	-90.167	0.0
54	2113	2114	NS	1	48.692	49.389	0.0	0.003	1.809	0.188	1027.352	1089.48	0.0	-91.405	-89.985	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2086	2087	SN	1	-34.71	25.877	2.097	-32.668	25.616	2.52	-33.141	27.585	7.157	-22.162	28.544	6.544	0.103	249.815	2.675	0.103	156.158	1.731	0.103	174.147	0.028	0.103	13.972	0.038
2	2086	2087	NS	1	-32.832	27.781	0.582	-34.973	28.507	0.599	7.229	30.451	11.777	7.437	32.062	20.285	0.103	162.167	1.599	0.103	265.476	1.445	0.103	0.115	0.0	0.102	0.115	0.0
3	2087	2088	NS	1	-34.792	26.643	0.259	-34.776	28.167	0.332	-1.906	33.832	6.611	-1.85	29.489	14.444	0.103	254.63	4.231	0.103	253.681	3.774	0.102	0.22	0.0	0.103	0.219	0.0
4	2087	2088	SN	1	-34.727	25.781	1.55	-34.976	27.026	1.951	6.785	29.231	8.252	7.777	29.022	4.291	0.103	250.819	8.172	0.103	265.614	7.84	0.103	0.117	0.0	0.103	0.114	0.0
5	2088	2089	SN	1	-34.83	24.771	0.111	-34.719	25.954	0.14	6.83	27.916	10.987	7.564	27.446	5.522	0.103	256.86	6.959	0.103	250.42	6.468	0.103	0.117	0.0	0.103	0.114	0.0
6	2088	2089	NS	1	-34.912	27.48	0.335	-34.888	27.676	0.427	-2.548	30.0	7.18	-13.438	28.976	13.013	0.103	261.789	5.244	0.103	260.31	5.147	0.103	0.24	0.0	0.103	1.945	0.003
7	2089	2090	NS	2	-34.965	27.215	0.287	-34.303	27.806	0.305	-6.214	32.738	7.467	-13.72	32.306	12.391	0.103	264.99	4.554	0.103	227.489	3.945	0.102	0.438	0.0	0.102	2.07	0.002
8	2089	2090	SN	1	-34.509	25.311	0.163	-34.54	26.118	0.178	6.328	27.484	11.338	7.084	27.921	6.893	0.103	238.541	1.963	0.103	240.245	1.48	0.103	0.118	0.0	0.103	0.116	0.0
9	2090	2091	NS	1	-32.983	24.494	0.067	-34.666	25.267	0.104	-3.411	28.564	4.294	0.197	29.319	8.884	0.103	167.923	2.002	0.103	247.393	1.988	0.103	0.273	0.0	0.103	0.173	0.0
10	2090	2091	SN	2	-34.343	23.98	0.005	-34.711	24.78	0.013	6.669	27.919	18.487	7.523	28.047	24.656	0.103	229.604	1.949	0.103	249.937	1.655	0.103	0.117	0.0	0.103	0.115	0.0
11	2091	2092	NS	2	-34.878	25.461	1.143	-34.187	25.113	1.327	-6.859	29.345	6.466	-11.092	28.976	10.664	0.103	259.749	4.598	0.103	221.54	3.694	0.103	0.494	0.0	0.103	1.168	0.002
12	2091	2092	SN	1	-34.923	23.612	0.004	-34.425	24.525	0.01	5.815	27.364	17.102	7.878	28.378	22.213	0.103	262.412	3.074	0.103	234.007	2.323	0.103	0.121	0.0	0.103	0.114	0.0
13	2092	2093	SN	1	-34.476	25.509	0.271	-34.136	25.891	0.268	6.911	31.802	10.192	7.641	34.05	11.216	0.103	236.758	4.473	0.103	218.908	3.619	0.102	0.116	0.0	0.102	0.114	0.0
14	2092	2093	NS	2	-34.898	27.036	1.081	-34.866	27.093	1.349	1.128	28.991	13.608	2.539	29.025	18.947	0.103	260.96	4.253	0.103	258.997	4.359	0.103	0.159	0.0	0.103	0.142	0.0
15	2093	2094	NS	1	-34.71	26.134	1.255	-33.929	26.906	1.593	1.173	28.663	10.694	1.407	29.401	18.136	0.103	249.817	2.287	0.103	208.738	2.144	0.103	0.158	0.0	0.103	0.155	0.0
16	2093	2094	SN	2	-34.594	24.864	0.337	-34.157	25.741	0.436	-5.295	34.01	11.078	-1.633	31.121	10.862	0.103	243.309	4.05	0.103	220.065	2.861	0.102	0.371	0.0	0.103	0.213	0.0
17	2094	2095	NS	1	-34.993	25.583	0.541	-34.911	26.666	0.639	6.337	29.068	21.354	7.234	30.001	36.323	0.103	266.662	3.147	0.103	261.681	2.8	0.103	0.118	0.0	0.103	0.115	0.0
18	2094	2095	SN	1	-34.393	26.302	0.142	-34.974	26.825	0.263	-28.653	28.457	15.298	-8.224	29.317	12.53	0.103	232.247	4.325	0.103	265.506	3.594	0.103	62.013	0.003	0.103	0.644	0.0
19	2095	2096	SN	1	-34.915	27.803	0.249	-34.784	27.395	0.401	-8.641	28.946	13.934	-1.115	29.384	12.134	0.103	261.994	6.946	0.103	254.184	6.371	0.103	0.7	0.0	0.103	0.2	0.0
20	2095	2096	NS	1	-34.939	24.987	0.076	-34.745	24.919	0.073	-24.431	28.719	12.867	-20.352	30.567	22.635	0.103	263.355	8.399	0.103	251.905	8.155	0.103	23.506	0.039	0.103	9.239	0.014
21	2096	2097	NS	1	-34.843	24.571	0.149	-34.948	24.494	0.224	3.207	29.039	16.302	5.701	30.283	23.391	0.103	257.606	4.242	0.103	263.952	3.684	0.103	0.136	0.0	0.103	0.121	0.0
22	2096	2097	SN	1	-34.792	26.304	0.207	-34.734	26.83	0.438	-7.247	28.731	13.867	-7.668	29.545	12.956	0.103	254.646	2.576	0.103	251.253	2.316	0.103	0.532	0.0	0.103	0.577	0.0
23	2097	2098	NS	1	-34.66	24.488	0.126	-32.429	24.347	0.248	10.639	28.671	27.589	11.542	29.294	36.414	0.103	246.984	0.98	0.103	147.817	0.677	0.103	0.108	0.0	0.103	0.107	0.0
24	2097	2098	SN	1	-34.946	26.847	0.401	-34.454	27.249	1.068	-28.823	29.588	12.298	-13.466	29.698	11.566	0.103	263.836	3.785	0.103	235.612	2.984	0.103	64.491	0.017	0.103	1.957	0.001
25	2098	2099	NS	1	-34.82	25.572	0.289	-34.77	26.347	0.292	9.301	28.518	26.014	9.053	28.979	32.647	0.103	270.551	2.986	0.103	253.343	2.772	0.103	0.11	0.0	0.103	0.111	0.0
26	2098	2099	SN	1	-34.999	26.731	0.288	-34.786	27.268	0.731	-5.765	28.994	23.317	-4.155	29.737	25.175	0.103	267.045	1.95	0.103	254.255	2.168	0.103	0.404	0.0	0.103	0.307	0.0
27	2099	2100	NS	1	-34.623	24.927	0.241	-34.922	27.161	0.401	13.0	27.155	5.051	7.646	28.682	8.112	0.103	244.903	3.658	0.103	262.339	3.405	0.103	0.106	0.0	0.103	0.114	0.0
28	2100	2101	SN	1	-34.971	24.431	0.871	-34.816	25.32	1.111	3.657	27.825	10.03	8.224	28.85	8.959	0.103	265.315	2.61	0.103	256.096	2.027	0.103	0.133	0.0	0.103	0.113	0.0
29	2101	2102	NS	1	-34.984	28.252	0.33	-34.994	28.326	0.401	8.037	33.363	10.435	7.582	31.366	20.289	0.103	266.081	2.921	0.103	266.783	2.739	0.102	0.113	0.0	0.103	0.114	0.0
30	2101	2102	SN	1	-34.92	26.479	1.667	-34.963	26.904	2.186	-31.8	32.893	9.224	-18.144	34.144	8.202	0.103	262.276	7.068	0.103	264.884	6.394	0.102	127.89	0.036	0.102	5.588	0.031
31	2102	2103	NS	1	-34.835	25.189	0.144	-34.953	27.54	0.177	-5.741	28.671	5.764	-2.534	30.176	12.602	0.103	257.209	4.085	0.103	264.258	4.287	0.103	0.402	0.0	0.103	0.24	0.0
32	2102	2103	SN	1	-34.915	25.913	1.141	-34.786	26.5	1.344	4.968	29.714	7.884	6.481	30.532	4.349	0.103	261.962	7.822	0.103	254.257	7.287	0.103	0.125	0.0	0.103	0.118	0.0
33	2103	2104	SN	1	-33.859	24.769	0.073	-34.898	25.111	0.099	6.994	27.178	13.583	7.437	28.559	8.67	0.103	205.441	1.702	0.103	260.956	1.728	0.103	0.116	0.0	0.103	0.115	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	2103	2104	NS	1	-34.824	26.609	0.153	-34.968	27.645	0.191	-13.123	28.47	7.659	-10.903	28.689	13.386	0.103	256.489	3.487	0.103	265.175	4.089	0.103	1.815	0.002	0.103	1.122	0.002
35	2104	2105	NS	1	-34.773	24.54	0.108	-34.349	25.025	0.119	-27.908	28.982	4.19	-18.107	30.846	7.807	0.103	253.519	1.492	0.103	229.961	1.321	0.103	52.232	0.009	0.103	5.542	0.006
36	2104	2105	SN	1	-34.914	24.237	0.037	-34.142	25.603	0.046	6.58	27.257	17.646	7.412	27.523	17.825	0.103	261.901	1.341	0.103	219.282	1.26	0.103	0.118	0.0	0.103	0.115	0.0
37	2105	2106	SN	1	-34.391	24.57	0.015	-34.886	25.874	0.031	6.236	28.052	17.594	8.031	28.62	23.362	0.103	232.171	1.058	0.103	260.188	0.765	0.103	0.119	0.0	0.103	0.113	0.0
38	2105	2106	NS	1	-34.434	23.498	0.239	-34.858	23.965	0.288	-26.39	28.586	5.705	-24.125	29.089	10.742	0.103	234.494	1.906	0.103	258.553	1.516	0.103	36.862	0.015	0.103	21.916	0.008
39	2106	2107	SN	1	-34.92	24.44	0.014	-34.838	25.049	0.014	6.28	30.354	13.36	7.655	30.462	15.169	0.103	262.21	5.181	0.103	257.37	3.466	0.103	0.119	0.0	0.103	0.114	0.0
40	2106	2107	NS	1	-34.903	26.477	1.587	-34.191	26.129	1.901	-7.1	29.768	8.403	-6.98	30.591	13.365	0.103	261.189	2.216	0.103	221.766	2.296	0.103	0.517	0.0	0.103	0.505	0.0
41	2107	2108	SN	1	-34.834	25.851	0.414	-34.926	26.089	0.459	6.722	33.351	9.529	6.638	33.9	9.958	0.103	257.059	6.436	0.103	262.635	4.44	0.102	0.117	0.0	0.102	0.117	0.0
42	2107	2108	NS	1	-34.493	25.93	1.604	-34.148	26.762	2.021	6.966	27.979	13.049	7.418	29.407	20.76	0.103	237.701	2.37	0.103	219.571	2.242	0.103	0.116	0.0	0.103	0.115	0.0
43	2108	2109	SN	1	-34.683	25.699	0.647	-34.799	26.182	0.778	-5.238	29.386	11.93	-3.34	29.71	11.418	0.103	248.384	4.527	0.103	255.085	4.025	0.103	0.368	0.0	0.103	0.27	0.0
44	2108	2109	NS	1	-34.399	24.731	0.308	-34.945	25.855	0.472	-0.843	29.048	13.765	1.843	32.136	23.622	0.103	232.595	2.016	0.103	263.792	1.655	0.103	0.193	0.0	0.102	0.15	0.0
45	2109	2110	NS	1	-34.945	25.277	0.286	-34.818	26.193	0.374	-9.17	31.712	17.583	0.413	29.998	29.73	0.103	263.79	4.748	0.103	256.172	4.554	0.102	0.78	0.0	0.103	0.169	0.0
46	2109	2110	SN	1	-34.388	26.985	0.135	-34.971	26.968	0.29	-5.83	28.539	14.346	-4.085	32.0	12.125	0.103	232.036	2.621	0.103	265.376	2.5	0.103	0.408	0.0	0.102	0.303	0.0
47	2110	2111	SN	1	-34.7	26.135	0.027	-34.891	27.365	0.17	-18.587	29.245	17.037	-8.689	31.474	16.936	0.103	249.321	3.868	0.103	260.524	2.755	0.103	6.18	0.005	0.103	0.707	0.0
48	2110	2111	NS	2	-34.92	23.962	0.128	-34.852	24.796	0.101	3.554	28.44	13.508	2.435	29.69	21.959	0.103	262.284	6.935	0.103	258.15	7.042	0.103	0.134	0.0	0.103	0.143	0.0
49	2111	2112	SN	1	-33.839	26.575	0.288	-34.099	26.466	0.667	-34.501	28.764	13.183	-16.888	29.757	10.987	0.103	204.492	2.083	0.103	217.038	2.101	0.103	238.127	0.012	0.103	4.206	0.003
50	2111	2112	NS	1	-34.696	24.406	0.172	-34.272	25.631	0.387	9.05	30.752	21.87	9.493	28.884	29.989	0.103	249.091	1.711	0.103	225.905	1.73	0.103	0.111	0.0	0.103	0.11	0.0
51	2112	2113	NS	1	-33.809	24.437	0.203	-34.803	25.967	0.298	11.495	29.028	27.451	11.957	28.856	34.667	0.103	203.064	2.083	0.103	255.24	2.099	0.103	0.107	0.0	0.103	0.107	0.0
52	2112	2113	SN	2	-34.592	26.66	0.246	-34.713	27.418	0.891	-3.519	28.563	15.82	-3.853	29.3	15.938	0.103	243.18	2.644	0.103	250.028	2.521	0.103	0.277	0.0	0.103	0.292	0.0
53	2113	2114	SN	1	-34.468	24.497	0.097	-34.807	25.161	0.478	2.822	29.093	38.684	2.234	29.587	48.377	0.103	236.321	1.52	0.103	255.551	1.381	0.103	0.14	0.0	0.103	0.145	0.0
54	2113	2114	NS	1	-34.79	25.865	0.321	-34.894	26.449	0.278	6.499	28.329	26.544	6.507	29.361	34.045	0.103	254.552	3.1	0.103	260.711	2.8	0.103	0.118	0.0	0.103	0.118	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2086	2087	SN	1	57.71	58.407	0.0	0.003	9.398	0.222	1230.184	1284.136	9.144	-93.126	-92.183	0.0
2	2086	2087	NS	1	57.566	58.289	0.0	0.003	1.974	0.162	1205.776	1281.496	10.985	-93.091	-91.998	0.0
3	2087	2088	NS	1	57.567	58.307	0.0	0.003	1.974	0.153	1205.424	1281.656	10.14	-93.097	-91.978	0.0
4	2087	2088	SN	1	57.708	58.421	0.0	0.003	9.315	0.212	1230.592	1284.16	8.842	-93.278	-92.168	0.0
5	2088	2089	SN	1	57.684	58.401	0.0	0.003	343.491	0.206	1229.6	1284.376	8.87	-93.154	-92.187	0.0
6	2088	2089	NS	1	57.554	58.309	0.0	0.003	1.985	0.15	1205.232	1281.864	10.473	-93.059	-91.96	0.0
7	2089	2090	NS	2	57.555	58.292	0.0	0.003	1.98	0.153	1205.464	1281.816	10.196	-93.102	-91.998	0.0
8	2089	2090	SN	1	57.677	58.397	0.0	0.003	9.21	0.204	1229.696	1284.304	8.733	-93.31	-92.199	0.0
9	2090	2091	NS	1	57.568	58.312	0.0	0.003	24.641	0.201	1206.352	1281.72	10.163	-93.235	-91.989	0.0
10	2090	2091	SN	2	57.684	58.392	0.0	0.003	5.134	0.202	1229.352	1284.16	8.568	-93.151	-92.201	0.0
11	2091	2092	NS	2	57.544	58.316	0.0	0.003	1.98	0.156	1206.0	1281.632	10.353	-93.092	-92.002	0.0
12	2091	2092	SN	1	57.696	58.409	0.0	0.003	1.985	0.201	1230.0	1284.456	8.565	-93.349	-92.216	0.0
13	2092	2093	SN	1	57.68	58.405	0.0	0.003	1.985	0.208	1230.136	1284.144	8.919	-93.145	-92.196	0.0
14	2092	2093	NS	2	57.542	58.292	0.0	0.003	1.98	0.154	1206.112	1281.664	10.565	-93.241	-92.006	0.0
15	2093	2094	NS	1	57.531	58.304	0.0	0.003	1.98	0.152	1205.96	1281.832	11.375	-93.088	-92.01	0.0
16	2093	2094	SN	2	57.683	58.411	0.0	0.003	10.859	0.217	1229.976	1284.4	9.785	-93.145	-92.17	0.0
17	2094	2095	NS	1	57.563	58.3	0.0	0.003	1.98	0.161	1205.2	1281.936	11.153	-93.152	-91.972	0.0
18	2094	2095	SN	1	57.68	58.391	0.0	0.003	1.98	0.199	1230.056	1284.512	9.549	-93.218	-92.171	0.0
19	2095	2096	SN	1	57.699	58.408	0.0	0.003	340.149	0.201	1229.44	1284.416	9.48	-93.285	-92.159	0.0
20	2095	2096	NS	1	57.54	58.313	0.0	0.003	305.068	0.159	1205.304	1281.88	10.611	-93.121	-91.993	0.0
21	2096	2097	NS	1	57.542	58.311	0.0	0.003	1.98	0.156	1205.448	1281.92	11.112	-93.127	-91.999	0.0
22	2096	2097	SN	1	57.68	58.417	0.0	0.003	1.98	0.205	1229.864	1284.416	9.85	-93.14	-92.167	0.0
23	2097	2098	NS	1	57.562	58.32	0.0	0.003	1.974	0.153	1205.368	1281.976	11.672	-93.114	-92.007	0.0
24	2097	2098	SN	1	57.671	58.391	0.0	0.003	1.98	0.205	1229.408	1284.536	10.219	-93.143	-92.17	0.0
25	2098	2099	NS	1	57.533	58.307	0.0	0.003	1.974	0.154	1205.576	1282.064	12.3	-93.255	-92.006	0.0
26	2098	2099	SN	1	57.683	58.406	0.0	0.003	1.98	0.2	1229.512	1284.624	10.292	-93.289	-92.195	0.0
27	2099	2100	NS	1	57.564	58.303	0.0	0.003	24.547	0.188	1205.672	1276.072	12.134	-93.059	-92.005	0.0
28	2100	2101	SN	1	57.695	58.418	0.0	0.003	1.985	0.206	1229.352	1284.912	10.437	-93.513	-92.208	0.0
29	2101	2102	NS	1	57.539	58.304	0.0	0.003	1.974	0.163	1205.52	1282.256	10.528	-93.07	-91.987	0.0
30	2101	2102	SN	1	57.688	58.405	0.0	0.003	1.985	0.207	1229.344	1284.768	9.703	-93.148	-92.183	0.0
31	2102	2103	NS	1	57.549	58.315	0.0	0.003	1.98	0.151	1205.72	1282.6	10.939	-93.108	-91.957	0.0
32	2102	2103	SN	1	57.702	58.411	0.0	0.003	1.985	0.198	1229.048	1284.96	9.692	-93.151	-92.162	0.0
33	2103	2104	SN	1	57.691	58.416	0.0	0.003	5.471	0.203	1229.304	1284.968	10.365	-93.147	-92.199	0.0
34	2103	2104	NS	1	57.547	58.303	0.0	0.003	1.974	0.152	1205.48	1282.664	11.008	-93.141	-92.004	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	2104	2105	NS	1	57.542	58.31	0.0	0.003	1.98	0.153	1205.576	1282.552	10.315	-93.314	-91.972	0.0
36	2104	2105	SN	1	57.679	58.393	0.0	0.003	9.392	0.206	1229.104	1284.912	10.14	-93.184	-92.165	0.0
37	2105	2106	SN	1	57.694	58.397	0.0	0.003	9.238	0.204	1228.832	1284.96	10.169	-93.171	-92.207	0.0
38	2105	2106	NS	1	57.542	58.318	0.0	0.003	1.98	0.157	1205.704	1282.464	11.127	-93.201	-92.018	0.0
39	2106	2107	SN	1	57.704	58.419	0.0	0.003	9.05	0.21	1229.416	1284.76	9.986	-93.252	-92.204	0.0
40	2106	2107	NS	1	57.547	58.312	0.0	0.003	1.98	0.159	1206.232	1282.344	10.988	-93.168	-92.0	0.0
41	2107	2108	SN	1	57.675	58.417	0.0	0.003	8.807	0.216	1229.064	1284.904	10.878	-93.169	-92.175	0.0
42	2107	2108	NS	1	57.537	58.297	0.0	0.003	1.98	0.154	1206.072	1282.368	11.63	-93.133	-92.008	0.0
43	2108	2109	SN	1	57.704	58.394	0.0	0.003	1.985	0.204	1229.712	1285.08	11.16	-93.14	-92.173	0.0
44	2108	2109	NS	1	57.529	58.325	0.0	0.003	1.98	0.151	1205.272	1282.488	12.009	-93.184	-92.002	0.0
45	2109	2110	NS	1	57.533	58.317	0.0	0.003	1.98	0.158	1205.4	1282.488	11.006	-93.225	-91.985	0.0
46	2109	2110	SN	1	57.703	58.417	0.0	0.003	1.98	0.2	1229.768	1285.072	11.03	-93.3	-92.126	0.0
47	2110	2111	SN	1	57.685	58.417	0.0	0.003	1.98	0.202	1228.824	1284.96	10.92	-93.141	-92.162	0.0
48	2110	2111	NS	2	57.563	58.305	0.0	0.003	24.459	0.202	1205.48	1282.328	11.187	-93.093	-91.979	0.0
49	2111	2112	SN	1	57.675	58.394	0.0	0.003	1.98	0.205	1228.648	1285.056	11.789	-93.144	-92.185	0.0
50	2111	2112	NS	1	57.564	58.324	0.0	0.003	1.98	0.152	1205.84	1282.416	11.792	-93.122	-92.01	0.0
51	2112	2113	NS	1	57.532	58.31	0.0	0.003	24.525	0.198	1205.256	1282.584	12.313	-93.081	-92.002	0.0
52	2112	2113	SN	2	57.671	58.412	0.0	0.003	6.226	0.214	1229.152	1285.16	11.823	-92.965	-92.163	0.0
53	2113	2114	SN	1	57.671	58.41	0.0	0.003	1.98	0.2	1229.08	1285.304	12.234	-93.126	-92.194	0.0
54	2113	2114	NS	1	57.534	58.311	0.0	0.003	1.98	0.156	1205.8	1282.672	13.213	-93.234	-92.006	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2086	2087	SN	1	-34.702	19.565	0.0	-34.55	19.712	0.0	-24.254	22.334	0.003	-23.045	22.498	0.018	0.08	197.395	3.212	0.08	190.622	2.666	0.08	17.857	0.019	0.08	13.535	0.018
2	2086	2087	NS	1	-34.532	21.603	0.0	-34.447	21.061	0.0	2.998	23.044	0.07	1.764	23.778	0.182	0.08	189.804	1.542	0.08	186.132	1.688	0.08	0.108	0.0	0.08	0.118	0.0
3	2087	2088	NS	1	-34.816	21.265	0.0	-34.902	22.245	0.001	-12.127	22.557	0.007	-14.331	23.259	0.034	0.08	202.683	3.157	0.08	206.671	3.368	0.08	1.153	0.002	0.08	1.874	0.001
4	2087	2088	SN	1	-34.707	18.555	0.0	-34.854	20.339	0.0	1.012	22.081	0.002	0.924	22.593	0.03	0.081	197.582	7.865	0.08	204.375	7.096	0.08	0.125	0.0	0.08	0.126	0.0
5	2088	2089	SN	1	-34.564	19.734	0.0	-34.99	20.274	0.0	0.062	22.175	0.014	0.695	22.293	0.049	0.08	191.227	5.877	0.08	210.87	5.669	0.08	0.137	0.0	0.08	0.129	0.0
6	2088	2089	NS	1	-34.931	20.814	0.0	-34.781	21.146	0.0	-8.094	22.531	0.014	-33.969	23.177	0.048	0.08	212.981	3.983	0.08	201.031	4.114	0.08	0.495	0.0	0.08	166.704	0.062
7	2089	2090	NS	2	-34.917	20.784	0.0	-34.663	21.643	0.0	-22.021	21.79	0.0	-27.813	22.265	0.008	0.08	207.418	3.95	0.08	195.653	3.94	0.08	10.956	0.028	0.08	40.453	0.094
8	2089	2090	SN	1	-34.894	18.663	0.0	-34.677	19.353	0.0	0.955	21.253	0.0	0.898	21.313	0.0	0.08	206.286	1.716	0.08	196.243	1.559	0.08	0.126	0.0	0.08	0.126	0.0
9	2090	2091	NS	1	-34.753	17.404	0.0	-31.212	18.611	0.0	-20.842	22.526	0.01	-12.653	22.687	0.013	0.081	199.737	1.561	0.081	88.419	1.639	0.08	8.176	0.001	0.08	1.293	0.002
10	2090	2091	SN	2	-34.256	18.762	0.0	-34.923	19.359	0.0	0.953	21.677	0.0	1.769	22.153	0.02	0.08	178.17	1.488	0.08	207.671	1.443	0.08	0.126	0.0	0.08	0.117	0.0
11	2091	2092	NS	2	-34.982	18.999	0.0	-34.765	19.01	0.0	-29.571	21.782	0.0	-30.562	22.313	0.004	0.08	210.556	3.106	0.08	200.318	3.045	0.08	60.603	0.022	0.08	76.122	0.035
12	2091	2092	SN	1	-34.694	16.716	0.0	-34.557	16.733	0.0	0.712	21.632	0.0	2.782	21.176	0.0	0.081	197.042	2.857	0.081	190.866	2.366	0.08	0.129	0.0	0.08	0.109	0.0
13	2092	2093	SN	1	-34.987	19.203	0.0	-34.682	20.017	0.0	0.604	22.86	0.087	4.16	23.106	0.215	0.08	210.718	4.242	0.08	196.463	3.861	0.08	0.13	0.0	0.08	0.101	0.0
14	2092	2093	NS	2	-34.838	19.861	0.0	-34.861	20.52	0.0	-11.817	22.212	0.012	-15.923	22.849	0.105	0.08	203.686	3.913	0.08	204.763	3.919	0.08	1.078	0.006	0.08	2.676	0.016
15	2093	2094	NS	1	-34.84	20.263	0.0	-34.654	20.224	0.0	-0.363	23.221	0.522	1.23	23.71	0.65	0.08	203.748	2.08	0.08	195.22	2.003	0.08	0.143	0.0	0.08	0.123	0.0
16	2093	2094	SN	2	-34.911	19.089	0.0	-34.501	19.592	0.0	-9.586	24.075	0.088	-8.717	23.594	0.357	0.08	207.093	3.597	0.08	188.444	2.681	0.08	0.671	0.0	0.08	0.561	0.0
17	2094	2095	NS	1	-34.687	19.466	0.0	-34.532	20.28	0.0	0.856	23.389	0.361	-2.481	23.744	0.979	0.08	196.662	3.065	0.08	189.823	3.025	0.08	0.127	0.0	0.08	0.187	0.0
18	2094	2095	SN	1	-34.694	20.685	0.0	-34.959	20.724	0.0	-25.432	22.76	0.029	-10.64	23.799	0.292	0.08	197.037	3.994	0.08	209.413	3.415	0.08	23.409	0.064	0.08	0.837	0.0
19	2095	2096	SN	1	-34.634	20.399	0.0	-34.69	21.369	0.0	-6.095	22.768	0.037	-3.221	23.841	0.345	0.08	194.334	5.744	0.08	196.832	5.432	0.08	0.337	0.0	0.08	0.213	0.0
20	2095	2096	NS	1	-34.765	17.899	0.0	-34.857	17.308	0.0	-31.183	23.315	0.215	-27.159	23.488	0.761	0.081	200.279	6.247	0.081	204.564	6.712	0.08	87.823	0.021	0.08	34.807	0.007
21	2096	2097	NS	1	-34.312	17.843	0.0	-34.936	17.407	0.0	0.958	22.718	0.13	0.355	23.397	0.384	0.081	180.448	2.78	0.081	208.281	2.706	0.08	0.126	0.0	0.08	0.133	0.0
22	2096	2097	SN	1	-34.897	19.262	0.0	-34.326	20.144	0.0	-32.075	22.647	0.02	-30.223	23.484	0.291	0.08	206.435	1.905	0.08	181.049	1.661	0.08	107.819	0.065	0.08	70.414	0.054
23	2097	2098	NS	1	-34.891	18.809	0.0	-34.772	19.302	0.0	5.31	23.16	0.369	5.591	23.31	0.495	0.08	206.153	1.159	0.08	200.576	0.903	0.08	0.096	0.0	0.08	0.095	0.0
24	2097	2098	SN	1	-34.99	20.38	0.0	-34.328	21.494	0.0	-29.481	23.063	0.044	-25.793	23.905	0.233	0.08	210.917	2.592	0.08	181.096	2.317	0.08	59.362	0.038	0.08	25.429	0.045
25	2098	2099	NS	1	-34.464	19.418	0.0	-34.431	20.133	0.0	2.228	23.136	0.315	2.236	23.035	0.449	0.08	186.869	2.721	0.08	185.433	2.682	0.08	0.113	0.0	0.08	0.113	0.0
26	2098	2099	SN	1	-33.885	20.111	0.0	-34.993	21.431	0.0	-27.872	22.941	0.304	-28.596	23.499	0.833	0.08	163.557	1.842	0.08	211.032	1.689	0.08	41.006	0.035	0.08	48.429	0.018
27	2099	2100	NS	1	-34.724	17.859	0.0	-34.614	19.901	0.0	6.295	22.961	0.227	2.816	22.873	0.055	0.081	198.375	3.255	0.08	193.418	3.361	0.08	0.092	0.0	0.08	0.109	0.0
28	2100	2101	SN	1	-34.372	18.827	0.0	-34.911	19.236	0.0	-14.565	22.918	0.102	-11.109	23.543	0.146	0.08	182.964	2.224	0.08	207.09	1.795	0.08	1.974	0.002	0.08	0.925	0.0
29	2101	2102	NS	1	-34.221	20.668	0.0	-34.526	21.686	0.0	1.388	22.211	0.006	1.334	23.447	0.061	0.08	176.671	2.702	0.08	189.498	2.962	0.08	0.121	0.0	0.08	0.122	0.0
30	2101	2102	SN	1	-34.933	19.803	0.0	-34.926	20.662	0.0	-17.176	21.81	0.0	-19.019	23.112	0.046	0.08	208.168	6.463	0.08	207.807	5.456	0.08	3.663	0.011	0.08	5.392	0.007
31	2102	2103	NS	1	-34.919	20.798	0.0	-34.734	21.044	0.0	-18.513	22.187	0.002	-20.412	23.164	0.037	0.08	207.461	3.131	0.08	198.834	3.459	0.08	4.807	0.014	0.08	7.41	0.009
32	2102	2103	SN	1	-34.506	19.2	0.0	-34.929	20.269	0.0	-0.399	21.773	0.0	0.625	22.853	0.045	0.08	188.682	6.647	0.08	207.961	6.027	0.08	0.144	0.0	0.08	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0	Alarming	High Errors

33	2103	2104	SN	1	-34.611	17.74	0.0	-34.697	18.721	0.0	0.928	21.903	0.0	1.317	20.6	0.0	0.081	193.259	1.709	0.08	197.148	1.764	0.08	0.126	0.0	0.08	0.122	0.0
34	2103	2104	NS	1	-34.962	20.662	0.0	-34.929	21.007	0.0	-9.664	21.811	0.0	-32.221	22.681	0.01	0.08	214.456	3.108	0.08	208.011	3.671	0.08	0.682	0.0	0.08	111.494	0.044
35	2104	2105	NS	1	-34.114	21.101	0.0	-34.591	21.19	0.0	-32.81	22.234	0.001	-34.699	22.56	0.009	0.08	172.372	1.714	0.08	192.362	2.046	0.08	127.711	0.147	0.08	197.235	0.143
36	2104	2105	SN	1	-34.982	18.06	0.0	-34.803	18.94	0.0	1.357	21.941	0.0	1.569	22.509	0.035	0.081	210.502	1.905	0.08	202.009	1.831	0.08	0.121	0.0	0.08	0.119	0.0
37	2105	2106	SN	1	-34.425	16.839	0.0	-33.415	19.404	0.0	0.601	21.479	0.0	2.315	22.367	0.023	0.081	185.207	0.858	0.08	146.784	0.718	0.08	0.13	0.0	0.08	0.113	0.0
38	2105	2106	NS	1	-34.58	18.756	0.0	-34.804	18.874	0.0	-28.31	21.979	0.0	-28.29	22.531	0.006	0.08	191.937	1.599	0.08	202.065	1.574	0.08	45.344	0.035	0.08	45.133	0.033
39	2106	2107	SN	1	-34.984	17.35	0.0	-34.897	16.136	0.0	0.251	22.641	0.065	4.057	22.639	0.099	0.081	210.614	5.492	0.081	206.427	4.149	0.08	0.134	0.0	0.08	0.101	0.0
40	2106	2107	NS	1	-34.909	19.879	0.0	-34.77	19.803	0.0	-23.55	23.023	0.029	-18.449	22.707	0.071	0.08	207.05	2.384	0.08	200.527	2.676	0.08	15.194	0.026	0.08	4.738	0.021
41	2107	2108	SN	1	-34.997	19.183	0.0	-34.829	19.946	0.0	0.751	23.326	0.134	1.478	23.425	0.337	0.08	211.299	6.602	0.08	203.22	5.377	0.08	0.128	0.0	0.08	0.12	0.0
42	2107	2108	NS	1	-34.739	20.24	0.0	-34.445	20.729	0.0	2.598	22.608	0.283	1.795	23.202	0.492	0.08	199.101	1.681	0.08	186.066	1.682	0.08	0.111	0.0	0.08	0.117	0.0
43	2108	2109	SN	1	-34.628	18.772	0.0	-34.656	20.051	0.0	-33.792	22.665	0.029	-31.817	23.787	0.314	0.08	194.048	4.703	0.08	195.277	4.637	0.08	160.07	0.035	0.08	101.604	0.019
44	2108	2109	NS	1	-34.963	19.175	0.0	-33.724	19.129	0.0	-3.598	23.31	0.344	1.991	23.767	0.787	0.08	209.646	1.483	0.08	157.614	1.48	0.08	0.22	0.0	0.08	0.115	0.0
45	2109	2110	NS	1	-34.95	18.984	0.0	-34.492	19.325	0.0	-5.516	23.267	0.43	-1.219	23.727	1.188	0.08	208.927	4.3	0.08	188.076	4.267	0.08	0.304	0.0	0.08	0.158	0.0
46	2109	2110	SN	1	-34.818	19.48	0.0	-34.951	20.758	0.0	-22.385	22.795	0.019	-8.652	23.315	0.302	0.08	202.713	3.885	0.08	209.051	3.668	0.08	11.635	0.042	0.08	0.554	0.0
47	2110	2111	SN	1	-34.71	18.309	0.0	-34.852	20.527	0.0	-21.515	22.805	0.023	-32.61	23.679	0.341	0.081	197.754	3.384	0.08	204.286	3.036	0.08	9.535	0.048	0.08	121.947	0.075
48	2110	2111	NS	2	-34.632	18.054	0.0	-34.094	17.321	0.0	1.277	23.225	0.153	-0.162	23.482	0.434	0.081	194.23	5.644	0.081	171.634	5.741	0.08	0.122	0.0	0.08	0.14	0.0
49	2111	2112	SN	1	-34.851	20.435	0.0	-34.878	21.121	0.0	-15.645	22.815	0.036	-8.79	23.58	0.256	0.08	204.255	2.371	0.08	205.589	2.338	0.08	2.513	0.001	0.08	0.569	0.0
50	2111	2112	NS	1	-33.877	18.159	0.0	-34.659	18.004	0.0	2.596	22.936	0.22	2.681	23.156	0.365	0.081	163.286	1.669	0.081	195.456	1.75	0.08	0.111	0.0	0.08	0.11	0.0
51	2112	2113	NS	1	-32.337	19.516	0.0	-34.957	20.088	0.0	5.045	22.983	0.273	5.05	23.451	0.44	0.08	114.535	1.714	0.08	209.346	1.783	0.08	0.097	0.0	0.08	0.097	0.0
52	2112	2113	SN	2	-34.838	19.78	0.0	-34.946	20.939	0.0	-10.116	22.919	0.072	-8.519	23.453	0.352	0.08	203.673	1.644	0.08	208.831	1.582	0.08	0.771	0.0	0.08	0.539	0.0
53	2113	2114	SN	1	-34.708	20.286	0.0	-34.954	21.301	0.0	-2.998	22.823	0.345	-2.444	23.479	1.044	0.08	197.652	1.531	0.08	209.146	1.358	0.08	0.206	0.0	0.08	0.186	0.0
54	2113	2114	NS	1	-34.803	19.882	0.0	-34.567	20.518	0.0	1.075	22.718	0.25	1.215	23.625	0.553	0.08	201.98	3.4	0.08	191.374	3.104	0.08	0.124	0.0	0.08	0.123	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors