

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-FEB-2017 To 22-FEB-2017





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 21-FEB-2017 To 22-FEB-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2144	2145	NS	1	48.706	49.353	0.0	0.003	1.809	0.194	1027.344	1090.736	0.0	-91.134	-89.988	0.0
2	2144	2145	SN	1	48.784	49.471	0.0	0.003	1.814	0.151	1045.456	1092.176	0.0	-91.383	-90.146	0.0
3	2145	2146	NS	1	48.9	49.082	0.0	100000.0	-100000.0	0.0	1048.688	1051.8	0.0	-90.493	-90.47	0.0
4	2145	2146	SN	1	48.854	49.157	0.0	0.733	1.506	0.0	1048.696	1054.288	0.0	-90.51	-90.183	0.0
5	2146	2147	SN	1	48.778	49.48	0.0	0.003	1.814	0.136	1044.608	1092.36	0.0	-91.713	-90.149	0.0
6	2146	2147	NS	1	48.712	49.412	0.0	0.003	1.809	0.181	1027.968	1091.096	0.0	-91.314	-89.948	0.0
7	2147	2148	NS	1	48.71	49.383	0.0	0.003	1.809	0.184	1027.576	1091.032	0.0	-91.429	-89.969	0.0
8	2147	2148	SN	1	48.764	49.423	0.0	0.003	1.814	0.139	1044.84	1092.28	0.0	-91.297	-90.155	0.0
9	2148	2149	NS	1	48.896	49.083	0.0	100000.0	-100000.0	0.0	1048.4	1051.592	0.0	-90.491	-90.464	0.0
10	2154	2155	SN	1	48.784	49.472	0.0	0.003	1.814	0.14	1044.904	1092.384	0.0	-91.342	-90.127	0.0
11	2155	2156	SN	1	48.759	49.47	0.0	0.003	1.814	0.138	1044.608	1092.456	0.0	-91.901	-90.133	0.0
12	2155	2156	NS	1	48.674	49.395	0.0	0.003	1.814	0.189	1027.904	1090.784	0.0	-91.374	-89.991	0.0
13	2158	2159	SN	1	48.772	49.468	0.0	0.003	6.855	0.158	1045.208	1092.76	0.0	-91.312	-90.155	0.0
14	2159	2160	SN	1	48.776	49.426	0.0	0.003	6.839	0.155	1044.368	1092.624	0.0	-91.522	-90.148	0.0
15	2159	2160	NS	1	48.709	49.355	0.0	0.003	1.814	0.188	1027.2	1091.336	0.0	-91.518	-89.963	0.0
16	2160	2161	NS	1	48.706	49.433	0.0	0.003	1.814	0.18	1027.256	1091.6	0.0	-91.412	-89.945	0.0
17	2160	2161	SN	1	48.803	49.461	0.0	0.003	1.814	0.139	1044.864	1092.8	0.0	-91.556	-90.119	0.0
18	2161	2162	SN	1	48.766	49.473	0.0	0.003	1.814	0.138	1044.056	1092.784	0.0	-91.535	-90.152	0.0
19	2161	2162	NS	1	48.711	49.41	0.0	0.003	1.814	0.18	1027.424	1091.64	0.0	-91.306	-89.951	0.0
20	2162	2163	NS	1	48.712	49.403	0.0	0.003	1.809	0.184	1028.272	1091.528	0.0	-92.013	-89.956	0.0
21	2162	2163	SN	1	48.759	49.434	0.0	0.003	1.814	0.142	1043.728	1092.672	0.0	-91.386	-90.152	0.0
22	2163	2164	SN	1	48.852	49.145	0.0	0.733	1.406	0.0	1047.904	1053.288	0.0	-90.514	-90.186	0.0
23	2164	2165	NS	1	48.704	49.359	0.0	0.003	6.133	0.202	1028.24	1091.36	0.0	-91.212	-89.987	0.0
24	2164	2165	SN	1	48.769	49.476	0.0	0.003	251.749	0.15	1044.584	1092.56	0.0	-91.4	-90.162	0.0
25	2165	2166	NS	1	48.67	49.399	0.0	0.003	1.809	0.183	1027.792	1091.424	0.0	-91.248	-89.992	0.0
26	2165	2166	SN	1	48.803	49.448	0.0	0.003	1.814	0.156	1044.688	1092.68	0.0	-91.545	-90.122	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal     
  Deviations  
 Alarming     
  High Errors

Inner																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2144	2145	NS	1	-34.956	27.125	0.361	-34.566	27.164	0.343	7.228	31.612	11.831	7.69	31.55	20.349	0.103	264.413	4.831	0.103	241.68	4.851	0.102	0.115	0.0	0.103	0.114	0.0
2	2144	2145	SN	1	-34.569	26.214	2.952	-34.784	26.889	3.7	-15.932	28.894	7.089	-12.869	28.606	6.888	0.103	241.854	4.87	0.103	254.19	3.207	0.103	3.39	0.004	0.103	1.716	0.001
3	2145	2146	NS	1	8.617	21.841	0.0	9.146	20.343	0.0	100000.0	-10000.0	0.0	100000.0	-10000.0	0.0	0.103	0.112	0.0	0.103	0.111	0.0	100000.0	-10000.0	0.0	100000.0	-10000.0	0.0
4	2145	2146	SN	1	6.753	23.275	2.011	7.492	23.758	2.464	12.013	22.093	0.04	17.053	20.893	0.0	0.103	0.117	0.0	0.103	0.115	0.0	0.103	0.107	0.0	0.103	0.104	0.0
5	2146	2147	SN	1	-34.942	26.114	0.272	-34.863	26.678	0.337	6.898	33.168	11.147	7.496	27.998	7.321	0.103	263.603	2.857	0.103	258.787	2.442	0.102	0.116	0.0	0.103	0.115	0.0
6	2146	2147	NS	1	-34.294	27.159	0.183	-34.127	27.732	0.232	-5.513	28.606	6.823	-8.62	28.934	12.686	0.103	227.059	5.294	0.103	218.453	5.96	0.103	0.386	0.0	0.103	0.697	0.0
7	2147	2148	NS	1	-34.915	27.628	0.191	-34.519	27.902	0.207	-8.805	29.03	6.933	-11.728	29.495	11.745	0.103	261.953	4.821	0.103	239.14	4.584	0.103	0.724	0.0	0.103	1.338	0.005
8	2147	2148	SN	1	-34.844	25.642	0.354	-34.739	26.572	0.37	5.641	27.569	12.054	7.262	27.924	8.59	0.103	257.708	2.955	0.103	251.543	2.122	0.103	0.121	0.0	0.103	0.115	0.0
9	2148	2149	NS	1	9.443	19.367	0.0	8.996	18.95	0.0	100000.0	-10000.0	0.0	16.021	21.553	0.0	0.103	0.11	0.0	0.103	0.111	0.0	100000.0	-10000.0	0.0	0.103	0.104	0.0
10	2154	2155	SN	1	-34.744	25.993	0.217	-34.937	27.579	0.546	-6.505	28.618	14.846	-4.687	29.936	14.565	0.103	251.824	6.922	0.103	263.287	5.653	0.103	0.462	0.0	0.103	0.335	0.0
11	2155	2156	SN	1	-34.799	27.514	0.249	-34.928	28.179	1.128	-10.903	33.528	12.379	-6.519	29.302	11.965	0.103	255.078	5.527	0.103	262.728	4.391	0.102	1.122	0.001	0.103	0.463	0.0
12	2155	2156	NS	1	-34.991	24.022	0.164	-34.151	23.951	0.286	10.786	28.569	26.007	10.907	28.954	38.624	0.103	266.57	3.074	0.103	219.717	2.951	0.103	0.108	0.0	0.103	0.108	0.0
13	2158	2159	SN	1	-34.928	24.864	1.08	-34.869	24.848	1.462	5.342	28.02	9.887	8.916	28.604	9.299	0.103	262.681	2.5	0.103	259.221	1.664	0.103	0.123	0.0	0.103	0.111	0.0
14	2159	2160	SN	1	-34.697	26.301	1.896	-34.693	26.881	2.401	-27.533	28.892	10.808	-28.078	29.887	10.472	0.103	249.113	7.008	0.103	248.842	5.556	0.103	47.932	0.104	0.103	54.32	0.182
15	2159	2160	NS	1	-34.987	27.071	0.25	-34.804	27.387	0.344	6.29	34.376	11.409	6.089	34.305	21.206	0.103	266.268	4.723	0.103	255.327	3.877	0.102	0.119	0.0	0.102	0.119	0.0
16	2160	2161	NS	1	-34.898	26.835	0.178	-34.878	27.538	0.201	-2.246	28.15	5.97	-0.552	29.964	12.546	0.103	260.906	7.84	0.103	259.76	7.919	0.103	0.231	0.0	0.103	0.187	0.0
17	2160	2161	SN	1	-34.731	26.217	1.107	-34.895	26.483	1.303	3.613	28.663	8.954	5.918	29.848	5.531	0.103	251.116	4.924	0.103	260.76	4.276	0.103	0.133	0.0	0.103	0.12	0.0
18	2161	2162	SN	1	-34.618	26.041	0.252	-34.86	26.585	0.287	6.847	27.328	13.408	7.431	28.201	10.94	0.103	244.662	2.819	0.103	258.651	1.911	0.103	0.117	0.0	0.103	0.115	0.0
19	2161	2162	NS	1	-34.988	26.982	0.117	-34.996	27.71	0.148	-6.514	29.417	7.655	-6.896	29.05	13.249	0.103	266.426	6.002	0.103	266.896	6.396	0.103	0.463	0.0	0.103	0.497	0.0
20	2162	2163	NS	1	-34.724	23.776	0.03	-34.956	24.349	0.049	-13.459	29.43	3.948	-10.281	30.756	7.497	0.103	250.631	3.514	0.103	264.435	3.954	0.103	1.954	0.003	0.103	0.983	0.0
21	2162	2163	SN	1	-34.984	25.844	0.203	-34.052	26.203	0.221	6.597	27.435	17.777	7.593	28.524	18.552	0.103	266.091	3.042	0.103	214.761	2.454	0.103	0.117	0.0	0.103	0.114	0.0
22	2163	2164	SN	1	5.194	21.084	0.0	3.36	20.982	0.0	9.315	23.973	4.711	15.772	26.465	2.199	0.103	0.123	0.0	0.103	0.135	0.0	0.103	0.11	0.0	0.103	0.104	0.0
23	2164	2165	NS	1	-34.94	25.694	1.731	-34.967	25.883	2.079	-7.837	30.133	10.204	-5.317	29.22	14.763	0.103	263.451	2.69	0.103	265.032	2.746	0.103	0.597	0.0	0.103	0.373	0.0
24	2164	2165	SN	1	-34.775	25.4	0.014	-34.886	24.859	0.014	5.501	29.964	13.742	7.845	31.76	14.951	0.103	253.58	3.578	0.103	260.241	2.716	0.103	0.122	0.0	0.102	0.114	0.0
25	2165	2166	NS	1	-34.366	26.989	1.773	-34.492	26.884	2.119	7.814	28.457	13.901	7.871	29.435	21.275	0.103	230.886	1.312	0.103	237.6	1.474	0.103	0.114	0.0	0.103	0.114	0.0
26	2165	2166	SN	1	-34.589	25.581	0.399	-34.945	26.719	0.453	7.123	31.373	10.692	6.939	33.641	10.804	0.103	242.981	4.199	0.103	263.744	4.007	0.103	0.116	0.0	0.102	0.116	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2144	2145	NS	1	57.554	58.312	0.0	0.003	1.98	0.163	1205.312	1284.256	13.922	-93.11	-92.009	0.0
2	2144	2145	SN	1	57.689	58.425	0.0	0.003	1.985	0.22	1227.48	1286.456	14.523	-93.162	-92.156	0.0
3	2145	2146	NS	1	57.778	57.974	0.0	0.618	0.634	0.0	1231.792	1236.784	0.0	-92.483	-92.455	0.0
4	2145	2146	SN	1	57.734	58.057	0.0	0.618	1.417	0.0	1231.816	1240.264	0.0	-92.503	-92.203	0.0
5	2146	2147	SN	1	57.656	58.421	0.0	0.003	1.98	0.195	1226.608	1286.672	12.37	-93.303	-92.183	0.0
6	2146	2147	NS	1	57.549	58.336	0.0	0.003	1.974	0.15	1206.16	1284.728	12.798	-93.104	-91.962	0.0
7	2147	2148	NS	1	57.556	58.33	0.0	0.003	1.974	0.154	1206.128	1284.648	12.692	-93.422	-92.001	0.0
8	2147	2148	SN	1	57.651	58.42	0.0	0.003	1.98	0.201	1226.68	1286.568	13.582	-93.175	-92.177	0.0
9	2148	2149	NS	1	57.774	57.974	0.0	0.618	0.629	0.0	1231.432	1236.536	0.0	-92.481	-92.452	0.0
10	2154	2155	SN	1	57.667	58.431	0.0	0.003	1.991	0.205	1226.568	1286.656	14.32	-93.157	-92.148	0.0
11	2155	2156	SN	1	57.655	58.423	0.0	0.003	1.985	0.205	1226.648	1286.8	14.559	-93.599	-92.161	0.0
12	2155	2156	NS	1	57.543	58.339	0.0	0.003	1.98	0.15	1205.8	1284.328	12.969	-93.34	-92.012	0.0
13	2158	2159	SN	1	57.661	58.405	0.0	0.003	10.997	0.218	1226.992	1287.176	15.307	-93.281	-92.177	0.0
14	2159	2160	SN	1	57.684	58.409	0.0	0.003	10.881	0.217	1227.088	1287.008	14.559	-93.156	-92.176	0.0
15	2159	2160	NS	1	57.541	58.315	0.0	0.003	1.98	0.156	1205.52	1285.008	13.516	-93.103	-91.988	0.0
16	2160	2161	NS	1	57.546	58.333	0.0	0.003	1.98	0.148	1205.768	1285.328	13.492	-93.322	-91.953	0.0
17	2160	2161	SN	1	57.663	58.428	0.0	0.003	1.985	0.197	1226.08	1287.216	12.782	-93.171	-92.136	0.0
18	2161	2162	SN	1	57.647	58.425	0.0	0.003	1.985	0.196	1225.768	1287.176	13.027	-93.2	-92.173	0.0
19	2161	2162	NS	1	57.562	58.338	0.0	0.003	1.98	0.15	1205.984	1285.384	13.329	-93.159	-91.969	0.0
20	2162	2163	NS	1	57.542	58.321	0.0	0.003	1.98	0.155	1206.12	1285.248	12.981	-93.096	-91.981	0.0
21	2162	2163	SN	1	57.648	58.405	0.0	0.003	1.985	0.203	1225.528	1287.032	14.11	-93.412	-92.173	0.0
22	2163	2164	SN	1	57.731	58.043	0.0	0.618	1.318	0.0	1230.824	1239.0	0.0	-92.807	-92.2	0.0
23	2164	2165	NS	1	57.535	58.319	0.0	0.0	25.882	0.204	1206.8	1285.04	12.954	-93.072	-92.008	0.0
24	2164	2165	SN	1	57.652	58.423	0.0	0.003	1.98	0.214	1225.768	1286.888	14.879	-93.174	-92.182	0.0
25	2165	2166	NS	1	57.535	58.32	0.0	0.003	1.974	0.155	1206.288	1285.104	13.4	-93.119	-92.013	0.0
26	2165	2166	SN	1	57.682	58.403	0.0	0.003	1.985	0.221	1226.624	1287.048	15.95	-93.176	-92.144	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2144	2145	NS	1	-33.922	19.966	0.0	-34.425	19.703	0.0	2.703	23.425	0.072	2.5	23.072	0.142	0.08	164.952	4.036	0.08	185.212	4.431	0.08	0.11	0.0	0.08	0.111	0.0
2	2144	2145	SN	1	-33.915	19.947	0.0	-34.303	20.574	0.0	-8.779	22.385	0.009	-6.55	22.721	0.064	0.08	164.676	4.667	0.08	180.033	3.663	0.08	0.568	0.0	0.08	0.367	0.0
3	2145	2146	NS	1	2.817	16.86	0.0	2.31	13.959	0.0	1000000	-100000	0.0	1000000	-100000	0.0	0.081	0.109	0.0	0.082	0.113	0.0	1000000	-100000	0.0	1000000	-100000	0.0
4	2145	2146	SN	1	1.188	17.104	0.0	1.113	17.884	0.0	5.054	17.848	0.0	10.934	18.488	0.0	0.081	0.123	0.0	0.081	0.124	0.0	0.081	0.097	0.0	0.081	0.084	0.0
5	2146	2147	SN	1	-34.903	19.523	0.0	-34.218	19.988	0.0	1.659	22.132	0.004	1.618	22.195	0.01	0.08	206.751	2.301	0.08	176.589	2.241	0.08	0.119	0.0	0.08	0.119	0.0
6	2146	2147	NS	1	-34.756	20.958	0.0	-34.898	21.211	0.0	-10.148	22.367	0.007	-28.065	22.668	0.041	0.08	199.838	5.446	0.08	206.518	6.421	0.08	0.755	0.0	0.08	42.871	0.011
7	2147	2148	NS	1	-34.905	20.893	0.0	-34.875	21.712	0.0	-22.649	21.811	0.0	-28.96	22.453	0.007	0.08	206.836	4.353	0.08	205.424	4.449	0.08	12.362	0.044	0.08	52.658	0.063
8	2147	2148	SN	1	-34.826	19.287	0.0	-34.541	20.261	0.0	0.559	21.688	0.0	1.775	21.654	0.0	0.08	203.075	2.862	0.08	190.188	2.612	0.08	0.13	0.0	0.08	0.117	0.0
9	2148	2149	NS	1	1.915	12.621	0.0	4.59	13.379	0.0	1000000	-100000	0.0	11.324	15.314	0.0	0.083	0.116	0.0	0.082	0.099	0.0	1000000	-100000	0.0	0.081	0.084	0.0
10	2154	2155	SN	1	-34.397	18.645	0.0	-34.971	20.275	0.0	-22.682	22.497	0.015	-18.299	23.79	0.306	0.08	184.04	6.217	0.08	210.006	5.488	0.08	12.452	0.019	0.08	4.578	0.023
11	2155	2156	SN	1	-34.894	20.447	0.0	-34.727	21.316	0.0	-29.854	22.713	0.039	-28.783	23.676	0.254	0.08	206.267	4.827	0.08	198.539	4.141	0.08	64.679	0.029	0.08	50.559	0.015
12	2155	2156	NS	1	-34.798	18.326	0.0	-34.326	18.484	0.0	5.757	23.133	0.377	5.266	23.303	0.404	0.081	201.786	2.47	0.081	181.026	2.628	0.08	0.094	0.0	0.08	0.096	0.0
13	2158	2159	SN	1	-34.639	18.895	0.0	-33.277	19.262	0.0	-23.347	23.453	0.113	-21.081	23.12	0.175	0.08	194.55	2.394	0.08	142.181	1.864	0.08	14.505	0.02	0.08	8.633	0.027
14	2159	2160	SN	1	-34.926	19.983	0.0	-34.987	20.727	0.0	-23.414	21.855	0.0	-22.541	22.559	0.054	0.08	207.821	5.952	0.08	210.726	5.041	0.08	14.725	0.032	0.08	12.341	0.062
15	2159	2160	NS	1	-34.967	19.746	0.0	-34.9	20.22	0.0	0.353	25.69	0.025	1.529	22.993	0.056	0.08	209.786	3.843	0.08	206.574	3.508	0.08	0.133	0.0	0.08	0.12	0.0
16	2160	2161	NS	1	-34.745	20.964	0.0	-34.725	21.022	0.0	-13.544	21.844	0.0	-15.047	22.927	0.026	0.08	199.361	6.01	0.08	198.46	6.494	0.08	1.573	0.002	0.08	2.198	0.002
17	2160	2161	SN	1	-34.857	19.686	0.0	-34.97	20.879	0.0	1.416	22.376	0.002	2.114	22.667	0.073	0.08	204.544	4.434	0.08	210.303	4.408	0.08	0.121	0.0	0.08	0.114	0.0
18	2161	2162	SN	1	-34.66	19.081	0.0	-34.603	20.583	0.0	1.628	21.098	0.0	1.988	21.247	0.0	0.08	195.517	2.33	0.08	192.918	1.74	0.08	0.119	0.0	0.08	0.116	0.0
19	2161	2162	NS	1	-34.86	21.026	0.0	-34.948	21.117	0.0	-14.308	21.773	0.0	-30.708	22.891	0.007	0.08	204.703	5.939	0.08	208.89	5.711	0.08	1.864	0.002	0.08	78.715	0.021
20	2162	2163	NS	1	-34.846	20.746	0.0	-34.874	21.026	0.0	-30.827	22.155	0.001	-29.713	22.492	0.001	0.08	204.044	3.528	0.08	205.314	4.188	0.08	80.908	0.106	0.08	62.626	0.127
21	2162	2163	SN	1	-34.648	19.641	0.0	-34.99	19.995	0.0	0.757	21.884	0.0	1.584	22.231	0.019	0.08	194.963	2.523	0.08	210.894	2.284	0.08	0.128	0.0	0.08	0.119	0.0
22	2163	2164	SN	1	-0.787	15.099	0.0	-20.375	15.164	0.0	9.553	18.147	0.0	10.458	18.592	0.0	0.081	0.15	0.0	0.081	7.347	0.123	0.081	0.086	0.0	0.081	0.085	0.0
23	2164	2165	NS	1	-34.829	20.436	0.0	-34.284	20.518	0.0	-24.711	22.621	0.055	-13.904	23.078	0.103	0.08	203.217	2.598	0.08	179.259	2.73	0.08	19.839	0.028	0.08	1.704	0.002
24	2164	2165	SN	1	-34.813	18.323	0.0	-34.816	18.444	0.0	0.964	22.763	0.065	3.852	23.029	0.091	0.081	202.536	2.367	0.081	202.664	2.089	0.08	0.126	0.0	0.08	0.102	0.0
25	2165	2166	NS	1	-34.818	19.94	0.0	-34.58	20.634	0.0	2.206	22.877	0.316	2.072	22.97	0.396	0.08	202.717	1.755	0.08	191.924	1.855	0.08	0.114	0.0	0.08	0.115	0.0
26	2165	2166	SN	1	-34.722	19.316	0.0	-34.484	19.78	0.0	0.791	24.036	0.14	1.611	28.447	0.339	0.08	198.284	4.473	0.08	187.719	4.355	0.08	0.128	0.0	0.08	0.119	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors