

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-AUG-2018 To 02-AUG-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-AUG-2018 To 02-AUG-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9770	9771	SN	1	48.722	49.29	0.0	0.003	6.033	2.458	1023.76	1068.712	1.995	-91.35	-89.735	0.0
2	9770	9771	NS	1	48.809	49.447	0.0	0.003	16.313	2.708	1050.936	1074.232	0.0	-91.652	-90.049	0.0
3	9772	9773	SN	1	48.665	49.29	0.0	0.003	6.028	2.339	1024.0	1069.208	2.763	-91.925	-89.781	0.0
4	9774	9775	NS	1	48.806	49.423	0.0	0.0	268.09	2.742	1052.232	1073.952	0.0	-91.731	-90.044	0.0
5	9775	9776	SN	1	48.656	49.289	0.0	0.003	6.105	2.577	1023.184	1070.312	2.09	-91.568	-89.783	0.0
6	9775	9776	SN	2	48.657	49.288	0.0	0.003	6.105	2.576	1023.192	1070.32	2.071	-91.568	-89.783	0.0
7	9776	9777	SN	1	48.704	49.288	0.0	0.003	282.368	2.678	1023.88	1070.36	1.111	-92.398	-89.75	0.0
8	9776	9777	NS	1	48.802	49.49	0.0	0.003	18.707	2.629	1051.72	1074.024	0.0	-92.083	-90.052	0.0
9	9776	9777	SN	1	48.704	49.288	0.0	0.003	282.368	1.654	1023.88	1065.744	1.186	-91.448	-89.75	0.0
10	9777	9778	SN	1	48.723	49.289	0.0	0.003	6.022	1.55	1023.936	1065.824	0.59	-91.53	-89.771	0.0
11	9777	9778	NS	1	48.805	49.485	0.0	0.003	209.984	2.642	1051.816	1073.512	0.0	-92.059	-90.046	0.0
12	9777	9778	SN	1	48.723	49.289	0.0	0.003	6.105	2.626	1023.936	1070.544	0.542	-92.646	-89.771	0.0
13	9777	9778	NS	1	48.799	49.487	0.0	0.003	209.984	2.631	1051.816	1073.512	0.0	-91.74	-90.046	0.0
14	9777	9778	SN	2	48.724	49.303	0.0	0.003	214.142	2.628	1023.8	1070.544	0.519	-92.646	-89.772	0.0
15	9778	9779	NS	1	48.802	49.46	0.0	0.0	267.273	2.799	1051.856	1074.456	0.0	-91.698	-90.036	0.0
16	9778	9779	SN	1	48.723	49.33	0.0	0.0	216.199	2.553	1023.776	1070.784	0.429	-91.997	-89.79	0.0
17	9779	9780	NS	1	48.848	49.485	0.0	0.003	267.301	2.619	1051.248	1074.944	0.0	-94.595	-90.048	0.0
18	9784	9785	SN	1	48.724	49.29	0.0	0.003	27.97	2.016	1025.016	1067.816	0.0	-91.372	-89.774	0.0
19	9784	9785	SN	1	48.724	49.29	0.0	0.003	27.97	2.727	1025.016	1070.816	0.0	-91.525	-89.774	0.0
20	9784	9785	SN	2	48.724	49.29	0.0	0.003	27.97	2.727	1025.016	1070.816	0.0	-91.525	-89.774	0.0
21	9785	9786	SN	1	48.665	49.309	0.0	0.003	6.011	2.442	1024.128	1069.944	0.26	-91.494	-89.781	0.0
22	9785	9786	SN	1	48.665	49.309	0.0	0.003	6.105	2.626	1024.128	1070.864	0.255	-91.519	-89.781	0.0
23	9785	9786	NS	1	48.861	49.423	0.0	0.0	266.419	2.699	1050.496	1073.912	0.0	-91.763	-90.032	0.0
24	9789	9790	SN	1	48.702	49.325	0.0	0.0	215.719	1.979	1024.536	1068.44	0.276	-92.085	-89.79	0.0
25	9789	9790	NS	1	48.81	49.461	0.0	0.003	210.954	2.607	1050.512	1074.464	0.0	-92.117	-90.046	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

Inner																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9770	9771	SN	1	-33.234	26.067	0.504	-33.517	26.954	0.923	-28.65	36.383	17.046	-34.314	30.25	22.179	0.116	204.148	1.198	0.116	217.873	0.938	0.116	71.096	0.101	0.116	261.68	0.13
2	9770	9771	NS	1	-34.159	27.981	0.026	-34.957	27.611	0.023	-1.612	29.675	17.132	-0.122	31.766	29.152	0.116	252.521	2.603	0.116	303.557	2.537	0.116	0.241	0.0	0.116	0.203	0.0
3	9772	9773	SN	1	-34.334	23.781	0.016	-34.632	23.471	0.023	5.017	29.127	17.586	7.961	29.751	9.032	0.116	262.896	2.975	0.116	281.618	2.199	0.116	0.141	0.0	0.116	0.128	0.0
4	9774	9775	NS	1	-34.62	21.627	0.0	-34.991	21.958	0.0	-15.262	29.382	8.471	-21.259	29.656	16.652	0.116	280.804	8.089	0.116	305.93	7.473	0.116	3.345	0.021	0.116	13.037	0.011
5	9775	9776	SN	1	-34.786	21.596	0.0	-34.996	22.899	0.011	-2.413	28.128	14.571	-1.65	29.744	13.909	0.116	291.714	6.868	0.116	306.278	6.065	0.116	0.268	0.0	0.116	0.242	0.0
6	9775	9776	SN	2	-34.786	21.596	0.0	-34.996	22.899	0.011	-2.413	28.128	14.571	-1.65	29.744	13.906	0.116	291.714	6.867	0.116	306.278	6.065	0.116	0.268	0.0	0.116	0.242	0.0
7	9776	9777	SN	1	-34.388	24.916	0.037	-34.324	24.325	0.157	-19.425	32.073	12.456	-15.692	33.649	13.865	0.116	266.209	4.846	0.116	262.379	5.598	0.116	8.578	0.013	0.116	3.684	0.017
8	9776	9777	NS	1	-34.998	26.132	0.164	-34.116	26.927	0.349	7.191	28.886	15.822	-8.429	29.703	24.971	0.116	306.306	4.911	0.116	262.945	3.862	0.116	0.13	0.0	0.116	0.767	0.0
9	9776	9777	SN	1	-34.388	24.916	0.04	-34.324	24.325	0.051	-19.425	32.073	13.12	-15.692	33.649	13.894	0.116	266.209	4.482	0.116	262.379	4.536	0.116	8.578	0.014	0.116	3.684	0.017
10	9777	9778	SN	1	-31.668	25.888	0.048	-29.756	25.388	0.056	-15.997	31.488	21.378	-16.412	31.511	25.235	0.116	142.394	0.518	0.116	91.71	0.585	0.116	3.944	0.006	0.116	4.332	0.003
11	9777	9778	NS	1	-34.934	24.112	0.08	-34.761	24.316	0.077	2.559	31.502	14.611	1.272	30.948	26.194	0.116	301.848	7.544	0.116	290.051	6.109	0.116	0.161	0.0	0.116	0.177	0.0
12	9777	9778	SN	1	-34.436	25.888	0.043	-34.977	25.388	0.204	-19.636	31.488	19.895	-16.175	31.511	24.989	0.116	269.158	2.916	0.116	304.934	3.432	0.116	8.999	0.007	0.116	4.107	0.003
13	9777	9778	NS	1	-34.832	24.137	0.079	-34.977	24.316	0.077	2.561	31.502	14.611	1.272	30.946	26.196	0.116	294.862	7.532	0.116	304.877	6.07	0.116	0.161	0.0	0.116	0.177	0.0
14	9777	9778	SN	2	-34.188	25.888	0.043	-34.837	25.388	0.204	-19.636	31.488	19.895	-16.175	31.511	24.988	0.116	254.257	2.914	0.116	295.204	3.431	0.116	8.999	0.007	0.116	4.107	0.003
15	9778	9779	NS	1	-34.98	27.452	0.038	-34.018	27.803	0.074	-12.444	28.275	17.98	-17.274	29.86	32.542	0.116	305.127	3.837	0.116	244.51	2.593	0.116	1.792	0.003	0.116	5.262	0.023
16	9778	9779	SN	1	-34.9	26.901	0.081	-34.85	25.572	0.213	-3.966	29.222	18.568	-1.278	31.783	20.838	0.116	299.518	2.765	0.116	296.115	2.757	0.116	0.339	0.0	0.116	0.231	0.0
17	9779	9780	NS	1	-34.929	22.673	0.019	-34.134	22.879	0.002	-19.687	30.996	9.759	-22.858	33.023	20.619	0.116	301.559	2.809	0.116	251.174	2.336	0.116	9.106	0.063	0.116	18.799	0.072
18	9784	9785	SN	1	-34.311	25.77	0.268	-30.865	25.919	0.711	-22.273	28.614	14.796	-14.647	32.378	21.121	0.116	261.494	2.108	0.116	118.377	2.202	0.116	16.444	0.008	0.116	2.914	0.005
19	9784	9785	SN	1	-34.311	25.77	0.254	-33.238	25.919	0.638	-22.273	28.614	14.692	-14.647	32.378	21.121	0.116	261.494	2.003	0.116	204.314	1.986	0.116	16.444	0.008	0.116	2.914	0.005
20	9784	9785	SN	2	-34.311	25.77	0.254	-33.238	25.919	0.638	-22.273	28.614	14.692	-14.647	32.378	21.121	0.116	261.494	2.002	0.116	204.314	1.986	0.116	16.444	0.008	0.116	2.914	0.005
21	9785	9786	SN	1	-34.906	26.934	0.117	-34.405	27.246	0.156	-28.591	30.826	13.337	-25.024	30.778	10.711	0.116	299.96	2.46	0.116	267.31	1.857	0.116	70.143	0.045	0.116	30.902	0.039
22	9785	9786	SN	1	-34.906	26.934	0.113	-34.405	27.246	0.151	-29.035	30.826	13.337	-24.894	30.778	10.711	0.116	299.96	2.391	0.116	267.31	1.807	0.116	77.682	0.045	0.116	29.988	0.039
23	9785	9786	NS	1	-32.72	26.018	0.018	-29.394	27.902	0.018	-23.062	34.265	15.303	-27.428	34.879	29.823	0.116	181.389	0.392	0.116	84.381	0.319	0.116	19.702	0.037	0.116	53.682	0.031
24	9789	9790	SN	1	-34.877	23.574	0.003	-34.748	23.416	0.002	6.533	28.779	16.965	-0.778	29.567	17.347	0.116	297.971	6.252	0.116	289.286	5.815	0.116	0.133	0.0	0.116	0.218	0.0
25	9789	9790	NS	1	-34.454	22.269	0.001	-34.782	22.652	0.008	-20.55	28.496	7.412	-12.54	29.936	13.856	0.116	270.306	4.303	0.116	291.494	3.964	0.116	11.088	0.006	0.116	1.829	0.004

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9770	9771	SN	1	57.452	58.092	0.0	0.003	292.67	3.47	1199.528	1255.216	28.962	-92.899	-91.792	0.0
2	9770	9771	NS	1	57.646	58.266	0.0	0.0	299.983	3.653	1233.288	1261.608	0.0	-93.697	-92.092	0.0
3	9772	9773	SN	1	57.458	58.092	0.0	0.003	298.284	3.18	1198.936	1255.856	29.0	-92.946	-91.836	0.0
4	9774	9775	NS	1	57.656	58.44	0.0	0.0	297.948	3.772	1234.192	1266.312	0.0	-95.556	-92.094	0.0
5	9775	9776	SN	1	57.446	58.102	0.0	0.0	297.672	3.681	1199.096	1257.224	27.824	-93.021	-91.837	0.0
6	9775	9776	SN	2	57.447	58.101	0.0	0.0	297.606	3.68	1199.168	1257.224	27.815	-93.021	-91.838	0.0
7	9776	9777	SN	1	57.459	58.308	0.0	0.0	295.025	3.82	1199.792	1262.944	25.701	-95.672	-91.804	0.0
8	9776	9777	NS	1	57.648	58.301	0.0	0.0	296.431	3.58	1233.832	1262.48	0.0	-93.698	-92.106	0.0
9	9776	9777	SN	1	57.47	58.091	0.0	0.0	295.025	2.683	1199.792	1251.744	27.522	-92.79	-91.804	0.0
10	9777	9778	SN	1	57.483	58.092	0.0	0.0	299.862	2.264	1199.912	1251.232	26.372	-92.829	-91.836	0.0
11	9777	9778	NS	1	57.643	58.288	0.0	0.0	299.321	3.573	1233.504	1261.856	0.0	-93.699	-92.1	0.0
12	9777	9778	SN	1	57.483	58.092	0.0	0.0	299.862	3.746	1199.912	1257.496	24.144	-93.008	-91.836	0.0
13	9777	9778	NS	1	57.643	58.303	0.0	0.0	299.321	3.572	1232.968	1261.856	0.0	-94.046	-92.1	0.0
14	9777	9778	SN	2	57.484	58.091	0.0	0.0	299.812	3.747	1200.128	1257.496	24.139	-93.034	-91.836	0.0
15	9778	9779	NS	1	57.643	58.278	0.0	0.0	296.542	3.885	1233.8	1262.584	0.0	-93.7	-92.063	0.0
16	9778	9779	SN	1	57.483	58.092	0.0	0.0	298.174	3.657	1199.84	1257.792	26.09	-94.244	-91.844	0.0
17	9779	9780	NS	1	57.557	58.297	0.0	0.0	297.11	3.66	1233.68	1263.192	0.0	-95.112	-92.096	0.0
18	9784	9785	SN	1	57.484	58.093	0.0	0.0	298.577	3.121	1200.72	1254.168	28.12	-92.896	-91.825	0.0
19	9784	9785	SN	1	57.484	58.093	0.0	0.0	298.577	3.933	1200.72	1257.848	27.007	-92.909	-91.825	0.0
20	9784	9785	SN	2	57.484	58.093	0.0	0.0	298.577	3.932	1200.72	1257.848	27.004	-92.909	-91.825	0.0
21	9785	9786	SN	1	57.454	58.112	0.0	0.006	296.492	3.32	1200.52	1256.736	26.279	-92.934	-91.83	0.0
22	9785	9786	SN	1	57.454	58.112	0.0	0.0	296.492	3.787	1200.52	1257.904	25.842	-92.847	-91.83	0.0
23	9785	9786	NS	1	57.672	58.267	0.0	0.0	294.148	3.641	1233.088	1262.792	0.0	-93.704	-92.09	0.0
24	9789	9790	SN	1	57.251	58.088	0.0	0.0	295.709	2.943	1199.88	1254.952	26.787	-94.054	-91.843	0.0
25	9789	9790	NS	1	57.644	58.44	0.0	0.003	294.142	3.601	1232.688	1267.112	0.0	-95.555	-92.094	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal	■ Deviations
■ Alarming	■ High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9770	9771	SN	1	-34.976	21.186	0.0	-34.858	21.426	0.0	-33.132	23.549	0.148	-26.218	23.363	0.151	0.086	232.965	1.725	0.086	226.755	1.578	0.086	152.413	0.084	0.086	31.073	0.075
2	9770	9771	NS	1	-34.868	21.49	0.0	-34.369	21.514	0.0	2.301	23.202	0.07	2.601	23.672	0.45	0.086	227.22	2.214	0.086	202.621	2.478	0.086	0.122	0.0	0.086	0.119	0.0
3	9772	9773	SN	1	-34.946	18.184	0.0	-34.56	17.067	0.0	1.399	23.134	0.236	3.099	23.405	0.228	0.086	231.356	3.087	0.087	211.676	2.645	0.086	0.131	0.0	0.086	0.115	0.0
4	9774	9775	NS	1	-34.501	15.63	0.0	-34.993	15.747	0.0	-26.625	23.176	0.038	-24.212	23.581	0.13	0.087	208.875	6.27	0.087	233.879	6.537	0.086	34.109	0.054	0.086	19.596	0.038
5	9775	9776	SN	1	-34.939	16.601	0.0	-34.999	16.736	0.0	1.216	22.812	0.123	3.707	22.478	0.084	0.087	231.019	6.241	0.087	234.257	5.854	0.086	0.133	0.0	0.086	0.111	0.0
6	9775	9776	SN	2	-34.776	16.601	0.0	-34.939	16.736	0.0	1.216	22.812	0.123	3.707	22.478	0.084	0.087	222.523	6.239	0.087	230.955	5.856	0.086	0.133	0.0	0.086	0.111	0.0
7	9776	9777	SN	1	-34.917	18.563	0.0	-34.81	18.82	0.0	-20.466	23.816	0.808	-5.28	23.936	1.338	0.086	229.827	5.18	0.086	224.248	6.483	0.086	8.309	0.012	0.086	0.319	0.0
8	9776	9777	NS	1	-34.962	21.063	0.0	-34.676	20.798	0.0	0.556	22.911	0.186	2.18	23.569	0.958	0.086	232.238	3.785	0.086	217.448	2.878	0.086	0.141	0.0	0.086	0.123	0.0
9	9776	9777	SN	1	-34.917	18.563	0.0	-34.971	18.82	0.0	-20.473	23.816	0.865	-5.28	23.936	1.342	0.086	229.827	4.902	0.086	232.737	5.073	0.086	8.321	0.013	0.086	0.319	0.0
10	9777	9778	SN	1	-33.316	18.807	0.0	-33.594	18.106	0.0	-22.738	23.772	0.71	-18.178	24.81	1.265	0.086	158.96	0.538	0.086	169.528	0.829	0.086	13.975	0.003	0.086	4.934	0.006
11	9777	9778	NS	1	-34.696	20.787	0.0	-34.88	21.466	0.0	-1.262	23.13	0.084	-12.312	24.195	0.789	0.086	218.391	7.24	0.086	227.852	5.692	0.086	0.172	0.0	0.086	1.326	0.002
12	9777	9778	SN	1	-34.136	18.807	0.0	-34.968	18.106	0.0	-27.597	23.772	0.65	-18.178	24.81	1.256	0.086	191.99	1.961	0.086	232.568	3.08	0.086	42.646	0.003	0.086	4.933	0.006
13	9777	9778	NS	1	-34.767	20.787	0.0	-34.73	21.466	0.0	-1.262	23.13	0.084	-12.278	24.194	0.791	0.086	222.031	7.221	0.086	220.17	5.699	0.086	0.172	0.0	0.086	1.317	0.002
14	9777	9778	SN	2	-33.704	18.806	0.0	-34.968	18.105	0.0	-27.433	23.772	0.65	-18.178	24.81	1.256	0.086	173.831	1.965	0.086	232.568	3.08	0.086	41.078	0.003	0.086	4.933	0.006
15	9778	9779	NS	1	-34.956	20.523	0.0	-34.987	20.704	0.0	-25.443	21.415	0.0	-23.042	24.619	2.221	0.086	231.858	4.234	0.086	233.562	3.169	0.086	25.998	0.066	0.086	14.987	0.044
16	9778	9779	SN	1	-34.979	20.114	0.0	-34.843	19.715	0.0	-13.039	23.906	0.595	-5.502	24.134	0.533	0.086	233.101	2.348	0.086	225.932	2.257	0.086	1.556	0.007	0.086	0.332	0.0
17	9779	9780	NS	1	-34.767	16.856	0.0	-34.946	17.226	0.0	-34.945	22.969	0.021	-29.956	24.71	2.294	0.087	221.996	2.348	0.087	231.365	1.998	0.086	231.345	0.119	0.086	73.381	0.098
18	9784	9785	SN	1	-34.216	21.906	0.0	-34.244	21.409	0.0	-11.3	23.59	0.076	-12.572	23.362	0.038	0.086	195.585	2.925	0.086	196.82	2.742	0.086	1.064	0.002	0.086	1.404	0.005
19	9784	9785	SN	1	-34.857	21.906	0.0	-34.431	21.409	0.0	-11.3	23.59	0.075	-12.572	23.362	0.038	0.086	226.631	2.837	0.086	205.526	2.464	0.086	1.064	0.001	0.086	1.404	0.005
20	9784	9785	SN	2	-34.857	22.204	0.002	-34.431	21.852	0.0	-11.3	23.59	0.075	-12.572	23.362	0.038	0.086	226.631	2.837	0.086	205.526	2.464	0.086	1.064	0.001	0.086	1.404	0.005
21	9785	9786	SN	1	-34.26	21.142	0.0	-33.039	22.122	0.001	-29.294	23.014	0.142	-19.761	23.697	0.151	0.086	197.548	2.247	0.086	149.152	1.682	0.086	63.008	0.046	0.086	7.073	0.029
22	9785	9786	SN	1	-34.26	21.142	0.0	-33.039	22.122	0.001	-29.17	23.014	0.142	-19.761	23.697	0.151	0.086	197.548	2.181	0.086	149.152	1.637	0.086	61.236	0.046	0.086	7.073	0.029
23	9785	9786	NS	1	-33.257	20.09	0.0	-31.099	21.807	0.0	-12.564	23.436	0.027	-24.944	23.572	0.266	0.086	156.86	0.353	0.086	95.446	0.389	0.086	1.402	0.002	0.086	23.183	0.002
24	9789	9790	SN	1	-34.953	16.765	0.0	-34.906	17.028	0.0	1.085	22.921	0.151	3.353	23.187	0.519	0.087	231.767	5.196	0.087	229.297	5.053	0.086	0.134	0.0	0.086	0.113	0.0
25	9789	9790	NS	1	-34.987	16.108	0.0	-34.926	16.108	0.0	-11.8	22.986	0.12	-15.904	23.462	0.23	0.087	233.512	3.334	0.087	230.35	3.269	0.086	1.186	0.004	0.086	2.948	0.017

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		