

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-AUG-2018 To 06-AUG-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 05-AUG-2018 To 06-AUG-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9828	9829	SN	1	48.69	49.288	0.0	0.003	28.827	2.451	1027.336	1071.616	0.0	-91.571	-89.761	0.0
2	9828	9829	SN	1	48.69	49.288	0.0	0.003	28.827	2.752	1027.336	1072.728	0.0	-91.38	-89.761	0.0
3	9828	9829	NS	1	48.794	49.421	0.0	0.0	43.058	2.803	1047.592	1074.76	0.0	-91.642	-90.014	0.0
4	9828	9829	SN	1	48.69	49.288	0.0	0.003	28.827	2.749	1027.336	1072.728	0.0	-91.534	-89.761	0.0
5	9829	9830	NS	2	48.857	49.422	0.0	0.003	41.928	2.572	1047.864	1074.856	0.0	-91.6	-90.025	0.0
6	9829	9830	NS	1	48.857	49.422	0.0	0.003	41.928	2.571	1047.864	1074.856	0.0	-91.532	-90.025	0.0
7	9829	9830	SN	1	48.668	49.288	0.0	0.003	280.724	2.392	1027.2	1072.016	0.0	-91.438	-89.81	0.0
8	9829	9830	SN	1	48.668	49.288	0.0	0.003	28.827	2.547	1027.208	1072.624	0.0	-91.438	-89.81	0.0
9	9829	9830	SN	1	48.668	49.288	0.0	0.003	28.827	2.388	1027.208	1072.008	0.0	-91.598	-89.81	0.0
10	9830	9831	SN	1	48.67	49.294	0.0	0.003	6.138	2.509	1027.104	1072.584	0.0	-91.543	-89.812	0.0
11	9830	9831	SN	1	48.67	49.289	0.0	0.003	5.945	2.336	1027.104	1071.952	0.0	-91.567	-89.812	0.0
12	9830	9831	NS	1	48.857	49.421	0.0	0.0	266.529	2.653	1048.024	1074.824	0.0	-91.521	-90.027	0.0
13	9831	9832	SN	1	48.708	49.339	0.0	0.003	5.945	2.246	1026.144	1071.544	0.0	-91.684	-89.806	0.0
14	9831	9832	SN	1	48.708	49.339	0.0	0.003	6.149	2.54	1026.144	1072.648	0.0	-91.648	-89.806	0.0
15	9831	9832	NS	1	48.858	49.422	0.0	0.003	42.981	2.615	1048.568	1075.12	0.0	-91.73	-90.019	0.0
16	9832	9833	SN	1	48.715	49.304	0.0	0.003	282.892	2.076	1026.288	1071.0	0.0	-91.565	-89.806	0.0
17	9832	9833	NS	1	48.799	49.422	0.0	0.0	266.358	2.746	1048.896	1074.848	0.0	-91.737	-90.01	0.0
18	9832	9833	SN	1	48.715	49.304	0.0	0.003	282.892	2.545	1026.288	1072.736	0.0	-91.622	-89.806	0.0
19	9833	9834	SN	1	48.663	49.325	0.0	0.003	5.956	1.854	1026.616	1070.152	0.0	-91.573	-89.807	0.0
20	9833	9834	NS	1	48.813	49.453	0.0	0.003	210.668	2.64	1048.28	1075.528	0.0	-91.98	-90.025	0.0
21	9842	9843	SN	1	48.728	49.354	0.0	0.003	5.94	2.011	1028.2	1070.776	0.0	-91.57	-89.801	0.0
22	9842	9843	SN	1	48.728	49.354	0.0	0.0	98.305	2.765	1028.2	1073.184	0.0	-91.483	-89.801	0.0
23	9842	9843	SN	1	48.728	49.354	0.0	0.0	98.305	2.763	1028.2	1073.184	0.0	-91.483	-89.801	0.0
24	9843	9844	NS	1	48.808	49.42	0.0	0.003	15.602	2.566	1047.816	1075.504	0.0	-91.719	-89.998	0.0
25	9843	9844	SN	1	48.692	49.314	0.0	0.003	5.934	2.433	1028.016	1072.52	0.0	-91.537	-89.813	0.0
26	9843	9844	SN	1	48.692	49.568	0.0	0.003	6.138	2.605	1028.048	1078.448	0.0	-93.973	-89.813	0.0
27	9843	9844	SN	1	48.692	49.567	0.0	0.003	6.138	2.608	1028.016	1078.44	0.0	-93.973	-89.813	0.0
28	9844	9845	SN	1	48.669	49.352	0.0	0.003	29.081	2.368	1027.952	1072.56	0.0	-91.602	-89.815	0.0
29	9844	9845	SN	1	48.674	49.35	0.0	0.003	29.081	2.38	1027.952	1072.56	0.0	-91.572	-89.815	0.0
30	9844	9845	SN	2	48.674	49.35	0.0	0.003	29.081	2.38	1027.952	1072.56	0.0	-91.572	-89.815	0.0
31	9844	9845	NS	1	48.856	49.42	0.0	0.003	267.93	2.54	1047.12	1075.104	0.0	-91.75	-90.009	0.0
32	9844	9845	SN	3	48.674	49.35	0.0	0.003	29.081	2.38	1027.952	1072.56	0.0	-91.572	-89.815	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal     
  Deviations  
 Alarming     
  High Errors

33	9844	9845	NS	2	48.857	49.42	0.0	0.003	267.93	2.539	1047.128	1075.112	0.0	-91.75	-90.009	0.0
34	9845	9846	SN	1	48.668	49.328	0.0	0.003	215.791	2.546	1027.88	1073.144	0.0	-91.664	-89.812	0.0
35	9845	9846	NS	1	48.85	49.42	0.0	0.003	267.356	2.565	1047.456	1075.08	0.0	-91.664	-90.019	0.0
36	9845	9846	NS	2	48.85	49.42	0.0	0.003	267.356	2.565	1047.456	1075.08	0.0	-91.664	-90.019	0.0
37	9845	9846	SN	2	48.668	49.328	0.0	0.003	215.791	2.546	1027.88	1073.144	0.0	-91.664	-89.812	0.0
38	9845	9846	SN	1	48.668	49.328	0.0	0.003	215.791	2.307	1027.88	1072.328	0.0	-91.611	-89.812	0.0
39	9846	9847	SN	1	48.679	49.434	0.0	0.003	281.866	2.535	1027.312	1076.144	0.0	-93.312	-89.814	0.0
40	9846	9847	NS	2	48.831	49.443	0.0	0.003	210.061	2.679	1047.992	1075.336	0.0	-91.724	-89.984	0.0
41	9846	9847	SN	1	48.679	49.323	0.0	0.003	281.866	2.167	1027.312	1071.88	0.0	-91.628	-89.814	0.0
42	9846	9847	NS	1	48.831	49.443	0.0	0.003	210.061	2.679	1047.992	1075.336	0.0	-91.724	-89.984	0.0
43	9847	9848	NS	1	48.795	49.436	0.0	0.003	207.176	2.67	1046.912	1075.36	0.0	-92.061	-90.018	0.0
44	9847	9848	NS	1	48.796	49.435	0.0	0.003	42.976	2.671	1046.936	1075.344	0.0	-92.061	-90.018	0.0
45	9847	9848	SN	1	48.687	49.367	0.0	0.003	215.262	2.553	1026.992	1075.024	0.0	-92.374	-89.815	0.0
46	9847	9848	SN	1	48.687	49.289	0.0	0.003	215.262	2.484	1026.992	1073.104	0.0	-91.63	-89.815	0.0
47	9848	9849	SN	2	48.69	49.288	0.0	0.003	282.583	2.223	1027.72	1071.936	0.0	-91.438	-89.804	0.0
48	9848	9849	NS	1	48.812	49.423	0.0	0.008	264.687	2.619	1047.704	1075.768	0.0	-91.714	-90.016	0.0
49	9848	9849	SN	3	48.691	49.286	0.0	0.003	216.089	2.222	1027.752	1071.936	0.0	-91.437	-89.804	0.0
50	9848	9849	NS	1	48.812	49.423	0.0	0.008	264.687	2.621	1047.704	1075.768	0.0	-91.714	-90.016	0.0
51	9848	9849	SN	1	48.69	49.288	0.0	0.003	282.583	2.223	1027.72	1071.936	0.0	-91.438	-89.804	0.0
52	9849	9850	NS	1	48.794	49.422	0.0	0.003	264.102	2.524	1047.528	1075.648	0.0	-91.753	-90.008	0.0
53	9849	9850	SN	1	48.723	49.309	0.0	0.003	5.929	1.739	1028.24	1070.16	0.0	-91.609	-89.808	0.0
54	9849	9850	SN	1	48.723	49.545	0.0	0.003	6.16	2.677	1028.24	1078.208	0.0	-93.992	-89.808	0.0
55	9850	9851	NS	1	48.801	49.468	0.0	0.003	264.731	2.683	1047.536	1075.208	0.0	-93.32	-89.955	0.0
56	9850	9851	SN	1	48.736	49.481	0.0	0.003	6.166	2.584	1028.736	1077.28	0.0	-94.161	-89.796	0.0
57	9851	9852	SN	1	48.683	49.306	0.0	0.003	281.276	2.558	1028.768	1073.712	0.0	-91.61	-89.824	0.0
58	9851	9852	NS	1	48.841	49.436	0.0	0.003	267.693	2.658	1047.504	1075.384	0.0	-91.631	-90.01	0.0
59	9852	9853	NS	1	48.804	49.42	0.0	0.0	42.926	2.771	1047.368	1075.432	0.0	-91.576	-90.011	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9828	9829	SN	1	-32.078	26.726	0.593	-32.471	27.65	1.046	-33.967	34.39	16.573	-32.148	29.656	20.521	0.116	156.479	1.219	0.116	171.273	1.107	0.116	241.647	0.036	0.116	159.008	0.02
2	9828	9829	SN	1	-34.847	26.726	0.558	-32.471	27.65	0.987	-33.232	34.39	16.573	-30.414	29.656	20.521	0.116	295.886	1.151	0.116	171.273	1.047	0.116	204.025	0.036	0.116	106.668	0.02
3	9828	9829	NS	1	-34.629	27.244	0.028	-33.967	27.775	0.04	-1.681	30.47	17.967	0.368	31.581	30.433	0.116	281.459	3.514	0.116	241.637	3.29	0.116	0.243	0.0	0.116	0.193	0.0
4	9828	9829	SN	1	-32.188	26.726	0.558	-32.383	27.65	0.987	-31.566	34.39	16.543	-30.98	29.656	20.476	0.116	160.471	1.149	0.116	167.827	1.047	0.116	139.082	0.037	0.116	121.517	0.02
5	9829	9830	NS	2	-33.518	26.459	0.037	-34.323	26.821	0.027	-6.486	35.868	13.852	-10.457	33.646	25.762	0.116	217.974	0.81	0.116	262.301	0.514	0.116	0.526	0.0	0.116	1.168	0.002
6	9829	9830	NS	1	-33.518	26.459	0.037	-34.323	26.821	0.027	-6.486	35.868	13.852	-10.457	33.646	25.764	0.116	217.974	0.81	0.116	262.301	0.514	0.116	0.526	0.0	0.116	1.168	0.002
7	9829	9830	SN	1	-34.939	27.421	0.049	-33.305	27.542	0.07	-20.214	30.554	11.112	-20.036	30.08	6.867	0.116	302.205	2.369	0.116	207.527	1.947	0.116	10.271	0.018	0.116	9.859	0.024
8	9829	9830	SN	1	-34.939	27.421	0.048	-34.376	27.542	0.068	-20.723	30.554	11.081	-20.036	30.08	6.846	0.116	302.205	2.315	0.116	265.434	1.922	0.116	11.534	0.017	0.116	9.859	0.024
9	9829	9830	SN	1	-34.939	27.421	0.049	-34.376	27.542	0.07	-20.723	30.554	11.081	-20.036	30.08	6.846	0.116	302.205	2.37	0.116	265.434	1.95	0.116	11.534	0.017	0.116	9.859	0.024
10	9830	9831	SN	1	-34.79	22.947	0.013	-34.371	23.522	0.024	-0.202	28.826	17.475	1.337	30.289	8.789	0.116	292.042	3.203	0.116	265.218	2.532	0.116	0.204	0.0	0.116	0.176	0.0
11	9830	9831	SN	1	-34.79	22.947	0.013	-34.371	23.522	0.025	5.727	28.826	17.478	7.055	30.289	8.809	0.116	292.042	3.256	0.116	265.218	2.567	0.116	0.137	0.0	0.116	0.131	0.0
12	9830	9831	NS	1	-33.571	23.92	0.004	-34.895	23.499	0.004	-25.81	29.099	11.005	-4.044	30.739	20.282	0.116	220.574	2.379	0.116	299.199	1.903	0.116	37.014	0.004	0.116	0.343	0.0
13	9831	9832	SN	1	-33.777	23.38	0.007	-34.221	23.82	0.044	3.872	28.091	15.306	-0.372	28.132	9.218	0.116	231.275	3.017	0.116	256.189	2.33	0.116	0.148	0.0	0.116	0.208	0.0
14	9831	9832	SN	1	-34.51	23.38	0.007	-34.219	23.82	0.043	0.107	28.091	15.29	-0.354	28.132	9.062	0.116	273.876	2.952	0.116	256.053	2.283	0.116	0.198	0.0	0.116	0.208	0.0
15	9831	9832	NS	1	-34.759	22.195	0.002	-33.418	21.692	0.0	-12.397	31.177	6.509	-12.589	30.352	12.681	0.116	289.962	2.047	0.116	212.996	1.713	0.116	1.774	0.001	0.116	1.849	0.001
16	9832	9833	SN	1	-34.971	23.238	0.007	-34.595	23.864	0.015	7.062	29.056	16.74	8.421	29.596	18.004	0.116	304.493	3.907	0.116	279.223	3.189	0.116	0.131	0.0	0.116	0.127	0.0
17	9832	9833	NS	1	-33.987	21.272	0.0	-34.789	21.982	0.0	-8.016	30.584	8.913	-15.027	29.922	16.387	0.116	242.785	4.216	0.116	291.98	3.699	0.116	0.706	0.0	0.116	3.173	0.001
18	9832	9833	SN	1	-34.892	23.238	0.007	-34.595	23.864	0.015	-3.324	29.056	16.317	8.421	29.596	17.508	0.116	299.041	3.794	0.116	279.223	3.088	0.116	0.306	0.0	0.116	0.127	0.0
19	9833	9834	SN	1	-34.96	23.287	0.042	-34.643	23.886	0.131	-0.561	28.758	15.666	0.088	29.305	14.142	0.116	303.687	8.196	0.116	282.357	6.763	0.116	0.213	0.0	0.116	0.198	0.0
20	9833	9834	NS	1	-34.263	24.726	0.411	-34.515	25.204	0.477	-10.035	30.255	7.917	-21.297	30.167	14.175	0.116	258.626	3.16	0.116	274.116	2.79	0.116	1.068	0.002	0.116	13.15	0.004
21	9842	9843	SN	1	-33.723	25.431	0.684	-34.857	26.177	1.36	-18.152	28.894	14.078	-30.505	30.62	19.802	0.116	228.403	6.422	0.116	296.572	5.09	0.116	6.422	0.012	0.116	108.928	0.022
22	9842	9843	SN	1	-33.898	25.431	0.649	-34.857	26.177	1.221	-18.152	28.894	14.083	-30.505	30.62	19.802	0.116	237.841	6.092	0.116	296.572	4.564	0.116	6.422	0.012	0.116	108.928	0.022
23	9842	9843	SN	1	-34.838	25.431	0.647	-34.911	26.177	1.219	-19.289	28.894	14.083	-28.353	30.62	19.799	0.116	295.321	6.089	0.116	300.326	4.598	0.116	8.317	0.012	0.116	66.399	0.022
24	9843	9844	NS	1	-33.748	26.064	0.02	-33.994	28.241	0.023	-15.12	33.709	15.754	-7.083	36.383	30.332	0.116	229.78	1.28	0.116	243.082	1.279	0.116	3.239	0.005	0.116	0.589	0.0
25	9843	9844	SN	1	-34.615	26.078	0.111	-34.465	26.62	0.147	-24.687	30.184	12.994	-21.203	29.729	10.089	0.116	280.588	2.707	0.116	271.059	1.813	0.116	28.594	0.06	0.116	12.869	0.041
26	9843	9844	SN	1	-34.615	26.078	0.108	-34.465	26.62	0.144	-24.076	30.178	12.965	-21.22	29.729	10.103	0.116	280.588	2.635	0.116	271.059	1.799	0.116	24.857	0.06	0.116	12.92	0.043
27	9843	9844	SN	1	-34.615	26.078	0.108	-34.465	26.62	0.144	-24.284	30.184	12.994	-21.203	29.729	10.089	0.116	280.588	2.635	0.116	271.059	1.8	0.116	26.076	0.062	0.116	12.869	0.043
28	9844	9845	SN	1	-34.6	25.198	0.02	-34.666	26.262	0.028	-23.556	29.025	13.73	-22.662	29.997	8.069	0.116	279.516	3.993	0.116	283.812	3.356	0.116	22.064	0.051	0.116	17.977	0.04
29	9844	9845	SN	1	-34.73	25.198	0.02	-34.806	26.261	0.028	-23.626	29.024	13.934	-22.668	29.997	8.112	0.116	287.996	3.993	0.116	293.096	3.36	0.116	22.417	0.051	0.116	17.997	0.04
30	9844	9845	SN	2	-34.73	25.198	0.02	-34.806	26.261	0.028	-23.626	29.024	13.934	-22.668	29.997	8.112	0.116	287.996	3.993	0.116	293.096	3.36	0.116	22.417	0.051	0.116	17.997	0.04
31	9844	9845	NS	1	-34.195	25.622	0.006	-33.471	23.335	0.004	-5.055	31.143	12.068	-5.38	30.028	22.013	0.116	254.638	2.034	0.116	215.543	1.846	0.116	0.406	0.0	0.116	0.43	0.0
32	9844	9845	SN	3	-34.73	25.198	0.02	-34.806	26.261	0.028	-23.626	29.024	13.934	-22.668	29.997	8.112	0.116	287.996	3.993	0.116	293.096	3.36	0.116	22.417	0.051	0.116	17.997	0.04
33	9844	9845	NS	2	-34.195	25.622	0.006	-33.471	23.335	0.004	-5.055	31.143	12.07	-5.382	30.028	22.013	0.116	254.638	2.034	0.116	215.543	1.846	0.116	0.406	0.0	0.116	0.43	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	9845	9846	SN	1	-34.314	22.746	0.003	-34.942	23.902	0.019	-0.813	28.346	14.829	-0.226	28.102	6.409	0.116	261.765	1.888	0.116	302.38	1.441	0.116	0.219	0.0	0.116	0.205	0.0
35	9845	9846	NS	1	-34.932	24.409	0.002	-34.985	24.868	0.004	-3.49	30.885	9.812	-10.318	29.912	18.141	0.116	301.751	1.879	0.116	305.491	1.386	0.116	0.314	0.0	0.116	1.134	0.002
36	9845	9846	NS	2	-34.932	24.409	0.002	-34.985	24.868	0.004	-3.49	30.885	9.812	-10.318	29.912	18.141	0.116	301.751	1.879	0.116	305.491	1.386	0.116	0.314	0.0	0.116	1.134	0.002
37	9845	9846	SN	2	-34.314	22.746	0.003	-34.942	23.902	0.019	-0.813	28.346	14.829	-0.226	28.102	6.409	0.116	261.765	1.888	0.116	302.38	1.441	0.116	0.219	0.0	0.116	0.205	0.0
38	9845	9846	SN	1	-34.725	22.746	0.003	-34.942	23.902	0.02	7.305	28.346	14.861	-0.193	28.102	6.418	0.116	287.697	1.925	0.116	302.38	1.471	0.116	0.13	0.0	0.116	0.204	0.0
39	9846	9847	SN	1	-34.654	23.563	0.017	-34.45	24.307	0.039	-1.282	28.714	19.007	3.074	29.878	18.214	0.116	283.054	3.924	0.116	270.068	3.369	0.116	0.231	0.0	0.116	0.156	0.0
40	9846	9847	NS	2	-34.253	20.56	0.0	-33.913	21.861	0.0	-15.929	28.81	6.971	-19.981	30.917	12.629	0.116	258.154	2.838	0.116	238.664	2.7	0.116	3.884	0.002	0.116	9.735	0.003
41	9846	9847	SN	1	-34.654	23.563	0.017	-34.45	24.307	0.04	6.4	28.714	19.141	3.049	29.878	18.947	0.116	283.054	3.98	0.116	270.068	3.451	0.116	0.134	0.0	0.116	0.156	0.0
42	9846	9847	NS	1	-34.253	20.56	0.0	-33.913	21.861	0.0	-15.929	28.81	6.971	-19.981	30.917	12.629	0.116	258.154	2.838	0.116	238.664	2.7	0.116	3.884	0.002	0.116	9.735	0.003
43	9847	9848	NS	1	-34.772	21.994	0.0	-34.588	22.447	0.004	-4.54	28.42	7.989	-6.092	29.735	14.316	0.116	290.812	3.579	0.116	278.795	3.37	0.116	0.372	0.0	0.116	0.489	0.0
44	9847	9848	NS	1	-34.682	21.994	0.0	-34.891	22.447	0.004	-4.54	28.42	8.007	-6.092	29.735	14.355	0.116	284.86	3.582	0.116	298.87	3.365	0.116	0.372	0.0	0.116	0.489	0.0
45	9847	9848	SN	1	-34.942	23.558	0.002	-34.926	24.225	0.003	6.363	29.172	16.121	0.206	29.788	17.199	0.116	302.46	7.516	0.116	301.309	6.46	0.116	0.134	0.0	0.116	0.196	0.0
46	9847	9848	SN	1	-34.942	23.558	0.002	-34.926	24.225	0.003	6.363	29.172	16.138	0.206	29.788	17.199	0.116	302.46	7.553	0.116	301.309	6.482	0.116	0.134	0.0	0.116	0.196	0.0
47	9848	9849	SN	2	-33.969	22.918	0.047	-34.888	23.911	0.202	-1.649	28.482	13.382	-11.471	30.26	13.27	0.116	241.74	3.089	0.116	298.653	2.352	0.116	0.242	0.0	0.116	1.45	0.003
48	9848	9849	NS	1	-33.656	26.199	0.43	-34.258	27.06	0.716	-5.473	29.68	11.912	-6.604	29.953	17.858	0.116	225.001	2.752	0.116	258.401	2.692	0.116	0.437	0.0	0.116	0.537	0.0
49	9848	9849	SN	3	-33.969	22.918	0.047	-34.993	23.911	0.202	-1.649	28.482	13.387	-11.471	30.26	13.263	0.116	241.74	3.089	0.116	306.03	2.352	0.116	0.242	0.0	0.116	1.45	0.003
50	9848	9849	NS	1	-34.488	26.199	0.432	-34.258	27.06	0.717	-5.473	29.68	11.908	-6.604	29.953	17.858	0.116	272.508	2.729	0.116	258.401	2.695	0.116	0.437	0.0	0.116	0.537	0.0
51	9848	9849	SN	1	-33.969	22.918	0.047	-34.888	23.911	0.202	-1.649	28.482	13.382	-11.471	30.26	13.27	0.116	241.74	3.089	0.116	298.653	2.352	0.116	0.242	0.0	0.116	1.45	0.003
52	9849	9850	NS	1	-34.82	26.395	0.092	-34.871	27.463	0.143	7.876	32.664	10.24	6.358	29.97	18.482	0.116	294.031	3.129	0.116	305.405	2.915	0.116	0.128	0.0	0.116	0.134	0.0
53	9849	9850	SN	1	-33.088	24.019	0.045	-34.622	25.151	0.172	-11.403	32.218	16.024	-9.336	32.21	18.279	0.116	197.383	2.326	0.116	280.903	2.032	0.116	1.429	0.003	0.116	0.923	0.0
54	9849	9850	SN	1	-33.088	24.019	0.042	-34.622	25.151	0.151	-11.41	32.218	15.572	-9.336	32.21	18.271	0.116	197.383	2.723	0.116	280.903	2.226	0.116	1.432	0.003	0.116	0.923	0.0
55	9850	9851	NS	1	-34.81	23.584	0.007	-34.809	24.412	0.026	-3.918	28.912	21.05	-0.372	30.151	37.905	0.116	293.452	5.532	0.116	293.264	5.395	0.116	0.336	0.0	0.116	0.208	0.0
56	9850	9851	SN	1	-33.557	25.667	0.034	-33.778	26.556	0.045	-11.008	29.486	22.41	-6.152	30.405	24.752	0.116	219.891	1.186	0.116	231.415	1.24	0.116	1.313	0.003	0.116	0.494	0.0
57	9851	9852	SN	1	-34.756	27.173	0.082	-34.857	27.464	0.087	-11.494	29.443	18.08	-5.53	30.603	17.466	0.116	289.806	3.225	0.116	296.575	3.272	0.116	1.458	0.002	0.116	0.441	0.0
58	9851	9852	NS	1	-34.875	27.096	0.035	-34.3	26.924	0.043	-28.536	29.633	12.139	-25.705	30.258	25.431	0.116	297.888	2.498	0.116	260.887	2.001	0.116	69.253	0.213	0.116	36.13	0.156
59	9852	9853	NS	1	-34.236	26.926	0.028	-33.231	24.8	0.003	-4.981	28.852	13.569	-1.808	35.985	22.372	0.116	257.136	0.907	0.116	204.005	1.034	0.116	0.401	0.0	0.116	0.247	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9828	9829	SN	1	57.476	58.088	0.0	0.003	289.356	3.423	1202.752	1258.8	18.269	-92.932	-91.811	0.0
2	9828	9829	SN	1	57.476	58.099	0.0	0.0	289.411	3.956	1202.752	1260.168	17.842	-92.929	-91.811	0.0
3	9828	9829	NS	1	57.635	58.265	0.0	0.0	290.475	3.855	1229.032	1263.968	0.0	-93.722	-92.062	0.0
4	9828	9829	SN	1	57.476	58.099	0.0	0.0	289.411	3.952	1202.752	1260.168	17.823	-93.007	-91.811	0.0
5	9829	9830	NS	2	57.672	58.266	0.0	0.0	290.431	3.478	1229.968	1263.376	0.0	-93.985	-92.075	0.0
6	9829	9830	NS	1	57.672	58.266	0.0	0.0	290.431	3.477	1229.968	1263.376	0.0	-93.722	-92.075	0.0
7	9829	9830	SN	1	57.458	58.088	0.0	0.0	291.242	3.23	1203.376	1259.288	18.786	-93.015	-91.865	0.0
8	9829	9830	SN	1	57.459	58.097	0.0	0.0	291.258	3.683	1203.376	1260.04	18.523	-93.026	-91.865	0.0
9	9829	9830	SN	1	57.459	58.094	0.0	0.0	291.258	3.225	1203.376	1259.272	18.781	-93.02	-91.865	0.0
10	9830	9831	SN	1	57.459	58.113	0.0	0.0	292.251	3.599	1203.296	1259.96	18.874	-93.002	-91.866	0.0
11	9830	9831	SN	1	57.459	58.113	0.0	0.0	292.251	3.147	1203.296	1259.216	19.121	-93.0	-91.866	0.0
12	9830	9831	NS	1	57.67	58.265	0.0	0.0	295.869	3.622	1229.392	1264.16	0.0	-93.722	-92.081	0.0
13	9831	9832	SN	1	57.467	58.121	0.0	0.0	296.641	3.097	1202.608	1258.72	19.284	-93.026	-91.86	0.0
14	9831	9832	SN	1	57.467	58.121	0.0	0.0	296.641	3.591	1202.608	1260.064	18.923	-93.011	-91.86	0.0
15	9831	9832	NS	1	57.652	58.275	0.0	0.0	299.112	3.568	1229.832	1263.552	0.0	-93.722	-92.075	0.0
16	9832	9833	SN	1	57.478	58.099	0.0	0.0	299.895	3.01	1202.632	1258.056	19.159	-92.965	-91.861	0.0
17	9832	9833	NS	1	57.642	58.266	0.0	0.0	299.646	3.743	1230.048	1263.672	0.0	-93.081	-92.061	0.0
18	9832	9833	SN	1	57.478	58.099	0.0	0.0	299.895	3.609	1202.632	1260.168	18.578	-93.246	-91.861	0.0
19	9833	9834	SN	1	57.456	58.1	0.0	0.003	297.529	2.844	1202.832	1257.08	19.074	-92.931	-91.862	0.0
20	9833	9834	NS	1	57.655	58.297	0.0	0.0	294.722	3.611	1229.104	1263.616	0.0	-93.05	-92.079	0.0
21	9842	9843	SN	1	57.5	58.108	0.0	0.003	288.208	3.082	1204.592	1257.864	14.762	-93.01	-91.85	0.0
22	9842	9843	SN	1	57.5	58.108	0.0	0.0	289.444	3.958	1204.592	1260.728	14.18	-93.01	-91.85	0.0
23	9842	9843	SN	1	57.5	58.108	0.0	0.0	289.444	3.954	1204.592	1260.728	14.165	-93.01	-91.85	0.0
24	9843	9844	NS	1	57.644	58.264	0.0	0.0	298.152	3.559	1228.72	1263.584	0.0	-93.727	-92.056	0.0
25	9843	9844	SN	1	57.469	58.09	0.0	0.0	290.194	3.285	1204.4	1259.88	14.164	-92.969	-91.864	0.0
26	9843	9844	SN	1	57.469	58.101	0.0	0.0	290.194	3.744	1204.4	1260.712	13.92	-92.969	-91.864	0.0
27	9843	9844	SN	1	57.469	58.101	0.0	0.0	290.194	3.747	1204.4	1260.704	13.935	-92.969	-91.864	0.0
28	9844	9845	SN	1	57.467	58.111	0.0	0.003	298.35	3.142	1204.304	1259.952	14.445	-93.026	-91.87	0.0
29	9844	9845	SN	1	57.464	58.113	0.0	0.003	298.35	3.145	1204.28	1259.952	14.432	-93.154	-91.87	0.0
30	9844	9845	SN	2	57.464	58.113	0.0	0.003	298.35	3.145	1204.28	1259.952	14.432	-93.154	-91.87	0.0
31	9844	9845	NS	1	57.669	58.265	0.0	0.0	298.356	3.445	1228.456	1263.616	0.0	-93.727	-92.061	0.0
32	9844	9845	SN	3	57.464	58.113	0.0	0.003	298.35	3.145	1204.28	1259.952	14.432	-93.154	-91.87	0.0
33	9844	9845	NS	2	57.669	58.264	0.0	0.0	298.334	3.446	1228.464	1263.624	0.0	-93.727	-92.061	0.0
34	9845	9846	SN	1	57.468	58.113	0.0	0.0	299.272	3.599	1204.24	1260.664	14.58	-93.021	-91.867	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	9845	9846	NS	1	57.643	58.265	0.0	0.0	298.356	3.451	1228.656	1263.856	0.0	-93.726	-92.074	0.0
36	9845	9846	NS	2	57.643	58.265	0.0	0.0	298.356	3.451	1228.656	1263.856	0.0	-93.726	-92.074	0.0
37	9845	9846	SN	2	57.468	58.113	0.0	0.0	299.272	3.599	1204.24	1260.664	14.58	-93.021	-91.867	0.0
38	9845	9846	SN	1	57.468	58.112	0.0	0.003	299.272	3.127	1204.24	1259.664	14.819	-93.024	-91.867	0.0
39	9846	9847	SN	1	57.466	58.108	0.0	0.0	297.975	3.62	1203.888	1260.752	14.7	-93.053	-91.868	0.0
40	9846	9847	NS	2	57.65	58.279	0.0	0.0	299.249	3.584	1228.928	1263.64	0.0	-93.084	-92.032	0.0
41	9846	9847	SN	1	57.466	58.117	0.0	0.003	297.975	3.074	1203.888	1259.112	15.056	-92.988	-91.868	0.0
42	9846	9847	NS	1	57.65	58.279	0.0	0.0	299.249	3.584	1228.928	1263.64	0.0	-93.084	-92.032	0.0
43	9847	9848	NS	1	57.641	58.287	0.0	0.0	295.052	3.602	1227.984	1263.704	0.0	-93.727	-92.067	0.0
44	9847	9848	NS	1	57.642	58.286	0.0	0.0	295.902	3.598	1227.824	1263.672	0.0	-93.727	-92.067	0.0
45	9847	9848	SN	1	57.471	58.106	0.0	0.003	296.2	3.617	1203.608	1260.808	13.843	-93.366	-91.869	0.0
46	9847	9848	SN	1	57.471	58.106	0.0	0.003	296.2	3.371	1203.608	1260.624	13.913	-92.954	-91.869	0.0
47	9848	9849	SN	2	57.472	58.114	0.0	0.0	299.255	3.176	1204.448	1259.152	13.24	-93.006	-91.842	0.0
48	9848	9849	NS	1	57.636	58.27	0.0	0.0	298.257	3.563	1228.136	1264.344	0.0	-93.077	-92.069	0.0
49	9848	9849	SN	3	57.474	58.114	0.0	0.0	296.36	3.174	1204.496	1259.152	13.227	-93.006	-91.843	0.0
50	9848	9849	NS	1	57.636	58.27	0.0	0.0	298.257	3.566	1228.576	1264.344	0.0	-93.184	-92.069	0.0
51	9848	9849	SN	1	57.472	58.118	0.0	0.0	299.255	3.175	1204.448	1259.152	13.24	-93.006	-91.842	0.0
52	9849	9850	NS	1	57.63	58.282	0.0	0.0	297.396	3.343	1228.192	1263.664	0.0	-93.728	-92.06	0.0
53	9849	9850	SN	1	57.501	58.105	0.0	0.0	299.779	2.752	1205.112	1257.168	11.303	-92.86	-91.859	0.0
54	9849	9850	SN	1	57.501	58.276	0.0	0.0	299.779	3.807	1205.112	1265.328	10.661	-94.662	-91.859	0.0
55	9850	9851	NS	1	57.639	58.378	0.0	0.0	297.236	3.722	1228.392	1268.008	0.0	-95.938	-92.006	0.0
56	9850	9851	SN	1	57.474	58.245	0.0	0.0	299.266	3.696	1204.992	1264.744	11.484	-94.811	-91.852	0.0
57	9851	9852	SN	1	57.471	58.121	0.0	0.0	295.521	3.63	1205.336	1261.36	11.948	-93.043	-91.88	0.0
58	9851	9852	NS	1	57.629	58.293	0.0	0.0	297.518	3.724	1227.936	1263.904	0.0	-93.731	-92.064	0.0
59	9852	9853	NS	1	57.644	58.265	0.0	0.0	297.479	3.67	1228.176	1264.032	0.0	-93.029	-92.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors



					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9828	9829	SN	1	-32.166	21.496	0.0	-33.446	22.152	0.002	-25.497	23.159	0.15	-29.88	24.294	0.152	0.086	122.051	1.436	0.086	163.825	1.246	0.086	26.324	0.022	0.086	72.105	0.012
2	9828	9829	SN	1	-33.39	21.496	0.0	-33.446	22.152	0.002	-25.595	23.159	0.15	-31.583	24.294	0.152	0.086	161.738	1.376	0.086	163.825	1.184	0.086	26.925	0.022	0.086	106.709	0.012
3	9828	9829	NS	1	-34.629	20.988	0.0	-34.855	20.625	0.0	2.85	23.686	0.079	0.837	23.86	0.473	0.086	215.096	3.493	0.086	226.617	3.763	0.086	0.117	0.0	0.086	0.137	0.0
4	9828	9829	SN	1	-33.698	21.496	0.0	-33.551	22.152	0.002	-25.568	23.159	0.149	-30.728	24.294	0.152	0.086	173.624	1.375	0.086	167.846	1.186	0.086	26.763	0.022	0.086	87.639	0.012
5	9829	9830	NS	2	-29.974	20.286	0.0	-27.553	20.968	0.0	-6.587	23.518	0.066	-7.848	23.902	0.229	0.086	73.677	0.365	0.086	42.22	0.273	0.086	0.405	0.0	0.086	0.518	0.0
6	9829	9830	NS	1	-29.974	20.286	0.0	-27.553	20.968	0.0	-6.587	23.518	0.066	-7.848	23.902	0.229	0.086	73.677	0.364	0.086	42.22	0.274	0.086	0.405	0.0	0.086	0.518	0.0
7	9829	9830	SN	1	-34.666	22.113	0.001	-34.98	21.702	0.0	-25.595	23.331	0.123	-11.07	23.748	0.161	0.086	216.978	2.058	0.086	233.213	1.537	0.086	26.918	0.006	0.086	1.013	0.002
8	9829	9830	SN	1	-34.492	22.113	0.001	-34.98	21.702	0.0	-26.477	23.331	0.123	-11.07	23.748	0.16	0.086	208.37	2.011	0.086	233.213	1.504	0.086	32.97	0.006	0.086	1.013	0.002
9	9829	9830	SN	1	-34.492	22.113	0.001	-34.98	21.702	0.0	-26.877	23.331	0.123	-11.07	23.748	0.16	0.086	208.37	2.06	0.086	233.213	1.532	0.086	36.152	0.006	0.086	1.013	0.002
10	9830	9831	SN	1	-34.554	17.432	0.0	-34.809	18.012	0.0	1.951	23.146	0.275	2.636	23.464	0.269	0.087	211.364	2.479	0.086	224.154	2.171	0.086	0.125	0.0	0.086	0.119	0.0
11	9830	9831	SN	1	-34.554	17.432	0.0	-34.809	18.012	0.0	1.951	23.146	0.275	2.636	23.464	0.27	0.087	211.364	2.532	0.086	224.154	2.197	0.086	0.125	0.0	0.086	0.119	0.0
12	9830	9831	NS	1	-34.165	17.842	0.0	-34.855	16.748	0.0	-16.967	22.181	0.007	-24.761	23.843	0.211	0.086	193.338	1.388	0.087	226.589	1.352	0.086	3.748	0.002	0.086	22.231	0.011
13	9831	9832	SN	1	-34.994	16.768	0.0	-33.936	17.713	0.0	1.527	23.454	0.768	2.483	23.354	1.392	0.087	233.95	2.343	0.086	183.416	1.866	0.086	0.129	0.0	0.086	0.12	0.0
14	9831	9832	SN	1	-34.994	16.768	0.0	-34.311	17.713	0.0	1.527	23.454	0.768	2.483	23.354	1.343	0.087	233.95	2.29	0.086	199.909	1.837	0.086	0.129	0.0	0.086	0.12	0.0
15	9831	9832	NS	1	-34.56	17.126	0.0	-34.937	18.382	0.0	-16.865	23.324	0.08	-28.901	23.383	0.173	0.087	211.668	1.656	0.086	230.88	1.627	0.086	3.663	0.014	0.086	57.563	0.072
16	9832	9833	SN	1	-34.334	17.39	0.0	-34.897	17.488	0.0	1.184	23.024	0.318	2.728	23.454	1.281	0.087	200.946	3.107	0.087	228.773	2.61	0.086	0.133	0.0	0.086	0.118	0.0
17	9832	9833	NS	1	-34.391	14.941	0.0	-34.693	15.026	0.0	-28.642	23.08	0.038	-19.387	23.252	0.138	0.087	203.6	2.916	0.087	218.289	3.178	0.086	54.244	0.05	0.086	6.494	0.028
18	9832	9833	SN	1	-34.334	17.39	0.0	-34.897	17.488	0.0	1.184	23.024	0.304	2.728	23.454	1.212	0.087	200.946	3.026	0.087	228.773	2.534	0.086	0.133	0.0	0.086	0.118	0.0
19	9833	9834	SN	1	-34.909	17.262	0.0	-34.656	16.276	0.0	2.072	22.78	0.206	3.767	22.738	0.071	0.087	229.4	6.376	0.087	216.421	5.935	0.086	0.124	0.0	0.086	0.111	0.0
20	9833	9834	NS	1	-34.656	21.488	0.0	-34.86	21.717	0.0	-26.09	22.624	0.077	-25.061	23.642	0.476	0.086	216.414	3.09	0.086	226.826	3.096	0.086	30.164	0.07	0.086	23.817	0.08
21	9842	9843	SN	1	-34.999	21.988	0.0	-34.861	22.226	0.002	-23.666	23.103	0.083	-29.588	22.856	0.038	0.086	234.2	5.529	0.086	226.93	4.817	0.086	17.29	0.036	0.086	67.42	0.038
22	9842	9843	SN	1	-34.999	21.988	0.0	-34.861	22.226	0.001	-23.666	23.103	0.082	-29.588	22.856	0.038	0.086	234.2	5.38	0.086	226.93	4.338	0.086	17.29	0.036	0.086	67.42	0.038
23	9842	9843	SN	1	-34.464	21.988	0.0	-34.837	22.226	0.001	-23.506	23.103	0.082	-29.619	22.856	0.038	0.086	207.074	5.408	0.086	225.617	4.35	0.086	16.667	0.036	0.086	67.905	0.038
24	9843	9844	NS	1	-34.94	19.698	0.0	-34.014	21.024	0.0	-7.308	22.772	0.019	-3.835	24.158	0.27	0.086	231.054	1.729	0.086	186.671	1.881	0.086	0.466	0.0	0.086	0.25	0.0
25	9843	9844	SN	1	-33.87	21.434	0.0	-34.267	21.985	0.0	-31.795	23.25	0.117	-26.641	23.895	0.164	0.086	180.596	1.998	0.086	197.886	1.389	0.086	112.046	0.06	0.086	34.232	0.079
26	9843	9844	SN	1	-33.87	21.434	0.0	-34.267	21.985	0.0	-26.074	23.25	0.117	-27.037	23.895	0.163	0.086	180.596	1.942	0.086	197.886	1.456	0.086	30.06	0.06	0.086	37.498	0.079
27	9843	9844	SN	1	-33.87	21.434	0.0	-34.267	21.985	0.0	-25.954	23.25	0.117	-26.641	23.895	0.164	0.086	180.596	1.942	0.086	197.886	1.453	0.086	29.234	0.06	0.086	34.232	0.079
28	9844	9845	SN	1	-34.198	20.925	0.0	-34.897	21.402	0.0	-21.484	23.394	0.329	-22.362	23.467	0.451	0.086	194.742	2.702	0.086	228.767	2.624	0.086	10.488	0.049	0.086	12.819	0.062
29	9844	9845	SN	1	-34.527	20.925	0.0	-34.69	21.4	0.0	-21.409	23.392	0.34	-22.377	23.465	0.449	0.086	210.14	2.702	0.086	220.844	2.621	0.086	10.306	0.049	0.086	12.864	0.062
30	9844	9845	SN	2	-34.527	20.925	0.0	-34.69	21.4	0.0	-21.409	23.392	0.34	-22.377	23.465	0.449	0.086	210.14	2.702	0.086	220.844	2.621	0.086	10.306	0.049	0.086	12.864	0.062
31	9844	9845	NS	1	-34.324	16.596	0.0	-34.523	16.898	0.0	-8.536	23.159	0.044	-32.921	23.852	0.257	0.087	200.548	1.567	0.087	209.88	1.671	0.086	0.611	0.0	0.086	145.199	0.031
32	9844	9845	SN	3	-34.527	20.925	0.0	-34.69	21.4	0.0	-21.409	23.392	0.34	-22.377	23.465	0.449	0.086	210.14	2.702	0.086	220.844	2.621	0.086	10.306	0.049	0.086	12.864	0.062

Parameter Specifications	Parameters	SNR	Kp	<span style="color: green;">■</span> Normal <span style="color: yellow;">■</span> Deviations <span style="color: orange;">■</span> Alarming <span style="color: red;">■</span> High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	

33	9844	9845	NS	2	-34.324	16.596	0.0	-34.523	16.898	0.0	-8.536	23.159	0.044	-32.921	23.852	0.257	0.087	200.548	1.567	0.087	209.88	1.671	0.086	0.611	0.0	0.086	145.199	0.031
34	9845	9846	SN	1	-33.935	16.541	0.0	-34.521	17.625	0.0	1.872	23.051	0.297	2.732	23.92	0.408	0.087	183.29	1.565	0.087	209.797	1.494	0.086	0.126	0.0	0.086	0.118	0.0
35	9845	9846	NS	1	-34.49	15.958	0.0	-34.52	16.655	0.0	-25.326	23.199	0.039	-31.555	23.55	0.196	0.087	208.308	2.18	0.087	209.742	1.765	0.086	25.311	0.212	0.086	106.017	0.14
36	9845	9846	NS	2	-34.49	15.958	0.0	-34.52	16.655	0.0	-25.326	23.199	0.039	-31.555	23.55	0.196	0.087	208.308	2.18	0.087	209.742	1.765	0.086	25.311	0.212	0.086	106.017	0.14
37	9845	9846	SN	2	-33.935	16.541	0.0	-34.521	17.625	0.0	1.872	23.051	0.297	2.732	23.92	0.408	0.087	183.29	1.565	0.087	209.797	1.494	0.086	0.126	0.0	0.086	0.118	0.0
38	9845	9846	SN	1	-33.356	16.541	0.0	-34.521	17.625	0.0	1.872	23.051	0.297	2.732	23.92	0.415	0.087	160.466	1.6	0.087	209.797	1.514	0.086	0.126	0.0	0.086	0.118	0.0
39	9846	9847	SN	1	-34.747	16.945	0.0	-34.786	17.83	0.0	1.258	22.95	0.548	3.342	23.481	1.81	0.087	220.996	3.106	0.086	222.958	2.73	0.086	0.132	0.0	0.086	0.114	0.0
40	9846	9847	NS	2	-34.982	13.352	0.0	-33.204	15.346	0.0	-15.781	23.479	0.145	-11.102	23.442	0.252	0.088	233.267	2.326	0.087	154.95	2.297	0.086	2.867	0.001	0.086	1.02	0.001
41	9846	9847	SN	1	-34.747	16.945	0.0	-34.786	17.83	0.0	1.258	22.95	0.555	3.342	23.481	1.941	0.087	220.996	3.18	0.086	222.958	2.769	0.086	0.132	0.0	0.086	0.114	0.0
42	9846	9847	NS	1	-34.982	13.352	0.0	-33.204	15.346	0.0	-15.781	23.479	0.145	-11.102	23.442	0.252	0.088	233.267	2.326	0.087	154.95	2.297	0.086	2.867	0.001	0.086	1.02	0.001
43	9847	9848	NS	1	-34.863	16.335	0.0	-34.765	16.846	0.0	-25.392	22.967	0.106	-23.932	23.334	0.274	0.087	226.953	3.168	0.087	221.969	3.297	0.086	25.694	0.027	0.086	18.377	0.03
44	9847	9848	NS	1	-34.716	16.334	0.0	-34.88	16.846	0.0	-25.471	22.966	0.106	-23.932	23.334	0.27	0.087	219.466	3.168	0.087	227.899	3.305	0.086	26.164	0.026	0.086	18.379	0.03
45	9847	9848	SN	1	-34.827	16.889	0.0	-34.987	16.969	0.0	0.783	23.29	0.191	2.513	23.574	0.634	0.087	225.152	5.889	0.087	238.651	5.233	0.086	0.138	0.0	0.086	0.12	0.0
46	9847	9848	SN	1	-34.827	16.889	0.0	-34.987	16.969	0.0	0.783	23.29	0.193	2.513	23.574	0.634	0.087	225.152	5.908	0.087	238.651	5.242	0.086	0.138	0.0	0.086	0.12	0.0
47	9848	9849	SN	2	-34.204	15.825	0.0	-34.826	16.712	0.0	-0.12	23.994	0.585	-0.945	24.455	0.907	0.087	195.06	3.415	0.087	225.061	3.533	0.086	0.151	0.0	0.086	0.166	0.0
48	9848	9849	NS	1	-34.934	21.084	0.0	-34.761	21.812	0.0	-16.45	23.239	0.298	-25.886	23.518	0.803	0.086	230.732	2.229	0.086	221.753	2.173	0.086	3.335	0.044	0.086	28.785	0.148
49	9848	9849	SN	3	-34.224	15.825	0.0	-34.926	16.712	0.0	-0.119	23.994	0.585	-0.945	24.455	0.907	0.087	195.963	3.413	0.087	230.326	3.532	0.086	0.151	0.0	0.086	0.166	0.0
50	9848	9849	NS	1	-34.934	21.084	0.0	-34.761	21.812	0.0	-15.954	23.239	0.298	-25.886	23.518	0.803	0.086	230.732	2.223	0.086	221.753	2.176	0.086	3.058	0.044	0.086	28.785	0.148
51	9848	9849	SN	1	-34.204	15.825	0.0	-34.826	16.712	0.0	-0.12	23.994	0.585	-0.945	24.455	0.907	0.087	195.06	3.415	0.087	225.061	3.533	0.086	0.151	0.0	0.086	0.166	0.0
52	9849	9850	NS	1	-33.989	20.776	0.0	-33.86	21.389	0.0	-2.272	22.772	0.088	2.51	23.754	0.748	0.086	185.604	2.983	0.086	180.205	2.785	0.086	0.197	0.0	0.086	0.12	0.0
53	9849	9850	SN	1	-34.943	18.286	0.0	-34.898	18.914	0.0	-7.681	24.065	1.26	-7.58	24.642	1.964	0.086	231.24	2.072	0.086	228.843	2.119	0.086	0.501	0.0	0.086	0.491	0.0
54	9849	9850	SN	1	-34.943	18.286	0.0	-34.898	18.914	0.0	-7.705	24.065	1.217	-7.58	24.642	1.961	0.086	231.24	2.122	0.086	228.843	2.179	0.086	0.504	0.0	0.086	0.491	0.0
55	9850	9851	NS	1	-34.707	21.302	0.0	-34.527	21.18	0.0	-0.181	23.317	0.049	-13.791	24.707	1.425	0.086	218.959	5.104	0.086	210.141	4.93	0.086	0.152	0.0	0.086	1.838	0.004
56	9850	9851	SN	1	-33.486	19.316	0.0	-34.464	19.039	0.0	-25.514	23.758	0.669	-13.644	24.222	0.914	0.086	165.329	1.433	0.086	207.07	1.526	0.086	26.433	0.034	0.086	1.779	0.002
57	9851	9852	SN	1	-34.338	20.622	0.0	-34.937	21.368	0.0	-5.861	23.728	0.71	-5.123	23.397	0.232	0.086	201.195	2.731	0.086	230.904	2.918	0.086	0.354	0.0	0.086	0.31	0.0
58	9851	9852	NS	1	-33.645	21.59	0.0	-34.943	20.48	0.0	-33.11	22.215	0.006	-27.36	24.655	2.646	0.086	171.531	2.251	0.086	231.269	1.917	0.086	151.61	0.143	0.086	40.393	0.103
59	9852	9853	NS	1	-33.887	18.187	0.0	-34.114	20.664	0.0	-4.944	22.897	0.104	-5.018	24.531	2.443	0.086	181.327	0.607	0.086	191.06	0.78	0.086	0.3	0.0	0.086	0.304	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors