

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-OCT-2018 To 04-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 03-OCT-2018 To 04-OCT-2018





					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10683	10684	SN	1	48.768	49.527	0.0	0.003	6.767	2.061	1035.928	1099.152	9.794	-92.665	-89.916	0.0
2	10683	10684	SN	1	48.767	49.525	0.0	0.0	79.642	2.793	1035.376	1099.112	9.511	-92.664	-89.896	0.0
3	10683	10684	SN	2	48.768	49.527	0.0	0.0	79.642	2.793	1035.376	1099.152	9.416	-92.665	-89.896	0.0
4	10684	10685	SN	2	48.768	49.526	0.0	0.003	6.772	2.597	1035.32	1099.104	8.809	-91.836	-89.897	0.0
5	10684	10685	SN	1	48.768	49.526	0.0	0.003	6.772	2.597	1035.328	1099.104	8.809	-91.836	-89.897	0.0
6	10684	10685	NS	1	48.627	49.359	0.0	0.003	42.126	2.578	1019.184	1097.24	15.798	-91.704	-89.715	0.0
7	10684	10685	SN	1	48.768	49.526	0.0	0.003	6.772	2.467	1035.784	1099.104	8.917	-91.836	-89.9	0.0
8	10684	10685	NS	1	48.627	49.359	0.0	0.003	42.126	2.575	1019.184	1097.24	15.82	-91.673	-89.715	0.0
9	10685	10686	SN	1	48.747	49.586	0.0	0.003	6.783	2.379	1035.136	1099.256	8.905	-92.066	-89.899	0.0
10	10685	10686	SN	1	48.747	49.586	0.0	0.003	6.783	2.495	1034.736	1099.256	8.82	-92.066	-89.895	0.0
11	10685	10686	NS	2	48.629	49.362	0.0	0.0	264.742	2.668	1019.024	1097.448	16.501	-91.536	-89.658	0.0
12	10685	10686	NS	1	48.628	49.362	0.0	0.0	264.742	2.667	1019.008	1097.456	16.541	-91.536	-89.658	0.0
13	10685	10686	SN	1	48.748	49.586	0.0	0.003	6.783	2.381	1035.4	1099.256	8.914	-91.925	-89.899	0.0
14	10686	10687	SN	1	48.719	49.538	0.0	0.003	6.772	2.317	1034.504	1099.192	8.816	-91.837	-89.904	0.0
15	10686	10687	SN	1	48.634	49.538	0.0	0.003	6.772	2.515	1031.76	1099.192	8.695	-91.99	-89.891	0.0
16	10686	10687	SN	1	48.634	49.538	0.0	0.003	6.772	2.512	1031.76	1099.192	8.686	-91.99	-89.891	0.0
17	10686	10687	NS	1	48.597	49.362	0.0	0.003	16.082	2.617	1018.512	1097.448	16.256	-91.854	-89.711	0.0
18	10687	10688	NS	1	48.629	49.421	0.0	0.003	206.834	2.643	1019.576	1097.368	15.179	-94.884	-89.717	0.0
19	10687	10688	SN	1	48.762	49.525	0.0	0.003	215.438	2.162	1035.256	1099.088	8.664	-92.132	-89.907	0.0
20	10687	10688	SN	1	48.752	49.524	0.0	0.003	215.438	2.503	1034.528	1099.08	8.491	-91.698	-89.893	0.0
21	10687	10688	SN	1	48.762	49.525	0.0	0.003	215.438	2.505	1035.152	1099.088	8.459	-92.132	-89.893	0.0
22	10687	10688	NS	2	48.629	49.362	0.0	0.003	206.834	2.642	1019.576	1097.368	15.178	-91.555	-89.717	0.0
23	10688	10689	NS	1	48.587	49.361	0.0	0.0	267.086	2.78	1019.6	1097.248	15.388	-91.424	-89.721	0.0
24	10688	10689	SN	1	48.734	49.534	0.0	0.003	281.133	2.55	1034.784	1099.016	8.02	-91.779	-89.896	0.0
25	10688	10689	SN	2	48.734	49.534	0.0	0.003	281.133	2.55	1034.784	1099.016	8.02	-91.779	-89.896	0.0
26	10688	10689	NS	1	48.587	49.361	0.0	0.0	267.086	2.777	1019.6	1097.248	15.372	-91.424	-89.721	0.0
27	10689	10690	SN	1	48.71	49.524	0.0	0.003	6.756	1.759	1034.432	1099.008	8.899	-91.869	-89.918	0.0
28	10689	10690	SN	2	48.76	49.523	0.0	0.003	279.848	2.623	1033.96	1098.992	8.509	-91.869	-89.891	0.0
29	10689	10690	NS	1	48.572	49.406	0.0	0.003	41.15	2.575	1018.784	1097.232	15.413	-91.811	-89.729	0.0
30	10689	10690	SN	1	48.761	49.524	0.0	0.003	6.756	2.623	1033.96	1099.008	8.422	-91.869	-89.891	0.0
31	10689	10690	NS	1	48.572	49.406	0.0	0.003	41.15	2.573	1018.784	1097.232	15.397	-91.872	-89.729	0.0
32	10690	10691	NS	1	48.561	49.381	0.0	0.003	16.137	2.65	1018.728	1097.4	16.53	-91.814	-89.734	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10690	10691	SN	1	48.762	49.526	0.0	0.008	215.267	1.597	1035.328	1099.2	10.212	-91.567	-89.921	0.0
34	10690	10691	NS	1	48.571	49.404	0.0	0.003	16.137	2.647	1018.648	1097.4	16.518	-91.779	-89.734	0.0
35	10690	10691	SN	1	48.762	49.526	0.0	0.008	215.267	2.671	1034.0	1099.2	9.483	-93.001	-89.895	0.0
36	10690	10691	SN	2	48.762	49.526	0.0	0.008	215.267	2.671	1034.0	1099.2	9.483	-93.001	-89.895	0.0
37	10691	10692	NS	1	48.588	49.387	0.0	0.003	14.433	2.665	1018.56	1097.48	16.558	-91.686	-89.735	0.0
38	10691	10692	SN	1	48.765	49.526	0.0	0.003	6.778	2.568	1035.288	1099.264	9.422	-91.953	-89.874	0.0
39	10691	10692	SN	2	48.765	49.542	0.0	0.003	6.783	2.567	1035.288	1099.264	9.456	-91.953	-89.874	0.0
40	10691	10692	NS	1	48.588	49.405	0.0	0.003	14.433	2.667	1019.064	1097.48	16.573	-91.686	-89.735	0.0
41	10692	10693	NS	1	48.629	49.364	0.0	0.003	264.665	2.725	1019.624	1097.448	15.945	-91.895	-89.714	0.0
42	10692	10693	SN	1	48.766	49.474	0.0	0.0	215.576	4.192	1035.296	1099.216	12.506	-92.501	-89.875	0.0
43	10692	10693	NS	2	48.629	49.364	0.0	0.003	264.665	2.725	1019.624	1097.448	15.945	-91.895	-89.714	0.0
44	10693	10694	NS	1	48.612	49.393	0.0	0.0	210.458	2.781	1018.808	1097.416	16.086	-91.73	-89.716	0.0
45	10693	10694	SN	1	48.764	49.551	0.0	0.003	6.772	2.61	1035.072	1099.184	9.608	-91.803	-89.877	0.0
46	10694	10695	SN	1	48.76	49.526	0.0	0.003	215.438	2.603	1034.96	1099.288	9.768	-91.425	-89.887	0.0
47	10694	10695	NS	1	48.576	49.362	0.0	0.003	267.34	2.39	1018.928	1096.432	15.157	-91.515	-89.737	0.0
48	10694	10695	NS	1	48.576	49.402	0.0	0.003	267.34	2.604	1018.928	1097.48	16.632	-91.747	-89.737	0.0
49	10695	10696	NS	1	48.628	49.362	0.0	0.003	43.389	2.66	1019.456	1097.536	17.411	-91.633	-89.736	0.0
50	10695	10696	SN	1	48.714	49.526	0.0	0.003	6.761	2.583	1034.128	1099.32	9.909	-91.729	-89.889	0.0
51	10696	10697	NS	1	48.565	49.363	0.0	0.0	269.711	2.716	1019.352	1097.68	17.978	-92.14	-89.733	0.0
52	10696	10697	NS	1	48.565	49.363	0.0	0.0	266.954	1.596	1019.352	1091.76	16.708	-92.14	-89.733	0.0
53	10697	10698	NS	1	48.626	49.364	0.0	0.0	264.902	1.71	1019.352	1086.376	17.611	-91.681	-89.732	0.0
54	10697	10698	NS	1	48.626	49.364	0.0	0.0	264.902	2.727	1019.352	1097.752	17.996	-91.836	-89.732	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Inner																												
SNR														Kp														
				Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore			
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10683	10684	SN	1	-34.863	25.314	0.054	-34.894	26.607	4.269	-27.102	27.876	10.876	-18.169	29.619	14.497	0.116	296.941	3.954	0.116	299.08	3.212	0.116	49.807	0.017	0.116	6.447	0.024
2	10683	10684	SN	1	-34.931	25.314	2.876	-34.891	26.623	7.241	-27.779	27.876	10.964	-18.168	29.619	14.497	0.116	301.692	3.76	0.116	298.889	2.926	0.116	58.196	0.017	0.116	6.444	0.024
3	10683	10684	SN	2	-34.863	25.314	2.877	-34.894	26.623	7.25	-27.102	27.876	10.96	-18.169	29.619	14.497	0.116	296.941	3.759	0.116	299.08	2.929	0.116	49.807	0.017	0.116	6.447	0.024
4	10684	10685	SN	2	-34.168	25.69	2.876	-33.645	27.166	5.669	-10.617	30.68	11.015	-5.727	30.984	8.466	0.116	253.125	2.008	0.116	224.384	1.811	0.116	1.208	0.002	0.116	0.457	0.0
5	10684	10685	SN	1	-34.168	25.69	2.878	-33.645	27.166	5.669	-10.617	30.68	11.015	-5.727	30.984	8.466	0.116	253.125	2.008	0.116	224.384	1.811	0.116	1.208	0.002	0.116	0.457	0.0
6	10684	10685	NS	1	-34.651	25.806	1.882	-34.984	27.45	0.085	-6.033	34.466	15.756	-5.329	36.383	29.622	0.116	282.829	3.625	0.116	305.327	3.478	0.116	0.483	0.0	0.116	0.426	0.0
7	10684	10685	SN	1	-34.168	25.69	2.511	-33.645	27.166	5.661	-10.617	30.68	11.015	-5.727	30.984	8.466	0.116	253.125	2.049	0.116	224.384	1.847	0.116	1.208	0.002	0.116	0.457	0.0
8	10684	10685	NS	1	-34.622	25.806	1.882	-34.864	27.45	0.085	-6.004	34.461	15.724	-5.315	36.383	29.56	0.116	280.899	3.613	0.116	297.075	3.468	0.116	0.481	0.0	0.116	0.425	0.0
9	10685	10686	SN	1	-34.953	25.308	1.842	-33.734	25.942	3.478	-2.272	27.986	12.182	3.647	30.167	6.895	0.116	303.212	3.84	0.116	229.018	3.567	0.116	0.263	0.0	0.116	0.15	0.0
10	10685	10686	SN	1	-34.953	25.308	2.144	-33.734	25.942	3.551	-2.272	27.986	12.182	3.647	30.167	6.895	0.116	303.212	3.791	0.116	229.018	3.54	0.116	0.263	0.0	0.116	0.15	0.0
11	10685	10686	NS	2	-34.371	25.031	1.152	-34.707	23.502	0.119	-1.561	29.249	11.274	-7.741	29.854	21.532	0.116	265.195	2.908	0.116	286.456	2.955	0.116	0.24	0.0	0.116	0.669	0.0
12	10685	10686	NS	1	-34.371	25.031	1.152	-34.707	23.502	0.119	-1.561	29.249	11.274	-7.741	29.854	21.532	0.116	265.195	2.908	0.116	286.456	2.955	0.116	0.24	0.0	0.116	0.669	0.0
13	10685	10686	SN	1	-34.939	25.311	1.846	-34.909	25.942	3.483	-2.272	27.986	12.182	3.647	30.167	6.895	0.116	302.261	3.836	0.116	300.194	3.573	0.116	0.263	0.0	0.116	0.15	0.0
14	10686	10687	SN	1	-34.974	25.227	0.456	-34.998	25.605	1.211	6.99	27.704	12.682	7.786	28.0	6.072	0.116	304.65	2.088	0.116	306.333	1.405	0.116	0.131	0.0	0.116	0.128	0.0
15	10686	10687	SN	1	-34.974	25.232	0.76	-34.998	25.589	1.516	6.99	27.704	12.659	7.786	28.0	6.102	0.116	304.65	2.056	0.116	306.333	1.406	0.116	0.131	0.0	0.116	0.128	0.0
16	10686	10687	SN	1	-34.622	25.232	0.758	-34.742	25.591	1.515	6.99	27.704	12.659	7.786	28.0	6.102	0.116	280.93	2.054	0.116	288.892	1.405	0.116	0.131	0.0	0.116	0.128	0.0
17	10686	10687	NS	1	-34.266	24.647	0.865	-34.886	24.632	0.462	-4.585	28.332	10.259	-7.916	30.557	18.472	0.116	258.85	4.932	0.116	298.549	5.301	0.116	0.375	0.0	0.116	0.693	0.0
18	10687	10688	NS	1	-33.192	24.044	1.332	-33.774	24.633	0.843	-10.232	28.683	6.52	-4.209	29.806	12.936	0.116	202.206	2.065	0.116	231.168	1.451	0.116	1.114	0.001	0.116	0.352	0.0
19	10687	10688	SN	1	-33.607	24.984	0.163	-34.9	24.757	0.426	6.366	28.369	16.545	7.69	28.109	18.792	0.116	222.381	0.739	0.116	299.491	0.739	0.116	0.134	0.0	0.116	0.129	0.0
20	10687	10688	SN	1	-34.96	25.035	0.269	-34.694	25.029	0.928	6.366	28.369	16.415	7.69	28.109	18.15	0.116	303.737	0.725	0.116	285.644	0.891	0.116	0.134	0.0	0.116	0.129	0.0
21	10687	10688	SN	1	-32.225	25.034	0.269	-34.9	25.029	0.929	6.366	28.369	16.416	7.69	28.109	18.15	0.116	161.853	0.724	0.116	299.491	0.893	0.116	0.134	0.0	0.116	0.129	0.0
22	10687	10688	NS	2	-33.192	24.042	1.34	-33.774	24.628	0.854	-10.232	28.683	6.52	-4.209	29.806	12.936	0.116	202.206	2.065	0.116	231.168	1.455	0.116	1.114	0.001	0.116	0.352	0.0
23	10688	10689	NS	1	-34.916	24.443	0.963	-34.982	24.146	0.534	-8.938	28.388	8.704	-4.763	29.786	15.625	0.116	300.596	4.626	0.116	305.271	3.835	0.116	0.851	0.0	0.116	0.386	0.0
24	10688	10689	SN	1	-34.686	22.467	0.009	-34.73	25.297	0.873	6.162	27.781	15.042	8.15	28.932	16.214	0.116	285.221	5.636	0.116	288.061	4.561	0.116	0.135	0.0	0.116	0.128	0.0
25	10688	10689	SN	2	-34.686	22.467	0.009	-34.73	25.297	0.873	6.162	27.781	15.042	8.15	28.932	16.214	0.116	285.221	5.636	0.116	288.061	4.561	0.116	0.135	0.0	0.116	0.128	0.0
26	10688	10689	NS	1	-34.916	24.443	0.961	-34.982	24.146	0.536	-8.938	28.388	8.706	-4.763	29.786	15.625	0.116	300.596	4.618	0.116	305.271	3.829	0.116	0.851	0.0	0.116	0.386	0.0
27	10689	10690	SN	1	-34.963	21.527	0.0	-34.835	22.958	0.001	-2.535	28.485	11.955	-13.777	30.226	11.001	0.116	303.969	6.357	0.116	295.043	5.651	0.116	0.273	0.0	0.116	2.402	0.003
28	10689	10690	SN	2	-34.985	23.376	0.089	-34.97	25.399	1.451	-2.535	28.485	11.3	-13.77	30.226	10.992	0.116	305.478	6.106	0.116	304.425	5.346	0.116	0.273	0.0	0.116	2.398	0.003
29	10689	10690	NS	1	-34.954	26.047	0.96	-34.895	26.862	0.703	-8.57	29.964	12.004	-9.647	29.616	18.098	0.116	303.347	3.254	0.116	299.251	2.819	0.116	0.79	0.0	0.116	0.985	0.0
30	10689	10690	SN	1	-34.963	23.377	0.089	-34.835	25.399	1.451	-2.535	28.485	11.311	-13.777	30.226	10.98	0.116	303.969	6.103	0.116	295.043	5.346	0.116	0.273	0.0	0.116	2.402	0.003
31	10689	10690	NS	1	-34.954	26.042	0.958	-34.895	26.862	0.702	-8.57	29.964	12.016	-9.647	29.616	18.102	0.116	303.347	3.256	0.116	299.251	2.815	0.116	0.79	0.0	0.116	0.985	0.0
32	10690	10691	NS	1	-34.745	26.18	1.183	-34.509	27.337	0.882	6.751	31.848	11.466	4.962	30.032	19.22	0.116	289.084	2.602	0.116	273.695	2.253	0.116	0.132	0.0	0.116	0.141	0.0
33	10690	10691	SN	1	-34.803	22.378	0.002	-34.01	24.468	0.007	-11.926	32.288	13.106	-19.668	35.23	13.75	0.116	292.93	3.83	0.116	244.092	3.637	0.116	1.6	0.002	0.116	9.066	0.002

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10690	10691	NS	1	-34.781	26.18	1.181	-34.578	27.337	0.881	6.751	31.848	11.463	4.963	30.032	19.209	0.116	291.422	2.599	0.116	278.121	2.251	0.116	0.132	0.0	0.116	0.141	0.0
35	10690	10691	SN	1	-34.803	24.084	0.607	-34.01	25.722	3.02	-11.947	32.288	12.367	-19.668	35.23	13.755	0.116	292.93	3.779	0.116	244.092	3.324	0.116	1.608	0.001	0.116	9.066	0.002
36	10690	10691	SN	2	-34.803	24.084	0.607	-34.01	25.722	3.02	-11.947	32.288	12.367	-19.668	35.23	13.755	0.116	292.93	3.779	0.116	244.092	3.324	0.116	1.608	0.001	0.116	9.066	0.002
37	10691	10692	NS	1	-34.987	25.736	0.85	-34.461	24.047	0.155	-1.762	29.825	25.467	0.344	31.363	42.749	0.116	305.538	2.883	0.116	270.684	2.142	0.116	0.246	0.0	0.116	0.193	0.0
38	10691	10692	SN	1	-34.92	24.689	0.398	-34.781	25.577	2.362	-7.176	28.59	19.631	-6.738	30.767	21.921	0.116	300.914	8.404	0.116	291.418	6.816	0.116	0.599	0.0	0.116	0.551	0.0
39	10691	10692	SN	2	-34.92	24.689	0.398	-34.49	25.577	2.362	-7.176	28.59	19.632	-6.738	30.767	21.923	0.116	300.914	8.405	0.116	272.552	6.816	0.116	0.599	0.0	0.116	0.551	0.0
40	10691	10692	NS	1	-34.646	25.735	0.851	-34.744	24.047	0.155	-1.752	29.825	25.415	0.345	31.363	42.768	0.116	282.518	2.878	0.116	288.973	2.146	0.116	0.246	0.0	0.116	0.193	0.0
41	10692	10693	NS	1	-34.54	27.904	0.924	-34.957	27.483	0.547	-24.168	32.614	15.815	-18.932	30.606	30.312	0.116	275.712	4.647	0.116	303.472	3.807	0.116	25.393	0.075	0.116	7.668	0.042
42	10692	10693	SN	1	-34.625	24.441	0.619	-34.713	25.006	5.896	-6.998	28.753	18.292	-7.17	30.798	16.802	0.116	281.163	6.663	0.116	286.911	5.343	0.116	0.579	0.0	0.116	0.598	0.0
43	10692	10693	NS	2	-34.54	27.904	0.924	-34.957	27.483	0.547	-24.168	32.614	15.815	-18.932	30.606	30.312	0.116	275.712	4.647	0.116	303.472	3.807	0.116	25.393	0.075	0.116	7.668	0.042
44	10693	10694	NS	1	-34.829	28.06	1.684	-34.787	25.427	1.143	-0.277	29.823	15.536	2.539	31.412	23.811	0.116	294.649	3.212	0.116	291.841	2.978	0.116	0.206	0.0	0.116	0.161	0.0
45	10693	10694	SN	1	-34.283	25.117	0.243	-33.599	27.486	2.38	-12.076	29.916	16.91	-8.066	31.67	17.932	0.116	259.877	3.618	0.116	222.053	3.093	0.116	1.653	0.008	0.116	0.714	0.0
46	10694	10695	SN	1	-34.663	24.372	1.084	-33.853	26.039	4.312	-19.438	35.176	15.931	-16.754	33.163	17.277	0.116	283.7	0.763	0.116	235.337	0.443	0.116	8.602	0.005	0.116	4.679	0.005
47	10694	10695	NS	1	-34.982	25.603	3.41	-33.751	27.467	2.864	-2.447	30.218	20.506	-3.847	29.498	33.233	0.116	305.237	1.255	0.116	229.881	0.979	0.116	0.27	0.0	0.116	0.332	0.0
48	10694	10695	NS	1	-34.982	25.603	3.409	-33.751	27.467	2.864	-2.447	30.218	25.377	-3.847	29.497	36.628	0.116	305.237	1.257	0.116	229.881	0.98	0.116	0.27	0.0	0.116	0.332	0.0
49	10695	10696	NS	1	-34.9	25.289	2.886	-34.136	27.297	2.557	10.429	28.598	24.821	11.714	29.485	37.909	0.116	299.508	1.632	0.116	251.204	1.631	0.116	0.123	0.0	0.116	0.121	0.0
50	10695	10696	SN	1	-34.991	23.994	0.128	-34.863	26.861	2.955	-21.059	29.653	26.205	-6.918	30.012	29.494	0.116	305.866	5.627	0.116	297.032	5.011	0.116	12.454	0.009	0.116	0.57	0.0
51	10696	10697	NS	1	-34.968	25.363	3.327	-34.782	26.494	2.071	7.118	28.631	28.016	9.231	31.961	39.932	0.116	304.237	2.568	0.116	291.532	2.161	0.116	0.131	0.0	0.116	0.125	0.0
52	10696	10697	NS	1	-34.968	25.363	3.332	-34.782	26.494	2.071	12.141	28.493	6.372	9.234	31.955	14.347	0.116	304.237	2.569	0.116	291.532	2.161	0.116	0.12	0.0	0.116	0.125	0.0
53	10697	10698	NS	1	-34.755	25.342	3.67	-34.959	25.883	1.175	-4.424	27.37	6.104	6.538	26.284	8.305	0.116	289.646	5.144	0.116	303.567	4.733	0.116	0.365	0.0	0.116	0.133	0.0
54	10697	10698	NS	1	-34.755	25.342	3.453	-34.959	25.883	1.167	-4.424	29.378	16.15	6.535	29.641	25.944	0.116	289.646	4.821	0.116	303.567	4.7	0.116	0.365	0.0	0.116	0.133	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10683	10684	SN	1	57.511	58.425	0.0	0.0	283.554	3.449	1212.976	1292.832	19.566	-93.221	-91.971	0.0
2	10683	10684	SN	1	57.512	58.428	0.0	0.0	298.378	3.97	1212.92	1292.768	18.864	-95.337	-91.95	0.0
3	10683	10684	SN	2	57.511	58.425	0.0	0.0	288.699	3.967	1212.976	1292.832	18.853	-95.337	-91.95	0.0
4	10684	10685	SN	2	57.37	58.42	0.0	0.0	297.92	3.708	1207.704	1292.76	18.477	-95.316	-91.951	0.0
5	10684	10685	SN	1	57.37	58.42	0.0	0.0	297.92	3.707	1207.712	1292.76	18.477	-95.316	-91.951	0.0
6	10684	10685	NS	1	57.363	58.244	0.0	0.0	290.034	3.621	1193.144	1289.784	48.588	-93.374	-91.77	0.0
7	10684	10685	SN	1	57.514	58.42	0.0	0.0	297.92	3.601	1212.968	1292.76	18.704	-93.215	-91.955	0.0
8	10684	10685	NS	1	57.363	58.244	0.0	0.0	290.034	3.617	1193.144	1289.784	48.625	-93.374	-91.77	0.0
9	10685	10686	SN	1	57.501	58.433	0.0	0.0	288.335	3.448	1212.336	1292.928	17.738	-93.273	-91.953	0.0
10	10685	10686	SN	1	57.501	58.433	0.0	0.0	288.335	3.552	1212.336	1292.928	17.57	-93.273	-91.949	0.0
11	10685	10686	NS	2	57.364	58.246	0.0	0.0	297.242	3.71	1193.032	1290.04	49.838	-94.356	-91.709	0.0
12	10685	10686	NS	1	57.364	58.246	0.0	0.0	297.242	3.713	1193.016	1290.056	49.866	-94.356	-91.709	0.0
13	10685	10686	SN	1	57.477	58.433	0.0	0.0	288.335	3.451	1211.872	1292.928	17.757	-93.273	-91.953	0.0
14	10686	10687	SN	1	57.508	58.453	0.0	0.0	279.809	3.416	1212.376	1292.824	18.005	-93.247	-91.95	0.0
15	10686	10687	SN	1	57.508	58.453	0.0	0.0	298.913	3.548	1212.36	1292.824	17.764	-93.598	-91.949	0.0
16	10686	10687	SN	1	57.491	58.453	0.0	0.0	298.913	3.545	1211.968	1292.824	17.746	-93.598	-91.949	0.0
17	10686	10687	NS	1	57.36	58.246	0.0	0.0	297.22	3.634	1192.832	1290.04	49.781	-95.544	-91.759	0.0
18	10687	10688	NS	1	57.365	58.246	0.0	0.0	297.159	3.693	1193.288	1289.936	48.729	-94.27	-91.771	0.0
19	10687	10688	SN	1	57.507	58.418	0.0	0.0	298.08	3.364	1212.312	1292.704	18.096	-93.125	-91.959	0.0
20	10687	10688	SN	1	57.505	58.417	0.0	0.003	298.146	3.561	1212.16	1292.688	17.694	-93.125	-91.947	0.0
21	10687	10688	SN	1	57.507	58.418	0.0	0.0	298.08	3.564	1212.312	1292.704	17.712	-93.125	-91.947	0.0
22	10687	10688	NS	2	57.365	58.246	0.0	0.0	297.159	3.685	1193.288	1289.936	48.728	-93.023	-91.771	0.0
23	10688	10689	NS	1	57.354	58.244	0.0	0.0	297.225	3.887	1192.896	1289.768	48.473	-93.371	-91.771	0.0
24	10688	10689	SN	1	57.488	58.438	0.0	0.0	291.843	3.581	1211.808	1292.632	17.947	-93.507	-91.948	0.0
25	10688	10689	SN	2	57.488	58.438	0.0	0.0	291.843	3.581	1211.808	1292.632	17.947	-93.507	-91.948	0.0
26	10688	10689	NS	1	57.354	58.244	0.0	0.0	297.225	3.883	1192.896	1289.768	48.421	-93.371	-91.771	0.0
27	10689	10690	SN	1	57.478	58.417	0.0	0.0	285.07	3.06	1211.552	1292.624	19.295	-93.705	-91.974	0.0
28	10689	10690	SN	2	57.483	58.415	0.0	0.0	290.337	3.704	1211.632	1292.584	18.315	-93.808	-91.949	0.0
29	10689	10690	NS	1	57.34	58.244	0.0	0.0	297.303	3.657	1193.272	1289.768	47.303	-93.183	-91.777	0.0
30	10689	10690	SN	1	57.48	58.417	0.0	0.0	290.337	3.708	1211.624	1292.624	18.301	-93.808	-91.949	0.0
31	10689	10690	NS	1	57.34	58.244	0.0	0.0	297.303	3.653	1193.272	1289.768	47.253	-93.183	-91.777	0.0
32	10690	10691	NS	1	57.332	58.246	0.0	0.0	292.019	3.607	1192.56	1289.984	50.474	-93.369	-91.786	0.0
33	10690	10691	SN	1	57.508	58.419	0.0	0.0	281.811	2.776	1212.4	1292.848	20.357	-93.166	-91.977	0.0
34	10690	10691	NS	1	57.326	58.248	0.0	0.0	292.019	3.604	1192.888	1289.984	50.502	-93.502	-91.786	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10690	10691	SN	1	57.508	58.419	0.0	0.0	289.08	3.778	1212.4	1292.848	18.868	-95.651	-91.946	0.0
36	10690	10691	SN	2	57.508	58.419	0.0	0.0	289.08	3.778	1212.4	1292.848	18.868	-95.651	-91.946	0.0
37	10691	10692	NS	1	57.363	58.247	0.0	0.0	291.208	3.73	1193.136	1290.08	49.493	-93.372	-91.787	0.0
38	10691	10692	SN	1	57.511	58.419	0.0	0.003	288.175	3.656	1212.584	1292.92	17.557	-94.788	-91.919	0.0
39	10691	10692	SN	2	57.511	58.419	0.0	0.003	288.181	3.655	1212.568	1292.92	17.564	-94.788	-91.919	0.0
40	10691	10692	NS	1	57.363	58.246	0.0	0.0	291.208	3.731	1192.912	1290.08	49.469	-93.372	-91.787	0.0
41	10692	10693	NS	1	57.366	58.264	0.0	0.003	292.676	3.844	1193.688	1290.032	48.747	-93.918	-91.762	0.0
42	10692	10693	SN	1	57.512	58.371	0.0	0.0	299.801	5.628	1212.584	1292.872	15.881	-94.814	-91.925	0.0
43	10692	10693	NS	2	57.366	58.264	0.0	0.003	292.676	3.844	1193.688	1290.032	48.747	-93.918	-91.762	0.0
44	10693	10694	NS	1	57.364	58.245	0.0	0.0	296.977	3.878	1193.072	1290.0	49.852	-93.218	-91.762	0.0
45	10693	10694	SN	1	57.511	58.419	0.0	0.0	296.078	3.725	1212.16	1292.824	18.786	-93.66	-91.933	0.0
46	10694	10695	SN	1	57.507	58.419	0.0	0.0	294.815	3.73	1212.104	1292.944	18.886	-93.088	-91.943	0.0
47	10694	10695	NS	1	57.344	58.247	0.0	0.003	299.718	2.931	1193.344	1288.656	49.295	-93.485	-91.788	0.0
48	10694	10695	NS	1	57.344	58.245	0.0	0.0	299.718	3.612	1193.344	1290.056	50.272	-93.485	-91.788	0.0
49	10695	10696	NS	1	57.349	58.245	0.0	0.0	297.86	3.712	1192.728	1290.136	51.16	-93.37	-91.787	0.0
50	10695	10696	SN	1	57.487	58.419	0.0	0.0	291.744	3.672	1211.392	1293.0	18.846	-93.154	-91.945	0.0
51	10696	10697	NS	1	57.327	58.361	0.0	0.0	299.553	3.729	1193.352	1290.32	51.042	-94.496	-91.785	0.0
52	10696	10697	NS	1	57.327	58.361	0.0	0.0	292.863	2.119	1193.352	1283.632	46.031	-94.496	-91.785	0.0
53	10697	10698	NS	1	57.333	58.248	0.0	0.0	292.995	2.073	1193.352	1277.416	45.764	-93.816	-91.782	0.0
54	10697	10698	NS	1	57.333	58.258	0.0	0.0	292.995	3.936	1193.352	1290.408	50.08	-93.816	-91.782	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10683	10684	SN	1	-34.433	21.244	0.0	-33.317	21.236	0.0	-24.688	22.566	0.005	-22.768	22.761	0.021	0.086	205.612	2.74	0.086	159.034	2.576	0.086	21.859	0.064	0.086	14.075	0.033
2	10683	10684	SN	1	-34.185	21.244	0.0	-33.768	21.236	0.0	-24.688	22.566	0.004	-22.765	22.761	0.021	0.086	194.221	2.664	0.086	176.39	2.358	0.086	21.859	0.063	0.086	14.062	0.033
3	10683	10684	SN	2	-34.258	21.244	0.0	-33.97	21.236	0.0	-24.688	22.566	0.004	-22.768	22.761	0.021	0.086	197.469	2.665	0.086	184.805	2.358	0.086	21.859	0.063	0.086	14.075	0.033
4	10684	10685	SN	2	-34.495	20.009	0.0	-34.948	20.619	0.0	-32.451	21.883	0.0	-32.1	22.768	0.023	0.086	213.884	2.217	0.086	239.5	2.166	0.086	130.286	0.137	0.086	120.198	0.201
5	10684	10685	SN	1	-34.495	20.009	0.0	-34.837	20.619	0.0	-32.451	21.883	0.0	-32.1	22.768	0.023	0.086	213.884	2.217	0.086	225.647	2.166	0.086	130.286	0.137	0.086	120.198	0.201
6	10684	10685	NS	1	-34.98	19.633	0.0	-34.247	20.48	0.0	-2.271	22.67	0.007	-1.855	23.468	0.094	0.086	233.254	2.936	0.086	197.0	2.782	0.086	0.197	0.0	0.086	0.186	0.0
7	10684	10685	SN	1	-34.495	20.009	0.0	-34.837	20.619	0.0	-32.451	21.883	0.0	-32.1	22.768	0.023	0.086	213.884	2.262	0.086	225.647	2.181	0.086	130.286	0.137	0.086	120.198	0.201
8	10684	10685	NS	1	-34.386	19.633	0.0	-34.686	20.48	0.0	-2.272	22.67	0.007	-1.859	23.468	0.094	0.086	203.43	2.939	0.086	217.985	2.776	0.086	0.197	0.0	0.086	0.186	0.0
9	10685	10686	SN	1	-34.928	19.769	0.0	-34.639	19.921	0.0	-4.659	21.929	0.0	2.081	22.579	0.012	0.086	230.45	3.921	0.086	215.597	3.584	0.086	0.286	0.0	0.086	0.124	0.0
10	10685	10686	SN	1	-34.928	19.769	0.0	-34.639	19.921	0.0	-4.659	21.929	0.0	2.081	22.579	0.012	0.086	230.45	3.872	0.086	215.597	3.563	0.086	0.286	0.0	0.086	0.124	0.0
11	10685	10686	NS	2	-34.046	19.171	0.0	-34.778	18.102	0.0	-6.333	21.595	0.0	-26.842	23.099	0.061	0.086	188.099	3.161	0.086	222.608	3.271	0.086	0.386	0.0	0.086	35.848	0.02
12	10685	10686	NS	1	-34.0	19.171	0.0	-34.778	18.102	0.0	-6.333	21.595	0.0	-26.84	23.099	0.061	0.086	186.071	3.162	0.086	222.608	3.271	0.086	0.386	0.0	0.086	35.847	0.02
13	10685	10686	SN	1	-34.388	19.769	0.0	-34.886	19.921	0.0	-4.652	21.929	0.0	2.08	22.579	0.012	0.086	203.474	3.911	0.086	228.167	3.58	0.086	0.286	0.0	0.086	0.124	0.0
14	10686	10687	SN	1	-34.977	19.093	0.0	-34.888	19.446	0.0	1.436	22.494	0.006	1.985	22.288	0.019	0.086	233.084	1.478	0.086	228.308	1.211	0.086	0.13	0.0	0.086	0.124	0.0
15	10686	10687	SN	1	-34.977	19.044	0.0	-34.888	19.446	0.0	1.436	22.494	0.006	1.985	22.288	0.019	0.086	233.084	1.487	0.086	228.308	1.336	0.086	0.13	0.0	0.086	0.124	0.0
16	10686	10687	SN	1	-34.756	19.044	0.0	-34.909	19.446	0.0	1.436	22.494	0.006	1.985	22.288	0.019	0.086	221.509	1.484	0.086	229.428	1.329	0.086	0.13	0.0	0.086	0.124	0.0
17	10686	10687	NS	1	-34.844	18.66	0.0	-34.931	17.754	0.0	-23.93	21.955	0.0	-23.774	23.383	0.046	0.086	226.05	4.119	0.086	230.575	4.275	0.086	18.37	0.117	0.086	17.721	0.099
18	10687	10688	NS	1	-34.161	18.003	0.0	-33.019	17.406	0.0	-7.196	23.075	0.014	-6.692	22.966	0.072	0.086	193.08	1.492	0.087	148.497	1.145	0.086	0.456	0.0	0.086	0.414	0.0
19	10687	10688	SN	1	-34.697	18.966	0.0	-32.666	19.041	0.0	0.659	21.895	0.0	1.716	22.625	0.16	0.086	218.514	0.744	0.086	136.885	0.841	0.086	0.14	0.0	0.086	0.127	0.0
20	10687	10688	SN	1	-34.722	18.962	0.0	-34.444	19.042	0.0	0.659	21.895	0.0	1.716	22.625	0.149	0.086	219.756	0.769	0.086	206.073	0.868	0.086	0.14	0.0	0.086	0.127	0.0
21	10687	10688	SN	1	-34.697	18.963	0.0	-33.402	19.042	0.0	0.659	21.895	0.0	1.716	22.625	0.149	0.086	218.514	0.764	0.086	162.184	0.871	0.086	0.14	0.0	0.086	0.127	0.0
22	10687	10688	NS	2	-34.263	17.989	0.0	-33.019	17.406	0.0	-7.196	23.075	0.014	-6.692	22.966	0.072	0.086	197.683	1.49	0.087	148.497	1.14	0.086	0.456	0.0	0.086	0.414	0.0
23	10688	10689	NS	1	-34.929	18.164	0.0	-33.352	18.035	0.0	-14.029	22.24	0.002	-12.702	23.326	0.053	0.086	230.486	3.815	0.086	160.274	4.042	0.086	1.938	0.004	0.086	1.445	0.004
24	10688	10689	SN	1	-34.953	17.769	0.0	-34.94	18.212	0.0	0.679	21.45	0.0	2.086	22.138	0.014	0.086	231.721	4.547	0.086	231.04	4.208	0.086	0.139	0.0	0.086	0.124	0.0
25	10688	10689	SN	2	-34.953	17.769	0.0	-34.94	18.212	0.0	0.679	21.45	0.0	2.086	22.138	0.014	0.086	231.721	4.547	0.086	231.04	4.208	0.086	0.139	0.0	0.086	0.124	0.0
26	10688	10689	NS	1	-34.929	18.164	0.0	-33.352	18.035	0.0	-14.029	22.243	0.002	-12.702	23.326	0.053	0.086	230.486	3.809	0.086	160.274	4.034	0.086	1.938	0.004	0.086	1.445	0.004
27	10689	10690	SN	1	-34.854	15.248	0.0	-34.993	16.784	0.0	-2.478	23.13	0.115	1.21	23.236	0.288	0.087	226.544	5.111	0.087	233.909	5.032	0.086	0.203	0.0	0.086	0.133	0.0
28	10689	10690	SN	2	-34.854	17.149	0.0	-34.984	18.15	0.0	-2.478	23.13	0.107	1.21	23.236	0.288	0.087	226.544	4.897	0.086	233.353	4.72	0.086	0.203	0.0	0.086	0.133	0.0
29	10689	10690	NS	1	-34.869	20.654	0.0	-34.861	21.165	0.0	-25.652	22.26	0.004	-34.956	22.593	0.064	0.086	227.292	2.397	0.086	226.929	2.171	0.086	27.283	0.202	0.086	231.861	0.247
30	10689	10690	SN	1	-34.854	17.149	0.0	-34.993	18.151	0.0	-2.478	23.13	0.107	1.21	23.236	0.288	0.087	226.544	4.898	0.086	233.909	4.717	0.086	0.203	0.0	0.086	0.133	0.0
31	10689	10690	NS	1	-34.869	20.654	0.0	-34.861	21.165	0.0	-25.652	22.26	0.004	-34.956	22.591	0.064	0.086	227.292	2.404	0.086	226.929	2.17	0.086	27.283	0.202	0.086	231.861	0.247
32	10690	10691	NS	1	-34.575	20.342	0.0	-34.968	21.389	0.0	1.951	22.422	0.038	1.522	23.128	0.278	0.086	212.43	2.429	0.086	232.536	2.35	0.086	0.125	0.0	0.086	0.129	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	10690	10691	SN	1	-34.905	17.8	0.0	-34.864	17.698	0.0	-6.694	23.256	0.2	-10.555	24.055	0.788	0.086	229.218	2.808	0.086	227.049	3.169	0.086	0.414	0.0	0.086	0.907	0.0
34	10690	10691	NS	1	-34.756	20.342	0.0	-34.772	21.389	0.0	1.956	22.422	0.038	1.522	23.128	0.275	0.086	221.497	2.422	0.086	222.278	2.349	0.086	0.125	0.0	0.086	0.129	0.0
35	10690	10691	SN	1	-34.905	17.8	0.0	-34.864	18.504	0.0	-6.694	23.256	0.187	-10.555	24.055	0.787	0.086	229.218	2.733	0.086	227.049	2.812	0.086	0.414	0.0	0.086	0.907	0.0
36	10690	10691	SN	2	-34.905	17.8	0.0	-34.864	18.504	0.0	-6.694	23.256	0.187	-10.555	24.055	0.787	0.086	229.218	2.733	0.086	227.049	2.812	0.086	0.414	0.0	0.086	0.907	0.0
37	10691	10692	NS	1	-34.598	22.535	0.008	-34.73	17.93	0.0	1.19	23.096	0.132	-8.04	24.284	0.825	0.086	213.595	2.341	0.086	220.136	2.019	0.086	0.133	0.0	0.086	0.538	0.0
38	10691	10692	SN	1	-34.996	18.028	0.0	-34.67	18.482	0.0	-31.93	22.57	0.023	-10.891	23.676	0.452	0.086	234.06	5.78	0.086	217.084	5.246	0.086	115.574	0.047	0.086	0.975	0.0
39	10691	10692	SN	2	-34.996	18.028	0.0	-34.67	18.482	0.0	-31.93	22.57	0.023	-10.891	23.676	0.452	0.086	234.06	5.78	0.086	217.084	5.244	0.086	115.574	0.047	0.086	0.975	0.0
40	10691	10692	NS	1	-34.372	22.535	0.008	-34.718	17.93	0.0	1.178	23.096	0.132	-8.04	24.282	0.824	0.086	202.728	2.338	0.086	219.556	2.02	0.086	0.133	0.0	0.086	0.538	0.0
41	10692	10693	NS	1	-34.615	22.868	0.004	-34.926	18.994	0.0	-15.182	22.859	0.153	-17.318	24.205	1.111	0.086	214.433	3.907	0.086	230.354	3.797	0.086	2.507	0.021	0.086	4.059	0.008
42	10692	10693	SN	1	-34.962	17.571	0.0	-34.626	18.719	0.0	-7.288	22.52	0.01	-6.978	23.552	0.163	0.087	244.651	6.006	0.086	214.939	5.665	0.086	0.464	0.0	0.086	0.437	0.0
43	10692	10693	NS	2	-34.615	22.868	0.004	-34.926	18.994	0.0	-15.182	22.859	0.153	-17.318	24.205	1.111	0.086	214.433	3.907	0.086	230.354	3.797	0.086	2.507	0.021	0.086	4.059	0.008
44	10693	10694	NS	1	-34.985	21.208	0.0	-34.521	19.596	0.0	-6.622	22.163	0.008	-3.794	23.991	0.825	0.086	233.44	2.451	0.086	209.786	2.326	0.086	0.408	0.0	0.086	0.248	0.0
45	10693	10694	SN	1	-34.575	17.837	0.0	-34.52	20.934	0.0	-31.866	22.62	0.012	-12.905	23.512	0.169	0.086	212.476	3.917	0.086	209.738	3.585	0.086	113.892	0.114	0.086	1.511	0.019
46	10694	10695	SN	1	-34.943	17.644	0.0	-32.652	20.51	0.0	-27.929	22.716	0.019	-26.108	23.258	0.218	0.087	231.212	1.279	0.086	136.449	1.396	0.086	46.032	0.06	0.086	30.294	0.101
47	10694	10695	NS	1	-34.741	19.51	0.0	-34.366	20.002	0.0	-3.612	22.528	0.041	-2.487	23.806	1.025	0.086	220.72	1.921	0.086	202.44	1.735	0.086	0.241	0.0	0.086	0.203	0.0
48	10694	10695	NS	1	-34.821	19.51	0.0	-34.366	20.002	0.0	-3.612	22.528	0.041	-2.487	23.798	0.926	0.086	224.858	1.918	0.086	202.44	1.735	0.086	0.241	0.0	0.086	0.203	0.0
49	10695	10696	NS	1	-34.868	19.66	0.0	-34.696	21.149	0.0	-3.012	22.158	0.006	-5.753	23.92	0.997	0.086	227.251	2.239	0.086	218.395	2.094	0.086	0.22	0.0	0.086	0.347	0.0
50	10695	10696	SN	1	-34.707	18.111	0.0	-34.957	20.263	0.0	-33.088	22.494	0.02	-25.51	23.56	0.418	0.086	218.996	4.352	0.086	231.934	3.738	0.086	150.901	0.084	0.086	26.397	0.113
51	10696	10697	NS	1	-34.991	20.871	0.0	-34.719	19.164	0.0	3.472	22.535	0.041	2.774	23.823	1.116	0.086	233.822	2.312	0.086	219.587	2.101	0.086	0.113	0.0	0.086	0.118	0.0
52	10696	10697	NS	1	-34.991	20.871	0.0	-34.719	19.164	0.0	7.084	21.745	0.0	3.111	23.117	0.406	0.086	233.822	2.342	0.086	219.587	2.1	0.086	0.097	0.0	0.086	0.115	0.0
53	10697	10698	NS	1	-34.888	19.471	0.0	-34.66	18.009	0.0	-17.902	21.513	0.0	1.338	21.002	0.0	0.086	228.279	5.131	0.086	216.661	4.324	0.086	4.633	0.004	0.086	0.131	0.0
54	10697	10698	NS	1	-34.888	19.471	0.0	-34.66	18.009	0.0	-17.902	23.262	0.297	1.425	23.603	0.927	0.086	228.279	4.731	0.086	216.661	4.284	0.086	4.633	0.003	0.086	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors