

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-OCT-2018 To 07-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 06-OCT-2018 To 07-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10726	10727	SN	1	48.738	49.587	0.0	0.0	278.447	2.719	1032.96	1100.048	11.178	-92.327	-89.881	0.0
2	10727	10728	SN	1	48.747	49.57	0.0	0.003	6.8	2.728	1032.984	1099.864	11.204	-91.877	-89.886	0.0
3	10727	10728	SN	1	48.529	49.57	0.0	0.003	6.8	2.73	1029.008	1099.864	10.972	-92.166	-89.88	0.0
4	10727	10728	SN	1	48.529	49.57	0.0	0.003	6.8	2.502	1029.008	1099.864	10.983	-92.166	-89.88	0.0
5	10728	10729	NS	1	48.746	49.568	0.0	0.0	266.876	2.668	1032.776	1100.056	10.048	-91.933	-89.875	0.0
6	10728	10729	SN	1	48.746	49.568	0.0	0.003	215.449	2.431	1032.776	1100.056	10.142	-91.933	-89.875	0.0
7	10728	10729	NS	2	48.633	49.376	0.0	0.0	264.676	2.668	1020.872	1098.776	15.401	-92.81	-89.692	0.0
8	10728	10729	SN	1	48.746	49.568	0.0	0.003	215.449	2.433	1032.776	1100.056	10.152	-91.933	-89.875	0.0
9	10728	10729	SN	1	48.634	49.378	0.0	0.003	6.811	2.509	1020.88	1098.76	15.395	-92.809	-89.692	0.0
10	10729	10730	NS	1	48.729	49.532	0.0	0.003	210.618	2.594	1032.272	1100.08	9.781	-91.755	-89.879	0.0
11	10729	10730	SN	1	48.71	49.532	0.0	0.003	6.811	2.356	1031.968	1100.08	9.833	-91.755	-89.883	0.0
12	10729	10730	SN	1	48.635	49.378	0.0	0.003	6.811	2.498	1021.024	1098.84	15.281	-91.87	-89.691	0.0
13	10729	10730	SN	1	48.71	49.532	0.0	0.003	6.806	2.273	1031.968	1100.08	9.723	-91.755	-89.879	0.0
14	10730	10731	NS	1	48.586	49.378	0.0	0.003	267.351	2.663	1020.024	1098.776	14.328	-91.643	-89.716	0.0
15	10730	10731	SN	1	48.691	49.532	0.0	0.003	6.806	2.54	1031.48	1099.984	9.792	-91.806	-89.886	0.0
16	10730	10731	SN	1	48.691	49.532	0.0	0.003	6.806	2.55	1031.48	1099.984	9.616	-91.806	-89.878	0.0
17	10730	10731	NS	2	48.586	49.378	0.0	0.003	267.351	2.663	1020.024	1098.776	14.328	-91.643	-89.716	0.0
18	10730	10731	NS	2	48.69	49.522	0.0	0.0	206.961	2.762	1031.472	1099.968	9.673	-91.806	-89.878	0.0
19	10731	10732	SN	1	48.705	49.564	0.0	0.003	214.997	2.082	1031.752	1099.928	10.074	-91.881	-89.892	0.0
20	10731	10732	NS	1	48.57	49.378	0.0	0.0	206.961	2.762	1020.632	1098.712	14.098	-91.604	-89.744	0.0
21	10731	10732	SN	1	48.704	49.562	0.0	0.003	6.794	2.531	1031.752	1099.896	9.867	-91.787	-89.882	0.0
22	10731	10732	NS	1	48.57	49.378	0.0	0.003	42.347	2.603	1020.632	1098.712	14.098	-91.604	-89.744	0.0
23	10731	10732	SN	1	48.635	49.377	0.0	0.003	6.783	1.88	1021.216	1098.616	14.517	-91.644	-89.737	0.0
24	10732	10733	NS	1	48.693	49.522	0.0	0.003	42.347	2.6	1031.568	1099.816	9.835	-91.662	-89.882	0.0
25	10732	10733	SN	2	48.635	49.377	0.0	0.003	6.783	2.58	1021.216	1098.616	14.502	-91.712	-89.737	0.0
26	10732	10733	SN	1	48.693	49.522	0.0	0.003	6.783	2.579	1031.568	1099.816	9.835	-91.662	-89.881	0.0
27	10732	10733	SN	1	48.693	49.522	0.0	0.003	6.789	1.666	1031.568	1099.816	10.287	-91.662	-89.888	0.0
28	10732	10733	SN	1	48.743	49.522	0.0	0.003	6.789	2.655	1032.456	1099.888	10.366	-91.798	-89.881	0.0
29	10733	10734	SN	1	48.743	49.522	0.0	0.003	6.789	2.653	1032.456	1099.888	11.04	-91.798	-89.89	0.0
30	10733	10734	NS	1	48.743	49.522	0.0	0.003	210.607	2.639	1032.456	1099.888	10.374	-91.798	-89.881	0.0
31	10733	10734	SN	1	48.59	49.406	0.0	0.003	281.083	1.557	1020.384	1098.856	14.879	-91.804	-89.751	0.0
32	10734	10735	SN	1	48.744	49.523	0.0	0.003	281.083	2.608	1032.552	1100.056	10.144	-91.785	-89.866	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10734	10735	SN	1	48.744	49.523	0.0	0.003	281.083	2.61	1032.552	1100.056	10.907	-91.785	-89.866	0.0
34	10734	10735	NS	2	48.593	49.409	0.0	0.003	210.53	2.64	1020.424	1098.8	14.814	-91.804	-89.751	0.0
35	10734	10735	SN	1	48.744	49.523	0.0	0.003	6.816	2.541	1032.552	1100.056	10.155	-91.785	-89.866	0.0
36	10734	10735	NS	1	48.746	49.538	0.0	0.003	210.579	2.729	1032.664	1100.04	10.466	-91.788	-89.845	0.0
37	10735	10736	SN	1	48.729	49.53	0.0	0.003	39.736	2.541	1032.224	1099.936	10.49	-92.087	-89.864	0.0
38	10736	10737	SN	1	48.636	49.378	0.0	0.003	39.736	2.555	1021.384	1098.736	14.72	-91.66	-89.723	0.0
39	10736	10737	NS	1	48.72	49.522	0.0	0.003	267.279	2.544	1032.064	1099.936	10.583	-91.727	-89.864	0.0
40	10736	10737	NS	1	48.636	49.377	0.0	0.003	267.279	2.62	1021.344	1098.344	14.018	-91.808	-89.74	0.0
41	10737	10738	SN	1	48.718	49.524	0.0	0.003	6.806	2.658	1031.76	1100.008	10.965	-91.687	-89.866	0.0
42	10737	10738	NS	1	48.636	49.377	0.0	0.003	267.279	2.622	1021.344	1098.784	14.679	-91.808	-89.74	0.0
43	10737	10738	SN	1	48.698	49.523	0.0	0.003	6.806	2.646	1031.408	1100.0	11.079	-91.66	-89.866	0.0
44	10737	10738	SN	2	48.636	49.377	0.0	0.003	280.603	2.584	1021.344	1098.784	14.664	-91.808	-89.74	0.0
45	10737	10738	NS	1	48.737	49.523	0.0	0.0	48.664	2.715	1031.992	1100.072	10.82	-91.797	-89.869	0.0
46	10738	10739	NS	1	48.737	49.523	0.0	0.0	48.664	2.713	1031.992	1100.072	10.82	-91.797	-89.869	0.0
47	10738	10739	SN	1	48.571	49.378	0.0	0.003	280.603	2.584	1021.232	1098.872	15.191	-91.646	-89.753	0.0
48	10738	10739	NS	1	48.571	49.378	0.0	0.003	267.279	1.96	1021.232	1098.88	15.175	-91.655	-89.753	0.0
49	10738	10739	SN	1	48.576	49.378	0.0	0.003	29.853	2.583	1020.104	1096.304	11.482	-91.659	-89.751	0.0
50	10739	10740	SN	2	48.734	49.524	0.0	0.003	29.853	2.583	1031.952	1100.16	10.671	-91.673	-89.871	0.0
51	10739	10740	SN	1	48.734	49.524	0.0	0.003	214.649	1.56	1031.952	1100.16	10.671	-91.673	-89.871	0.0
52	10739	10740	SN	1	48.606	49.379	0.0	0.003	214.649	2.655	1020.376	1091.616	11.645	-91.611	-89.75	0.0
53	10740	10741	SN	1	48.743	49.525	0.0	0.003	214.649	2.652	1032.096	1100.256	10.932	-91.694	-89.878	0.0
54	10740	10741	NS	1	48.724	49.525	0.0	0.003	210.53	2.658	1031.832	1100.256	11.53	-91.694	-89.885	0.0
55	10740	10741	NS	1	48.606	49.379	0.0	0.003	210.53	1.577	1020.376	1099.088	16.424	-91.646	-89.75	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																Kp												
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10726	10727	SN	1	-33.749	24.542	1.305	-32.27	27.142	5.537	7.205	28.594	15.517	10.344	29.297	15.792	0.116	229.841	0.936	0.116	163.492	0.89	0.116	0.13	0.0	0.116	0.123	0.0
2	10727	10728	SN	1	-33.616	26.206	2.254	-34.11	26.613	8.454	-17.625	36.383	13.104	-11.974	30.937	16.408	0.116	222.912	4.008	0.116	249.665	2.926	0.116	5.697	0.001	0.116	1.617	0.002
3	10727	10728	SN	1	-33.616	26.206	4.278	-34.11	26.616	8.953	-17.625	36.383	13.104	-11.974	30.937	16.41	0.116	222.912	3.878	0.116	249.665	2.967	0.116	5.715	0.001	0.116	1.618	0.002
4	10727	10728	SN	1	-33.616	26.206	4.283	-34.11	26.616	8.952	-17.639	36.383	13.084	-11.975	30.937	16.379	0.116	222.912	3.878	0.116	249.665	2.969	0.116	5.697	0.001	0.116	1.617	0.002
5	10728	10729	NS	1	-34.184	26.039	2.024	-34.781	26.766	0.116	-5.252	32.269	14.286	-1.39	31.655	25.777	0.116	294.595	3.428	0.116	261.746	3.013	0.116	0.234	0.0	0.116	0.22	0.0
6	10728	10729	SN	1	-34.827	26.069	3.25	-34.314	26.29	5.513	-1.373	32.978	9.241	-0.882	30.818	5.42	0.116	294.595	3.356	0.116	261.746	3.055	0.116	0.234	0.0	0.116	0.22	0.0
7	10728	10729	NS	2	-34.827	26.069	2.763	-34.314	26.292	5.48	-1.383	32.978	9.266	-0.882	30.818	5.435	0.116	254.026	3.649	0.116	291.452	3.053	0.116	0.42	0.0	0.116	0.234	0.0
8	10728	10729	SN	1	-34.314	26.039	2.024	-34.781	26.766	0.115	-5.252	32.269	14.292	-1.39	31.655	25.777	0.116	294.595	3.358	0.116	261.746	3.054	0.116	0.234	0.0	0.116	0.22	0.0
9	10728	10729	SN	1	-34.827	26.069	2.763	-34.314	26.29	5.48	-1.373	32.978	9.241	-0.882	30.818	5.42	0.116	261.679	3.649	0.116	291.452	3.053	0.116	0.42	0.0	0.116	0.234	0.0
10	10729	10730	NS	1	-34.317	25.43	1.09	-34.747	25.956	2.093	6.807	27.961	15.221	8.097	29.519	8.883	0.116	261.892	2.232	0.116	289.126	1.815	0.116	0.132	0.0	0.116	0.128	0.0
11	10729	10730	SN	1	-34.4	25.43	0.821	-34.493	25.957	2.007	6.809	27.962	15.235	8.097	29.519	8.868	0.116	267.024	2.256	0.116	272.711	1.833	0.116	0.132	0.0	0.116	0.128	0.0
12	10729	10730	SN	1	-34.4	25.43	1.09	-33.956	25.957	2.097	6.809	27.962	15.235	8.097	29.519	8.862	0.116	296.102	2.733	0.116	171.242	2.52	0.116	1.149	0.002	0.116	0.403	0.0
13	10729	10730	SN	1	-34.85	25.074	1.134	-32.471	24.913	0.139	-10.38	28.706	10.643	-5.004	29.266	19.835	0.116	267.024	2.234	0.116	241.07	1.816	0.116	0.132	0.0	0.116	0.128	0.0
14	10730	10731	NS	1	-33.314	26.182	0.951	-34.784	24.472	0.434	-8.03	32.252	6.499	-14.798	32.927	12.604	0.116	207.955	2.302	0.116	291.652	2.086	0.116	0.708	0.0	0.116	3.015	0.004
15	10730	10731	SN	1	-33.314	26.182	0.951	-34.784	24.472	0.434	-8.03	32.252	6.499	-14.798	32.927	12.604	0.116	299.203	4.012	0.116	293.576	3.606	0.116	0.134	0.0	0.116	0.131	0.0
16	10730	10731	SN	1	-34.895	24.717	0.281	-34.813	25.77	0.944	6.239	27.04	12.368	6.976	27.508	8.372	0.116	299.203	3.936	0.116	293.576	3.541	0.116	0.134	0.0	0.116	0.131	0.0
17	10730	10731	NS	2	-34.959	24.799	0.605	-34.829	25.77	1.186	6.239	27.04	12.409	6.976	28.34	8.261	0.116	207.955	2.302	0.116	291.652	2.086	0.116	0.708	0.0	0.116	3.015	0.004
18	10730	10731	NS	2	-34.895	24.785	0.604	-34.813	25.77	1.187	6.239	27.04	12.355	6.976	28.338	8.273	0.116	303.59	3.939	0.116	294.685	3.537	0.116	0.134	0.0	0.116	0.131	0.0
19	10731	10732	SN	1	-34.844	24.101	0.712	-34.718	24.123	0.541	-4.936	29.942	9.355	-3.657	30.79	17.753	0.116	287.675	4.391	0.116	277.56	4.195	0.116	0.136	0.0	0.116	0.127	0.0
20	10731	10732	NS	1	-34.725	24.506	0.311	-34.569	24.796	0.927	5.784	28.123	14.081	8.264	28.934	16.56	0.116	295.723	4.756	0.116	287.219	4.359	0.116	0.398	0.0	0.116	0.322	0.0
21	10731	10732	SN	1	-34.725	24.506	0.252	-34.569	24.796	0.448	5.784	28.123	14.424	8.264	28.934	16.906	0.116	303.211	4.27	0.116	302.869	4.081	0.116	0.136	0.0	0.116	0.127	0.0
22	10731	10732	NS	1	-34.953	24.503	0.311	-34.948	24.796	0.927	5.784	28.125	14.186	8.266	28.934	16.621	0.116	295.723	4.756	0.116	287.219	4.359	0.116	0.398	0.0	0.116	0.322	0.0
23	10731	10732	SN	1	-34.844	24.101	0.712	-34.718	24.123	0.541	-4.936	29.942	9.355	-3.657	30.79	17.753	0.116	289.752	1.979	0.116	229.372	1.783	0.116	0.771	0.0	0.116	0.636	0.0
24	10732	10733	NS	1	-34.789	24.489	0.561	-33.761	24.594	0.384	-8.452	30.399	8.632	-7.486	31.101	15.997	0.116	305.487	6.472	0.116	289.688	5.683	0.116	0.139	0.0	0.116	0.13	0.0
25	10732	10733	SN	2	-34.985	19.872	0.0	-34.755	20.891	0.0	5.237	28.399	13.744	7.409	30.575	11.834	0.116	292.004	1.975	0.116	230.516	1.78	0.116	0.771	0.0	0.116	0.636	0.0
26	10732	10733	SN	1	-34.756	24.489	0.562	-33.74	24.594	0.385	-8.452	30.399	8.637	-7.486	31.101	15.997	0.116	305.487	6.472	0.116	289.688	5.683	0.116	0.139	0.0	0.116	0.13	0.0
27	10732	10733	SN	1	-34.985	22.729	0.032	-34.755	24.802	0.78	5.237	28.399	12.952	7.409	30.575	11.729	0.116	305.487	6.731	0.116	289.688	5.952	0.116	0.139	0.0	0.116	0.13	0.0
28	10732	10733	SN	1	-34.985	22.729	0.032	-34.755	24.802	0.78	5.237	28.399	12.952	7.409	30.575	11.729	0.116	289.456	8.022	0.116	305.371	6.613	0.116	1.683	0.002	0.116	1.634	0.002
29	10733	10734	SN	1	-34.834	24.612	0.017	-34.88	24.584	0.018	-12.182	32.294	11.235	-12.113	31.927	11.714	0.116	294.985	8.603	0.116	298.145	7.329	0.116	1.692	0.002	0.116	1.667	0.002
30	10733	10734	NS	1	-34.834	24.612	0.092	-34.88	24.813	1.733	-12.182	32.294	10.786	-12.113	31.927	11.778	0.116	294.985	8.029	0.116	298.145	6.612	0.116	1.692	0.002	0.116	1.667	0.002
31	10733	10734	SN	1	-34.752	24.612	0.092	-34.984	24.811	1.731	-12.156	32.291	10.795	-12.021	31.927	11.775	0.116	231.408	1.507	0.116	271.463	1.297	0.116	0.153	0.0	0.116	0.198	0.0
32	10734	10735	SN	1	-33.138	24.704	0.774	-34.448	25.012	0.399	3.364	29.8	17.822	0.082	30.38	30.276	0.116	296.207	4.383	0.116	298.61	3.277	0.116	1.624	0.003	0.116	2.316	0.002
33	10734	10735	SN	1	-34.923	25.394	0.301	-34.518	25.153	2.383	-11.977	29.748	15.863	-13.612	30.549	20.11	0.116	301.096	4.724	0.116	263.264	3.629	0.116	1.618	0.003	0.116	2.316	0.002

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10734	10735	NS	2	-34.852	25.394	0.301	-34.886	25.153	2.383	-11.992	29.748	15.835	-13.612	30.549	20.07	0.116	199.688	1.506	0.116	270.003	1.298	0.116	0.153	0.0	0.116	0.198	0.0
35	10734	10735	SN	1	-33.778	24.704	0.774	-34.473	25.012	0.399	3.364	29.8	17.834	0.081	30.379	30.281	0.116	301.096	4.38	0.116	274.282	3.276	0.116	1.618	0.003	0.116	2.316	0.002
36	10734	10735	NS	1	-34.923	25.394	0.023	-34.34	25.153	0.038	-11.977	29.748	16.497	-13.612	30.549	20.1	0.116	295.736	3.256	0.116	189.514	2.681	0.116	5.839	0.01	0.116	0.351	0.0
37	10735	10736	SN	1	-34.844	24.8	0.372	-32.911	25.923	1.919	-17.733	28.993	16.75	-4.181	32.006	17.769	0.116	286.988	4.562	0.116	263.069	3.869	0.116	32.429	0.004	0.116	0.788	0.0
38	10736	10737	SN	1	-33.531	29.093	1.059	-34.055	26.83	0.647	-7.671	36.383	13.519	-10.86	34.525	24.401	0.116	218.577	2.548	0.116	246.582	2.122	0.116	0.66	0.0	0.116	1.272	0.004
39	10736	10737	NS	1	-34.767	25.869	0.118	-34.472	27.076	1.81	-25.293	32.863	17.531	-8.555	30.083	17.737	0.116	290.52	4.576	0.116	271.443	3.87	0.116	32.873	0.004	0.116	0.787	0.0
40	10736	10737	NS	1	-34.714	25.871	0.118	-34.335	27.076	1.811	-25.234	32.863	17.381	-8.558	30.083	17.753	0.116	303.952	1.7	0.116	294.954	1.338	0.116	0.231	0.0	0.116	0.192	0.0
41	10737	10738	SN	1	-34.963	27.766	2.202	-34.834	26.907	1.777	-1.282	30.529	18.745	0.424	29.939	26.802	0.116	226.549	1.392	0.116	241.192	1.257	0.116	13.94	0.006	0.116	42.235	0.003
42	10737	10738	NS	1	-33.687	23.926	0.54	-33.959	25.711	3.193	-21.551	28.573	14.803	-26.384	29.844	13.847	0.116	303.952	1.7	0.116	294.954	1.338	0.116	0.231	0.0	0.116	0.192	0.0
43	10737	10738	SN	1	-34.963	27.766	2.205	-34.834	26.907	1.779	-1.282	30.529	18.745	0.424	29.939	26.802	0.116	201.228	1.391	0.116	295.805	1.252	0.116	14.24	0.006	0.116	57.696	0.003
44	10737	10738	SN	2	-34.963	27.766	2.205	-34.834	26.907	1.779	-1.282	30.529	17.492	0.424	29.939	25.226	0.116	303.952	1.697	0.116	294.954	1.336	0.116	0.231	0.0	0.116	0.192	0.0
45	10737	10738	NS	1	-33.172	23.923	0.535	-34.846	25.71	3.19	-21.645	28.573	14.896	-27.742	29.845	13.884	0.116	291.958	5.935	0.116	294.559	5.761	0.116	0.295	0.0	0.116	0.4	0.0
46	10738	10739	NS	1	-34.849	26.19	2.973	-34.676	27.176	2.725	2.963	28.609	27.696	-2.524	29.434	40.024	0.116	291.958	5.935	0.116	294.559	5.761	0.116	0.295	0.0	0.116	0.4	0.0
47	10738	10739	SN	1	-34.789	24.468	0.697	-34.827	26.746	4.104	-3.081	30.735	18.754	-4.966	30.679	21.251	0.116	298.474	3.917	0.116	284.486	3.165	0.116	0.157	0.0	0.116	0.272	0.0
48	10738	10739	NS	1	-34.885	26.19	2.977	-34.676	27.176	2.728	2.963	28.609	27.696	-2.524	29.434	40.028	0.116	296.034	3.91	0.116	284.486	3.161	0.116	0.157	0.0	0.116	0.272	0.0
49	10738	10739	SN	1	-34.789	24.468	0.697	-34.827	26.746	4.104	-3.081	30.735	18.754	-4.966	30.679	21.251	0.116	291.755	5.028	0.116	302.53	3.967	0.116	0.126	0.0	0.116	0.234	0.0
50	10739	10740	SN	2	-34.834	23.745	0.161	-34.697	27.232	3.45	-2.6	29.197	40.087	-2.603	30.812	49.164	0.116	294.996	3.88	0.116	285.886	3.235	0.116	0.275	0.0	0.116	0.276	0.0
51	10739	10740	SN	1	-34.786	27.645	3.233	-34.943	26.115	2.509	8.575	28.004	10.528	-1.372	29.395	32.018	0.116	294.996	3.88	0.116	285.886	3.235	0.116	0.275	0.0	0.116	0.276	0.0
52	10739	10740	SN	1	-34.834	23.745	0.161	-34.697	27.232	3.45	-2.6	29.197	40.087	-2.603	30.812	49.164	0.116	294.383	7.178	0.116	302.689	7.348	0.116	0.125	0.0	0.116	0.127	0.0
53	10740	10741	SN	1	-34.255	24.485	0.576	-32.745	26.866	4.436	5.025	30.074	32.494	9.199	30.636	35.979	0.116	300.771	1.805	0.116	181.071	1.893	0.116	0.14	0.0	0.116	0.125	0.0
54	10740	10741	NS	1	-34.255	20.565	0.0	-32.745	21.587	0.0	5.016	30.074	29.896	9.199	30.634	33.84	0.116	258.209	1.85	0.116	182.429	2.02	0.116	0.141	0.0	0.116	0.125	0.0
55	10740	10741	NS	1	-34.911	25.848	3.844	-34.945	27.814	1.802	8.348	28.906	19.348	8.252	29.514	29.881	0.116	300.278	6.99	0.116	302.689	7.347	0.116	0.127	0.0	0.116	0.127	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10726	10727	SN	1	57.465	58.419	0.0	0.0	293.95	3.819	1208.744	1293.808	19.488	-94.378	-91.935	0.0
2	10727	10728	SN	1	57.487	58.433	0.0	0.0	289.664	3.78	1209.536	1293.576	19.827	-93.209	-91.942	0.0
3	10727	10728	SN	1	57.286	58.433	0.0	0.0	292.488	3.913	1204.304	1293.576	19.452	-95.259	-91.934	0.0
4	10727	10728	SN	1	57.286	58.433	0.0	0.0	292.488	3.91	1204.304	1293.576	19.462	-95.259	-91.934	0.0
5	10728	10729	NS	1	57.371	58.264	0.0	0.0	295.593	3.741	1209.288	1293.808	18.475	-94.046	-91.739	0.0
6	10728	10729	SN	1	57.485	58.424	0.0	0.0	289.008	3.649	1209.288	1293.808	18.312	-93.227	-91.933	0.0
7	10728	10729	NS	2	57.485	58.424	0.0	0.0	288.953	3.564	1195.168	1291.68	48.366	-93.227	-91.936	0.0
8	10728	10729	SN	1	57.372	58.265	0.0	0.0	295.328	3.738	1195.184	1291.664	48.379	-94.046	-91.739	0.0
9	10728	10729	SN	1	57.485	58.424	0.0	0.0	288.953	3.561	1209.288	1293.808	18.477	-93.227	-91.936	0.0
10	10729	10730	NS	1	57.444	58.416	0.0	0.0	286.074	3.586	1195.304	1291.752	48.851	-94.45	-91.935	0.0
11	10729	10730	SN	1	57.466	58.416	0.0	0.0	286.074	3.473	1208.456	1293.816	19.077	-93.146	-91.938	0.0
12	10729	10730	SN	1	57.466	58.416	0.0	0.0	286.074	3.573	1208.032	1293.816	18.958	-94.45	-91.935	0.0
13	10729	10730	SN	1	57.373	58.266	0.0	0.0	297.826	3.608	1208.456	1293.816	18.879	-94.166	-91.735	0.0
14	10730	10731	NS	1	57.374	58.266	0.0	0.0	294.231	3.66	1194.912	1291.68	48.228	-95.175	-91.77	0.0
15	10730	10731	SN	1	57.374	58.266	0.0	0.0	294.231	3.66	1208.336	1293.696	19.5	-95.175	-91.77	0.0
16	10730	10731	SN	1	57.465	58.431	0.0	0.0	284.182	3.425	1208.304	1293.696	19.177	-93.18	-91.936	0.0
17	10730	10731	NS	2	57.471	58.414	0.0	0.0	297.098	3.58	1194.912	1291.68	48.228	-93.62	-91.933	0.0
18	10730	10731	NS	2	57.462	58.431	0.0	0.0	297.032	3.567	1208.512	1293.664	19.277	-93.62	-91.933	0.0
19	10731	10732	SN	1	57.339	58.266	0.0	0.0	294.242	3.903	1195.384	1291.6	47.109	-93.494	-91.792	0.0
20	10731	10732	NS	1	57.48	58.417	0.0	0.0	295.041	3.543	1208.392	1293.568	19.121	-94.659	-91.934	0.0
21	10731	10732	SN	1	57.48	58.417	0.0	0.0	282.677	3.294	1208.808	1293.616	19.554	-93.163	-91.948	0.0
22	10731	10732	NS	1	57.471	58.412	0.0	0.0	295.041	3.556	1208.808	1293.616	19.024	-94.659	-91.934	0.0
23	10731	10732	SN	1	57.339	58.266	0.0	0.0	294.242	3.903	1195.384	1291.6	47.109	-93.494	-91.792	0.0
24	10732	10733	NS	1	57.34	58.265	0.0	0.0	297.121	3.713	1195.584	1291.488	45.136	-93.171	-91.789	0.0
25	10732	10733	SN	2	57.481	58.413	0.0	0.0	297.43	3.19	1208.8	1293.488	19.812	-93.143	-91.946	0.0
26	10732	10733	SN	1	57.34	58.265	0.0	0.0	297.121	3.717	1208.8	1293.488	18.958	-93.136	-91.789	0.0
27	10732	10733	SN	1	57.481	58.413	0.0	0.0	297.43	3.655	1208.8	1293.488	18.958	-93.208	-91.936	0.0
28	10732	10733	SN	1	57.481	58.413	0.0	0.0	297.43	3.655	1195.584	1291.488	45.186	-93.208	-91.936	0.0
29	10733	10734	SN	1	57.482	58.414	0.0	0.0	291.17	2.978	1208.888	1293.584	19.562	-93.133	-91.948	0.0
30	10733	10734	NS	1	57.482	58.414	0.0	0.0	294.275	3.76	1208.888	1293.584	20.929	-95.36	-91.934	0.0
31	10733	10734	SN	1	57.482	58.414	0.0	0.0	294.275	3.756	1208.888	1293.584	19.552	-95.36	-91.934	0.0
32	10734	10735	SN	1	57.351	58.278	0.0	0.0	296.508	3.705	1209.008	1293.784	19.328	-94.279	-91.803	0.0
33	10734	10735	SN	1	57.483	58.415	0.0	0.0	289.356	3.69	1209.008	1293.784	20.833	-93.185	-91.912	0.0
34	10734	10735	NS	2	57.483	58.415	0.0	0.0	289.356	3.686	1194.688	1291.792	48.897	-93.185	-91.912	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10734	10735	SN	1	57.348	58.276	0.0	0.0	296.542	3.704	1209.008	1293.784	19.332	-94.28	-91.803	0.0
36	10734	10735	NS	1	57.483	58.415	0.0	0.0	287.966	2.702	1194.76	1291.704	48.916	-93.118	-91.916	0.0
37	10735	10736	SN	1	57.485	58.415	0.0	0.0	286.482	3.617	1209.144	1293.752	18.878	-94.492	-91.903	0.0
38	10736	10737	SN	1	57.375	58.266	0.0	0.0	293.415	3.779	1209.016	1293.632	19.238	-93.502	-91.774	0.0
39	10736	10737	NS	1	57.487	58.414	0.0	0.0	297.027	3.606	1209.016	1293.632	19.323	-93.235	-91.917	0.0
40	10736	10737	NS	1	57.487	58.414	0.0	0.0	297.027	3.596	1195.368	1291.64	47.274	-93.235	-91.917	0.0
41	10737	10738	SN	1	57.375	58.266	0.0	0.0	298.659	3.633	1208.24	1293.712	20.092	-93.14	-91.78	0.0
42	10737	10738	NS	1	57.471	58.416	0.0	0.0	295.4	3.738	1195.736	1291.688	47.625	-93.141	-91.923	0.0
43	10737	10738	SN	1	57.375	58.266	0.0	0.0	298.659	3.626	1195.736	1291.056	47.192	-93.14	-91.78	0.0
44	10737	10738	SN	2	57.375	58.266	0.0	0.003	298.659	3.263	1208.464	1293.696	20.209	-93.14	-91.78	0.0
45	10737	10738	NS	1	57.482	58.415	0.0	0.0	295.416	3.767	1195.736	1291.688	47.598	-93.188	-91.923	0.0
46	10738	10739	NS	1	57.341	58.266	0.0	0.0	296.63	3.772	1208.384	1293.784	20.219	-93.716	-91.799	0.0
47	10738	10739	SN	1	57.481	58.415	0.0	0.0	295.135	3.705	1195.592	1291.808	48.095	-93.982	-91.926	0.0
48	10738	10739	NS	1	57.341	58.266	0.0	0.0	296.63	3.777	1208.384	1293.784	20.219	-93.716	-91.799	0.0
49	10738	10739	SN	1	57.481	58.415	0.0	0.0	295.135	3.705	1195.592	1291.816	48.044	-93.982	-91.926	0.0
50	10739	10740	SN	2	57.47	58.415	0.0	0.0	298.637	3.666	1208.032	1293.904	20.827	-93.184	-91.927	0.0
51	10739	10740	SN	1	57.344	58.267	0.0	0.003	296.326	2.693	1208.032	1293.904	20.827	-93.083	-91.802	0.0
52	10739	10740	SN	1	57.47	58.415	0.0	0.0	298.637	3.666	1194.704	1288.832	46.498	-93.184	-91.927	0.0
53	10740	10741	SN	1	57.481	58.417	0.0	0.0	291.6	3.721	1208.464	1294.016	22.296	-94.473	-91.931	0.0
54	10740	10741	NS	1	57.481	58.417	0.0	0.0	289.455	2.744	1194.504	1292.064	49.596	-93.069	-91.942	0.0
55	10740	10741	NS	1	57.349	58.268	0.0	0.0	297.6	3.657	1208.464	1294.016	21.07	-93.496	-91.801	0.0





Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10726	10727	SN	1	-33.822	17.7	0.0	-34.393	20.362	0.0	1.686	22.611	0.047	4.935	22.823	0.092	0.086	178.641	1.577	0.086	203.689	1.434	0.086	0.128	0.0	0.086	0.115	0.0
2	10727	10728	SN	1	-34.278	21.204	0.0	-34.615	21.253	0.0	-8.835	22.512	0.004	-8.702	22.548	0.015	0.086	198.373	3.61	0.086	214.406	3.066	0.086	0.633	0.0	0.086	0.616	0.0
3	10727	10728	SN	1	-33.299	21.204	0.0	-34.888	21.253	0.0	-8.832	22.512	0.004	-8.703	22.548	0.015	0.086	198.373	3.483	0.086	214.406	3.353	0.086	0.633	0.0	0.086	0.616	0.0
4	10727	10728	SN	1	-34.278	21.204	0.0	-34.615	21.253	0.0	-8.835	22.512	0.004	-8.702	22.548	0.015	0.086	158.359	3.478	0.086	228.253	3.354	0.086	0.632	0.0	0.086	0.616	0.0
5	10728	10729	NS	1	-34.855	20.026	0.0	-34.97	21.477	0.0	-1.372	21.796	0.0	-0.099	22.8	0.012	0.086	231.613	3.209	0.086	131.726	2.656	0.086	0.532	0.0	0.086	0.348	0.0
6	10728	10729	SN	1	-34.855	20.026	0.0	-34.97	21.477	0.0	-1.372	21.796	0.0	-0.099	22.8	0.012	0.086	226.588	2.944	0.086	232.599	2.743	0.086	0.175	0.0	0.086	0.151	0.0
7	10728	10729	NS	2	-34.803	19.796	0.0	-32.499	20.201	0.0	-7.985	22.192	0.003	-5.77	22.992	0.051	0.086	221.416	2.807	0.086	232.389	2.778	0.086	0.175	0.0	0.086	0.151	0.0
8	10728	10729	SN	1	-34.959	19.796	0.0	-32.446	20.201	0.0	-7.985	22.192	0.003	-5.77	22.992	0.051	0.086	240.072	3.21	0.086	130.165	2.655	0.086	0.532	0.0	0.086	0.348	0.0
9	10728	10729	SN	1	-34.755	20.026	0.0	-34.965	21.477	0.0	-1.372	21.796	0.0	-0.099	22.8	0.012	0.086	226.588	2.808	0.086	232.599	2.776	0.086	0.175	0.0	0.086	0.151	0.0
10	10729	10730	NS	1	-34.488	18.894	0.0	-34.269	18.32	0.0	-4.8	21.171	0.0	-20.553	22.709	0.032	0.086	202.159	1.841	0.086	207.378	1.571	0.086	0.129	0.0	0.086	0.127	0.0
11	10729	10730	SN	1	-34.632	18.868	0.0	-33.042	19.486	0.0	1.547	22.262	0.005	1.725	22.108	0.007	0.086	215.285	1.745	0.086	149.253	1.574	0.086	0.129	0.0	0.086	0.127	0.0
12	10729	10730	SN	1	-34.36	18.911	0.0	-34.47	19.488	0.0	1.546	22.26	0.005	1.73	22.108	0.007	0.086	215.285	1.836	0.086	149.253	1.571	0.086	0.129	0.0	0.086	0.127	0.0
13	10729	10730	SN	1	-34.632	18.911	0.0	-33.042	19.486	0.0	1.547	22.262	0.005	1.725	22.108	0.007	0.086	208.234	2.615	0.086	197.993	2.525	0.086	0.293	0.0	0.086	8.477	0.01
14	10730	10731	NS	1	-34.281	18.734	0.0	-34.507	18.614	0.0	-20.511	22.565	0.006	-26.187	23.064	0.038	0.086	198.531	2.005	0.086	209.165	2.086	0.086	8.395	0.014	0.086	30.846	0.059
15	10730	10731	SN	1	-34.116	19.604	0.0	-34.464	19.514	0.0	0.095	22.452	0.006	1.928	22.545	0.075	0.086	198.531	2.005	0.086	209.165	2.086	0.086	8.395	0.014	0.086	30.846	0.059
16	10730	10731	SN	1	-34.074	19.579	0.0	-34.547	19.505	0.0	0.095	22.452	0.006	1.928	22.546	0.073	0.086	191.128	3.311	0.086	207.046	2.905	0.086	0.148	0.0	0.086	0.125	0.0
17	10730	10731	NS	2	-34.281	18.734	0.0	-34.507	18.614	0.0	-20.511	22.565	0.006	-26.187	23.064	0.038	0.086	226.795	3.258	0.086	231.085	2.886	0.086	0.148	0.0	0.086	0.125	0.0
18	10730	10731	NS	2	-34.86	19.579	0.0	-34.94	19.505	0.0	0.088	22.452	0.006	1.928	22.548	0.073	0.086	189.305	3.261	0.086	211.07	2.885	0.086	0.148	0.0	0.086	0.125	0.0
19	10731	10732	SN	1	-33.972	18.13	0.0	-34.756	17.686	0.0	-17.17	23.456	0.008	-19.642	22.614	0.026	0.086	184.893	4.267	0.086	221.459	4.461	0.086	3.925	0.011	0.086	6.884	0.009
20	10731	10732	NS	1	-34.988	18.459	0.0	-34.959	18.119	0.0	0.811	21.422	0.0	2.114	22.616	0.107	0.086	232.436	4.77	0.086	222.369	4.643	0.086	0.138	0.0	0.086	0.123	0.0
21	10731	10732	SN	1	-34.966	18.366	0.0	-34.555	18.137	0.0	0.816	21.422	0.0	2.114	22.616	0.113	0.086	232.436	4.883	0.086	211.48	4.743	0.086	0.138	0.0	0.086	0.123	0.0
22	10731	10732	NS	1	-34.966	18.461	0.0	-34.773	18.119	0.0	0.816	21.422	0.0	2.114	22.616	0.107	0.086	233.674	4.762	0.086	232.047	4.642	0.086	0.138	0.0	0.086	0.123	0.0
23	10731	10732	SN	1	-33.972	18.13	0.0	-34.756	17.686	0.0	-17.17	23.456	0.008	-19.642	22.614	0.026	0.086	184.893	4.267	0.086	221.459	4.461	0.086	3.925	0.011	0.086	6.884	0.009
24	10732	10733	NS	1	-34.801	20.616	0.0	-34.037	20.657	0.0	-26.186	21.671	0.0	-23.779	22.737	0.041	0.086	223.805	1.63	0.086	187.684	1.586	0.086	30.842	0.192	0.086	17.74	0.043
25	10732	10733	SN	2	-34.433	14.807	0.0	-34.798	17.701	0.0	-0.261	22.144	0.004	3.89	22.195	0.01	0.087	205.6	5.799	0.086	223.648	5.126	0.086	0.153	0.0	0.086	0.11	0.0
26	10732	10733	SN	1	-34.433	17.619	0.0	-34.798	18.69	0.0	-0.261	22.144	0.004	3.89	22.195	0.01	0.086	223.805	1.63	0.086	187.684	1.591	0.086	30.842	0.192	0.086	17.74	0.043
27	10732	10733	SN	1	-34.433	17.619	0.0	-34.798	18.691	0.0	-0.261	22.144	0.004	3.89	22.195	0.01	0.087	205.6	5.621	0.086	223.648	4.895	0.086	0.153	0.0	0.086	0.11	0.0
28	10732	10733	SN	1	-34.801	20.616	0.0	-34.037	20.656	0.0	-26.186	21.669	0.0	-23.779	22.737	0.041	0.087	205.6	5.621	0.086	223.648	4.895	0.086	0.153	0.0	0.086	0.11	0.0
29	10733	10734	SN	1	-34.803	17.758	0.0	-34.289	18.764	0.0	-1.677	23.122	0.136	-5.604	23.406	0.46	0.086	223.897	7.228	0.086	198.884	7.086	0.086	0.182	0.0	0.086	0.338	0.0
30	10733	10734	NS	1	-34.803	17.758	0.0	-34.289	17.939	0.0	-1.677	23.122	0.145	-5.604	23.406	0.461	0.086	223.897	6.794	0.086	198.884	6.476	0.086	0.182	0.0	0.086	0.338	0.0
31	10733	10734	SN	1	-34.666	17.758	0.0	-34.323	18.765	0.0	-1.672	23.122	0.136	-5.603	23.406	0.459	0.086	216.948	6.783	0.086	200.473	6.477	0.086	0.182	0.0	0.086	0.338	0.0
32	10734	10735	SN	1	-33.532	17.604	0.0	-34.685	18.547	0.0	-8.522	23.16	0.057	-8.47	23.657	0.532	0.086	231.309	1.855	0.086	205.844	1.496	0.086	0.13	0.0	0.086	0.141	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	10734	10735	SN	1	-33.532	17.604	0.0	-34.685	18.547	0.0	-8.561	23.16	0.061	-8.476	23.657	0.464	0.087	167.086	3.757	0.086	217.844	2.86	0.086	0.601	0.0	0.086	0.588	0.0
34	10734	10735	NS	2	-34.945	20.831	0.0	-34.438	20.922	0.0	1.779	22.763	0.109	0.568	23.516	0.451	0.087	167.086	3.757	0.086	217.844	2.86	0.086	0.593	0.0	0.086	0.587	0.0
35	10734	10735	SN	1	-33.532	17.604	0.0	-34.685	18.547	0.0	-8.584	23.16	0.057	-8.476	23.657	0.534	0.086	231.309	1.854	0.086	205.844	1.499	0.086	0.13	0.0	0.086	0.141	0.0
36	10734	10735	NS	1	-34.945	20.831	0.0	-34.438	20.922	0.0	1.779	22.763	0.109	0.568	23.516	0.452	0.087	167.086	3.984	0.086	217.844	3.176	0.086	0.598	0.0	0.086	0.588	0.0
37	10735	10736	SN	1	-34.84	17.874	0.0	-34.789	18.458	0.0	-19.316	22.457	0.005	-3.604	23.225	0.25	0.086	225.753	3.164	0.086	223.166	2.934	0.086	6.39	0.012	0.086	0.24	0.0
38	10736	10737	SN	1	-34.15	19.562	0.0	-34.693	20.608	0.0	-25.27	22.574	0.009	-24.204	23.109	0.108	0.086	224.512	1.848	0.086	196.663	1.762	0.086	1.875	0.003	0.086	8.288	0.014
39	10736	10737	NS	1	-34.939	19.561	0.0	-34.784	20.608	0.0	-25.287	22.574	0.009	-33.93	23.111	0.107	0.086	231.016	3.871	0.086	222.903	3.418	0.086	25.085	0.08	0.086	183.119	0.114
40	10736	10737	NS	1	-34.815	22.56	0.001	-34.24	21.035	0.0	-13.882	22.197	0.005	-20.456	23.812	0.825	0.086	192.611	3.861	0.086	218.294	3.409	0.086	24.985	0.081	0.086	19.563	0.112
41	10737	10738	SN	1	-34.482	19.248	0.0	-34.734	20.006	0.0	-23.477	22.129	0.003	-9.628	23.156	0.121	0.086	184.908	1.44	0.086	229.609	1.27	0.086	0.279	0.0	0.086	0.174	0.0
42	10737	10738	NS	1	-33.972	19.952	0.0	-34.912	19.924	0.0	-4.506	21.957	0.0	-1.352	23.611	0.666	0.086	207.924	1.668	0.086	220.362	1.235	0.086	16.557	0.009	0.086	0.746	0.0
43	10737	10738	SN	1	-33.972	19.952	0.0	-34.912	19.924	0.0	-4.506	21.957	0.0	-1.352	23.611	0.688	0.086	184.908	1.442	0.086	229.609	1.271	0.086	0.279	0.0	0.086	0.174	0.0
44	10737	10738	SN	2	-33.717	19.248	0.0	-34.741	20.011	0.0	-23.075	22.13	0.003	-9.628	23.156	0.122	0.086	184.908	1.445	0.086	229.609	1.271	0.086	0.279	0.0	0.086	0.174	0.0
45	10737	10738	NS	1	-33.972	19.952	0.0	-34.912	19.924	0.0	-4.506	21.957	0.0	-1.352	23.611	0.666	0.086	174.357	1.67	0.086	220.722	1.243	0.086	15.096	0.008	0.086	0.746	0.0
46	10738	10739	NS	1	-34.898	17.797	0.0	-34.923	20.541	0.0	-14.797	22.664	0.018	-16.992	23.323	0.258	0.086	227.89	3.602	0.086	225.794	3.146	0.086	0.14	0.0	0.086	0.167	0.0
47	10738	10739	SN	1	-34.88	19.568	0.0	-34.663	19.992	0.0	0.622	22.169	0.017	-0.999	23.614	0.706	0.086	228.885	5.041	0.086	230.155	5.382	0.086	2.299	0.007	0.086	3.769	0.01
48	10738	10739	NS	1	-34.898	17.797	0.0	-34.923	20.541	0.0	-14.797	22.664	0.018	-16.992	23.323	0.258	0.086	227.89	3.604	0.086	216.79	3.149	0.086	0.14	0.0	0.086	0.167	0.0
49	10738	10739	SN	1	-34.88	19.568	0.0	-34.84	19.992	0.0	0.622	22.169	0.017	-0.999	23.614	0.706	0.086	228.885	5.041	0.086	230.155	5.382	0.086	2.299	0.007	0.086	3.769	0.01
50	10739	10740	SN	2	-34.795	19.267	0.0	-34.724	20.52	0.0	-27.145	22.523	0.047	-26.699	23.482	0.96	0.086	223.501	3.434	0.086	219.82	3.218	0.086	38.437	0.093	0.086	34.702	0.116
51	10739	10740	SN	1	-34.795	19.267	0.0	-34.724	20.52	0.0	-27.145	22.523	0.047	-26.699	23.482	0.96	0.086	229.364	5.143	0.086	229.117	5.072	0.086	0.134	0.0	0.086	0.147	0.0
52	10739	10740	SN	1	-34.908	21.123	0.0	-34.903	19.675	0.0	1.068	21.773	0.0	0.113	23.15	1.472	0.086	223.501	3.434	0.086	219.82	3.218	0.086	38.437	0.093	0.086	34.702	0.116
53	10740	10741	SN	1	-34.857	13.433	0.0	-33.995	14.234	0.0	-0.769	22.783	0.303	4.267	23.556	1.39	0.087	226.681	2.002	0.086	185.873	1.772	0.086	0.162	0.0	0.086	0.108	0.0
54	10740	10741	NS	1	-34.448	19.239	0.0	-34.823	20.489	0.0	2.353	22.981	0.167	1.977	23.711	0.824	0.088	226.681	2.041	0.088	185.873	1.906	0.086	0.162	0.0	0.086	0.108	0.0
55	10740	10741	NS	1	-34.857	17.986	0.0	-33.995	20.798	0.0	-0.769	22.874	0.314	4.267	23.555	1.348	0.086	206.309	6.247	0.086	224.879	6.449	0.086	0.121	0.0	0.086	0.125	0.0

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	