

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-OCT-2018 To 12-OCT-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-OCT-2018 To 12-OCT-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10799	10800	SN	1	48.726	49.551	0.0	0.0	9.304	2.708	1028.592	1100.504	10.606	-91.799	-89.864	0.0
2	10799	10800	NS	1	48.588	49.398	0.0	0.003	42.424	2.709	1023.112	1099.84	11.372	-91.554	-89.755	0.0
3	10799	10800	SN	2	48.726	49.551	0.0	0.0	9.304	2.708	1028.592	1100.504	10.607	-91.799	-89.864	0.0
4	10799	10800	SN	1	48.726	49.551	0.0	0.003	6.85	2.075	1028.592	1100.504	11.02	-91.799	-89.864	0.0
5	10799	10800	NS	1	48.588	49.443	0.0	0.003	42.424	2.711	1023.112	1099.84	11.382	-91.688	-89.755	0.0
6	10800	10801	SN	1	48.726	49.543	0.0	0.0	139.728	2.642	1028.456	1100.496	10.028	-91.779	-89.861	0.0
7	10800	10801	NS	1	48.649	49.397	0.0	0.0	51.03	2.678	1024.168	1099.872	10.506	-91.786	-89.764	0.0
8	10800	10801	SN	1	48.726	49.543	0.0	0.0	139.728	2.644	1028.456	1100.496	10.035	-91.779	-89.861	0.0
9	10800	10801	NS	1	48.649	49.397	0.0	0.0	51.03	2.689	1024.168	1099.872	10.509	-91.757	-89.764	0.0
10	10801	10802	NS	1	48.613	49.398	0.0	0.0	234.343	2.621	1024.352	1100.056	10.048	-91.578	-89.709	0.0
11	10801	10802	SN	1	48.684	49.518	0.0	0.003	6.85	2.392	1027.784	1100.64	9.215	-91.801	-89.844	0.0
12	10801	10802	SN	1	48.725	49.514	0.0	0.003	6.85	2.388	1028.168	1100.632	9.202	-91.966	-89.844	0.0
13	10801	10802	SN	1	48.725	49.514	0.0	0.003	6.85	2.505	1028.168	1100.632	9.113	-91.966	-89.844	0.0
14	10802	10803	SN	1	48.728	49.512	0.0	0.0	220.644	2.798	1028.032	1100.528	12.059	-91.897	-89.862	0.0
15	10802	10803	SN	1	48.728	49.512	0.0	0.0	220.644	2.269	1028.032	1100.528	12.518	-91.897	-89.866	0.0
16	10802	10803	NS	1	48.629	49.426	0.0	0.003	41.95	2.612	1023.976	1099.984	9.658	-91.875	-89.753	0.0
17	10802	10803	SN	1	48.666	49.512	0.0	0.0	220.644	2.809	1026.904	1100.528	9.097	-91.945	-89.862	0.0
18	10803	10804	SN	1	48.685	49.51	0.0	0.003	6.839	2.53	1027.232	1100.408	9.174	-91.723	-89.866	0.0
19	10803	10804	NS	1	48.651	49.399	0.0	0.0	264.174	2.771	1024.592	1099.872	9.618	-91.812	-89.758	0.0
20	10803	10804	SN	1	48.677	49.51	0.0	0.003	28.386	2.531	1027.096	1100.408	9.18	-91.723	-89.866	0.0
21	10804	10805	SN	1	48.693	49.51	0.0	0.003	29.621	2.514	1027.232	1100.32	9.003	-91.78	-89.858	0.0
22	10804	10805	SN	1	48.693	49.51	0.0	0.003	29.621	2.562	1027.232	1100.32	8.973	-91.78	-89.858	0.0
23	10804	10805	SN	2	48.693	49.51	0.0	0.003	29.621	2.562	1027.232	1100.32	8.973	-91.78	-89.858	0.0
24	10804	10805	NS	1	48.652	49.399	0.0	0.0	206.912	2.797	1024.672	1099.776	9.42	-91.669	-89.777	0.0
25	10804	10805	NS	2	48.652	49.399	0.0	0.0	206.912	2.797	1024.672	1099.776	9.42	-91.669	-89.777	0.0
26	10805	10806	SN	2	48.687	49.509	0.0	0.003	6.839	2.622	1027.384	1100.256	9.387	-91.565	-89.849	0.0
27	10805	10806	NS	1	48.622	49.411	0.0	0.003	42.463	2.59	1024.496	1099.72	8.29	-91.836	-89.785	0.0
28	10805	10806	NS	1	48.622	49.411	0.0	0.003	42.463	2.587	1024.496	1099.72	8.281	-91.685	-89.785	0.0
29	10805	10806	SN	1	48.688	49.51	0.0	0.003	6.839	1.78	1027.392	1100.264	9.885	-91.565	-89.849	0.0
30	10805	10806	SN	1	48.688	49.51	0.0	0.003	6.839	2.623	1027.392	1100.264	9.365	-91.565	-89.849	0.0
31	10806	10807	SN	1	48.724	49.519	0.0	0.003	6.844	2.661	1028.08	1100.4	10.004	-92.269	-89.845	0.0
32	10806	10807	SN	1	48.724	49.519	0.0	0.003	6.844	1.773	1028.08	1100.4	10.573	-91.683	-89.845	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	10806	10807	NS	1	48.651	49.459	0.0	0.003	266.777	2.647	1024.544	1099.864	8.764	-91.857	-89.783	0.0
34	10806	10807	SN	1	48.724	49.519	0.0	0.003	6.844	2.658	1028.08	1100.4	9.994	-92.269	-89.845	0.0
35	10806	10807	NS	1	48.651	49.47	0.0	0.003	266.777	2.635	1024.544	1099.864	8.771	-91.881	-89.783	0.0
36	10807	10808	NS	1	48.611	49.4	0.0	0.003	41.211	2.685	1023.752	1099.928	9.359	-91.757	-89.786	0.0
37	10807	10808	SN	2	48.727	49.523	0.0	0.003	282.313	2.576	1028.184	1100.464	9.886	-92.192	-89.799	0.0
38	10807	10808	NS	1	48.605	49.4	0.0	0.003	41.211	2.672	1023.712	1099.928	9.369	-91.613	-89.786	0.0
39	10807	10808	SN	1	48.726	49.522	0.0	0.003	282.307	2.577	1028.176	1100.464	9.891	-92.192	-89.799	0.0
40	10808	10809	SN	1	48.704	49.511	0.0	0.003	215.543	2.545	1027.8	1100.392	9.93	-91.642	-89.829	0.0
41	10808	10809	NS	1	48.646	49.466	0.0	0.0	267.169	2.817	1024.456	1099.864	9.198	-92.659	-89.776	0.0
42	10808	10809	NS	2	48.646	49.466	0.0	0.0	267.169	2.817	1024.456	1099.864	9.198	-92.659	-89.776	0.0
43	10809	10810	NS	1	48.654	49.398	0.0	0.003	40.742	2.636	1024.864	1099.792	8.788	-91.79	-89.755	0.0
44	10809	10810	SN	1	48.704	49.511	0.0	0.003	6.839	2.63	1027.528	1100.328	10.38	-91.69	-89.836	0.0
45	10810	10811	NS	1	48.653	49.398	0.0	0.003	43.274	2.671	1024.768	1099.864	8.997	-91.833	-89.788	0.0
46	10810	10811	NS	1	48.653	49.398	0.0	0.003	43.274	2.467	1024.768	1099.272	7.216	-91.833	-89.788	0.0
47	10810	10811	SN	1	48.686	49.511	0.0	0.003	6.844	2.611	1027.064	1100.4	9.979	-91.799	-89.833	0.0
48	10811	10812	NS	1	48.612	49.398	0.0	0.0	206.928	2.761	1024.072	1099.888	9.47	-91.595	-89.786	0.0
49	10811	10812	NS	1	48.612	49.398	0.0	0.0	206.928	2.102	1024.072	1098.024	4.498	-91.595	-89.786	0.0
50	10811	10812	SN	1	48.69	49.528	0.0	0.003	281.69	2.583	1026.944	1100.408	10.095	-91.784	-89.836	0.0
51	10812	10813	NS	1	48.651	49.399	0.0	0.0	264.858	2.737	1024.568	1100.0	10.234	-91.724	-89.786	0.0
52	10812	10813	SN	1	48.703	49.519	0.0	0.003	6.844	2.567	1027.752	1100.504	10.0	-91.836	-89.841	0.0
53	10812	10813	NS	1	48.651	49.399	0.0	0.0	264.858	1.628	1024.568	1096.312	1.31	-91.589	-89.786	0.0
54	10813	10814	NS	1	48.65	49.4	0.0	0.003	264.753	1.505	1024.568	1093.92	1.083	-91.779	-89.785	0.0
55	10813	10814	SN	1	48.691	49.513	0.0	0.0	281.039	2.073	1027.0	1100.488	1.167	-91.461	-89.858	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10799	10800	SN	1	-33.645	25.057	2.951	-34.41	26.695	7.229	-17.598	28.078	11.4	-19.879	29.135	15.563	0.116	224.367	1.417	0.116	267.589	1.144	0.116	5.663	0.008	0.116	9.512	0.003
2	10799	10800	NS	1	-34.962	25.71	3.402	-34.697	24.932	0.49	8.357	29.321	12.852	6.725	30.136	22.136	0.116	303.867	5.236	0.116	285.847	4.876	0.116	0.127	0.0	0.116	0.132	0.0
3	10799	10800	SN	2	-33.645	25.057	2.944	-34.41	26.695	7.227	-17.598	28.078	11.4	-19.879	29.135	15.563	0.116	224.367	1.417	0.116	267.589	1.144	0.116	5.663	0.008	0.116	9.512	0.003
4	10799	10800	SN	1	-32.955	24.262	0.054	-34.41	26.688	4.515	-17.597	28.078	11.322	-19.879	29.135	15.563	0.116	191.434	1.485	0.116	267.589	1.214	0.116	5.661	0.008	0.116	9.512	0.003
5	10799	10800	NS	1	-34.864	25.71	3.405	-34.697	24.932	0.49	8.359	29.321	12.851	6.725	30.136	22.171	0.116	297.049	5.229	0.116	285.847	4.852	0.116	0.127	0.0	0.116	0.132	0.0
6	10800	10801	SN	1	-34.773	25.648	3.354	-31.91	26.666	5.812	-11.799	31.683	11.08	-15.156	29.933	9.131	0.116	290.909	1.102	0.116	150.505	0.892	0.116	1.557	0.005	0.116	3.266	0.004
7	10800	10801	NS	1	-34.829	25.858	2.203	-34.73	27.079	0.077	-16.901	35.007	14.458	-13.635	36.383	28.506	0.116	294.691	1.794	0.116	288.065	2.049	0.116	4.836	0.031	0.116	2.328	0.015
8	10800	10801	SN	1	-34.773	25.648	3.354	-31.91	26.666	5.791	-11.808	31.683	11.105	-15.157	29.933	9.138	0.116	290.909	1.104	0.116	150.505	0.895	0.116	1.56	0.005	0.116	3.267	0.004
9	10800	10801	NS	1	-33.902	25.857	2.208	-34.4	27.079	0.077	-16.904	35.007	14.432	-13.635	36.383	28.463	0.116	238.054	1.805	0.116	266.948	2.047	0.116	4.84	0.031	0.116	2.328	0.015
10	10801	10802	NS	1	-34.752	24.418	1.21	-34.168	24.028	0.088	-9.079	29.033	10.264	-7.995	29.413	19.819	0.116	289.48	2.158	0.116	253.145	1.775	0.116	0.876	0.0	0.116	0.704	0.0
11	10801	10802	SN	1	-34.323	25.13	2.26	-34.965	25.818	3.852	-23.072	28.228	11.794	-17.258	31.352	7.148	0.116	262.319	4.058	0.116	304.096	3.617	0.116	19.745	0.052	0.116	5.243	0.026
12	10801	10802	SN	1	-34.923	25.13	2.253	-34.142	25.818	3.843	-23.505	28.228	11.794	-17.235	31.35	7.148	0.116	301.143	4.092	0.116	251.618	3.638	0.116	21.803	0.052	0.116	5.216	0.026
13	10801	10802	SN	1	-34.923	25.13	2.59	-34.142	25.818	3.883	-23.505	28.228	11.794	-17.235	31.35	7.148	0.116	301.143	4.039	0.116	251.618	3.603	0.116	21.803	0.052	0.116	5.216	0.026
14	10802	10803	SN	1	-33.802	24.757	0.56	-34.306	23.939	0.203	5.942	27.122	16.321	7.465	27.141	6.902	0.116	232.591	2.593	0.116	261.254	1.805	0.116	0.136	0.0	0.116	0.13	0.0
15	10802	10803	SN	1	-33.682	21.445	0.0	-34.306	21.51	0.0	5.942	27.122	16.381	7.465	27.141	6.864	0.116	226.302	2.674	0.116	261.254	1.715	0.116	0.136	0.0	0.116	0.13	0.0
16	10802	10803	NS	1	-34.499	24.72	0.488	-34.546	24.106	0.137	-5.618	28.7	9.408	-21.586	31.183	17.863	0.116	273.187	1.936	0.116	276.129	1.77	0.116	0.448	0.0	0.116	14.051	0.003
17	10802	10803	SN	1	-34.707	24.927	0.648	-34.745	25.668	1.171	5.942	27.122	12.071	7.465	27.141	5.821	0.116	286.499	2.532	0.116	289.013	1.733	0.116	0.136	0.0	0.116	0.13	0.0
18	10803	10804	SN	1	-34.897	24.07	0.226	-34.557	24.656	0.628	5.412	28.759	16.04	6.741	28.399	17.819	0.116	299.283	2.958	0.116	276.779	2.427	0.116	0.138	0.0	0.116	0.132	0.0
19	10803	10804	NS	1	-34.122	23.85	0.761	-34.824	23.999	0.59	-32.044	28.643	6.102	-28.183	29.065	12.466	0.116	250.373	2.812	0.116	294.33	3.102	0.116	155.256	0.016	0.116	63.87	0.009
20	10803	10804	SN	1	-34.92	24.07	0.226	-33.769	24.656	0.63	5.412	28.759	16.04	6.741	28.399	17.817	0.116	300.945	2.96	0.116	230.863	2.424	0.116	0.138	0.0	0.116	0.132	0.0
21	10804	10805	SN	1	-34.711	22.945	0.013	-34.676	24.369	0.583	5.876	27.732	14.781	8.66	28.601	17.034	0.116	286.754	4.854	0.116	284.415	4.53	0.116	0.136	0.0	0.116	0.126	0.0
22	10804	10805	SN	1	-34.711	22.945	0.026	-34.676	24.369	0.66	5.876	27.732	14.779	8.66	28.601	17.034	0.116	286.754	4.853	0.116	284.415	4.527	0.116	0.136	0.0	0.116	0.126	0.0
23	10804	10805	SN	2	-34.711	22.945	0.026	-34.676	24.369	0.66	5.876	27.732	14.779	8.66	28.601	17.034	0.116	286.754	4.853	0.116	284.415	4.527	0.116	0.136	0.0	0.116	0.126	0.0
24	10804	10805	NS	1	-34.06	23.57	0.54	-33.571	24.039	0.458	-5.62	28.736	7.953	-5.934	29.553	14.458	0.116	246.889	2.473	0.116	220.564	2.121	0.116	0.449	0.0	0.116	0.475	0.0
25	10804	10805	NS	2	-34.06	23.57	0.54	-33.571	24.039	0.458	-5.62	28.736	7.953	-5.934	29.553	14.458	0.116	246.889	2.473	0.116	220.564	2.121	0.116	0.449	0.0	0.116	0.475	0.0
26	10805	10806	SN	2	-34.942	23.456	0.064	-34.847	24.641	1.009	-5.099	29.726	11.332	4.609	29.955	11.38	0.116	302.423	3.914	0.116	295.981	3.587	0.116	0.409	0.0	0.116	0.143	0.0
27	10805	10806	NS	1	-35.001	26.185	0.659	-34.994	27.433	0.693	-5.943	31.253	11.358	-7.398	29.983	17.671	0.116	306.501	2.11	0.116	306.114	1.532	0.116	0.476	0.0	0.116	0.626	0.0
28	10805	10806	NS	1	-35.001	26.186	0.658	-34.994	27.433	0.692	-5.943	31.253	11.349	-7.398	29.983	17.668	0.116	306.501	2.108	0.116	306.114	1.53	0.116	0.476	0.0	0.116	0.626	0.0
29	10805	10806	SN	1	-34.942	21.502	0.0	-34.099	21.985	0.0	-5.099	29.726	11.943	4.609	29.955	11.409	0.116	302.423	3.9	0.116	249.098	3.641	0.116	0.409	0.0	0.116	0.143	0.0
30	10805	10806	SN	1	-34.942	23.456	0.064	-34.572	24.641	1.009	-5.099	29.726	11.328	4.609	29.955	11.38	0.116	302.423	3.914	0.116	277.718	3.585	0.116	0.409	0.0	0.116	0.143	0.0
31	10806	10807	SN	1	-34.215	24.46	0.176	-33.874	25.281	2.289	-15.416	32.897	12.536	-10.485	34.755	14.229	0.116	255.858	3.515	0.116	236.562	2.903	0.116	3.462	0.012	0.116	1.175	0.003
32	10806	10807	SN	1	-34.215	24.46	0.003	-33.908	24.55	0.013	-15.412	32.897	12.774	-10.485	34.755	14.219	0.116	255.858	3.536	0.116	238.416	3.087	0.116	3.459	0.012	0.116	1.175	0.003
33	10806	10807	NS	1	-34.835	26.442	0.649	-34.776	26.34	0.766	6.267	33.228	10.85	7.005	29.86	18.508	0.116	295.051	2.241	0.116	291.127	1.868	0.116	0.134	0.0	0.116	0.131	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	10806	10807	SN	1	-34.215	24.46	0.174	-33.698	25.281	2.289	-15.428	32.897	12.51	-10.482	34.755	14.197	0.116	255.858	3.518	0.116	227.104	2.906	0.116	3.472	0.012	0.116	1.174	0.003
35	10806	10807	NS	1	-34.748	26.434	0.641	-32.841	26.341	0.737	6.264	33.228	10.847	7.005	29.86	18.502	0.116	289.302	2.234	0.116	186.459	1.868	0.116	0.134	0.0	0.116	0.131	0.0
36	10807	10808	NS	1	-34.991	25.793	0.595	-34.202	24.908	0.233	2.89	29.922	23.299	1.14	31.174	40.839	0.116	305.851	2.318	0.116	255.128	1.847	0.116	0.157	0.0	0.116	0.18	0.0
37	10807	10808	SN	2	-34.815	24.356	0.256	-34.973	25.272	2.033	-12.332	29.154	20.335	-18.568	30.249	22.923	0.116	293.716	4.93	0.116	304.56	4.199	0.116	1.748	0.003	0.116	7.057	0.002
38	10807	10808	NS	1	-34.431	25.795	0.586	-34.258	24.912	0.23	2.887	29.922	23.302	1.139	31.177	40.813	0.116	268.91	2.321	0.116	258.382	1.846	0.116	0.157	0.0	0.116	0.18	0.0
39	10807	10808	SN	1	-34.815	24.356	0.256	-34.919	25.272	2.032	-12.332	29.154	20.335	-18.568	30.249	22.925	0.116	293.716	4.931	0.116	300.799	4.201	0.116	1.748	0.003	0.116	7.057	0.002
40	10808	10809	SN	1	-34.666	26.31	0.285	-34.926	27.073	1.995	-10.821	28.527	16.181	-8.855	30.244	16.029	0.116	283.858	5.212	0.116	301.375	4.189	0.116	1.262	0.002	0.116	0.837	0.0
41	10808	10809	NS	1	-34.119	28.207	0.908	-34.331	26.977	0.517	-16.147	30.967	16.211	-6.262	30.461	30.333	0.116	250.263	2.24	0.116	262.72	1.908	0.116	4.081	0.006	0.116	0.504	0.0
42	10808	10809	NS	2	-34.119	28.207	0.908	-34.331	26.977	0.517	-16.147	30.967	16.211	-6.262	30.461	30.333	0.116	250.263	2.24	0.116	262.72	1.908	0.116	4.081	0.006	0.116	0.504	0.0
43	10809	10810	NS	1	-34.665	28.134	1.482	-34.911	28.055	1.06	-9.755	33.64	15.179	-6.452	32.695	23.237	0.116	283.765	3.609	0.116	300.284	3.438	0.116	1.008	0.003	0.116	0.522	0.0
44	10809	10810	SN	1	-33.334	25.878	0.251	-33.262	27.486	2.222	-13.988	29.059	17.052	-9.704	29.941	18.201	0.116	208.892	2.135	0.116	205.41	1.738	0.116	2.517	0.002	0.116	0.997	0.0
45	10810	10811	NS	1	-34.564	27.232	3.429	-33.919	26.491	3.085	-16.508	28.662	24.733	-7.38	29.611	36.372	0.116	277.304	2.257	0.116	239.042	2.263	0.116	4.426	0.005	0.116	0.624	0.0
46	10810	10811	NS	1	-34.564	27.232	3.43	-33.919	26.491	3.085	-16.508	28.662	20.386	-7.38	29.625	33.175	0.116	277.304	2.257	0.116	239.042	2.263	0.116	4.426	0.005	0.116	0.624	0.0
47	10810	10811	SN	1	-33.797	24.341	0.893	-33.35	26.641	4.236	-13.508	30.308	16.445	-13.488	33.926	18.272	0.116	232.402	3.434	0.116	209.642	2.996	0.116	2.264	0.006	0.116	2.254	0.005
48	10811	10812	NS	1	-34.535	26.731	3.035	-34.756	26.199	2.637	3.602	28.473	23.848	10.06	29.565	36.927	0.116	275.412	5.405	0.116	289.746	4.734	0.116	0.151	0.0	0.116	0.123	0.0
49	10811	10812	NS	1	-34.535	26.731	3.039	-34.756	26.199	2.637	3.602	28.473	12.35	10.06	29.567	30.525	0.116	275.412	5.413	0.116	289.746	4.734	0.116	0.151	0.0	0.116	0.123	0.0
50	10811	10812	SN	1	-32.603	23.902	0.142	-33.562	27.509	3.137	-16.243	29.291	26.323	-6.932	30.476	30.077	0.116	176.524	0.95	0.116	220.131	0.618	0.116	4.17	0.009	0.116	0.572	0.0
51	10812	10813	NS	1	-34.705	25.537	3.351	-34.891	26.151	1.976	8.339	29.104	27.684	8.67	33.205	39.297	0.116	286.4	3.73	0.116	298.875	3.579	0.116	0.127	0.0	0.116	0.126	0.0
52	10812	10813	SN	1	-33.621	24.229	0.383	-34.076	26.839	3.704	6.82	29.932	42.869	8.574	31.07	53.73	0.116	223.143	1.381	0.116	247.75	1.179	0.116	0.132	0.0	0.116	0.126	0.0
53	10812	10813	NS	1	-34.705	25.537	3.355	-34.891	26.151	1.977	10.577	28.357	6.365	8.715	33.205	14.245	0.116	286.4	3.737	0.116	298.875	3.579	0.116	0.122	0.0	0.116	0.126	0.0
54	10813	10814	NS	1	-34.657	25.506	3.847	-34.768	25.148	1.006	7.895	26.971	5.763	6.79	26.968	7.6	0.116	283.291	3.267	0.116	290.639	2.901	0.116	0.128	0.0	0.116	0.132	0.0
55	10813	10814	SN	1	-34.028	21.703	0.0	-34.699	25.88	0.273	0.684	28.908	5.051	1.236	29.025	12.269	0.116	244.993	4.293	0.116	285.982	4.056	0.116	0.187	0.0	0.116	0.178	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	10799	10800	SN	1	57.385	58.403	0.0	0.0	297.871	3.934	1204.288	1294.208	29.646	-95.221	-91.923	0.0
2	10799	10800	NS	1	57.357	58.292	0.0	0.003	297.534	3.772	1198.296	1292.96	41.053	-93.347	-91.806	0.0
3	10799	10800	SN	2	57.385	58.403	0.0	0.0	297.871	3.933	1204.288	1294.208	29.647	-95.221	-91.923	0.0
4	10799	10800	SN	1	57.457	58.403	0.0	0.0	288.788	3.525	1204.288	1294.208	30.725	-93.19	-91.923	0.0
5	10799	10800	NS	1	57.357	58.292	0.0	0.003	297.534	3.775	1198.296	1292.96	41.087	-93.347	-91.806	0.0
6	10800	10801	SN	1	57.46	58.425	0.0	0.0	295.075	3.79	1204.136	1294.184	30.234	-93.636	-91.909	0.0
7	10800	10801	NS	1	57.392	58.291	0.0	0.0	297.678	3.787	1199.072	1293.016	39.227	-93.49	-91.815	0.0
8	10800	10801	SN	1	57.46	58.425	0.0	0.0	295.075	3.788	1204.136	1294.184	30.239	-93.636	-91.909	0.0
9	10800	10801	NS	1	57.392	58.291	0.0	0.0	297.678	3.796	1199.072	1293.016	39.239	-93.49	-91.815	0.0
10	10801	10802	NS	1	57.394	58.294	0.0	0.0	299.492	3.639	1199.296	1293.24	39.288	-95.398	-91.752	0.0
11	10801	10802	SN	1	57.456	58.405	0.0	0.0	289.422	3.516	1203.752	1294.328	29.805	-93.257	-91.897	0.0
12	10801	10802	SN	1	57.452	58.404	0.0	0.0	289.46	3.505	1203.56	1294.32	29.807	-93.257	-91.897	0.0
13	10801	10802	SN	1	57.452	58.404	0.0	0.0	289.46	3.588	1203.56	1294.32	29.527	-93.257	-91.897	0.0
14	10802	10803	SN	1	57.234	58.424	0.0	0.0	285.831	3.614	1198.144	1294.216	28.266	-95.412	-91.92	0.0
15	10802	10803	SN	1	57.234	58.424	0.001	0.0	285.831	3.33	1198.144	1294.216	29.313	-94.876	-91.923	0.0
16	10802	10803	NS	1	57.395	58.294	0.0	0.0	288.015	3.674	1199.448	1293.152	39.213	-95.604	-91.798	0.0
17	10802	10803	SN	1	57.234	58.426	0.0	0.0	285.831	3.861	1198.144	1294.216	30.394	-94.876	-91.918	0.0
18	10803	10804	SN	1	57.453	58.401	0.0	0.0	298.665	3.609	1203.504	1294.032	30.613	-93.154	-91.925	0.0
19	10803	10804	NS	1	57.396	58.294	0.0	0.0	295.576	3.767	1199.576	1293.008	38.043	-93.45	-91.812	0.0
20	10803	10804	SN	1	57.453	58.401	0.0	0.0	298.648	3.614	1203.512	1294.032	30.599	-93.154	-91.925	0.0
21	10804	10805	SN	1	57.419	58.4	0.0	0.0	297.92	3.559	1202.544	1293.92	30.525	-93.806	-91.913	0.0
22	10804	10805	SN	1	57.419	58.4	0.0	0.0	297.92	3.63	1202.544	1293.92	30.42	-93.806	-91.913	0.0
23	10804	10805	SN	2	57.419	58.4	0.0	0.0	297.92	3.63	1202.544	1293.92	30.42	-93.806	-91.913	0.0
24	10804	10805	NS	1	57.363	58.294	0.0	0.0	298.273	3.805	1199.408	1292.888	37.424	-93.488	-91.825	0.0
25	10804	10805	NS	2	57.363	58.294	0.0	0.0	298.323	3.805	1199.408	1292.888	37.424	-93.488	-91.825	0.0
26	10805	10806	SN	2	57.452	58.399	0.0	0.0	298.698	3.75	1203.352	1293.848	29.824	-94.828	-91.904	0.0
27	10805	10806	NS	1	57.375	58.293	0.0	0.0	297.402	3.644	1198.904	1292.832	36.383	-93.192	-91.823	0.0
28	10805	10806	NS	1	57.375	58.293	0.0	0.0	297.402	3.64	1198.904	1292.832	36.344	-93.179	-91.823	0.0
29	10805	10806	SN	1	57.452	58.4	0.0	0.0	288.313	3.135	1203.584	1293.864	31.324	-94.828	-91.903	0.0
30	10805	10806	SN	1	57.452	58.4	0.0	0.0	298.698	3.75	1203.584	1293.864	29.762	-94.828	-91.903	0.0
31	10806	10807	SN	1	57.457	58.401	0.0	0.0	295.174	3.806	1203.656	1294.056	31.145	-93.623	-91.902	0.0
32	10806	10807	SN	1	57.457	58.401	0.0	0.0	287.977	3.15	1203.656	1294.056	32.905	-93.244	-91.902	0.0
33	10806	10807	NS	1	57.394	58.317	0.0	0.0	298.334	3.672	1199.52	1293.008	39.508	-93.348	-91.836	0.0
34	10806	10807	SN	1	57.457	58.401	0.0	0.0	295.174	3.801	1203.656	1294.056	31.146	-93.623	-91.902	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	10806	10807	NS	1	57.394	58.31	0.0	0.0	298.334	3.674	1199.52	1293.008	39.558	-93.527	-91.836	0.0
36	10807	10808	NS	1	57.366	58.294	0.0	0.0	299.972	3.709	1198.608	1293.088	38.754	-93.349	-91.838	0.0
37	10807	10808	SN	2	57.434	58.406	0.0	0.0	288.6	3.713	1203.432	1294.112	29.748	-94.472	-91.855	0.0
38	10807	10808	NS	1	57.376	58.323	0.0	0.0	299.972	3.708	1198.968	1293.088	38.79	-93.349	-91.838	0.0
39	10807	10808	SN	1	57.434	58.405	0.0	0.0	288.639	3.716	1203.416	1294.112	29.792	-94.472	-91.855	0.0
40	10808	10809	SN	1	57.458	58.402	0.0	0.0	286.675	3.649	1203.816	1294.024	29.026	-93.127	-91.888	0.0
41	10808	10809	NS	1	57.395	58.294	0.0	0.0	290.889	4.034	1199.288	1293.016	37.38	-95.63	-91.823	0.0
42	10808	10809	NS	2	57.395	58.294	0.0	0.0	290.889	4.034	1199.288	1293.016	37.38	-95.63	-91.823	0.0
43	10809	10810	NS	1	57.398	58.315	0.0	0.0	292.174	3.694	1199.928	1292.92	37.855	-93.157	-91.798	0.0
44	10809	10810	SN	1	57.438	58.401	0.0	0.003	298.422	3.835	1202.992	1293.936	30.116	-93.142	-91.897	0.0
45	10810	10811	NS	1	57.382	58.32	0.0	0.0	298.014	3.681	1199.8	1293.008	38.306	-93.136	-91.838	0.0
46	10810	10811	NS	1	57.382	58.313	0.0	0.0	298.014	3.005	1199.8	1292.144	37.14	-93.231	-91.838	0.0
47	10810	10811	SN	1	57.422	58.401	0.0	0.0	297.998	3.742	1202.664	1294.032	31.16	-93.105	-91.892	0.0
48	10811	10812	NS	1	57.366	58.292	0.0	0.0	297.374	3.767	1199.4	1293.04	39.168	-92.999	-91.836	0.0
49	10811	10812	NS	1	57.366	58.292	0.0	0.0	297.374	2.794	1199.4	1290.936	35.829	-93.13	-91.836	0.0
50	10811	10812	SN	1	57.45	58.402	0.0	0.0	299.128	3.736	1202.872	1294.048	32.159	-93.817	-91.893	0.0
51	10812	10813	NS	1	57.385	58.295	0.0	0.0	298.781	3.728	1199.24	1293.184	39.025	-93.092	-91.836	0.0
52	10812	10813	SN	1	57.452	58.402	0.0	0.0	298.593	3.67	1203.32	1294.168	32.269	-94.296	-91.897	0.0
53	10812	10813	NS	1	57.385	58.295	0.0	0.0	298.472	2.116	1199.24	1289.216	32.807	-93.103	-91.836	0.0
54	10813	10814	NS	1	57.386	58.295	0.0	0.003	284.331	1.767	1199.352	1286.512	30.269	-93.149	-91.835	0.0
55	10813	10814	SN	1	57.448	58.46	0.0	0.0	267.56	2.714	1202.856	1294.168	23.78	-95.342	-91.914	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	10799	10800	SN	1	-34.513	20.843	0.0	-34.855	20.797	0.0	-20.986	22.269	0.001	-16.99	23.041	0.012	0.086	209.415	1.48	0.086	226.569	1.279	0.086	9.358	0.001	0.086	3.768	0.002
2	10799	10800	NS	1	-34.207	20.224	0.0	-34.592	20.41	0.0	0.704	23.372	0.135	0.034	23.276	0.3	0.086	195.18	4.148	0.086	213.289	4.062	0.086	0.139	0.0	0.086	0.149	0.0
3	10799	10800	SN	2	-34.513	20.843	0.0	-34.855	20.797	0.0	-20.986	22.269	0.001	-16.99	23.041	0.012	0.086	209.415	1.48	0.086	226.569	1.279	0.086	9.358	0.001	0.086	3.768	0.002
4	10799	10800	SN	1	-33.081	20.843	0.0	-34.462	20.797	0.0	-20.986	21.975	0.0	-16.99	23.041	0.012	0.086	150.588	1.37	0.086	206.97	1.16	0.086	9.358	0.002	0.086	3.768	0.002
5	10799	10800	NS	1	-34.937	20.224	0.0	-34.916	20.41	0.0	0.706	23.368	0.135	0.034	23.276	0.301	0.086	230.879	4.142	0.086	229.746	4.052	0.086	0.139	0.0	0.086	0.149	0.0
6	10800	10801	SN	1	-34.583	19.742	0.0	-33.825	20.365	0.0	-11.772	21.884	0.0	-8.726	22.576	0.01	0.086	212.8	1.586	0.086	178.744	1.605	0.086	1.179	0.002	0.086	0.619	0.0
7	10800	10801	NS	1	-32.728	19.084	0.0	-34.038	20.206	0.0	-9.754	22.525	0.002	-12.195	23.317	0.07	0.086	138.863	2.246	0.086	187.749	2.12	0.086	0.766	0.0	0.086	1.292	0.002
8	10800	10801	SN	1	-34.583	19.742	0.0	-33.825	20.365	0.0	-11.731	21.884	0.0	-8.725	22.576	0.01	0.086	212.8	1.588	0.086	178.744	1.609	0.086	1.168	0.002	0.086	0.618	0.0
9	10800	10801	NS	1	-33.899	19.082	0.0	-34.645	20.209	0.0	-9.784	22.525	0.002	-12.181	23.317	0.069	0.086	181.845	2.238	0.086	215.851	2.134	0.086	0.771	0.0	0.086	1.288	0.002
10	10801	10802	NS	1	-33.483	18.816	0.0	-34.442	17.698	0.0	-16.132	21.474	0.0	-25.264	22.788	0.042	0.086	165.247	1.208	0.086	206.052	1.194	0.086	3.103	0.004	0.086	24.948	0.023
11	10801	10802	SN	1	-34.795	19.918	0.0	-34.787	19.929	0.0	-18.624	21.988	0.0	-14.481	22.156	0.016	0.086	223.456	3.73	0.086	223.089	3.659	0.086	5.459	0.009	0.086	2.143	0.004
12	10801	10802	SN	1	-34.963	19.915	0.0	-34.914	19.927	0.0	-18.302	21.988	0.0	-14.48	22.156	0.016	0.086	232.268	3.75	0.086	229.66	3.671	0.086	5.073	0.009	0.086	2.142	0.004
13	10801	10802	SN	1	-34.963	19.915	0.0	-34.914	19.927	0.0	-18.302	21.988	0.0	-14.48	22.156	0.016	0.086	232.268	3.727	0.086	229.66	3.694	0.086	5.073	0.009	0.086	2.142	0.004
14	10802	10803	SN	1	-34.922	18.837	0.0	-34.745	18.38	0.0	0.543	21.717	0.0	1.569	21.827	0.0	0.086	230.116	2.513	0.086	220.898	2.112	0.086	0.141	0.0	0.086	0.129	0.0
15	10802	10803	SN	1	-34.922	14.779	0.0	-34.745	15.17	0.0	0.543	21.717	0.0	1.569	21.827	0.0	0.088	230.116	2.589	0.087	220.898	2.069	0.086	0.141	0.0	0.086	0.129	0.0
16	10802	10803	NS	1	-34.668	18.444	0.0	-34.852	18.028	0.0	-28.054	21.494	0.0	-28.82	22.866	0.032	0.086	217.046	2.754	0.086	226.421	2.61	0.086	47.378	0.156	0.086	56.518	0.094
17	10802	10803	SN	1	-34.618	18.826	0.0	-34.242	19.151	0.0	0.542	21.717	0.0	1.569	21.827	0.0	0.086	214.578	2.215	0.086	196.807	1.962	0.086	0.141	0.0	0.086	0.129	0.0
18	10803	10804	SN	1	-34.648	18.724	0.0	-34.637	18.843	0.0	0.854	22.221	0.006	2.206	22.668	0.117	0.086	216.058	2.395	0.086	215.515	2.154	0.086	0.137	0.0	0.086	0.122	0.0
19	10803	10804	NS	1	-34.951	18.767	0.0	-34.496	17.212	0.0	-22.233	22.783	0.006	-17.15	22.814	0.033	0.086	231.672	2.3	0.087	208.59	2.461	0.086	12.449	0.006	0.086	3.906	0.003
20	10803	10804	SN	1	-34.275	18.724	0.0	-34.987	18.843	0.0	0.854	22.221	0.006	2.206	22.668	0.117	0.086	198.248	2.391	0.086	233.555	2.161	0.086	0.137	0.0	0.086	0.122	0.0
21	10804	10805	SN	1	-34.98	17.63	0.0	-34.806	17.978	0.0	0.305	21.48	0.0	2.262	22.969	0.014	0.087	233.236	4.065	0.086	223.999	4.245	0.086	0.144	0.0	0.086	0.122	0.0
22	10804	10805	SN	1	-34.98	17.658	0.0	-34.806	17.978	0.0	0.305	21.48	0.0	2.262	22.969	0.014	0.087	233.236	4.061	0.086	223.999	4.23	0.086	0.144	0.0	0.086	0.122	0.0
23	10804	10805	SN	2	-34.98	17.658	0.0	-34.806	17.978	0.0	0.305	21.48	0.0	2.262	22.969	0.014	0.087	233.236	4.061	0.086	223.999	4.23	0.086	0.144	0.0	0.086	0.122	0.0
24	10804	10805	NS	1	-34.929	19.675	0.0	-34.936	17.441	0.0	-25.944	21.682	0.0	-12.871	22.274	0.023	0.086	230.459	2.825	0.087	230.782	2.622	0.086	29.174	0.012	0.086	1.499	0.003
25	10804	10805	NS	2	-34.929	19.674	0.0	-34.936	17.441	0.0	-25.944	21.682	0.0	-12.871	22.274	0.023	0.086	230.459	2.825	0.087	230.782	2.622	0.086	29.174	0.012	0.086	1.499	0.003
26	10805	10806	SN	2	-34.747	17.218	0.0	-34.917	18.074	0.0	-1.415	22.642	0.088	3.747	23.188	0.172	0.087	221.011	3.932	0.086	229.847	3.676	0.086	0.176	0.0	0.086	0.111	0.0
27	10805	10806	NS	1	-33.973	20.56	0.0	-34.099	20.504	0.0	-19.951	22.382	0.005	-20.895	22.749	0.029	0.086	184.994	1.959	0.086	190.388	1.606	0.086	7.389	0.122	0.086	9.166	0.154
28	10805	10806	NS	1	-34.19	20.56	0.0	-34.099	20.504	0.0	-19.951	22.381	0.005	-20.895	22.749	0.029	0.086	194.431	1.959	0.086	190.388	1.604	0.086	7.389	0.122	0.086	9.166	0.154
29	10805	10806	SN	1	-34.84	15.64	0.0	-34.878	15.37	0.0	-1.415	22.642	0.095	3.744	23.188	0.175	0.087	225.781	3.936	0.087	227.821	3.784	0.086	0.176	0.0	0.086	0.111	0.0
30	10805	10806	SN	1	-34.84	17.218	0.0	-34.878	18.074	0.0	-1.415	22.642	0.088	3.744	23.188	0.175	0.087	225.781	3.932	0.086	227.821	3.674	0.086	0.176	0.0	0.086	0.111	0.0
31	10806	10807	SN	1	-34.281	17.11	0.0	-34.994	18.475	0.0	-14.992	23.159	0.159	-8.658	23.733	0.646	0.087	198.564	2.13	0.086	233.952	2.283	0.086	2.486	0.003	0.086	0.61	0.0
32	10806	10807	SN	1	-34.292	16.487	0.0	-34.076	16.974	0.0	-14.992	23.159	0.164	-8.658	23.733	0.646	0.087	199.005	1.882	0.087	189.354	2.478	0.086	2.486	0.003	0.086	0.61	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	10806	10807	NS	1	-34.671	20.295	0.0	-34.499	20.971	0.0	0.486	22.721	0.035	1.623	23.089	0.217	0.086	222.758	1.886	0.086	208.765	1.511	0.086	0.142	0.0	0.086	0.128	0.0
34	10806	10807	SN	1	-34.168	17.109	0.0	-34.076	18.47	0.0	-14.992	23.159	0.159	-8.658	23.733	0.644	0.087	193.468	2.128	0.086	189.354	2.281	0.086	2.485	0.003	0.086	0.61	0.0
35	10806	10807	NS	1	-34.606	20.295	0.0	-34.462	20.973	0.0	0.488	22.72	0.035	1.623	23.089	0.217	0.086	213.954	1.889	0.086	207.016	1.513	0.086	0.142	0.0	0.086	0.128	0.0
36	10807	10808	NS	1	-34.744	22.503	0.008	-34.622	18.44	0.0	0.17	23.542	0.179	-18.749	23.83	0.653	0.086	220.885	1.589	0.086	214.759	1.397	0.086	0.146	0.0	0.086	5.618	0.006
37	10807	10808	SN	2	-34.818	17.198	0.0	-34.402	18.813	0.0	-28.104	22.381	0.018	-8.576	23.301	0.349	0.087	224.648	2.912	0.086	204.118	2.649	0.086	47.931	0.046	0.086	0.6	0.0
38	10807	10808	NS	1	-34.826	22.504	0.008	-34.478	18.44	0.0	0.17	23.546	0.179	-18.728	23.832	0.653	0.086	225.072	1.587	0.086	207.766	1.401	0.086	0.146	0.0	0.086	5.59	0.006
39	10807	10808	SN	1	-34.847	17.198	0.0	-34.58	18.813	0.0	-28.109	22.381	0.018	-8.576	23.301	0.349	0.087	226.189	2.912	0.086	212.698	2.649	0.086	47.985	0.046	0.086	0.6	0.0
40	10808	10809	SN	1	-34.595	19.967	0.0	-34.328	20.186	0.0	-7.507	22.562	0.012	-6.288	23.388	0.062	0.086	213.414	3.877	0.086	200.655	3.358	0.086	0.484	0.0	0.086	0.383	0.0
41	10808	10809	NS	1	-34.815	19.601	0.0	-34.688	19.397	0.0	-7.441	22.914	0.3	-2.954	23.781	0.867	0.086	224.506	1.585	0.086	218.049	1.591	0.086	0.478	0.0	0.086	0.243	0.0
42	10808	10809	NS	2	-34.815	19.601	0.0	-34.688	19.397	0.0	-7.441	22.914	0.3	-2.954	23.781	0.867	0.086	224.506	1.585	0.086	218.049	1.591	0.086	0.478	0.0	0.086	0.243	0.0
43	10809	10810	NS	1	-34.936	19.697	0.0	-34.518	20.24	0.0	-8.773	22.178	0.008	-5.844	23.829	0.564	0.086	230.808	3.063	0.086	209.626	3.182	0.086	0.625	0.0	0.086	0.353	0.0
44	10809	10810	SN	1	-33.22	18.55	0.0	-34.756	20.527	0.0	-24.548	22.579	0.002	-29.106	22.959	0.064	0.086	155.5	1.763	0.086	221.458	1.383	0.086	21.17	0.138	0.086	60.364	0.029
45	10810	10811	NS	1	-34.518	20.206	0.0	-34.928	20.393	0.0	-5.574	21.983	0.0	-3.689	23.064	0.49	0.086	209.645	2.361	0.086	230.449	2.164	0.086	0.336	0.0	0.086	0.244	0.0
46	10810	10811	NS	1	-34.518	20.206	0.0	-34.928	20.393	0.0	-5.574	21.983	0.0	-3.689	23.054	0.544	0.086	209.645	2.366	0.086	230.449	2.164	0.086	0.336	0.0	0.086	0.244	0.0
47	10810	10811	SN	1	-34.601	17.325	0.0	-34.643	20.452	0.0	-23.576	22.571	0.024	-26.082	23.232	0.161	0.087	213.739	3.166	0.086	215.8	2.653	0.086	16.937	0.051	0.086	30.112	0.063
48	10811	10812	NS	1	-34.97	19.375	0.0	-34.722	20.084	0.0	-10.849	22.46	0.012	-10.942	23.595	0.652	0.086	232.611	4.029	0.086	219.788	3.711	0.086	1.0	0.006	0.086	0.985	0.0
49	10811	10812	NS	1	-34.97	19.375	0.0	-34.722	20.084	0.0	-10.849	22.46	0.019	-10.942	23.595	0.924	0.086	232.611	4.046	0.086	219.788	3.711	0.086	1.0	0.01	0.086	0.985	0.0
50	10811	10812	SN	1	-33.252	17.962	0.0	-34.652	20.448	0.0	-21.502	22.238	0.009	-28.656	23.406	0.394	0.086	156.699	1.143	0.086	216.253	0.952	0.086	10.796	0.062	0.086	54.421	0.056
51	10812	10813	NS	1	-34.77	19.437	0.0	-34.521	20.24	0.0	2.22	22.121	0.01	2.655	23.727	0.675	0.086	222.222	3.16	0.086	209.83	3.188	0.086	0.122	0.0	0.086	0.119	0.0
52	10812	10813	SN	1	-33.537	17.506	0.0	-34.391	20.263	0.0	0.69	22.61	0.137	3.022	24.404	2.274	0.087	167.318	1.33	0.086	208.842	1.302	0.086	0.145	0.0	0.086	0.126	0.0
53	10812	10813	NS	1	-34.77	19.437	0.0	-34.521	20.24	0.0	5.618	21.869	0.0	2.851	23.727	0.314	0.086	222.222	3.2	0.086	209.83	3.188	0.086	0.102	0.0	0.086	0.117	0.0
54	10813	10814	NS	1	-34.829	19.231	0.0	-34.922	18.408	0.0	3.056	22.062	0.004	0.766	22.118	0.004	0.086	225.247	2.865	0.086	230.044	2.777	0.086	0.116	0.0	0.086	0.138	0.0
55	10813	10814	SN	1	-34.685	14.725	0.0	-34.57	20.283	0.0	0.884	21.812	0.0	0.211	22.174	0.007	0.088	217.902	3.482	0.086	212.222	3.401	0.086	0.137	0.0	0.086	0.146	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors