

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JAN-2017 To 02-JAN-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 01-JAN-2017 To 02-JAN-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	1404	1405	SN	1	48.769	49.305	0.0	0.003	1.291	0.334	1036.008	1073.416	0.0	-91.202	-90.065	0.0
2	1405	1406	SN	4	48.712	49.391	0.0	0.003	220.131	0.338	1035.432	1073.952	0.0	-91.272	-90.018	0.0
3	1405	1406	NS	5	48.754	49.382	0.0	0.003	1.296	0.34	1046.552	1073.928	0.0	-91.147	-90.163	0.0
4	1405	1406	SN	6	48.712	49.391	0.0	0.003	220.131	0.338	1035.432	1073.952	0.0	-91.272	-90.018	0.0
5	1405	1406	NS	7	48.754	49.382	0.0	0.003	1.296	0.34	1046.552	1073.928	0.0	-91.147	-90.163	0.0
6	1405	1406	SN	1	48.712	49.391	0.0	0.003	220.131	0.387	1035.432	1073.888	0.0	-91.272	-90.018	0.0
7	1405	1406	NS	1	48.754	49.382	0.0	0.003	1.296	0.388	1046.552	1073.928	0.0	-91.147	-90.163	0.0
8	1405	1406	NS	3	48.754	49.382	0.0	0.003	1.296	0.388	1046.552	1073.928	0.0	-91.147	-90.163	0.0
9	1405	1406	SN	2	48.712	49.391	0.0	0.003	220.131	0.386	1035.432	1073.952	0.0	-91.272	-90.018	0.0
10	1406	1407	NS	2	48.849	49.377	0.0	0.003	1.291	0.363	1048.112	1074.256	0.0	-91.209	-90.164	0.0
11	1406	1407	SN	1	48.698	49.402	0.0	0.003	1.291	0.368	1034.56	1073.992	0.0	-91.404	-90.059	0.0
12	1406	1407	SN	2	48.698	49.402	0.0	0.003	1.291	0.368	1034.56	1073.992	0.0	-91.404	-90.059	0.0
13	1406	1407	NS	4	48.782	49.383	0.0	0.003	1.291	0.32	1047.168	1074.032	0.0	-91.242	-90.156	0.0
14	1406	1407	SN	1	48.698	49.402	0.0	0.003	1.291	0.328	1034.56	1074.072	0.0	-91.404	-90.059	0.0
15	1406	1407	NS	1	48.849	49.377	0.0	0.003	1.291	0.363	1048.112	1074.256	0.0	-91.209	-90.164	0.0
16	1406	1407	SN	2	48.698	49.402	0.0	0.003	1.291	0.328	1034.56	1074.072	0.0	-91.404	-90.059	0.0
17	1406	1407	NS	3	48.782	49.383	0.0	0.003	1.291	0.32	1047.168	1074.032	0.0	-91.242	-90.156	0.0
18	1407	1408	NS	1	48.857	49.362	0.0	0.003	1.291	0.363	1048.248	1074.408	0.0	-91.225	-90.153	0.0
19	1407	1408	SN	2	48.787	49.321	0.0	0.003	1.296	0.315	1035.072	1073.36	0.0	-91.215	-90.06	0.0
20	1407	1408	SN	1	48.787	49.321	0.0	0.003	1.296	0.359	1035.072	1073.36	0.0	-91.215	-90.06	0.0
21	1407	1408	NS	3	48.857	49.362	0.0	0.003	1.291	0.319	1048.248	1074.408	0.0	-91.225	-90.153	0.0
22	1407	1408	NS	2	48.857	49.362	0.0	0.003	1.291	0.363	1048.248	1074.408	0.0	-91.225	-90.153	0.0
23	1408	1409	NS	1	48.847	49.373	0.0	0.003	1.291	0.373	1048.4	1074.328	0.0	-91.328	-90.174	0.0
24	1408	1409	NS	2	48.847	49.373	0.0	0.003	1.291	0.373	1048.4	1074.328	0.0	-91.328	-90.174	0.0
25	1408	1409	SN	2	48.764	49.277	0.0	0.003	221.389	0.363	1035.568	1073.256	0.0	-91.512	-90.06	0.0
26	1408	1409	SN	3	48.764	49.277	0.0	0.003	1.291	0.316	1035.568	1073.256	0.0	-91.512	-90.06	0.0
27	1408	1409	NS	3	48.847	49.373	0.0	0.003	1.291	0.327	1048.4	1074.328	0.0	-91.328	-90.174	0.0
28	1408	1409	SN	1	48.764	49.277	0.0	0.003	221.389	0.363	1035.568	1073.256	0.0	-91.512	-90.06	0.0
29	1409	1410	NS	1	48.823	49.369	0.0	0.003	226.931	0.371	1048.856	1074.184	0.0	-91.24	-90.153	0.0
30	1409	1410	SN	3	48.774	49.322	0.0	0.003	1.291	0.316	1035.656	1073.136	0.0	-91.046	-90.061	0.0
31	1409	1410	SN	1	48.773	49.317	0.0	0.003	1.291	0.319	1035.656	1072.936	0.0	-91.063	-90.061	0.0
32	1409	1410	SN	2	48.774	49.322	0.0	0.003	230.406	0.363	1035.656	1073.136	0.0	-91.046	-90.061	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	1409	1410	SN	1	48.774	49.322	0.0	0.003	230.406	0.363	1035.656	1073.136	0.0	-91.046	-90.061	0.0
34	1409	1410	NS	3	48.823	49.369	0.0	0.003	1.291	0.324	1048.856	1074.184	0.0	-91.24	-90.153	0.0
35	1409	1410	NS	2	48.823	49.369	0.0	0.003	226.931	0.371	1048.856	1074.184	0.0	-91.24	-90.153	0.0
36	1410	1411	NS	3	48.819	49.369	0.0	0.003	1.291	0.328	1047.976	1074.048	0.0	-91.23	-90.177	0.0
37	1410	1411	NS	2	48.836	49.373	0.0	0.003	235.755	0.376	1047.992	1074.024	0.0	-91.229	-90.177	0.0
38	1410	1411	NS	1	48.836	49.373	0.0	0.003	235.755	0.376	1047.992	1074.024	0.0	-91.229	-90.177	0.0
39	1410	1411	SN	1	48.765	49.292	0.0	0.003	1.291	0.335	1035.024	1073.04	0.0	-91.194	-90.061	0.0
40	1410	1411	SN	2	48.771	49.298	0.0	0.003	239.439	0.366	1034.976	1073.032	0.0	-91.644	-90.061	0.0
41	1410	1411	SN	1	48.771	49.298	0.0	0.003	239.439	0.366	1034.976	1073.032	0.0	-91.644	-90.061	0.0
42	1410	1411	NS	4	48.836	49.373	0.0	0.003	1.291	0.328	1047.992	1074.024	0.0	-91.229	-90.177	0.0
43	1410	1411	SN	3	48.771	49.298	0.0	0.003	1.291	0.32	1034.976	1073.032	0.0	-91.644	-90.061	0.0
44	1411	1412	SN	3	48.788	49.305	0.0	0.003	1.291	0.33	1035.584	1072.752	0.0	-91.202	-90.027	0.0
45	1411	1412	SN	1	48.788	49.305	0.0	0.003	1.291	0.375	1035.584	1072.752	0.0	-91.202	-90.027	0.0
46	1411	1412	NS	1	48.83	49.339	0.0	0.003	1.291	0.371	1047.888	1073.936	0.0	-91.212	-90.181	0.0
47	1411	1412	SN	2	48.788	49.305	0.0	0.003	1.291	0.375	1035.584	1072.752	0.0	-91.202	-90.027	0.0
48	1411	1412	NS	3	48.828	49.378	0.0	0.003	1.291	0.325	1047.832	1073.976	0.0	-91.206	-90.181	0.0
49	1411	1412	NS	2	48.828	49.378	0.0	0.003	239.461	0.371	1047.832	1073.976	0.0	-91.206	-90.181	0.0
50	1412	1413	NS	3	48.816	49.357	0.0	0.003	1.291	0.327	1047.64	1074.056	0.0	-91.239	-90.179	0.0
51	1412	1413	SN	1	48.807	49.317	0.0	0.003	299.999	0.375	1035.536	1072.888	0.0	-91.185	-90.043	0.0
52	1412	1413	SN	3	48.807	49.317	0.0	0.003	299.999	0.33	1035.536	1072.888	0.0	-91.185	-90.043	0.0
53	1412	1413	SN	2	48.807	49.317	0.0	0.003	299.999	0.375	1035.536	1072.888	0.0	-91.185	-90.043	0.0
54	1412	1413	NS	1	48.816	49.357	0.0	0.003	248.269	0.373	1047.64	1074.056	0.0	-91.239	-90.179	0.0
55	1412	1413	NS	2	48.816	49.357	0.0	0.003	248.269	0.373	1047.64	1074.056	0.0	-91.239	-90.179	0.0
56	1413	1414	NS	3	48.826	49.366	0.0	0.003	341.489	0.339	1048.368	1073.928	0.0	-91.239	-90.129	0.0
57	1413	1414	SN	3	48.786	49.313	0.0	0.003	1.291	0.318	1035.576	1073.128	0.0	-91.167	-90.046	0.0
58	1413	1414	SN	1	48.786	49.313	0.0	0.003	1.291	0.365	1035.576	1073.128	0.0	-91.167	-90.046	0.0
59	1413	1414	NS	1	48.826	49.366	0.0	0.003	341.489	0.389	1048.368	1073.824	0.0	-91.223	-90.129	0.0
60	1413	1414	SN	1	48.786	49.313	0.0	0.003	1.291	0.365	1035.576	1073.128	0.0	-91.167	-90.046	0.0
61	1413	1414	NS	2	48.826	49.366	0.0	0.003	341.489	0.386	1048.368	1073.928	0.0	-91.239	-90.129	0.0
62	1413	1414	SN	2	48.786	49.313	0.0	0.003	1.291	0.365	1035.576	1073.128	0.0	-91.167	-90.046	0.0
63	1414	1415	NS	3	48.843	49.367	0.0	0.003	1.291	0.377	1047.696	1073.92	0.0	-91.456	-90.161	0.0
64	1414	1415	SN	1	48.769	49.283	0.0	0.003	1.291	0.365	1035.496	1073.032	0.0	-91.706	-90.067	0.0
65	1414	1415	NS	4	48.843	49.367	0.0	0.003	1.291	0.332	1047.696	1073.92	0.0	-91.456	-90.161	0.0
66	1414	1415	NS	1	48.843	49.367	0.0	0.003	1.291	0.377	1047.696	1073.92	0.0	-91.456	-90.161	0.0
67	1414	1415	SN	2	48.769	49.283	0.0	0.003	1.291	0.365	1035.496	1073.032	0.0	-91.706	-90.067	0.0
68	1414	1415	NS	1	48.843	49.367	0.0	0.003	1.291	0.377	1047.696	1073.92	0.0	-91.456	-90.161	0.0
69	1414	1415	SN	2	48.769	49.283	0.0	0.003	1.291	0.365	1035.496	1073.032	0.0	-91.706	-90.067	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	1414	1415	SN	3	48.769	49.283	0.0	0.003	1.291	0.319	1035.496	1073.032	0.0	-91.706	-90.067	0.0
71	1415	1416	SN	2	48.764	49.308	0.0	0.003	1.291	0.373	1035.752	1072.992	0.0	-91.242	-90.032	0.0
72	1415	1416	NS	1	48.847	49.318	0.0	0.003	1.291	0.375	1048.384	1073.864	0.0	-91.424	-90.179	0.0
73	1415	1416	NS	4	48.847	49.318	0.0	0.003	1.291	0.331	1048.384	1073.864	0.0	-91.424	-90.179	0.0
74	1415	1416	SN	3	48.764	49.308	0.0	0.003	1.291	0.326	1035.752	1072.992	0.0	-91.242	-90.032	0.0
75	1415	1416	NS	3	48.847	49.318	0.0	0.003	1.291	0.375	1048.384	1073.864	0.0	-91.424	-90.179	0.0
76	1415	1416	SN	1	48.764	49.308	0.0	0.003	1.291	0.373	1035.752	1072.992	0.0	-91.242	-90.032	0.0
77	1415	1416	NS	1	48.847	49.318	0.0	0.003	1.291	0.375	1048.384	1073.864	0.0	-91.424	-90.179	0.0
78	1415	1416	SN	2	48.764	49.308	0.0	0.003	1.291	0.373	1035.752	1072.992	0.0	-91.242	-90.032	0.0
79	1416	1417	NS	1	48.841	49.339	0.0	0.003	1.291	0.369	1047.904	1073.896	0.0	-91.239	-90.179	0.0
80	1416	1417	SN	2	48.78	49.322	0.0	0.003	1.291	0.375	1036.304	1073.056	0.0	-91.186	-90.054	0.0
81	1416	1417	NS	2	48.841	49.339	0.0	0.003	1.291	0.369	1047.904	1073.896	0.0	-91.239	-90.179	0.0
82	1416	1417	SN	1	48.78	49.322	0.0	0.003	1.291	0.375	1036.304	1073.056	0.0	-91.186	-90.054	0.0
83	1416	1417	NS	1	48.841	49.339	0.0	0.003	1.291	0.369	1047.904	1073.896	0.0	-91.239	-90.179	0.0
84	1416	1417	SN	1	48.78	49.322	0.0	0.003	1.291	0.375	1036.304	1073.056	0.0	-91.186	-90.054	0.0
85	1416	1417	SN	3	48.78	49.322	0.0	0.003	1.291	0.328	1036.304	1073.056	0.0	-91.186	-90.054	0.0
86	1416	1417	NS	3	48.841	49.339	0.0	0.003	1.291	0.325	1047.904	1073.896	0.0	-91.239	-90.179	0.0
87	1417	1418	SN	3	48.788	49.326	0.0	0.003	1.291	0.369	1035.632	1073.056	0.0	-91.203	-90.064	0.0
88	1417	1418	SN	1	48.788	49.326	0.0	0.003	1.291	0.369	1035.632	1073.056	0.0	-91.203	-90.064	0.0
89	1417	1418	NS	2	48.828	49.32	0.0	0.003	1.291	0.372	1048.104	1073.888	0.0	-91.175	-90.177	0.0
90	1417	1418	NS	5	48.828	49.32	0.0	0.003	1.291	0.372	1048.104	1073.888	0.0	-91.175	-90.177	0.0
91	1417	1418	NS	7	48.828	49.32	0.0	0.003	1.291	0.327	1048.104	1073.888	0.0	-91.175	-90.177	0.0
92	1417	1418	NS	1	48.829	49.345	0.0	0.003	1.291	0.372	1048.08	1073.848	0.0	-91.351	-90.176	0.0
93	1417	1418	SN	4	48.788	49.326	0.0	0.003	1.291	0.369	1035.632	1073.056	0.0	-91.203	-90.064	0.0
94	1417	1418	SN	6	48.788	49.326	0.0	0.003	1.291	0.322	1035.632	1073.056	0.0	-91.203	-90.064	0.0
95	1418	1419	SN	4	48.768	49.318	0.0	0.008	1.291	0.326	1035.608	1073.12	0.0	-91.193	-90.07	0.0
96	1418	1419	NS	2	48.808	49.365	0.0	0.003	1.291	0.367	1047.368	1073.936	0.0	-91.57	-90.176	0.0
97	1418	1419	NS	3	48.808	49.365	0.0	0.003	1.291	0.367	1047.368	1073.936	0.0	-91.57	-90.176	0.0
98	1418	1419	SN	1	48.768	49.318	0.0	0.008	1.291	0.374	1035.608	1073.12	0.0	-91.193	-90.07	0.0
99	1418	1419	NS	4	48.808	49.365	0.0	0.003	1.291	0.322	1047.368	1073.936	0.0	-91.57	-90.176	0.0
100	1418	1419	NS	1	48.808	49.365	0.0	0.003	1.291	0.367	1047.368	1073.936	0.0	-91.57	-90.176	0.0
101	1418	1419	SN	3	48.768	49.318	0.0	0.008	1.291	0.374	1035.608	1073.12	0.0	-91.193	-90.07	0.0
102	1418	1419	SN	2	48.768	49.318	0.0	0.008	1.291	0.374	1035.608	1073.12	0.0	-91.193	-90.07	0.0
103	1419	1420	SN	4	48.782	49.275	0.0	0.003	1.291	0.386	1036.552	1073.088	0.0	-91.212	-90.084	0.0
104	1419	1420	NS	5	48.811	49.355	0.0	0.003	1.291	0.376	1047.472	1073.88	0.0	-91.836	-90.138	0.0
105	1419	1420	NS	3	48.811	49.355	0.0	0.003	1.291	0.376	1047.472	1073.88	0.0	-91.836	-90.138	0.0
106	1419	1420	NS	1	48.811	49.355	0.0	0.003	1.291	0.376	1047.472	1073.88	0.0	-91.836	-90.138	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

107	1419	1420	SN	2	48.782	49.275	0.0	0.003	1.291	0.386	1036.552	1073.088	0.0	-91.212	-90.084	0.0
108	1419	1420	SN	8	48.782	49.275	0.0	0.003	1.291	0.337	1036.552	1073.088	0.0	-91.212	-90.084	0.0
109	1419	1420	SN	6	48.782	49.275	0.0	0.003	1.291	0.386	1036.552	1073.088	0.0	-91.212	-90.084	0.0
110	1419	1420	NS	7	48.811	49.355	0.0	0.003	1.291	0.33	1047.472	1073.88	0.0	-91.836	-90.138	0.0
111	1420	1421	NS	3	48.823	49.353	0.0	0.003	1.291	0.373	1047.04	1073.744	0.0	-91.182	-90.155	0.0
112	1420	1421	NS	4	48.823	49.353	0.0	0.003	1.291	0.326	1047.04	1073.744	0.0	-91.182	-90.155	0.0
113	1420	1421	SN	3	48.796	49.313	0.0	0.003	1.291	0.381	1036.12	1072.928	0.0	-91.777	-90.019	0.0
114	1420	1421	SN	4	48.796	49.313	0.0	0.003	1.291	0.332	1036.12	1072.928	0.0	-91.777	-90.019	0.0
115	1420	1421	NS	2	48.823	49.353	0.0	0.003	1.291	0.373	1047.04	1073.744	0.0	-91.182	-90.155	0.0
116	1420	1421	SN	1	48.796	49.313	0.0	0.003	1.291	0.381	1036.12	1072.928	0.0	-91.777	-90.019	0.0
117	1420	1421	SN	2	48.796	49.313	0.0	0.003	1.291	0.381	1036.12	1072.928	0.0	-91.777	-90.019	0.0
118	1420	1421	NS	1	48.823	49.353	0.0	0.003	1.291	0.373	1047.04	1073.744	0.0	-91.182	-90.155	0.0
119	1421	1422	SN	3	48.775	49.276	0.0	0.003	342.244	0.324	1035.568	1072.896	0.0	-91.23	-90.067	0.0
120	1421	1422	NS	3	48.835	49.364	0.0	0.003	332.88	0.361	1047.56	1073.96	0.0	-91.234	-90.144	0.0
121	1421	1422	NS	4	48.835	49.364	0.0	0.003	332.88	0.316	1047.56	1073.96	0.0	-91.234	-90.144	0.0
122	1421	1422	NS	2	48.835	49.364	0.0	0.003	332.88	0.361	1047.56	1073.96	0.0	-91.234	-90.144	0.0
123	1421	1422	NS	1	48.835	49.364	0.0	0.003	332.88	0.361	1047.56	1073.96	0.0	-91.234	-90.144	0.0
124	1421	1422	SN	1	48.775	49.276	0.0	0.003	342.244	0.367	1035.568	1072.896	0.0	-91.23	-90.067	0.0
125	1421	1422	SN	2	48.775	49.276	0.0	0.003	342.244	0.367	1035.568	1072.896	0.0	-91.23	-90.067	0.0
126	1421	1422	SN	1	48.779	49.277	0.0	0.003	1.291	0.366	1035.592	1073.096	0.0	-91.23	-90.067	0.0
127	1422	1423	SN	1	48.791	49.316	0.0	0.003	1.291	0.36	1035.592	1073.064	0.0	-91.197	-90.066	0.0
128	1422	1423	NS	1	48.845	49.322	0.0	0.003	1.291	0.363	1047.704	1074.016	0.0	-91.234	-90.168	0.0
129	1422	1423	NS	2	48.845	49.322	0.0	0.003	1.291	0.363	1047.704	1074.016	0.0	-91.234	-90.168	0.0
130	1422	1423	SN	2	48.791	49.316	0.0	0.003	1.291	0.36	1035.592	1073.064	0.0	-91.197	-90.066	0.0
131	1422	1423	NS	3	48.845	49.322	0.0	0.003	1.291	0.319	1047.704	1074.016	0.0	-91.234	-90.168	0.0
132	1422	1423	SN	3	48.791	49.316	0.0	0.003	1.291	0.314	1035.592	1073.064	0.0	-91.197	-90.066	0.0
133	1423	1424	NS	3	48.848	49.369	0.0	0.003	1.291	0.324	1048.392	1073.832	0.0	-91.413	-90.144	0.0
134	1423	1424	NS	1	48.848	49.369	0.0	0.003	204.386	0.371	1048.392	1073.832	0.0	-91.413	-90.144	0.0
135	1423	1424	SN	2	48.775	49.314	0.0	0.003	207.182	0.364	1035.68	1072.904	0.0	-91.113	-90.068	0.0
136	1423	1424	SN	1	48.775	49.314	0.0	0.003	207.182	0.364	1035.68	1072.904	0.0	-91.113	-90.068	0.0
137	1423	1424	SN	3	48.775	49.314	0.0	0.003	1.291	0.318	1035.68	1072.904	0.0	-91.113	-90.068	0.0
138	1423	1424	NS	2	48.848	49.369	0.0	0.003	204.386	0.371	1048.392	1073.832	0.0	-91.413	-90.144	0.0
139	1424	1425	NS	4	48.819	49.366	0.0	0.003	214.478	0.377	1048.064	1073.712	0.0	-91.728	-90.16	0.0
140	1424	1425	SN	3	48.776	49.297	0.0	0.003	217.484	0.363	1036.312	1072.808	0.0	-91.115	-90.068	0.0
141	1424	1425	NS	2	48.819	49.366	0.0	0.003	214.478	0.377	1048.064	1073.712	0.0	-91.728	-90.16	0.0
142	1424	1425	NS	6	48.819	49.366	0.0	0.003	1.291	0.33	1048.064	1073.712	0.0	-91.728	-90.16	0.0
143	1424	1425	SN	5	48.776	49.297	0.0	0.003	1.291	0.317	1036.312	1072.808	0.0	-91.115	-90.068	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

144	1424	1425	SN	1	48.776	49.297	0.0	0.003	217.484	0.363	1036.312	1072.808	0.0	-91.115	-90.068	0.0
145	1425	1426	NS	2	48.818	49.328	0.0	0.003	222.023	0.375	1047.528	1073.544	0.0	-91.221	-90.17	0.0
146	1425	1426	NS	1	48.818	49.328	0.0	0.003	222.023	0.375	1047.528	1073.544	0.0	-91.221	-90.17	0.0
147	1425	1426	SN	1	48.766	49.313	0.0	0.003	1.291	0.37	1035.864	1072.688	0.0	-91.21	-90.062	0.0
148	1425	1426	SN	3	48.766	49.313	0.0	0.003	1.291	0.343	1035.864	1072.688	0.0	-91.21	-90.062	0.0
149	1425	1426	SN	2	48.766	49.313	0.0	0.003	1.291	0.37	1035.864	1072.688	0.0	-91.21	-90.062	0.0
150	1425	1426	NS	3	48.818	49.328	0.0	0.003	1.291	0.328	1047.528	1073.544	0.0	-91.221	-90.17	0.0
151	1426	1427	SN	2	48.768	49.302	0.0	0.003	1.291	0.376	1036.144	1072.72	0.0	-91.196	-90.04	0.0
152	1426	1427	NS	2	48.821	49.362	0.0	0.003	228.277	0.368	1047.336	1073.552	0.0	-91.223	-90.171	0.0
153	1426	1427	SN	3	48.768	49.302	0.0	0.003	1.291	0.329	1036.144	1072.72	0.0	-91.196	-90.04	0.0
154	1426	1427	NS	1	48.821	49.362	0.0	0.003	228.277	0.368	1047.336	1073.552	0.0	-91.223	-90.171	0.0
155	1426	1427	NS	3	48.821	49.362	0.0	0.003	1.291	0.321	1047.336	1073.552	0.0	-91.223	-90.171	0.0
156	1426	1427	SN	1	48.768	49.302	0.0	0.003	1.291	0.376	1036.144	1072.72	0.0	-91.196	-90.04	0.0
157	1427	1428	SN	2	48.795	49.276	0.0	0.003	1.291	0.37	1035.944	1072.776	0.0	-91.205	-90.052	0.0
158	1427	1428	SN	1	48.795	49.276	0.0	0.003	1.291	0.37	1035.944	1072.776	0.0	-91.205	-90.052	0.0
159	1427	1428	NS	1	48.823	49.335	0.0	0.003	1.291	0.328	1047.304	1073.608	0.0	-91.235	-90.135	0.0
160	1427	1428	SN	3	48.795	49.276	0.0	0.003	1.291	0.324	1035.944	1072.776	0.0	-91.205	-90.052	0.0
161	1428	1429	NS	5	48.832	49.368	0.0	0.003	1.291	0.334	1047.312	1073.504	0.0	-91.207	-90.159	0.0
162	1428	1429	SN	2	48.784	49.317	0.0	0.003	1.291	0.364	1036.496	1072.704	0.0	-91.131	-90.064	0.0
163	1428	1429	NS	1	48.832	49.368	0.0	0.003	1.291	0.382	1047.312	1073.504	0.0	-91.207	-90.159	0.0
164	1428	1429	SN	4	48.784	49.317	0.0	0.003	1.291	0.364	1036.496	1072.704	0.0	-91.131	-90.064	0.0
165	1428	1429	SN	6	48.784	49.317	0.0	0.003	1.291	0.317	1036.496	1072.704	0.0	-91.131	-90.064	0.0
166	1428	1429	NS	3	48.832	49.368	0.0	0.003	1.291	0.382	1047.312	1073.504	0.0	-91.207	-90.159	0.0
167	1429	1430	NS	1	48.856	49.341	0.0	0.003	1.291	0.377	1047.28	1073.344	0.0	-91.103	-90.165	0.0
168	1429	1430	SN	4	48.776	49.297	0.0	0.003	1.291	0.368	1036.336	1072.576	0.0	-91.492	-90.064	0.0
169	1429	1430	NS	3	48.856	49.341	0.0	0.003	1.291	0.377	1047.28	1073.344	0.0	-91.103	-90.165	0.0
170	1429	1430	SN	2	48.776	49.297	0.0	0.003	1.291	0.368	1036.336	1072.576	0.0	-91.492	-90.064	0.0
171	1429	1430	NS	5	48.856	49.341	0.0	0.003	1.291	0.33	1047.28	1073.344	0.0	-91.103	-90.165	0.0
172	1429	1430	SN	6	48.776	49.297	0.0	0.003	1.291	0.32	1036.336	1072.576	0.0	-91.492	-90.064	0.0
173	1430	1431	NS	3	48.811	49.353	0.0	0.003	1.291	0.326	1047.152	1073.368	0.0	-92.022	-90.174	0.0
174	1430	1431	SN	2	48.777	49.322	0.0	0.003	1.291	0.373	1036.888	1072.656	0.0	-91.115	-90.033	0.0
175	1430	1431	NS	1	48.811	49.353	0.0	0.003	1.291	0.371	1047.152	1073.368	0.0	-92.022	-90.174	0.0
176	1430	1431	NS	2	48.811	49.353	0.0	0.003	1.291	0.371	1047.152	1073.368	0.0	-92.022	-90.174	0.0
177	1430	1431	SN	1	48.777	49.322	0.0	0.003	1.291	0.373	1036.888	1072.656	0.0	-91.115	-90.033	0.0
178	1430	1431	SN	3	48.777	49.322	0.0	0.003	1.291	0.326	1036.888	1072.656	0.0	-91.115	-90.033	0.0
179	1431	1432	NS	3	48.813	49.361	0.0	0.003	1.291	0.323	1047.448	1073.344	0.0	-91.117	-90.174	0.0
180	1431	1432	SN	2	48.776	49.315	0.0	0.003	1.291	0.371	1036.376	1072.664	0.0	-91.176	-90.058	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

181	1431	1432	NS	2	48.813	49.361	0.0	0.003	1.291	0.368	1047.448	1073.344	0.0	-91.117	-90.174	0.0
182	1431	1432	NS	1	48.813	49.361	0.0	0.003	1.291	0.368	1047.448	1073.344	0.0	-91.117	-90.174	0.0
183	1431	1432	SN	1	48.776	49.315	0.0	0.003	1.291	0.371	1036.376	1072.664	0.0	-91.176	-90.058	0.0
184	1431	1432	SN	3	48.776	49.315	0.0	0.003	1.291	0.324	1036.376	1072.664	0.0	-91.176	-90.058	0.0
185	1432	1433	SN	3	48.747	49.323	0.0	0.003	1.291	0.321	1036.464	1072.704	0.0	-91.532	-90.1	0.0
186	1432	1433	SN	4	48.747	49.323	0.0	0.003	1.291	0.321	1036.464	1072.704	0.0	-91.532	-90.1	0.0
187	1432	1433	SN	2	48.747	49.323	0.0	0.003	1.291	0.367	1036.464	1072.704	0.0	-91.532	-90.1	0.0
188	1432	1433	SN	1	48.747	49.323	0.0	0.003	1.291	0.367	1036.464	1072.704	0.0	-91.532	-90.1	0.0
189	1432	1433	NS	1	48.832	49.364	0.0	0.003	1.291	0.371	1047.28	1073.216	0.0	-91.176	-90.171	0.0
190	1432	1433	NS	2	48.832	49.364	0.0	0.003	1.291	0.371	1047.28	1073.216	0.0	-91.176	-90.171	0.0
191	1433	1434	NS	2	48.81	49.358	0.0	0.003	1.291	0.326	1046.704	1073.424	0.0	-91.149	-90.144	0.0
192	1433	1434	NS	1	48.81	49.358	0.0	0.003	1.291	0.372	1046.704	1073.424	0.0	-91.149	-90.144	0.0
193	1433	1434	NS	3	48.81	49.358	0.0	0.003	1.291	0.326	1046.704	1073.424	0.0	-91.149	-90.144	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	1404	1405	SN	1	-34.83	22.367	0.009	-34.937	23.513	0.279	5.664	28.399	18.511	9.208	28.19	17.903	0.103	256.917	3.137	0.103	263.258	2.443	0.103	0.121	0.0	0.103	0.111	0.0
2	1405	1406	SN	4	-34.018	22.95	0.166	-34.934	23.92	0.511	-9.057	33.431	9.878	-8.07	35.114	11.544	0.103	213.069	3.225	0.103	263.098	2.426	0.102	0.762	0.0	0.102	0.625	0.0
3	1405	1406	NS	5	-34.139	23.541	0.073	-34.902	23.091	0.062	7.42	31.754	11.576	7.223	31.353	19.783	0.103	219.078	1.743	0.103	261.167	1.752	0.102	0.115	0.0	0.103	0.115	0.0
4	1405	1406	SN	6	-34.018	22.95	0.166	-34.934	23.92	0.511	-9.057	33.431	9.878	-8.07	35.114	11.544	0.103	213.069	3.225	0.103	263.098	2.426	0.102	0.762	0.0	0.102	0.625	0.0
5	1405	1406	NS	7	-34.139	23.541	0.073	-34.902	23.091	0.062	7.42	31.754	11.576	7.223	31.353	19.783	0.103	219.078	1.743	0.103	261.167	1.752	0.102	0.115	0.0	0.103	0.115	0.0
6	1405	1406	SN	1	-34.018	22.975	0.17	-34.934	23.929	0.528	-9.057	33.431	9.938	-8.07	35.114	11.102	0.103	213.069	3.225	0.103	263.098	2.429	0.102	0.762	0.0	0.102	0.625	0.0
7	1405	1406	NS	1	-34.139	23.541	0.073	-34.902	23.091	0.062	7.42	31.754	11.576	7.223	31.353	19.783	0.103	219.078	1.743	0.103	261.167	1.752	0.102	0.115	0.0	0.103	0.115	0.0
8	1405	1406	NS	3	-34.139	23.541	0.073	-34.902	23.091	0.062	7.42	31.754	11.576	7.223	31.353	19.783	0.103	219.078	1.743	0.103	261.167	1.752	0.102	0.115	0.0	0.103	0.115	0.0
9	1405	1406	SN	2	-34.018	22.95	0.166	-34.934	23.92	0.511	-9.057	33.431	9.878	-8.07	35.114	11.544	0.103	213.069	3.225	0.103	263.098	2.426	0.102	0.762	0.0	0.102	0.625	0.0
10	1406	1407	NS	2	-34.291	22.299	0.004	-34.221	23.411	0.004	-4.054	35.886	6.557	-1.333	32.274	13.329	0.103	226.851	3.738	0.103	223.238	3.288	0.102	0.302	0.0	0.102	0.205	0.0
11	1406	1407	SN	1	-34.9	23.357	0.134	-34.699	23.988	0.336	5.246	27.956	7.566	5.949	28.669	3.949	0.103	261.071	6.765	0.103	249.267	6.01	0.103	0.123	0.0	0.103	0.12	0.0
12	1406	1407	SN	2	-34.9	23.357	0.134	-34.699	23.988	0.336	5.246	27.956	7.566	5.949	28.669	3.949	0.103	261.071	6.765	0.103	249.267	6.01	0.103	0.123	0.0	0.103	0.12	0.0
13	1406	1407	NS	4	-34.809	22.509	0.007	-34.951	23.861	0.009	-4.057	35.891	6.32	-1.378	32.24	13.246	0.103	255.608	3.751	0.103	264.093	3.303	0.102	0.302	0.0	0.102	0.206	0.0
14	1406	1407	SN	1	-34.9	23.357	0.133	-34.699	23.985	0.339	5.246	27.956	8.293	5.949	28.669	4.575	0.103	261.071	6.955	0.103	249.267	6.165	0.103	0.123	0.0	0.103	0.12	0.0
15	1406	1407	NS	1	-34.291	22.299	0.004	-34.221	23.411	0.004	-4.054	35.886	6.557	-1.333	32.274	13.329	0.103	226.851	3.738	0.103	223.238	3.288	0.102	0.302	0.0	0.102	0.205	0.0
16	1406	1407	SN	2	-34.9	23.357	0.133	-34.699	23.985	0.339	5.246	27.956	8.293	5.949	28.669	4.575	0.103	261.071	6.955	0.103	249.267	6.165	0.103	0.123	0.0	0.103	0.12	0.0
17	1406	1407	NS	3	-34.809	22.509	0.007	-34.951	23.861	0.009	-4.057	35.891	6.32	-1.378	32.24	13.246	0.103	255.608	3.751	0.103	264.093	3.303	0.102	0.302	0.0	0.102	0.206	0.0
18	1407	1408	NS	1	-34.931	22.95	0.01	-34.711	23.276	0.018	-4.713	27.559	7.093	-8.333	29.106	12.771	0.103	262.952	5.114	0.103	249.966	5.216	0.103	0.336	0.0	0.103	0.658	0.0
19	1407	1408	SN	2	-34.987	21.855	0.0	-34.888	22.037	0.002	5.669	30.994	11.529	6.19	27.245	5.51	0.103	266.292	2.214	0.103	260.297	2.11	0.103	0.121	0.0	0.103	0.119	0.0
20	1407	1408	SN	1	-34.987	21.855	0.0	-34.888	22.037	0.002	5.669	30.994	11.529	6.19	27.245	5.51	0.103	266.292	2.214	0.103	260.297	2.11	0.103	0.121	0.0	0.103	0.119	0.0
21	1407	1408	NS	3	-34.931	22.95	0.01	-34.711	23.276	0.018	-4.713	27.559	7.093	-8.333	29.106	12.771	0.103	262.952	5.114	0.103	249.966	5.216	0.103	0.336	0.0	0.103	0.658	0.0
22	1407	1408	NS	2	-34.931	22.95	0.01	-34.711	23.276	0.018	-4.713	27.559	7.093	-8.333	29.106	12.771	0.103	262.952	5.114	0.103	249.966	5.216	0.103	0.336	0.0	0.103	0.658	0.0
23	1408	1409	NS	1	-34.569	21.072	0.0	-34.92	20.936	0.0	-5.626	27.894	6.337	-8.072	28.112	11.167	0.103	241.852	5.88	0.103	262.229	7.141	0.103	0.394	0.0	0.103	0.625	0.0
24	1408	1409	NS	2	-34.569	21.072	0.0	-34.92	20.936	0.0	-5.626	27.894	6.337	-8.072	28.112	11.167	0.103	241.852	5.88	0.103	262.229	7.141	0.103	0.394	0.0	0.103	0.625	0.0
25	1408	1409	SN	2	-34.846	20.046	0.0	-34.441	22.13	0.002	4.298	27.09	10.827	4.454	26.508	4.707	0.103	257.814	2.735	0.103	234.818	2.532	0.103	0.128	0.0	0.103	0.128	0.0
26	1408	1409	SN	3	-34.846	20.046	0.0	-34.441	22.13	0.002	4.298	27.09	10.827	4.454	26.508	4.707	0.103	257.814	2.735	0.103	234.818	2.532	0.103	0.128	0.0	0.103	0.128	0.0
27	1408	1409	NS	3	-34.569	21.072	0.0	-34.92	20.936	0.0	-5.626	27.894	6.337	-8.072	28.112	11.167	0.103	241.852	5.88	0.103	262.229	7.141	0.103	0.394	0.0	0.103	0.625	0.0
28	1408	1409	SN	1	-34.846	20.046	0.0	-34.441	22.13	0.002	4.298	27.09	10.827	4.454	26.508	4.707	0.103	257.814	2.735	0.103	234.818	2.532	0.103	0.128	0.0	0.103	0.128	0.0
29	1409	1410	NS	1	-34.485	21.586	0.0	-33.922	21.601	0.0	-18.189	27.551	3.614	-19.472	28.355	8.098	0.103	237.27	6.795	0.103	208.468	6.754	0.103	5.646	0.001	0.103	7.558	0.012
30	1409	1410	SN	3	-34.724	20.933	0.0	-34.269	21.688	0.0	5.156	27.483	15.313	6.45	28.292	17.709	0.103	250.698	1.565	0.103	225.779	1.339	0.103	0.124	0.0	0.103	0.118	0.0
31	1409	1410	SN	1	-34.693	20.933	0.0	-34.355	21.688	0.0	5.158	27.483	14.044	6.45	28.292	17.48	0.103	248.923	1.565	0.103	230.296	1.34	0.103	0.124	0.0	0.103	0.118	0.0
32	1409	1410	SN	2	-34.724	20.933	0.0	-34.269	21.688	0.0	5.156	27.483	15.313	6.45	28.292	17.709	0.103	250.698	1.565	0.103	225.779	1.339	0.103	0.124	0.0	0.103	0.118	0.0
33	1409	1410	SN	1	-34.724	20.933	0.0	-34.269	21.688	0.0	5.156	27.483	15.313	6.45	28.292	17.709	0.103	250.698	1.565	0.103	225.779	1.339	0.103	0.124	0.0	0.103	0.118	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

190	1432	1433	NS	2	-34.113	25.096	0.278	-34.985	24.576	0.347	7.559	28.071	9.987	6.974	28.945	21.408	0.103	217.739	2.152	0.103	266.209	1.982	0.103	0.114	0.0	0.103	0.116	0.0
191	1433	1434	NS	2	-34.764	24.157	0.078	-34.968	24.876	0.065	0.481	28.507	15.244	5.276	29.461	23.436	0.103	253.034	3.412	0.103	265.178	3.313	0.103	0.168	0.0	0.103	0.123	0.0
192	1433	1434	NS	1	-34.764	24.157	0.078	-34.968	24.876	0.065	0.481	28.507	15.244	5.276	29.461	23.436	0.103	253.034	3.412	0.103	265.178	3.313	0.103	0.168	0.0	0.103	0.123	0.0
193	1433	1434	NS	3	-34.764	24.157	0.078	-34.968	24.876	0.065	0.481	28.507	15.244	5.276	29.461	23.436	0.103	253.034	3.412	0.103	265.178	3.313	0.103	0.168	0.0	0.103	0.123	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	1404	1405	SN	1	57.655	58.203	0.0	0.003	1.291	0.337	1215.92	1263.008	0.0	-93.102	-92.092	0.0
2	1405	1406	SN	4	57.621	58.311	0.0	0.003	1.291	0.345	1215.824	1263.984	0.0	-93.061	-92.047	0.0
3	1405	1406	NS	5	57.654	58.32	0.0	0.003	1.296	0.342	1229.72	1263.848	0.0	-92.977	-92.181	0.0
4	1405	1406	SN	6	57.621	58.311	0.0	0.003	1.291	0.345	1215.824	1263.984	0.0	-93.061	-92.047	0.0
5	1405	1406	NS	7	57.654	58.32	0.0	0.003	1.296	0.342	1229.72	1263.848	0.0	-92.977	-92.181	0.0
6	1405	1406	SN	1	57.621	58.311	0.0	0.003	1.291	0.392	1215.824	1263.984	0.0	-93.061	-92.047	0.0
7	1405	1406	NS	1	57.654	58.32	0.0	0.003	1.296	0.39	1229.72	1263.848	0.0	-92.977	-92.181	0.0
8	1405	1406	NS	3	57.654	58.32	0.0	0.003	1.296	0.39	1229.72	1263.848	0.0	-92.977	-92.181	0.0
9	1405	1406	SN	2	57.621	58.311	0.0	0.003	1.291	0.393	1215.824	1263.984	0.0	-93.061	-92.047	0.0
10	1406	1407	NS	2	57.757	58.275	0.0	0.003	1.291	0.37	1231.824	1264.432	0.0	-92.992	-92.19	0.0
11	1406	1407	SN	1	57.586	58.313	0.0	0.003	1.291	0.375	1215.064	1264.12	0.0	-92.945	-92.082	0.0
12	1406	1407	SN	2	57.586	58.313	0.0	0.003	1.291	0.375	1215.064	1264.12	0.0	-92.945	-92.082	0.0
13	1406	1407	NS	4	57.676	58.322	0.0	0.003	1.291	0.324	1229.848	1263.968	0.0	-93.13	-92.178	0.0
14	1406	1407	SN	1	57.586	58.313	0.0	0.003	1.291	0.335	1215.064	1264.136	0.0	-92.945	-92.082	0.0
15	1406	1407	NS	1	57.757	58.275	0.0	0.003	1.291	0.37	1231.824	1264.432	0.0	-92.992	-92.19	0.0
16	1406	1407	SN	2	57.586	58.313	0.0	0.003	1.291	0.335	1215.064	1264.136	0.0	-92.945	-92.082	0.0
17	1406	1407	NS	3	57.676	58.322	0.0	0.003	1.291	0.324	1229.848	1263.968	0.0	-93.13	-92.178	0.0
18	1407	1408	NS	1	57.736	58.281	0.0	0.003	1.291	0.365	1231.696	1264.624	0.0	-93.19	-92.176	0.0
19	1407	1408	SN	2	57.658	58.229	0.0	0.003	1.296	0.32	1215.704	1262.92	0.0	-93.262	-92.085	0.0
20	1407	1408	SN	1	57.658	58.229	0.0	0.003	1.296	0.365	1215.704	1262.92	0.0	-93.262	-92.085	0.0
21	1407	1408	NS	3	57.736	58.281	0.0	0.003	1.291	0.323	1231.696	1264.624	0.0	-93.19	-92.176	0.0
22	1407	1408	NS	2	57.736	58.281	0.0	0.003	1.291	0.365	1231.696	1264.624	0.0	-93.19	-92.176	0.0
23	1408	1409	NS	1	57.742	58.277	0.0	0.003	1.291	0.376	1231.8	1264.528	0.0	-93.175	-92.195	0.0
24	1408	1409	NS	2	57.742	58.277	0.0	0.003	1.291	0.376	1231.8	1264.528	0.0	-93.175	-92.195	0.0
25	1408	1409	SN	2	57.65	58.201	0.0	0.003	222.106	0.368	1216.224	1262.8	0.0	-93.048	-92.084	0.0
26	1408	1409	SN	3	57.65	58.201	0.0	0.003	1.291	0.322	1216.224	1262.8	0.0	-93.048	-92.084	0.0
27	1408	1409	NS	3	57.742	58.277	0.0	0.003	1.291	0.33	1231.8	1264.528	0.0	-93.175	-92.195	0.0
28	1408	1409	SN	1	57.65	58.201	0.0	0.003	222.106	0.368	1216.224	1262.8	0.0	-93.048	-92.084	0.0
29	1409	1410	NS	1	57.746	58.288	0.0	0.003	226.374	0.377	1232.408	1264.352	0.0	-93.142	-92.173	0.0
30	1409	1410	SN	3	57.654	58.216	0.0	0.003	1.291	0.32	1216.312	1262.664	0.0	-92.849	-92.085	0.0
31	1409	1410	SN	1	57.652	58.224	0.0	0.003	1.291	0.319	1216.336	1262.424	0.0	-92.987	-92.085	0.0
32	1409	1410	SN	2	57.654	58.216	0.0	0.003	231.123	0.366	1216.312	1262.664	0.0	-92.849	-92.085	0.0
33	1409	1410	SN	1	57.654	58.216	0.0	0.003	231.123	0.366	1216.312	1262.664	0.0	-92.849	-92.085	0.0
34	1409	1410	NS	3	57.746	58.288	0.0	0.003	1.291	0.33	1232.408	1264.352	0.0	-93.142	-92.173	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	1409	1410	NS	2	57.746	58.288	0.0	0.003	226.374	0.377	1232.408	1264.352	0.0	-93.142	-92.173	0.0
36	1410	1411	NS	3	57.729	58.28	0.0	0.003	1.291	0.334	1231.616	1264.208	0.0	-93.286	-92.199	0.0
37	1410	1411	NS	2	57.727	58.281	0.0	0.003	235.193	0.379	1231.48	1264.152	0.0	-92.998	-92.199	0.0
38	1410	1411	NS	1	57.727	58.281	0.0	0.003	235.193	0.379	1231.48	1264.152	0.0	-92.998	-92.199	0.0
39	1410	1411	SN	1	57.652	58.208	0.0	0.003	1.291	0.341	1215.792	1262.544	0.0	-93.046	-92.086	0.0
40	1410	1411	SN	2	57.658	58.202	0.0	0.003	240.156	0.371	1215.664	1262.544	0.0	-93.049	-92.086	0.0
41	1410	1411	SN	1	57.658	58.202	0.0	0.003	240.156	0.371	1215.664	1262.544	0.0	-93.049	-92.086	0.0
42	1410	1411	NS	4	57.727	58.281	0.0	0.003	1.291	0.334	1231.48	1264.152	0.0	-92.998	-92.199	0.0
43	1410	1411	SN	3	57.658	58.202	0.0	0.003	1.291	0.325	1215.664	1262.544	0.0	-93.049	-92.086	0.0
44	1411	1412	SN	3	57.666	58.218	0.0	0.003	1.291	0.337	1216.152	1262.2	0.0	-93.51	-92.057	0.0
45	1411	1412	SN	1	57.666	58.218	0.0	0.003	1.291	0.384	1216.152	1262.2	0.0	-93.51	-92.057	0.0
46	1411	1412	NS	1	57.734	58.282	0.0	0.003	1.291	0.379	1231.384	1264.024	0.0	-92.989	-92.208	0.0
47	1411	1412	SN	2	57.666	58.218	0.0	0.003	1.291	0.384	1216.152	1262.2	0.0	-93.51	-92.057	0.0
48	1411	1412	NS	3	57.743	58.286	0.0	0.003	1.291	0.332	1231.312	1264.096	0.0	-93.04	-92.208	0.0
49	1411	1412	NS	2	57.743	58.286	0.0	0.003	240.173	0.379	1231.312	1264.096	0.0	-93.04	-92.208	0.0
50	1412	1413	NS	3	57.727	58.282	0.0	0.003	1.291	0.326	1231.952	1264.192	0.0	-92.992	-92.205	0.0
51	1412	1413	SN	1	57.676	58.224	0.0	0.003	1.291	0.386	1216.304	1262.368	0.0	-92.954	-92.065	0.0
52	1412	1413	SN	3	57.676	58.224	0.0	0.003	1.291	0.337	1216.304	1262.368	0.0	-92.954	-92.065	0.0
53	1412	1413	SN	2	57.676	58.224	0.0	0.003	1.291	0.386	1216.304	1262.368	0.0	-92.954	-92.065	0.0
54	1412	1413	NS	1	57.727	58.282	0.0	0.003	247.712	0.373	1231.952	1264.192	0.0	-92.992	-92.205	0.0
55	1412	1413	NS	2	57.727	58.282	0.0	0.003	247.712	0.373	1231.952	1264.192	0.0	-92.992	-92.205	0.0
56	1413	1414	NS	3	57.728	58.281	0.0	0.003	1.296	0.344	1231.928	1264.104	0.0	-92.977	-92.158	0.0
57	1413	1414	SN	3	57.66	58.216	0.0	0.003	1.291	0.325	1216.328	1262.656	0.0	-93.068	-92.077	0.0
58	1413	1414	SN	1	57.66	58.216	0.0	0.003	1.291	0.372	1216.328	1262.656	0.0	-93.068	-92.077	0.0
59	1413	1414	NS	1	57.728	58.281	0.0	0.003	1.296	0.394	1231.96	1264.104	0.0	-92.977	-92.158	0.0
60	1413	1414	SN	1	57.66	58.216	0.0	0.003	1.291	0.372	1216.328	1262.656	0.0	-93.068	-92.077	0.0
61	1413	1414	NS	2	57.728	58.281	0.0	0.003	1.296	0.392	1231.928	1264.104	0.0	-92.977	-92.158	0.0
62	1413	1414	SN	2	57.66	58.216	0.0	0.003	1.291	0.372	1216.328	1262.656	0.0	-93.068	-92.077	0.0
63	1414	1415	NS	3	57.753	58.282	0.0	0.003	1.291	0.382	1231.088	1264.016	0.0	-93.018	-92.193	0.0
64	1414	1415	SN	1	57.657	58.22	0.0	0.003	1.291	0.371	1216.144	1262.552	0.0	-93.003	-92.092	0.0
65	1414	1415	NS	4	57.753	58.282	0.0	0.003	1.291	0.334	1231.088	1264.016	0.0	-93.018	-92.193	0.0
66	1414	1415	NS	1	57.753	58.282	0.0	0.003	1.291	0.382	1231.088	1264.016	0.0	-93.018	-92.193	0.0
67	1414	1415	SN	2	57.657	58.22	0.0	0.003	1.291	0.371	1216.144	1262.552	0.0	-93.003	-92.092	0.0
68	1414	1415	NS	1	57.753	58.282	0.0	0.003	1.291	0.382	1231.088	1264.016	0.0	-93.018	-92.193	0.0
69	1414	1415	SN	2	57.657	58.22	0.0	0.003	1.291	0.371	1216.144	1262.552	0.0	-93.003	-92.092	0.0
70	1414	1415	SN	3	57.657	58.22	0.0	0.003	1.291	0.325	1216.144	1262.552	0.0	-93.003	-92.092	0.0
71	1415	1416	SN	2	57.668	58.228	0.0	0.003	1.291	0.381	1216.496	1262.488	0.0	-93.019	-92.063	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	1415	1416	NS	1	57.743	58.275	0.0	0.003	1.291	0.376	1231.36	1263.936	0.0	-93.059	-92.206	0.0
73	1415	1416	NS	4	57.743	58.275	0.0	0.003	1.291	0.33	1231.36	1263.936	0.0	-93.059	-92.206	0.0
74	1415	1416	SN	3	57.668	58.228	0.0	0.003	1.291	0.335	1216.496	1262.488	0.0	-93.019	-92.063	0.0
75	1415	1416	NS	3	57.743	58.275	0.0	0.003	1.291	0.376	1231.36	1263.936	0.0	-93.059	-92.206	0.0
76	1415	1416	SN	1	57.668	58.228	0.0	0.003	1.291	0.381	1216.496	1262.488	0.0	-93.019	-92.063	0.0
77	1415	1416	NS	1	57.743	58.275	0.0	0.003	1.291	0.376	1231.36	1263.936	0.0	-93.059	-92.206	0.0
78	1415	1416	SN	2	57.668	58.228	0.0	0.003	1.291	0.381	1216.496	1262.488	0.0	-93.019	-92.063	0.0
79	1416	1417	NS	1	57.754	58.271	0.0	0.003	1.291	0.369	1231.2	1263.976	0.0	-92.978	-92.205	0.0
80	1416	1417	SN	2	57.666	58.229	0.0	0.003	1.291	0.382	1217.136	1262.584	0.0	-93.024	-92.082	0.0
81	1416	1417	NS	2	57.754	58.271	0.0	0.003	1.291	0.369	1231.2	1263.976	0.0	-92.978	-92.205	0.0
82	1416	1417	SN	1	57.666	58.229	0.0	0.003	1.291	0.382	1217.136	1262.584	0.0	-93.024	-92.082	0.0
83	1416	1417	NS	1	57.754	58.271	0.0	0.003	1.291	0.369	1231.2	1263.976	0.0	-92.978	-92.205	0.0
84	1416	1417	SN	1	57.666	58.229	0.0	0.003	1.291	0.382	1217.136	1262.584	0.0	-93.024	-92.082	0.0
85	1416	1417	SN	3	57.666	58.229	0.0	0.003	1.291	0.336	1217.136	1262.584	0.0	-93.024	-92.082	0.0
86	1416	1417	NS	3	57.754	58.271	0.0	0.003	1.291	0.326	1231.2	1263.976	0.0	-92.978	-92.205	0.0
87	1417	1418	SN	3	57.656	58.232	0.0	0.003	1.291	0.374	1216.424	1262.576	0.0	-92.953	-92.089	0.0
88	1417	1418	SN	1	57.656	58.232	0.0	0.003	1.291	0.374	1216.424	1262.576	0.0	-92.953	-92.089	0.0
89	1417	1418	NS	2	57.728	58.266	0.0	0.003	1.291	0.371	1230.768	1263.968	0.0	-93.114	-92.204	0.0
90	1417	1418	NS	5	57.728	58.266	0.0	0.003	1.291	0.371	1230.768	1263.968	0.0	-93.114	-92.204	0.0
91	1417	1418	NS	7	57.728	58.266	0.0	0.003	1.291	0.326	1230.768	1263.968	0.0	-93.114	-92.204	0.0
92	1417	1418	NS	1	57.721	58.269	0.0	0.003	1.291	0.371	1230.72	1263.904	0.0	-93.114	-92.203	0.0
93	1417	1418	SN	4	57.656	58.232	0.0	0.003	1.291	0.374	1216.424	1262.576	0.0	-92.953	-92.089	0.0
94	1417	1418	SN	6	57.656	58.232	0.0	0.003	1.291	0.328	1216.424	1262.576	0.0	-92.953	-92.089	0.0
95	1418	1419	SN	4	57.662	58.229	0.0	0.003	1.291	0.331	1216.464	1262.648	0.0	-92.973	-92.094	0.0
96	1418	1419	NS	2	57.721	58.279	0.0	0.003	1.291	0.372	1230.592	1264.016	0.0	-93.377	-92.202	0.0
97	1418	1419	NS	3	57.721	58.279	0.0	0.003	1.291	0.372	1230.592	1264.016	0.0	-93.377	-92.202	0.0
98	1418	1419	SN	1	57.662	58.229	0.0	0.003	1.291	0.378	1216.464	1262.648	0.0	-92.973	-92.094	0.0
99	1418	1419	NS	4	57.721	58.279	0.0	0.003	1.291	0.326	1230.592	1264.016	0.0	-93.377	-92.202	0.0
100	1418	1419	NS	1	57.721	58.279	0.0	0.003	1.291	0.372	1230.592	1264.016	0.0	-93.377	-92.202	0.0
101	1418	1419	SN	3	57.662	58.229	0.0	0.003	1.291	0.378	1216.464	1262.648	0.0	-92.973	-92.094	0.0
102	1418	1419	SN	2	57.662	58.229	0.0	0.003	1.291	0.378	1216.464	1262.648	0.0	-92.973	-92.094	0.0
103	1419	1420	SN	4	57.658	58.203	0.0	0.003	1.296	0.39	1217.296	1262.608	0.0	-93.04	-92.101	0.0
104	1419	1420	NS	5	57.726	58.276	0.0	0.003	1.291	0.387	1230.656	1263.936	0.0	-93.083	-92.16	0.0
105	1419	1420	NS	3	57.726	58.276	0.0	0.003	1.291	0.387	1230.656	1263.936	0.0	-93.083	-92.16	0.0
106	1419	1420	NS	1	57.726	58.276	0.0	0.003	1.291	0.387	1230.656	1263.936	0.0	-93.083	-92.16	0.0
107	1419	1420	SN	2	57.658	58.203	0.0	0.003	1.296	0.39	1217.296	1262.608	0.0	-93.04	-92.101	0.0
108	1419	1420	SN	8	57.658	58.203	0.0	0.003	1.296	0.342	1217.296	1262.608	0.0	-93.04	-92.101	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	1419	1420	SN	6	57.658	58.203	0.0	0.003	1.296	0.39	1217.296	1262.608	0.0	-93.04	-92.101	0.0
110	1419	1420	NS	7	57.726	58.276	0.0	0.003	1.291	0.339	1230.656	1263.936	0.0	-93.083	-92.16	0.0
111	1420	1421	NS	3	57.722	58.28	0.0	0.003	1.291	0.38	1230.696	1263.776	0.0	-93.272	-92.188	0.0
112	1420	1421	NS	4	57.722	58.28	0.0	0.003	1.291	0.334	1230.696	1263.776	0.0	-93.272	-92.188	0.0
113	1420	1421	SN	3	57.672	58.23	0.0	0.003	1.291	0.39	1217.328	1262.4	0.0	-92.954	-92.044	0.0
114	1420	1421	SN	4	57.672	58.23	0.0	0.003	1.291	0.342	1217.328	1262.4	0.0	-92.954	-92.044	0.0
115	1420	1421	NS	2	57.722	58.28	0.0	0.003	1.291	0.38	1230.696	1263.776	0.0	-93.272	-92.188	0.0
116	1420	1421	SN	1	57.672	58.23	0.0	0.003	1.291	0.39	1217.328	1262.4	0.0	-92.954	-92.044	0.0
117	1420	1421	SN	2	57.672	58.23	0.0	0.003	1.291	0.39	1217.328	1262.4	0.0	-92.954	-92.044	0.0
118	1420	1421	NS	1	57.722	58.28	0.0	0.003	1.291	0.38	1230.696	1263.776	0.0	-93.272	-92.188	0.0
119	1421	1422	SN	3	57.659	58.204	0.0	0.003	1.291	0.323	1216.432	1262.376	0.0	-93.382	-92.085	0.0
120	1421	1422	NS	3	57.738	58.285	0.0	0.003	215.339	0.362	1230.912	1264.048	0.0	-92.97	-92.181	0.0
121	1421	1422	NS	4	57.738	58.285	0.0	0.003	1.291	0.318	1230.912	1264.048	0.0	-92.97	-92.181	0.0
122	1421	1422	NS	2	57.738	58.285	0.0	0.003	215.339	0.362	1230.912	1264.048	0.0	-92.97	-92.181	0.0
123	1421	1422	NS	1	57.738	58.285	0.0	0.003	215.339	0.362	1230.912	1264.048	0.0	-92.97	-92.181	0.0
124	1421	1422	SN	1	57.659	58.204	0.0	0.003	1.291	0.369	1216.432	1262.376	0.0	-93.382	-92.085	0.0
125	1421	1422	SN	2	57.659	58.204	0.0	0.003	1.291	0.369	1216.432	1262.376	0.0	-93.382	-92.085	0.0
126	1421	1422	SN	1	57.659	58.234	0.0	0.003	1.291	0.369	1216.416	1262.6	0.0	-93.382	-92.085	0.0
127	1422	1423	SN	1	57.686	58.201	0.0	0.003	1.291	0.366	1216.256	1262.568	0.0	-92.95	-92.09	0.0
128	1422	1423	NS	1	57.74	58.287	0.0	0.003	1.291	0.366	1230.184	1264.152	0.0	-93.104	-92.191	0.0
129	1422	1423	NS	2	57.74	58.287	0.0	0.003	1.291	0.366	1230.184	1264.152	0.0	-93.104	-92.191	0.0
130	1422	1423	SN	2	57.686	58.201	0.0	0.003	1.291	0.366	1216.256	1262.568	0.0	-92.95	-92.09	0.0
131	1422	1423	NS	3	57.74	58.287	0.0	0.003	1.291	0.324	1230.184	1264.152	0.0	-93.104	-92.191	0.0
132	1422	1423	SN	3	57.686	58.201	0.0	0.003	1.291	0.321	1216.256	1262.568	0.0	-92.95	-92.09	0.0
133	1423	1424	NS	3	57.748	58.284	0.0	0.003	1.291	0.329	1231.52	1263.928	0.0	-93.296	-92.174	0.0
134	1423	1424	NS	1	57.748	58.284	0.0	0.003	205.092	0.375	1231.52	1263.928	0.0	-93.296	-92.174	0.0
135	1423	1424	SN	2	57.661	58.215	0.0	0.003	206.619	0.37	1216.536	1262.368	0.0	-92.927	-92.093	0.0
136	1423	1424	SN	1	57.661	58.215	0.0	0.003	206.619	0.37	1216.536	1262.368	0.0	-92.927	-92.093	0.0
137	1423	1424	SN	3	57.661	58.215	0.0	0.003	1.291	0.324	1216.536	1262.368	0.0	-92.927	-92.093	0.0
138	1423	1424	NS	2	57.748	58.284	0.0	0.003	205.092	0.375	1231.52	1263.928	0.0	-93.296	-92.174	0.0
139	1424	1425	NS	4	57.726	58.275	0.0	0.003	213.921	0.382	1231.76	1263.752	0.0	-93.441	-92.188	0.0
140	1424	1425	SN	3	57.667	58.207	0.0	0.003	216.927	0.365	1217.04	1262.248	0.0	-92.938	-92.092	0.0
141	1424	1425	NS	2	57.726	58.275	0.0	0.003	213.921	0.382	1231.76	1263.752	0.0	-93.441	-92.188	0.0
142	1424	1425	NS	6	57.726	58.275	0.0	0.003	1.291	0.335	1231.76	1263.752	0.0	-93.441	-92.188	0.0
143	1424	1425	SN	5	57.667	58.207	0.0	0.003	1.291	0.321	1217.04	1262.248	0.0	-92.938	-92.092	0.0
144	1424	1425	SN	1	57.667	58.207	0.0	0.003	216.927	0.365	1217.04	1262.248	0.0	-92.938	-92.092	0.0
145	1425	1426	NS	2	57.737	58.263	0.0	0.003	221.466	0.379	1231.024	1263.544	0.0	-93.051	-92.196	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors





146	1425	1426	NS	1	57.737	58.263	0.0	0.003	221.466	0.379	1231.024	1263.544	0.0	-93.051	-92.196	0.0
147	1425	1426	SN	1	57.661	58.222	0.0	0.003	1.291	0.375	1216.48	1262.112	0.0	-92.967	-92.085	0.0
148	1425	1426	SN	3	57.661	58.222	0.0	0.003	1.291	0.349	1216.48	1262.112	0.0	-92.967	-92.085	0.0
149	1425	1426	SN	2	57.661	58.222	0.0	0.003	1.291	0.375	1216.48	1262.112	0.0	-92.967	-92.085	0.0
150	1425	1426	NS	3	57.737	58.263	0.0	0.003	1.291	0.332	1231.024	1263.544	0.0	-93.051	-92.196	0.0
151	1426	1427	SN	2	57.662	58.212	0.0	0.003	1.291	0.385	1216.904	1262.152	0.0	-92.945	-92.054	0.0
152	1426	1427	NS	2	57.728	58.273	0.0	0.003	227.714	0.374	1230.656	1263.56	0.0	-92.976	-92.199	0.0
153	1426	1427	SN	3	57.662	58.212	0.0	0.003	1.291	0.337	1216.904	1262.152	0.0	-92.945	-92.054	0.0
154	1426	1427	NS	1	57.728	58.273	0.0	0.003	227.714	0.374	1230.656	1263.56	0.0	-92.976	-92.199	0.0
155	1426	1427	NS	3	57.728	58.273	0.0	0.003	1.291	0.328	1230.656	1263.56	0.0	-92.976	-92.199	0.0
156	1426	1427	SN	1	57.662	58.212	0.0	0.003	1.291	0.385	1216.904	1262.152	0.0	-92.945	-92.054	0.0
157	1427	1428	SN	2	57.68	58.214	0.0	0.003	1.291	0.376	1217.424	1262.216	0.0	-93.145	-92.083	0.0
158	1427	1428	SN	1	57.68	58.214	0.0	0.003	1.291	0.376	1217.424	1262.216	0.0	-93.145	-92.083	0.0
159	1427	1428	NS	1	57.73	58.272	0.0	0.003	1.291	0.331	1231.328	1264.08	0.0	-93.09	-92.158	0.0
160	1427	1428	SN	3	57.68	58.214	0.0	0.003	1.291	0.329	1217.424	1262.216	0.0	-93.145	-92.083	0.0
161	1428	1429	NS	5	57.73	58.281	0.0	0.003	1.291	0.343	1230.568	1263.488	0.0	-93.189	-92.181	0.0
162	1428	1429	SN	2	57.695	58.221	0.0	0.003	1.291	0.367	1217.856	1262.128	0.0	-92.991	-92.088	0.0
163	1428	1429	NS	1	57.73	58.281	0.0	0.003	1.291	0.39	1230.568	1263.488	0.0	-93.189	-92.181	0.0
164	1428	1429	SN	4	57.695	58.221	0.0	0.003	1.291	0.367	1217.856	1262.128	0.0	-92.991	-92.088	0.0
165	1428	1429	SN	6	57.695	58.221	0.0	0.003	1.291	0.321	1217.856	1262.128	0.0	-92.991	-92.088	0.0
166	1428	1429	NS	3	57.73	58.281	0.0	0.003	1.291	0.39	1230.568	1263.488	0.0	-93.189	-92.181	0.0
167	1429	1430	NS	1	57.749	58.272	0.0	0.003	1.291	0.378	1230.568	1263.296	0.0	-93.025	-92.185	0.0
168	1429	1430	SN	4	57.662	58.226	0.0	0.003	1.291	0.376	1217.088	1261.984	0.0	-93.185	-92.096	0.0
169	1429	1430	NS	3	57.749	58.272	0.0	0.003	1.291	0.378	1230.568	1263.296	0.0	-93.025	-92.185	0.0
170	1429	1430	SN	2	57.662	58.226	0.0	0.003	1.291	0.376	1217.088	1261.984	0.0	-93.185	-92.096	0.0
171	1429	1430	NS	5	57.749	58.272	0.0	0.003	1.291	0.332	1230.568	1263.296	0.0	-93.025	-92.185	0.0
172	1429	1430	SN	6	57.662	58.226	0.0	0.003	1.291	0.33	1217.088	1261.984	0.0	-93.185	-92.096	0.0
173	1430	1431	NS	3	57.721	58.272	0.0	0.003	1.291	0.327	1230.432	1263.312	0.0	-93.103	-92.2	0.0
174	1430	1431	SN	2	57.673	58.226	0.0	0.003	1.291	0.382	1217.856	1262.088	0.0	-92.946	-92.069	0.0
175	1430	1431	NS	1	57.721	58.272	0.0	0.003	1.291	0.372	1230.432	1263.312	0.0	-93.103	-92.2	0.0
176	1430	1431	NS	2	57.721	58.272	0.0	0.003	1.291	0.372	1230.432	1263.312	0.0	-93.103	-92.2	0.0
177	1430	1431	SN	1	57.673	58.226	0.0	0.003	1.291	0.382	1217.856	1262.088	0.0	-92.946	-92.069	0.0
178	1430	1431	SN	3	57.673	58.226	0.0	0.003	1.291	0.334	1217.856	1262.088	0.0	-92.946	-92.069	0.0
179	1431	1432	NS	3	57.723	58.276	0.0	0.003	1.291	0.327	1230.208	1263.288	0.0	-92.991	-92.202	0.0
180	1431	1432	SN	2	57.68	58.23	0.0	0.003	1.291	0.37	1217.784	1262.096	0.0	-92.969	-92.078	0.0
181	1431	1432	NS	2	57.723	58.276	0.0	0.003	1.291	0.374	1230.208	1263.288	0.0	-92.991	-92.202	0.0
182	1431	1432	NS	1	57.723	58.276	0.0	0.003	1.291	0.374	1230.208	1263.288	0.0	-92.991	-92.202	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

183	1431	1432	SN	1	57.68	58.23	0.0	0.003	1.291	0.37	1217.784	1262.096	0.0	-92.969	-92.078	0.0
184	1431	1432	SN	3	57.68	58.23	0.0	0.003	1.291	0.324	1217.784	1262.096	0.0	-92.969	-92.078	0.0
185	1432	1433	SN	3	57.663	58.224	0.0	0.003	1.291	0.328	1217.12	1262.136	0.0	-93.175	-92.123	0.0
186	1432	1433	SN	4	57.663	58.224	0.0	0.003	1.291	0.328	1217.12	1262.136	0.0	-93.175	-92.123	0.0
187	1432	1433	SN	2	57.663	58.224	0.0	0.003	1.291	0.374	1217.12	1262.136	0.0	-93.175	-92.123	0.0
188	1432	1433	SN	1	57.663	58.224	0.0	0.003	1.291	0.374	1217.12	1262.136	0.0	-93.175	-92.123	0.0
189	1432	1433	NS	1	57.724	58.268	0.0	0.003	1.291	0.378	1230.648	1263.248	0.0	-92.979	-92.197	0.0
190	1432	1433	NS	2	57.724	58.268	0.0	0.003	1.291	0.378	1230.648	1263.248	0.0	-92.979	-92.197	0.0
191	1433	1434	NS	2	57.723	58.267	0.0	0.003	1.291	0.329	1230.048	1263.36	0.0	-92.944	-92.172	0.0
192	1433	1434	NS	1	57.723	58.267	0.0	0.003	1.291	0.375	1230.048	1263.36	0.0	-92.944	-92.172	0.0
193	1433	1434	NS	3	57.723	58.267	0.0	0.003	1.291	0.329	1230.048	1263.36	0.0	-92.944	-92.172	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0





 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	1404	1405	SN	1	-34.858	17.683	0.0	-34.504	17.805	0.0	2.206	23.032	0.495	4.425	23.549	1.127	0.081	204.607	3.263	0.081	188.59	2.692	0.08	0.114	0.0	0.08	0.1	0.0
2	1405	1406	SN	4	-34.815	16.725	0.0	-34.804	17.395	0.0	-11.808	22.081	0.005	-7.365	22.628	0.002	0.081	202.569	3.365	0.081	202.09	2.558	0.08	1.076	0.001	0.08	0.429	0.0
3	1405	1406	NS	5	-34.263	17.075	0.0	-33.738	16.917	0.0	2.279	22.921	0.035	1.711	22.964	0.102	0.081	178.412	1.566	0.081	158.096	1.554	0.08	0.113	0.0	0.08	0.118	0.0
4	1405	1406	SN	6	-34.815	16.725	0.0	-34.804	17.395	0.0	-11.808	22.081	0.005	-7.365	22.628	0.002	0.081	202.569	3.365	0.081	202.09	2.558	0.08	1.076	0.001	0.08	0.429	0.0
5	1405	1406	NS	7	-34.263	17.075	0.0	-33.738	16.917	0.0	2.279	22.921	0.035	1.711	22.964	0.102	0.081	178.412	1.566	0.081	158.096	1.554	0.08	0.113	0.0	0.08	0.118	0.0
6	1405	1406	SN	1	-34.815	16.776	0.0	-34.804	17.427	0.0	-11.808	22.081	0.005	-7.365	22.628	0.002	0.081	202.569	3.366	0.081	202.09	2.562	0.08	1.076	0.001	0.08	0.429	0.0
7	1405	1406	NS	1	-34.263	17.075	0.0	-33.738	16.917	0.0	2.279	22.921	0.035	1.711	22.964	0.102	0.081	178.412	1.566	0.081	158.096	1.554	0.08	0.113	0.0	0.08	0.118	0.0
8	1405	1406	NS	3	-34.263	17.075	0.0	-33.738	16.917	0.0	2.279	22.921	0.035	1.711	22.964	0.102	0.081	178.412	1.566	0.081	158.096	1.554	0.08	0.113	0.0	0.08	0.118	0.0
9	1405	1406	SN	2	-34.815	16.725	0.0	-34.804	17.395	0.0	-11.808	22.081	0.005	-7.365	22.628	0.002	0.081	202.569	3.365	0.081	202.09	2.558	0.08	1.076	0.001	0.08	0.429	0.0
10	1406	1407	NS	2	-34.878	18.287	0.0	-34.372	17.628	0.0	-12.464	23.499	0.002	-9.819	24.246	0.024	0.081	205.554	2.917	0.081	182.974	3.128	0.08	1.241	0.002	0.08	0.704	0.0
11	1406	1407	SN	1	-34.954	16.892	0.0	-34.937	17.686	0.0	-0.329	22.517	0.009	1.1	29.731	0.009	0.081	209.141	5.96	0.081	208.344	4.999	0.08	0.143	0.0	0.08	0.124	0.0
12	1406	1407	SN	2	-34.954	16.892	0.0	-34.937	17.686	0.0	-0.329	22.517	0.009	1.1	29.731	0.009	0.081	209.141	5.96	0.081	208.344	4.999	0.08	0.143	0.0	0.08	0.124	0.0
13	1406	1407	NS	4	-34.739	18.297	0.0	-34.861	17.947	0.0	-12.821	23.471	0.002	-10.79	24.243	0.024	0.081	199.064	2.892	0.081	204.737	3.145	0.08	1.342	0.002	0.08	0.864	0.0
14	1406	1407	SN	1	-34.954	16.934	0.0	-34.937	17.667	0.0	-0.329	22.517	0.009	1.1	29.731	0.009	0.081	209.141	6.132	0.081	208.344	5.102	0.08	0.143	0.0	0.08	0.124	0.0
15	1406	1407	NS	1	-34.878	18.287	0.0	-34.372	17.628	0.0	-12.464	23.499	0.002	-9.819	24.246	0.024	0.081	205.554	2.917	0.081	182.974	3.128	0.08	1.241	0.002	0.08	0.704	0.0
16	1406	1407	SN	2	-34.954	16.934	0.0	-34.937	17.667	0.0	-0.329	22.517	0.009	1.1	29.731	0.009	0.081	209.141	6.132	0.081	208.344	5.102	0.08	0.143	0.0	0.08	0.124	0.0
17	1406	1407	NS	3	-34.739	18.297	0.0	-34.861	17.947	0.0	-12.821	23.471	0.002	-10.79	24.243	0.024	0.081	199.064	2.892	0.081	204.737	3.145	0.08	1.342	0.002	0.08	0.864	0.0
18	1407	1408	NS	1	-34.716	15.984	0.0	-34.679	16.368	0.0	-7.928	21.487	0.0	-29.264	23.032	0.014	0.081	198.043	4.887	0.081	196.353	4.959	0.08	0.479	0.0	0.08	56.482	0.049
19	1407	1408	SN	2	-34.725	17.002	0.0	-34.752	17.017	0.0	0.386	22.122	0.007	0.944	20.527	0.0	0.081	198.469	2.651	0.081	199.658	2.449	0.08	0.133	0.0	0.08	0.126	0.0
20	1407	1408	SN	1	-34.725	17.002	0.0	-34.752	17.017	0.0	0.386	22.122	0.007	0.944	20.527	0.0	0.081	198.469	2.651	0.081	199.658	2.449	0.08	0.133	0.0	0.08	0.126	0.0
21	1407	1408	NS	3	-34.716	15.984	0.0	-34.679	16.368	0.0	-7.928	21.487	0.0	-29.264	23.032	0.014	0.081	198.043	4.887	0.081	196.353	4.959	0.08	0.479	0.0	0.08	56.482	0.049
22	1407	1408	NS	2	-34.716	15.984	0.0	-34.679	16.368	0.0	-7.928	21.487	0.0	-29.264	23.032	0.014	0.081	198.043	4.887	0.081	196.353	4.959	0.08	0.479	0.0	0.08	56.482	0.049
23	1408	1409	NS	1	-34.645	15.429	0.0	-34.838	15.34	0.0	-30.035	22.251	0.007	-23.619	22.651	0.016	0.081	194.777	6.47	0.081	203.652	7.525	0.08	67.423	0.009	0.08	15.437	0.045
24	1408	1409	NS	2	-34.645	15.429	0.0	-34.838	15.34	0.0	-30.035	22.251	0.007	-23.619	22.651	0.016	0.081	194.777	6.47	0.081	203.652	7.525	0.08	67.423	0.009	0.08	15.437	0.045
25	1408	1409	SN	2	-34.985	14.582	0.0	-34.985	15.927	0.0	-0.236	21.918	0.0	1.074	21.613	0.0	0.082	210.7	2.592	0.081	210.706	2.334	0.08	0.141	0.0	0.08	0.124	0.0
26	1408	1409	SN	3	-34.985	14.582	0.0	-34.985	15.927	0.0	-0.236	21.918	0.0	1.074	21.613	0.0	0.082	210.7	2.592	0.081	210.706	2.334	0.08	0.141	0.0	0.08	0.124	0.0
27	1408	1409	NS	3	-34.645	15.429	0.0	-34.838	15.34	0.0	-30.035	22.251	0.007	-23.619	22.651	0.016	0.081	194.777	6.47	0.081	203.652	7.525	0.08	67.423	0.009	0.08	15.437	0.045
28	1408	1409	SN	1	-34.985	14.582	0.0	-34.985	15.927	0.0	-0.236	21.918	0.0	1.074	21.613	0.0	0.082	210.7	2.592	0.081	210.706	2.334	0.08	0.141	0.0	0.08	0.124	0.0
29	1409	1410	NS	1	-34.897	15.189	0.0	-34.843	15.399	0.0	-17.105	22.701	0.023	-18.855	23.021	0.036	0.081	206.435	5.522	0.081	203.864	6.533	0.08	3.493	0.006	0.08	5.194	0.005
30	1409	1410	SN	3	-34.883	14.338	0.0	-34.772	15.707	0.0	0.73	21.819	0.0	1.456	22.124	0.009	0.082	205.771	1.595	0.081	200.55	1.357	0.08	0.128	0.0	0.08	0.12	0.0
31	1409	1410	SN	1	-34.877	14.336	0.0	-34.821	15.71	0.0	0.734	21.819	0.0	1.456	22.124	0.01	0.082	205.476	1.598	0.081	202.844	1.361	0.08	0.128	0.0	0.08	0.12	0.0
32	1409	1410	SN	2	-34.883	14.338	0.0	-34.772	15.707	0.0	0.73	21.819	0.0	1.456	22.124	0.009	0.082	205.771	1.595	0.081	200.55	1.357	0.08	0.128	0.0	0.08	0.12	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

181	1431	1432	NS	2	-34.538	18.476	0.0	-34.716	17.899	0.0	1.787	22.815	0.136	4.398	23.331	0.653	0.081	190.088	2.432	0.081	198.048	2.408	0.08	0.117	0.0	0.08	0.1	0.0
182	1431	1432	NS	1	-34.538	18.476	0.0	-34.716	17.899	0.0	1.787	22.815	0.136	4.398	23.331	0.653	0.081	190.088	2.432	0.081	198.048	2.408	0.08	0.117	0.0	0.08	0.1	0.0
183	1431	1432	SN	1	-33.709	18.397	0.0	-34.346	18.482	0.0	-22.71	22.979	0.161	-21.768	23.089	0.274	0.081	157.061	2.661	0.081	181.857	2.831	0.08	12.533	0.036	0.08	10.101	0.033
184	1431	1432	SN	3	-33.709	18.397	0.0	-34.346	18.482	0.0	-22.71	22.979	0.161	-21.768	23.089	0.274	0.081	157.061	2.661	0.081	181.857	2.831	0.08	12.533	0.036	0.08	10.101	0.033
185	1432	1433	SN	3	-34.97	16.436	0.0	-34.342	17.966	0.0	-1.285	22.865	0.421	-3.511	23.694	1.055	0.081	209.933	4.688	0.081	181.662	4.637	0.08	0.16	0.0	0.08	0.217	0.0
186	1432	1433	SN	4	-34.97	16.436	0.0	-34.342	17.966	0.0	-1.285	22.865	0.421	-3.511	23.694	1.055	0.081	209.933	4.688	0.081	181.662	4.637	0.08	0.16	0.0	0.08	0.217	0.0
187	1432	1433	SN	2	-34.97	16.436	0.0	-34.342	17.966	0.0	-1.285	22.865	0.421	-3.511	23.694	1.055	0.081	209.933	4.688	0.081	181.662	4.637	0.08	0.16	0.0	0.08	0.217	0.0
188	1432	1433	SN	1	-34.97	16.436	0.0	-34.342	17.966	0.0	-1.285	22.865	0.421	-3.511	23.694	1.055	0.081	209.933	4.688	0.081	181.662	4.637	0.08	0.16	0.0	0.08	0.217	0.0
189	1432	1433	NS	1	-34.552	17.596	0.0	-34.292	18.583	0.0	3.738	22.619	0.168	1.744	22.837	0.595	0.081	190.701	1.895	0.081	179.58	1.892	0.08	0.103	0.0	0.08	0.118	0.0
190	1432	1433	NS	2	-34.552	17.596	0.0	-34.292	18.583	0.0	3.738	22.619	0.168	1.744	22.837	0.595	0.081	190.701	1.895	0.081	179.58	1.892	0.08	0.103	0.0	0.08	0.118	0.0
191	1433	1434	NS	2	-34.677	18.003	0.0	-34.939	18.321	0.0	1.103	23.003	0.296	1.308	23.464	0.592	0.081	196.272	2.782	0.081	208.417	2.867	0.08	0.124	0.0	0.08	0.122	0.0
192	1433	1434	NS	1	-34.677	18.003	0.0	-34.939	18.321	0.0	1.103	23.003	0.296	1.308	23.464	0.592	0.081	196.272	2.782	0.081	208.417	2.867	0.08	0.124	0.0	0.08	0.122	0.0
193	1433	1434	NS	3	-34.677	18.003	0.0	-34.939	18.321	0.0	1.103	23.003	0.296	1.308	23.464	0.592	0.081	196.272	2.782	0.081	208.417	2.867	0.08	0.124	0.0	0.08	0.122	0.0

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	