

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-SEP-2019 To 15-SEP-2019





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 14-SEP-2019 To 15-SEP-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15700	15701	SN	1	48.626	49.459	0.0	0.0	282.385	2.752	1028.392	1085.848	0.0	-91.821	-89.994	0.0
2	15700	15701	SN	1	48.626	49.498	0.0	0.003	282.385	2.026	1028.392	1085.848	0.0	-91.821	-89.994	0.0
3	15700	15701	SN	1	48.626	49.498	0.0	0.0	282.385	2.741	1028.392	1085.848	0.0	-91.821	-89.994	0.0
4	15701	15702	SN	2	48.758	49.458	0.0	0.003	6.602	2.616	1030.36	1085.808	0.0	-91.824	-89.964	0.0
5	15701	15702	SN	1	48.758	49.458	0.0	0.003	6.602	2.616	1030.36	1085.808	0.0	-91.824	-89.964	0.0
6	15701	15702	SN	1	48.758	49.458	0.0	0.003	6.602	2.45	1030.36	1085.808	0.0	-91.824	-89.964	0.0
7	15701	15702	NS	1	48.682	49.333	0.0	0.0	266.777	2.667	1034.848	1085.688	0.0	-91.752	-90.012	0.0
8	15701	15702	NS	1	48.682	49.333	0.0	0.0	266.777	2.669	1034.848	1085.688	0.0	-91.752	-90.012	0.0
9	15702	15703	NS	1	48.695	49.333	0.0	0.003	12.701	2.486	1036.008	1085.864	0.0	-91.736	-89.957	0.0
10	15702	15703	SN	2	48.743	49.458	0.0	0.003	282.362	2.381	1030.448	1085.968	0.0	-91.67	-89.999	0.0
11	15702	15703	SN	1	48.743	49.458	0.0	0.003	282.362	2.522	1030.728	1085.96	0.0	-91.67	-89.999	0.0
12	15702	15703	NS	1	48.695	49.333	0.0	0.003	12.701	2.489	1036.008	1085.864	0.0	-91.765	-89.957	0.0
13	15702	15703	SN	1	48.743	49.458	0.0	0.003	282.362	2.383	1030.728	1085.96	0.0	-91.67	-89.999	0.0
14	15703	15704	SN	1	48.713	49.458	0.0	0.0	17.797	2.324	1030.088	1085.88	0.0	-94.423	-89.997	0.0
15	15703	15704	SN	1	48.713	49.458	0.0	0.0	17.797	2.514	1030.088	1085.88	0.0	-94.423	-89.997	0.0
16	15703	15704	SN	1	48.713	49.458	0.0	0.0	17.797	2.529	1030.088	1085.88	0.0	-94.423	-89.997	0.0
17	15703	15704	NS	1	48.696	49.361	0.0	0.003	206.719	2.605	1036.168	1085.792	0.0	-94.384	-90.013	0.0
18	15704	15705	SN	1	48.732	49.457	0.0	0.003	6.607	2.518	1030.0	1085.752	0.0	-91.819	-89.997	0.0
19	15704	15705	SN	1	48.732	49.457	0.0	0.003	6.607	2.17	1030.0	1085.752	0.0	-91.819	-89.997	0.0
20	15704	15705	NS	1	48.696	49.345	0.0	0.003	264.428	2.597	1036.184	1085.648	0.0	-91.821	-90.019	0.0
21	15704	15705	NS	2	48.696	49.345	0.0	0.003	264.428	2.597	1036.184	1085.648	0.0	-91.821	-90.019	0.0
22	15705	15706	SN	1	48.733	49.456	0.0	0.003	281.866	2.545	1029.8	1085.64	0.0	-91.792	-89.997	0.0
23	15705	15706	SN	2	48.732	49.457	0.0	0.003	28.388	2.544	1029.808	1085.648	0.0	-91.792	-89.997	0.0
24	15705	15706	SN	1	48.732	49.457	0.0	0.003	28.388	1.974	1029.808	1085.648	0.0	-91.792	-89.997	0.0
25	15705	15706	NS	1	48.67	49.352	0.0	0.0	42.151	2.74	1035.24	1085.544	0.0	-91.896	-90.018	0.0
26	15705	15706	NS	2	48.67	49.352	0.0	0.0	42.151	2.74	1035.24	1085.544	0.0	-91.896	-90.018	0.0
27	15706	15707	NS	1	48.669	49.381	0.0	0.003	13.175	2.542	1035.336	1085.472	0.0	-91.948	-90.03	0.0
28	15706	15707	SN	2	48.728	49.509	0.0	0.003	282.379	2.614	1030.464	1085.576	0.0	-91.777	-89.998	0.0
29	15706	15707	SN	1	48.728	49.509	0.0	0.003	282.379	1.766	1030.464	1085.576	0.0	-91.777	-89.998	0.0
30	15706	15707	NS	1	48.669	49.381	0.0	0.003	13.175	2.539	1036.192	1085.472	0.0	-91.948	-90.03	0.0
31	15706	15707	SN	1	48.728	49.509	0.0	0.003	282.379	2.614	1030.464	1085.576	0.0	-91.777	-89.998	0.0
32	15707	15708	SN	1	48.573	49.458	0.0	0.003	6.602	2.681	1030.488	1085.712	0.0	-92.248	-89.987	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	15707	15708	SN	1	48.741	49.458	0.0	0.003	6.602	1.589	1030.224	1085.712	0.0	-92.248	-89.987	0.0
34	15707	15708	NS	1	48.638	49.335	0.0	0.003	264.466	2.632	1035.784	1085.6	0.0	-92.127	-90.031	0.0
35	15707	15708	SN	1	48.573	49.458	0.0	0.003	6.602	2.684	1030.224	1085.712	0.0	-92.248	-89.987	0.0
36	15708	15709	NS	2	48.658	49.39	0.0	0.003	12.85	2.601	1035.296	1085.64	0.0	-91.929	-90.022	0.0
37	15708	15709	NS	1	48.658	49.39	0.0	0.003	12.85	2.6	1035.296	1085.64	0.0	-91.929	-90.022	0.0
38	15708	15709	SN	1	48.735	49.459	0.0	0.003	6.612	2.581	1031.0	1085.744	0.0	-91.642	-89.937	0.0
39	15709	15710	NS	1	48.667	49.386	0.0	0.0	42.91	2.805	1035.104	1085.552	0.0	-91.839	-90.006	0.0
40	15709	15710	SN	1	48.752	49.459	0.0	0.003	6.612	2.53	1030.84	1085.656	0.0	-91.636	-89.98	0.0
41	15710	15711	SN	2	48.738	49.458	0.0	0.003	215.774	2.612	1030.2	1085.64	0.0	-91.648	-89.973	0.0
42	15710	15711	SN	1	48.738	49.458	0.0	0.003	215.774	2.611	1030.2	1085.656	0.0	-91.648	-89.973	0.0
43	15710	15711	NS	1	48.667	49.366	0.0	0.003	43.417	2.604	1035.224	1085.456	0.0	-91.934	-90.014	0.0
44	15710	15711	NS	1	48.667	49.36	0.0	0.003	43.417	2.607	1035.224	1085.456	0.0	-91.934	-90.014	0.0
45	15711	15712	NS	1	48.642	49.356	0.0	0.003	42.75	2.639	1035.288	1085.512	0.0	-91.721	-90.033	0.0
46	15711	15712	NS	1	48.642	49.356	0.0	0.003	42.75	2.458	1035.288	1085.168	0.0	-91.721	-90.033	0.0
47	15711	15712	SN	2	48.755	49.458	0.0	0.003	29.685	2.603	1031.128	1085.624	0.0	-91.735	-89.971	0.0
48	15711	15712	SN	1	48.755	49.458	0.0	0.003	29.685	2.603	1031.128	1085.624	0.0	-91.735	-89.971	0.0
49	15711	15712	NS	1	48.642	49.356	0.0	0.003	42.75	2.635	1035.304	1085.512	0.0	-91.685	-90.034	0.0
50	15712	15713	SN	1	48.734	49.51	0.0	0.003	281.789	2.575	1031.128	1085.632	0.0	-91.852	-89.98	0.0
51	15712	15713	NS	1	48.635	49.376	0.0	0.003	12.602	1.943	1035.352	1084.072	0.0	-92.137	-90.031	0.0
52	15712	15713	NS	1	48.635	49.376	0.0	0.003	12.602	2.568	1035.352	1085.512	0.0	-92.137	-90.031	0.0
53	15712	15713	NS	2	48.635	49.376	0.0	0.003	12.602	2.568	1035.352	1085.512	0.0	-92.137	-90.031	0.0
54	15712	15713	SN	2	48.734	49.511	0.0	0.003	281.789	2.574	1031.128	1085.64	0.0	-91.852	-89.98	0.0
55	15712	15713	SN	1	48.734	49.51	0.0	0.003	281.789	2.572	1030.896	1085.632	0.0	-91.889	-89.98	0.0
56	15713	15714	SN	2	48.73	49.514	0.0	0.003	215.521	2.559	1030.8	1085.712	0.0	-91.792	-90.0	0.0
57	15713	15714	NS	1	48.669	49.397	0.0	0.0	266.998	1.635	1035.0	1082.424	0.0	-91.714	-90.03	0.0
58	15713	15714	SN	1	48.73	49.514	0.0	0.003	215.521	2.558	1030.8	1085.712	0.0	-91.792	-90.0	0.0
59	15713	15714	NS	3	48.668	49.397	0.0	0.0	266.998	2.711	1034.992	1085.6	0.0	-91.714	-90.03	0.0
60	15713	15714	NS	1	48.669	49.397	0.0	0.0	266.998	2.71	1035.0	1085.6	0.0	-91.714	-90.03	0.0
61	15713	15714	SN	1	48.73	49.514	0.0	0.003	215.521	2.558	1030.8	1085.712	0.0	-91.792	-90.0	0.0
62	15713	15714	NS	2	48.669	49.397	0.0	0.0	266.998	2.71	1035.0	1085.6	0.0	-91.714	-90.03	0.0
63	15714	15715	SN	1	48.737	49.479	0.0	0.003	6.602	1.694	1031.136	1085.744	0.0	-91.768	-90.002	0.0
64	15714	15715	NS	1	48.663	49.344	0.0	0.003	42.135	2.535	1035.856	1085.608	0.0	-91.678	-90.029	0.0
65	15714	15715	NS	1	48.663	49.344	0.0	0.0	218.041	1.572	1035.856	1080.568	0.0	-91.678	-90.029	0.0
66	15714	15715	SN	1	48.603	49.479	0.0	0.0	94.047	2.747	1031.136	1085.744	0.0	-92.559	-90.002	0.0
67	15714	15715	SN	2	48.603	49.479	0.0	0.0	94.042	2.748	1031.136	1085.744	0.0	-92.559	-90.002	0.0
68	15714	15715	NS	1	48.663	49.344	0.0	0.003	41.746	1.52	1035.856	1079.848	0.0	-91.678	-90.029	0.0
69	15714	15715	SN	1	48.833	49.152	0.0	0.0	94.047	15.903	1043.096	1051.416	0.0	-91.531	-90.118	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	15714	15715	NS	2	48.663	49.344	0.0	0.003	42.135	2.535	1035.856	1085.608	0.0	-91.678	-90.029	0.0
71	15715	15716	SN	3	48.609	49.456	0.0	0.003	6.59	2.737	1030.392	1085.504	0.0	-94.036	-89.967	0.0
72	15715	15716	SN	1	48.75	49.456	0.0	0.003	6.59	2.458	1030.392	1085.504	0.0	-91.755	-89.967	0.0
73	15715	15716	SN	2	48.609	49.456	0.0	0.003	6.59	2.737	1030.392	1085.504	0.0	-94.036	-89.967	0.0
74	15715	15716	SN	1	48.609	49.48	0.0	0.003	6.596	2.735	1031.008	1085.496	0.0	-94.036	-89.967	0.0
75	15715	15716	NS	1	48.68	49.334	0.0	0.003	266.7	2.704	1035.08	1085.368	0.0	-91.819	-90.008	0.0
76	15716	15717	SN	3	48.739	49.494	0.0	0.003	6.607	2.41	1030.28	1085.696	0.0	-91.785	-89.968	0.0
77	15716	15717	NS	1	48.698	49.333	0.0	0.003	42.915	2.493	1036.248	1085.568	0.0	-91.706	-89.981	0.0
78	15716	15717	NS	2	48.697	49.334	0.0	0.003	43.414	2.493	1036.232	1085.584	0.0	-91.706	-89.981	0.0
79	15716	15717	SN	1	48.747	49.493	0.0	0.003	278.745	2.41	1030.432	1085.68	0.0	-91.785	-89.968	0.0
80	15716	15717	SN	2	48.739	49.494	0.0	0.003	6.607	2.41	1030.28	1085.696	0.0	-91.785	-89.968	0.0
81	15716	15717	NS	1	48.697	49.334	0.0	0.003	43.414	2.49	1036.232	1085.584	0.0	-91.729	-89.981	0.0
82	15716	15717	SN	1	48.739	49.494	0.0	0.003	6.607	2.541	1030.28	1085.696	0.0	-91.785	-89.968	0.0
83	15717	15718	SN	1	48.753	49.455	0.0	0.003	281.844	2.347	1030.704	1085.736	0.0	-91.638	-89.997	0.0
84	15717	15718	NS	1	48.698	49.418	0.0	0.003	206.901	2.577	1036.36	1085.64	0.0	-94.575	-89.978	0.0
85	15717	15718	SN	1	48.754	49.455	0.0	0.003	281.844	2.499	1030.704	1085.736	0.0	-91.601	-89.997	0.0
86	15718	15719	NS	1	48.666	49.376	0.0	0.003	12.469	2.608	1035.864	1085.512	0.0	-91.871	-90.013	0.0
87	15718	15719	SN	1	48.736	49.454	0.0	0.003	281.375	2.535	1030.808	1085.6	0.0	-91.645	-89.969	0.0
88	15719	15720	SN	1	48.74	49.453	0.0	0.003	6.596	2.526	1029.728	1085.512	0.0	-91.648	-89.996	0.0
89	15719	15720	NS	1	48.698	49.335	0.0	0.003	42.921	2.648	1036.52	1085.392	0.0	-91.931	-90.023	0.0
90	15720	15721	NS	1	48.637	49.352	0.0	0.003	43.163	2.548	1036.52	1085.248	0.0	-91.831	-90.03	0.0
91	15720	15721	SN	1	48.762	49.476	0.0	0.003	6.579	2.578	1030.848	1085.36	0.0	-91.716	-89.996	0.0
92	15721	15722	NS	1	48.645	49.386	0.0	0.0	43.238	2.702	1035.856	1085.264	0.0	-91.78	-90.036	0.0
93	15721	15722	SN	1	48.754	49.454	0.0	0.003	27.886	2.661	1031.016	1085.376	0.0	-91.624	-89.997	0.0
94	15722	15723	NS	1	48.662	49.357	0.0	0.003	41.751	2.583	1035.4	1085.384	0.0	-92.458	-90.035	0.0
95	15722	15723	SN	1	48.74	49.473	0.0	0.003	6.602	1.538	1031.16	1085.504	0.0	-91.77	-89.958	0.0
96	15722	15723	SN	1	48.74	49.473	0.0	0.003	6.602	2.6	1031.16	1085.504	0.0	-91.77	-89.958	0.0
97	15723	15724	NS	1	48.63	49.379	0.0	0.003	210.546	2.71	1036.368	1085.368	0.0	-91.838	-90.029	0.0
98	15723	15724	SN	1	48.746	49.457	0.0	0.003	281.839	2.532	1031.136	1085.52	0.0	-91.648	-89.942	0.0
99	15724	15725	NS	1	48.697	49.338	0.0	0.003	42.915	2.621	1035.864	1085.216	0.0	-91.657	-90.006	0.0
100	15724	15725	SN	1	48.73	49.457	0.0	0.003	6.596	2.563	1030.392	1085.384	0.0	-91.573	-89.979	0.0
101	15725	15726	NS	1	48.666	49.339	0.0	0.0	40.634	2.731	1035.6	1085.272	0.0	-91.747	-90.032	0.0
102	15725	15726	SN	1	48.749	49.457	0.0	0.003	6.596	2.64	1030.976	1085.416	0.0	-91.652	-89.98	0.0
103	15726	15727	SN	1	48.753	49.457	0.0	0.003	30.291	2.578	1030.92	1085.456	0.0	-91.747	-89.973	0.0
104	15726	15727	NS	1	48.673	49.35	0.0	0.003	206.901	2.551	1036.32	1085.296	0.0	-91.906	-90.035	0.0
105	15727	15728	SN	1	48.712	49.458	0.0	0.003	38.172	2.575	1030.952	1085.512	0.0	-91.613	-89.998	0.0
106	15727	15728	NS	1	48.66	49.398	0.0	0.0	206.636	2.749	1035.752	1085.36	0.0	-91.819	-90.034	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	15728	15729	SN	1	48.733	49.489	0.0	0.003	6.596	2.643	1030.984	1085.584	0.0	-91.803	-89.999	0.0
108	15728	15729	NS	1	48.647	49.386	0.0	0.003	43.07	2.558	1035.168	1085.44	0.0	-91.68	-90.032	0.0
109	15729	15730	NS	1	48.692	49.376	0.0	0.003	264.367	2.682	1036.176	1085.24	0.0	-91.8	-90.025	0.0
110	15729	15730	NS	2	48.658	49.349	0.0	0.003	17.67	2.692	1036.208	1085.24	0.0	-91.799	-90.026	0.0
111	15729	15730	NS	1	48.692	49.376	0.0	0.003	264.367	2.685	1036.176	1085.24	0.0	-91.8	-90.025	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	15700	15701	SN	1	-34.45	24.748	0.613	-34.226	25.175	3.123	-11.881	27.979	7.733	-23.282	29.019	7.377	0.116	270.023	3.342	0.116	256.45	3.076	0.116	1.585	0.002	0.116	20.719	0.007
2	15700	15701	SN	1	-33.212	24.748	0.06	-34.295	24.772	1.708	-11.884	27.979	7.632	-23.115	29.019	7.353	0.116	203.093	3.533	0.116	260.651	3.385	0.116	1.586	0.002	0.116	19.944	0.007
3	15700	15701	SN	1	-34.035	24.748	0.613	-34.976	25.176	3.126	-11.884	27.979	7.706	-23.115	29.019	7.351	0.116	245.458	3.35	0.116	304.833	3.078	0.116	1.586	0.002	0.116	19.944	0.007
4	15701	15702	SN	2	-34.174	26.335	0.839	-34.66	27.648	2.236	-23.714	30.622	8.886	-19.656	29.206	5.581	0.116	253.508	2.816	0.116	283.49	2.446	0.116	22.878	0.058	0.116	9.042	0.033
5	15701	15702	SN	1	-34.174	26.335	0.839	-34.66	27.648	2.236	-23.714	30.622	8.886	-19.656	29.206	5.581	0.116	253.508	2.816	0.116	283.49	2.446	0.116	22.878	0.058	0.116	9.042	0.033
6	15701	15702	SN	1	-34.174	26.335	0.383	-34.66	27.648	2.234	-23.714	30.622	8.886	-19.656	29.206	5.581	0.116	253.508	2.858	0.116	283.49	2.474	0.116	22.878	0.058	0.116	9.042	0.033
7	15701	15702	NS	1	-33.017	25.13	0.69	-34.886	26.134	0.034	1.954	32.778	8.974	2.802	35.555	21.07	0.116	194.194	2.124	0.116	298.581	2.085	0.116	0.168	0.0	0.116	0.158	0.0
8	15701	15702	NS	1	-34.232	25.13	0.69	-33.752	26.134	0.034	1.954	32.778	8.969	2.802	35.555	21.07	0.116	256.818	2.122	0.116	229.975	2.088	0.116	0.168	0.0	0.116	0.158	0.0
9	15702	15703	NS	1	-34.564	24.448	0.191	-34.413	23.228	0.027	-7.102	28.861	8.415	-11.056	29.178	16.582	0.116	277.261	2.78	0.116	267.73	2.255	0.116	0.591	0.0	0.116	1.327	0.002
10	15702	15703	SN	2	-33.29	24.067	0.425	-34.977	24.274	0.929	-29.721	27.651	10.007	-26.234	29.034	5.55	0.116	206.751	1.989	0.116	304.931	1.631	0.116	90.95	0.069	0.116	40.792	0.036
11	15702	15703	SN	1	-33.29	24.065	0.502	-34.977	24.274	0.923	-29.721	27.651	10.007	-26.258	29.034	5.55	0.116	206.751	1.978	0.116	304.931	1.608	0.116	90.95	0.069	0.116	41.037	0.036
12	15702	15703	NS	1	-33.908	24.449	0.191	-33.607	23.228	0.027	-7.102	28.861	8.412	-11.056	29.178	16.58	0.116	238.399	2.772	0.116	222.445	2.246	0.116	0.591	0.0	0.116	1.327	0.002
13	15702	15703	SN	1	-33.29	24.067	0.425	-34.977	24.274	0.929	-29.721	27.651	10.007	-26.258	29.034	5.55	0.116	206.751	1.989	0.116	304.931	1.63	0.116	90.95	0.069	0.116	41.037	0.036
14	15703	15704	SN	1	-34.564	23.032	0.008	-34.905	23.36	0.093	6.826	26.545	9.21	3.704	27.03	3.11	0.116	277.299	3.337	0.116	299.901	2.788	0.116	0.132	0.0	0.116	0.15	0.0
15	15703	15704	SN	1	-34.92	23.032	0.013	-34.954	23.376	0.151	3.458	26.545	9.189	3.866	27.03	3.116	0.116	300.976	3.352	0.116	303.287	2.723	0.116	0.152	0.0	0.116	0.148	0.0
16	15703	15704	SN	1	-34.564	23.032	0.013	-34.905	23.385	0.151	3.459	26.545	9.189	3.848	27.03	3.116	0.116	277.299	3.358	0.116	299.901	2.745	0.116	0.152	0.0	0.116	0.149	0.0
17	15703	15704	NS	1	-33.341	22.885	0.039	-34.484	23.725	0.046	-12.984	30.076	7.209	-12.472	28.821	13.434	0.116	209.214	1.709	0.116	272.138	0.922	0.116	2.017	0.002	0.116	1.802	0.003
18	15704	15705	SN	1	-34.922	22.566	0.013	-34.781	24.675	0.345	4.614	27.33	13.74	5.234	27.654	15.299	0.116	301.072	2.915	0.116	291.421	2.579	0.116	0.143	0.0	0.116	0.139	0.0
19	15704	15705	SN	1	-34.673	22.559	0.012	-34.781	23.708	0.082	5.744	27.33	13.846	5.226	27.654	15.818	0.116	284.255	2.952	0.116	291.421	2.616	0.116	0.137	0.0	0.116	0.139	0.0
20	15704	15705	NS	1	-34.103	23.795	0.555	-33.706	24.789	0.751	-23.409	27.624	4.106	-24.232	31.428	8.509	0.116	249.381	3.787	0.116	227.544	4.512	0.116	21.333	0.038	0.116	25.761	0.044
21	15704	15705	NS	2	-34.097	23.795	0.555	-33.706	24.789	0.751	-23.409	27.624	4.106	-24.232	31.428	8.509	0.116	249.006	3.787	0.116	227.544	4.512	0.116	21.333	0.038	0.116	25.761	0.044
22	15705	15706	SN	1	-34.946	21.887	0.0	-34.956	26.254	0.459	5.571	27.028	13.261	8.286	27.928	14.466	0.116	302.807	7.469	0.116	303.424	6.13	0.116	0.138	0.0	0.116	0.127	0.0
23	15705	15706	SN	2	-34.946	21.887	0.0	-34.623	26.254	0.459	5.571	27.028	13.26	8.286	27.928	14.465	0.116	302.807	7.468	0.116	281.032	6.13	0.116	0.138	0.0	0.116	0.127	0.0
24	15705	15706	SN	1	-34.946	21.887	0.0	-34.623	22.325	0.003	5.571	27.028	13.807	8.286	27.928	14.733	0.116	302.807	7.731	0.116	281.032	6.321	0.116	0.138	0.0	0.116	0.127	0.0
25	15705	15706	NS	1	-34.714	23.788	0.349	-34.354	23.765	0.29	-7.77	27.914	4.494	-7.227	29.489	9.592	0.116	287.01	3.934	0.116	264.185	3.288	0.116	0.673	0.0	0.116	0.605	0.0
26	15705	15706	NS	2	-34.714	23.788	0.349	-34.354	23.765	0.29	-7.77	27.914	4.494	-7.227	29.489	9.592	0.116	287.01	3.934	0.116	264.185	3.288	0.116	0.673	0.0	0.116	0.605	0.0
27	15706	15707	NS	1	-33.669	26.948	0.277	-34.752	26.882	0.203	-8.766	28.835	8.215	-7.362	29.912	13.204	0.116	225.614	3.491	0.116	289.492	2.945	0.116	0.822	0.0	0.116	0.621	0.0
28	15706	15707	SN	2	-33.786	22.412	0.008	-34.651	24.819	0.646	-9.152	29.582	9.003	-7.6	29.141	8.949	0.116	231.765	3.096	0.116	282.843	2.536	0.116	0.889	0.0	0.116	0.651	0.0
29	15706	15707	SN	1	-33.786	21.654	0.0	-34.829	22.412	0.002	-9.152	29.582	9.514	-7.6	29.141	8.969	0.116	231.765	3.187	0.116	294.657	2.672	0.116	0.889	0.0	0.116	0.651	0.0
30	15706	15707	NS	1	-34.987	26.948	0.277	-34.193	26.882	0.203	-8.384	28.835	8.193	-7.362	29.912	13.204	0.116	305.543	3.502	0.116	254.54	2.934	0.116	0.801	0.0	0.116	0.621	0.0
31	15706	15707	SN	1	-33.786	22.412	0.008	-34.651	24.819	0.646	-9.152	29.582	9.003	-7.6	29.141	8.949	0.116	231.765	3.096	0.116	282.843	2.536	0.116	0.889	0.0	0.116	0.651	0.0
32	15707	15708	SN	1	-34.662	23.269	0.051	-32.702	24.489	1.069	2.916	34.421	10.604	5.463	32.042	12.605	0.116	283.528	2.5	0.116	180.574	2.331	0.116	0.157	0.0	0.116	0.138	0.0
33	15707	15708	SN	1	-34.662	22.265	0.003	-33.803	23.827	0.005	2.913	34.421	11.219	5.463	32.042	12.632	0.116	283.528	2.695	0.116	232.696	2.548	0.116	0.157	0.0	0.116	0.138	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

<span style="background-color: green;">   </span> Normal	<span style="background-color: yellow;">   </span> Deviations
<span style="background-color: orange;">   </span> Alarming	<span style="background-color: red;">   </span> High Errors

34	15707	15708	NS	1	-34.493	27.651	0.256	-34.575	27.953	0.159	6.276	31.377	9.815	7.994	29.2	15.473	0.116	272.766	2.724	0.116	277.988	2.312	0.116	0.134	0.0	0.116	0.128	0.0
35	15707	15708	SN	1	-34.662	23.269	0.051	-33.803	24.489	1.071	2.913	34.421	10.603	5.463	32.042	12.598	0.116	283.528	2.502	0.116	232.696	2.325	0.116	0.157	0.0	0.116	0.138	0.0
36	15708	15709	NS	2	-34.609	23.815	0.268	-34.772	23.677	0.144	-6.994	29.294	14.775	0.566	30.354	28.438	0.116	280.19	3.693	0.116	290.814	2.999	0.116	0.579	0.0	0.116	0.189	0.0
37	15708	15709	NS	1	-34.609	23.813	0.269	-34.772	23.703	0.147	-6.994	29.294	14.775	0.566	30.354	28.436	0.116	280.19	3.696	0.116	290.814	3.006	0.116	0.579	0.0	0.116	0.189	0.0
38	15708	15709	SN	1	-32.683	24.896	0.3	-34.283	24.723	0.922	-11.918	28.918	15.139	-7.917	30.806	17.769	0.116	179.839	1.637	0.116	259.826	1.683	0.116	1.598	0.003	0.116	0.693	0.0
39	15709	15710	NS	1	-34.98	27.82	0.221	-34.492	25.705	0.145	-10.238	29.567	12.737	-8.977	30.174	23.341	0.116	305.109	3.67	0.116	272.614	2.966	0.116	1.115	0.003	0.116	0.858	0.0
40	15709	15710	SN	1	-34.32	26.205	0.261	-34.629	26.316	0.706	-10.027	31.375	14.598	-4.958	29.508	14.221	0.116	262.137	4.061	0.116	281.466	3.202	0.116	1.067	0.002	0.116	0.399	0.0
41	15710	15711	SN	2	-34.665	25.971	0.229	-33.915	26.491	0.565	-22.221	29.073	14.636	-9.874	29.83	15.291	0.116	283.735	2.345	0.116	238.763	1.839	0.116	16.248	0.013	0.116	1.033	0.002
42	15710	15711	SN	1	-34.665	25.971	0.229	-33.915	26.491	0.565	-22.221	29.073	14.636	-9.874	29.83	15.291	0.116	283.735	2.345	0.116	238.763	1.839	0.116	16.248	0.013	0.116	1.033	0.002
43	15710	15711	NS	1	-34.79	28.994	0.252	-34.888	24.876	0.314	-22.376	28.874	14.003	-21.15	31.353	21.424	0.116	292.028	2.624	0.116	298.676	2.358	0.116	16.836	0.005	0.116	12.718	0.005
44	15710	15711	NS	1	-34.79	28.994	0.252	-34.888	24.876	0.315	-22.376	28.874	14.003	-21.15	31.353	21.422	0.116	292.028	2.628	0.116	298.676	2.359	0.116	16.836	0.005	0.116	12.718	0.005
45	15711	15712	NS	1	-34.815	24.601	0.325	-33.758	24.028	0.649	-13.44	28.807	22.582	-11.635	29.019	33.988	0.116	293.74	1.436	0.116	230.322	1.05	0.116	2.23	0.005	0.116	1.502	0.008
46	15711	15712	NS	1	-34.815	24.601	0.325	-33.758	24.028	0.649	-13.44	28.807	19.232	-11.635	29.013	31.025	0.116	293.74	1.436	0.116	230.322	1.05	0.116	2.23	0.005	0.116	1.502	0.008
47	15711	15712	SN	2	-34.719	23.849	0.054	-34.436	24.455	1.291	-21.964	30.934	13.359	-16.698	31.397	13.67	0.116	287.362	2.526	0.116	269.166	1.852	0.116	15.318	0.01	0.116	4.62	0.004
48	15711	15712	SN	1	-34.719	23.849	0.054	-34.436	24.455	1.291	-21.964	30.934	13.359	-16.698	31.397	13.67	0.116	287.362	2.526	0.116	269.166	1.852	0.116	15.318	0.01	0.116	4.62	0.004
49	15711	15712	NS	1	-33.887	24.602	0.325	-33.758	24.028	0.648	-13.442	28.808	22.588	-11.635	29.019	33.988	0.116	237.242	1.436	0.116	230.322	1.05	0.116	2.231	0.005	0.116	1.502	0.008
50	15712	15713	SN	1	-33.775	23.151	0.014	-33.868	24.811	1.697	-23.494	29.658	24.064	-15.609	30.283	26.236	0.116	231.19	1.916	0.116	236.202	1.419	0.116	21.75	0.009	0.116	3.615	0.01
51	15712	15713	NS	1	-34.73	27.744	0.784	-34.987	25.96	1.079	7.618	28.56	10.303	9.921	28.849	26.753	0.116	288.001	4.344	0.116	305.589	3.902	0.116	0.129	0.0	0.116	0.124	0.0
52	15712	15713	NS	1	-34.73	27.744	0.783	-34.987	25.96	1.079	7.618	28.56	21.012	9.921	28.85	32.747	0.116	288.001	4.335	0.116	305.589	3.902	0.116	0.129	0.0	0.116	0.124	0.0
53	15712	15713	NS	2	-34.73	27.744	0.783	-34.987	25.96	1.079	7.618	28.56	21.012	9.921	28.85	32.747	0.116	288.001	4.335	0.116	305.589	3.902	0.116	0.129	0.0	0.116	0.124	0.0
54	15712	15713	SN	2	-33.775	23.151	0.014	-33.868	24.811	1.697	-23.494	29.658	24.065	-15.609	30.283	26.236	0.116	231.19	1.916	0.116	236.202	1.419	0.116	21.75	0.009	0.116	3.615	0.01
55	15712	15713	SN	1	-33.45	23.151	0.014	-33.959	24.819	1.692	-24.504	29.658	24.062	-15.666	30.284	26.231	0.116	214.545	1.909	0.116	241.22	1.42	0.116	27.429	0.009	0.116	3.662	0.01
56	15713	15714	SN	2	-34.413	22.979	0.022	-34.533	25.438	1.523	7.511	29.031	41.011	8.957	30.732	52.159	0.116	267.766	3.81	0.116	275.282	3.08	0.116	0.129	0.0	0.116	0.125	0.0
57	15713	15714	NS	1	-34.561	24.138	0.623	-34.306	26.083	0.256	11.317	27.659	4.105	8.283	30.818	12.451	0.116	277.029	6.649	0.116	261.283	6.145	0.116	0.121	0.0	0.116	0.127	0.0
58	15713	15714	SN	1	-34.577	22.972	0.022	-34.182	25.438	1.521	7.511	29.031	41.005	8.957	30.732	52.168	0.116	278.016	3.808	0.116	253.896	3.075	0.116	0.129	0.0	0.116	0.125	0.0
59	15713	15714	NS	3	-34.561	24.138	0.625	-34.306	26.083	0.256	6.768	28.375	25.646	8.281	30.818	36.557	0.116	277.029	6.64	0.116	261.283	6.145	0.116	0.132	0.0	0.116	0.127	0.0
60	15713	15714	NS	1	-34.561	24.138	0.625	-34.306	26.083	0.256	6.768	28.375	25.638	8.281	30.818	36.555	0.116	277.029	6.638	0.116	261.283	6.145	0.116	0.132	0.0	0.116	0.127	0.0
61	15713	15714	SN	1	-34.413	22.979	0.022	-34.612	25.438	1.523	7.511	29.031	41.011	8.957	30.732	52.159	0.116	267.766	3.812	0.116	280.296	3.079	0.116	0.129	0.0	0.116	0.125	0.0
62	15713	15714	NS	2	-34.561	24.138	0.625	-34.306	26.083	0.256	6.768	28.375	25.638	8.281	30.818	36.555	0.116	277.029	6.638	0.116	261.283	6.145	0.116	0.132	0.0	0.116	0.127	0.0
63	15714	15715	SN	1	-34.994	23.62	0.113	-34.758	24.002	0.203	-2.954	28.157	11.75	5.494	28.843	10.438	0.116	306.12	3.906	0.116	289.884	3.434	0.116	0.29	0.0	0.116	0.138	0.0
64	15714	15715	NS	1	-34.402	24.245	0.61	-34.424	24.223	0.104	7.364	28.464	13.344	6.137	28.922	22.695	0.116	267.061	3.013	0.116	268.412	2.498	0.116	0.13	0.0	0.116	0.135	0.0
65	15714	15715	NS	1	-34.566	24.245	0.64	-34.693	24.042	0.101	7.364	27.146	3.255	6.139	25.953	5.892	0.116	277.329	3.204	0.116	285.591	2.513	0.116	0.13	0.0	0.116	0.135	0.0
66	15714	15715	SN	1	-34.994	23.646	0.223	-34.738	24.992	2.159	-2.681	28.946	12.63	5.484	28.903	10.795	0.116	306.12	3.83	0.116	288.593	3.451	0.116	0.279	0.0	0.116	0.138	0.0
67	15714	15715	SN	2	-34.994	23.646	0.223	-34.738	24.992	2.159	-2.681	28.946	12.632	5.484	28.903	10.792	0.116	306.12	3.83	0.116	288.593	3.451	0.116	0.279	0.0	0.116	0.138	0.0
68	15714	15715	NS	1	-34.402	24.245	0.641	-34.693	24.042	0.101	7.364	27.146	3.255	6.139	25.953	5.926	0.116	267.061	3.212	0.116	285.591	2.515	0.116	0.13	0.0	0.116	0.135	0.0
69	15714	15715	SN	1	-32.649	23.643	1.749	-31.251	25.006	18.084	-2.54	28.948	18.989	13.705	28.894	35.578	0.116	178.394	5.173	0.116	129.339	3.197	0.116	0.273	0.0	0.116	0.119	0.0
70	15714	15715	NS	2	-34.402	24.245	0.61	-34.693	24.223	0.104	7.364	28.464	13.342	6.137	28.922	22.698	0.116	267.061	3.014	0.116	285.591	2.499	0.116	0.13	0.0	0.116	0.135	0.0
71	15715	15716	SN	3	-33.294	26.782	0.718	-34.946	27.702	2.975	-30.547	33.128	8.698	-23.581	29.081	10.287	0.116	206.954	3.966	0.116	302.76	3.5	0.116	109.977	0.057	0.116	22.187	0.037
72	15715	15716	SN	1	-33.294	26.782	0.329	-34.946	27.702	2.806	-30.547	33.128	8.698	-23.581	29.081	10.286	0.116	206.954	3.723	0.116	302.76	3.345	0.116	109.977	0.057	0.116	22.187	0.037

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors



73	15715	15716	SN	2	-33.294	26.782	0.718	-34.946	27.702	2.975	-30.547	33.128	8.698	-23.581	29.081	10.287	0.116	206.954	3.965	0.116	302.76	3.5	0.116	109.977	0.057	0.116	22.187	0.037
74	15715	15716	SN	1	-34.705	26.782	0.718	-34.696	27.702	2.975	-30.675	33.126	8.699	-23.579	29.081	10.287	0.116	286.418	3.966	0.116	285.772	3.498	0.116	113.268	0.057	0.116	22.181	0.037
75	15715	15716	NS	1	-34.36	25.773	0.604	-33.707	26.394	0.032	-8.268	30.827	11.248	-13.579	33.409	22.282	0.116	264.521	2.807	0.116	227.609	1.992	0.116	0.743	0.0	0.116	2.3	0.004
76	15716	15717	SN	3	-34.886	24.415	0.412	-34.926	24.587	1.54	-29.082	31.902	7.788	-25.056	28.42	4.054	0.116	298.626	3.52	0.116	301.392	3.353	0.116	78.535	0.037	0.116	31.134	0.015
77	15716	15717	NS	1	-34.003	26.2	0.383	-33.814	26.392	0.05	-9.373	31.969	8.287	-9.051	31.208	19.152	0.116	243.644	1.78	0.116	233.267	1.454	0.116	0.931	0.0	0.116	0.871	0.0
78	15716	15717	NS	2	-34.704	26.199	0.383	-34.864	26.392	0.05	-9.37	31.969	8.284	-9.051	31.21	19.151	0.116	286.27	1.782	0.116	297.133	1.457	0.116	0.93	0.0	0.116	0.871	0.0
79	15716	15717	SN	1	-34.979	24.415	0.412	-34.965	24.587	1.54	-29.031	31.902	7.79	-25.118	28.42	4.054	0.116	305.024	3.527	0.116	304.083	3.353	0.116	77.599	0.037	0.116	31.574	0.015
80	15716	15717	SN	2	-34.886	24.415	0.412	-34.926	24.587	1.54	-29.082	31.902	7.788	-25.056	28.42	4.054	0.116	298.626	3.52	0.116	301.392	3.353	0.116	78.535	0.037	0.116	31.134	0.015
81	15716	15717	NS	1	-34.922	26.199	0.383	-34.56	26.392	0.05	-9.37	31.968	8.281	-9.051	31.21	19.213	0.116	300.981	1.781	0.116	276.997	1.458	0.116	0.93	0.0	0.116	0.871	0.0
82	15716	15717	SN	1	-34.886	24.415	0.594	-34.926	24.587	1.521	-29.082	31.902	7.788	-25.056	28.42	4.054	0.116	298.626	3.627	0.116	301.392	3.291	0.116	78.535	0.037	0.116	31.134	0.015
83	15717	15718	SN	1	-34.632	23.535	0.133	-34.894	24.014	0.287	7.129	27.034	12.041	7.788	27.255	6.141	0.116	281.679	3.044	0.116	299.074	2.204	0.116	0.131	0.0	0.116	0.128	0.0
84	15717	15718	NS	1	-34.165	22.947	0.03	-34.97	22.996	0.015	-15.744	28.388	8.118	-6.271	29.344	15.612	0.116	252.936	4.834	0.116	304.359	4.49	0.116	3.727	0.002	0.116	0.505	0.0
85	15717	15718	SN	1	-34.854	23.533	0.139	-34.764	24.014	0.304	7.129	27.034	12.041	7.788	27.255	6.136	0.116	296.362	3.001	0.116	290.301	2.18	0.116	0.131	0.0	0.116	0.128	0.0
86	15718	15719	NS	1	-33.834	24.625	0.184	-34.882	23.492	0.283	-9.825	29.879	4.71	-10.482	29.73	9.306	0.116	234.371	2.682	0.116	298.286	2.196	0.116	1.022	0.001	0.116	1.174	0.001
87	15718	15719	SN	1	-34.916	23.286	0.014	-34.388	24.16	0.239	3.483	26.796	9.47	3.549	27.566	6.14	0.116	300.634	2.746	0.116	266.25	2.461	0.116	0.152	0.0	0.116	0.151	0.0
88	15719	15720	SN	1	-34.951	22.438	0.018	-34.34	24.403	0.421	6.354	27.28	12.576	7.806	27.784	15.258	0.116	303.112	4.209	0.116	263.301	3.317	0.116	0.134	0.0	0.116	0.128	0.0
89	15719	15720	NS	1	-34.324	23.861	0.494	-34.187	24.223	0.56	-3.47	29.138	4.283	-7.532	29.177	10.591	0.116	262.383	2.901	0.116	254.214	2.135	0.116	0.313	0.0	0.116	0.642	0.0
90	15720	15721	NS	1	-34.306	24.103	0.471	-34.226	23.869	0.4	-13.035	28.999	5.151	-13.547	29.038	10.173	0.116	261.296	2.992	0.116	256.418	2.824	0.116	2.039	0.009	0.116	2.283	0.004
91	15720	15721	SN	1	-34.984	22.441	0.004	-34.998	25.3	0.704	-0.645	27.296	10.952	1.241	28.072	10.076	0.116	305.301	6.381	0.116	306.341	6.442	0.116	0.214	0.0	0.116	0.178	0.0
92	15721	15722	NS	1	-34.408	26.697	0.292	-34.943	28.041	0.212	7.537	27.78	10.343	8.097	28.337	19.258	0.116	267.495	2.642	0.116	302.511	2.531	0.116	0.129	0.0	0.116	0.128	0.0
93	15721	15722	SN	1	-34.428	24.021	0.038	-32.694	24.432	1.234	-8.89	32.012	8.795	-4.274	31.853	9.82	0.116	268.674	1.303	0.116	180.252	1.186	0.116	0.843	0.0	0.116	0.356	0.0
94	15722	15723	NS	1	-34.372	23.88	0.405	-34.007	24.952	0.14	-8.456	29.297	12.674	-19.405	30.134	20.361	0.116	265.246	3.037	0.116	243.873	2.444	0.116	0.772	0.0	0.116	8.538	0.002
95	15722	15723	SN	1	-34.974	23.877	0.009	-34.549	24.955	0.017	-21.788	31.072	12.492	-9.146	30.96	15.687	0.116	304.712	2.697	0.116	276.292	2.242	0.116	14.712	0.003	0.116	0.888	0.0
96	15722	15723	SN	1	-34.974	23.877	0.128	-34.549	24.955	1.498	-21.797	31.072	12.019	-9.146	30.96	15.682	0.116	304.712	2.463	0.116	276.292	1.975	0.116	14.745	0.003	0.116	0.888	0.0
97	15723	15724	NS	1	-34.912	29.041	0.372	-34.465	27.58	0.175	-20.88	29.949	20.33	-24.804	30.253	32.577	0.116	300.341	2.105	0.116	271.014	1.338	0.116	11.953	0.065	0.116	30.896	0.013
98	15723	15724	SN	1	-34.419	24.194	0.4	-34.34	24.599	1.321	-8.858	28.188	15.269	-3.756	29.528	16.645	0.116	268.129	2.228	0.116	263.277	2.302	0.116	0.837	0.0	0.116	0.328	0.0
99	15724	15725	NS	1	-34.399	27.639	0.296	-32.434	25.506	0.117	-21.84	34.914	11.462	-24.685	32.235	20.747	0.116	266.894	2.241	0.116	169.827	1.862	0.116	14.891	0.055	0.116	28.586	0.022
100	15724	15725	SN	1	-34.691	25.685	0.283	-34.787	26.753	0.949	-21.983	29.034	15.519	-11.345	29.891	15.915	0.116	285.431	4.421	0.116	291.816	4.418	0.116	15.383	0.009	0.116	1.412	0.01
101	15725	15726	NS	1	-34.569	28.392	0.357	-33.873	27.763	0.418	-5.77	28.623	17.691	-3.371	30.95	25.116	0.116	277.57	2.216	0.116	236.48	2.056	0.116	0.461	0.0	0.116	0.308	0.0
102	15725	15726	SN	1	-32.87	24.339	0.335	-34.589	23.942	1.132	-28.574	28.725	13.131	-28.068	29.972	11.63	0.116	187.762	2.627	0.116	278.826	2.251	0.116	69.884	0.084	0.116	62.191	0.062
103	15726	15727	SN	1	-33.101	24.4	0.091	-34.731	24.68	1.568	-6.853	29.036	16.085	-4.769	29.881	17.524	0.116	197.942	3.855	0.116	288.143	3.487	0.116	0.563	0.0	0.116	0.387	0.0
104	15726	15727	NS	1	-34.464	26.729	0.445	-34.962	27.306	0.809	-17.306	28.671	24.356	-3.728	28.679	36.234	0.116	270.942	3.217	0.116	303.805	2.501	0.116	5.301	0.011	0.116	0.326	0.0
105	15727	15728	SN	1	-34.376	22.987	0.024	-34.639	24.581	1.461	-5.476	29.136	36.883	-3.825	30.394	44.071	0.116	265.508	4.343	0.116	282.092	3.837	0.116	0.437	0.0	0.116	0.331	0.0
106	15727	15728	NS	1	-34.903	26.505	0.529	-34.7	27.04	0.496	-0.137	29.299	24.449	8.359	28.922	35.073	0.116	299.731	6.404	0.116	286.089	5.328	0.116	0.203	0.0	0.116	0.127	0.0
107	15728	15729	SN	1	-34.035	23.108	0.036	-34.665	24.878	1.465	-0.795	29.486	30.454	2.123	30.219	33.549	0.116	245.451	3.202	0.116	283.748	2.866	0.116	0.218	0.0	0.116	0.166	0.0
108	15728	15729	NS	1	-34.747	26.881	0.535	-34.98	23.635	0.125	7.053	33.185	17.248	7.929	30.848	27.157	0.116	289.115	6.043	0.116	305.135	5.113	0.116	0.131	0.0	0.116	0.128	0.0
109	15729	15730	NS	1	-34.617	24.143	0.546	-33.998	24.664	0.067	2.581	32.008	10.601	1.241	29.339	19.112	0.116	280.656	2.592	0.116	243.342	2.087	0.116	0.16	0.0	0.116	0.178	0.0
110	15729	15730	NS	2	-34.988	24.143	0.548	-34.196	24.664	0.065	2.582	32.008	10.608	1.242	29.339	19.133	0.116	305.72	2.603	0.116	254.692	2.09	0.116	0.16	0.0	0.116	0.178	0.0
111	15729	15730	NS	1	-34.617	24.143	0.548	-33.998	24.664	0.065	2.581	32.008	10.601	1.241	29.339	19.108	0.116	280.656	2.596	0.116	243.342	2.088	0.116	0.16	0.0	0.116	0.178	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

█ Normal
 █ Deviations  
█ Alarming
 █ High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15700	15701	SN	1	57.423	58.317	0.0	0.0	295.841	4.087	1205.128	1276.288	2.543	-94.058	-92.04	0.0
2	15700	15701	SN	1	57.423	58.317	0.0	0.0	291.352	3.368	1205.128	1276.288	2.643	-93.113	-92.04	0.0
3	15700	15701	SN	1	57.423	58.317	0.0	0.0	295.841	4.039	1205.128	1276.288	2.546	-94.058	-92.04	0.0
4	15701	15702	SN	2	57.478	58.341	0.0	0.003	286.714	3.876	1207.688	1276.248	3.886	-95.009	-92.014	0.0
5	15701	15702	SN	1	57.478	58.341	0.0	0.003	286.714	3.876	1207.688	1276.248	3.886	-95.009	-92.014	0.0
6	15701	15702	SN	1	57.531	58.341	0.0	0.003	286.714	3.572	1207.688	1276.248	3.945	-93.218	-92.014	0.0
7	15701	15702	NS	1	57.464	58.187	0.0	0.0	299.591	3.804	1212.928	1275.88	0.0	-93.136	-92.058	0.0
8	15701	15702	NS	1	57.464	58.187	0.0	0.0	299.591	3.807	1212.928	1275.88	0.0	-93.426	-92.058	0.0
9	15702	15703	NS	1	57.465	58.19	0.0	0.0	297.672	3.558	1213.536	1276.104	0.0	-93.1	-92.004	0.0
10	15702	15703	SN	2	57.519	58.316	0.0	0.003	283.311	3.423	1207.88	1276.44	4.629	-93.126	-92.036	0.0
11	15702	15703	SN	1	57.519	58.316	0.0	0.003	283.278	3.719	1207.888	1276.416	4.581	-93.125	-92.036	0.0
12	15702	15703	NS	1	57.465	58.19	0.0	0.0	297.672	3.561	1213.536	1276.104	0.0	-93.194	-92.004	0.0
13	15702	15703	SN	1	57.519	58.316	0.0	0.003	283.278	3.423	1207.888	1276.416	4.631	-93.125	-92.036	0.0
14	15703	15704	SN	1	57.319	58.314	0.0	0.0	281.155	3.409	1203.016	1276.328	4.977	-94.185	-92.045	0.0
15	15703	15704	SN	1	57.319	58.314	0.0	0.0	281.155	3.673	1203.016	1276.328	5.014	-94.185	-92.045	0.0
16	15703	15704	SN	1	57.319	58.314	0.0	0.0	281.155	3.7	1203.016	1276.328	4.907	-94.185	-92.045	0.0
17	15703	15704	NS	1	57.466	58.189	0.0	0.0	299.608	3.731	1213.704	1276.008	0.0	-93.45	-92.053	0.0
18	15704	15705	SN	1	57.523	58.322	0.0	0.003	299.509	3.723	1206.864	1276.152	5.015	-93.204	-92.044	0.0
19	15704	15705	SN	1	57.523	58.322	0.0	0.003	299.509	3.358	1206.864	1276.152	5.126	-93.204	-92.044	0.0
20	15704	15705	NS	1	57.467	58.187	0.0	0.0	299.558	3.711	1213.808	1275.832	0.0	-93.203	-92.061	0.0
21	15704	15705	NS	2	57.466	58.187	0.0	0.0	299.558	3.713	1213.8	1275.832	0.0	-93.203	-92.061	0.0
22	15705	15706	SN	1	57.509	58.312	0.0	0.0	292.813	3.687	1206.848	1276.016	4.87	-93.216	-92.045	0.0
23	15705	15706	SN	2	57.51	58.313	0.0	0.0	292.813	3.686	1206.848	1276.032	4.861	-93.216	-92.045	0.0
24	15705	15706	SN	1	57.51	58.313	0.0	0.0	290.221	3.172	1206.848	1276.032	5.041	-93.216	-92.045	0.0
25	15705	15706	NS	1	57.467	58.187	0.0	0.0	295.825	3.901	1212.968	1275.696	0.0	-93.391	-92.06	0.0
26	15705	15706	NS	2	57.467	58.187	0.0	0.0	295.825	3.901	1212.968	1275.696	0.0	-93.391	-92.06	0.0
27	15706	15707	NS	1	57.452	58.187	0.0	0.0	299.233	3.677	1213.456	1275.632	0.0	-93.219	-92.069	0.0
28	15706	15707	SN	2	57.362	58.313	0.0	0.0	284.982	3.837	1207.88	1275.96	4.674	-95.47	-92.044	0.0
29	15706	15707	SN	1	57.526	58.313	0.0	0.0	283.107	3.044	1207.88	1275.96	4.926	-93.096	-92.044	0.0
30	15706	15707	NS	1	57.452	58.187	0.0	0.0	299.233	3.674	1213.456	1275.632	0.0	-93.214	-92.069	0.0
31	15706	15707	SN	1	57.362	58.313	0.0	0.0	284.982	3.837	1207.88	1275.96	4.674	-95.47	-92.044	0.0
32	15707	15708	SN	1	57.526	58.315	0.0	0.0	280.107	3.898	1207.328	1276.136	3.947	-93.042	-92.031	0.0
33	15707	15708	SN	1	57.528	58.315	0.0	0.0	280.107	2.756	1207.328	1276.136	4.229	-93.042	-92.031	0.0
34	15707	15708	NS	1	57.447	58.189	0.0	0.0	298.731	3.742	1213.192	1275.784	0.0	-93.23	-92.075	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	15707	15708	SN	1	57.528	58.315	0.0	0.0	280.107	3.903	1207.328	1276.136	3.923	-93.042	-92.031	0.0
36	15708	15709	NS	2	57.457	58.19	0.0	0.0	299.773	3.78	1212.928	1275.848	0.0	-93.241	-92.06	0.0
37	15708	15709	NS	1	57.457	58.19	0.0	0.0	299.773	3.779	1212.928	1275.848	0.0	-93.241	-92.06	0.0
38	15708	15709	SN	1	57.522	58.317	0.0	0.0	280.438	3.786	1208.088	1276.2	3.851	-93.018	-91.982	0.0
39	15709	15710	NS	1	57.459	58.19	0.0	0.0	285.103	4.004	1212.872	1275.736	0.0	-93.17	-92.047	0.0
40	15709	15710	SN	1	57.52	58.316	0.0	0.0	299.646	3.712	1207.568	1276.072	3.871	-93.054	-92.023	0.0
41	15710	15711	SN	2	57.526	58.315	0.0	0.0	290.74	3.87	1208.064	1275.96	3.611	-93.044	-92.015	0.0
42	15710	15711	SN	1	57.526	58.315	0.0	0.0	290.773	3.87	1208.056	1275.976	3.627	-93.044	-92.015	0.0
43	15710	15711	NS	1	57.46	58.187	0.0	0.0	291.016	3.71	1213.024	1275.608	0.0	-93.268	-92.055	0.0
44	15710	15711	NS	1	57.46	58.187	0.0	0.0	291.016	3.714	1213.024	1275.608	0.0	-93.252	-92.055	0.0
45	15711	15712	NS	1	57.441	58.187	0.0	0.0	298.008	3.716	1213.208	1275.656	0.0	-93.15	-92.076	0.0
46	15711	15712	NS	1	57.441	58.163	0.0	0.003	298.008	3.158	1213.208	1275.096	0.0	-93.15	-92.076	0.0
47	15711	15712	SN	2	57.516	58.316	0.0	0.0	284.453	3.849	1207.696	1276.056	4.529	-93.096	-92.014	0.0
48	15711	15712	SN	1	57.516	58.316	0.0	0.0	284.453	3.849	1207.696	1276.056	4.529	-93.096	-92.014	0.0
49	15711	15712	NS	1	57.442	58.187	0.0	0.0	297.976	3.711	1213.224	1275.656	0.0	-93.15	-92.076	0.0
50	15712	15713	SN	1	57.526	58.315	0.0	0.003	279.66	3.749	1207.896	1276.048	4.244	-93.157	-92.029	0.0
51	15712	15713	NS	1	57.446	58.173	0.0	0.0	298.488	2.897	1212.76	1273.496	0.0	-93.255	-92.074	0.0
52	15712	15713	NS	1	57.446	58.188	0.0	0.0	298.488	3.698	1212.76	1275.68	0.0	-93.224	-92.074	0.0
53	15712	15713	NS	2	57.446	58.188	0.0	0.0	298.488	3.698	1212.76	1275.68	0.0	-93.224	-92.074	0.0
54	15712	15713	SN	2	57.526	58.315	0.0	0.0	279.649	3.747	1207.896	1276.056	4.242	-93.157	-92.029	0.0
55	15712	15713	SN	1	57.526	58.315	0.0	0.003	279.66	3.745	1207.896	1276.048	4.241	-93.157	-92.029	0.0
56	15713	15714	SN	2	57.495	58.318	0.0	0.0	279.462	3.72	1207.632	1276.136	4.446	-93.142	-92.048	0.0
57	15713	15714	NS	1	57.465	58.159	0.0	0.0	280.581	2.358	1212.744	1271.864	0.0	-93.116	-92.073	0.0
58	15713	15714	SN	1	57.502	58.318	0.0	0.0	279.467	3.716	1207.632	1276.144	4.444	-93.142	-92.048	0.0
59	15713	15714	NS	3	57.465	58.189	0.0	0.0	298.99	3.814	1212.744	1275.792	0.0	-93.101	-92.073	0.0
60	15713	15714	NS	1	57.465	58.189	0.0	0.0	298.99	3.814	1212.744	1275.784	0.0	-93.101	-92.073	0.0
61	15713	15714	SN	1	57.495	58.318	0.0	0.0	279.445	3.722	1207.632	1276.136	4.454	-93.154	-92.048	0.0
62	15713	15714	NS	2	57.465	58.189	0.0	0.0	298.99	3.814	1212.744	1275.784	0.0	-93.101	-92.073	0.0
63	15714	15715	SN	1	57.524	58.317	0.0	0.0	290.949	2.976	1207.28	1276.176	3.854	-93.123	-92.05	0.0
64	15714	15715	NS	1	57.432	58.188	0.0	0.0	289.356	3.745	1212.8	1275.784	0.0	-93.124	-92.072	0.0
65	15714	15715	NS	1	57.431	58.185	0.0	0.0	289.289	2.078	1212.8	1270.2	0.0	-93.104	-92.072	0.0
66	15714	15715	SN	1	57.277	58.317	0.0	0.0	294.6	3.978	1207.28	1276.176	3.651	-94.932	-92.05	0.0
67	15714	15715	SN	2	57.277	58.317	0.0	0.0	294.484	3.978	1207.28	1276.176	3.651	-94.932	-92.05	0.0
68	15714	15715	NS	1	57.432	58.159	0.0	0.003	289.284	2.023	1212.8	1269.12	0.0	-93.125	-92.072	0.0
69	15714	15715	SN	1	57.644	57.94	0.0	0.0	294.65	20.174	1222.4	1234.144	0.0	-93.831	-92.162	0.0
70	15714	15715	NS	2	57.432	58.188	0.0	0.0	289.284	3.745	1212.8	1275.784	0.0	-93.124	-92.072	0.0
71	15715	15716	SN	3	57.524	58.337	0.0	0.0	285.429	4.064	1207.464	1275.864	3.723	-93.166	-92.016	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	15715	15716	SN	1	57.524	58.337	0.0	0.0	285.33	3.714	1207.464	1275.864	3.806	-93.166	-92.016	0.0
73	15715	15716	SN	2	57.524	58.337	0.0	0.0	285.429	4.064	1207.464	1275.864	3.723	-93.166	-92.016	0.0
74	15715	15716	SN	1	57.523	58.328	0.0	0.0	285.561	4.064	1207.96	1275.856	3.731	-93.166	-92.016	0.0
75	15715	15716	NS	1	57.467	58.183	0.0	0.003	295.328	3.862	1213.12	1275.472	0.0	-93.159	-92.051	0.0
76	15716	15717	SN	3	57.515	58.312	0.0	0.003	282.793	3.506	1207.248	1276.096	4.633	-93.197	-92.014	0.0
77	15716	15717	NS	1	57.469	58.185	0.0	0.0	297.137	3.575	1213.848	1275.72	0.0	-93.056	-92.02	0.0
78	15716	15717	NS	2	57.468	58.186	0.0	0.0	297.088	3.574	1213.824	1275.744	0.0	-93.08	-92.02	0.0
79	15716	15717	SN	1	57.511	58.311	0.0	0.003	282.793	3.507	1207.224	1276.072	4.662	-93.197	-92.014	0.0
80	15716	15717	SN	2	57.515	58.312	0.0	0.003	282.793	3.505	1207.248	1276.096	4.632	-93.197	-92.014	0.0
81	15716	15717	NS	1	57.468	58.186	0.0	0.0	297.088	3.571	1213.824	1275.744	0.0	-93.149	-92.02	0.0
82	15716	15717	SN	1	57.515	58.312	0.0	0.003	282.793	3.805	1207.248	1276.096	4.58	-93.197	-92.014	0.0
83	15717	15718	SN	1	57.506	58.313	0.0	0.0	281.094	3.403	1207.448	1276.136	5.315	-93.174	-92.045	0.0
84	15717	15718	NS	1	57.44	58.187	0.0	0.0	299.79	3.602	1213.592	1275.816	0.0	-95.132	-92.018	0.0
85	15717	15718	SN	1	57.528	58.313	0.0	0.0	281.094	3.7	1207.664	1276.136	5.248	-93.174	-92.045	0.0
86	15718	15719	NS	1	57.47	58.186	0.0	0.003	299.691	3.715	1213.936	1275.664	0.0	-93.244	-92.052	0.0
87	15718	15719	SN	1	57.526	58.326	0.0	0.003	279.506	3.688	1207.544	1275.96	5.444	-93.119	-92.014	0.0
88	15719	15720	SN	1	57.511	58.31	0.0	0.0	292.118	3.693	1206.928	1275.832	5.389	-93.035	-92.043	0.0
89	15719	15720	NS	1	57.458	58.183	0.0	0.0	291.363	3.765	1213.368	1275.496	0.0	-93.217	-92.064	0.0
90	15720	15721	NS	1	57.446	58.182	0.0	0.0	298.825	3.719	1214.152	1275.328	0.0	-93.146	-92.073	0.0
91	15720	15721	SN	1	57.524	58.309	0.0	0.0	284.491	3.772	1207.584	1275.656	5.269	-93.202	-92.044	0.0
92	15721	15722	NS	1	57.436	58.184	0.0	0.0	298.681	3.828	1213.944	1275.36	0.0	-93.369	-92.078	0.0
93	15721	15722	SN	1	57.525	58.31	0.0	0.0	278.949	3.875	1207.384	1275.704	4.127	-93.049	-92.045	0.0
94	15722	15723	NS	1	57.458	58.353	0.0	0.0	298.786	3.749	1213.752	1275.512	0.0	-95.902	-92.078	0.0
95	15722	15723	SN	1	57.527	58.312	0.0	0.0	299.282	2.646	1207.96	1275.864	4.503	-93.07	-91.993	0.0
96	15722	15723	SN	1	57.527	58.312	0.0	0.0	299.282	3.785	1207.96	1275.864	4.18	-93.07	-91.993	0.0
97	15723	15724	NS	1	57.445	58.185	0.0	0.0	296.415	3.872	1213.52	1275.488	0.0	-93.157	-92.06	0.0
98	15723	15724	SN	1	57.525	58.314	0.0	0.0	296.746	3.727	1207.56	1275.896	3.87	-93.262	-91.986	0.0
99	15724	15725	NS	1	57.469	58.184	0.0	0.0	292.35	3.756	1213.32	1275.304	0.0	-93.232	-92.044	0.0
100	15724	15725	SN	1	57.522	58.314	0.0	0.0	288.986	3.796	1207.04	1275.704	4.352	-93.114	-92.02	0.0
101	15725	15726	NS	1	57.444	58.185	0.0	0.0	296.828	3.834	1213.368	1275.376	0.0	-93.076	-92.065	0.0
102	15725	15726	SN	1	57.499	58.313	0.0	0.0	283.317	3.881	1207.72	1275.784	5.015	-95.542	-92.029	0.0
103	15726	15727	SN	1	57.526	58.313	0.0	0.0	279.555	3.759	1207.648	1275.84	4.986	-93.146	-92.019	0.0
104	15726	15727	NS	1	57.436	58.185	0.0	0.0	297.981	3.64	1213.696	1275.4	0.0	-93.228	-92.071	0.0
105	15727	15728	SN	1	57.526	58.315	0.0	0.0	278.403	3.741	1207.68	1275.904	4.85	-93.046	-92.045	0.0
106	15727	15728	NS	1	57.444	58.186	0.0	0.0	298.284	3.8	1212.944	1275.488	0.0	-93.22	-92.076	0.0
107	15728	15729	SN	1	57.526	58.324	0.0	0.0	293.453	3.833	1207.408	1275.968	4.976	-93.146	-92.047	0.0
108	15728	15729	NS	1	57.446	58.187	0.0	0.0	288.986	3.7	1213.0	1275.576	0.0	-93.17	-92.075	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	15729	15730	NS	1	57.442	58.178	0.0	0.0	298.753	3.837	1213.704	1275.28	0.0	-93.133	-92.075	0.0
110	15729	15730	NS	2	57.457	58.179	0.0	0.0	299.056	3.867	1213.576	1275.296	0.0	-93.13	-92.075	0.0
111	15729	15730	NS	1	57.442	58.178	0.0	0.0	298.753	3.841	1213.704	1275.28	0.0	-93.108	-92.075	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

Outer																												
SNR														Kp														
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	15700	15701	SN	1	-34.269	20.439	0.0	-34.86	20.186	0.0	-23.072	22.826	0.006	-6.316	22.242	0.005	0.086	198.005	3.261	0.086	226.852	3.091	0.086	15.089	0.001	0.086	0.385	0.0
2	15700	15701	SN	1	-34.768	20.439	0.0	-34.882	20.186	0.0	-23.024	22.826	0.006	-6.313	22.242	0.005	0.086	222.134	3.29	0.086	227.946	3.165	0.086	14.921	0.002	0.086	0.385	0.0
3	15700	15701	SN	1	-34.768	20.439	0.0	-34.882	20.186	0.0	-23.024	22.826	0.006	-6.313	22.242	0.005	0.086	222.134	3.259	0.086	227.946	3.091	0.086	14.921	0.002	0.086	0.385	0.0
4	15701	15702	SN	2	-34.765	20.24	0.0	-34.974	21.236	0.0	-24.51	22.229	0.005	-16.04	22.488	0.008	0.086	221.938	3.801	0.086	232.875	3.359	0.086	20.988	0.014	0.086	3.04	0.012
5	15701	15702	SN	1	-34.765	20.24	0.0	-34.974	21.236	0.0	-24.51	22.229	0.005	-16.04	22.488	0.008	0.086	221.938	3.801	0.086	232.875	3.359	0.086	20.988	0.014	0.086	3.04	0.012
6	15701	15702	SN	1	-34.765	20.24	0.0	-34.974	21.236	0.0	-24.51	22.229	0.005	-16.04	22.488	0.008	0.086	221.938	3.668	0.086	232.875	3.355	0.086	20.988	0.014	0.086	3.04	0.012
7	15701	15702	NS	1	-34.79	20.029	0.0	-34.685	19.991	0.0	-0.249	22.904	0.018	0.146	23.304	0.046	0.086	223.237	2.811	0.086	217.885	2.672	0.086	0.153	0.0	0.086	0.147	0.0
8	15701	15702	NS	1	-34.908	20.029	0.0	-34.685	19.991	0.0	-0.249	22.904	0.018	0.146	23.304	0.046	0.086	229.383	2.804	0.086	217.885	2.674	0.086	0.153	0.0	0.086	0.147	0.0
9	15702	15703	NS	1	-33.342	17.692	0.0	-34.898	17.005	0.0	-14.181	22.529	0.005	-28.277	23.089	0.008	0.086	159.948	2.584	0.087	228.831	2.547	0.086	2.004	0.002	0.086	49.873	0.04
10	15702	15703	SN	2	-34.968	17.8	0.0	-34.523	18.406	0.0	-21.011	22.017	0.003	-20.654	22.226	0.008	0.086	232.589	2.503	0.086	209.879	2.284	0.086	9.411	0.034	0.086	8.673	0.008
11	15702	15703	SN	1	-34.721	18.147	0.0	-34.564	18.406	0.0	-21.008	22.017	0.003	-20.654	22.226	0.008	0.086	219.672	2.492	0.086	211.879	2.256	0.086	9.404	0.034	0.086	8.673	0.008
12	15702	15703	NS	1	-34.007	17.692	0.0	-34.722	17.005	0.0	-14.181	22.529	0.005	-28.277	23.089	0.008	0.086	186.407	2.575	0.087	219.736	2.537	0.086	2.004	0.002	0.086	49.873	0.04
13	15702	15703	SN	1	-34.487	17.8	0.0	-34.564	18.406	0.0	-21.011	22.017	0.003	-20.654	22.226	0.008	0.086	208.137	2.503	0.086	211.879	2.284	0.086	9.411	0.034	0.086	8.673	0.008
14	15703	15704	SN	1	-34.642	17.607	0.0	-34.963	17.687	0.0	1.45	21.98	0.0	1.388	21.409	0.0	0.087	215.683	3.327	0.086	232.312	2.712	0.086	0.13	0.0	0.086	0.131	0.0
15	15703	15704	SN	1	-34.62	17.935	0.0	-34.963	18.165	0.0	1.45	21.98	0.0	1.388	21.409	0.0	0.086	214.641	3.286	0.086	232.312	2.656	0.086	0.13	0.0	0.086	0.131	0.0
16	15703	15704	SN	1	-34.642	17.936	0.0	-34.963	18.164	0.0	1.45	21.98	0.0	1.388	21.409	0.0	0.086	215.683	3.288	0.086	232.312	2.686	0.086	0.13	0.0	0.086	0.131	0.0
17	15703	15704	NS	1	-33.69	18.334	0.0	-33.266	18.066	0.0	-25.524	21.692	0.0	-31.91	22.44	0.007	0.086	173.282	2.707	0.086	157.174	2.106	0.086	26.481	0.244	0.086	115.017	0.148
18	15704	15705	SN	1	-34.278	16.491	0.0	-34.414	18.54	0.0	0.328	21.737	0.0	2.11	22.105	0.01	0.087	198.38	2.735	0.086	204.725	2.368	0.086	0.144	0.0	0.086	0.123	0.0
19	15704	15705	SN	1	-34.221	16.491	0.0	-34.982	16.771	0.0	0.328	21.737	0.0	2.11	22.105	0.011	0.087	195.84	2.722	0.087	233.322	2.394	0.086	0.144	0.0	0.086	0.123	0.0
20	15704	15705	NS	1	-34.998	17.536	0.0	-34.592	17.995	0.0	-20.66	22.406	0.006	-19.373	22.504	0.013	0.087	234.118	3.534	0.086	213.31	3.87	0.086	8.684	0.005	0.086	6.474	0.003
21	15704	15705	NS	2	-34.998	17.536	0.0	-34.592	17.995	0.0	-20.66	22.406	0.006	-19.373	22.504	0.013	0.087	234.118	3.534	0.086	213.31	3.87	0.086	8.684	0.005	0.086	6.474	0.003
22	15705	15706	SN	1	-34.956	16.27	0.0	-34.832	18.391	0.0	0.204	21.46	0.0	2.534	21.808	0.0	0.087	231.917	6.145	0.086	225.376	5.688	0.086	0.146	0.0	0.086	0.12	0.0
23	15705	15706	SN	2	-34.826	16.27	0.0	-34.868	18.393	0.0	0.204	21.459	0.0	2.534	21.808	0.0	0.087	225.076	6.144	0.086	227.268	5.688	0.086	0.146	0.0	0.086	0.12	0.0
24	15705	15706	SN	1	-34.826	16.27	0.0	-34.868	16.826	0.0	0.204	21.459	0.0	2.534	21.808	0.0	0.087	225.076	6.24	0.087	227.268	5.873	0.086	0.146	0.0	0.086	0.12	0.0
25	15705	15706	NS	1	-34.945	17.704	0.0	-34.19	17.116	0.0	-23.103	21.609	0.0	-19.493	22.336	0.003	0.086	231.292	3.489	0.087	194.437	3.436	0.086	15.192	0.045	0.086	6.655	0.031
26	15705	15706	NS	2	-34.945	17.704	0.0	-34.19	17.116	0.0	-23.103	21.609	0.0	-19.493	22.336	0.003	0.086	231.292	3.489	0.087	194.437	3.436	0.086	15.192	0.045	0.086	6.655	0.031
27	15706	15707	NS	1	-34.973	20.432	0.0	-34.56	20.54	0.0	-25.259	22.11	0.009	-21.005	22.387	0.006	0.086	232.764	3.265	0.086	211.713	2.9	0.086	24.924	0.281	0.086	9.398	0.091
28	15706	15707	SN	2	-34.507	15.964	0.0	-34.963	18.43	0.0	-3.847	22.88	0.061	2.219	23.014	0.117	0.087	209.109	2.134	0.086	232.307	1.672	0.086	0.25	0.0	0.086	0.122	0.0
29	15706	15707	SN	1	-34.507	15.093	0.0	-34.963	15.483	0.0	-3.847	22.88	0.065	2.219	23.014	0.118	0.087	209.109	2.223	0.087	232.307	1.763	0.086	0.25	0.0	0.086	0.122	0.0
30	15706	15707	NS	1	-34.886	20.428	0.0	-34.99	20.54	0.0	-25.497	22.108	0.009	-21.005	22.385	0.006	0.086	228.167	3.257	0.086	233.757	2.891	0.086	26.33	0.28	0.086	9.398	0.091
31	15706	15707	SN	1	-34.507	15.964	0.0	-34.963	18.43	0.0	-3.847	22.88	0.061	2.219	23.014	0.117	0.087	209.109	2.134	0.086	232.307	1.672	0.086	0.25	0.0	0.086	0.122	0.0
32	15707	15708	SN	1	-33.978	15.934	0.0	-33.406	18.512	0.0	-9.535	23.1	0.133	-7.289	25.53	0.424	0.087	185.14	1.832	0.086	162.324	1.82	0.086	0.731	0.0	0.086	0.464	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	15707	15708	SN	1	-33.997	15.586	0.0	-33.406	16.34	0.0	-9.531	23.1	0.142	-7.204	25.53	0.425	0.087	185.984	1.949	0.087	162.324	1.967	0.086	0.731	0.0	0.086	0.458	0.0
34	15707	15708	NS	1	-34.844	20.32	0.0	-34.719	20.724	0.0	0.777	22.514	0.015	1.86	23.232	0.088	0.086	226.049	2.4	0.086	219.606	2.051	0.086	0.138	0.0	0.086	0.126	0.0
35	15707	15708	SN	1	-33.997	15.934	0.0	-33.406	18.512	0.0	-9.531	23.1	0.133	-7.291	25.53	0.424	0.087	185.984	1.841	0.086	162.324	1.817	0.086	0.731	0.0	0.086	0.464	0.0
36	15708	15709	NS	2	-34.674	21.904	0.0	-34.67	16.744	0.0	-0.854	22.634	0.051	-2.712	23.699	0.73	0.086	217.341	2.69	0.087	217.086	2.498	0.086	0.164	0.0	0.086	0.21	0.0
37	15708	15709	NS	1	-34.674	21.921	0.0	-34.67	16.778	0.0	-0.854	22.634	0.051	-2.712	23.699	0.728	0.086	217.341	2.688	0.087	217.086	2.494	0.086	0.164	0.0	0.086	0.21	0.0
38	15708	15709	SN	1	-33.537	17.696	0.0	-34.868	18.376	0.0	-25.895	22.95	0.047	-12.665	23.256	0.172	0.086	167.307	1.453	0.086	227.246	1.596	0.086	28.841	0.066	0.086	1.433	0.003
39	15709	15710	NS	1	-34.804	22.297	0.001	-34.914	20.982	0.0	-8.804	22.87	0.14	-23.426	23.388	0.772	0.086	223.937	3.388	0.086	229.667	3.166	0.086	0.645	0.0	0.086	16.361	0.023
40	15709	15710	SN	1	-34.676	19.353	0.0	-34.982	19.805	0.0	-5.351	23.151	0.063	-3.835	22.9	0.07	0.086	217.406	4.336	0.086	233.287	3.489	0.086	0.323	0.0	0.086	0.249	0.0
41	15710	15711	SN	2	-34.968	18.892	0.0	-33.56	20.122	0.0	-26.707	22.933	0.068	-27.527	23.606	0.106	0.086	232.581	2.252	0.086	168.201	1.756	0.086	34.757	0.174	0.086	41.977	0.028
42	15710	15711	SN	1	-33.225	18.892	0.0	-33.58	20.122	0.0	-26.707	22.933	0.068	-27.527	23.606	0.106	0.086	155.668	2.249	0.086	168.95	1.755	0.086	34.757	0.174	0.086	41.977	0.028
43	15710	15711	NS	1	-34.902	20.13	0.0	-34.98	21.146	0.0	-11.362	22.334	0.008	-26.741	23.524	0.37	0.086	229.01	2.781	0.086	233.252	2.598	0.086	1.079	0.003	0.086	35.039	0.002
44	15710	15711	NS	1	-34.902	20.13	0.0	-34.98	21.146	0.0	-11.362	22.334	0.008	-26.741	23.524	0.37	0.086	229.01	2.785	0.086	233.252	2.602	0.086	1.079	0.003	0.086	35.039	0.002
45	15711	15712	NS	1	-33.483	21.567	0.0	-33.983	20.673	0.0	-7.39	22.616	0.018	-6.666	23.315	0.365	0.086	165.207	1.525	0.086	185.33	1.278	0.086	0.473	0.0	0.086	0.411	0.0
46	15711	15712	NS	1	-33.483	21.567	0.0	-33.983	20.673	0.0	-7.39	22.616	0.02	-6.666	23.317	0.401	0.086	165.207	1.527	0.086	185.33	1.278	0.086	0.473	0.0	0.086	0.411	0.0
47	15711	15712	SN	2	-34.888	17.147	0.0	-34.66	18.665	0.0	-32.228	23.838	0.046	-30.346	22.975	0.069	0.087	228.248	1.801	0.086	216.615	1.505	0.086	123.76	0.085	0.086	80.274	0.049
48	15711	15712	SN	1	-34.888	17.147	0.0	-34.66	18.665	0.0	-32.228	23.838	0.046	-30.346	22.975	0.069	0.087	228.248	1.801	0.086	216.615	1.505	0.086	123.76	0.085	0.086	80.274	0.049
49	15711	15712	NS	1	-34.67	21.57	0.0	-34.083	20.673	0.0	-7.39	22.616	0.018	-6.666	23.315	0.369	0.086	217.136	1.521	0.086	189.688	1.281	0.086	0.473	0.0	0.086	0.411	0.0
50	15712	15713	SN	1	-34.903	17.512	0.0	-34.954	18.181	0.0	-21.88	23.125	0.078	-26.794	23.086	0.187	0.087	229.126	1.973	0.086	231.802	1.473	0.086	11.485	0.088	0.086	35.464	0.128
51	15712	15713	NS	1	-34.914	21.146	0.0	-34.756	17.28	0.0	0.492	22.361	0.037	2.298	22.956	0.451	0.086	229.675	4.245	0.087	221.51	3.993	0.086	0.142	0.0	0.086	0.122	0.0
52	15712	15713	NS	1	-34.914	21.146	0.0	-34.756	17.28	0.0	0.492	22.361	0.024	2.298	22.952	0.325	0.086	229.675	4.229	0.087	221.51	3.993	0.086	0.142	0.0	0.086	0.122	0.0
53	15712	15713	NS	2	-34.914	21.146	0.0	-34.756	17.28	0.0	0.492	22.361	0.024	2.298	22.952	0.325	0.086	229.675	4.229	0.087	221.51	3.993	0.086	0.142	0.0	0.086	0.122	0.0
54	15712	15713	SN	2	-34.903	17.512	0.0	-34.954	18.181	0.0	-21.88	23.125	0.078	-26.794	23.086	0.187	0.087	229.126	1.973	0.086	231.802	1.473	0.086	11.485	0.088	0.086	35.464	0.128
55	15712	15713	SN	1	-34.903	17.511	0.0	-34.755	18.184	0.0	-21.571	23.125	0.078	-26.602	23.088	0.187	0.087	229.126	1.976	0.086	221.423	1.468	0.086	10.97	0.088	0.086	33.935	0.128
56	15713	15714	SN	2	-34.86	16.709	0.0	-34.145	18.256	0.0	0.577	22.63	0.18	1.945	23.538	1.002	0.087	226.863	3.714	0.086	192.432	3.07	0.086	0.141	0.0	0.086	0.125	0.0
57	15713	15714	NS	1	-34.946	20.869	0.0	-34.082	20.436	0.0	0.399	22.153	0.031	1.679	22.699	0.156	0.086	231.392	6.503	0.086	189.616	6.202	0.086	0.143	0.0	0.086	0.128	0.0
58	15713	15714	SN	1	-34.838	16.711	0.0	-34.7	18.256	0.0	0.577	22.63	0.18	1.945	23.538	0.995	0.087	225.7	3.709	0.086	218.695	3.069	0.086	0.141	0.0	0.086	0.125	0.0
59	15713	15714	NS	3	-34.946	20.869	0.0	-34.082	20.436	0.0	0.399	22.178	0.046	1.683	23.112	0.451	0.086	231.392	6.421	0.086	189.616	6.201	0.086	0.143	0.0	0.086	0.128	0.0
60	15713	15714	NS	1	-34.946	20.869	0.0	-34.082	20.436	0.0	0.399	22.178	0.046	1.683	23.112	0.451	0.086	231.392	6.422	0.086	189.616	6.201	0.086	0.143	0.0	0.086	0.128	0.0
61	15713	15714	SN	1	-34.632	16.709	0.0	-34.317	18.256	0.0	0.577	22.63	0.18	1.945	23.538	1.002	0.087	215.282	3.714	0.086	200.149	3.07	0.086	0.141	0.0	0.086	0.125	0.0
62	15713	15714	NS	2	-34.946	20.869	0.0	-34.082	20.436	0.0	0.399	22.178	0.046	1.683	23.112	0.451	0.086	231.392	6.422	0.086	189.616	6.201	0.086	0.143	0.0	0.086	0.128	0.0
63	15714	15715	SN	1	-34.959	16.006	0.0	-34.782	17.664	0.0	1.102	22.856	0.014	3.586	22.763	0.064	0.087	232.073	4.602	0.087	222.82	4.167	0.086	0.134	0.0	0.086	0.112	0.0
64	15714	15715	NS	1	-34.488	20.086	0.0	-34.889	17.502	0.0	1.858	22.928	0.202	0.158	23.136	0.462	0.086	208.256	2.966	0.087	228.334	2.335	0.086	0.126	0.0	0.086	0.147	0.0
65	15714	15715	NS	1	-34.804	20.086	0.0	-34.872	17.491	0.0	1.858	21.556	0.0	0.178	22.119	0.004	0.086	229.674	3.21	0.087	227.464	2.353	0.086	0.126	0.0	0.086	0.146	0.0
66	15714	15715	SN	1	-34.959	16.575	0.0	-34.858	18.403	0.0	0.922	22.856	0.036	3.586	22.866	0.074	0.087	232.073	4.512	0.086	226.739	4.075	0.086	0.136	0.0	0.086	0.112	0.0
67	15714	15715	SN	2	-34.959	16.575	0.0	-34.858	18.403	0.0	0.922	22.856	0.036	3.586	22.866	0.074	0.087	232.073	4.512	0.086	226.739	4.075	0.086	0.136	0.0	0.086	0.112	0.0
68	15714	15715	NS	1	-34.488	20.086	0.0	-34.721	17.492	0.0	1.858	21.556	0.0	0.178	22.119	0.004	0.086	208.256	3.217	0.087	219.693	2.357	0.086	0.126	0.0	0.086	0.146	0.0
69	15714	15715	SN	1	-33.704	16.583	0.0	-32.12	18.399	0.0	0.938	22.512	0.247	7.106	22.866	0.698	0.087	173.859	13.746	0.086	120.737	3.571	0.086	0.136	0.0	0.086	0.097	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal     
 Deviations  
 Alarming     
 High Errors

70	15714	15715	NS	2	-34.488	20.086	0.0	-34.721	17.502	0.0	1.858	22.928	0.202	0.158	23.136	0.462	0.086	208.256	2.964	0.087	219.693	2.337	0.086	0.126	0.0	0.086	0.147	0.0
71	15715	15716	SN	3	-33.734	20.059	0.0	-34.906	20.1	0.0	-27.747	22.517	0.006	-20.977	22.531	0.007	0.086	175.05	3.059	0.086	229.283	3.123	0.086	44.152	0.059	0.086	9.338	0.032
72	15715	15716	SN	1	-32.55	20.059	0.0	-34.889	20.1	0.0	-26.563	22.517	0.006	-21.028	22.531	0.007	0.086	133.278	2.989	0.086	228.33	3.097	0.086	33.63	0.061	0.086	9.448	0.032
73	15715	15716	SN	2	-33.734	20.059	0.0	-34.906	20.1	0.0	-27.747	22.517	0.006	-20.977	22.531	0.007	0.086	175.05	3.059	0.086	229.283	3.123	0.086	44.152	0.059	0.086	9.338	0.032
74	15715	15716	SN	1	-34.657	20.059	0.0	-34.954	20.1	0.0	-27.717	22.517	0.006	-20.965	22.531	0.007	0.086	216.514	3.062	0.086	231.81	3.124	0.086	43.856	0.059	0.086	9.311	0.032
75	15715	15716	NS	1	-34.83	19.349	0.0	-33.964	18.954	0.0	-14.028	22.607	0.012	-5.406	24.723	0.058	0.086	225.302	2.329	0.086	184.548	1.649	0.086	1.937	0.005	0.086	0.326	0.0
76	15716	15717	SN	3	-34.987	20.263	0.0	-34.793	20.721	0.0	-15.773	22.067	0.002	-19.492	22.095	0.002	0.086	233.529	2.958	0.086	223.41	2.72	0.086	2.863	0.006	0.086	6.652	0.015
77	15716	15717	NS	1	-34.844	19.954	0.0	-32.996	20.11	0.0	-6.208	22.079	0.003	-6.638	22.636	0.021	0.086	226.031	2.312	0.086	151.433	1.866	0.086	0.377	0.0	0.086	0.409	0.0
78	15716	15717	NS	2	-34.942	19.954	0.0	-32.71	20.11	0.0	-6.209	22.079	0.003	-6.638	22.636	0.021	0.086	231.162	2.315	0.086	138.272	1.868	0.086	0.378	0.0	0.086	0.409	0.0
79	15716	15717	SN	1	-34.714	20.264	0.0	-34.847	20.721	0.0	-15.776	22.067	0.002	-19.492	22.095	0.002	0.086	219.379	2.958	0.086	226.19	2.718	0.086	2.864	0.006	0.086	6.652	0.015
80	15716	15717	SN	2	-34.987	20.263	0.0	-34.793	20.721	0.0	-15.773	22.067	0.002	-19.492	22.095	0.002	0.086	233.529	2.957	0.086	223.41	2.719	0.086	2.863	0.006	0.086	6.652	0.015
81	15716	15717	NS	1	-34.796	19.954	0.0	-34.54	20.11	0.0	-6.209	22.079	0.003	-6.638	22.634	0.021	0.086	223.516	2.316	0.086	210.743	1.868	0.086	0.378	0.0	0.086	0.409	0.0
82	15716	15717	SN	1	-34.987	20.263	0.0	-34.793	20.721	0.0	-15.774	22.067	0.002	-19.492	22.095	0.002	0.086	233.529	3.047	0.086	223.41	2.677	0.086	2.863	0.006	0.086	6.652	0.015
83	15717	15718	SN	1	-34.631	18.461	0.0	-34.885	18.08	0.0	1.465	22.248	0.019	1.772	21.281	0.0	0.086	215.152	2.388	0.086	228.15	1.904	0.086	0.13	0.0	0.086	0.127	0.0
84	15717	15718	NS	1	-34.711	17.913	0.0	-34.372	16.935	0.0	-8.228	21.613	0.0	-17.38	22.127	0.003	0.086	219.175	3.155	0.087	202.726	3.166	0.086	0.559	0.0	0.086	4.115	0.018
85	15717	15718	SN	1	-34.97	18.461	0.0	-34.946	18.08	0.0	1.465	22.248	0.019	1.772	21.281	0.0	0.086	232.655	2.426	0.086	231.357	1.908	0.086	0.13	0.0	0.086	0.127	0.0
86	15718	15719	NS	1	-34.269	17.557	0.0	-34.301	17.95	0.0	-19.811	22.29	0.001	-29.475	22.689	0.011	0.087	197.957	1.742	0.086	199.479	1.544	0.086	7.153	0.013	0.086	65.683	0.063
87	15718	15719	SN	1	-34.937	16.867	0.0	-34.786	17.751	0.0	1.012	21.955	0.0	2.25	22.755	0.009	0.087	230.89	2.51	0.086	222.952	2.066	0.086	0.135	0.0	0.086	0.122	0.0
88	15719	15720	SN	1	-34.939	16.394	0.0	-34.849	18.345	0.0	0.604	21.655	0.0	2.926	22.297	0.008	0.087	230.978	3.878	0.086	226.267	3.085	0.086	0.14	0.0	0.086	0.116	0.0
89	15719	15720	NS	1	-34.493	17.695	0.0	-34.885	17.833	0.0	-22.239	22.065	0.001	-21.673	22.707	0.009	0.086	208.444	2.301	0.086	228.132	2.049	0.086	12.467	0.048	0.086	10.95	0.029
90	15720	15721	NS	1	-34.889	17.727	0.0	-34.928	17.619	0.0	-32.139	21.615	0.0	-27.394	22.811	0.014	0.086	228.387	2.99	0.087	230.373	3.058	0.086	121.27	0.263	0.086	40.708	0.11
91	15720	15721	SN	1	-34.377	15.968	0.0	-34.965	18.577	0.0	0.614	21.764	0.0	4.614	21.923	0.0	0.087	202.946	5.715	0.086	232.359	5.623	0.086	0.14	0.0	0.086	0.106	0.0
92	15721	15722	NS	1	-34.83	20.066	0.0	-34.374	20.421	0.0	3.186	22.201	0.023	0.486	23.38	0.031	0.086	225.315	2.295	0.086	202.847	2.228	0.086	0.115	0.0	0.086	0.142	0.0
93	15721	15722	SN	1	-34.611	16.31	0.0	-34.832	18.335	0.0	-19.282	23.0	0.086	-7.073	22.972	0.287	0.087	214.177	1.187	0.086	225.404	0.993	0.086	6.341	0.003	0.086	0.445	0.0
94	15722	15723	NS	1	-34.71	18.068	0.0	-34.649	17.698	0.0	-11.358	22.265	0.025	-6.104	23.167	0.293	0.086	219.131	2.741	0.086	216.073	2.248	0.086	1.078	0.002	0.086	0.37	0.0
95	15722	15723	SN	1	-34.792	16.827	0.0	-34.974	16.152	0.0	-7.6	23.103	0.06	-8.541	23.598	0.266	0.087	223.294	2.162	0.087	232.898	1.928	0.086	0.493	0.0	0.086	0.596	0.0
96	15722	15723	SN	1	-34.792	16.827	0.0	-34.974	17.99	0.0	-7.6	23.103	0.057	-8.541	23.598	0.274	0.087	223.294	2.007	0.086	232.898	1.778	0.086	0.493	0.0	0.086	0.596	0.0
97	15723	15724	NS	1	-34.362	20.645	0.0	-34.212	21.211	0.0	-23.875	22.545	0.11	-20.963	23.802	0.854	0.086	202.246	1.912	0.086	195.383	1.599	0.086	18.14	0.017	0.086	9.31	0.011
98	15723	15724	SN	1	-34.844	17.675	0.0	-34.871	18.188	0.0	-31.828	22.866	0.062	-8.276	23.069	0.09	0.087	226.044	2.251	0.086	227.373	2.09	0.086	112.888	0.038	0.086	0.565	0.0
99	15724	15725	NS	1	-34.86	22.356	0.001	-33.789	17.457	0.0	-21.661	22.421	0.013	-17.411	23.239	0.473	0.086	226.796	2.586	0.087	177.263	2.301	0.086	10.92	0.026	0.086	4.144	0.005
100	15724	15725	SN	1	-34.782	19.74	0.0	-34.758	20.48	0.0	-31.444	22.771	0.091	-28.548	23.051	0.073	0.086	222.804	4.615	0.086	221.57	4.215	0.086	103.354	0.153	0.086	53.082	0.149
101	15725	15726	NS	1	-33.938	18.479	0.0	-34.037	18.484	0.0	-1.369	22.412	0.014	-5.078	23.287	0.378	0.086	183.477	1.891	0.086	187.672	1.642	0.086	0.175	0.0	0.086	0.308	0.0
102	15725	15726	SN	1	-33.777	18.704	0.0	-34.776	19.366	0.0	-27.431	23.623	0.049	-21.857	23.017	0.048	0.086	176.777	2.884	0.086	222.482	2.379	0.086	41.053	0.05	0.086	11.421	0.034
103	15726	15727	SN	1	-34.985	17.656	0.0	-35.001	18.25	0.0	-25.203	22.808	0.065	-18.712	23.082	0.102	0.087	233.492	4.332	0.086	234.268	4.088	0.086	24.606	0.033	0.086	5.57	0.022
104	15726	15727	NS	1	-34.854	19.55	0.0	-34.892	21.182	0.0	-6.686	22.375	0.04	-2.084	23.227	0.386	0.086	226.487	3.028	0.086	228.541	2.406	0.086	0.413	0.0	0.086	0.192	0.0
105	15727	15728	SN	1	-34.963	17.215	0.0	-34.916	18.479	0.0	-26.316	22.74	0.144	-22.999	23.096	0.54	0.087	232.268	4.75	0.086	229.763	4.174	0.086	31.777	0.134	0.086	14.84	0.145
106	15727	15728	NS	1	-34.99	21.552	0.0	-34.618	19.452	0.0	-10.739	22.158	0.026	-10.174	23.307	0.425	0.086	233.723	4.801	0.086	214.558	4.62	0.086	0.943	0.0	0.086	0.837	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors



107	15728	15729	SN	1	-34.718	17.054	0.0	-34.739	18.536	0.0	-2.362	22.486	0.075	0.222	23.176	0.513	0.087	219.488	2.779	0.086	220.639	2.569	0.086	0.2	0.0	0.086	0.146	0.0
108	15728	15729	NS	1	-34.798	19.72	0.0	-34.88	17.191	0.0	-10.318	22.712	0.139	2.12	23.436	0.465	0.086	223.639	4.772	0.087	227.913	4.687	0.086	0.862	0.0	0.086	0.123	0.0
109	15729	15730	NS	1	-34.863	19.616	0.0	-34.173	20.161	0.0	0.328	23.024	0.139	0.729	23.297	0.252	0.086	227.012	2.804	0.086	193.666	2.307	0.086	0.144	0.0	0.086	0.139	0.0
110	15729	15730	NS	2	-34.931	19.616	0.0	-34.919	20.162	0.0	0.33	23.024	0.139	0.732	23.3	0.251	0.086	230.605	2.807	0.086	229.914	2.309	0.086	0.144	0.0	0.086	0.139	0.0
111	15729	15730	NS	1	-34.863	19.616	0.0	-34.173	20.161	0.0	0.328	23.024	0.139	0.732	23.3	0.25	0.086	227.012	2.808	0.086	193.666	2.309	0.086	0.144	0.0	0.086	0.139	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors