

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-SEP-2019 To 27-SEP-2019





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 26-SEP-2019 To 27-SEP-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15874	15875	SN	1	48.743	49.434	0.0	0.0	24.42	2.666	1029.368	1082.752	0.0	-91.709	-89.975	0.0
2	15874	15875	SN	2	48.73	49.434	0.0	0.0	24.42	2.663	1029.32	1082.752	0.0	-91.709	-89.975	0.0
3	15874	15875	SN	1	48.73	49.434	0.0	0.0	24.42	2.663	1029.32	1082.752	0.0	-91.709	-89.975	0.0
4	15874	15875	SN	1	48.743	49.434	0.0	0.003	6.541	2.002	1029.368	1082.752	0.0	-91.709	-89.975	0.0
5	15875	15876	SN	1	48.732	49.431	0.0	0.003	36.537	2.609	1030.184	1082.688	0.0	-91.654	-89.954	0.0
6	15875	15876	NS	1	48.723	49.351	0.0	0.003	41.757	2.599	1038.888	1082.656	0.0	-91.796	-90.05	0.0
7	15875	15876	SN	1	48.732	49.431	0.0	0.003	36.537	2.434	1030.184	1082.688	0.0	-91.654	-89.954	0.0
8	15876	15877	SN	1	48.721	49.43	0.0	0.003	279.186	2.378	1028.824	1082.816	0.0	-91.763	-89.984	0.0
9	15876	15877	SN	1	48.721	49.431	0.0	0.003	281.304	2.365	1028.824	1082.84	0.0	-91.764	-89.984	0.0
10	15876	15877	SN	1	48.721	49.43	0.0	0.003	279.186	2.515	1028.824	1082.816	0.0	-91.763	-89.984	0.0
11	15876	15877	NS	1	48.725	49.352	0.0	0.003	41.889	2.502	1038.976	1082.832	0.0	-91.679	-90.001	0.0
12	15876	15877	NS	2	48.725	49.352	0.0	0.003	41.889	2.502	1038.976	1082.832	0.0	-91.679	-90.001	0.0
13	15877	15878	SN	1	48.715	49.431	0.0	0.003	215.907	2.313	1028.72	1082.736	0.0	-91.773	-89.983	0.0
14	15877	15878	NS	1	48.685	49.351	0.0	0.003	267.014	2.594	1038.736	1082.72	0.0	-91.694	-90.053	0.0
15	15877	15878	SN	1	48.715	49.431	0.0	0.003	215.907	2.545	1028.72	1082.736	0.0	-93.945	-89.983	0.0
16	15877	15878	NS	1	48.685	49.351	0.0	0.003	267.014	2.596	1038.736	1082.72	0.0	-91.707	-90.053	0.0
17	15877	15878	SN	2	48.715	49.431	0.0	0.003	215.907	2.545	1028.72	1082.736	0.0	-93.945	-89.983	0.0
18	15878	15879	NS	1	48.726	49.356	0.0	0.003	13.269	2.58	1039.848	1082.592	0.0	-91.81	-90.054	0.0
19	15878	15879	SN	2	48.6	49.43	0.0	0.003	6.519	2.526	1028.72	1082.6	0.0	-92.372	-89.981	0.0
20	15878	15879	SN	1	48.6	49.43	0.0	0.003	6.524	2.526	1028.728	1082.608	0.0	-92.372	-89.981	0.0
21	15878	15879	SN	1	48.72	49.43	0.0	0.003	6.519	2.168	1028.72	1082.6	0.0	-91.873	-89.981	0.0
22	15878	15879	NS	1	48.726	49.356	0.0	0.003	13.269	2.578	1039.848	1082.592	0.0	-91.81	-90.054	0.0
23	15879	15880	SN	1	48.609	49.43	0.0	0.003	6.519	2.527	1029.016	1082.48	0.0	-92.199	-89.981	0.0
24	15879	15880	SN	1	48.724	49.43	0.0	0.003	6.519	1.968	1029.016	1082.48	0.0	-91.474	-89.981	0.0
25	15879	15880	NS	1	48.662	49.393	0.0	0.0	45.124	2.732	1038.872	1082.472	0.0	-93.257	-90.055	0.0
26	15879	15880	NS	2	48.662	49.381	0.0	0.0	45.124	2.731	1038.872	1082.472	0.0	-91.842	-90.055	0.0
27	15879	15880	SN	1	48.609	49.43	0.0	0.003	6.519	2.524	1028.744	1082.48	0.0	-92.199	-89.981	0.0
28	15880	15881	SN	1	48.602	49.43	0.0	0.003	282.142	2.587	1028.864	1082.4	0.0	-93.96	-89.981	0.0
29	15880	15881	NS	2	48.726	49.399	0.0	0.003	13.032	2.558	1039.792	1082.392	0.0	-91.709	-90.066	0.0
30	15880	15881	NS	1	48.726	49.399	0.0	0.003	13.032	2.558	1039.792	1082.392	0.0	-92.881	-90.066	0.0
31	15880	15881	SN	1	48.602	49.429	0.0	0.003	215.659	2.586	1029.232	1082.4	0.0	-93.96	-89.981	0.0
32	15880	15881	SN	1	48.745	49.43	0.0	0.003	282.142	1.748	1028.864	1082.4	0.0	-91.654	-89.981	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	15881	15882	NS	1	48.704	49.411	0.0	0.0	43.307	2.71	1039.6	1082.48	0.0	-91.805	-90.068	0.0
34	15881	15882	SN	1	48.73	49.431	0.0	0.003	27.964	1.585	1029.512	1082.512	0.0	-91.666	-89.97	0.0
35	15881	15882	SN	1	48.73	49.431	0.0	0.003	27.964	2.683	1029.512	1082.512	0.0	-91.666	-89.97	0.0
36	15882	15883	NS	1	48.725	49.362	0.0	0.003	206.906	2.591	1039.336	1082.52	0.0	-92.275	-90.054	0.0
37	15882	15883	NS	1	48.725	49.362	0.0	0.003	206.906	2.593	1039.336	1082.52	0.0	-91.796	-90.054	0.0
38	15882	15883	SN	1	48.729	49.485	0.0	0.003	6.53	2.59	1029.28	1082.552	0.0	-94.658	-89.928	0.0
39	15883	15884	SN	1	48.736	49.431	0.0	0.003	6.524	2.547	1029.352	1082.448	0.0	-91.662	-89.974	0.0
40	15883	15884	NS	1	48.718	49.352	0.0	0.003	18.2	2.717	1038.776	1082.408	0.0	-91.738	-90.042	0.0
41	15883	15884	NS	1	48.681	49.366	0.0	0.003	18.2	2.703	1038.968	1082.408	0.0	-91.796	-90.042	0.0
42	15884	15885	NS	1	48.709	49.63	0.0	0.0	79.951	2.628	1038.72	1082.304	0.0	-94.035	-90.057	0.0
43	15884	15885	NS	1	48.728	49.63	0.0	0.0	79.951	2.642	1038.816	1082.304	0.0	-94.035	-90.057	0.0
44	15884	15885	SN	1	48.736	49.431	0.0	0.003	29.342	2.609	1029.904	1082.48	0.0	-92.204	-89.956	0.0
45	15884	15885	SN	2	48.736	49.431	0.0	0.003	280.399	2.611	1029.912	1082.352	0.0	-91.612	-89.956	0.0
46	15884	15885	SN	3	48.736	49.431	0.0	0.003	280.399	2.611	1029.912	1082.488	0.0	-91.612	-89.956	0.0
47	15885	15886	NS	1	48.704	49.35	0.0	0.0	40.563	2.552	1038.776	1082.12	0.0	-92.213	-90.068	0.0
48	15885	15886	NS	2	48.704	49.35	0.0	0.0	40.563	2.733	1038.776	1082.36	0.0	-92.213	-90.068	0.0
49	15885	15886	NS	1	48.704	49.35	0.0	0.0	40.563	2.733	1038.776	1082.352	0.0	-92.213	-90.068	0.0
50	15885	15886	NS	1	48.704	49.35	0.0	0.0	40.563	2.42	1038.776	1081.992	0.0	-92.213	-90.068	0.0
51	15885	15886	SN	1	48.733	49.431	0.0	0.0	271.796	2.625	1029.856	1082.408	0.0	-92.208	-89.956	0.0
52	15885	15886	SN	1	48.733	49.431	0.0	0.0	271.796	2.623	1029.92	1082.408	0.0	-91.657	-89.956	0.0
53	15886	15887	SN	1	48.75	49.431	0.0	0.003	282.655	2.572	1030.08	1082.376	0.0	-91.693	-89.974	0.0
54	15886	15887	NS	1	48.696	49.41	0.0	0.003	13.197	1.951	1038.52	1081.344	0.0	-91.74	-90.067	0.0
55	15886	15887	NS	2	48.696	49.41	0.0	0.003	13.197	2.578	1038.52	1082.344	0.0	-91.804	-90.067	0.0
56	15886	15887	NS	1	48.696	49.41	0.0	0.003	13.197	2.578	1038.52	1082.344	0.0	-91.804	-90.067	0.0
57	15886	15887	SN	2	48.75	49.431	0.0	0.003	282.655	2.572	1030.08	1082.376	0.0	-91.693	-89.974	0.0
58	15887	15888	NS	1	48.67	49.403	0.0	0.003	43.048	1.54	1038.456	1080.256	0.0	-91.79	-90.065	0.0
59	15887	15888	NS	2	48.67	49.403	0.0	0.003	43.048	2.625	1038.456	1082.408	0.0	-91.814	-90.065	0.0
60	15887	15888	NS	1	48.67	49.403	0.0	0.003	43.048	2.626	1038.456	1082.384	0.0	-91.814	-90.065	0.0
61	15887	15888	SN	1	48.724	49.437	0.0	0.003	282.385	2.569	1029.152	1082.448	0.0	-91.793	-89.986	0.0
62	15887	15888	SN	1	48.74	49.431	0.0	0.003	282.385	2.571	1029.44	1082.448	0.0	-91.7	-89.986	0.0
63	15888	15889	NS	1	48.71	49.39	0.0	0.003	43.34	2.532	1038.832	1082.4	0.0	-91.717	-90.065	0.0
64	15888	15889	NS	2	48.71	49.39	0.0	0.003	13.418	1.517	1038.832	1078.16	0.0	-91.717	-90.065	0.0
65	15888	15889	SN	1	48.734	49.432	0.0	0.0	43.723	2.737	1029.24	1082.464	0.0	-91.608	-89.988	0.0
66	15888	15889	NS	1	48.71	49.39	0.0	0.003	13.418	1.517	1038.832	1078.16	0.0	-91.717	-90.065	0.0
67	15889	15890	SN	1	48.724	49.464	0.0	0.0	281.215	2.494	1029.68	1082.264	0.0	-91.687	-89.947	0.0
68	15889	15890	SN	1	48.724	49.464	0.0	0.003	281.215	2.736	1029.68	1082.264	0.0	-94.142	-89.947	0.0
69	15889	15890	NS	2	48.662	49.352	0.0	0.0	264.422	2.782	1038.712	1082.216	0.0	-91.793	-90.045	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	15889	15890	NS	1	48.662	49.352	0.0	0.0	44.352	2.783	1038.72	1082.216	0.0	-91.793	-90.045	0.0
71	15889	15890	SN	1	48.724	49.464	0.0	0.0	281.215	2.941	1029.68	1082.264	0.0	-94.142	-89.947	0.0
72	15890	15891	SN	1	48.712	49.429	0.0	0.003	6.541	2.395	1029.664	1082.448	0.0	-91.636	-89.96	0.0
73	15890	15891	NS	1	48.726	49.361	0.0	0.003	267.147	2.496	1039.368	1082.4	0.0	-94.254	-90.018	0.0
74	15890	15891	NS	2	48.726	49.361	0.0	0.003	267.147	2.501	1039.368	1082.4	0.0	-94.254	-90.018	0.0
75	15890	15891	SN	1	48.713	49.429	0.0	0.003	215.168	2.52	1029.664	1082.456	0.0	-91.636	-89.96	0.0
76	15890	15891	SN	2	48.713	49.429	0.0	0.003	215.168	2.397	1029.664	1082.456	0.0	-91.636	-89.96	0.0
77	15891	15892	SN	1	48.722	49.429	0.0	0.003	27.655	2.332	1028.912	1082.488	0.0	-91.692	-89.984	0.0
78	15891	15892	SN	1	48.722	49.429	0.0	0.003	27.655	2.492	1028.912	1082.488	0.0	-91.692	-89.984	0.0
79	15891	15892	NS	1	48.727	49.36	0.0	0.003	18.503	2.574	1039.304	1082.456	0.0	-94.237	-90.019	0.0
80	15891	15892	SN	1	48.718	49.429	0.0	0.003	27.655	2.49	1028.912	1082.488	0.0	-91.9	-89.984	0.0
81	15892	15893	SN	2	48.74	49.428	0.0	0.003	6.53	2.544	1028.696	1082.352	0.0	-91.676	-89.956	0.0
82	15892	15893	SN	1	48.74	49.428	0.0	0.003	6.53	2.261	1028.696	1082.352	0.0	-91.657	-89.956	0.0
83	15892	15893	NS	1	48.682	49.359	0.0	0.003	267.042	2.607	1039.032	1082.304	0.0	-91.773	-90.047	0.0
84	15892	15893	NS	1	48.684	49.357	0.0	0.003	210.552	2.606	1039.072	1082.256	0.0	-91.773	-90.048	0.0
85	15892	15893	SN	1	48.74	49.428	0.0	0.003	6.53	2.544	1028.696	1082.352	0.0	-91.676	-89.956	0.0
86	15893	15894	SN	1	48.712	49.427	0.0	0.003	6.524	2.525	1029.312	1082.256	0.0	-92.943	-89.981	0.0
87	15893	15894	NS	1	48.73	49.375	0.0	0.0	43.591	2.726	1040.048	1082.144	0.0	-91.829	-90.059	0.0
88	15893	15894	NS	1	48.728	49.382	0.0	0.0	43.591	2.73	1040.008	1082.184	0.0	-91.83	-90.059	0.0
89	15893	15894	SN	2	48.712	49.427	0.0	0.003	6.524	2.526	1029.312	1082.256	0.0	-92.943	-89.981	0.0
90	15893	15894	SN	1	48.712	49.427	0.0	0.003	6.524	2.06	1029.312	1082.256	0.0	-91.504	-89.981	0.0
91	15894	15895	NS	1	48.696	49.37	0.0	0.003	13.594	2.556	1039.976	1082.064	0.0	-92.166	-90.065	0.0
92	15894	15895	NS	1	48.671	49.39	0.0	0.003	13.606	2.555	1040.032	1082.0	0.0	-91.879	-90.065	0.0
93	15894	15895	SN	1	48.602	49.427	0.0	0.003	6.508	2.577	1028.848	1082.104	0.0	-92.393	-89.982	0.0
94	15894	15895	SN	2	48.602	49.427	0.0	0.003	6.508	2.577	1028.848	1082.104	0.0	-92.393	-89.982	0.0
95	15894	15895	SN	1	48.736	49.427	0.0	0.003	6.508	2.381	1028.848	1082.104	0.0	-91.837	-89.982	0.0
96	15895	15896	SN	2	48.732	49.425	0.0	0.003	6.508	2.662	1029.176	1082.064	0.0	-91.652	-89.972	0.0
97	15895	15896	SN	1	48.732	49.425	0.0	0.003	6.508	2.661	1029.176	1082.064	0.0	-91.653	-89.972	0.0
98	15895	15896	NS	1	48.665	49.398	0.0	0.003	19.446	2.611	1039.608	1081.992	0.0	-91.702	-90.072	0.0
99	15895	15896	NS	1	48.674	49.398	0.0	0.003	19.44	2.607	1039.192	1081.984	0.0	-91.702	-90.072	0.0
100	15895	15896	SN	1	48.724	49.425	0.0	0.003	6.508	1.662	1029.176	1082.064	0.0	-91.586	-89.972	0.0
101	15896	15897	SN	1	48.732	49.429	0.0	0.003	28.703	2.601	1029.104	1082.24	0.0	-91.736	-89.953	0.0
102	15896	15897	SN	1	48.732	49.429	0.0	0.003	28.703	1.55	1029.104	1082.24	0.0	-91.736	-89.953	0.0
103	15896	15897	NS	1	48.68	49.387	0.0	0.003	266.413	2.577	1038.792	1082.112	0.0	-93.239	-90.07	0.0
104	15896	15897	NS	2	48.677	49.39	0.0	0.003	264.527	2.579	1038.736	1082.176	0.0	-93.24	-90.069	0.0
105	15896	15897	SN	1	48.731	49.429	0.0	0.003	28.703	2.598	1029.344	1082.24	0.0	-91.736	-89.953	0.0
106	15897	15898	NS	1	48.669	49.396	0.0	0.0	42.807	2.798	1038.944	1082.16	0.0	-94.486	-90.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

107	15897	15898	SN	1	48.721	49.429	0.0	0.003	215.67	2.53	1029.752	1082.224	0.0	-91.725	-89.936	0.0
108	15898	15899	NS	1	48.727	49.356	0.0	0.003	264.422	2.629	1039.952	1081.992	0.0	-91.863	-90.043	0.0
109	15898	15899	SN	1	48.76	49.429	0.0	0.003	279.489	2.553	1029.472	1082.056	0.0	-91.622	-89.973	0.0
110	15899	15900	NS	1	48.67	49.424	0.0	0.003	266.943	2.598	1038.872	1082.032	0.0	-92.196	-90.071	0.0
111	15899	15900	SN	1	48.717	49.43	0.0	0.003	216.05	2.635	1030.056	1082.096	0.0	-91.649	-89.961	0.0
112	15899	15900	NS	1	48.67	49.424	0.0	0.003	266.943	2.648	1038.872	1082.032	0.0	-92.196	-90.071	0.0
113	15899	15900	SN	2	48.718	49.429	0.0	0.003	216.05	2.635	1030.056	1082.088	0.0	-91.649	-89.961	0.0
114	15899	15900	NS	1	48.67	49.356	0.0	0.003	266.943	2.645	1039.024	1082.032	0.0	-91.793	-90.071	0.0
115	15900	15901	NS	1	48.696	49.424	0.0	0.003	13.727	2.192	1039.032	1081.608	0.0	-91.805	-90.07	0.0
116	15900	15901	NS	1	48.696	49.424	0.0	0.003	13.727	2.55	1039.032	1082.072	0.0	-91.83	-90.07	0.0
117	15900	15901	SN	1	48.716	49.43	0.0	0.003	281.221	2.592	1030.024	1082.136	0.0	-92.035	-89.964	0.0
118	15900	15901	NS	1	48.696	49.424	0.0	0.003	13.727	2.547	1039.016	1082.064	0.0	-91.83	-90.07	0.0
119	15900	15901	SN	1	48.716	49.43	0.0	0.003	281.221	2.582	1030.024	1082.136	0.0	-92.035	-89.964	0.0
120	15901	15902	NS	1	48.688	49.408	0.0	0.0	264.527	2.735	1038.456	1082.128	0.0	-91.75	-90.068	0.0
121	15901	15902	SN	1	48.737	49.432	0.0	0.003	28.11	2.577	1029.144	1082.192	0.0	-91.686	-89.983	0.0
122	15901	15902	NS	2	48.688	49.408	0.0	0.0	264.527	2.735	1038.456	1082.128	0.0	-91.75	-90.068	0.0
123	15901	15902	NS	1	48.688	49.408	0.0	0.0	264.527	1.83	1038.456	1080.44	0.0	-91.75	-90.068	0.0
124	15901	15902	SN	1	48.738	49.431	0.0	0.003	274.978	2.586	1029.144	1082.176	0.0	-91.686	-89.983	0.0
125	15902	15903	NS	2	48.674	49.355	0.0	0.003	266.948	2.559	1038.536	1082.176	0.0	-91.708	-90.068	0.0
126	15902	15903	SN	1	48.716	49.433	0.0	0.003	6.524	1.526	1029.28	1082.256	0.0	-91.654	-89.984	0.0
127	15902	15903	SN	1	48.716	49.433	0.0	0.003	6.524	2.637	1029.28	1082.256	0.0	-91.654	-89.984	0.0
128	15902	15903	NS	1	48.674	49.355	0.0	0.003	266.948	1.508	1038.536	1079.232	0.0	-91.806	-90.068	0.0
129	15902	15903	SN	1	48.716	49.433	0.0	0.003	6.524	2.635	1029.28	1082.256	0.0	-91.781	-89.984	0.0
130	15902	15903	NS	1	48.674	49.355	0.0	0.003	266.948	2.559	1038.536	1082.192	0.0	-91.708	-90.068	0.0
131	15903	15904	NS	1	48.676	49.423	0.0	0.003	266.943	2.69	1039.328	1082.04	0.0	-91.872	-90.062	0.0
132	15903	15904	NS	1	48.677	49.422	0.0	0.003	266.948	2.686	1039.328	1082.016	0.0	-91.872	-90.062	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors









112	15899	15900	NS	1	-34.734	27.664	0.94	-34.993	28.163	0.574	4.586	29.256	17.206	3.032	34.969	24.729	0.116	288.384	4.634	0.116	306.026	4.799	0.116	0.143	0.0	0.116	0.156	0.0
113	15899	15900	SN	2	-34.051	24.922	0.917	-34.094	24.628	2.902	-26.396	28.71	13.344	-27.925	29.953	11.982	0.116	246.373	3.748	0.116	248.802	2.767	0.116	42.345	0.077	0.116	60.175	0.075
114	15899	15900	NS	1	-34.734	27.664	0.939	-34.993	28.163	0.574	4.586	29.256	17.206	3.032	34.969	24.732	0.116	288.384	4.626	0.116	306.026	4.793	0.116	0.143	0.0	0.116	0.156	0.0
115	15900	15901	NS	1	-34.558	25.249	1.286	-34.877	28.909	0.774	1.216	28.702	16.425	1.178	28.874	33.33	0.116	276.886	2.043	0.116	297.967	1.955	0.116	0.178	0.0	0.116	0.179	0.0
116	15900	15901	NS	1	-34.558	25.249	1.286	-34.877	28.909	0.774	1.216	28.702	23.85	1.178	28.875	36.101	0.116	276.886	2.043	0.116	297.967	1.955	0.116	0.178	0.0	0.116	0.179	0.0
117	15900	15901	SN	1	-34.7	24.676	0.449	-34.756	25.334	2.839	-5.368	29.109	16.4	-6.045	29.746	17.656	0.116	286.131	4.037	0.116	289.822	3.983	0.116	0.429	0.0	0.116	0.484	0.0
118	15900	15901	NS	1	-34.558	25.249	1.285	-34.877	28.909	0.773	1.216	28.702	23.85	1.178	28.875	36.101	0.116	276.886	2.048	0.116	297.967	1.953	0.116	0.178	0.0	0.116	0.179	0.0
119	15900	15901	SN	1	-34.905	24.676	0.448	-34.756	25.339	2.839	-5.368	29.109	16.38	-6.045	29.746	17.573	0.116	299.817	4.029	0.116	289.822	3.986	0.116	0.429	0.0	0.116	0.484	0.0
120	15901	15902	NS	1	-34.686	27.376	1.473	-34.971	25.246	0.64	7.658	28.614	24.909	8.141	28.764	34.873	0.116	285.218	6.824	0.116	304.49	6.435	0.116	0.129	0.0	0.116	0.128	0.0
121	15901	15902	SN	1	-34.34	25.322	0.165	-34.806	25.549	1.905	-5.349	29.373	36.14	-5.281	30.04	43.738	0.116	263.34	4.018	0.116	293.096	3.282	0.116	0.428	0.0	0.116	0.422	0.0
122	15901	15902	NS	2	-34.686	27.376	1.473	-34.971	25.246	0.64	7.658	28.614	24.909	8.141	28.764	34.873	0.116	285.218	6.824	0.116	304.49	6.435	0.116	0.129	0.0	0.116	0.128	0.0
123	15901	15902	NS	1	-34.686	27.376	1.474	-34.971	25.246	0.64	7.647	28.614	9.381	8.162	28.77	22.734	0.116	285.218	6.827	0.116	304.49	6.435	0.116	0.129	0.0	0.116	0.128	0.0
124	15901	15902	SN	1	-34.34	25.315	0.165	-34.648	25.548	1.903	-5.349	29.373	36.256	-5.281	30.038	43.812	0.116	263.34	4.016	0.116	282.62	3.281	0.116	0.428	0.0	0.116	0.422	0.0
125	15902	15903	NS	2	-34.925	25.504	1.226	-34.946	24.84	0.319	6.362	31.066	17.186	7.43	29.302	27.241	0.116	301.295	5.652	0.116	302.738	5.183	0.116	0.134	0.0	0.116	0.13	0.0
126	15902	15903	SN	1	-34.657	19.749	0.0	-34.95	20.124	0.0	4.431	29.418	27.46	5.229	29.845	32.309	0.116	283.247	2.394	0.116	302.98	2.03	0.116	0.144	0.0	0.116	0.139	0.0
127	15902	15903	SN	1	-34.731	24.83	0.196	-34.95	25.654	1.894	4.292	29.421	30.276	5.22	29.845	34.134	0.116	288.152	2.387	0.116	302.98	1.95	0.116	0.145	0.0	0.116	0.139	0.0
128	15902	15903	NS	1	-34.925	25.504	1.247	-34.946	24.833	0.319	7.098	31.066	2.577	7.43	28.624	2.284	0.116	301.295	5.796	0.116	302.738	5.182	0.116	0.131	0.0	0.116	0.13	0.0
129	15902	15903	SN	1	-34.917	24.83	0.196	-33.997	25.656	1.892	4.298	29.421	30.277	5.221	29.845	34.136	0.116	300.668	2.382	0.116	243.258	1.943	0.116	0.145	0.0	0.116	0.139	0.0
130	15902	15903	NS	1	-34.925	25.504	1.226	-34.946	24.84	0.319	6.362	31.066	17.186	7.43	29.302	27.241	0.116	301.295	5.652	0.116	302.738	5.183	0.116	0.134	0.0	0.116	0.13	0.0
131	15903	15904	NS	1	-34.721	25.232	0.956	-34.611	26.029	0.141	1.846	29.149	10.384	4.915	28.843	18.805	0.116	287.387	6.317	0.116	280.281	5.373	0.116	0.169	0.0	0.116	0.141	0.0
132	15903	15904	NS	1	-34.784	25.232	0.954	-34.892	26.03	0.141	1.846	29.149	10.376	4.915	28.843	18.805	0.116	291.621	6.308	0.116	298.979	5.366	0.116	0.169	0.0	0.116	0.141	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	15874	15875	SN	1	57.515	58.282	0.0	0.0	299.608	3.984	1206.088	1272.36	6.423	-93.244	-92.018	0.0
2	15874	15875	SN	2	57.514	58.282	0.0	0.0	299.608	3.98	1206.056	1272.36	6.453	-93.244	-92.018	0.0
3	15874	15875	SN	1	57.514	58.282	0.0	0.0	299.608	3.98	1206.056	1272.36	6.453	-93.244	-92.018	0.0
4	15874	15875	SN	1	57.502	58.282	0.0	0.0	299.608	3.337	1206.088	1272.36	6.672	-93.119	-92.018	0.0
5	15875	15876	SN	1	57.519	58.278	0.0	0.0	290.822	3.877	1206.328	1272.28	7.505	-93.055	-91.999	0.0
6	15875	15876	NS	1	57.502	58.171	0.0	0.0	298.72	3.728	1217.84	1272.104	0.0	-93.146	-92.093	0.0
7	15875	15876	SN	1	57.519	58.278	0.0	0.0	290.822	3.546	1206.328	1272.28	7.627	-93.055	-91.999	0.0
8	15876	15877	SN	1	57.505	58.278	0.0	0.0	297.871	3.389	1205.64	1272.44	8.299	-93.096	-92.032	0.0
9	15876	15877	SN	1	57.505	58.278	0.0	0.0	297.821	3.389	1205.64	1272.472	8.31	-93.096	-92.032	0.0
10	15876	15877	SN	1	57.505	58.278	0.0	0.0	297.849	3.719	1205.64	1272.44	8.207	-93.096	-92.032	0.0
11	15876	15877	NS	1	57.504	58.16	0.0	0.003	294.722	3.576	1217.136	1272.336	0.0	-93.5	-92.044	0.0
12	15876	15877	NS	2	57.504	58.16	0.0	0.003	294.722	3.576	1217.136	1272.336	0.0	-93.5	-92.044	0.0
13	15877	15878	SN	1	57.516	58.278	0.0	0.003	297.17	3.376	1205.488	1272.328	8.74	-93.118	-92.031	0.0
14	15877	15878	NS	1	57.503	58.184	0.0	0.0	297.104	3.723	1217.4	1272.192	0.0	-93.113	-92.093	0.0
15	15877	15878	SN	1	57.499	58.314	0.0	0.0	297.17	3.73	1205.488	1272.328	8.606	-95.942	-92.031	0.0
16	15877	15878	NS	1	57.503	58.16	0.0	0.0	297.104	3.727	1217.416	1272.192	0.0	-93.082	-92.093	0.0
17	15877	15878	SN	2	57.499	58.314	0.0	0.0	297.17	3.73	1205.488	1272.328	8.606	-95.942	-92.031	0.0
18	15878	15879	NS	1	57.506	58.181	0.0	0.0	288.131	3.69	1218.296	1272.04	0.0	-93.425	-92.095	0.0
19	15878	15879	SN	2	57.504	58.279	0.0	0.0	293.508	3.731	1205.56	1272.192	8.652	-93.189	-92.029	0.0
20	15878	15879	SN	1	57.504	58.28	0.0	0.0	293.492	3.729	1205.568	1272.2	8.632	-93.27	-92.029	0.0
21	15878	15879	SN	1	57.504	58.279	0.0	0.0	293.508	3.324	1205.56	1272.192	8.848	-93.189	-92.029	0.0
22	15878	15879	NS	1	57.506	58.167	0.0	0.0	288.131	3.686	1218.296	1272.04	0.0	-93.166	-92.095	0.0
23	15879	15880	SN	1	57.509	58.296	0.0	0.0	292.687	3.689	1205.44	1272.016	8.349	-95.484	-92.028	0.0
24	15879	15880	SN	1	57.499	58.296	0.0	0.0	291.617	3.142	1205.44	1272.016	8.655	-93.05	-92.028	0.0
25	15879	15880	NS	1	57.477	58.177	0.0	0.0	291.126	3.91	1217.504	1271.896	0.0	-93.408	-92.097	0.0
26	15879	15880	NS	2	57.477	58.177	0.0	0.0	291.126	3.909	1217.504	1271.896	0.0	-93.408	-92.097	0.0
27	15879	15880	SN	1	57.487	58.296	0.0	0.0	292.687	3.686	1205.456	1272.016	8.368	-95.484	-92.028	0.0
28	15880	15881	SN	1	57.521	58.277	0.0	0.0	291.17	3.805	1205.736	1271.928	8.164	-95.568	-92.029	0.0
29	15880	15881	NS	2	57.493	58.16	0.0	0.0	295.913	3.693	1217.56	1271.8	0.0	-93.375	-92.108	0.0
30	15880	15881	NS	1	57.487	58.16	0.0	0.0	295.913	3.693	1217.56	1271.8	0.0	-94.551	-92.108	0.0
31	15880	15881	SN	1	57.517	58.276	0.0	0.0	291.164	3.803	1205.688	1271.92	8.174	-95.568	-92.029	0.0
32	15880	15881	SN	1	57.521	58.277	0.0	0.0	291.17	2.989	1205.736	1271.928	8.602	-93.113	-92.029	0.0
33	15881	15882	NS	1	57.468	58.172	0.0	0.0	295.946	3.799	1218.024	1271.904	0.0	-93.135	-92.11	0.0
34	15881	15882	SN	1	57.527	58.278	0.0	0.0	286.135	2.737	1206.792	1272.08	7.425	-93.072	-92.015	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	15881	15882	SN	1	57.527	58.326	0.0	0.0	299.685	3.937	1206.792	1272.08	6.88	-95.946	-92.015	0.0
36	15882	15883	NS	1	57.475	58.181	0.0	0.0	296.034	3.736	1217.232	1271.952	0.0	-93.235	-92.094	0.0
37	15882	15883	NS	1	57.492	58.19	0.0	0.0	296.018	3.742	1217.072	1271.952	0.0	-93.221	-92.094	0.0
38	15882	15883	SN	1	57.5	58.279	0.0	0.0	297.573	3.815	1205.728	1272.128	6.856	-94.529	-91.972	0.0
39	15883	15884	SN	1	57.504	58.278	0.0	0.0	295.268	3.767	1205.904	1271.992	6.902	-93.893	-92.018	0.0
40	15883	15884	NS	1	57.486	58.168	0.0	0.0	299.878	3.914	1217.72	1271.816	0.0	-93.275	-92.083	0.0
41	15883	15884	NS	1	57.484	58.159	0.0	0.0	299.862	3.903	1217.504	1271.808	0.0	-93.341	-92.083	0.0
42	15884	15885	NS	1	57.507	58.441	0.0	0.0	290.767	3.733	1217.512	1271.672	0.0	-95.544	-92.097	0.0
43	15884	15885	NS	1	57.506	58.441	0.0	0.0	290.767	3.741	1217.376	1271.672	0.0	-95.544	-92.097	0.0
44	15884	15885	SN	1	57.502	58.277	0.0	0.0	292.984	3.874	1206.744	1272.008	6.491	-93.192	-91.998	0.0
45	15884	15885	SN	2	57.502	58.278	0.0	0.0	292.962	3.872	1206.744	1271.88	6.499	-92.971	-91.998	0.0
46	15884	15885	SN	3	57.502	58.278	0.0	0.0	292.962	3.871	1206.744	1272.024	6.499	-92.971	-91.998	0.0
47	15885	15886	NS	1	57.495	58.175	0.0	0.0	295.869	3.283	1217.216	1271.296	0.0	-93.13	-92.112	0.0
48	15885	15886	NS	2	57.495	58.175	0.0	0.0	296.906	3.786	1217.216	1271.752	0.0	-93.13	-92.112	0.0
49	15885	15886	NS	1	57.495	58.175	0.0	0.0	296.906	3.785	1217.216	1271.728	0.0	-93.13	-92.112	0.0
50	15885	15886	NS	1	57.495	58.175	0.0	0.0	295.869	3.242	1217.216	1271.064	0.0	-93.204	-92.112	0.0
51	15885	15886	SN	1	57.498	58.278	0.0	0.0	292.245	3.855	1206.416	1271.936	7.708	-92.978	-92.004	0.0
52	15885	15886	SN	1	57.512	58.278	0.0	0.0	292.245	3.851	1206.08	1271.936	7.699	-92.973	-92.004	0.0
53	15886	15887	SN	1	57.532	58.277	0.0	0.003	291.016	3.759	1206.648	1271.904	7.197	-93.192	-92.023	0.0
54	15886	15887	NS	1	57.49	58.181	0.0	0.0	296.338	2.913	1217.088	1270.112	0.0	-93.222	-92.109	0.0
55	15886	15887	NS	2	57.49	58.181	0.0	0.0	296.338	3.688	1217.088	1271.736	0.0	-93.228	-92.109	0.0
56	15886	15887	NS	1	57.49	58.181	0.0	0.0	296.338	3.688	1217.088	1271.736	0.0	-93.228	-92.109	0.0
57	15886	15887	SN	2	57.532	58.277	0.0	0.003	291.016	3.759	1206.648	1271.904	7.197	-93.192	-92.023	0.0
58	15887	15888	NS	1	57.473	58.156	0.0	0.0	295.51	2.341	1216.896	1269.224	0.0	-93.634	-92.108	0.0
59	15887	15888	NS	2	57.473	58.173	0.0	0.0	295.51	3.76	1216.896	1271.808	0.0	-93.228	-92.108	0.0
60	15887	15888	NS	1	57.473	58.173	0.0	0.0	295.51	3.756	1216.896	1271.768	0.0	-93.228	-92.108	0.0
61	15887	15888	SN	1	57.498	58.278	0.0	0.0	299.933	3.737	1206.416	1272.0	7.407	-93.114	-92.033	0.0
62	15887	15888	SN	1	57.498	58.278	0.0	0.0	299.922	3.768	1206.192	1272.0	7.396	-93.111	-92.033	0.0
63	15888	15889	NS	1	57.482	58.173	0.0	0.0	297.501	3.737	1217.432	1271.784	0.0	-93.14	-92.107	0.0
64	15888	15889	NS	2	57.482	58.173	0.0	0.0	287.348	2.053	1217.44	1267.088	0.0	-93.117	-92.107	0.0
65	15888	15889	SN	1	57.359	58.281	0.0	0.0	295.262	3.976	1206.152	1272.016	6.713	-93.404	-92.036	0.0
66	15888	15889	NS	1	57.482	58.173	0.0	0.0	287.337	2.053	1217.432	1267.072	0.0	-93.117	-92.107	0.0
67	15889	15890	SN	1	57.524	58.276	0.0	0.0	293.034	3.646	1206.904	1271.76	6.995	-94.206	-91.996	0.0
68	15889	15890	SN	1	57.297	58.276	0.0	0.0	293.028	4.061	1206.904	1271.768	6.692	-95.537	-91.996	0.0
69	15889	15890	NS	2	57.473	58.16	0.0	0.0	296.547	3.979	1217.064	1271.56	0.0	-93.197	-92.086	0.0
70	15889	15890	NS	1	57.473	58.16	0.0	0.0	296.553	3.979	1217.072	1271.552	0.0	-93.197	-92.086	0.0
71	15889	15890	SN	1	57.297	58.276	0.0	0.0	293.034	4.222	1206.904	1271.76	6.777	-95.537	-91.996	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	15890	15891	SN	1	57.504	58.275	0.0	0.0	293.062	3.467	1206.192	1271.976	7.703	-93.019	-92.005	0.0
73	15890	15891	NS	1	57.38	58.194	0.0	0.0	291.385	3.588	1217.88	1271.784	0.0	-95.744	-92.059	0.0
74	15890	15891	NS	2	57.38	58.194	0.0	0.0	291.418	3.605	1217.88	1271.792	0.0	-95.744	-92.059	0.0
75	15890	15891	SN	1	57.504	58.275	0.0	0.0	293.073	3.804	1206.184	1271.976	7.628	-93.019	-92.005	0.0
76	15890	15891	SN	2	57.504	58.275	0.0	0.0	293.073	3.469	1206.184	1271.976	7.714	-93.019	-92.005	0.0
77	15891	15892	SN	1	57.512	58.307	0.0	0.0	293.315	3.374	1205.936	1272.016	8.46	-93.234	-92.032	0.0
78	15891	15892	SN	1	57.512	58.307	0.0	0.0	293.315	3.701	1205.936	1272.016	8.357	-93.234	-92.032	0.0
79	15891	15892	NS	1	57.42	58.16	0.0	0.0	293.183	3.648	1218.072	1271.856	0.0	-95.181	-92.058	0.0
80	15891	15892	SN	1	57.512	58.307	0.0	0.0	293.315	3.697	1205.624	1272.016	8.348	-93.234	-92.032	0.0
81	15892	15893	SN	2	57.504	58.274	0.0	0.0	290.9	3.735	1205.664	1271.848	8.452	-93.2	-92.001	0.0
82	15892	15893	SN	1	57.498	58.274	0.0	0.0	290.9	3.37	1205.664	1271.848	8.606	-93.2	-92.001	0.0
83	15892	15893	NS	1	57.509	58.161	0.0	0.0	298.957	3.67	1217.752	1271.64	0.0	-93.158	-92.086	0.0
84	15892	15893	NS	1	57.511	58.161	0.0	0.0	298.714	3.674	1217.808	1271.568	0.0	-93.424	-92.086	0.0
85	15892	15893	SN	1	57.504	58.274	0.0	0.0	290.9	3.735	1205.664	1271.848	8.452	-93.2	-92.001	0.0
86	15893	15894	SN	1	57.301	58.289	0.0	0.0	298.753	3.716	1205.504	1271.704	8.403	-95.555	-92.028	0.0
87	15893	15894	NS	1	57.474	58.163	0.0	0.0	292.411	3.874	1218.576	1271.448	0.0	-93.192	-92.1	0.0
88	15893	15894	NS	1	57.472	58.166	0.0	0.0	295.951	3.871	1218.52	1271.512	0.0	-93.199	-92.1	0.0
89	15893	15894	SN	2	57.303	58.289	0.0	0.0	298.753	3.715	1205.504	1271.704	8.403	-95.555	-92.028	0.0
90	15893	15894	SN	1	57.508	58.289	0.0	0.0	298.753	3.239	1205.504	1271.704	8.655	-93.14	-92.028	0.0
91	15894	15895	NS	1	57.483	58.182	0.0	0.0	296.271	3.72	1218.472	1271.336	0.0	-93.174	-92.108	0.0
92	15894	15895	NS	1	57.482	58.184	0.0	0.0	295.946	3.717	1218.552	1271.248	0.0	-93.204	-92.108	0.0
93	15894	15895	SN	1	57.509	58.285	0.0	0.0	293.464	3.771	1205.488	1271.552	8.219	-95.5	-92.029	0.0
94	15894	15895	SN	2	57.509	58.285	0.0	0.0	293.464	3.771	1205.488	1271.552	8.219	-95.5	-92.029	0.0
95	15894	15895	SN	1	57.509	58.285	0.0	0.0	293.464	3.422	1205.488	1271.552	8.329	-93.148	-92.029	0.0
96	15895	15896	SN	2	57.512	58.29	0.0	0.0	291.17	3.888	1205.88	1271.496	6.543	-93.099	-92.024	0.0
97	15895	15896	SN	1	57.512	58.29	0.0	0.0	291.186	3.887	1205.88	1271.496	6.543	-93.099	-92.024	0.0
98	15895	15896	NS	1	57.48	58.18	0.0	0.0	290.624	3.749	1217.576	1271.272	0.0	-93.111	-92.115	0.0
99	15895	15896	NS	1	57.475	58.159	0.0	0.0	290.536	3.747	1218.056	1271.248	0.0	-93.11	-92.115	0.0
100	15895	15896	SN	1	57.512	58.29	0.0	0.0	291.098	2.893	1205.88	1271.496	6.998	-93.099	-92.024	0.0
101	15896	15897	SN	1	57.529	58.299	0.0	0.0	291.655	3.813	1206.296	1271.728	6.456	-93.129	-91.99	0.0
102	15896	15897	SN	1	57.529	58.299	0.0	0.0	291.655	2.469	1206.296	1271.728	7.035	-93.129	-91.99	0.0
103	15896	15897	NS	1	57.479	58.186	0.0	0.0	291.468	3.712	1217.76	1271.392	0.0	-94.873	-92.113	0.0
104	15896	15897	NS	2	57.476	58.189	0.0	0.0	291.639	3.711	1217.664	1271.504	0.0	-94.874	-92.112	0.0
105	15896	15897	SN	1	57.531	58.299	0.0	0.0	291.655	3.808	1206.28	1271.728	6.448	-93.129	-91.99	0.0
106	15897	15898	NS	1	57.467	58.286	0.0	0.0	296.007	4.013	1217.336	1271.48	0.0	-95.918	-92.087	0.0
107	15897	15898	SN	1	57.523	58.275	0.0	0.0	291.859	3.727	1206.32	1271.688	6.285	-94.816	-91.981	0.0
108	15898	15899	NS	1	57.494	58.175	0.0	0.0	291.777	3.774	1217.592	1271.264	0.0	-93.215	-92.079	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	15898	15899	SN	1	57.534	58.274	0.0	0.0	297.97	3.767	1206.648	1271.504	6.977	-92.967	-92.017	0.0
110	15899	15900	NS	1	57.484	58.178	0.0	0.0	293.751	3.546	1217.592	1271.304	0.0	-93.228	-92.105	0.0
111	15899	15900	SN	1	57.515	58.275	0.0	0.0	296.85	3.875	1206.656	1271.568	7.757	-93.089	-92.009	0.0
112	15899	15900	NS	1	57.484	58.178	0.0	0.0	293.751	3.745	1217.592	1271.304	0.0	-93.228	-92.105	0.0
113	15899	15900	SN	2	57.515	58.275	0.0	0.0	296.911	3.875	1206.656	1271.56	7.744	-93.089	-92.009	0.0
114	15899	15900	NS	1	57.484	58.164	0.0	0.0	293.751	3.741	1217.592	1271.304	0.0	-93.154	-92.105	0.0
115	15900	15901	NS	1	57.478	58.199	0.0	0.003	285.506	3.067	1217.344	1270.576	0.0	-93.218	-92.107	0.0
116	15900	15901	NS	1	57.478	58.199	0.0	0.0	298.339	3.641	1217.344	1271.376	0.0	-93.218	-92.107	0.0
117	15900	15901	SN	1	57.52	58.276	0.0	0.0	292.692	3.78	1206.608	1271.6	7.524	-93.174	-92.01	0.0
118	15900	15901	NS	1	57.478	58.199	0.0	0.0	298.317	3.636	1217.344	1271.36	0.0	-93.121	-92.107	0.0
119	15900	15901	SN	1	57.52	58.276	0.0	0.0	292.692	3.767	1206.608	1271.6	7.53	-93.174	-92.01	0.0
120	15901	15902	NS	1	57.478	58.18	0.0	0.0	290.839	3.875	1217.352	1271.44	0.0	-93.146	-92.111	0.0
121	15901	15902	SN	1	57.512	58.277	0.0	0.003	291.319	3.749	1206.04	1271.664	7.339	-93.111	-92.031	0.0
122	15901	15902	NS	2	57.478	58.18	0.0	0.0	290.839	3.875	1217.352	1271.44	0.0	-93.146	-92.111	0.0
123	15901	15902	NS	1	57.478	58.18	0.0	0.0	288.749	2.812	1217.352	1269.12	0.0	-93.184	-92.111	0.0
124	15901	15902	SN	1	57.512	58.277	0.0	0.0	291.297	3.764	1206.056	1271.648	7.324	-93.111	-92.031	0.0
125	15902	15903	NS	2	57.483	58.194	0.0	0.0	293.188	3.674	1216.976	1271.496	0.0	-93.185	-92.11	0.0
126	15902	15903	SN	1	57.504	58.285	0.0	0.0	291.413	2.636	1205.896	1271.752	7.904	-93.043	-92.032	0.0
127	15902	15903	SN	1	57.504	58.285	0.0	0.0	291.413	3.833	1205.896	1271.752	7.461	-93.043	-92.032	0.0
128	15902	15903	NS	1	57.483	58.194	0.0	0.008	293.188	2.002	1216.976	1268.192	0.0	-93.187	-92.11	0.0
129	15902	15903	SN	1	57.504	58.285	0.0	0.0	291.413	3.829	1205.896	1271.752	7.452	-93.065	-92.032	0.0
130	15902	15903	NS	1	57.483	58.194	0.0	0.0	293.188	3.675	1216.976	1271.52	0.0	-93.15	-92.11	0.0
131	15903	15904	NS	1	57.466	58.167	0.0	0.0	298.45	3.875	1217.576	1271.312	0.0	-93.176	-92.11	0.0
132	15903	15904	NS	1	57.467	58.166	0.0	0.0	298.389	3.871	1217.328	1271.28	0.0	-93.182	-92.11	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors









107	15897	15898	SN	1	-34.765	17.259	0.0	-34.631	18.003	0.0	-23.749	23.029	0.074	-4.413	22.995	0.097	0.087	221.929	5.788	0.086	215.186	5.088	0.086	17.626	0.043	0.086	0.274	0.0
108	15898	15899	NS	1	-34.934	21.771	0.0	-34.94	17.653	0.0	-0.269	22.353	0.016	-14.648	23.522	0.508	0.086	230.727	4.947	0.087	231.093	4.484	0.086	0.154	0.0	0.086	2.224	0.002
109	15898	15899	SN	1	-34.882	19.635	0.0	-34.928	19.115	0.0	-29.626	23.154	0.109	-28.096	22.885	0.071	0.086	227.947	4.838	0.086	230.438	4.093	0.086	68.016	0.191	0.086	47.835	0.124
110	15899	15900	NS	1	-34.47	18.473	0.0	-34.813	18.628	0.0	-0.102	22.625	0.007	1.026	23.331	0.395	0.086	207.367	3.833	0.086	224.386	3.728	0.086	0.151	0.0	0.086	0.135	0.0
111	15899	15900	SN	1	-34.066	19.194	0.0	-34.733	19.154	0.0	-28.596	23.174	0.059	-32.013	23.099	0.053	0.086	188.932	2.905	0.086	220.28	2.391	0.086	53.674	0.056	0.086	117.822	0.051
112	15899	15900	NS	1	-34.47	18.473	0.0	-34.813	18.628	0.0	-0.102	22.625	0.007	1.026	23.331	0.387	0.086	207.367	3.83	0.086	224.386	3.728	0.086	0.151	0.0	0.086	0.135	0.0
113	15899	15900	SN	2	-34.968	19.194	0.0	-34.733	19.154	0.0	-28.596	23.174	0.059	-32.013	23.099	0.053	0.086	232.566	2.905	0.086	220.28	2.393	0.086	53.674	0.056	0.086	117.822	0.051
114	15899	15900	NS	1	-34.869	18.473	0.0	-34.813	18.628	0.0	-0.103	22.625	0.007	1.026	23.329	0.387	0.086	227.322	3.822	0.086	224.386	3.719	0.086	0.151	0.0	0.086	0.135	0.0
115	15900	15901	NS	1	-34.987	18.925	0.0	-34.332	21.601	0.0	-0.552	22.415	0.014	1.06	23.659	0.532	0.086	233.517	2.158	0.086	200.908	2.005	0.086	0.158	0.0	0.086	0.134	0.0
116	15900	15901	NS	1	-34.987	18.925	0.0	-34.332	21.601	0.0	-0.552	22.415	0.011	1.06	23.662	0.438	0.086	233.517	2.152	0.086	200.908	2.005	0.086	0.158	0.0	0.086	0.134	0.0
117	15900	15901	SN	1	-34.609	18.184	0.0	-34.982	18.567	0.0	-30.966	22.702	0.075	-16.409	22.961	0.085	0.086	214.135	4.534	0.086	233.311	4.493	0.086	92.574	0.009	0.086	3.304	0.005
118	15900	15901	NS	1	-34.984	18.925	0.0	-34.485	21.601	0.0	-0.552	22.415	0.011	1.06	23.662	0.438	0.086	233.369	2.163	0.086	208.1	2.003	0.086	0.158	0.0	0.086	0.134	0.0
119	15900	15901	SN	1	-34.682	18.184	0.0	-34.982	18.567	0.0	-30.966	22.702	0.075	-16.409	22.961	0.081	0.086	217.707	4.541	0.086	233.311	4.494	0.086	92.574	0.009	0.086	3.304	0.005
120	15901	15902	NS	1	-34.547	20.648	0.0	-34.911	20.357	0.0	1.34	22.512	0.026	-16.924	23.193	0.512	0.086	211.107	5.574	0.086	229.515	5.343	0.086	0.131	0.0	0.086	3.711	0.004
121	15901	15902	SN	1	-34.775	17.922	0.0	-34.966	18.75	0.0	-26.235	23.089	0.218	-29.048	23.179	0.556	0.086	222.457	3.131	0.086	232.434	2.607	0.086	31.192	0.111	0.086	59.547	0.179
122	15901	15902	NS	2	-34.547	20.648	0.0	-34.911	20.357	0.0	1.34	22.512	0.026	-16.924	23.193	0.512	0.086	211.107	5.574	0.086	229.515	5.343	0.086	0.131	0.0	0.086	3.711	0.004
123	15901	15902	NS	1	-34.547	20.648	0.0	-34.911	20.357	0.0	1.362	22.512	0.056	-16.924	23.176	0.764	0.086	211.107	5.592	0.086	229.515	5.343	0.086	0.131	0.0	0.086	3.711	0.007
124	15901	15902	SN	1	-34.775	17.919	0.0	-34.126	18.75	0.0	-26.235	23.089	0.221	-29.048	23.179	0.555	0.086	222.457	3.131	0.086	191.614	2.608	0.086	31.192	0.111	0.086	59.547	0.179
125	15902	15903	NS	2	-34.826	20.147	0.0	-34.847	17.074	0.0	-4.709	22.843	0.189	1.852	23.488	0.564	0.086	225.066	5.346	0.087	226.216	5.273	0.086	0.288	0.0	0.086	0.126	0.0
126	15902	15903	SN	1	-34.697	13.739	0.0	-34.393	15.183	0.0	2.819	22.713	0.111	3.924	23.32	0.654	0.088	218.472	2.366	0.087	203.723	1.963	0.086	0.117	0.0	0.086	0.11	0.0
127	15902	15903	SN	1	-34.122	17.503	0.0	-34.393	19.107	0.0	2.819	22.713	0.114	3.845	23.32	0.626	0.087	191.38	2.351	0.086	203.723	2.0	0.086	0.117	0.0	0.086	0.11	0.0
128	15902	15903	NS	1	-34.826	20.147	0.0	-34.847	17.074	0.0	-4.709	21.85	0.0	2.316	20.572	0.0	0.086	225.066	5.547	0.087	226.216	5.28	0.086	0.288	0.0	0.086	0.122	0.0
129	15902	15903	SN	1	-34.079	17.503	0.0	-34.956	19.107	0.0	2.819	22.713	0.114	3.843	23.32	0.626	0.087	189.517	2.354	0.086	231.917	1.998	0.086	0.117	0.0	0.086	0.11	0.0
130	15902	15903	NS	1	-34.826	20.147	0.0	-34.847	17.074	0.0	-4.709	22.843	0.189	1.852	23.488	0.564	0.086	225.066	5.346	0.087	226.216	5.273	0.086	0.288	0.0	0.086	0.126	0.0
131	15903	15904	NS	1	-34.973	19.41	0.0	-34.973	20.172	0.0	-3.109	22.972	0.144	0.008	23.611	0.236	0.086	232.764	5.454	0.086	232.834	5.344	0.086	0.223	0.0	0.086	0.149	0.0
132	15903	15904	NS	1	-34.973	19.409	0.0	-34.973	20.172	0.0	-3.103	22.972	0.144	0.008	23.611	0.236	0.086	232.764	5.449	0.086	232.834	5.336	0.086	0.222	0.0	0.086	0.149	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors