









SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 18-MAR-2018 To 19-MAR-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 18-MAR-2018 To 19-MAR-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	7798	7799	SN	1	48.69	49.338	0.0	0.008	6.436	2.723	1017.352	1084.432	27.656	-91.982	-89.191	0.0
2	7798	7799	NS	1	48.831	49.459	0.0	0.003	6.386	2.66	1048.752	1088.472	0.0	-92.227	-89.386	0.0
3	7798	7799	SN	1	48.674	49.338	0.0	0.008	6.436	2.456	1016.848	1084.44	28.346	-91.936	-89.191	0.0
4	7798	7799	SN	2	48.674	49.338	0.0	0.008	6.436	2.724	1016.848	1084.44	27.672	-91.936	-89.191	0.0
5	7799	7800	SN	1	48.697	49.327	0.0	0.003	6.442	2.389	1016.52	1084.568	28.282	-91.951	-89.205	0.0
6	7799	7800	SN	1	48.697	49.327	0.0	0.003	6.442	2.511	1016.52	1084.568	27.932	-91.951	-89.205	0.0
7	7799	7800	NS	2	48.876	49.465	0.0	0.003	6.386	2.485	1048.88	1088.712	0.0	-92.609	-89.351	0.0
8	7799	7800	SN	1	48.697	49.327	0.0	0.003	6.442	2.387	1016.52	1084.568	28.252	-91.951	-89.205	0.0
9	7799	7800	NS	1	48.875	49.496	0.0	0.003	6.392	2.483	1048.88	1088.704	0.0	-92.609	-89.351	0.0
10	7800	7801	SN	1	48.671	49.326	0.0	0.003	6.436	2.311	1016.592	1084.568	29.251	-91.967	-89.226	0.0
11	7800	7801	SN	1	48.671	49.326	0.0	0.003	6.436	2.473	1016.592	1084.568	28.842	-91.967	-89.226	0.0
12	7800	7801	SN	1	48.671	49.326	0.0	0.003	6.436	2.475	1016.592	1084.568	28.871	-91.967	-89.226	0.0
13	7800	7801	NS	1	48.874	49.508	0.0	0.003	6.397	2.471	1048.88	1088.936	0.0	-92.416	-89.34	0.0
14	7801	7802	SN	1	48.678	49.336	0.0	0.003	6.452	2.523	1016.408	1084.392	29.531	-91.915	-89.225	0.0
15	7801	7802	SN	1	48.686	49.326	0.0	0.003	6.453	2.527	1016.432	1084.392	29.564	-91.915	-89.224	0.0
16	7801	7802	SN	1	48.686	49.326	0.0	0.003	6.453	2.251	1016.432	1084.392	30.128	-91.915	-89.224	0.0
17	7801	7802	NS	1	48.875	49.501	0.0	0.003	6.403	2.574	1048.928	1088.968	0.0	-92.196	-89.382	0.0
18	7801	7802	NS	2	48.875	49.501	0.0	0.003	6.403	2.573	1048.896	1088.968	0.0	-92.196	-89.382	0.0
19	7802	7803	SN	2	48.674	49.343	0.0	0.003	6.442	2.528	1016.312	1084.224	29.26	-91.991	-89.224	0.0
20	7802	7803	NS	1	48.878	49.496	0.0	0.003	6.359	2.571	1048.92	1088.976	0.0	-92.271	-89.391	0.0
21	7802	7803	SN	1	48.674	49.343	0.0	0.003	6.442	2.528	1016.312	1084.224	29.26	-91.991	-89.224	0.0
22	7802	7803	NS	1	48.876	49.507	0.0	0.003	6.364	2.572	1048.912	1088.952	0.0	-92.398	-89.391	0.0
23	7803	7804	SN	2	48.67	49.324	0.0	0.003	6.425	2.608	1016.744	1084.008	29.643	-92.104	-89.225	0.0
24	7803	7804	NS	2	48.861	49.459	0.0	0.003	6.397	2.578	1049.072	1088.296	0.0	-92.194	-89.391	0.0
25	7803	7804	SN	1	48.67	49.324	0.0	0.003	6.425	1.869	1016.744	1084.008	31.077	-92.104	-89.225	0.0
26	7803	7804	NS	1	48.861	49.459	0.0	0.003	6.397	2.578	1049.072	1088.296	0.0	-92.194	-89.391	0.0
27	7803	7804	SN	1	48.67	49.324	0.0	0.003	6.425	2.608	1016.744	1084.008	29.643	-92.104	-89.225	0.0
28	7804	7805	NS	1	48.83	49.475	0.0	0.003	6.364	2.512	1049.248	1088.224	0.0	-92.319	-89.384	0.0
29	7804	7805	SN	2	48.671	49.361	0.0	0.003	6.43	2.663	1016.528	1084.032	25.959	-91.945	-89.22	0.0
30	7804	7805	SN	1	48.671	49.361	0.0	0.003	6.43	2.663	1016.528	1084.032	25.959	-91.945	-89.22	0.0
31	7804	7805	SN	1	48.671	49.361	0.0	0.003	6.43	1.637	1016.528	1084.032	27.674	-91.945	-89.22	0.0
32	7804	7805	NS	1	48.828	49.477	0.0	0.003	6.37	2.515	1049.24	1088.184	0.0	-92.411	-89.384	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors





33	7805	7806	SN	1	48.702	49.324	0.0	0.003	6.442	1.522	1016.84	1084.072	28.752	-91.963	-89.211	0.0
34	7805	7806	SN	1	48.702	49.324	0.0	0.003	6.442	2.577	1016.84	1084.072	26.467	-91.963	-89.211	0.0
35	7805	7806	NS	1	48.859	49.463	0.0	0.003	6.37	2.551	1049.216	1088.248	0.0	-92.208	-89.376	0.0
36	7805	7806	NS	1	48.852	49.46	0.0	0.003	6.375	2.553	1049.2	1088.208	0.0	-92.162	-89.376	0.0
37	7805	7806	SN	2	48.702	49.324	0.0	0.003	6.442	2.577	1016.84	1084.072	26.467	-91.963	-89.211	0.0
38	7806	7807	NS	1	48.874	49.46	0.0	0.003	6.381	2.65	1049.424	1088.16	0.0	-92.433	-89.369	0.0
39	7806	7807	SN	1	48.695	49.324	0.0	0.003	6.43	2.495	1016.696	1083.976	27.618	-91.926	-89.186	0.0
40	7807	7808	NS	1	48.871	49.502	0.0	0.003	6.381	2.624	1049.632	1087.992	0.0	-92.396	-89.372	0.0
41	7812	7813	SN	1	48.666	49.366	0.0	0.003	6.414	2.023	1017.096	1083.584	29.918	-92.089	-89.216	0.0
42	7812	7813	SN	1	48.666	49.366	0.0	0.003	6.414	2.703	1017.096	1083.584	28.725	-92.089	-89.216	0.0
43	7812	7813	SN	2	48.666	49.366	0.0	0.003	6.414	2.703	1017.096	1083.584	28.721	-92.089	-89.216	0.0
44	7813	7814	SN	1	48.673	49.321	0.0	0.003	6.414	2.568	1016.544	1083.48	27.73	-92.012	-89.203	0.0
45	7813	7814	SN	1	48.673	49.321	0.0	0.003	6.414	2.417	1016.544	1083.48	28.131	-92.012	-89.203	0.0
46	7813	7814	NS	1	48.88	49.458	0.0	0.003	6.364	2.503	1049.856	1087.688	0.0	-92.397	-89.396	0.0
47	7813	7814	SN	1	48.673	49.321	0.0	0.003	6.414	2.566	1016.544	1083.48	27.702	-92.012	-89.203	0.0
48	7814	7815	SN	1	48.652	49.319	0.0	0.003	6.436	2.342	1016.712	1083.584	28.162	-91.945	-89.226	0.0
49	7814	7815	SN	1	48.652	49.319	0.0	0.003	6.436	2.481	1016.712	1083.584	27.839	-91.945	-89.226	0.0
50	7814	7815	SN	1	48.652	49.334	0.0	0.003	6.436	2.345	1017.112	1083.584	28.194	-91.946	-89.226	0.0
51	7815	7816	SN	1	48.682	49.32	0.0	0.003	6.403	2.51	1016.304	1083.448	29.245	-91.962	-89.224	0.0
52	7815	7816	SN	1	48.682	49.32	0.0	0.003	6.403	2.512	1016.304	1083.448	29.276	-91.962	-89.224	0.0
53	7815	7816	SN	1	48.682	49.32	0.0	0.003	6.403	2.289	1016.304	1083.448	29.725	-91.962	-89.224	0.0
54	7815	7816	NS	1	48.881	49.474	0.0	0.003	6.381	2.514	1049.928	1087.824	0.0	-92.415	-89.387	0.0
55	7816	7817	SN	1	48.672	49.319	0.0	0.003	19.774	2.52	1016.528	1083.336	29.013	-91.904	-89.224	0.0
56	7816	7817	NS	1	48.882	49.503	0.0	0.003	6.37	2.555	1049.96	1088.064	0.0	-92.176	-89.398	0.0
57	7816	7817	SN	2	48.672	49.319	0.0	0.003	19.774	2.52	1016.528	1083.336	29.013	-91.904	-89.224	0.0
58	7817	7818	SN	1	48.676	49.341	0.0	0.003	6.375	2.558	1016.336	1083.168	29.245	-92.01	-89.224	0.0
59	7817	7818	NS	1	48.834	49.456	0.0	0.003	6.381	2.59	1050.072	1087.488	0.0	-92.341	-89.398	0.0
60	7817	7818	SN	1	48.676	49.341	0.0	0.003	6.375	2.497	1016.336	1083.168	29.362	-92.01	-89.224	0.0
61	7817	7818	SN	2	48.676	49.341	0.0	0.003	6.375	2.558	1016.336	1083.168	29.245	-92.01	-89.224	0.0
62	7817	7818	NS	2	48.883	49.468	0.0	0.003	6.381	2.59	1050.072	1088.184	0.0	-92.33	-89.398	0.0
63	7818	7819	NS	1	48.878	49.482	0.0	0.008	6.342	2.536	1050.176	1087.312	0.0	-92.43	-89.4	0.0
64	7818	7819	SN	1	48.684	49.317	0.0	0.003	6.403	1.761	1016.584	1083.016	29.79	-91.868	-89.224	0.0
65	7818	7819	SN	1	48.684	49.317	0.0	0.003	6.403	2.638	1016.584	1083.016	28.148	-91.868	-89.224	0.0
66	7818	7819	SN	2	48.684	49.317	0.0	0.003	6.403	2.638	1016.584	1083.016	28.148	-91.868	-89.224	0.0
67	7819	7820	SN	1	48.683	49.318	0.0	0.003	6.403	2.648	1017.168	1083.024	24.926	-91.838	-89.224	0.0
68	7819	7820	NS	1	48.809	49.454	0.0	0.003	6.342	2.532	1050.224	1087.288	0.0	-92.112	-89.401	0.0
69	7819	7820	SN	1	48.683	49.318	0.0	0.003	6.403	1.732	1017.168	1083.024	26.393	-91.838	-89.224	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	7819	7820	SN	2	48.683	49.318	0.0	0.003	6.403	2.649	1017.168	1083.024	24.926	-91.838	-89.224	0.0
71	7819	7820	NS	1	48.809	49.454	0.0	0.003	6.342	2.524	1050.224	1087.288	0.0	-92.112	-89.401	0.0
72	7820	7821	NS	2	48.875	49.456	0.0	0.003	6.353	2.603	1050.104	1087.296	0.0	-92.155	-89.379	0.0
73	7820	7821	SN	1	48.672	49.317	0.0	0.003	6.419	2.54	1016.864	1082.888	25.637	-92.032	-89.175	0.0
74	7820	7821	NS	1	48.877	49.455	0.0	0.003	6.353	2.604	1050.104	1087.28	0.0	-92.155	-89.378	0.0
75	7821	7822	NS	1	48.884	49.49	0.0	0.003	6.364	2.623	1050.608	1087.112	0.0	-92.468	-89.376	0.0
76	7821	7822	SN	1	48.696	49.317	0.0	0.003	6.403	2.519	1016.672	1082.848	27.466	-92.322	-89.223	0.0
77	7822	7823	NS	1	48.885	49.466	0.0	0.003	6.37	2.594	1050.76	1087.008	0.0	-92.313	-89.388	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors




					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	7798	7799	SN	1	-34.147	25.507	1.311	-34.813	27.606	3.575	-24.855	35.057	7.904	-21.265	29.998	20.248	0.103	219.484	4.234	0.103	255.887	3.143	0.102	25.908	0.073	0.102	11.378	0.048
2	7798	7799	NS	1	-34.417	26.896	0.159	-33.034	28.487	0.088	8.713	31.047	9.243	7.423	33.802	29.981	0.103	233.627	2.57	0.102	169.932	1.785	0.102	0.112	0.0	0.102	0.115	0.0
3	7798	7799	SN	1	-34.431	25.509	1.053	-33.973	27.606	3.756	-24.865	35.057	7.904	-21.387	30.0	20.243	0.103	234.338	4.471	0.103	210.896	3.302	0.102	25.966	0.073	0.102	11.701	0.048
4	7798	7799	SN	2	-34.431	25.509	1.303	-33.973	27.606	3.57	-24.865	35.057	7.904	-21.387	30.0	20.243	0.103	234.338	4.237	0.103	210.896	3.137	0.102	25.966	0.073	0.102	11.701	0.048
5	7799	7800	SN	1	-34.942	26.511	0.63	-34.781	26.52	1.588	4.864	29.217	8.11	4.915	30.06	8.577	0.103	263.6	4.151	0.103	253.96	2.923	0.102	0.125	0.0	0.102	0.125	0.0
6	7799	7800	SN	1	-34.942	26.511	0.618	-34.781	26.52	1.568	4.864	29.217	8.11	4.915	30.06	8.577	0.103	263.6	4.072	0.103	253.96	2.869	0.102	0.125	0.0	0.102	0.125	0.0
7	7799	7800	NS	2	-34.779	26.355	0.054	-34.6	27.596	0.089	-5.994	33.337	4.375	-0.888	29.932	19.39	0.103	253.915	8.114	0.103	243.59	6.79	0.102	0.421	0.0	0.102	0.194	0.0
8	7799	7800	SN	1	-34.942	26.511	0.629	-34.781	26.52	1.585	4.864	29.217	8.11	4.915	30.06	8.577	0.103	263.6	4.149	0.103	253.96	2.918	0.102	0.125	0.0	0.102	0.125	0.0
9	7799	7800	NS	1	-34.761	26.355	0.054	-34.496	27.596	0.089	-5.994	33.337	4.378	-0.888	29.932	19.391	0.103	252.791	8.113	0.103	237.886	6.786	0.102	0.421	0.0	0.102	0.194	0.0
10	7800	7801	SN	1	-34.436	24.266	0.13	-34.105	25.896	0.315	5.775	28.459	14.67	6.153	29.415	14.45	0.103	234.608	3.38	0.103	217.397	2.639	0.102	0.121	0.0	0.102	0.119	0.0
11	7800	7801	SN	1	-34.436	24.266	0.128	-34.105	25.896	0.315	5.775	28.459	14.669	6.153	29.415	14.436	0.103	234.608	3.342	0.103	217.397	2.598	0.102	0.121	0.0	0.102	0.119	0.0
12	7800	7801	SN	1	-34.436	24.266	0.128	-34.105	25.896	0.316	5.775	28.459	14.669	6.153	29.415	14.436	0.103	234.608	3.328	0.103	217.397	2.601	0.102	0.121	0.0	0.102	0.119	0.0
13	7800	7801	NS	1	-34.98	24.701	0.014	-34.932	27.17	0.021	-6.525	29.546	6.67	-8.414	30.179	18.449	0.103	265.957	7.422	0.103	268.922	6.355	0.102	0.464	0.0	0.102	0.669	0.0
14	7801	7802	SN	1	-34.888	24.621	0.145	-34.527	26.19	0.353	5.56	26.437	11.383	6.021	27.902	10.658	0.103	260.336	2.051	0.103	239.59	1.575	0.103	0.122	0.0	0.103	0.12	0.0
15	7801	7802	SN	1	-34.985	24.621	0.145	-34.696	26.188	0.353	5.56	26.437	11.383	6.021	27.904	10.658	0.103	266.238	2.048	0.103	249.097	1.578	0.103	0.122	0.0	0.103	0.12	0.0
16	7801	7802	SN	1	-34.985	24.621	0.148	-34.696	26.188	0.359	5.56	26.437	11.393	6.021	27.904	10.815	0.103	266.238	2.096	0.103	249.097	1.606	0.103	0.122	0.0	0.103	0.12	0.0
17	7801	7802	NS	1	-34.224	21.177	0.0	-34.411	21.623	0.0	-5.948	28.394	4.107	-12.035	30.521	10.978	0.103	223.46	2.478	0.103	233.259	2.552	0.103	0.417	0.0	0.102	1.431	0.001
18	7801	7802	NS	2	-34.224	21.177	0.0	-34.411	21.623	0.0	-5.948	28.394	4.107	-12.035	30.521	10.978	0.103	223.46	2.478	0.103	233.259	2.551	0.103	0.417	0.0	0.102	1.431	0.001
19	7802	7803	SN	2	-34.304	23.004	0.02	-34.441	23.488	0.068	5.737	27.328	14.38	8.254	28.434	25.496	0.103	227.62	1.445	0.103	234.829	0.845	0.103	0.121	0.0	0.102	0.113	0.0
20	7802	7803	NS	1	-34.871	20.865	0.0	-34.745	22.294	0.002	-4.684	27.524	2.959	-6.2	30.448	12.555	0.103	259.315	2.268	0.103	251.938	2.021	0.103	0.334	0.0	0.102	0.437	0.0
21	7802	7803	SN	1	-34.304	23.004	0.02	-34.441	23.488	0.068	5.737	27.328	14.38	8.254	28.434	25.496	0.103	227.62	1.445	0.103	234.829	0.845	0.103	0.121	0.0	0.102	0.113	0.0
22	7802	7803	NS	1	-34.32	20.865	0.0	-34.96	22.294	0.002	-4.69	27.523	2.959	-6.202	30.447	12.555	0.103	228.435	2.26	0.103	264.671	2.028	0.103	0.335	0.0	0.102	0.437	0.0
23	7803	7804	SN	2	-34.721	21.261	0.0	-34.424	22.667	0.011	5.761	26.948	12.564	7.861	29.519	28.568	0.103	250.444	2.263	0.103	233.919	1.973	0.103	0.121	0.0	0.102	0.114	0.0
24	7803	7804	NS	2	-34.728	23.298	0.006	-34.326	22.819	0.01	-9.215	29.007	5.119	-9.176	30.895	12.391	0.103	250.932	1.394	0.103	228.711	0.987	0.102	0.788	0.0	0.102	0.781	0.0
25	7803	7804	SN	1	-34.721	20.936	0.0	-34.424	22.667	0.007	5.761	26.948	13.373	7.861	29.519	28.862	0.103	250.444	2.358	0.103	233.919	2.087	0.103	0.121	0.0	0.102	0.114	0.0
26	7803	7804	NS	1	-34.728	23.298	0.006	-34.326	22.819	0.01	-9.215	29.007	5.119	-9.176	30.895	12.391	0.103	250.932	1.394	0.103	228.711	0.987	0.102	0.788	0.0	0.102	0.781	0.0
27	7803	7804	SN	1	-34.721	21.256	0.0	-34.424	22.667	0.011	5.761	26.948	12.564	7.861	29.519	28.568	0.103	250.444	2.263	0.103	233.919	1.973	0.103	0.121	0.0	0.102	0.114	0.0
28	7804	7805	NS	1	-34.747	25.258	0.254	-34.315	27.603	0.623	6.498	27.992	11.979	7.44	30.249	23.01	0.103	252.008	2.506	0.103	228.181	2.025	0.103	0.118	0.0	0.102	0.115	0.0
29	7804	7805	SN	2	-34.272	25.172	0.139	-33.288	26.442	0.188	5.811	31.474	8.436	7.229	31.061	18.67	0.103	225.914	3.332	0.103	180.135	2.324	0.102	0.121	0.0	0.102	0.115	0.0
30	7804	7805	SN	1	-34.272	25.172	0.139	-33.288	26.442	0.188	5.811	31.474	8.436	7.229	31.061	18.67	0.103	225.914	3.332	0.103	180.135	2.324	0.102	0.121	0.0	0.102	0.115	0.0
31	7804	7805	SN	1	-34.272	25.172	0.149	-33.288	26.442	0.211	5.811	31.474	8.807	7.229	31.061	18.643	0.103	225.914	3.575	0.103	180.135	2.612	0.102	0.121	0.0	0.102	0.115	0.0
32	7804	7805	NS	1	-34.829	25.258	0.254	-34.253	27.603	0.623	6.498	27.992	11.98	7.438	30.25	23.031	0.103	256.805	2.496	0.103	224.939	2.026	0.103	0.118	0.0	0.102	0.115	0.0
33	7805	7806	SN	1	-34.598	26.558	0.395	-34.335	27.992	0.546	-6.013	31.307	11.316	-1.836	33.083	17.654	0.103	243.571	3.196	0.103	229.231	2.58	0.102	0.422	0.0	0.102	0.218	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	7820	7821	SN	1	-34.779	26.227	0.133	-34.977	28.513	0.257	-10.632	28.329	12.734	-3.765	30.051	18.568	0.103	253.854	4.781	0.102	265.703	3.226	0.103	1.059	0.002	0.102	0.288	0.0
74	7820	7821	NS	1	-34.871	24.103	0.193	-33.761	26.612	0.577	-16.299	27.837	10.953	-11.296	29.842	32.358	0.103	259.31	2.93	0.103	200.827	2.456	0.103	3.681	0.002	0.102	1.22	0.002
75	7821	7822	NS	1	-34.778	24.69	0.289	-34.561	26.126	0.606	-3.566	29.812	11.09	-2.498	30.399	28.064	0.103	253.813	4.439	0.103	241.502	4.038	0.102	0.279	0.0	0.102	0.239	0.0
76	7821	7822	SN	1	-33.93	27.407	0.147	-34.53	28.45	0.335	-11.454	28.369	13.313	-8.47	30.812	15.63	0.103	208.785	3.742	0.102	239.726	2.774	0.103	1.262	0.004	0.102	0.677	0.0
77	7822	7823	NS	1	-34.764	24.273	0.294	-34.871	24.353	0.467	4.1	27.82	13.8	6.478	32.484	24.317	0.103	252.962	2.567	0.103	259.24	2.211	0.103	0.13	0.0	0.102	0.118	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	7798	7799	SN	1	57.456	58.213	0.0	0.0	287.342	4.058	1192.216	1275.36	42.069	-93.56	-91.662	0.0
2	7798	7799	NS	1	57.679	58.38	0.0	0.0	298.764	3.792	1230.6	1281.088	1.825	-93.905	-91.781	0.0
3	7798	7799	SN	1	57.454	58.214	0.0	0.0	284.425	3.779	1192.224	1275.368	43.015	-93.553	-91.662	0.0
4	7798	7799	SN	2	57.454	58.214	0.0	0.0	287.342	4.054	1192.224	1275.368	42.08	-93.553	-91.662	0.0
5	7799	7800	SN	1	57.469	58.213	0.0	0.0	286.355	3.548	1191.736	1275.528	41.666	-93.543	-91.668	0.0
6	7799	7800	SN	1	57.469	58.213	0.0	0.0	286.355	3.781	1191.736	1275.528	41.22	-93.543	-91.668	0.0
7	7799	7800	NS	2	57.707	58.415	0.0	0.0	299.928	3.523	1230.76	1281.392	2.113	-93.965	-91.744	0.0
8	7799	7800	SN	1	57.469	58.213	0.0	0.0	286.355	3.544	1191.736	1275.528	41.667	-93.543	-91.668	0.0
9	7799	7800	NS	1	57.707	58.403	0.0	0.0	299.917	3.525	1230.76	1281.384	2.098	-93.996	-91.744	0.0
10	7800	7801	SN	1	57.45	58.214	0.0	0.003	287.398	3.476	1191.936	1275.528	42.599	-93.389	-91.695	0.0
11	7800	7801	SN	1	57.45	58.214	0.0	0.0	287.398	3.722	1191.936	1275.528	42.048	-93.389	-91.695	0.0
12	7800	7801	SN	1	57.45	58.214	0.0	0.0	287.398	3.725	1191.936	1275.528	42.072	-93.389	-91.695	0.0
13	7800	7801	NS	1	57.675	58.413	0.0	0.0	296.409	3.498	1230.76	1281.824	2.201	-94.253	-91.738	0.0
14	7801	7802	SN	1	57.455	58.234	0.0	0.0	296.078	3.716	1191.248	1275.32	42.346	-93.504	-91.675	0.0
15	7801	7802	SN	1	57.455	58.233	0.0	0.0	296.211	3.72	1191.192	1275.32	42.394	-93.504	-91.674	0.0
16	7801	7802	SN	1	57.455	58.233	0.0	0.0	296.211	3.439	1191.192	1275.32	43.137	-93.504	-91.674	0.0
17	7801	7802	NS	1	57.707	58.436	0.0	0.0	296.79	3.615	1230.816	1281.312	1.975	-93.908	-91.773	0.0
18	7801	7802	NS	2	57.707	58.436	0.0	0.0	296.79	3.615	1230.752	1281.312	1.975	-93.908	-91.773	0.0
19	7802	7803	SN	2	57.459	58.215	0.0	0.0	295.389	3.749	1191.248	1275.104	42.325	-93.583	-91.694	0.0
20	7802	7803	NS	1	57.71	58.403	0.0	0.003	298.428	3.685	1230.96	1281.216	1.671	-93.935	-91.796	0.0
21	7802	7803	SN	1	57.459	58.215	0.0	0.0	295.389	3.749	1191.248	1275.104	42.325	-93.583	-91.694	0.0
22	7802	7803	NS	1	57.705	58.413	0.0	0.0	298.472	3.683	1230.936	1281.144	1.62	-93.831	-91.796	0.0
23	7803	7804	SN	2	57.466	58.236	0.0	0.0	291.335	3.842	1191.416	1274.848	40.83	-93.549	-91.694	0.0
24	7803	7804	NS	2	57.709	58.393	0.0	0.0	296.74	3.73	1230.96	1281.432	1.23	-93.881	-91.792	0.0
25	7803	7804	SN	1	57.466	58.236	0.0	0.003	286.118	3.221	1191.416	1274.848	42.763	-93.549	-91.694	0.0
26	7803	7804	NS	1	57.709	58.393	0.0	0.0	296.74	3.73	1230.96	1281.432	1.23	-93.881	-91.792	0.0
27	7803	7804	SN	1	57.466	58.236	0.0	0.0	291.407	3.841	1191.416	1274.848	40.83	-93.549	-91.694	0.0
28	7804	7805	NS	1	57.691	58.413	0.0	0.0	297.617	3.584	1231.088	1280.792	1.14	-93.992	-91.801	0.0
29	7804	7805	SN	2	57.453	58.21	0.0	0.0	287.894	3.939	1191.608	1274.896	37.387	-93.474	-91.695	0.0
30	7804	7805	SN	1	57.453	58.21	0.0	0.0	287.894	3.939	1191.608	1274.896	37.387	-93.474	-91.695	0.0
31	7804	7805	SN	1	57.453	58.21	0.0	0.0	283.372	2.998	1191.608	1274.896	39.997	-93.474	-91.695	0.0
32	7804	7805	NS	1	57.688	58.38	0.0	0.0	297.446	3.589	1231.064	1280.736	1.043	-93.777	-91.801	0.0
33	7805	7806	SN	1	57.473	58.211	0.0	0.0	282.771	2.566	1191.72	1274.928	42.336	-93.866	-91.669	0.0
34	7805	7806	SN	1	57.473	58.211	0.0	0.0	285.401	3.821	1191.72	1274.928	38.835	-93.866	-91.669	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	7805	7806	NS	1	57.701	58.385	0.0	0.0	297.86	3.645	1230.832	1280.864	1.139	-93.857	-91.78	0.0
36	7805	7806	NS	1	57.698	58.413	0.0	0.0	297.694	3.651	1231.152	1280.784	1.037	-93.974	-91.779	0.0
37	7805	7806	SN	2	57.473	58.211	0.0	0.0	285.401	3.821	1191.72	1274.928	38.835	-93.866	-91.669	0.0
38	7806	7807	NS	1	57.693	58.388	0.0	0.0	298.554	3.823	1231.416	1280.696	0.94	-93.899	-91.767	0.0
39	7806	7807	SN	1	57.44	58.209	0.0	0.0	283.344	3.715	1190.76	1274.816	40.708	-93.508	-91.648	0.0
40	7807	7808	NS	1	57.707	58.403	0.0	0.0	299.9	3.728	1231.68	1280.52	0.552	-93.917	-91.783	0.0
41	7812	7813	SN	1	57.457	58.206	0.0	0.0	280.818	3.461	1192.024	1274.32	44.14	-93.531	-91.687	0.0
42	7812	7813	SN	1	57.457	58.206	0.0	0.0	284.083	4.038	1192.024	1274.32	42.464	-93.531	-91.687	0.0
43	7812	7813	SN	2	57.457	58.206	0.0	0.0	284.083	4.038	1192.024	1274.32	42.461	-93.531	-91.687	0.0
44	7813	7814	SN	1	57.466	58.206	0.0	0.0	282.396	3.861	1191.808	1274.2	41.21	-93.669	-91.662	0.0
45	7813	7814	SN	1	57.466	58.206	0.0	0.0	282.396	3.606	1191.808	1274.2	41.801	-93.669	-91.662	0.0
46	7813	7814	NS	1	57.713	58.377	0.0	0.003	298.455	3.592	1231.96	1280.12	0.087	-93.968	-91.793	0.0
47	7813	7814	SN	1	57.466	58.206	0.0	0.0	282.396	3.857	1191.808	1274.2	41.167	-93.669	-91.662	0.0
48	7814	7815	SN	1	57.449	58.204	0.0	0.0	299.442	3.448	1191.52	1274.328	41.584	-93.536	-91.695	0.0
49	7814	7815	SN	1	57.449	58.204	0.0	0.0	299.442	3.695	1191.52	1274.328	41.114	-93.536	-91.695	0.0
50	7814	7815	SN	1	57.443	58.204	0.0	0.0	299.454	3.453	1191.84	1274.328	41.629	-93.536	-91.695	0.0
51	7815	7816	SN	1	57.46	58.204	0.0	0.0	294.81	3.707	1191.528	1274.16	42.245	-93.544	-91.693	0.0
52	7815	7816	SN	1	57.46	58.204	0.0	0.0	294.766	3.71	1191.528	1274.16	42.289	-93.544	-91.693	0.0
53	7815	7816	SN	1	57.46	58.204	0.0	0.0	291.942	3.437	1191.528	1274.16	42.92	-93.544	-91.693	0.0
54	7815	7816	NS	1	57.715	58.397	0.0	0.0	294.815	3.607	1232.04	1280.336	0.417	-93.906	-91.784	0.0
55	7816	7817	SN	1	57.464	58.202	0.0	0.0	290.558	3.787	1191.712	1274.048	42.621	-93.396	-91.692	0.0
56	7816	7817	NS	1	57.715	58.406	0.0	0.0	296.917	3.609	1232.16	1280.2	0.059	-93.796	-91.787	0.0
57	7816	7817	SN	2	57.464	58.202	0.0	0.0	290.558	3.787	1191.712	1274.048	42.621	-93.396	-91.692	0.0
58	7817	7818	SN	1	57.458	58.203	0.0	0.0	299.095	3.769	1191.368	1273.832	41.504	-93.595	-91.693	0.0
59	7817	7818	NS	1	57.716	58.38	0.0	0.0	293.519	3.694	1232.216	1280.384	0.001	-93.846	-91.804	0.0
60	7817	7818	SN	1	57.458	58.203	0.0	0.0	299.095	3.618	1191.368	1273.832	41.671	-93.595	-91.693	0.0
61	7817	7818	SN	2	57.458	58.203	0.0	0.0	299.095	3.77	1191.368	1273.832	41.504	-93.595	-91.693	0.0
62	7817	7818	NS	2	57.698	58.378	0.0	0.0	293.586	3.693	1232.216	1279.952	0.0	-93.839	-91.804	0.0
63	7818	7819	NS	1	57.713	58.405	0.0	0.0	294.44	3.653	1232.376	1279.696	0.0	-94.111	-91.806	0.0
64	7818	7819	SN	1	57.456	58.2	0.0	0.0	298.031	3.129	1191.536	1273.656	41.101	-93.57	-91.694	0.0
65	7818	7819	SN	1	57.456	58.2	0.0	0.0	298.031	3.913	1191.536	1273.656	38.923	-93.57	-91.694	0.0
66	7818	7819	SN	2	57.456	58.2	0.0	0.0	298.031	3.913	1191.536	1273.656	38.923	-93.57	-91.694	0.0
67	7819	7820	SN	1	57.462	58.201	0.0	0.0	298.996	3.904	1191.992	1273.648	37.298	-93.588	-91.677	0.0
68	7819	7820	NS	1	57.71	58.374	0.0	0.0	295.968	3.584	1232.4	1279.664	0.0	-93.784	-91.806	0.0
69	7819	7820	SN	1	57.462	58.201	0.0	0.0	298.996	3.087	1191.992	1273.648	39.494	-93.588	-91.677	0.0
70	7819	7820	SN	2	57.462	58.201	0.0	0.0	298.996	3.904	1191.992	1273.648	37.298	-93.588	-91.677	0.0
71	7819	7820	NS	1	57.71	58.374	0.0	0.0	295.968	3.571	1232.4	1279.664	0.0	-93.784	-91.806	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	7820	7821	NS	2	57.712	58.392	0.0	0.0	297.678	3.713	1232.488	1279.672	0.0	-93.816	-91.777	0.0
73	7820	7821	SN	1	57.462	58.201	0.0	0.0	297.551	3.782	1191.928	1273.44	39.887	-94.236	-91.651	0.0
74	7820	7821	NS	1	57.715	58.375	0.0	0.003	297.606	3.715	1232.48	1279.632	0.0	-93.781	-91.777	0.0
75	7821	7822	NS	1	57.716	58.381	0.0	0.0	299.139	3.768	1232.88	1279.472	0.0	-94.055	-91.778	0.0
76	7821	7822	SN	1	57.462	58.2	0.0	0.0	297.198	3.75	1191.928	1273.432	39.642	-93.569	-91.69	0.0
77	7822	7823	NS	1	57.72	58.381	0.0	0.0	293.315	3.674	1233.12	1279.944	0.0	-94.206	-91.788	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	7798	7799	SN	1	-34.215	20.708	0.0	-34.889	21.391	0.0	-23.188	22.743	0.049	-24.077	23.567	0.138	0.083	182.076	3.243	0.083	212.657	2.933	0.083	14.431	0.046	0.083	17.697	0.03
2	7798	7799	NS	1	-34.595	20.863	0.0	-34.849	21.176	0.0	0.539	23.813	0.035	0.562	25.147	0.204	0.083	198.728	2.328	0.083	210.694	2.118	0.083	0.135	0.0	0.083	0.135	0.0
3	7798	7799	SN	1	-34.894	20.708	0.0	-34.71	21.391	0.0	-23.24	22.743	0.049	-23.96	23.567	0.14	0.083	212.884	3.383	0.083	204.024	3.078	0.083	14.605	0.046	0.083	17.224	0.03
4	7798	7799	SN	2	-34.894	20.708	0.0	-34.71	21.391	0.0	-23.24	22.743	0.049	-23.96	23.567	0.14	0.083	212.884	3.245	0.083	204.024	2.931	0.083	14.605	0.046	0.083	17.224	0.03
5	7799	7800	SN	1	-34.162	20.184	0.0	-34.11	21.268	0.0	-0.195	22.752	0.018	-0.32	23.298	0.126	0.083	179.833	2.854	0.083	177.707	2.125	0.083	0.146	0.0	0.083	0.148	0.0
6	7799	7800	SN	1	-34.162	20.184	0.0	-34.11	21.268	0.0	-0.195	22.752	0.018	-0.32	23.298	0.126	0.083	179.833	2.801	0.083	177.707	2.091	0.083	0.146	0.0	0.083	0.148	0.0
7	7799	7800	NS	2	-34.99	20.857	0.0	-34.724	21.808	0.0	-11.245	22.051	0.002	-9.008	23.261	0.096	0.083	217.57	6.711	0.083	204.691	6.516	0.083	0.983	0.0	0.083	0.615	0.0
8	7799	7800	SN	1	-34.162	20.184	0.0	-34.11	21.268	0.0	-0.195	22.752	0.018	-0.32	23.298	0.126	0.083	179.833	2.854	0.083	177.707	2.121	0.083	0.146	0.0	0.083	0.148	0.0
9	7799	7800	NS	1	-34.886	20.857	0.0	-34.816	21.807	0.0	-11.245	22.051	0.002	-9.008	23.262	0.096	0.083	212.459	6.707	0.083	209.08	6.516	0.083	0.984	0.0	0.083	0.615	0.0
10	7800	7801	SN	1	-34.674	19.822	0.0	-34.281	20.049	0.0	0.764	23.108	0.02	2.1	23.173	0.198	0.083	202.379	2.734	0.083	184.847	2.169	0.083	0.132	0.0	0.083	0.118	0.0
11	7800	7801	SN	1	-34.674	19.822	0.0	-34.281	20.049	0.0	0.764	23.108	0.02	2.1	23.173	0.198	0.083	202.379	2.707	0.083	184.847	2.142	0.083	0.132	0.0	0.083	0.118	0.0
12	7800	7801	SN	1	-34.674	19.822	0.0	-34.281	20.049	0.0	0.764	23.108	0.02	2.1	23.173	0.198	0.083	202.379	2.688	0.083	184.847	2.144	0.083	0.132	0.0	0.083	0.118	0.0
13	7800	7801	NS	1	-34.869	19.902	0.0	-34.926	20.382	0.0	-7.152	21.518	0.0	-21.392	23.034	0.062	0.083	211.608	5.37	0.083	214.469	5.34	0.083	0.425	0.0	0.083	9.893	0.045
14	7801	7802	SN	1	-34.555	18.802	0.0	-34.178	20.359	0.0	0.89	22.876	0.112	2.446	23.03	0.255	0.083	196.884	1.966	0.083	180.53	1.776	0.083	0.131	0.0	0.083	0.116	0.0
15	7801	7802	SN	1	-34.697	18.802	0.0	-34.988	20.357	0.0	0.891	22.874	0.112	2.446	23.03	0.255	0.083	210.42	1.965	0.083	217.509	1.778	0.083	0.131	0.0	0.083	0.116	0.0
16	7801	7802	SN	1	-34.697	18.802	0.0	-34.988	20.357	0.0	0.891	22.874	0.112	2.446	23.03	0.264	0.083	210.42	2.006	0.083	217.509	1.805	0.083	0.131	0.0	0.083	0.116	0.0
17	7801	7802	NS	1	-34.71	19.817	0.0	-34.294	20.673	0.0	-17.549	22.388	0.004	-27.312	23.198	0.059	0.083	204.031	2.746	0.083	185.406	3.294	0.083	3.986	0.016	0.083	37.196	0.059
18	7801	7802	NS	2	-34.71	19.817	0.0	-34.294	20.673	0.0	-17.549	22.388	0.004	-27.312	23.198	0.059	0.083	204.031	2.746	0.083	185.406	3.294	0.083	3.986	0.016	0.083	37.196	0.059
19	7802	7803	SN	2	-34.25	18.94	0.0	-34.492	19.813	0.0	0.978	21.895	0.0	2.988	22.69	0.339	0.083	189.815	1.285	0.083	194.003	0.976	0.083	0.13	0.0	0.083	0.112	0.0
20	7802	7803	NS	1	-34.951	15.402	0.0	-34.536	15.277	0.0	-27.485	22.543	0.011	-17.628	22.675	0.037	0.084	215.683	3.184	0.084	196.069	3.146	0.083	38.704	0.021	0.083	4.058	0.015
21	7802	7803	SN	1	-34.25	18.94	0.0	-34.492	19.813	0.0	0.978	21.895	0.0	2.988	22.69	0.339	0.083	189.815	1.285	0.083	194.003	0.976	0.083	0.13	0.0	0.083	0.112	0.0
22	7802	7803	NS	1	-34.554	15.402	0.0	-34.055	15.277	0.0	-27.578	22.543	0.011	-17.643	22.675	0.037	0.084	196.844	3.183	0.084	175.508	3.154	0.083	39.546	0.021	0.083	4.071	0.015
23	7803	7804	SN	2	-34.51	16.63	0.0	-34.255	17.104	0.0	-0.229	21.819	0.0	3.903	22.019	0.005	0.084	201.584	2.226	0.084	183.767	1.909	0.083	0.146	0.0	0.083	0.106	0.0
24	7803	7804	NS	2	-33.554	19.97	0.0	-34.934	19.957	0.0	-25.47	21.999	0.0	-27.988	23.19	0.129	0.083	156.357	1.054	0.083	214.837	1.076	0.083	24.358	0.144	0.083	43.448	0.025
25	7803	7804	SN	1	-34.51	16.63	0.0	-34.255	17.104	0.0	-0.229	21.819	0.0	3.903	22.019	0.005	0.084	201.584	2.301	0.084	183.767	2.012	0.083	0.146	0.0	0.083	0.106	0.0
26	7803	7804	NS	1	-33.554	19.97	0.0	-34.934	19.957	0.0	-25.47	21.999	0.0	-27.988	23.19	0.129	0.083	156.357	1.054	0.083	214.837	1.076	0.083	24.358	0.144	0.083	43.448	0.025
27	7803	7804	SN	1	-34.51	16.63	0.0	-34.255	17.104	0.0	-0.229	21.819	0.0	3.903	22.019	0.005	0.084	201.584	2.226	0.084	183.767	1.909	0.083	0.146	0.0	0.083	0.106	0.0
28	7804	7805	NS	1	-34.242	20.182	0.0	-34.077	20.974	0.0	2.887	22.238	0.046	2.035	23.179	0.395	0.083	183.219	1.655	0.083	176.378	1.532	0.083	0.112	0.0	0.083	0.119	0.0
29	7804	7805	SN	2	-33.806	19.573	0.0	-33.952	20.924	0.0	0.7	23.184	0.252	1.167	23.461	0.804	0.083	165.689	2.179	0.083	171.348	1.622	0.083	0.135	0.0	0.083	0.138	0.0
30	7804	7805	SN	1	-33.806	19.573	0.0	-33.952	20.924	0.0	0.7	23.184	0.252	1.167	23.461	0.804	0.083	165.689	2.179	0.083	171.348	1.622	0.083	0.135	0.0	0.083	0.138	0.0
31	7804	7805	SN	1	-33.806	19.573	0.0	-33.952	20.924	0.0	0.7	23.184	0.269	1.167	23.461	0.806	0.083	165.689	2.323	0.083	171.348	1.824	0.083	0.135	0.0	0.083	0.138	0.0
32	7804	7805	NS	1	-34.13	20.182	0.0	-34.371	20.973	0.0	2.886	22.238	0.046	2.035	23.178	0.395	0.083	178.499	1.653	0.083	188.732	1.53	0.083	0.112	0.0	0.083	0.119	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

70	7819	7820	SN	2	-34.854	20.687	0.0	-33.86	21.346	0.0	-12.767	23.628	0.345	-11.229	25.142	1.175	0.083	210.889	4.08	0.083	167.813	3.104	0.083	1.416	0.003	0.083	1.052	0.002
71	7819	7820	NS	1	-33.639	20.346	0.0	-34.962	20.761	0.0	1.393	21.974	0.0	2.4	23.484	0.418	0.083	159.455	1.001	0.083	216.238	1.138	0.083	0.125	0.0	0.083	0.116	0.0
72	7820	7821	NS	2	-34.83	19.032	0.0	-34.95	20.371	0.0	-7.826	22.613	0.045	-2.037	24.407	1.341	0.083	209.732	2.506	0.083	215.589	2.224	0.083	0.484	0.0	0.083	0.182	0.0
73	7820	7821	SN	1	-34.733	20.3	0.0	-34.82	21.298	0.0	-26.243	23.049	0.106	-18.189	24.341	0.817	0.083	205.09	4.116	0.083	209.26	3.345	0.083	29.098	0.08	0.083	4.767	0.014
74	7820	7821	NS	1	-34.96	19.032	0.0	-34.618	20.37	0.0	-7.817	22.613	0.045	-2.04	24.409	1.341	0.083	216.146	2.504	0.083	199.796	2.229	0.083	0.484	0.0	0.083	0.182	0.0
75	7821	7822	NS	1	-34.875	18.863	0.0	-34.397	20.67	0.0	-3.958	22.634	0.097	-2.752	24.1	1.965	0.083	211.972	3.875	0.083	189.879	3.433	0.083	0.241	0.0	0.083	0.201	0.0
76	7821	7822	SN	1	-34.806	21.368	0.0	-34.987	22.132	0.001	-10.819	22.769	0.097	-23.516	23.71	0.463	0.083	215.724	3.544	0.083	224.894	3.01	0.083	0.898	0.0	0.083	15.556	0.002
77	7822	7823	NS	1	-34.919	18.041	0.0	-34.226	18.878	0.0	0.237	22.221	0.011	0.254	24.451	1.266	0.083	214.061	2.28	0.083	182.499	2.078	0.083	0.139	0.0	0.083	0.139	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors