

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 02-APR-2017 To 03-APR-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 02-APR-2017 To 03-APR-2017





					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2723	2724	SN	1	48.689	49.354	0.0	0.003	1.814	0.148	1027.824	1088.0	0.0	-91.244	-90.004	0.0
2	2724	2725	SN	1	48.685	49.377	0.0	0.003	7.252	0.156	1027.944	1088.256	0.0	-91.375	-89.983	0.0
3	2724	2725	NS	1	48.785	49.413	0.0	0.003	1.814	0.19	1047.584	1089.864	0.0	-91.202	-90.142	0.0
4	2725	2726	NS	1	48.818	49.416	0.0	0.003	1.809	0.181	1047.768	1090.12	0.0	-91.491	-90.113	0.0
5	2725	2726	SN	1	48.707	49.377	0.0	0.003	314.857	0.138	1026.928	1088.008	0.0	-91.519	-89.954	0.0
6	2726	2727	SN	1	48.672	49.406	0.0	0.003	7.252	0.145	1027.544	1088.464	0.0	-91.271	-89.974	0.0
7	2726	2727	NS	1	48.816	49.468	0.0	0.003	1.814	0.182	1047.384	1090.16	0.0	-91.361	-90.099	0.0
8	2727	2728	SN	1	48.681	49.39	0.0	0.003	1.809	0.138	1027.472	1088.336	0.0	-91.222	-89.991	0.0
9	2727	2728	NS	2	48.805	49.441	0.0	0.003	6.16	0.2	1047.512	1090.048	0.0	-91.239	-90.141	0.0
10	2728	2729	SN	1	48.678	49.36	0.0	0.003	342.509	0.147	1027.328	1088.216	0.0	-91.185	-89.973	0.0
11	2728	2729	NS	1	48.776	49.459	0.0	0.003	1.814	0.187	1047.488	1089.936	0.0	-91.357	-90.159	0.0
12	2729	2730	SN	1	48.692	49.35	0.0	0.003	7.203	0.149	1027.552	1088.0	0.0	-91.095	-90.031	0.0
13	2729	2730	NS	1	48.819	49.414	0.0	0.003	1.814	0.189	1048.096	1089.76	0.0	-91.349	-90.154	0.0
14	2730	2731	SN	1	48.666	49.351	0.0	0.003	7.192	0.152	1027.2	1087.96	0.0	-91.083	-89.971	0.0
15	2730	2731	NS	1	48.79	49.431	0.0	0.003	1.814	0.187	1047.432	1089.688	0.0	-91.922	-90.167	0.0
16	2731	2732	SN	1	48.713	49.351	0.0	0.003	1.809	0.141	1027.6	1088.024	0.0	-90.982	-90.03	0.0
17	2731	2732	NS	2	48.803	49.453	0.0	0.003	6.155	0.202	1047.12	1089.8	0.0	-91.919	-90.167	0.0
18	2732	2733	NS	1	48.8	49.453	0.0	0.003	1.814	0.195	1047.248	1089.696	0.0	-91.359	-90.173	0.0
19	2732	2733	SN	1	48.713	49.397	0.0	0.003	1.809	0.137	1027.896	1087.936	0.0	-91.43	-89.931	0.0
20	2733	2734	NS	1	48.819	49.462	0.0	0.003	1.814	0.188	1048.016	1089.504	0.0	-91.349	-90.16	0.0
21	2733	2734	SN	1	48.705	49.366	0.0	0.003	1.809	0.136	1027.12	1087.752	0.0	-91.286	-89.978	0.0
22	2734	2735	SN	1	48.664	49.367	0.0	0.003	1.809	0.141	1027.784	1087.752	0.0	-91.163	-89.95	0.0
23	2734	2735	NS	1	48.814	49.456	0.0	0.003	251.081	0.191	1047.632	1089.52	0.0	-91.257	-90.154	0.0
24	2735	2736	NS	1	48.792	49.416	0.0	0.003	1.814	0.19	1047.808	1089.488	0.0	-91.254	-90.144	0.0
25	2735	2736	SN	1	48.668	49.38	0.0	0.003	1.809	0.137	1027.76	1087.76	0.0	-91.231	-89.96	0.0
26	2736	2737	NS	1	48.794	49.414	0.0	0.003	1.814	0.189	1047.288	1089.544	0.0	-91.228	-90.168	0.0
27	2736	2737	SN	1	48.675	49.393	0.0	0.003	1.809	0.138	1027.104	1087.768	0.0	-91.27	-89.978	0.0
28	2737	2738	NS	1	48.777	49.452	0.0	0.003	1.814	0.19	1047.664	1089.56	0.0	-91.263	-90.196	0.0
29	2737	2738	SN	1	48.685	49.351	0.0	0.003	1.809	0.149	1027.848	1087.808	0.0	-91.231	-89.977	0.0
30	2738	2739	SN	1	48.689	49.383	0.0	0.003	7.23	0.156	1027.4	1087.736	0.0	-91.246	-89.999	0.0
31	2738	2739	NS	1	48.782	49.411	0.0	0.003	6.16	0.222	1047.744	1089.4	0.0	-91.6	-90.167	0.0
32	2739	2740	SN	1	48.697	49.378	0.0	0.003	7.23	0.15	1027.152	1087.712	0.0	-91.263	-89.939	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	2739	2740	NS	1	48.819	49.411	0.0	0.003	6.166	0.197	1048.184	1089.424	0.0	-91.358	-90.191	0.0
34	2740	2741	SN	1	48.693	49.349	0.0	0.003	7.23	0.146	1027.28	1087.816	0.0	-91.207	-89.974	0.0
35	2740	2741	NS	1	48.82	49.469	0.0	0.003	1.809	0.182	1048.104	1089.616	0.0	-91.286	-90.127	0.0
36	2741	2742	SN	1	48.707	49.381	0.0	0.003	7.219	0.147	1027.416	1087.728	0.0	-91.204	-89.972	0.0
37	2741	2742	NS	1	48.816	49.413	0.0	0.003	1.814	0.183	1047.872	1089.552	0.0	-91.28	-90.15	0.0
38	2742	2743	SN	1	48.684	49.381	0.0	0.003	7.214	0.146	1027.44	1087.616	0.0	-91.194	-89.998	0.0
39	2742	2743	NS	1	48.801	49.456	0.0	0.003	1.814	0.184	1048.568	1089.432	0.0	-91.336	-90.15	0.0
40	2743	2744	SN	1	48.69	49.347	0.0	0.003	7.197	0.149	1027.488	1087.488	0.0	-91.293	-89.984	0.0
41	2743	2744	NS	2	48.789	49.411	0.0	0.003	1.809	0.189	1048.408	1089.272	0.0	-91.319	-90.156	0.0
42	2744	2745	SN	1	48.683	49.347	0.0	0.003	7.181	0.152	1027.616	1087.392	0.0	-91.201	-89.975	0.0
43	2744	2745	NS	1	48.812	49.453	0.0	0.003	1.814	0.187	1048.36	1089.152	0.0	-91.351	-90.163	0.0
44	2745	2746	SN	1	48.713	49.349	0.0	0.003	7.164	0.156	1027.824	1087.336	0.0	-91.112	-89.98	0.0
45	2745	2746	NS	1	48.784	49.454	0.0	0.003	1.814	0.188	1047.8	1089.184	0.0	-91.343	-90.186	0.0
46	2746	2747	NS	2	48.805	49.412	0.0	0.003	6.166	0.207	1047.832	1089.24	0.0	-91.306	-90.144	0.0
47	2746	2747	SN	1	48.715	49.354	0.0	0.003	1.809	0.138	1027.168	1087.416	0.0	-91.22	-89.954	0.0
48	2747	2748	SN	1	48.709	49.348	0.0	0.003	1.809	0.136	1027.344	1087.272	0.0	-91.707	-89.976	0.0
49	2747	2748	NS	1	48.824	49.439	0.0	0.003	1.814	0.192	1048.448	1089.104	0.0	-91.369	-90.176	0.0
50	2748	2749	SN	1	48.714	49.397	0.0	0.003	1.809	0.139	1027.736	1087.16	0.0	-91.16	-89.98	0.0
51	2748	2749	NS	1	48.807	49.456	0.0	0.003	1.814	0.189	1048.0	1088.984	0.0	-91.789	-90.179	0.0
52	2749	2750	SN	1	48.686	49.347	0.0	0.003	1.809	0.138	1027.76	1087.176	0.0	-91.47	-89.973	0.0
53	2749	2750	NS	1	48.776	49.425	0.0	0.003	1.814	0.188	1048.352	1089.008	0.0	-91.301	-90.177	0.0
54	2750	2751	NS	1	48.803	49.412	0.0	0.003	1.814	0.188	1047.784	1088.944	0.0	-91.554	-90.172	0.0
55	2750	2751	SN	1	48.672	49.38	0.0	0.003	1.809	0.139	1027.808	1087.136	0.0	-91.263	-90.024	0.0
56	2751	2752	NS	1	48.789	49.426	0.0	0.003	1.814	0.188	1047.792	1088.976	0.0	-91.335	-90.171	0.0
57	2751	2752	SN	1	48.696	49.347	0.0	0.003	1.809	0.137	1027.368	1087.16	0.0	-91.21	-89.976	0.0
58	2752	2753	NS	1	48.785	49.455	0.0	0.003	1.814	0.189	1047.736	1088.936	0.0	-91.248	-90.176	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2723	2724	SN	1	-34.878	23.304	0.083	-34.81	23.707	0.351	8.167	28.071	12.606	9.883	29.155	12.794	0.103	259.739	3.035	0.103	255.688	2.958	0.103	0.113	0.0	0.103	0.109	0.0
2	2724	2725	SN	1	-34.824	26.797	1.04	-34.529	26.285	1.584	-26.453	28.962	11.27	-33.517	29.709	12.705	0.103	256.574	6.348	0.103	239.681	4.885	0.103	37.392	0.143	0.103	189.898	0.149
3	2724	2725	NS	1	-34.759	28.259	0.137	-34.244	29.534	0.175	8.838	33.001	10.611	6.382	35.79	19.905	0.103	252.75	3.28	0.103	224.424	2.668	0.102	0.111	0.0	0.102	0.118	0.0
4	2725	2726	NS	1	-34.646	27.962	0.056	-34.971	28.694	0.089	-5.094	28.474	5.877	-3.842	29.615	12.925	0.103	246.242	7.23	0.103	265.329	6.737	0.103	0.359	0.0	0.103	0.292	0.0
5	2725	2726	SN	1	-33.744	26.404	0.764	-34.586	27.042	0.905	4.354	31.916	8.143	4.443	29.857	3.851	0.103	200.06	4.732	0.103	242.882	3.91	0.102	0.128	0.0	0.103	0.128	0.0
6	2726	2727	SN	1	-34.778	26.87	0.281	-34.911	26.805	0.296	8.059	28.092	15.122	7.941	28.759	8.794	0.103	253.806	1.739	0.103	261.686	1.55	0.103	0.113	0.0	0.103	0.113	0.0
7	2726	2727	NS	1	-34.99	26.329	0.036	-34.354	27.115	0.04	-21.272	28.46	7.93	-6.805	29.144	13.933	0.103	266.507	3.368	0.103	230.171	3.64	0.103	11.398	0.002	0.103	0.489	0.0
8	2727	2728	SN	1	-34.54	26.766	0.397	-32.553	26.59	0.394	6.176	27.313	16.064	6.912	28.244	12.724	0.103	240.242	2.159	0.103	152.125	1.695	0.103	0.119	0.0	0.103	0.116	0.0
9	2727	2728	NS	2	-34.606	21.617	0.0	-34.603	21.33	0.0	-6.219	28.44	6.085	-6.978	28.983	11.617	0.103	244.001	3.239	0.103	243.756	3.561	0.103	0.438	0.0	0.103	0.505	0.0
10	2728	2729	SN	1	-34.009	25.286	0.05	-34.897	26.51	0.07	5.678	27.75	17.271	7.37	28.72	22.138	0.103	212.614	3.933	0.103	260.9	3.551	0.103	0.121	0.0	0.103	0.115	0.0
11	2728	2729	NS	1	-34.625	21.225	0.0	-34.963	22.716	0.006	-9.82	29.242	4.722	-8.154	29.398	9.468	0.103	245.04	2.954	0.103	264.917	2.867	0.103	0.893	0.0	0.103	0.635	0.0
12	2729	2730	SN	1	-34.106	25.209	0.01	-34.985	26.115	0.013	6.242	27.928	13.63	7.497	28.139	13.538	0.103	217.485	3.919	0.103	266.188	3.552	0.103	0.119	0.0	0.103	0.115	0.0
13	2729	2730	NS	1	-34.953	24.627	0.634	-34.88	24.591	0.955	-6.776	28.68	6.722	-6.171	28.957	11.031	0.103	264.192	2.176	0.103	259.867	2.124	0.103	0.486	0.0	0.103	0.434	0.0
14	2730	2731	SN	1	-33.321	25.438	0.268	-34.915	26.527	0.309	6.618	31.751	10.296	7.961	35.389	11.124	0.103	181.487	2.125	0.103	261.951	1.462	0.102	0.117	0.0	0.102	0.113	0.0
15	2730	2731	NS	1	-34.943	25.998	0.533	-34.704	26.765	0.851	7.751	28.784	13.215	6.863	29.775	21.058	0.103	263.701	3.692	0.103	249.517	3.614	0.103	0.114	0.0	0.103	0.117	0.0
16	2731	2732	SN	1	-32.481	27.006	0.97	-34.524	27.871	1.006	-6.147	32.422	12.803	-3.261	30.637	12.944	0.103	149.581	2.008	0.103	239.386	1.589	0.102	0.433	0.0	0.103	0.267	0.0
17	2731	2732	NS	2	-34.781	26.449	0.531	-34.489	27.081	0.597	4.898	29.161	13.072	6.403	29.734	20.474	0.103	253.972	3.598	0.103	237.414	3.538	0.103	0.125	0.0	0.103	0.118	0.0
18	2732	2733	NS	1	-34.934	26.522	0.436	-34.977	27.002	0.484	-17.738	29.925	20.684	-17.844	29.851	32.611	0.103	263.129	4.753	0.103	265.776	4.363	0.103	5.097	0.009	0.103	5.221	0.003
19	2732	2733	SN	1	-34.883	28.354	0.341	-34.578	29.095	0.481	-15.006	28.884	16.77	0.331	29.618	15.933	0.103	263.332	4.42	0.103	242.373	3.981	0.103	2.755	0.002	0.103	0.171	0.0
20	2733	2734	NS	1	-34.928	24.731	0.088	-34.137	25.088	0.055	-19.317	28.66	12.521	-29.612	29.622	21.246	0.103	262.757	2.244	0.103	219.006	2.39	0.103	7.297	0.027	0.103	77.321	0.035
21	2733	2734	SN	1	-34.96	28.869	0.266	-34.993	28.938	0.435	-16.978	29.324	18.653	-12.314	29.847	19.155	0.103	264.65	9.919	0.103	266.671	8.235	0.103	4.291	0.002	0.103	1.52	0.002
22	2734	2735	SN	1	-34.934	26.551	0.015	-33.698	25.742	0.263	-13.969	29.184	14.565	-18.327	29.782	12.014	0.103	263.064	3.94	0.103	197.93	3.377	0.103	2.187	0.004	0.103	5.825	0.007
23	2734	2735	NS	1	-34.17	24.817	0.176	-32.6	25.305	0.286	5.845	30.516	18.889	6.784	29.71	26.347	0.103	220.638	0.527	0.103	153.716	0.528	0.103	0.12	0.0	0.103	0.117	0.0
24	2735	2736	NS	1	-34.292	25.221	0.092	-34.854	25.851	0.121	10.074	28.344	27.041	11.597	29.214	36.645	0.103	226.922	1.705	0.103	258.262	1.367	0.103	0.109	0.0	0.103	0.107	0.0
25	2735	2736	SN	1	-33.46	26.219	0.089	-33.546	27.186	0.577	-2.671	28.601	15.639	-3.719	29.13	15.549	0.103	187.376	3.46	0.103	191.146	3.097	0.103	0.245	0.0	0.103	0.286	0.0
26	2736	2737	NS	1	-34.832	26.036	0.297	-34.765	26.347	0.268	7.721	28.646	26.159	7.728	30.133	33.815	0.103	257.015	3.026	0.103	253.092	2.744	0.103	0.114	0.0	0.103	0.114	0.0
27	2736	2737	SN	1	-34.997	24.036	0.041	-34.895	24.155	0.349	0.786	29.321	37.599	2.633	29.765	43.765	0.103	266.934	6.275	0.103	260.8	5.537	0.103	0.164	0.0	0.103	0.141	0.0
28	2737	2738	NS	1	-34.88	26.907	0.281	-34.496	27.039	0.249	7.737	29.089	17.59	7.76	31.55	26.043	0.103	259.852	4.016	0.103	237.835	3.653	0.103	0.114	0.0	0.103	0.114	0.0
29	2737	2738	SN	1	-34.215	19.291	0.0	-34.448	23.14	0.001	8.428	28.88	26.072	9.525	29.616	29.117	0.103	222.947	3.364	0.103	235.259	3.431	0.103	0.112	0.0	0.103	0.11	0.0
30	2738	2739	SN	1	-33.929	25.764	1.683	-34.348	25.54	2.141	-29.903	28.909	9.598	-28.587	31.906	11.279	0.103	208.714	2.639	0.103	229.917	1.988	0.103	82.672	0.058	0.102	61.06	0.027
31	2738	2739	NS	1	-34.393	28.609	0.283	-34.11	28.125	0.266	7.042	31.039	11.243	7.892	30.878	19.245	0.103	232.251	2.45	0.103	217.592	2.478	0.103	0.116	0.0	0.103	0.113	0.0
32	2739	2740	SN	1	-34.922	26.502	1.15	-34.659	27.036	1.567	4.013	29.149	9.224	2.33	30.578	5.096	0.103	262.316	5.59	0.103	246.97	4.74	0.103	0.13	0.0	0.103	0.144	0.0
33	2739	2740	NS	1	-34.731	28.188	0.107	-34.905	28.928	0.156	2.089	30.575	6.845	1.937	34.466	14.689	0.103	251.117	3.23	0.103	261.313	3.193	0.103	0.147	0.0	0.102	0.149	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	2740	2741	SN	1	-34.291	26.397	0.419	-34.493	27.0	0.416	6.871	28.38	11.905	7.642	29.491	6.506	0.103	226.906	2.546	0.103	237.722	1.938	0.103	0.117	0.0	0.103	0.114	0.0
35	2740	2741	NS	1	-34.99	26.898	0.056	-34.988	26.974	0.063	-7.693	29.415	7.17	-7.896	29.706	12.905	0.103	266.491	3.925	0.103	266.436	3.7	0.103	0.58	0.0	0.103	0.604	0.0
36	2741	2742	SN	1	-33.641	26.098	0.264	-34.891	27.127	0.29	6.946	27.494	12.883	6.915	28.06	6.912	0.103	195.374	1.293	0.103	260.506	1.112	0.103	0.116	0.0	0.103	0.116	0.0
37	2741	2742	NS	1	-34.799	26.347	0.039	-34.929	26.949	0.045	-7.039	28.485	8.813	-9.062	29.676	15.456	0.103	255.105	8.53	0.103	262.789	8.875	0.103	0.511	0.0	0.103	0.763	0.0
38	2742	2743	SN	1	-34.571	26.299	0.279	-34.515	26.78	0.31	6.289	28.32	18.908	7.581	28.71	22.202	0.103	242.247	3.166	0.103	238.924	2.629	0.103	0.119	0.0	0.103	0.114	0.0
39	2742	2743	NS	1	-34.334	22.102	0.002	-34.951	21.174	0.0	-4.229	29.164	3.833	-2.432	28.815	8.029	0.103	229.118	5.35	0.103	264.17	5.118	0.103	0.31	0.0	0.103	0.237	0.0
40	2743	2744	SN	1	-34.69	24.57	0.011	-34.759	26.027	0.017	6.509	27.634	16.001	8.083	28.411	18.98	0.103	248.664	4.05	0.103	252.732	3.593	0.103	0.118	0.0	0.103	0.113	0.0
41	2743	2744	NS	2	-34.891	22.879	0.037	-34.427	23.145	0.058	-10.445	28.029	5.838	-14.654	28.53	10.246	0.103	260.52	3.62	0.103	234.078	3.098	0.103	1.018	0.002	0.103	2.547	0.004
42	2744	2745	SN	1	-34.744	25.179	0.027	-33.63	26.36	0.028	6.829	31.559	11.432	8.397	34.177	12.385	0.103	251.847	3.053	0.103	194.856	2.578	0.103	0.117	0.0	0.102	0.112	0.0
43	2744	2745	NS	1	-34.86	26.558	0.55	-34.23	26.22	0.881	-2.493	29.14	10.958	-5.102	29.237	14.936	0.103	258.616	4.284	0.103	223.784	4.381	0.103	0.239	0.0	0.103	0.359	0.0
44	2745	2746	SN	1	-34.55	26.329	0.316	-34.68	26.983	0.36	3.153	31.025	11.456	4.135	34.489	12.16	0.103	240.9	2.881	0.103	248.152	2.503	0.103	0.137	0.0	0.102	0.13	0.0
45	2745	2746	NS	1	-34.459	26.831	1.376	-34.997	26.791	1.716	7.084	28.615	10.31	7.047	30.21	16.361	0.103	235.866	1.533	0.103	266.956	1.284	0.103	0.116	0.0	0.103	0.116	0.0
46	2746	2747	NS	2	-32.799	26.268	0.424	-34.292	26.595	0.51	-6.041	29.361	16.553	1.532	29.989	27.94	0.103	160.946	1.266	0.103	226.915	1.177	0.103	0.424	0.0	0.103	0.153	0.0
47	2746	2747	SN	1	-34.976	26.785	0.436	-34.933	27.456	0.519	-8.422	30.405	16.502	-10.464	29.497	15.721	0.103	265.666	5.402	0.103	263.05	4.06	0.103	0.67	0.0	0.103	1.022	0.002
48	2747	2748	SN	1	-34.94	28.052	0.177	-34.405	29.096	0.295	-7.074	28.563	16.992	-3.842	30.046	16.321	0.103	263.508	5.614	0.103	232.911	4.408	0.103	0.515	0.0	0.103	0.292	0.0
49	2747	2748	NS	1	-34.979	26.753	0.489	-34.943	26.855	0.559	-30.929	28.413	12.583	-21.67	33.842	22.935	0.103	265.824	5.237	0.103	263.648	5.288	0.103	104.675	0.141	0.102	12.484	0.076
50	2748	2749	SN	1	-34.789	27.116	0.072	-34.566	28.969	0.271	-10.572	30.476	16.289	-10.51	30.257	15.92	0.103	254.392	4.388	0.103	241.736	4.175	0.103	1.045	0.002	0.103	1.032	0.003
51	2748	2749	NS	1	-34.888	24.943	0.15	-34.769	25.173	0.172	5.382	28.436	14.844	6.085	29.842	22.066	0.103	260.257	2.416	0.103	253.219	2.722	0.103	0.123	0.0	0.103	0.119	0.0
52	2749	2750	SN	1	-33.076	26.681	0.102	-30.935	27.054	0.606	-16.218	30.937	13.232	-12.634	29.97	12.241	0.103	171.529	0.688	0.103	104.811	0.469	0.103	3.615	0.002	0.103	1.63	0.003
53	2749	2750	NS	1	-34.642	24.225	0.114	-34.583	24.384	0.232	8.973	28.433	26.501	11.17	29.291	36.81	0.103	245.987	1.903	0.103	242.666	1.723	0.103	0.111	0.0	0.103	0.108	0.0
54	2750	2751	NS	1	-33.135	24.922	0.253	-34.818	25.622	0.258	10.967	28.792	23.407	10.914	29.218	32.893	0.103	173.87	1.583	0.103	256.19	1.589	0.103	0.108	0.0	0.103	0.108	0.0
55	2750	2751	SN	1	-34.988	27.384	0.069	-34.846	27.379	0.474	-7.305	31.312	23.662	-5.861	29.587	25.113	0.103	266.377	4.097	0.103	257.788	3.613	0.103	0.538	0.0	0.103	0.411	0.0
56	2751	2752	NS	1	-34.699	26.722	0.35	-34.844	27.215	0.322	8.162	28.898	24.827	7.697	29.461	33.926	0.103	249.272	4.284	0.103	257.755	3.592	0.103	0.113	0.0	0.103	0.114	0.0
57	2751	2752	SN	1	-34.708	24.198	0.071	-34.445	24.293	0.342	7.313	28.829	40.483	8.934	30.052	49.219	0.103	249.812	1.713	0.103	235.101	1.36	0.103	0.115	0.0	0.103	0.111	0.0
58	2752	2753	NS	1	-34.953	26.607	0.248	-34.714	27.357	0.198	6.829	28.923	14.477	6.745	29.474	22.598	0.103	264.269	3.683	0.103	250.145	3.839	0.103	0.117	0.0	0.103	0.117	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	2723	2724	SN	1	57.556	58.326	0.0	0.003	1.98	0.207	1206.152	1280.904	9.042	-93.034	-92.029	0.0
2	2724	2725	SN	1	57.552	58.305	0.0	0.003	345.62	0.222	1206.32	1281.224	8.684	-93.184	-92.008	0.0
3	2724	2725	NS	1	57.677	58.385	0.0	0.003	1.98	0.158	1230.056	1283.672	8.138	-93.249	-92.183	0.0
4	2725	2726	NS	1	57.674	58.394	0.0	0.003	1.98	0.15	1230.32	1283.976	8.185	-93.201	-92.14	0.0
5	2725	2726	SN	1	57.558	58.311	0.0	0.003	1.98	0.2	1205.528	1280.928	9.597	-93.04	-91.977	0.0
6	2726	2727	SN	1	57.49	58.324	0.0	0.003	345.686	0.206	1206.128	1281.488	10.881	-93.046	-91.997	0.0
7	2726	2727	NS	1	57.682	58.418	0.0	0.003	1.98	0.148	1230.096	1284.016	8.244	-93.13	-92.123	0.0
8	2727	2728	SN	1	57.526	58.333	0.0	0.003	1.98	0.199	1206.024	1281.336	10.951	-93.052	-92.017	0.0
9	2727	2728	NS	2	57.701	58.443	0.0	0.003	26.18	0.198	1230.096	1283.896	8.012	-93.198	-92.161	0.0
10	2728	2729	SN	1	57.544	58.301	0.0	0.003	345.647	0.206	1205.72	1281.184	10.768	-93.16	-91.996	0.0
11	2728	2729	NS	1	57.675	58.418	0.0	0.003	1.98	0.155	1230.256	1283.768	7.974	-93.122	-92.177	0.0
12	2729	2730	SN	1	57.542	58.329	0.0	0.003	345.658	0.208	1205.576	1280.912	10.467	-93.047	-92.063	0.0
13	2729	2730	NS	1	57.682	58.415	0.0	0.003	1.985	0.158	1230.792	1283.536	7.422	-93.095	-92.172	0.0
14	2730	2731	SN	1	57.535	58.304	0.0	0.003	345.735	0.215	1206.336	1280.864	8.975	-93.074	-91.98	0.0
15	2730	2731	NS	1	57.679	58.384	0.0	0.003	1.98	0.154	1230.28	1283.424	6.997	-93.27	-92.191	0.0
16	2731	2732	SN	1	57.566	58.305	0.0	0.003	1.974	0.205	1206.456	1280.928	8.317	-92.948	-92.064	0.0
17	2731	2732	NS	2	57.678	58.413	0.0	0.003	26.307	0.2	1229.856	1283.592	6.801	-93.153	-92.192	0.0
18	2732	2733	NS	1	57.679	58.409	0.0	0.003	1.985	0.163	1229.984	1283.464	7.508	-93.153	-92.2	0.0
19	2732	2733	SN	1	57.567	58.304	0.0	0.003	1.974	0.198	1206.072	1280.816	8.511	-93.027	-91.939	0.0
20	2733	2734	NS	1	57.706	58.402	0.0	0.003	1.985	0.156	1230.856	1283.32	6.804	-93.13	-92.176	0.0
21	2733	2734	SN	1	57.552	58.311	0.0	0.003	1.974	0.199	1205.784	1280.584	8.671	-93.037	-92.001	0.0
22	2734	2735	SN	1	57.553	58.309	0.0	0.003	1.974	0.206	1206.392	1280.584	9.199	-93.21	-91.987	0.0
23	2734	2735	NS	1	57.705	58.394	0.0	0.003	1.985	0.154	1230.84	1283.24	6.747	-93.083	-92.184	0.0
24	2735	2736	NS	1	57.686	58.398	0.0	0.003	1.985	0.153	1230.432	1283.208	6.665	-93.131	-92.159	0.0
25	2735	2736	SN	1	57.542	58.316	0.0	0.003	1.974	0.202	1206.336	1280.592	9.477	-93.009	-91.989	0.0
26	2736	2737	NS	1	57.683	58.39	0.0	0.003	1.985	0.154	1229.88	1283.288	6.809	-93.17	-92.193	0.0
27	2736	2737	SN	1	57.528	58.313	0.0	0.003	1.974	0.2	1205.552	1280.6	9.106	-93.28	-92.002	0.0
28	2737	2738	NS	1	57.669	58.404	0.0	0.003	1.98	0.155	1229.848	1283.32	7.196	-93.098	-92.224	0.0
29	2737	2738	SN	1	57.548	58.303	0.0	0.003	1.98	0.217	1206.488	1280.648	10.111	-93.049	-92.001	0.0
30	2738	2739	SN	1	57.549	58.309	0.0	0.003	345.498	0.221	1206.192	1280.576	8.637	-93.01	-92.02	0.0
31	2738	2739	NS	1	57.679	58.382	0.0	0.003	26.671	0.257	1230.648	1283.128	7.234	-93.347	-92.191	0.0
32	2739	2740	SN	1	57.564	58.301	0.0	0.003	345.526	0.214	1205.688	1280.552	8.737	-93.037	-91.97	0.0
33	2739	2740	NS	1	57.701	58.405	0.0	0.0	25.755	0.199	1230.864	1283.152	6.74	-93.111	-92.216	0.0
34	2740	2741	SN	1	57.55	58.313	0.0	0.003	345.553	0.208	1205.712	1280.672	9.986	-93.16	-91.997	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	2740	2741	NS	1	57.706	58.385	0.0	0.003	1.98	0.148	1230.704	1283.4	6.909	-93.168	-92.162	0.0
36	2741	2742	SN	1	57.545	58.3	0.0	0.003	345.548	0.204	1205.784	1280.576	10.635	-92.978	-91.996	0.0
37	2741	2742	NS	1	57.707	58.385	0.0	0.003	1.98	0.151	1230.68	1283.312	6.885	-93.241	-92.161	0.0
38	2742	2743	SN	1	57.529	58.299	0.0	0.003	345.542	0.207	1205.984	1280.456	10.526	-93.078	-92.02	0.0
39	2742	2743	NS	1	57.71	58.41	0.0	0.008	1.98	0.153	1231.392	1283.176	6.542	-93.152	-92.175	0.0
40	2743	2744	SN	1	57.557	58.299	0.0	0.003	345.559	0.206	1206.048	1280.296	10.283	-93.134	-92.009	0.0
41	2743	2744	NS	2	57.678	58.389	0.0	0.003	1.98	0.156	1230.984	1282.968	6.245	-93.141	-92.175	0.0
42	2744	2745	SN	1	57.54	58.299	0.0	0.003	345.603	0.211	1206.192	1280.176	9.99	-93.179	-91.999	0.0
43	2744	2745	NS	1	57.685	58.402	0.0	0.003	1.98	0.157	1230.92	1282.816	5.71	-93.262	-92.178	0.0
44	2745	2746	SN	1	57.566	58.301	0.0	0.003	345.68	0.216	1205.8	1280.064	7.949	-92.957	-91.99	0.0
45	2745	2746	NS	1	57.685	58.402	0.0	0.003	1.985	0.151	1230.464	1282.88	5.647	-93.183	-92.213	0.0
46	2746	2747	NS	2	57.71	58.389	0.0	0.003	25.799	0.206	1230.488	1282.92	5.84	-93.327	-92.164	0.0
47	2746	2747	SN	1	57.545	58.302	0.0	0.003	1.974	0.202	1205.928	1280.184	7.787	-93.081	-91.963	0.0
48	2747	2748	SN	1	57.568	58.301	0.0	0.003	1.974	0.199	1205.856	1280.0	8.277	-93.0	-91.999	0.0
49	2747	2748	NS	1	57.69	58.387	0.0	0.003	1.985	0.158	1231.472	1282.792	5.743	-93.127	-92.2	0.0
50	2748	2749	SN	1	57.532	58.313	0.0	0.003	1.974	0.204	1205.664	1279.864	8.55	-93.091	-92.001	0.0
51	2748	2749	NS	1	57.703	58.393	0.0	0.003	1.985	0.155	1230.6	1282.616	5.37	-93.113	-92.202	0.0
52	2749	2750	SN	1	57.567	58.3	0.0	0.003	1.974	0.206	1206.392	1279.872	9.516	-93.022	-91.99	0.0
53	2749	2750	NS	1	57.682	58.407	0.0	0.003	1.985	0.152	1231.168	1282.632	5.255	-93.168	-92.201	0.0
54	2750	2751	NS	1	57.707	58.395	0.0	0.003	1.985	0.154	1230.416	1282.584	5.266	-93.331	-92.197	0.0
55	2750	2751	SN	1	57.518	58.299	0.0	0.003	1.974	0.201	1206.384	1279.824	8.892	-93.022	-92.047	0.0
56	2751	2752	NS	1	57.681	58.385	0.0	0.003	1.98	0.152	1230.264	1282.632	5.221	-93.128	-92.197	0.0
57	2751	2752	SN	1	57.548	58.299	0.0	0.003	1.98	0.199	1205.688	1279.84	9.039	-93.067	-91.999	0.0
58	2752	2753	NS	1	57.679	58.382	0.0	0.003	1.985	0.159	1230.544	1282.552	5.607	-93.017	-92.197	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	2723	2724	SN	1	-34.065	18.427	0.0	-33.082	18.646	0.0	2.372	23.007	0.183	3.968	23.476	0.279	0.081	170.443	2.523	0.08	135.977	2.22	0.08	0.112	0.0	0.08	0.102	0.0
2	2724	2725	SN	1	-34.869	20.401	0.0	-34.974	21.224	0.0	-29.903	23.015	0.071	-24.605	23.793	0.14	0.08	205.09	6.929	0.08	210.179	5.427	0.08	65.42	0.104	0.08	19.358	0.087
3	2724	2725	NS	1	-34.912	21.425	0.0	-34.741	22.616	0.003	1.564	22.828	0.007	1.773	23.224	0.087	0.08	207.186	2.425	0.08	203.84	2.349	0.08	0.119	0.0	0.08	0.117	0.0
4	2725	2726	NS	1	-34.885	20.068	0.0	-34.67	21.403	0.0	-9.794	22.364	0.004	-7.625	23.386	0.039	0.08	205.869	5.375	0.08	195.93	5.567	0.08	0.7	0.0	0.08	0.451	0.0
5	2725	2726	SN	1	-34.864	20.343	0.0	-34.849	20.792	0.0	0.87	22.744	0.038	1.623	23.973	0.188	0.08	204.912	4.426	0.08	204.201	4.278	0.08	0.127	0.0	0.08	0.119	0.0
6	2726	2727	SN	1	-34.351	20.681	0.0	-34.868	21.084	0.0	1.631	21.901	0.0	1.764	22.19	0.022	0.08	182.071	1.345	0.08	205.051	1.189	0.08	0.119	0.0	0.08	0.118	0.0
7	2726	2727	NS	1	-34.504	20.88	0.0	-34.946	20.15	0.0	-8.173	21.634	0.0	-23.138	22.662	0.013	0.08	188.589	3.554	0.08	208.827	3.618	0.08	0.503	0.0	0.08	13.828	0.028
8	2727	2728	SN	1	-34.858	20.243	0.0	-34.994	20.923	0.0	1.413	22.699	0.065	2.211	22.641	0.154	0.08	204.591	2.14	0.08	216.085	1.891	0.08	0.121	0.0	0.08	0.114	0.0
9	2727	2728	NS	2	-34.843	20.316	0.0	-34.861	20.127	0.0	-29.721	22.146	0.001	-28.16	22.805	0.012	0.08	203.862	4.444	0.08	204.771	5.113	0.08	62.73	0.032	0.08	43.801	0.074
10	2728	2729	SN	1	-34.705	20.609	0.0	-34.95	20.614	0.0	1.417	22.221	0.01	2.438	22.531	0.095	0.08	197.499	3.554	0.08	208.983	3.188	0.08	0.121	0.0	0.08	0.112	0.0
11	2728	2729	NS	1	-34.439	16.446	0.0	-33.242	16.935	0.0	-28.517	22.045	0.005	-24.037	22.696	0.014	0.081	185.79	3.011	0.081	141.041	3.229	0.08	47.563	0.067	0.08	16.993	0.039
12	2729	2730	SN	1	-34.953	19.304	0.0	-34.898	19.59	0.0	1.493	22.687	0.059	3.343	22.583	0.059	0.08	209.086	3.354	0.08	206.549	2.917	0.08	0.12	0.0	0.08	0.105	0.0
13	2729	2730	NS	1	-34.946	20.317	0.0	-34.67	20.189	0.0	-21.924	22.664	0.036	-17.066	22.636	0.062	0.08	208.78	2.411	0.08	195.886	2.418	0.08	10.47	0.101	0.08	3.463	0.013
14	2730	2731	SN	1	-32.853	19.807	0.0	-33.242	19.954	0.0	0.152	23.454	0.278	1.973	23.905	0.617	0.08	128.979	1.54	0.08	141.015	1.32	0.08	0.136	0.0	0.08	0.116	0.0
15	2730	2731	NS	1	-34.756	20.498	0.0	-34.868	20.608	0.0	2.96	23.116	0.534	2.305	23.222	0.624	0.08	204.547	4.232	0.08	205.017	4.233	0.08	0.108	0.0	0.08	0.113	0.0
16	2731	2732	SN	1	-34.451	20.99	0.0	-34.529	21.108	0.0	-11.471	23.6	0.177	-6.881	23.741	0.586	0.08	186.328	1.917	0.08	189.644	1.995	0.08	1.0	0.001	0.08	0.391	0.0
17	2731	2732	NS	2	-34.707	20.936	0.0	-34.424	20.973	0.0	-4.596	23.255	0.244	1.752	23.532	0.744	0.08	197.609	4.076	0.08	185.094	4.289	0.08	0.259	0.0	0.08	0.118	0.0
18	2732	2733	NS	1	-34.919	20.241	0.0	-34.934	20.546	0.0	-23.95	23.095	0.255	-28.437	24.0	1.298	0.08	207.446	3.726	0.08	208.236	3.644	0.08	16.658	0.183	0.08	46.689	0.095
19	2732	2733	SN	1	-34.519	21.972	0.0	-34.829	22.788	0.005	-22.162	23.411	0.137	-5.838	23.841	0.394	0.08	189.241	3.262	0.08	203.214	3.043	0.08	11.055	0.023	0.08	0.322	0.0
20	2733	2734	NS	1	-34.864	18.673	0.0	-34.929	18.832	0.0	-26.19	22.924	0.127	-21.916	23.877	0.741	0.08	204.899	2.456	0.08	207.96	2.579	0.08	27.858	0.075	0.08	10.45	0.04
21	2733	2734	SN	1	-34.793	22.419	0.002	-34.937	23.196	0.007	-19.478	23.117	0.196	-26.982	23.779	0.403	0.08	201.553	7.809	0.08	208.377	7.139	0.08	5.989	0.031	0.08	33.42	0.068
22	2734	2735	SN	1	-34.445	20.801	0.0	-34.838	21.802	0.0	-12.541	23.374	0.131	-13.298	23.707	0.275	0.08	186.054	3.368	0.08	203.633	3.023	0.08	1.262	0.004	0.08	1.49	0.005
23	2734	2735	NS	1	-33.33	18.425	0.0	-34.032	17.993	0.0	1.957	23.269	0.221	1.425	23.303	0.657	0.081	143.933	0.384	0.081	169.167	0.405	0.08	0.116	0.0	0.08	0.121	0.0
24	2735	2736	NS	1	-34.195	18.673	0.0	-34.971	18.481	0.0	4.677	22.942	0.273	5.32	23.29	0.727	0.08	175.616	1.453	0.081	210.028	1.42	0.08	0.098	0.0	0.08	0.096	0.0
25	2735	2736	SN	1	-34.205	19.892	0.0	-32.835	21.169	0.0	-20.095	22.995	0.145	-13.165	23.515	0.377	0.08	176.061	3.113	0.08	128.413	2.682	0.08	6.892	0.009	0.08	1.447	0.005
26	2736	2737	NS	1	-34.642	19.551	0.0	-34.688	19.909	0.0	1.821	23.281	0.201	2.016	23.335	0.755	0.08	194.627	2.491	0.08	196.776	2.536	0.08	0.117	0.0	0.08	0.115	0.0
27	2736	2737	SN	1	-34.88	19.814	0.0	-34.82	20.388	0.0	-13.77	22.935	0.514	-8.112	23.564	1.356	0.08	205.614	5.544	0.08	202.819	5.078	0.08	1.654	0.003	0.08	0.497	0.0
28	2737	2738	NS	1	-34.744	20.766	0.0	-34.847	20.631	0.0	1.64	23.363	0.428	2.435	23.372	0.872	0.08	199.255	3.22	0.08	204.068	3.133	0.08	0.119	0.0	0.08	0.112	0.0
29	2737	2738	SN	1	-34.773	15.473	0.0	-34.575	16.583	0.0	2.754	22.958	0.212	4.422	23.284	0.882	0.081	200.638	3.934	0.081	191.683	3.888	0.08	0.109	0.0	0.08	0.1	0.0
30	2738	2739	SN	1	-34.945	20.371	0.0	-34.366	20.761	0.0	-27.433	23.467	0.232	-18.028	23.651	0.281	0.08	208.705	2.111	0.08	182.715	1.872	0.08	37.06	0.023	0.08	4.305	0.017
31	2738	2739	NS	1	-34.674	22.096	0.001	-34.963	21.952	0.0	1.306	23.51	0.2	0.308	23.369	0.315	0.08	196.151	2.243	0.08	209.662	2.429	0.08	0.122	0.0	0.08	0.134	0.0
32	2739	2740	SN	1	-34.835	20.139	0.0	-34.618	20.738	0.0	-15.977	23.57	0.07	-25.38	23.662	0.179	0.08	203.535	4.35	0.08	193.628	3.953	0.08	2.708	0.009	0.08	23.125	0.017

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	2739	2740	NS	1	-34.196	21.295	0.0	-34.803	22.622	0.009	-9.508	23.289	0.009	-9.056	24.516	0.056	0.08	175.656	3.309	0.08	202.008	3.383	0.08	0.66	0.0	0.08	0.601	0.0
34	2740	2741	SN	1	-34.979	21.007	0.0	-34.985	20.902	0.0	2.822	23.332	0.216	1.813	23.522	0.53	0.08	210.38	1.852	0.08	210.662	1.674	0.08	0.109	0.0	0.08	0.117	0.0
35	2740	2741	NS	1	-34.988	20.076	0.0	-34.529	20.312	0.0	-7.509	22.351	0.011	-31.784	23.108	0.047	0.08	210.828	4.223	0.08	189.682	4.662	0.08	0.441	0.0	0.08	100.867	0.056
36	2741	2742	SN	1	-33.908	20.447	0.0	-34.439	21.06	0.0	1.781	21.798	0.0	1.911	22.101	0.009	0.08	164.414	1.117	0.08	185.77	1.11	0.08	0.117	0.0	0.08	0.116	0.0
37	2741	2742	NS	1	-34.933	19.954	0.0	-34.826	20.292	0.0	-31.69	22.226	0.002	-29.086	22.588	0.015	0.08	208.135	6.538	0.08	203.094	6.938	0.08	98.681	0.141	0.08	54.216	0.136
38	2742	2743	SN	1	-34.674	20.433	0.0	-34.728	20.472	0.0	1.639	22.409	0.035	2.226	22.792	0.101	0.08	196.086	2.734	0.08	198.612	2.51	0.08	0.119	0.0	0.08	0.113	0.0
39	2742	2743	NS	1	-34.996	14.471	0.0	-34.405	14.652	0.0	-8.61	22.401	0.011	-5.826	22.735	0.029	0.082	211.182	4.722	0.082	184.324	5.086	0.08	0.549	0.0	0.08	0.321	0.0
40	2743	2744	SN	1	-34.567	20.048	0.0	-34.464	20.428	0.0	0.604	22.237	0.004	1.982	22.964	0.02	0.08	191.368	3.975	0.08	186.866	3.613	0.08	0.13	0.0	0.08	0.116	0.0
41	2743	2744	NS	2	-34.351	17.723	0.0	-34.953	18.023	0.0	-26.401	21.63	0.0	-18.95	22.47	0.009	0.081	182.07	3.895	0.081	209.102	3.802	0.08	29.238	0.023	0.08	5.31	0.021
42	2744	2745	SN	1	-34.314	19.695	0.0	-34.456	19.68	0.0	1.174	23.925	0.246	3.879	23.44	0.481	0.08	180.489	2.419	0.08	186.545	2.094	0.08	0.123	0.0	0.08	0.102	0.0
43	2744	2745	NS	1	-34.614	20.657	0.0	-34.778	20.541	0.0	-20.578	22.52	0.048	-31.365	23.037	0.19	0.08	193.409	3.637	0.08	200.875	3.662	0.08	7.697	0.062	0.08	91.562	0.134
44	2745	2746	SN	1	-34.209	21.109	0.0	-34.035	21.985	0.0	-9.011	23.754	0.282	-8.965	24.008	0.773	0.08	176.18	2.358	0.08	169.327	2.311	0.08	0.596	0.0	0.08	0.59	0.0
45	2745	2746	NS	1	-34.778	20.489	0.0	-34.425	20.917	0.0	-4.607	22.744	0.086	-2.95	23.727	0.316	0.08	200.86	2.063	0.08	185.209	1.994	0.08	0.259	0.0	0.08	0.2	0.0
46	2746	2747	NS	2	-34.875	20.215	0.0	-34.861	20.908	0.0	1.342	22.993	0.206	1.187	24.116	0.941	0.08	205.392	2.217	0.08	204.72	2.071	0.08	0.122	0.0	0.08	0.123	0.0
47	2746	2747	SN	1	-34.603	21.262	0.0	-34.734	21.723	0.0	-32.547	23.145	0.158	-11.401	23.657	0.468	0.08	192.936	5.403	0.08	198.831	4.322	0.08	120.192	0.059	0.08	0.985	0.0
48	2747	2748	SN	1	-34.789	22.931	0.002	-34.639	22.732	0.004	-11.345	23.129	0.167	-9.098	23.866	0.318	0.08	201.373	5.539	0.08	194.51	4.934	0.08	0.974	0.0	0.08	0.606	0.0
49	2747	2748	NS	1	-34.92	20.17	0.0	-34.997	21.101	0.0	-20.654	24.033	0.21	-26.288	23.737	1.214	0.08	207.533	4.305	0.08	211.278	4.045	0.08	7.831	0.061	0.08	28.493	0.043
50	2748	2749	SN	1	-34.843	20.668	0.0	-34.659	21.946	0.0	-26.342	23.222	0.178	-18.445	23.914	0.312	0.08	203.875	5.272	0.08	195.417	5.396	0.08	28.851	0.152	0.08	4.732	0.039
51	2748	2749	NS	1	-34.973	18.278	0.0	-34.679	17.82	0.0	1.063	22.74	0.116	1.696	23.812	0.67	0.081	210.069	1.961	0.081	196.31	2.045	0.08	0.125	0.0	0.08	0.118	0.0
52	2749	2750	SN	1	-33.746	20.882	0.0	-32.338	21.279	0.0	-25.381	23.389	0.139	-27.134	23.883	0.283	0.08	158.382	0.794	0.08	114.54	0.637	0.08	23.138	0.016	0.08	34.612	0.016
53	2749	2750	NS	1	-34.048	18.103	0.0	-34.945	17.848	0.0	2.759	23.044	0.37	5.676	23.225	0.704	0.081	169.767	1.365	0.081	208.728	1.371	0.08	0.109	0.0	0.08	0.094	0.0
54	2750	2751	NS	1	-34.724	18.688	0.0	-34.892	19.755	0.0	3.257	23.012	0.249	3.654	23.174	0.706	0.08	198.363	1.434	0.08	206.203	1.396	0.08	0.106	0.0	0.08	0.104	0.0
55	2750	2751	SN	1	-34.894	20.116	0.0	-34.871	20.812	0.0	-16.076	23.114	0.307	-19.535	23.945	0.598	0.08	206.308	3.728	0.08	205.219	3.15	0.08	2.769	0.02	0.08	6.067	0.032
56	2751	2752	NS	1	-34.674	20.889	0.0	-34.561	20.487	0.0	2.717	22.945	0.331	2.669	23.481	0.842	0.08	196.123	3.627	0.08	191.099	3.236	0.08	0.11	0.0	0.08	0.11	0.0
57	2751	2752	SN	1	-34.942	17.864	0.0	-34.756	18.345	0.0	2.746	22.97	0.723	3.325	23.751	1.981	0.081	208.556	1.597	0.081	199.854	1.512	0.08	0.109	0.0	0.08	0.106	0.0
58	2752	2753	NS	1	-34.318	22.107	0.002	-34.642	22.235	0.002	2.203	23.266	0.539	0.152	23.858	0.842	0.08	180.702	3.281	0.08	194.64	3.477	0.08	0.114	0.0	0.08	0.136	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors