


# Scatsat-1 Scatterometer Level-2A Data Quality Evaluation Report


| Satellite      | Sensor          | Start Orbit       | End Orbit       |
|----------------|-----------------|-------------------|-----------------|
| SCATSAT-1      | Scatterometer   | 4324              | 4325            |
| WV Cells Along | WV Cells Across | EquatorCrossDate  | Production Date |
| 404            | 36              | 21-07-2017        | 21-07-2017      |
| Direction      | WVC Size(km)    | Processor Version |                 |
| NS             | 50              | v1.1.2            |                 |

## Brightness Temperature

Inner Beam (HH)




Outer Beam (VV)




## Sigma0(dB)

Inner Beam (HH)



Outer Beam (VV)



## Level-2A Cell-wise Deviations\*

| Static Parameter Statistics (variations over the cell grid) for the Inner and Outer Beam |                 |         |              |         |         |              |                 |         |              |         |         |              |
|--|-----------------|---------|--------------|---------|---------|--------------|-----------------|---------|--------------|---------|---------|--------------|
| Parameter  | Inner Beam (HH) |         |              |         |         |              | Outer Beam (VV) |         |              |         |         |              |
|  | Aft             |         |              | Fore    |         |              | Aft             |         |              | Fore    |         |              |
|  | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) |
| Kpa  | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         |
| Kpb  | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         |
| Kpc  | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| Inc. Angle(deg)  | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| Delta Azi.Angle(deg)   | 0.00            | 25.91   | 15.02        | 0.00    | 33.76   | 14.47        | 0.00            | 356.61  | 10.87        | 0.00    | 54.79   | 10.88        |

| Category wise Dynamic Parameter Statistics (Variations over the Cell grid) |            |         |         |              |          |         |              |          |         |              |           |         |              |
|--|------------|---------|---------|--------------|----------|---------|--------------|----------|---------|--------------|-----------|---------|--------------|
| Parameter  | Beam       | Sea Aft |         |              | Sea Fore |         |              | Land Aft |         |              | Land Fore |         |              |
|  |            | Min Rng | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng   | Max Rng | Bad Occ. (%) |
| SNR(dB)  | Inner (HH) | 0.00    | 47.82   | 7.57         | 0.00     | 50.53   | 7.41         | 0.00     | 26.81   | 0.19         | 0.00      | 22.31   | 0.31         |
|  | Outer (VV) | 0.00    | 40.95   | 6.59         | 0.00     | 45.50   | 5.46         | 0.00     | 25.80   | 0.24         | 0.00      | 25.09   | 0.05         |
| Sigma0(dB)   | Inner (HH) | 0.00    | 47.38   | 6.99         | 0.00     | 49.65   | 6.61         | 0.00     | 24.42   | 0.19         | 0.00      | 21.25   | 0.08         |
|  | Outer (VV) | 0.00    | 44.92   | 6.12         | 0.00     | 42.11   | 5.29         | 0.00     | 23.48   | 0.12         | 0.00      | 21.30   | 0.05         |

| Parameter Specifications with in a cell |     |     |     |            |          |                  |             |
|---|-----|-----|-----|------------|----------|------------------|-------------|
| Parameter                               | Kpa | Kpb | Kpc | Inci (deg) | SNR (dB) | Delta Azi. (deg) | Sigma0 (dB) |
| Range                                   | 1.0 | 1.0 | 1.0 | 3.0        | 20.0     | 10.0             | 20.0        |

■ Normal    
 ■ Deviation    
 ■ Alarming    
 ■ High





\* Note: Deviations within a Cell for a category is observed and flagged if out of range specifications

# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -32      | -28       | -63     | -65      |
| Max             | 1        | 1         | -1      | -1       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -31      | -28       | -60     | -61      |
| Max             | 1        | -1        | -1      | -1       |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 326      | 330       | 292     | 290      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 485      | 323       | 344     | 330      |

