


# Scatsat-1 Scatterometer Level-2A Data Quality Evaluation Report


| Satellite      | Sensor          | Start Orbit       | End Orbit       |
|----------------|-----------------|-------------------|-----------------|
| SCATSAT-1      | Scatterometer   | 7192              | 7193            |
| WV Cells Along | WV Cells Across | EquatorCrossDate  | Production Date |
| 404            | 36              | 04-02-2018        | 04-02-2018      |
| Direction      | WVC Size(km)    | Processor Version |                 |
| SN             | 50              | v1.1.2            |                 |

## Brightness Temperature

Inner Beam (HH)




Outer Beam (VV)




## Sigma0(dB)

Inner Beam (HH)



Outer Beam (VV)



## Level-2A Cell-wise Deviations\*

| Static Parameter Statistics (variations over the cell grid) for the Inner and Outer Beam |                 |         |              |         |         |              |                 |         |              |         |         |              |
|--|-----------------|---------|--------------|---------|---------|--------------|-----------------|---------|--------------|---------|---------|--------------|
| Parameter  | Inner Beam (HH) |         |              |         |         |              | Outer Beam (VV) |         |              |         |         |              |
|  | Aft             |         |              | Fore    |         |              | Aft             |         |              | Fore    |         |              |
|  | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) |
| <b>Kpa</b>   | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         |
| <b>Kpb</b>   | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         |
| <b>Kpc</b>   | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Inc. Angle(deg)</b>   | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Delta Azi.Angle(deg)</b>  | 0.00            | 32.64   | 14.69        | 0.00    | 25.87   | 14.87        | 0.00            | 166.40  | 10.41        | 0.00    | 65.95   | 10.40        |

| Category wise Dynamic Parameter Statistics (Variations over the Cell grid) |                   |         |         |              |          |         |              |          |         |              |           |         |              |
|--|-------------------|---------|---------|--------------|----------|---------|--------------|----------|---------|--------------|-----------|---------|--------------|
| Parameter  | Beam              | Sea Aft |         |              | Sea Fore |         |              | Land Aft |         |              | Land Fore |         |              |
|  |                   | Min Rng | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng   | Max Rng | Bad Occ. (%) |
| <b>SNR(dB)</b>   | <b>Inner (HH)</b> | 0.00    | 40.28   | 6.01         | 0.00     | 46.50   | 5.21         | 0.00     | 36.09   | 0.31         | 0.00      | 33.21   | 0.39         |
|  | <b>Outer (VV)</b> | 0.00    | 42.75   | 4.48         | 0.00     | 42.32   | 4.68         | 0.00     | 25.52   | 0.11         | 0.00      | 27.73   | 0.22         |
| <b>Sigma0(dB)</b>  | <b>Inner (HH)</b> | 0.00    | 41.16   | 5.11         | 0.00     | 47.27   | 4.42         | 0.00     | 33.00   | 0.15         | 0.00      | 32.32   | 0.10         |
|  | <b>Outer (VV)</b> | 0.00    | 41.84   | 4.04         | 0.00     | 41.22   | 3.99         | 0.00     | 21.79   | 0.05         | 0.00      | 27.36   | 0.15         |

| Parameter Specifications with in a cell   |     |     |     |            |          |                  |             |
|---|-----|-----|-----|------------|----------|------------------|-------------|
| Parameter   | Kpa | Kpb | Kpc | Inci (deg) | SNR (dB) | Delta Azi. (deg) | Sigma0 (dB) |
| Range   | 1.0 | 1.0 | 1.0 | 3.0        | 20.0     | 10.0             | 20.0        |
| <span style="display: inline-block; width: 15px; height: 15px; background-color: green; margin-right: 5px;"></span> Normal <span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; margin-right: 5px; margin-left: 20px;"></span> Deviation <span style="display: inline-block; width: 15px; height: 15px; background-color: orange; margin-right: 5px; margin-left: 20px;"></span> Alarming <span style="display: inline-block; width: 15px; height: 15px; background-color: red; margin-right: 5px; margin-left: 20px;"></span> High |     |     |     |            |          |                  |             |





\* Note: Deviations within a Cell for a category is observed and flagged if out of range specifications

# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -46      | -37       | -64     | -65      |
| Max             | -1       | -1        | -1      | -1       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -36      | -36       | -59     | -59      |
| Max             | -1       | -1        | -1      | -1       |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 300      | 301       | 309     | 310      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 500      | 314       | 500     | 315      |

