


# SCATSAT-1 Scatterometer Level-1B Data Quality Evaluation Report

## Table of Contents


- Half-Orbit Coverage using BT & Sigma-0
- Invariant Site Sigma-0 Statistics (if Available)
- Half-Orbit Data Statistics
- Half Orbit wise - Dynamic Parameter (Sigma-0, Kp, SNR) Behaviour
- Dynamic Range (Data Histogram)
- Half Orbit Wise Behaviour - Static Parameters
- Doppler Variation (Across/Along Track for HH/VV Beam)
- LIB Parameter as a function of Latitude
- Half Orbit OAT Behaviour

|                              |               |                              |              |                               |      |
|------------------------------|---------------|------------------------------|--------------|-------------------------------|------|
| <b>Satellite Id</b>          | ScatSat-1     | <b>Start Orbit</b>           | 16192        | <b>Total Scans</b>            | 1017 |
| <b>Sensor Name</b>           | Scatterometer | <b>End Orbit</b>             | 16193        | <b>No of Inner FootPrints</b> | 281  |
| <b>Processor Version</b>     | v1.1.3        | <b>Rev. Number</b>           | 16192_16193  | <b>No Of Outer FootPrints</b> | 282  |
| <b>Half Orbit Direction</b>  | SN            | <b>Data Production Date</b>  | 18-10-2019   | <b>No. Of Inner Slices</b>    | 9    |
| <b>Equator Crossing Date</b> | 17-10-2019    | <b>Equator Crossing Time</b> | 22:59:06.000 | <b>No Of Outer Slices</b>     | 15   |


## Brightness Temperature(k) Footprint trace



## Image Snapshot for Inner & Outer Beam



## Sigma0(dB) Footprint trace




## Invalid and Poor Sigma-0 Quality Flag Statistics for Inner/Outer Slices\*

| Sigma-0 Flags                            | Inner Beam | Outer Beam |
|--|------------|------------|
| Invalid Sigma0(%)                        | 0.02       | 0.02       |
| Data Not Available From Payload (%)      | 98.11320   | 98.8806    |
| Slice not within sample array limits (%) | 1.89       | 1.12       |
| C(S+N) - C(N) < 0.1 (%)                  | 0.00       | 0.00       |
| Poor Sigma0(%)                           | 22.22      | 13.34      |
| Noise samples for blending Saturated     | 0.0        | 0.0        |
| Count samp. for interpol. saturated (%)  | 0.00       | 0.00       |
| Sigma0 < lower bound (-96dB) (%)         | 0.0        | 0.0        |
| Sigma0 > upper bound (0 dB) (%)          | 0.00       | 0.00       |
| SNR < -65 dB (%)                         | 0.046884   | 0.098972   |


\*DP Format Document

## Sigma-0 Quality Flag Statistics for Inner/Outer Footprints

### Inner Beam (HH)



### Outer Beam (VV)



## Invariant Site Sigma-0 Statistics for Ascending/Descending, Fore/Aft in HH/VV beams

| Site Name   | Center Lat | Center Lon | Beam  | Node | ScanDir | Sigma0 Min | Sigma0 Max | Sigma0 Mean | Sigma0 Std | BT Min | BT Max | BT Mean | BT Std |
|-------------|------------|------------|-------|------|---------|------------|------------|-------------|------------|--------|--------|---------|--------|
| GreenLand_2 | 77.50      | -41.50     | Outer | ASC  | Aft     | -5.78      | -4.21      | -5.00       | 0.38       | 184.66 | 260.27 | 226.71  | 16.65  |
| GreenLand_2 | 77.50      | -41.50     | Outer | ASC  | Fore    | -6.50      | -4.23      | -5.15       | 0.55       | 180.14 | 240.93 | 215.49  | 14.98  |
| GreenLand_3 | 71.55      | -42.45     | Outer | ASC  | Aft     | -11.75     | -9.64      | -10.63      | 0.42       | 174.73 | 265.31 | 223.51  | 17.41  |
| GreenLand_3 | 71.55      | -42.45     | Outer | ASC  | Fore    | -11.33     | -9.49      | -10.67      | 0.54       | 202.64 | 247.06 | 222.03  | 13.21  |
| GreenLand_1 | 74.69      | -42.50     | Outer | ASC  | Aft     | -10.34     | -7.74      | -9.05       | 0.62       | 198.26 | 270.51 | 228.74  | 16.20  |
| GreenLand_1 | 74.69      | -42.50     | Outer | ASC  | Fore    | -9.97      | -8.00      | -9.24       | 0.50       | 204.54 | 245.19 | 223.20  | 11.70  |



## Overall statistics for the Static Parameters (Footprint-wise)

| Inner Beam (HH) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.12    | 287.64 | 0.32 | 2.718        | 0.12     | 288.86 | 0.33 | 2.805        | 0.12     | 0.17  | 0.12  | 0.000        | 0.12      | 0.14  | 0.12  | 0.000        |
| <b>Kpa</b>      | 0.01    | 0.02   | 0.01 | 0.000        | 0.01     | 0.02   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.02    | 0.02   | 0.02 | 0.000        | 0.02     | 0.03   | 0.02 | 0.000        | 0.02     | 0.02  | 0.02  | 0.000        | 0.02      | 0.02  | 0.02  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.02   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -34.72  | 25.11  | 3.89 | 0.140        | -34.74   | 26.42  | 4.66 | 1.323        | 1.82     | 29.55 | 20.39 | 29.544       | 4.56      | 30.02 | 20.92 | 33.707       |

| Outer Beam (VV) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.09    | 151.09 | 0.28 | 2.555        | 0.09     | 215.27 | 0.29 | 2.480        | 0.09     | 0.21  | 0.09  | 0.000        | 0.09      | 0.14  | 0.09  | 0.000        |
| <b>Kpa</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.02   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -33.09  | 17.53  | 1.77 | 0.000        | -34.63   | 18.14  | 2.47 | 0.000        | -2.65    | 22.71 | 14.77 | 0.100        | 0.69      | 23.16 | 14.74 | 0.793        |

| Parameter Specifications |      |      |      |      |        |
|--------------------------|------|------|------|------|--------|
| Parameter                | Kp   | Kpa  | Kpb  | Kpc  | SNR    |
| Min                      | 0.00 | 0.00 | 0.00 | 0.00 | -65.00 |
| Max                      | 1.00 | 1.00 | 1.00 | 1.00 | 22.00  |

- Normal
- Deviations
- Alarming
- High Errors

## Overall statistics for static parameter (Footprint-wise)


|                              | Inner Beam (HH) |         |         |              | Outer Beam (VV) |         |         |              | Parameter Specifications   |  |         |
|------------------------------|-----------------|---------|---------|--------------|-----------------|---------|---------|--------------|--|--|---------|
|                              | Min             | Max     | Mean    | Bad Occ. (%) | Min             | Max     | Mean    | Bad Occ. (%) | Parameter  | Min  | Max     |
| <b>Incidence Angle (deg)</b> | 48.64           | 49.40   | 49.05   | 0.000        | 57.36           | 58.24   | 57.93   | 0.000        | Inci.(Inner)   | 47.10  | 49.90   |
| <b>Azimuth Diff. (deg)</b>   | 0.0027          | 215.65  | 1.27    | 2.652        | 0.0000          | 297.92  | 1.27    | 3.884        | Inci.(Outer)   | 57.30  | 58.90   |
| <b>Range(Km)</b>             | 1033.04         | 1076.37 | 1051.19 | 0.000        | 1209.80         | 1264.58 | 1233.12 | 0.000        | Azimuth Diff.  | 0.60   | 2.00    |
| <b>X Factor(dbm)</b>         | -92.40          | -90.01  | -90.50  | 0.000        | -94.83          | -92.06  | -92.24  | 0.000        | Range(Inner)   | 1025.00  | 1095.70 |
| <b>Across Distance (Km)</b>  | 15.53           | 17.38   | 15.78   | 0.000        | 4.05            | 54.30   | 20.86   | 7.000        | Range(Outer)   | 1210.00  | 1280.00 |
| <b>Along Distance (Km)</b>   | 18.81           | 20.54   | 19.74   | 0.000        | 8.39            | 35.90   | 19.66   | 2.000        | X-Factor   | -100.00  | -80.00  |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Inner)   | 15.00  | 20.00   |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Outer)   | 15.00  | 22.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Inner)   | 15.00  | 30.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Outer)   | 10.00  | 30.00   |
|                              |                 |         |         |              |                 |         |         |              | <span style="display: inline-block; width: 15px; height: 15px; background-color: green; border: 1px solid black; margin-right: 5px;"></span> Normal      | <span style="display: inline-block; width: 15px; height: 15px; background-color: orange; border: 1px solid black; margin-right: 5px;"></span> Alarming |         |
|                              |                 |         |         |              |                 |         |         |              | <span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></span> Deviations | <span style="display: inline-block; width: 15px; height: 15px; background-color: red; border: 1px solid black; margin-right: 5px;"></span> High Errors |         |



## Sigma0 Behaviour (Sigma0 Vs SNR)


Footprint-Land

Sigma0 Vs SNR (Land)




Footprint-Sea

Sigma0 Vs SNR (Sea)




Slice-Land

Sigma0 Vs SNRatSlice (Land)



Slice-Sea


Sigma0 Vs SNRatSlice (Sea)



## Sigma0 Behaviour (Kp Vs SNR)


Slice

Kp Vs SNRatSlice (Land)




Slice

Kp Vs SNRatSlice (Sea)




# Sigma0 Behaviour(Sigma0 Vs Kp)


## Footprint-Land




## Footprint-Sea



## Slice-Land



## Slice-Sea







# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -27      | -25       | -64     | -64      |
| Max             | 0        | 0         | 0       | 0        |





| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -26      | -24       | -57     | -59      |
| Max             | 0        | 0         | 0       | 0        |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 369      | 356       | 300     | 301      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 342      | 337       | 306     | 322      |







# Dynamic Range (Data Histograms)

## SNR(dBm)


| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | 0        | 0         | -34     | -34      |
| Max             | 29       | 30        | 25      | 26       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -2       | 0         | -33     | -34      |
| Max             | 22       | 23        | 17      | 18       |




## Orbit-wise behaviour of SNR

**Inner Beam (HH)**




**Outer Beam(VV)**




## Orbit-wise behaviour of Kp,Kpa,Kpb,Kpc


**Inner Beam(HH)**




**Outer Beam(VV)**




**Inner Beam(HH)**




**Outer Beam(VV)**




**Inner Beam(HH)**




**Outer Beam(VV)**



**Inner Beam(HH)**




**Outer Beam(VV)**






# Orbit-wise behaviour of Incidence, Azimuth, Range, X-Factor


**Inner Beam (HH)**




**Outer Beam(VV)**




**Inner Beam (HH)**




**Outer Beam(VV)**




**Inner Beam (HH)**




**Outer Beam(VV)**



**Inner Beam (HH)**



**Outer Beam(VV)**




# Doppler Frequency Variation


Doppler Frequency(KHz) variation statistics Over the half Orbit

|     | Inner Beam (HH) | Outer Beam (VV) |
|-----|-----------------|-----------------|
| Min | -463.60         | -519.50         |
| Max | 463.28          | 519.20          |

Footprint wise Doppler frequency variation Inner Beam (HH)




Footprint wise Doppler frequency variation Outer Beam (VV)




Doppler Frequency(KHz) variation

| Doppler_FP  | Inner Beam (HH) |         |         | Outer Beam (VV) |         |         |
|-------------|-----------------|---------|---------|-----------------|---------|---------|
|             | Min             | Max     | Mean    | Min             | Max     | Mean    |
| Doppler_1   | 7.04            | 38.72   | 27.22   | 2.40            | 37.80   | 24.94   |
| Doppler_70  | 460.96          | 462.82  | 462.05  | 516.56          | 518.92  | 518.01  |
| Doppler_140 | -15.62          | 15.44   | -4.40   | -23.34          | 11.52   | -10.72  |
| Doppler_210 | -463.52         | -461.28 | -462.82 | -519.28         | -517.12 | -518.62 |
| Doppler_280 | -430.90         | 12.36   | 0.39    | -484.78         | 19.76   | 6.38    |

Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Inner Beam (HH)




Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Outer Beam (VV)




# Latitude Vs Doppler Frequency

Doppler Frequency at Scan Interval of 200 [Inner Beam(HH)]




Doppler Frequency at Scan Interval of 200 [Outer Beam(VV)]



# Parameter as a function of Latitude


## Latitude Vs Longitude

Scan Trace [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000


Scan Trace [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000


## Latitude Vs Incidence Angle

Incidence Angle at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000


Incidence Angle at Scan Interval of 200 [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000


## Latitude Vs Range

Range at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000

Range at Scan Interval of 200 [Outer Beam(VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800 Scan 1000



# Variation in Orbit and Attitude Parameters

