


# Scatsat-1 Scatterometer Level-2A Data Quality Evaluation Report


| Satellite      | Sensor          | Start Orbit       | End Orbit       |
|----------------|-----------------|-------------------|-----------------|
| SCATSAT-1      | Scatterometer   | 2553              | 2554            |
| WV Cells Along | WV Cells Across | EquatorCrossDate  | Production Date |
| 813            | 72              | 21-03-2017        | 21-03-2017      |
| Direction      | WVC Size(km)    | Processor Version |                 |
| SN             | 25              | 1.1.1             |                 |

## Brightness Temperature

Inner Beam (HH)




Outer Beam (VV)




## Sigma0(dB)

Inner Beam (HH)



Outer Beam (VV)



## Level-2A Cell-wise Deviations\*

| Static Parameter Statistics (variations over the cell grid) for the Inner and Outer Beam |                 |         |              |         |         |              |                 |         |              |         |         |              |
|--|-----------------|---------|--------------|---------|---------|--------------|-----------------|---------|--------------|---------|---------|--------------|
| Parameter  | Inner Beam (HH) |         |              |         |         |              | Outer Beam (VV) |         |              |         |         |              |
|  | Aft             |         |              | Fore    |         |              | Aft             |         |              | Fore    |         |              |
|  | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) |
| <b>Kpa</b>   | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         |
| <b>Kpb</b>   | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         |
| <b>Kpc</b>   | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Inc. Angle(deg)</b>   | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Delta Azi.Angle(deg)</b>  | 0.00            | 27.19   | 12.78        | 0.00    | 26.75   | 12.88        | 0.00            | 222.47  | 4.68         | 0.00    | 79.49   | 4.81         |

| Category wise Dynamic Parameter Statistics (Variations over the Cell grid) |                   |         |         |              |          |         |              |          |         |              |           |         |              |
|--|-------------------|---------|---------|--------------|----------|---------|--------------|----------|---------|--------------|-----------|---------|--------------|
| Parameter  | Beam              | Sea Aft |         |              | Sea Fore |         |              | Land Aft |         |              | Land Fore |         |              |
|  |                   | Min Rng | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng   | Max Rng | Bad Occ. (%) |
| <b>SNR(dB)</b>   | <b>Inner (HH)</b> | 0.00    | 49.74   | 2.15         | 0.00     | 39.60   | 2.39         | 0.00     | 17.51   | 0.00         | 0.00      | 20.76   | 0.02         |
|  | <b>Outer (VV)</b> | 0.00    | 40.34   | 2.29         | 0.00     | 41.22   | 3.40         | 0.00     | 25.05   | 0.03         | 0.00      | 27.46   | 0.06         |
| <b>Sigma0(dB)</b>  | <b>Inner (HH)</b> | 0.00    | 44.10   | 2.10         | 0.00     | 37.75   | 2.01         | 0.00     | 15.89   | 0.00         | 0.00      | 15.73   | 0.00         |
|  | <b>Outer (VV)</b> | 0.00    | 35.56   | 2.23         | 0.00     | 41.60   | 2.18         | 0.00     | 22.28   | 0.03         | 0.00      | 22.18   | 0.02         |

| Parameter Specifications with in a cell |     |     |     |            |          |                  |             |
|---|-----|-----|-----|------------|----------|------------------|-------------|
| Parameter                               | Kpa | Kpb | Kpc | Inci (deg) | SNR (dB) | Delta Azi. (deg) | Sigma0 (dB) |
| Range                                   | 1.0 | 1.0 | 1.0 | 3.0        | 20.0     | 10.0             | 20.0        |

■ Normal    
 ■ Deviation    
 ■ Alarming    
 ■ High





\* Note: Deviations within a Cell for a category is observed and flagged if out of range specifications

# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -24      | -28       | -66     | -65      |
| Max             | -1       | 1         | -1      | -1       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -37      | -42       | -61     | -61      |
| Max             | -1       | -1        | -1      | -1       |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 287      | 281       | 295     | 291      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 417      | 329       | 461     | 296      |

