


# Scatsat-1 Scatterometer Level-2A Data Quality Evaluation Report


| Satellite      | Sensor          | Start Orbit       | End Orbit       |
|----------------|-----------------|-------------------|-----------------|
| SCATSAT-1      | Scatterometer   | 18244             | 18245           |
| WV Cells Along | WV Cells Across | EquatorCrossDate  | Production Date |
| 812            | 72              | 07-03-2020        | 08-03-2020      |
| Direction      | WVC Size(km)    | Processor Version |                 |
| SN             | 25              | v1.1.4            |                 |

## Brightness Temperature

Inner Beam (HH)




Outer Beam (VV)




## Sigma0(dB)

Inner Beam (HH)



Outer Beam (VV)



## Level-2A Cell-wise Deviations\*

| Static Parameter Statistics (variations over the cell grid) for the Inner and Outer Beam |                 |         |              |         |         |              |                 |         |              |         |         |              |
|------------------------------------------------------------------------------------------|-----------------|---------|--------------|---------|---------|--------------|-----------------|---------|--------------|---------|---------|--------------|
| Parameter                                                                                | Inner Beam (HH) |         |              |         |         |              | Outer Beam (VV) |         |              |         |         |              |
|                                                                                          | Aft             |         |              | Fore    |         |              | Aft             |         |              | Fore    |         |              |
|                                                                                          | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) | Min Rng         | Max Rng | Bad Occ. (%) | Min Rng | Max Rng | Bad Occ. (%) |
| <b>Kpa</b>                                                                               | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         | 0.00            | 0.07    | 0.00         | 0.00    | 0.07    | 0.00         |
| <b>Kpb</b>                                                                               | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         | 0.00            | 0.09    | 0.00         | 0.00    | 0.09    | 0.00         |
| <b>Kpc</b>                                                                               | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Inc. Angle(deg)</b>                                                                   | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         | 0.00            | 0.00    | 0.00         | 0.00    | 0.00    | 0.00         |
| <b>Delta Azi.Angle(deg)</b>                                                              | 0.00            | 23.38   | 5.83         | 0.00    | 25.45   | 6.83         | 0.00            | 129.12  | 2.06         | 0.00    | 58.71   | 3.47         |

| Category wise Dynamic Parameter Statistics (Variations over the Cell grid) |                   |         |         |              |          |         |              |          |         |              |           |         |              |
|----------------------------------------------------------------------------|-------------------|---------|---------|--------------|----------|---------|--------------|----------|---------|--------------|-----------|---------|--------------|
| Parameter                                                                  | Beam              | Sea Aft |         |              | Sea Fore |         |              | Land Aft |         |              | Land Fore |         |              |
|                                                                            |                   | Min Rng | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng  | Max Rng | Bad Occ. (%) | Min Rng   | Max Rng | Bad Occ. (%) |
| <b>SNR(dB)</b>                                                             | <b>Inner (HH)</b> | 0.00    | 43.68   | 2.23         | 0.00     | 54.00   | 2.83         | 0.00     | 19.87   | 0.00         | 0.00      | 20.62   | 0.01         |
|                                                                            | <b>Outer (VV)</b> | 0.00    | 49.83   | 2.42         | 0.00     | 41.09   | 2.85         | 0.00     | 32.60   | 0.03         | 0.00      | 24.12   | 0.03         |
| <b>Sigma0(dB)</b>                                                          | <b>Inner (HH)</b> | 0.00    | 43.52   | 2.23         | 0.00     | 52.06   | 2.61         | 0.00     | 18.06   | 0.00         | 0.00      | 19.75   | 0.00         |
|                                                                            | <b>Outer (VV)</b> | 0.00    | 46.43   | 2.33         | 0.00     | 39.58   | 2.53         | 0.00     | 32.62   | 0.02         | 0.00      | 19.70   | 0.00         |

| Parameter Specifications with in a cell |     |     |     |            |          |                  |             |
|-----------------------------------------|-----|-----|-----|------------|----------|------------------|-------------|
| Parameter                               | Kpa | Kpb | Kpc | Inci (deg) | SNR (dB) | Delta Azi. (deg) | Sigma0 (dB) |
| Range                                   | 1.0 | 1.0 | 1.0 | 3.0        | 20.0     | 10.0             | 20.0        |

■ Normal    
 ■ Deviation    
 ■ Alarming    
 ■ High





\* Note: Deviations within a Cell for a category is observed and flagged if out of range specifications

# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -29      | -30       | -65     | -66      |
| Max             | 6        | 6         | -1      | -1       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -40      | -39       | -60     | -61      |
| Max             | -1       | -1        | -1      | -1       |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 359      | 360       | 299     | 313      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 1        | 1         | 1       | 1        |
| Max            | 388      | 366       | 313     | 312      |

