


# SCATSAT-1 Scatterometer Level-1B Data Quality Evaluation Report

## Table of Contents


- Half-Orbit Coverage using BT & Sigma-0
- Invariant Site Sigma-0 Statistics (if Available)
- Half-Orbit Data Statistics
- Half Orbit wise - Dynamic Parameter (Sigma-0, Kp, SNR) Behaviour
- Dynamic Range (Data Histogram)
- Half Orbit Wise Behaviour - Static Parameters
- Doppler Variation (Across/Along Track for HH/VV Beam)
- LIB Parameter as a function of Latitude
- Half Orbit OAT Behaviour

|                              |               |                              |              |                               |     |
|------------------------------|---------------|------------------------------|--------------|-------------------------------|-----|
| <b>Satellite Id</b>          | ScatSat-1     | <b>Start Orbit</b>           | 13763        | <b>Total Scans</b>            | 987 |
| <b>Sensor Name</b>           | Scatterometer | <b>End Orbit</b>             | 13764        | <b>No of Inner FootPrints</b> | 281 |
| <b>Processor Version</b>     | v1.1.3        | <b>Rev. Number</b>           | 13763_13764  | <b>No Of Outer FootPrints</b> | 282 |
| <b>Half Orbit Direction</b>  | SN            | <b>Data Production Date</b>  | 03-05-2019   | <b>No. Of Inner Slices</b>    | 9   |
| <b>Equator Crossing Date</b> | 03-05-2019    | <b>Equator Crossing Time</b> | 10:41:01.000 | <b>No Of Outer Slices</b>     | 15  |


## Brightness Temperature(k) Footprint trace



## Image Snapshot for Inner & Outer Beam



## Sigma0(dB) Footprint trace




## Invalid and Poor Sigma-0 Quality Flag Statistics for Inner/Outer Slices\*

| Sigma-0 Flags                            | Inner Beam | Outer Beam |
|--|------------|------------|
| Invalid Sigma0(%)                        | 0.00       | 0.00       |
| Data Not Available From Payload (%)      | 0.0        | 0.0        |
| Slice not within sample array limits (%) | 0.00       | 0.00       |
| C(S+N) - C(N) < 0.1 (%)                  | 0.00       | 0.00       |
| Poor Sigma0(%)                           | 22.23      | 13.34      |
| Noise samples for blending Saturated     | 0.0        | 0.0        |
| Count samp. for interpol. saturated (%)  | 0.00       | 0.00       |
| Sigma0 < lower bound (-96dB) (%)         | 0.0        | 0.0        |
| Sigma0 > upper bound (0 dB) (%)          | 0.00       | 0.00       |
| SNR < -65 dB (%)                         | 0.029921   | 0.081864   |


\*DP Format Document

## Sigma-0 Quality Flag Statistics for Inner/Outer Footprints

### Inner Beam (HH)



### Outer Beam (VV)



## Overall statistics for the Static Parameters (Footprint-wise)

| Inner Beam (HH) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.12    | 285.39 | 0.30 | 2.162        | 0.12     | 250.64 | 0.28 | 1.961        | 0.12     | 0.50  | 0.12  | 0.000        | 0.12      | 2.47  | 0.12  | 0.003        |
| <b>Kpa</b>      | 0.01    | 0.02   | 0.01 | 0.000        | 0.01     | 0.02   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.02    | 0.02   | 0.02 | 0.000        | 0.02     | 0.02   | 0.02 | 0.000        | 0.02     | 0.02  | 0.02  | 0.000        | 0.02      | 0.02  | 0.02  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -34.69  | 21.76  | 5.56 | 0.000        | -34.13   | 22.31  | 6.84 | 0.002        | -6.22    | 29.14 | 18.71 | 12.976       | -13.91    | 30.93 | 19.53 | 13.219       |

| Outer Beam (VV) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.09    | 198.56 | 0.29 | 2.825        | 0.09     | 221.64 | 0.28 | 2.497        | 0.09     | 0.27  | 0.09  | 0.000        | 0.09      | 0.19  | 0.09  | 0.000        |
| <b>Kpa</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -34.28  | 16.27  | 2.99 | 0.000        | -34.76   | 14.97  | 3.63 | 0.000        | -4.26    | 23.33 | 13.24 | 0.394        | -1.95     | 23.77 | 13.51 | 0.639        |

| Parameter Specifications |      |      |      |      |        |
|--------------------------|------|------|------|------|--------|
| Parameter                | Kp   | Kpa  | Kpb  | Kpc  | SNR    |
| Min                      | 0.00 | 0.00 | 0.00 | 0.00 | -65.00 |
| Max                      | 1.00 | 1.00 | 1.00 | 1.00 | 22.00  |

- Normal
- Deviations
- Alarming
- High Errors

## Overall statistics for static parameter (Footprint-wise)


|                              | Inner Beam (HH) |         |         |              | Outer Beam (VV) |         |         |              | Parameter Specifications   |  |         |
|------------------------------|-----------------|---------|---------|--------------|-----------------|---------|---------|--------------|--|--|---------|
|                              | Min             | Max     | Mean    | Bad Occ. (%) | Min             | Max     | Mean    | Bad Occ. (%) | Parameter  | Min  | Max     |
| <b>Incidence Angle (deg)</b> | 48.90           | 49.46   | 49.09   | 0.000        | 57.70           | 58.33   | 58.02   | 0.000        | Inci.(Inner)   | 47.10  | 49.90   |
| <b>Azimuth Diff. (deg)</b>   | 0.0027          | 6.35    | 1.27    | 2.240        | 0.0000          | 287.93  | 1.27    | 3.303        | Inci.(Outer)   | 57.30  | 58.90   |
| <b>Range(Km)</b>             | 1054.54         | 1082.49 | 1064.22 | 0.000        | 1236.16         | 1272.82 | 1252.58 | 0.000        | Azimuth Diff.  | 0.60   | 2.00    |
| <b>X Factor(dbm)</b>         | -91.58          | -90.12  | -90.53  | 0.000        | -93.08          | -92.16  | -92.33  | 0.000        | Range(Inner)   | 1025.00  | 1095.70 |
| <b>Across Distance (Km)</b>  | 15.58           | 16.07   | 15.79   | 0.000        | 20.57           | 21.14   | 20.77   | 0.000        | Range(Outer)   | 1210.00  | 1280.00 |
| <b>Along Distance (Km)</b>   | 18.74           | 20.59   | 19.69   | 0.000        | 18.38           | 36.72   | 19.61   | 1.000        | X-Factor   | -100.00  | -80.00  |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Inner)   | 15.00  | 20.00   |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Outer)   | 15.00  | 22.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Inner)   | 15.00  | 30.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Outer)   | 10.00  | 30.00   |
|                              |                 |         |         |              |                 |         |         |              | <span style="display: inline-block; width: 15px; height: 15px; background-color: green; border: 1px solid black; margin-right: 5px;"></span> Normal      | <span style="display: inline-block; width: 15px; height: 15px; background-color: orange; border: 1px solid black; margin-right: 5px;"></span> Alarming |         |
|                              |                 |         |         |              |                 |         |         |              | <span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></span> Deviations | <span style="display: inline-block; width: 15px; height: 15px; background-color: red; border: 1px solid black; margin-right: 5px;"></span> High Errors |         |



## Sigma0 Behaviour (Sigma0 Vs SNR)


Footprint-Land

Sigma0 Vs SNR (Land)




Footprint-Sea

Sigma0 Vs SNR (Sea)




Slice-Land

Sigma0 Vs SNRatSlice (Land)



Slice-Sea


Sigma0 Vs SNRatSlice (Sea)



## Sigma0 Behaviour (Kp Vs SNR)


Slice

Kp Vs SNRatSlice (Land)




Slice

Kp Vs SNRatSlice (Sea)




# Sigma0 Behaviour(Sigma0 Vs Kp)


## Footprint-Land




## Footprint-Sea



## Slice-Land



## Slice-Sea









# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -36      | -44       | -65     | -65      |
| Max             | 0        | 0         | 0       | 0        |





| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -29      | -27       | -59     | -60      |
| Max             | 0        | 0         | 0       | 0        |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 345      | 345       | 303     | 310      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 339      | 344       | 313     | 320      |







# Dynamic Range (Data Histograms)

## SNR(dBm)


| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -6       | -13       | -34     | -34      |
| Max             | 29       | 30        | 21      | 22       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -4       | -1        | -34     | -34      |
| Max             | 23       | 23        | 16      | 14       |




## Orbit-wise behaviour of SNR

Inner Beam (HH)




Outer Beam(VV)




## Orbit-wise behaviour of Kp,Kpa,Kpb,Kpc


Inner Beam(HH)




Outer Beam(VV)




Inner Beam(HH)




Outer Beam(VV)




Inner Beam(HH)




Outer Beam(VV)



Inner Beam(HH)




Outer Beam(VV)




# Orbit-wise behaviour of Incidence, Azimuth, Range, X-Factor


**Inner Beam (HH)**




**Outer Beam(VV)**




**Inner Beam (HH)**




**Outer Beam(VV)**




**Inner Beam (HH)**




**Outer Beam(VV)**



**Inner Beam (HH)**



**Outer Beam(VV)**






# Doppler Frequency Variation

**Doppler Frequency(KHz) variation statistics Over the half Orbit**

|            | Inner Beam (HH) | Outer Beam (VV) |
|------------|-----------------|-----------------|
| <b>Min</b> | -462.58         | -518.32         |
| <b>Max</b> | 463.08          | 518.82          |


**Footprint wise Doppler frequency variation Inner Beam (HH)**




**Doppler Frequency(KHz) variation**

| Doppler_FP  | Inner Beam (HH) |         |         | Outer Beam (VV) |         |         |
|-------------|-----------------|---------|---------|-----------------|---------|---------|
|             | Min             | Max     | Mean    | Min             | Max     | Mean    |
| Doppler_1   | 6.58            | 39.06   | 28.13   | 2.02            | 38.10   | 25.91   |
| Doppler_70  | 460.06          | 462.94  | 461.70  | 515.76          | 518.70  | 517.56  |
| Doppler_140 | -15.48          | 14.36   | -4.82   | -23.22          | 10.52   | -11.24  |
| Doppler_210 | -462.56         | -461.04 | -461.97 | -518.16         | -517.04 | -517.71 |
| Doppler_280 | -19.60          | 12.76   | 1.74    | -15.84          | 20.14   | 7.83    |


**Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Inner Beam (HH)**



**Footprint wise Doppler frequency variation Outer Beam (VV)**




**Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Outer Beam (VV)**




# Latitude Vs Doppler Frequency

**Doppler Frequency at Scan Interval of 200 [Inner Beam(HH)]**




**Doppler Frequency at Scan Interval of 200 [Outer Beam(VV)]**



# Parameter as a function of Latitude


## Latitude Vs Longitude

Scan Trace [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


Scan Trace [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


## Latitude Vs Incidence Angle

Incidence Angle at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


Incidence Angle at Scan Interval of 200 [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


## Latitude Vs Range

Range at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800

Range at Scan Interval of 200 [Outer Beam(VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800



# Variation in Orbit and Attitude Parameters

