


# SCATSAT-1 Scatterometer Level-1B Data Quality Evaluation Report

## Table of Contents


- Half-Orbit Coverage using BT & Sigma-0
- Invariant Site Sigma-0 Statistics (if Available)
- Half-Orbit Data Statistics
- Half Orbit wise - Dynamic Parameter (Sigma-0, Kp, SNR) Behaviour
- Dynamic Range (Data Histogram)
- Half Orbit Wise Behaviour - Static Parameters
- Doppler Variation (Across/Along Track for HH/VV Beam)
- LIB Parameter as a function of Latitude
- Half Orbit OAT Behaviour

|                              |               |                              |              |                               |     |
|------------------------------|---------------|------------------------------|--------------|-------------------------------|-----|
| <b>Satellite Id</b>          | ScatSat-1     | <b>Start Orbit</b>           | 13836        | <b>Total Scans</b>            | 939 |
| <b>Sensor Name</b>           | Scatterometer | <b>End Orbit</b>             | 13837        | <b>No of Inner FootPrints</b> | 281 |
| <b>Processor Version</b>     | v1.1.3        | <b>Rev. Number</b>           | 13836_13837  | <b>No Of Outer FootPrints</b> | 282 |
| <b>Half Orbit Direction</b>  | SN            | <b>Data Production Date</b>  | 08-05-2019   | <b>No. Of Inner Slices</b>    | 9   |
| <b>Equator Crossing Date</b> | 08-05-2019    | <b>Equator Crossing Time</b> | 11:30:34.000 | <b>No Of Outer Slices</b>     | 15  |


## Brightness Temperature(k) Footprint trace



## Image Snapshot for Inner & Outer Beam



## Sigma0(dB) Footprint trace




## Invalid and Poor Sigma-0 Quality Flag Statistics for Inner/Outer Slices\*

| Sigma-0 Flags                            | Inner Beam | Outer Beam |
|--|------------|------------|
| Invalid Sigma0(%)                        | 0.00       | 0.00       |
| Data Not Available From Payload (%)      | 47.36842   | 0.0        |
| Slice not within sample array limits (%) | 52.63      | 100.00     |
| C(S+N) - C(N) < 0.1 (%)                  | 0.00       | 0.00       |
| Poor Sigma0(%)                           | 22.23      | 13.34      |
| Noise samples for blending Saturated     | 0.0        | 0.0        |
| Count samp. for interpol. saturated (%)  | 0.00       | 0.00       |
| Sigma0 < lower bound (-96dB) (%)         | 0.0        | 0.0        |
| Sigma0 > upper bound (0 dB) (%)          | 0.00       | 0.00       |
| SNR < -65 dB (%)                         | 0.054555   | 0.102636   |


\*DP Format Document

## Sigma-0 Quality Flag Statistics for Inner/Outer Footprints

### Inner Beam (HH)



### Outer Beam (VV)



## Overall statistics for the Static Parameters (Footprint-wise)

| Inner Beam (HH) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.12    | 275.82 | 0.54 | 5.873        | 0.12     | 264.45 | 0.46 | 4.826        | 0.12     | 0.41  | 0.12  | 0.000        | 0.12      | 0.89  | 0.12  | 0.000        |
| <b>Kpa</b>      | 0.01    | 0.02   | 0.01 | 0.000        | 0.01     | 0.02   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.02    | 0.02   | 0.02 | 0.000        | 0.02     | 0.02   | 0.02 | 0.000        | 0.02     | 0.02  | 0.02  | 0.000        | 0.02      | 0.02  | 0.02  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -34.54  | 25.38  | 2.41 | 0.033        | -34.36   | 24.98  | 3.55 | 0.024        | -5.12    | 33.10 | 17.99 | 11.532       | -9.15     | 32.65 | 18.33 | 9.633        |

| Outer Beam (VV) |         |        |      |              |          |        |      |              |          |       |       |              |           |       |       |              |
|-----------------|---------|--------|------|--------------|----------|--------|------|--------------|----------|-------|-------|--------------|-----------|-------|-------|--------------|
|                 | Sea Aft |        |      |              | Sea Fore |        |      |              | Land Aft |       |       |              | Land fore |       |       |              |
|                 | Min     | Max    | Mean | Bad Occ. (%) | Min      | Max    | Mean | Bad Occ. (%) | Min      | Max   | Mean  | Bad Occ. (%) | Min       | Max   | Mean  | Bad Occ. (%) |
| <b>Kp</b>       | 0.09    | 234.19 | 0.45 | 4.905        | 0.09     | 205.50 | 0.40 | 4.728        | 0.09     | 0.24  | 0.09  | 0.000        | 0.09      | 0.26  | 0.09  | 0.000        |
| <b>Kpa</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpb</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>Kpc</b>      | 0.01    | 0.01   | 0.01 | 0.000        | 0.01     | 0.01   | 0.01 | 0.000        | 0.01     | 0.01  | 0.01  | 0.000        | 0.01      | 0.01  | 0.01  | 0.000        |
| <b>SNR</b>      | -35.00  | 17.64  | 0.93 | 0.000        | -34.43   | 18.34  | 1.18 | 0.000        | -3.59    | 23.45 | 12.27 | 0.432        | -4.09     | 26.67 | 12.26 | 0.346        |

| Parameter Specifications |      |      |      |      |        |
|--------------------------|------|------|------|------|--------|
| Parameter                | Kp   | Kpa  | Kpb  | Kpc  | SNR    |
| Min                      | 0.00 | 0.00 | 0.00 | 0.00 | -65.00 |
| Max                      | 1.00 | 1.00 | 1.00 | 1.00 | 22.00  |

- Normal
- Deviations
- Alarming
- High Errors

## Overall statistics for static parameter (Footprint-wise)

|                              | Inner Beam (HH) |         |         |              | Outer Beam (VV) |         |         |              | Parameter Specifications |         |         |
|------------------------------|-----------------|---------|---------|--------------|-----------------|---------|---------|--------------|--------------------------|---------|---------|
|                              | Min             | Max     | Mean    | Bad Occ. (%) | Min             | Max     | Mean    | Bad Occ. (%) | Parameter                | Min     | Max     |
| <b>Incidence Angle (deg)</b> | 48.87           | 49.51   | 49.10   | 0.000        | 57.68           | 58.40   | 58.03   | 0.000        | Inci.(Inner)             | 47.10   | 49.90   |
| <b>Azimuth Diff. (deg)</b>   | 0.0026          | 60.01   | 1.28    | 1.683        | 0.0026          | 49.73   | 1.28    | 2.645        | Inci.(Outer)             | 57.30   | 58.90   |
| <b>Range(Km)</b>             | 1052.23         | 1087.56 | 1065.99 | 0.000        | 1233.94         | 1278.99 | 1253.11 | 0.000        | Azimuth Diff.            | 0.60    | 2.00    |
| <b>X Factor(dbm)</b>         | -92.02          | -90.08  | -90.51  | 0.000        | -93.37          | -92.13  | -92.37  | 0.000        | Range(Inner)             | 1025.00 | 1095.70 |
| <b>Across Distance (Km)</b>  | 15.48           | 16.03   | 15.72   | 0.000        | 20.45           | 21.00   | 20.68   | 0.000        | Range(Outer)             | 1210.00 | 1280.00 |
| <b>Along Distance (Km)</b>   | 18.78           | 1187.26 | 22.10   | 2.000        | 18.42           | 1543.57 | 22.76   | 2.000        | X-Factor                 | -100.00 | -80.00  |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Inner)       | 15.00   | 20.00   |
|                              |                 |         |         |              |                 |         |         |              | Ac.Distance(Outer)       | 15.00   | 22.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Inner)       | 15.00   | 30.00   |
|                              |                 |         |         |              |                 |         |         |              | Al.Distance(Outer)       | 10.00   | 30.00   |


- Normal
- Deviations
- Alarming
- High Errors



## Sigma0 Behaviour (Sigma0 Vs SNR)


Footprint-Land

Sigma0 Vs SNR (Land)




Footprint-Sea

Sigma0 Vs SNR (Sea)




Slice-Land

Sigma0 Vs SNRatSlice (Land)



Slice-Sea


Sigma0 Vs SNRatSlice (Sea)



## Sigma0 Behaviour (Kp Vs SNR)


Slice

Kp Vs SNRatSlice (Land)



Slice


Kp Vs SNRatSlice (Sea)



# Sigma0 Behaviour(Sigma0 Vs Kp)


## Footprint-Land

### Sigma0 Vs Kp (Land)




## Footprint-Sea

### Sigma0 Vs Kp (Sea)




## Slice-Land

### Sigma0 Vs KpatSlice (Land)



## Slice-Sea

### Sigma0 Vs KpatSlice (Sea)







# Dynamic Range (Data Histograms)

## Sigma0(db)

| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -35      | -40       | -65     | -65      |
| Max             | 3        | 2         | 0       | 0        |





| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -29      | -29       | -60     | -60      |
| Max             | 0        | 1         | 0       | 0        |



## Brightness Temperature(K)

| Inner Beam(HH) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 343      | 340       | 311     | 315      |

| Outer Beam(VV) |          |           |         |          |
|----------------|----------|-----------|---------|----------|
|                | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min            | 0        | 0         | 0       | 0        |
| Max            | 487      | 370       | 341     | 322      |







# Dynamic Range (Data Histograms)

## SNR(dBm)


| Inner Beam (HH) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -5       | -9        | -34     | -34      |
| Max             | 33       | 32        | 25      | 24       |

| Outer Beam (VV) |          |           |         |          |
|-----------------|----------|-----------|---------|----------|
|                 | Land Aft | Land Fore | Sea Aft | Sea Fore |
| Min             | -3       | -4        | -34     | -34      |
| Max             | 23       | 26        | 17      | 18       |




## Orbit-wise behaviour of SNR

**Inner Beam (HH)**




**Outer Beam(VV)**




## Orbit-wise behaviour of Kp, Kpa, Kpb, Kpc


**Inner Beam(HH)**




**Outer Beam(VV)**




**Inner Beam(HH)**




**Outer Beam(VV)**




**Inner Beam(HH)**




**Outer Beam(VV)**



**Inner Beam(HH)**




**Outer Beam(VV)**




Orbit-wise behaviour of Incidence, Azimuth, Range, X-Factor


Inner Beam (HH)




Outer Beam(VV)




Inner Beam (HH)




Outer Beam(VV)




Inner Beam (HH)




Outer Beam(VV)



Inner Beam (HH)



Outer Beam(VV)






# Doppler Frequency Variation

**Doppler Frequency(KHz) variation statistics Over the half Orbit**

|            | Inner Beam (HH) | Outer Beam (VV) |
|------------|-----------------|-----------------|
| <b>Min</b> | -462.30         | -518.02         |
| <b>Max</b> | 463.40          | 519.14          |


**Footprint wise Doppler frequency variation Inner Beam (HH)**




**Doppler Frequency(KHz) variation**

| Doppler_FP  | Inner Beam (HH) |         |         | Outer Beam (VV) |         |         |
|-------------|-----------------|---------|---------|-----------------|---------|---------|
|             | Min             | Max     | Mean    | Min             | Max     | Mean    |
| Doppler_1   | 9.26            | 39.30   | 29.25   | 5.02            | 38.32   | 27.09   |
| Doppler_70  | -232.54         | 463.24  | 461.13  | -278.92         | 519.04  | 516.88  |
| Doppler_140 | -397.74         | 12.08   | -5.98   | -434.68         | 7.54    | -12.57  |
| Doppler_210 | -462.24         | -461.20 | -461.81 | -517.84         | -516.40 | -517.56 |
| Doppler_280 | -423.92         | 13.00   | 2.40    | -483.34         | 20.34   | 8.51    |


**Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Inner Beam (HH)**



**Footprint wise Doppler frequency variation Outer Beam (VV)**




**Doppler frequency variation at footprints: 1, 70, 140, 210 & 280 Outer Beam (VV)**




# Latitude Vs Doppler Frequency

**Doppler Frequency at Scan Interval of 200 [Inner Beam(HH)]**




**Doppler Frequency at Scan Interval of 200 [Outer Beam(VV)]**



# Parameter as a function of Latitude


## Latitude Vs Longitude

Scan Trace [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


Scan Trace [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


## Latitude Vs Incidence Angle

Incidence Angle at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


Incidence Angle at Scan Interval of 200 [Outer Beam (VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800


## Latitude Vs Range

Range at Scan Interval of 200 [Inner Beam(HH)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800

Range at Scan Interval of 200 [Outer Beam(VV)]



Scan 0 Scan 200 Scan 400 Scan 600  
Scan 800



# Variation in Orbit and Attitude Parameters

