

INSAT-3D AMVs: March 2015

AMVs vs Radiosonde (0000 & 1200 UTC)

Northern hemisphere	No of Collocation	MVD	RMSVD	SD	Mean Speed Dif (ABS)	Mean Dir Dif (ABS)	Bias	Mean Speed AMV	Mean Speed RS
Low level IRW	2575	4.0	4.5	2.1	2.7	20.3	-0.2	7.3	7.5
Mid level IRW	2923	5.4	6.3	3.1	3.6	14.7	-1.2	14.8	15.9
High level IRW	2743	6.5	7.6	3.7	4.2	11.2	-0.3	24.7	25.0
High level WVW	10085	7.1	8.3	4.4	4.8	12.3	0.0	24.3	24.3

Tropics	No of Collocation	MVD	RMSVD	SD	Mean Speed Dif (ABS)	Mean Dir Dif (ABS)	Bias	Mean Speed AMV	Mean Speed RS
Low level IRW	1016	3.3	3.5	1.2	2.1	22.9	-0.2	5.8	6.0
Mid level IRW	259	3.7	3.9	0.8	2.3	19.4	0.0	7.9	7.9
High level IRW	3916	3.9	4.4	2.0	2.6	15.7	0.3	10.4	10.1
High level WVW	7412	4.4	5.0	2.3	2.9	18.0	0.6	10.9	10.3

Southern hemisphere	No of Collocation	MVD	RMSVD	SD	Mean Speed Dif (ABS)	Mean Dir Dif (ABS)	Bias	Mean Speed AMV	Mean Speed RS
Low level IRW	25	4.3	4.4	0.5	2.1	30.9	1.3	7.3	6.0
Mid level IRW	36	4.2	4.3	0.8	3.2	9.7	1.0	14.4	13.4
High level IRW	197	5.3	5.5	1.2	3.4	11.8	0.9	18.2	17.4
High level WVW	480	6.4	6.7	1.7	4.6	16.3	2.2	17.1	14.9

Global	No of Collocation	MVD	RMSVD	SD	Mean Speed Dif (ABS)	Mean Dir Dif (ABS)	Bias	Mean Speed AMV	Mean Speed RS
Low level IRW	3616	3.7	4.2	1.9	2.5	20.8	-0.2	6.8	7.1
Mid level IRW	3218	5.1	6.0	3.0	3.4	14.9	-1.0	13.9	14.8
High level IRW	6856	4.9	5.9	3.2	3.3	13.4	0.1	16.6	16.5
High level WVW	17977	5.9	7.1	3.9	4.0	14.8	0.3	18.3	18.1

MVD: Mean vector difference

RMSVD: Root mean square vector difference

SD: Standard Deviation

Mean Speed Dif (ABS): Absolute mean wind speed difference

Mean Dir Dif (ABS): Absolute mean wind direction difference

High level: 100-400hPa

Mid level: 401-700hPa

Low level: 701-975hPa

MVD, RMSVD, SD, Mean Speed Dif, Mean Speed AMV, Mean Speed RS are in ms^{-1} , Mean Dir Dif is in degree.

Collocation Criteria:

- All AMVs within 150km of each radiosonde location and pressure difference $\pm 20\text{hPa}$ are considered for validation.
- Collocation pairs with speed difference greater than 30ms^{-1} and direction difference greater than 60° are screened out.
- Quality indicator is not used for the current validation.