

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-JUL-2019 To 08-JUL-2019





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-JUL-2019 To 08-JUL-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14700	14701	NS	1	48.729	49.331	0.0	0.003	264.941	2.724	1036.552	1074.904	0.0	-91.634	-90.065	0.0
2	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.745	1037.2	1075.336	0.0	-92.064	-90.047	0.0
3	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.747	1037.2	1075.336	0.0	-92.064	-90.047	0.0
4	14700	14701	SN	1	48.769	49.416	0.0	0.003	6.315	2.457	1037.2	1075.336	0.0	-92.064	-90.047	0.0
5	14701	14702	SN	1	48.778	49.479	0.0	0.003	214.677	2.547	1037.144	1075.504	0.0	-94.058	-90.082	0.0
6	14701	14702	NS	2	48.762	49.332	0.0	0.003	12.938	2.499	1036.408	1075.12	0.0	-91.773	-90.06	0.0
7	14701	14702	SN	1	48.776	49.438	0.0	0.003	214.677	2.412	1037.136	1075.512	0.0	-91.82	-90.082	0.0
8	14701	14702	NS	1	48.763	49.332	0.0	0.003	42.005	2.5	1036.416	1075.12	0.0	-91.773	-90.06	0.0
9	14701	14702	SN	1	48.778	49.437	0.0	0.003	214.677	2.412	1037.144	1075.504	0.0	-91.82	-90.082	0.0
10	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.515	1036.776	1075.552	0.0	-91.704	-90.093	0.0
11	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.342	1036.776	1075.552	0.0	-91.704	-90.093	0.0
12	14702	14703	NS	1	48.763	49.332	0.0	0.003	264.108	2.575	1036.736	1075.192	0.0	-91.695	-90.07	0.0
13	14702	14703	SN	1	48.807	49.38	0.0	0.003	6.32	2.513	1036.776	1075.552	0.0	-91.692	-90.093	0.0
14	14703	14704	NS	2	48.764	49.331	0.0	0.003	13.412	2.605	1037.56	1075.088	0.0	-91.818	-90.064	0.0
15	14703	14704	NS	1	48.764	49.331	0.0	0.003	13.412	2.605	1037.56	1075.088	0.0	-91.818	-90.064	0.0
16	14703	14704	SN	1	48.78	49.379	0.0	0.003	29.412	2.263	1036.744	1075.44	0.0	-91.734	-90.076	0.0
17	14703	14704	SN	1	48.78	49.379	0.0	0.003	29.412	2.531	1036.744	1075.44	0.0	-91.714	-90.076	0.0
18	14704	14705	SN	1	48.787	49.378	0.0	0.003	215.421	2.071	1036.808	1075.376	0.0	-91.633	-90.094	0.0
19	14704	14705	NS	2	48.701	49.362	0.0	0.003	264.753	2.672	1037.52	1075.0	0.0	-91.78	-90.077	0.0
20	14704	14705	SN	1	48.768	49.378	0.0	0.003	280.344	2.517	1036.896	1075.368	0.0	-91.78	-90.094	0.0
21	14704	14705	SN	1	48.787	49.378	0.0	0.003	215.421	2.517	1036.808	1075.376	0.0	-91.746	-90.094	0.0
22	14704	14705	NS	1	48.701	49.362	0.0	0.003	264.753	2.67	1037.52	1074.992	0.0	-91.78	-90.077	0.0
23	14705	14706	SN	1	48.674	49.378	0.0	0.0	262.575	2.637	1036.856	1075.248	0.0	-92.446	-90.094	0.0
24	14705	14706	SN	1	48.814	49.378	0.0	0.0	262.575	1.951	1036.856	1075.248	0.0	-92.064	-90.094	0.0
25	14705	14706	SN	1	48.674	49.378	0.0	0.0	262.575	2.635	1036.896	1075.248	0.0	-92.446	-90.094	0.0
26	14705	14706	NS	2	48.704	49.374	0.0	0.003	210.314	2.583	1036.912	1074.872	0.0	-91.801	-90.08	0.0
27	14705	14706	NS	1	48.704	49.365	0.0	0.003	210.314	2.582	1036.928	1074.864	0.0	-91.801	-90.08	0.0
28	14706	14707	SN	1	48.693	49.428	0.0	0.003	281.789	2.646	1037.272	1075.296	0.0	-92.788	-90.068	0.0
29	14706	14707	SN	1	48.827	49.428	0.0	0.003	281.789	1.644	1037.528	1075.296	0.0	-91.796	-90.068	0.0
30	14706	14707	NS	1	48.728	49.359	0.0	0.0	267.29	2.719	1036.904	1074.896	0.0	-91.848	-90.081	0.0
31	14706	14707	SN	1	48.693	49.428	0.0	0.003	281.789	2.649	1037.528	1075.296	0.0	-92.788	-90.068	0.0
32	14707	14708	SN	1	48.808	49.464	0.0	0.003	6.309	2.603	1037.64	1075.432	0.0	-94.756	-90.082	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	14707	14708	SN	1	48.814	49.441	0.0	0.003	6.309	1.534	1037.216	1075.432	0.0	-91.861	-90.082	0.0
34	14707	14708	NS	1	48.702	49.347	0.0	0.003	210.066	2.59	1036.16	1075.024	0.0	-91.823	-90.077	0.0
35	14707	14708	SN	1	48.808	49.464	0.0	0.003	6.309	2.606	1037.216	1075.432	0.0	-94.756	-90.082	0.0
36	14708	14709	SN	2	48.774	49.38	0.0	0.003	6.315	2.551	1037.68	1075.432	0.0	-91.856	-90.069	0.0
37	14708	14709	SN	1	48.774	49.38	0.0	0.003	6.315	2.551	1037.68	1075.432	0.0	-91.856	-90.069	0.0
38	14708	14709	NS	1	48.705	49.339	0.0	0.003	210.717	2.717	1037.224	1075.016	0.0	-92.289	-90.065	0.0
39	14708	14709	NS	1	48.705	49.339	0.0	0.003	210.717	2.715	1037.224	1075.016	0.0	-92.289	-90.065	0.0
40	14709	14710	NS	1	48.71	49.331	0.0	0.003	210.656	2.633	1036.384	1074.88	0.0	-92.002	-90.062	0.0
41	14709	14710	SN	1	48.817	49.436	0.0	0.003	280.708	2.572	1037.872	1075.344	0.0	-91.791	-90.098	0.0
42	14709	14710	NS	1	48.71	49.331	0.0	0.003	210.656	2.636	1036.64	1074.88	0.0	-91.749	-90.062	0.0
43	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.688	1036.136	1074.768	0.0	-91.704	-90.081	0.0
44	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.737	1036.136	1074.936	0.0	-91.704	-90.081	0.0
45	14710	14711	NS	1	48.704	49.331	0.0	0.0	264.301	2.734	1036.136	1074.936	0.0	-91.598	-90.081	0.0
46	14710	14711	SN	1	48.778	49.38	0.0	0.003	215.532	2.652	1037.952	1075.392	0.0	-91.778	-90.063	0.0
47	14710	14711	SN	2	48.778	49.38	0.0	0.003	215.532	2.652	1037.952	1075.392	0.0	-91.778	-90.063	0.0
48	14711	14712	NS	1	48.738	49.362	0.0	0.003	207.006	2.542	1036.28	1075.024	0.0	-91.703	-90.079	0.0
49	14711	14712	NS	1	48.75	49.355	0.0	0.003	207.006	2.187	1036.488	1073.848	0.0	-91.703	-90.079	0.0
50	14711	14712	NS	1	48.75	49.355	0.0	0.003	207.006	2.544	1036.488	1075.024	0.0	-91.703	-90.079	0.0
51	14711	14712	SN	1	48.788	49.393	0.0	0.003	29.254	2.589	1037.952	1075.416	0.0	-91.725	-90.073	0.0
52	14711	14712	SN	2	48.788	49.393	0.0	0.003	29.254	2.589	1037.952	1075.416	0.0	-91.725	-90.073	0.0
53	14712	14713	SN	1	48.774	49.382	0.0	0.003	6.304	2.58	1037.144	1075.472	0.0	-91.766	-90.099	0.0
54	14712	14713	NS	1	48.698	49.373	0.0	0.003	266.65	2.616	1035.92	1075.088	0.0	-91.761	-90.078	0.0
55	14712	14713	SN	1	48.774	49.382	0.0	0.003	6.304	2.582	1037.144	1075.472	0.0	-91.766	-90.099	0.0
56	14712	14713	NS	1	48.703	49.373	0.0	0.003	266.65	1.911	1035.92	1073.448	0.0	-91.761	-90.078	0.0
57	14712	14713	NS	1	48.703	49.373	0.0	0.003	266.65	2.619	1035.92	1075.088	0.0	-91.761	-90.078	0.0
58	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	1.536	1037.368	1075.568	0.0	-91.961	-90.101	0.0
59	14713	14714	NS	1	48.7	49.353	0.0	0.003	210.601	2.578	1035.792	1075.112	0.0	-91.788	-90.076	0.0
60	14713	14714	NS	1	48.7	49.353	0.0	0.003	210.601	1.533	1035.792	1071.624	0.0	-91.857	-90.076	0.0
61	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	2.669	1037.368	1075.568	0.0	-91.961	-90.101	0.0
62	14713	14714	SN	1	48.791	49.395	0.0	0.003	6.309	2.667	1037.368	1075.568	0.0	-92.499	-90.101	0.0
63	14713	14714	NS	2	48.7	49.353	0.0	0.003	210.601	2.578	1035.792	1075.112	0.0	-91.788	-90.076	0.0
64	14714	14715	SN	1	48.829	49.382	0.0	0.0	215.918	2.755	1038.224	1075.52	0.0	-91.842	-90.078	0.0
65	14714	14715	NS	2	48.729	49.368	0.0	0.0	45.692	2.8	1035.88	1075.056	0.0	-91.812	-90.076	0.0
66	14714	14715	SN	1	48.809	49.382	0.0	0.0	215.918	2.752	1038.224	1075.52	0.0	-91.842	-90.078	0.0
67	14714	14715	NS	1	48.729	49.368	0.0	0.0	45.692	2.801	1035.88	1075.056	0.0	-91.812	-90.076	0.0
68	14714	14715	SN	1	48.829	49.382	0.0	0.003	215.918	2.016	1038.224	1075.52	0.0	-91.842	-90.078	0.0
69	14715	14716	NS	1	48.762	49.331	0.0	0.003	42.805	2.54	1036.984	1075.032	0.0	-92.088	-90.064	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14715	14716	SN	1	48.782	49.445	0.0	0.003	279.908	2.441	1037.288	1075.456	0.0	-91.867	-90.07	0.0
71	14715	14716	SN	1	48.782	49.445	0.0	0.003	279.908	2.603	1037.288	1075.456	0.0	-91.867	-90.07	0.0
72	14715	14716	SN	1	48.782	49.445	0.0	0.003	279.908	2.6	1037.424	1075.456	0.0	-91.867	-90.07	0.0
73	14716	14717	SN	1	48.819	49.4	0.0	0.003	214.396	2.37	1037.08	1075.608	0.0	-91.787	-90.097	0.0
74	14716	14717	NS	1	48.763	49.33	0.0	0.003	20.648	2.564	1036.816	1075.208	0.0	-91.798	-90.034	0.0
75	14716	14717	NS	2	48.762	49.33	0.0	0.003	20.648	2.566	1036.808	1075.224	0.0	-91.799	-90.034	0.0
76	14716	14717	SN	1	48.819	49.4	0.0	0.003	214.396	2.516	1037.08	1075.608	0.0	-91.787	-90.097	0.0
77	14716	14717	SN	1	48.767	49.417	0.0	0.003	280.901	2.372	1036.888	1075.616	0.0	-91.69	-90.097	0.0
78	14717	14718	SN	1	48.686	49.38	0.0	0.003	6.304	2.529	1037.784	1075.536	0.0	-91.755	-90.095	0.0
79	14717	14718	SN	1	48.686	49.38	0.0	0.003	6.304	2.519	1037.784	1075.536	0.0	-91.746	-90.095	0.0
80	14717	14718	NS	1	48.719	49.33	0.0	0.003	267.373	2.541	1036.392	1075.144	0.0	-91.698	-90.082	0.0
81	14717	14718	SN	1	48.686	49.38	0.0	0.003	6.304	2.306	1037.784	1075.536	0.0	-91.765	-90.095	0.0
82	14718	14719	SN	1	48.779	49.379	0.0	0.0	117.861	2.566	1036.728	1075.416	0.0	-91.69	-90.095	0.0
83	14718	14719	NS	1	48.739	49.374	0.0	0.0	44.17	2.761	1037.288	1075.024	0.0	-91.819	-90.044	0.0
84	14718	14719	SN	1	48.779	49.379	0.0	0.0	117.861	2.554	1036.736	1075.416	0.0	-91.73	-90.095	0.0
85	14718	14719	NS	2	48.739	49.374	0.0	0.0	44.17	2.761	1037.288	1075.024	0.0	-91.819	-90.044	0.0
86	14719	14720	NS	2	48.725	49.343	0.0	0.003	210.094	2.626	1037.128	1074.944	0.0	-91.829	-90.07	0.0
87	14719	14720	SN	1	48.807	49.51	0.0	0.003	6.309	2.547	1037.232	1075.336	0.0	-94.044	-90.097	0.0
88	14719	14720	SN	1	48.82	49.51	0.0	0.003	6.304	2.535	1036.944	1075.344	0.0	-94.044	-90.097	0.0
89	14719	14720	SN	1	48.82	49.379	0.0	0.003	6.304	1.966	1036.944	1075.344	0.0	-91.669	-90.097	0.0
90	14719	14720	NS	1	48.725	49.343	0.0	0.003	210.094	2.626	1037.128	1074.944	0.0	-91.829	-90.07	0.0
91	14720	14721	NS	1	48.699	49.373	0.0	0.003	266.7	2.619	1036.72	1074.872	0.0	-91.894	-90.08	0.0
92	14720	14721	NS	1	48.697	49.374	0.0	0.003	266.694	2.621	1036.92	1074.88	0.0	-91.894	-90.08	0.0
93	14720	14721	SN	1	48.783	49.379	0.0	0.003	29.238	2.626	1037.128	1075.288	0.0	-91.784	-90.097	0.0
94	14720	14721	SN	2	48.783	49.379	0.0	0.003	29.238	2.626	1037.128	1075.288	0.0	-91.784	-90.097	0.0
95	14720	14721	SN	1	48.783	49.379	0.0	0.003	29.238	1.76	1037.128	1075.288	0.0	-91.784	-90.097	0.0
96	14721	14722	SN	2	48.674	49.428	0.0	0.003	6.309	2.687	1037.264	1075.44	0.0	-93.385	-90.092	0.0
97	14721	14722	SN	1	48.674	49.428	0.0	0.003	6.309	2.687	1037.264	1075.44	0.0	-93.385	-90.092	0.0
98	14721	14722	SN	1	48.787	49.428	0.0	0.003	6.309	1.774	1037.264	1075.44	0.0	-91.785	-90.092	0.0
99	14721	14722	NS	1	48.698	49.393	0.0	0.003	14.322	2.561	1035.872	1075.008	0.0	-91.869	-90.078	0.0
100	14721	14722	NS	1	48.698	49.393	0.0	0.003	14.322	2.558	1035.872	1075.008	0.0	-91.887	-90.078	0.0
101	14722	14723	NS	1	48.71	49.388	0.0	0.0	267.268	2.752	1036.856	1075.056	0.0	-91.815	-90.051	0.0
102	14722	14723	NS	1	48.71	49.388	0.0	0.0	267.268	2.749	1036.856	1075.056	0.0	-91.872	-90.051	0.0
103	14722	14723	SN	1	48.788	49.417	0.0	0.003	215.267	2.581	1037.872	1075.496	0.0	-92.806	-90.062	0.0
104	14722	14723	SN	2	48.788	49.417	0.0	0.003	215.267	2.581	1037.872	1075.496	0.0	-92.806	-90.062	0.0
105	14723	14724	SN	1	48.806	49.445	0.0	0.008	281.055	2.562	1038.32	1075.48	0.0	-94.705	-90.102	0.0
106	14723	14724	NS	1	48.708	49.374	0.0	0.003	267.036	2.658	1036.952	1074.968	0.0	-91.718	-90.056	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	14724	14725	NS	1	48.722	49.33	0.0	0.003	41.663	2.68	1035.904	1074.88	0.0	-91.686	-90.078	0.0
108	14724	14725	SN	1	48.786	49.44	0.0	0.003	6.315	2.637	1038.32	1075.408	0.0	-92.022	-90.078	0.0
109	14724	14725	NS	1	48.722	49.33	0.0	0.003	41.663	2.677	1035.904	1074.88	0.0	-91.693	-90.078	0.0
110	14724	14725	SN	2	48.786	49.44	0.0	0.003	6.315	2.637	1038.32	1075.408	0.0	-92.022	-90.078	0.0
111	14725	14726	SN	1	48.791	49.381	0.0	0.003	215.416	2.604	1038.272	1075.48	0.0	-92.655	-90.085	0.0
112	14725	14726	NS	1	48.7	49.369	0.0	0.003	209.642	2.578	1036.824	1075.008	0.0	-91.715	-90.076	0.0
113	14725	14726	NS	1	48.7	49.369	0.0	0.003	209.642	2.404	1036.824	1074.304	0.0	-91.715	-90.076	0.0
114	14725	14726	SN	1	48.79	49.389	0.0	0.003	215.421	2.605	1038.28	1075.488	0.0	-91.774	-90.085	0.0
115	14725	14726	NS	1	48.704	49.369	0.0	0.003	209.642	2.575	1036.824	1075.008	0.0	-91.719	-90.076	0.0
116	14726	14727	SN	1	48.816	49.416	0.0	0.003	6.298	2.571	1037.848	1075.464	0.0	-91.716	-90.097	0.0
117	14726	14727	NS	1	48.71	49.396	0.0	0.0	51.052	2.094	1036.392	1073.464	0.0	-91.727	-90.075	0.0
118	14726	14727	NS	1	48.711	49.396	0.0	0.0	51.052	2.716	1036.408	1075.04	0.0	-91.804	-90.075	0.0
119	14726	14727	NS	2	48.71	49.396	0.0	0.0	51.052	2.718	1036.392	1075.04	0.0	-91.727	-90.075	0.0
120	14726	14727	SN	1	48.816	49.416	0.0	0.003	6.298	2.573	1037.848	1075.464	0.0	-91.758	-90.097	0.0
121	14727	14728	SN	1	48.813	49.383	0.0	0.003	29.547	2.563	1037.368	1075.568	0.0	-91.808	-90.103	0.0
122	14727	14728	NS	1	48.742	49.353	0.0	0.0	96.943	1.557	1035.584	1072.576	0.0	-91.838	-90.073	0.0
123	14727	14728	NS	1	48.742	49.353	0.0	0.0	96.943	2.631	1035.584	1075.064	0.0	-91.86	-90.073	0.0
124	14727	14728	NS	2	48.742	49.353	0.0	0.0	96.943	2.631	1035.584	1075.064	0.0	-91.86	-90.073	0.0
125	14727	14728	SN	1	48.811	49.383	0.0	0.003	29.547	2.566	1037.368	1075.568	0.0	-91.808	-90.103	0.0
126	14728	14729	SN	1	48.768	49.384	0.0	0.0	55.205	2.807	1038.544	1075.616	0.0	-91.684	-90.105	0.0
127	14728	14729	NS	1	48.721	49.327	0.0	0.003	210.171	2.616	1035.464	1075.08	0.0	-91.833	-90.054	0.0
128	14728	14729	SN	1	48.777	49.384	0.0	0.0	55.205	2.793	1038.544	1075.616	0.0	-91.671	-90.105	0.0
129	14728	14729	SN	1	48.777	49.384	0.0	0.003	6.304	1.686	1038.544	1075.616	0.0	-91.671	-90.105	0.0
130	14728	14729	NS	1	48.721	49.333	0.0	0.003	210.171	1.625	1035.464	1069.92	0.0	-91.787	-90.054	0.0
131	14728	14729	NS	2	48.721	49.331	0.0	0.003	210.171	2.616	1035.464	1075.08	0.0	-91.831	-90.054	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

Inner																												
SNR																	Kp											
			Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore				
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	14700	14701	NS	1	-34.574	26.644	0.026	-34.603	27.392	0.026	1.212	32.056	14.116	2.268	34.522	26.251	0.116	277.875	2.601	0.116	279.751	2.387	0.116	0.178	0.0	0.116	0.164	0.0
2	14700	14701	SN	1	-34.329	27.277	0.233	-34.742	27.661	0.272	-29.733	31.669	9.275	-33.648	29.359	11.252	0.116	262.63	5.4	0.116	288.844	4.244	0.116	91.203	0.129	0.116	224.543	0.076
3	14700	14701	SN	1	-34.329	27.277	0.233	-34.742	27.661	0.272	-29.79	31.669	9.289	-33.819	29.359	11.265	0.116	262.63	5.4	0.116	288.844	4.247	0.116	92.435	0.13	0.116	233.531	0.076
4	14700	14701	SN	1	-34.329	27.277	0.246	-34.742	27.661	0.287	-29.79	31.669	9.289	-33.819	29.359	11.265	0.116	262.63	5.707	0.116	288.844	4.484	0.116	92.435	0.13	0.116	233.531	0.076
5	14701	14702	SN	1	-34.764	26.024	0.052	-34.942	26.272	0.058	-17.996	31.887	8.191	-26.958	28.994	4.008	0.116	290.272	7.188	0.116	302.425	6.27	0.116	6.198	0.027	0.116	48.186	0.026
6	14701	14702	NS	2	-34.855	25.65	0.028	-34.611	26.098	0.022	-11.482	32.065	7.412	-7.001	30.272	17.406	0.116	296.41	4.822	0.116	280.267	4.548	0.116	1.454	0.003	0.116	0.58	0.0
7	14701	14702	SN	1	-34.764	26.024	0.053	-34.942	26.272	0.059	-18.675	31.887	8.213	-26.846	28.994	4.021	0.116	290.272	7.323	0.116	302.425	6.338	0.116	7.233	0.027	0.116	46.968	0.022
8	14701	14702	NS	1	-34.991	25.65	0.028	-34.79	26.098	0.022	-11.482	32.065	7.41	-7.001	30.272	17.405	0.116	305.844	4.822	0.116	292.1	4.547	0.116	1.454	0.003	0.116	0.58	0.0
9	14701	14702	SN	1	-34.764	26.024	0.053	-34.942	26.272	0.059	-17.996	31.887	8.191	-26.958	28.994	4.008	0.116	290.272	7.325	0.116	302.425	6.337	0.116	6.198	0.027	0.116	48.186	0.026
10	14702	14703	SN	1	-34.95	23.85	0.051	-34.603	23.81	0.059	3.184	27.528	13.145	-14.661	27.685	6.16	0.116	302.922	3.241	0.116	279.705	2.79	0.116	0.154	0.0	0.116	2.924	0.014
11	14702	14703	SN	1	-34.95	23.85	0.052	-34.603	23.81	0.059	3.184	27.528	13.145	-14.661	27.685	6.167	0.116	302.922	3.293	0.116	279.705	2.786	0.116	0.154	0.0	0.116	2.924	0.014
12	14702	14703	NS	1	-33.783	24.387	0.001	-31.532	21.988	0.0	-12.182	29.372	7.337	-8.951	29.683	14.657	0.116	231.622	1.015	0.116	137.966	0.58	0.116	1.692	0.004	0.116	0.853	0.0
13	14702	14703	SN	1	-34.739	23.85	0.051	-34.451	23.81	0.059	3.206	27.528	13.145	-14.656	27.685	6.148	0.116	288.602	3.25	0.116	270.189	2.803	0.116	0.154	0.0	0.116	2.921	0.014
14	14703	14704	NS	2	-34.991	21.423	0.0	-33.416	22.622	0.007	-11.268	29.028	4.899	-9.258	28.969	10.003	0.116	305.947	1.792	0.116	212.91	1.336	0.116	1.388	0.001	0.116	0.909	0.0
15	14703	14704	NS	1	-34.991	21.423	0.0	-33.416	22.622	0.007	-11.268	29.028	4.899	-9.258	28.969	10.003	0.116	305.947	1.792	0.116	212.91	1.337	0.116	1.388	0.001	0.116	0.909	0.0
16	14703	14704	SN	1	-34.603	23.501	0.01	-34.965	23.795	0.04	4.398	27.043	10.934	3.147	27.574	7.033	0.116	279.782	3.593	0.116	304.059	2.805	0.116	0.145	0.0	0.116	0.155	0.0
17	14703	14704	SN	1	-34.603	23.501	0.009	-34.965	23.795	0.04	-1.342	27.043	10.922	3.187	27.574	6.921	0.116	279.782	3.553	0.116	304.059	2.752	0.116	0.233	0.0	0.116	0.154	0.0
18	14704	14705	SN	1	-34.923	23.329	0.029	-34.648	23.524	0.033	5.768	27.46	13.738	1.076	28.05	16.546	0.116	301.178	3.672	0.116	282.662	3.654	0.116	0.136	0.0	0.116	0.18	0.0
19	14704	14705	NS	2	-34.792	21.222	0.0	-34.733	22.9	0.003	-14.84	28.459	5.278	-17.182	30.454	12.003	0.116	292.196	4.383	0.116	288.285	4.26	0.116	3.043	0.003	0.116	5.155	0.007
20	14704	14705	SN	1	-34.987	23.329	0.028	-34.765	23.524	0.032	-1.502	27.461	13.375	1.072	28.05	16.126	0.116	305.521	3.666	0.116	290.371	3.535	0.116	0.238	0.0	0.116	0.18	0.0
21	14704	14705	SN	1	-34.923	23.329	0.028	-34.648	23.524	0.032	-1.511	27.46	13.403	1.076	28.05	16.131	0.116	301.178	3.675	0.116	282.662	3.548	0.116	0.238	0.0	0.116	0.18	0.0
22	14704	14705	NS	1	-34.741	21.222	0.0	-34.733	22.9	0.003	-14.837	28.459	5.278	-17.182	30.454	12.004	0.116	288.714	4.381	0.116	288.285	4.26	0.116	3.041	0.003	0.116	5.155	0.007
23	14705	14706	SN	1	-34.532	21.131	0.0	-34.953	22.215	0.001	-0.097	27.803	11.974	-0.433	28.139	10.596	0.116	275.156	7.103	0.116	303.21	6.19	0.116	0.202	0.0	0.116	0.21	0.0
24	14705	14706	SN	1	-34.968	21.131	0.0	-34.953	22.215	0.001	-0.479	27.803	12.736	-0.428	28.139	10.698	0.116	304.287	7.228	0.116	303.21	6.342	0.116	0.211	0.0	0.116	0.209	0.0
25	14705	14706	SN	1	-34.898	21.131	0.0	-34.937	22.215	0.001	-0.108	27.803	11.974	-0.434	28.139	10.596	0.116	299.38	7.102	0.116	302.134	6.188	0.116	0.202	0.0	0.116	0.21	0.0
26	14705	14706	NS	2	-34.685	23.037	0.01	-34.334	22.718	0.006	-9.75	30.397	5.331	-7.486	32.693	10.668	0.116	285.094	3.318	0.116	262.944	2.858	0.116	1.006	0.002	0.116	0.636	0.0
27	14705	14706	NS	1	-34.445	23.037	0.01	-34.334	22.718	0.006	-9.75	30.397	5.333	-7.486	32.693	10.67	0.116	269.757	3.318	0.116	262.944	2.858	0.116	1.006	0.002	0.116	0.636	0.0
28	14706	14707	SN	1	-34.66	24.096	0.033	-34.948	24.471	0.029	-12.868	32.472	9.608	-34.303	32.306	10.959	0.116	283.481	8.491	0.116	302.855	8.319	0.116	1.966	0.005	0.116	261.069	0.006
29	14706	14707	SN	1	-34.902	24.096	0.035	-34.95	24.471	0.032	-12.866	32.47	10.077	-12.304	32.306	10.95	0.116	299.642	9.076	0.116	302.946	8.418	0.116	1.965	0.005	0.116	1.738	0.004
30	14706	14707	NS	1	-34.77	27.89	0.067	-34.843	27.504	0.18	1.012	27.755	11.368	7.361	28.696	20.652	0.116	290.712	5.306	0.116	295.624	4.762	0.116	0.182	0.0	0.116	0.13	0.0
31	14706	14707	SN	1	-34.902	24.096	0.033	-34.95	24.471	0.029	-12.865	32.47	9.587	-12.304	32.306	10.929	0.116	299.642	8.503	0.116	302.946	8.336	0.116	1.964	0.005	0.116	1.738	0.004
32	14707	14708	SN	1	-33.461	24.605	0.019	-34.994	25.441	0.024	-17.393	31.076	12.826	-18.058	30.964	16.45	0.116	215.08	4.43	0.116	306.063	4.421	0.116	5.405	0.01	0.116	6.285	0.003
33	14707	14708	SN	1	-34.804	24.605	0.021	-34.776	25.442	0.028	-23.106	31.072	13.727	-18.055	30.964	16.577	0.116	293.041	3.774	0.116	291.152	3.52	0.116	19.9	0.011	0.116	6.281	0.003

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

112	14725	14726	NS	1	-34.533	22.04	0.001	-34.666	24.185	0.011	-16.41	28.163	18.8	-17.894	29.158	33.969	0.116	275.344	3.892	0.116	283.828	3.385	0.116	4.329	0.032	0.116	6.056	0.008
113	14725	14726	NS	1	-34.533	22.04	0.001	-34.666	24.185	0.011	-16.41	28.148	14.6	-17.894	29.124	31.011	0.116	275.344	3.892	0.116	283.828	3.385	0.116	4.329	0.035	0.116	6.056	0.008
114	14725	14726	SN	1	-34.892	23.309	0.006	-34.979	23.773	0.006	-19.913	28.576	11.859	-7.11	29.129	11.759	0.116	299.028	8.48	0.116	305.001	7.173	0.116	9.585	0.001	0.116	0.592	0.0
115	14725	14726	NS	1	-34.96	22.04	0.001	-34.359	24.185	0.011	-16.41	28.163	18.795	-17.894	29.158	33.965	0.116	303.731	3.896	0.116	264.402	3.384	0.116	4.329	0.032	0.116	6.056	0.008
116	14726	14727	SN	1	-34.916	24.116	0.002	-34.849	24.998	0.003	-11.379	28.309	19.561	-13.695	28.952	20.988	0.116	300.601	6.372	0.116	296.06	6.138	0.116	1.422	0.002	0.116	2.359	0.002
117	14726	14727	NS	1	-34.654	23.659	0.004	-34.959	23.208	0.002	-7.538	26.994	5.556	10.291	29.104	27.551	0.116	283.0	5.321	0.116	303.635	4.372	0.116	0.643	0.0	0.116	0.123	0.0
118	14726	14727	NS	1	-34.902	23.659	0.004	-34.858	23.207	0.002	-7.538	27.789	19.289	10.291	29.412	33.837	0.116	299.647	5.316	0.116	296.712	4.373	0.116	0.643	0.0	0.116	0.123	0.0
119	14726	14727	NS	2	-34.654	23.659	0.004	-34.959	23.208	0.002	-7.538	27.789	19.293	10.291	29.41	33.837	0.116	283.0	5.316	0.116	303.635	4.372	0.116	0.643	0.0	0.116	0.123	0.0
120	14726	14727	SN	1	-34.82	24.116	0.002	-34.841	24.998	0.003	-11.379	28.309	19.597	-13.695	28.952	21.01	0.116	293.99	6.375	0.116	295.526	6.146	0.116	1.422	0.002	0.116	2.359	0.002
121	14727	14728	SN	1	-34.908	18.479	0.0	-34.758	18.583	0.0	6.247	28.748	33.021	7.808	29.935	41.248	0.117	300.031	6.888	0.117	289.895	5.748	0.116	0.134	0.0	0.116	0.128	0.0
122	14727	14728	NS	1	-34.69	24.842	0.003	-34.973	24.967	0.006	9.448	26.14	1.0	8.492	28.774	13.632	0.116	285.334	5.185	0.116	304.601	4.462	0.116	0.124	0.0	0.116	0.127	0.0
123	14727	14728	NS	1	-34.69	24.85	0.008	-34.973	24.967	0.006	7.37	29.056	25.523	8.492	29.574	37.604	0.116	285.334	5.181	0.116	304.601	4.465	0.116	0.13	0.0	0.116	0.127	0.0
124	14727	14728	NS	2	-34.69	24.85	0.008	-34.973	24.967	0.006	7.37	29.056	25.523	8.492	29.574	37.604	0.116	285.334	5.181	0.116	304.601	4.465	0.116	0.13	0.0	0.116	0.127	0.0
125	14727	14728	SN	1	-34.943	18.479	0.0	-34.578	18.583	0.0	6.225	28.748	33.026	7.808	29.935	41.248	0.117	302.504	6.852	0.117	278.182	5.743	0.116	0.134	0.0	0.116	0.128	0.0
126	14728	14729	SN	1	-34.544	24.294	0.053	-34.987	24.585	0.116	-1.128	28.914	11.869	-2.529	29.322	10.96	0.116	275.952	6.298	0.116	305.565	5.305	0.116	0.227	0.0	0.116	0.273	0.0
127	14728	14729	NS	1	-34.916	25.018	0.021	-34.976	25.267	0.02	-6.444	28.668	14.197	-3.101	29.177	23.879	0.116	300.646	8.688	0.116	304.788	7.443	0.116	0.522	0.0	0.116	0.296	0.0
128	14728	14729	SN	1	-34.987	24.293	0.053	-34.677	24.585	0.116	-1.114	28.912	11.818	-2.517	29.322	10.903	0.116	305.56	6.303	0.116	284.519	5.301	0.116	0.227	0.0	0.116	0.272	0.0
129	14728	14729	SN	1	-34.987	24.293	0.055	-34.677	24.585	0.127	-1.643	28.912	12.119	-2.509	29.322	10.973	0.116	305.56	6.444	0.116	284.519	5.809	0.116	0.242	0.0	0.116	0.272	0.0
130	14728	14729	NS	1	-34.916	18.408	0.0	-34.976	25.284	0.016	-6.444	24.788	4.186	-3.101	25.976	6.969	0.117	300.646	8.586	0.116	304.788	7.471	0.116	0.522	0.0	0.116	0.296	0.0
131	14728	14729	NS	2	-34.916	25.018	0.021	-34.976	25.267	0.02	-6.444	28.668	14.197	-3.101	29.177	23.881	0.116	300.646	8.689	0.116	304.788	7.443	0.116	0.522	0.0	0.116	0.296	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14700	14701	NS	1	57.518	58.144	0.0	0.0	289.968	3.856	1214.776	1262.448	0.0	-93.073	-92.105	0.0
2	14700	14701	SN	1	57.587	58.231	0.0	0.0	294.424	4.013	1215.888	1263.304	0.0	-93.159	-92.086	0.0
3	14700	14701	SN	1	57.587	58.231	0.0	0.0	294.413	4.018	1215.888	1263.312	0.0	-93.159	-92.086	0.0
4	14700	14701	SN	1	57.587	58.231	0.0	0.0	289.3	3.562	1215.888	1263.312	0.0	-93.159	-92.086	0.0
5	14701	14702	SN	1	57.6	58.248	0.0	0.0	293.398	3.761	1215.6	1263.496	0.0	-93.194	-92.12	0.0
6	14701	14702	NS	2	57.544	58.149	0.0	0.0	294.633	3.607	1215.04	1262.72	0.0	-93.522	-92.096	0.0
7	14701	14702	SN	1	57.592	58.249	0.0	0.0	293.387	3.367	1215.608	1263.512	0.0	-93.194	-92.12	0.0
8	14701	14702	NS	1	57.545	58.15	0.0	0.0	292.135	3.609	1215.056	1262.712	0.0	-93.522	-92.096	0.0
9	14701	14702	SN	1	57.6	58.248	0.0	0.0	293.398	3.365	1215.6	1263.496	0.0	-93.194	-92.12	0.0
10	14702	14703	SN	1	57.598	58.214	0.0	0.0	293.652	3.688	1215.08	1263.552	0.0	-93.175	-92.132	0.0
11	14702	14703	SN	1	57.598	58.214	0.0	0.003	293.652	3.278	1215.08	1263.552	0.0	-93.175	-92.132	0.0
12	14702	14703	NS	1	57.52	58.154	0.0	0.0	291.655	3.657	1215.232	1262.8	0.0	-93.102	-92.097	0.0
13	14702	14703	SN	1	57.598	58.214	0.0	0.0	293.652	3.684	1215.08	1263.552	0.0	-93.097	-92.132	0.0
14	14703	14704	NS	2	57.522	58.142	0.0	0.0	299.889	3.729	1215.408	1262.68	0.0	-93.153	-92.098	0.0
15	14703	14704	NS	1	57.522	58.142	0.0	0.0	299.889	3.73	1215.408	1262.68	0.0	-93.153	-92.098	0.0
16	14703	14704	SN	1	57.591	58.213	0.0	0.0	299.691	3.24	1215.632	1263.4	0.0	-93.262	-92.115	0.0
17	14703	14704	SN	1	57.591	58.213	0.0	0.0	299.691	3.653	1215.632	1263.4	0.0	-93.088	-92.115	0.0
18	14704	14705	SN	1	57.592	58.212	0.0	0.0	298.406	3.122	1215.616	1263.328	0.0	-93.151	-92.133	0.0
19	14704	14705	NS	2	57.526	58.148	0.0	0.0	299.84	3.834	1215.984	1262.568	0.0	-93.394	-92.112	0.0
20	14704	14705	SN	1	57.6	58.212	0.0	0.0	298.362	3.652	1215.44	1263.32	0.0	-93.118	-92.133	0.0
21	14704	14705	SN	1	57.592	58.212	0.0	0.0	298.406	3.642	1215.616	1263.328	0.0	-93.151	-92.133	0.0
22	14704	14705	NS	1	57.522	58.148	0.0	0.0	299.806	3.832	1215.984	1262.56	0.0	-93.394	-92.112	0.0
23	14705	14706	SN	1	57.416	58.277	0.0	0.0	297.76	3.787	1215.184	1263.184	0.0	-95.622	-92.133	0.0
24	14705	14706	SN	1	57.588	58.212	0.0	0.0	297.76	3.064	1215.184	1263.184	0.0	-93.357	-92.133	0.0
25	14705	14706	SN	1	57.416	58.277	0.0	0.0	297.76	3.797	1215.32	1263.184	0.0	-95.622	-92.133	0.0
26	14705	14706	NS	2	57.538	58.166	0.0	0.0	294.799	3.779	1215.872	1262.416	0.0	-93.144	-92.116	0.0
27	14705	14706	NS	1	57.547	58.166	0.0	0.0	294.837	3.779	1215.888	1262.4	0.0	-93.144	-92.116	0.0
28	14706	14707	SN	1	57.607	58.213	0.0	0.0	298.384	3.831	1216.24	1263.264	0.0	-93.2	-92.108	0.0
29	14706	14707	SN	1	57.6	58.213	0.0	0.0	298.384	2.757	1216.24	1263.264	0.0	-93.33	-92.108	0.0
30	14706	14707	NS	1	57.522	58.171	0.0	0.0	296.371	3.778	1214.672	1262.448	0.0	-93.216	-92.119	0.0
31	14706	14707	SN	1	57.6	58.213	0.0	0.0	298.384	3.825	1216.24	1263.264	0.0	-93.33	-92.108	0.0
32	14707	14708	SN	1	57.462	58.371	0.0	0.0	281.166	3.757	1215.616	1263.44	0.0	-96.052	-92.113	0.0
33	14707	14708	SN	1	57.59	58.245	0.0	0.0	280.901	2.346	1215.616	1263.44	0.0	-93.255	-92.113	0.0
34	14707	14708	NS	1	57.507	58.155	0.0	0.0	297.689	3.743	1214.656	1262.608	0.0	-93.203	-92.114	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	14707	14708	SN	1	57.462	58.371	0.0	0.0	281.166	3.76	1215.616	1263.44	0.0	-96.052	-92.113	0.0
36	14708	14709	SN	2	57.592	58.344	0.0	0.0	299.961	3.725	1215.664	1263.496	0.0	-96.049	-92.105	0.0
37	14708	14709	SN	1	57.592	58.344	0.0	0.0	299.961	3.725	1215.664	1263.496	0.0	-96.049	-92.105	0.0
38	14708	14709	NS	1	57.517	58.144	0.0	0.003	298.356	3.924	1215.112	1262.584	0.0	-93.103	-92.075	0.0
39	14708	14709	NS	1	57.517	58.144	0.0	0.003	298.356	3.92	1215.112	1262.584	0.0	-93.102	-92.075	0.0
40	14709	14710	NS	1	57.516	58.142	0.0	0.003	299.123	3.769	1214.896	1262.416	0.0	-93.108	-92.098	0.0
41	14709	14710	SN	1	57.592	58.226	0.0	0.0	298.968	3.783	1216.272	1263.344	0.0	-94.652	-92.138	0.0
42	14709	14710	NS	1	57.516	58.142	0.0	0.003	299.123	3.773	1214.944	1262.416	0.0	-93.175	-92.098	0.0
43	14710	14711	NS	1	57.51	58.141	0.0	0.0	283.603	3.638	1215.216	1262.24	0.0	-93.1	-92.118	0.0
44	14710	14711	NS	1	57.51	58.141	0.0	0.0	283.603	3.818	1215.216	1262.496	0.0	-93.1	-92.118	0.0
45	14710	14711	NS	1	57.509	58.141	0.0	0.0	283.603	3.814	1214.976	1262.496	0.0	-93.1	-92.118	0.0
46	14710	14711	SN	1	57.566	58.215	0.0	0.0	298.163	3.857	1216.288	1263.384	0.0	-93.78	-92.1	0.0
47	14710	14711	SN	2	57.566	58.215	0.0	0.0	298.163	3.857	1216.288	1263.384	0.0	-93.78	-92.1	0.0
48	14711	14712	NS	1	57.512	58.159	0.0	0.0	284.657	3.645	1214.448	1262.616	0.0	-93.257	-92.116	0.0
49	14711	14712	NS	1	57.507	58.159	0.0	0.0	284.657	3.121	1214.616	1260.848	0.0	-93.051	-92.116	0.0
50	14711	14712	NS	1	57.507	58.159	0.0	0.0	284.657	3.648	1214.616	1262.616	0.0	-93.051	-92.116	0.0
51	14711	14712	SN	1	57.602	58.216	0.0	0.0	297.407	3.763	1216.272	1263.416	0.0	-93.097	-92.116	0.0
52	14711	14712	SN	2	57.602	58.216	0.0	0.0	297.407	3.763	1216.272	1263.416	0.0	-93.097	-92.116	0.0
53	14712	14713	SN	1	57.587	58.217	0.0	0.0	296.354	3.708	1215.6	1263.536	0.0	-93.214	-92.139	0.0
54	14712	14713	NS	1	57.505	58.168	0.0	0.0	299.437	3.703	1214.32	1262.696	0.0	-93.089	-92.115	0.0
55	14712	14713	SN	1	57.587	58.217	0.0	0.0	296.354	3.712	1215.6	1263.536	0.0	-93.09	-92.139	0.0
56	14712	14713	NS	1	57.512	58.164	0.0	0.003	290.387	2.927	1214.6	1260.872	0.0	-93.157	-92.115	0.0
57	14712	14713	NS	1	57.512	58.164	0.0	0.0	299.437	3.707	1214.6	1262.696	0.0	-93.157	-92.115	0.0
58	14713	14714	SN	1	57.61	58.242	0.0	0.0	286.052	2.527	1216.4	1263.592	0.0	-93.256	-92.14	0.0
59	14713	14714	NS	1	57.505	58.154	0.0	0.0	299.635	3.724	1214.32	1262.696	0.0	-93.602	-92.113	0.0
60	14713	14714	NS	1	57.505	58.155	0.0	0.0	295.036	2.106	1214.32	1259.152	0.0	-93.23	-92.113	0.0
61	14713	14714	SN	1	57.612	58.242	0.0	0.0	294.876	3.819	1216.4	1263.592	0.0	-93.129	-92.14	0.0
62	14713	14714	SN	1	57.608	58.242	0.0	0.0	294.876	3.815	1216.4	1263.592	0.0	-93.129	-92.14	0.0
63	14713	14714	NS	2	57.505	58.154	0.0	0.0	299.635	3.724	1214.32	1262.696	0.0	-93.602	-92.113	0.0
64	14714	14715	SN	1	57.622	58.24	0.0	0.0	299.569	4.021	1216.592	1263.56	0.0	-93.141	-92.115	0.0
65	14714	14715	NS	2	57.51	58.163	0.0	0.0	296.475	4.039	1214.216	1262.632	0.0	-93.41	-92.112	0.0
66	14714	14715	SN	1	57.612	58.24	0.0	0.0	299.569	4.018	1216.592	1263.56	0.0	-93.141	-92.115	0.0
67	14714	14715	NS	1	57.51	58.163	0.0	0.0	296.475	4.04	1214.216	1262.632	0.0	-93.41	-92.112	0.0
68	14714	14715	SN	1	57.622	58.24	0.0	0.0	299.569	3.223	1216.592	1263.56	0.0	-93.141	-92.115	0.0
69	14715	14716	NS	1	57.543	58.146	0.0	0.0	296.933	3.703	1214.76	1262.6	0.0	-93.236	-92.103	0.0
70	14715	14716	SN	1	57.591	58.238	0.0	0.0	299.255	3.415	1215.8	1263.48	0.0	-93.187	-92.107	0.0
71	14715	14716	SN	1	57.591	58.312	0.0	0.0	299.255	3.811	1215.8	1263.48	0.0	-95.598	-92.107	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14715	14716	SN	1	57.591	58.312	0.0	0.0	299.255	3.807	1215.928	1263.48	0.0	-95.598	-92.107	0.0
73	14716	14717	SN	1	57.593	58.236	0.0	0.0	299.668	3.28	1215.6	1263.64	0.0	-93.181	-92.136	0.0
74	14716	14717	NS	1	57.545	58.15	0.0	0.0	293.288	3.663	1215.208	1262.824	0.0	-93.138	-92.078	0.0
75	14716	14717	NS	2	57.545	58.15	0.0	0.0	293.315	3.664	1215.2	1262.832	0.0	-93.138	-92.077	0.0
76	14716	14717	SN	1	57.593	58.236	0.0	0.0	299.668	3.666	1215.6	1263.64	0.0	-93.181	-92.136	0.0
77	14716	14717	SN	1	57.593	58.238	0.0	0.003	299.696	3.268	1215.6	1263.656	0.0	-93.173	-92.136	0.0
78	14717	14718	SN	1	57.606	58.227	0.0	0.0	299.227	3.653	1216.032	1263.552	0.0	-93.088	-92.135	0.0
79	14717	14718	SN	1	57.594	58.215	0.0	0.0	299.227	3.641	1215.88	1263.552	0.0	-93.203	-92.135	0.0
80	14717	14718	NS	1	57.524	58.14	0.0	0.0	295.836	3.673	1215.104	1262.728	0.0	-93.105	-92.12	0.0
81	14717	14718	SN	1	57.594	58.215	0.0	0.0	299.227	3.243	1215.88	1263.552	0.0	-93.203	-92.135	0.0
82	14718	14719	SN	1	57.592	58.213	0.0	0.0	298.731	3.728	1215.496	1263.4	0.0	-93.252	-92.135	0.0
83	14718	14719	NS	1	57.537	58.143	0.0	0.0	295.582	3.886	1215.696	1262.592	0.0	-93.353	-92.091	0.0
84	14718	14719	SN	1	57.592	58.213	0.0	0.0	298.731	3.715	1215.624	1263.4	0.0	-93.096	-92.135	0.0
85	14718	14719	NS	2	57.537	58.143	0.0	0.0	295.582	3.886	1215.696	1262.592	0.0	-93.353	-92.091	0.0
86	14719	14720	NS	2	57.514	58.156	0.0	0.0	297.407	3.771	1215.488	1262.488	0.0	-93.263	-92.103	0.0
87	14719	14720	SN	1	57.6	58.212	0.0	0.0	299.713	3.658	1216.208	1263.288	0.0	-94.786	-92.136	0.0
88	14719	14720	SN	1	57.592	58.214	0.0	0.0	299.768	3.643	1215.712	1263.304	0.0	-94.786	-92.136	0.0
89	14719	14720	SN	1	57.592	58.214	0.0	0.003	299.768	3.028	1215.712	1263.304	0.0	-93.062	-92.136	0.0
90	14719	14720	NS	1	57.514	58.156	0.0	0.0	297.407	3.771	1215.488	1262.488	0.0	-93.263	-92.103	0.0
91	14720	14721	NS	1	57.543	58.166	0.0	0.0	299.707	3.779	1215.28	1262.408	0.0	-93.191	-92.117	0.0
92	14720	14721	NS	1	57.542	58.167	0.0	0.0	299.751	3.781	1215.176	1262.424	0.0	-93.191	-92.117	0.0
93	14720	14721	SN	1	57.479	58.214	0.0	0.0	279.798	3.83	1215.888	1263.256	0.0	-94.237	-92.124	0.0
94	14720	14721	SN	2	57.479	58.214	0.0	0.0	279.798	3.83	1215.888	1263.256	0.0	-94.237	-92.124	0.0
95	14720	14721	SN	1	57.594	58.214	0.0	0.0	279.798	2.912	1215.888	1263.256	0.0	-93.118	-92.124	0.0
96	14721	14722	SN	2	57.392	58.236	0.0	0.0	298.168	3.901	1216.128	1263.464	0.0	-95.102	-92.126	0.0
97	14721	14722	SN	1	57.392	58.236	0.0	0.0	298.168	3.901	1216.128	1263.464	0.0	-95.102	-92.126	0.0
98	14721	14722	SN	1	57.6	58.236	0.0	0.0	295.72	2.936	1216.128	1263.464	0.0	-93.146	-92.126	0.0
99	14721	14722	NS	1	57.509	58.172	0.0	0.0	290.58	3.638	1214.424	1262.584	0.0	-93.186	-92.115	0.0
100	14721	14722	NS	1	57.509	58.172	0.0	0.0	290.58	3.635	1214.424	1262.584	0.0	-93.191	-92.115	0.0
101	14722	14723	NS	1	57.506	58.157	0.0	0.0	284.171	3.925	1214.608	1262.64	0.0	-93.157	-92.082	0.0
102	14722	14723	NS	1	57.506	58.157	0.0	0.0	284.171	3.921	1214.608	1262.64	0.0	-93.209	-92.082	0.0
103	14722	14723	SN	1	57.401	58.244	0.0	0.0	296.111	3.77	1216.712	1263.512	0.0	-95.037	-92.099	0.0
104	14722	14723	SN	2	57.401	58.244	0.0	0.0	296.111	3.77	1216.712	1263.512	0.0	-95.037	-92.099	0.0
105	14723	14724	SN	1	57.48	58.31	0.0	0.0	295.224	3.736	1216.72	1263.528	0.0	-96.021	-92.142	0.0
106	14723	14724	NS	1	57.51	58.165	0.0	0.0	296.939	3.834	1214.632	1262.528	0.0	-93.141	-92.091	0.0
107	14724	14725	NS	1	57.516	58.14	0.0	0.0	296.542	3.799	1214.448	1262.408	0.0	-93.112	-92.115	0.0
108	14724	14725	SN	1	57.593	58.241	0.0	0.0	295.246	3.861	1216.728	1263.464	0.0	-93.557	-92.111	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	14724	14725	NS	1	57.527	58.14	0.0	0.0	296.542	3.795	1214.336	1262.408	0.0	-93.121	-92.115	0.0
110	14724	14725	SN	2	57.593	58.241	0.0	0.0	295.246	3.861	1216.728	1263.464	0.0	-93.557	-92.111	0.0
111	14725	14726	SN	1	57.623	58.216	0.0	0.0	295.246	3.786	1216.688	1263.464	0.0	-93.118	-92.116	0.0
112	14725	14726	NS	1	57.508	58.16	0.0	0.0	299.575	3.623	1215.144	1262.592	0.0	-93.042	-92.113	0.0
113	14725	14726	NS	1	57.508	58.16	0.0	0.0	290.938	3.181	1215.144	1261.472	0.0	-93.042	-92.113	0.0
114	14725	14726	SN	1	57.622	58.216	0.0	0.0	295.284	3.785	1216.696	1263.472	0.0	-93.118	-92.116	0.0
115	14725	14726	NS	1	57.506	58.166	0.0	0.0	299.658	3.62	1215.144	1262.592	0.0	-93.133	-92.113	0.0
116	14726	14727	SN	1	57.595	58.234	0.0	0.0	298.571	3.711	1216.696	1263.496	0.0	-93.357	-92.136	0.0
117	14726	14727	NS	1	57.507	58.157	0.0	0.0	293.9	3.163	1214.056	1260.816	0.0	-93.05	-92.113	0.0
118	14726	14727	NS	1	57.508	58.156	0.0	0.0	299.244	3.871	1214.072	1262.64	0.0	-93.132	-92.113	0.0
119	14726	14727	NS	2	57.507	58.157	0.0	0.0	299.244	3.873	1214.056	1262.64	0.0	-93.059	-92.113	0.0
120	14726	14727	SN	1	57.595	58.234	0.0	0.0	298.571	3.715	1216.72	1263.496	0.0	-93.126	-92.136	0.0
121	14727	14728	SN	1	57.61	58.245	0.0	0.0	298.439	3.697	1216.36	1263.624	0.0	-93.135	-92.142	0.0
122	14727	14728	NS	1	57.506	58.17	0.0	0.0	294.716	2.411	1214.032	1260.088	0.0	-93.17	-92.111	0.0
123	14727	14728	NS	1	57.506	58.17	0.0	0.0	294.716	3.769	1214.032	1262.624	0.0	-93.157	-92.111	0.0
124	14727	14728	NS	2	57.506	58.17	0.0	0.0	294.716	3.769	1214.032	1262.624	0.0	-93.157	-92.111	0.0
125	14727	14728	SN	1	57.608	58.245	0.0	0.0	298.439	3.701	1216.208	1263.624	0.0	-93.135	-92.142	0.0
126	14728	14729	SN	1	57.598	58.22	0.0	0.0	298.808	3.959	1217.016	1263.672	0.0	-93.217	-92.143	0.0
127	14728	14729	NS	1	57.516	58.161	0.0	0.0	294.931	3.865	1214.176	1262.648	0.0	-93.184	-92.088	0.0
128	14728	14729	SN	1	57.604	58.22	0.0	0.0	298.808	3.952	1217.016	1263.672	0.0	-93.217	-92.143	0.0
129	14728	14729	SN	1	57.604	58.22	0.0	0.0	298.808	2.803	1217.016	1263.672	0.0	-93.439	-92.143	0.0
130	14728	14729	NS	1	57.516	58.161	0.0	0.003	294.931	2.285	1214.176	1257.256	0.0	-93.184	-92.088	0.0
131	14728	14729	NS	2	57.516	58.161	0.0	0.0	294.931	3.865	1214.176	1262.648	0.0	-93.405	-92.088	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

SrNo	Start Orbit	End Orbit	Dir.	Ver.	Outer																										
					SNR												Kp														
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore					
Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)		
1	14700	14701	NS	1	-34.424	20.794	0.0	-34.484	19.748	0.0	3.156	27.698	0.026	2.641	23.182	0.093	0.086	205.159	2.161	0.086	208.051	2.13	0.086	0.115	0.0	0.086	0.119	0.0			
2	14700	14701	SN	1	-34.963	21.052	0.0	-33.984	21.346	0.0	-30.358	22.551	0.012	-28.922	22.788	0.018	0.086	232.345	4.615	0.086	185.41	3.858	0.086	80.493	0.093	0.086	57.858	0.045			
3	14700	14701	SN	1	-34.789	21.052	0.0	-33.984	21.346	0.0	-31.605	22.551	0.012	-28.933	22.788	0.018	0.086	223.152	4.618	0.086	185.41	3.857	0.086	107.223	0.091	0.086	57.991	0.045			
4	14700	14701	SN	1	-34.789	21.052	0.0	-33.984	21.346	0.0	-31.605	22.551	0.012	-28.933	22.788	0.018	0.086	223.152	4.752	0.086	185.41	4.06	0.086	107.223	0.091	0.086	57.991	0.045			
5	14701	14702	SN	1	-34.617	20.232	0.0	-35.001	20.732	0.0	-25.975	22.187	0.006	-19.695	22.466	0.012	0.086	214.464	6.748	0.086	234.258	5.944	0.086	29.386	0.018	0.086	6.968	0.01			
6	14701	14702	NS	2	-34.993	19.073	0.0	-34.882	20.167	0.0	-23.356	22.068	0.002	-8.788	23.038	0.036	0.086	233.858	3.421	0.086	227.922	3.652	0.086	16.106	0.002	0.086	0.627	0.0			
7	14701	14702	SN	1	-34.617	20.232	0.0	-34.991	20.732	0.0	-25.917	22.187	0.006	-19.693	22.466	0.012	0.086	214.464	6.88	0.086	233.802	5.973	0.086	28.985	0.018	0.086	6.965	0.01			
8	14701	14702	NS	1	-34.993	19.073	0.0	-34.882	20.167	0.0	-23.335	22.068	0.002	-8.788	23.038	0.036	0.086	233.858	3.421	0.086	227.922	3.653	0.086	16.022	0.002	0.086	0.627	0.0			
9	14701	14702	SN	1	-34.617	20.232	0.0	-35.001	20.732	0.0	-25.975	22.187	0.006	-19.695	22.466	0.012	0.086	214.464	6.879	0.086	234.258	5.974	0.086	29.386	0.018	0.086	6.968	0.01			
10	14702	14703	SN	1	-34.957	17.068	0.0	-34.942	17.509	0.0	1.764	22.596	0.014	-10.264	21.771	0.0	0.087	231.951	2.619	0.087	231.181	2.408	0.086	0.127	0.0	0.086	0.853	0.0			
11	14702	14703	SN	1	-34.957	17.068	0.0	-34.942	17.509	0.0	1.764	22.596	0.014	-10.264	21.771	0.0	0.087	231.951	2.665	0.087	231.181	2.436	0.086	0.127	0.0	0.086	0.853	0.0			
12	14702	14703	NS	1	-34.563	14.482	0.0	-32.493	16.332	0.0	-9.13	21.958	0.0	-26.777	22.388	0.014	0.088	211.802	0.706	0.087	131.563	0.446	0.086	0.672	0.0	0.086	35.319	0.045			
13	14702	14703	SN	1	-34.877	17.068	0.0	-34.864	17.509	0.0	1.764	22.596	0.014	-10.266	21.771	0.0	0.087	227.7	2.627	0.087	227.046	2.41	0.086	0.127	0.0	0.086	0.853	0.0			
14	14703	14704	NS	2	-34.017	16.686	0.0	-34.317	17.798	0.0	-17.076	22.454	0.01	-27.414	22.701	0.017	0.087	186.832	1.453	0.086	200.194	0.986	0.086	3.842	0.013	0.086	40.89	0.043			
15	14703	14704	NS	1	-34.017	16.686	0.0	-34.317	17.798	0.0	-17.076	22.454	0.01	-27.414	22.701	0.017	0.087	186.832	1.455	0.086	200.194	0.987	0.086	3.842	0.013	0.086	40.89	0.043			
16	14703	14704	SN	1	-34.857	16.487	0.0	-34.991	17.636	0.0	0.367	22.433	0.05	0.372	22.214	0.045	0.087	226.684	3.351	0.087	233.805	2.577	0.086	0.144	0.0	0.086	0.144	0.0			
17	14703	14704	SN	1	-34.857	16.487	0.0	-34.991	17.636	0.0	0.367	22.433	0.05	0.372	22.214	0.044	0.087	226.684	3.28	0.087	233.805	2.538	0.086	0.144	0.0	0.086	0.144	0.0			
18	14704	14705	SN	1	-34.649	17.415	0.0	-34.923	17.376	0.0	-0.074	21.805	0.0	2.341	22.085	0.009	0.087	216.121	4.111	0.087	230.131	4.065	0.086	0.15	0.0	0.086	0.121	0.0			
19	14704	14705	NS	2	-34.725	15.472	0.0	-35.001	15.441	0.0	-25.576	22.263	0.006	-22.416	22.625	0.016	0.087	219.917	3.772	0.087	234.264	3.646	0.086	26.807	0.023	0.086	12.98	0.017			
20	14704	14705	SN	1	-34.806	17.416	0.0	-34.973	17.376	0.0	-0.076	21.805	0.0	2.341	22.084	0.008	0.087	224.025	4.076	0.087	232.817	3.991	0.086	0.15	0.0	0.086	0.121	0.0			
21	14704	14705	SN	1	-34.649	17.415	0.0	-34.923	17.376	0.0	-0.074	21.805	0.0	2.341	22.085	0.008	0.087	216.121	4.082	0.087	230.131	3.993	0.086	0.15	0.0	0.086	0.121	0.0			
22	14704	14705	NS	1	-34.725	15.472	0.0	-35.001	15.441	0.0	-25.576	22.263	0.006	-22.416	22.625	0.016	0.087	219.917	3.771	0.087	234.264	3.646	0.086	26.807	0.023	0.086	12.98	0.017			
23	14705	14706	SN	1	-34.931	16.467	0.0	-34.94	16.525	0.0	-0.541	21.804	0.0	4.932	21.932	0.0	0.087	230.548	5.63	0.087	231.102	5.192	0.086	0.158	0.0	0.086	0.104	0.0			
24	14705	14706	SN	1	-34.826	16.467	0.0	-34.939	16.525	0.0	-0.541	21.804	0.0	5.263	21.932	0.0	0.087	225.075	5.678	0.087	230.947	5.213	0.086	0.158	0.0	0.086	0.103	0.0			
25	14705	14706	SN	1	-34.988	16.467	0.0	-34.829	16.525	0.0	-0.543	21.804	0.0	4.926	21.932	0.0	0.087	233.655	5.636	0.087	225.192	5.187	0.086	0.158	0.0	0.086	0.104	0.0			
26	14705	14706	NS	2	-34.804	16.628	0.0	-34.625	16.796	0.0	-28.974	22.2	0.005	-22.379	22.455	0.031	0.087	223.936	3.089	0.087	214.898	3.063	0.086	58.529	0.236	0.086	12.87	0.088			
27	14705	14706	NS	1	-34.55	16.628	0.0	-34.615	16.796	0.0	-28.974	22.2	0.005	-22.379	22.455	0.031	0.087	211.24	3.09	0.087	214.45	3.063	0.086	58.529	0.236	0.086	12.87	0.088			
28	14706	14707	SN	1	-34.988	17.078	0.0	-34.948	17.392	0.0	-14.774	22.891	0.143	-4.97	23.888	0.348	0.087	233.598	7.18	0.087	231.44	7.134	0.086	2.288	0.002	0.086	0.302	0.0			
29	14706	14707	SN	1	-34.481	17.078	0.0	-34.312	17.392	0.0	-14.774	22.891	0.151	-4.956	23.888	0.349	0.087	207.909	7.516	0.087	199.962	7.259	0.086	2.288	0.002	0.086	0.301	0.0			
30	14706	14707	NS	1	-34.88	20.243	0.0	-34.464	21.084	0.0	2.584	22.068	0.008	0.812	22.443	0.086	0.086	227.889	4.662	0.086	207.098	4.102	0.086	0.119	0.0	0.086	0.138	0.0			
31	14706	14707	SN	1	-34.481	17.078	0.0	-34.408	17.392	0.0	-14.774	22.891	0.141	-4.956	23.888	0.348	0.087	207.909	7.181	0.087	204.411	7.15	0.086	2.288	0.002	0.086	0.301	0.0			
32	14707	14708	SN	1	-34.377	17.495	0.0	-34.247	17.757	0.0	-11.14	22.913	0.077	-15.088	23.442	0.352	0.087	203.007	3.134	0.086	196.99	3.522	0.086	1.028	0.003	0.086	2.454	0.002			

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

107	14724	14725	NS	1	-34.909	19.27	0.0	-34.99	15.563	0.0	-8.445	21.742	0.0	-17.533	23.741	0.605	0.086	229.465	3.276	0.087	233.731	3.09	0.086	0.584	0.0	0.086	4.26	0.014
108	14724	14725	SN	1	-34.154	19.912	0.0	-34.196	20.052	0.0	-28.44	23.108	0.09	-23.974	22.938	0.017	0.086	192.859	4.68	0.086	194.685	4.418	0.086	51.768	0.127	0.086	18.556	0.017
109	14724	14725	NS	1	-34.592	19.27	0.0	-34.493	15.563	0.0	-8.445	21.74	0.0	-17.533	23.741	0.605	0.086	213.283	3.278	0.087	208.454	3.106	0.086	0.584	0.0	0.086	4.26	0.014
110	14724	14725	SN	2	-34.154	19.912	0.0	-34.196	20.052	0.0	-28.44	23.108	0.09	-23.974	22.938	0.017	0.086	192.859	4.68	0.086	194.685	4.418	0.086	51.768	0.127	0.086	18.556	0.017
111	14725	14726	SN	1	-34.778	17.455	0.0	-34.481	16.714	0.0	-28.248	23.006	0.064	-31.251	23.041	0.027	0.087	222.552	6.648	0.087	207.868	5.633	0.086	49.534	0.042	0.086	98.832	0.056
112	14725	14726	NS	1	-34.775	16.917	0.0	-34.233	18.116	0.0	-13.93	22.265	0.018	-10.703	23.751	0.675	0.087	222.41	2.541	0.086	196.357	2.349	0.086	1.895	0.009	0.086	0.936	0.0
113	14725	14726	NS	1	-34.775	16.917	0.0	-34.233	18.116	0.0	-13.93	22.283	0.025	-10.703	23.754	0.737	0.087	222.41	2.544	0.086	196.357	2.349	0.086	1.895	0.01	0.086	0.936	0.0
114	14725	14726	SN	1	-34.844	17.455	0.0	-34.979	16.714	0.0	-28.715	23.006	0.064	-21.628	23.041	0.027	0.087	226.005	6.665	0.087	233.111	5.631	0.086	55.168	0.039	0.086	10.84	0.055
115	14725	14726	NS	1	-34.198	16.917	0.0	-34.144	18.116	0.0	-13.93	22.263	0.018	-10.703	23.751	0.675	0.087	194.733	2.546	0.086	192.374	2.355	0.086	1.895	0.009	0.086	0.936	0.0
116	14726	14727	SN	1	-34.686	16.804	0.0	-34.922	17.642	0.0	-22.618	22.921	0.123	-30.42	23.082	0.054	0.087	217.96	7.741	0.087	230.092	7.585	0.086	13.598	0.039	0.086	81.652	0.08
117	14726	14727	NS	1	-34.778	19.517	0.0	-34.544	17.354	0.0	-11.294	21.722	0.0	-6.904	23.47	1.16	0.086	222.572	5.063	0.087	210.963	4.465	0.086	1.063	0.009	0.086	0.43	0.0
118	14726	14727	NS	1	-34.778	19.517	0.0	-34.863	17.35	0.0	-11.299	21.652	0.0	-6.904	23.465	0.836	0.086	222.572	5.048	0.087	226.96	4.466	0.086	1.064	0.006	0.086	0.43	0.0
119	14726	14727	NS	2	-34.778	19.517	0.0	-34.544	17.35	0.0	-11.294	21.654	0.0	-6.904	23.465	0.836	0.086	222.572	5.047	0.087	210.963	4.465	0.086	1.063	0.006	0.086	0.43	0.0
120	14726	14727	SN	1	-34.804	16.804	0.0	-34.92	17.642	0.0	-22.592	22.921	0.123	-30.42	23.082	0.054	0.087	223.918	7.743	0.087	229.994	7.586	0.086	13.515	0.039	0.086	81.652	0.08
121	14727	14728	SN	1	-34.922	12.707	0.0	-34.863	13.315	0.0	-0.725	22.743	0.164	0.036	22.224	0.055	0.089	230.069	6.162	0.088	226.99	5.327	0.086	0.162	0.0	0.086	0.149	0.0
122	14727	14728	NS	1	-34.897	19.104	0.0	-34.843	16.951	0.0	3.767	20.418	0.0	2.748	23.366	0.338	0.086	228.748	4.356	0.087	225.914	4.053	0.086	0.111	0.0	0.086	0.118	0.0
123	14727	14728	NS	1	-34.994	19.104	0.0	-34.832	16.952	0.0	2.33	22.634	0.096	2.774	23.535	0.887	0.086	233.978	4.309	0.087	225.368	4.048	0.086	0.121	0.0	0.086	0.118	0.0
124	14727	14728	NS	2	-34.994	19.104	0.0	-34.832	16.952	0.0	2.33	22.634	0.096	2.774	23.535	0.887	0.086	233.978	4.309	0.087	225.368	4.048	0.086	0.121	0.0	0.086	0.118	0.0
125	14727	14728	SN	1	-34.885	12.707	0.0	-34.208	13.315	0.0	-0.724	22.743	0.164	0.034	22.224	0.055	0.089	228.096	6.133	0.088	195.24	5.324	0.086	0.162	0.0	0.086	0.149	0.0
126	14728	14729	SN	1	-34.813	16.561	0.0	-34.953	16.866	0.0	-2.868	22.424	0.013	1.23	22.566	0.017	0.087	224.385	4.762	0.087	231.719	4.203	0.086	0.215	0.0	0.086	0.132	0.0
127	14728	14729	NS	1	-34.926	18.221	0.0	-34.898	18.736	0.0	-2.538	23.618	0.336	0.764	23.753	0.688	0.086	230.313	7.617	0.086	228.856	6.866	0.086	0.205	0.0	0.086	0.138	0.0
128	14728	14729	SN	1	-34.977	16.561	0.0	-34.99	16.866	0.0	-2.862	22.424	0.013	1.229	22.565	0.014	0.087	233.035	4.767	0.087	233.71	4.205	0.086	0.215	0.0	0.086	0.132	0.0
129	14728	14729	SN	1	-34.544	16.561	0.0	-34.99	16.866	0.0	-2.487	22.424	0.014	1.229	22.565	0.015	0.087	210.917	4.843	0.087	233.71	4.619	0.086	0.203	0.0	0.086	0.132	0.0
130	14728	14729	NS	1	-34.926	12.483	0.0	-34.898	18.702	0.0	-2.538	20.19	0.0	0.764	19.531	0.0	0.089	230.313	7.369	0.086	228.856	6.92	0.086	0.205	0.0	0.086	0.138	0.0
131	14728	14729	NS	2	-34.926	18.221	0.0	-34.898	18.736	0.0	-2.538	23.62	0.336	0.764	23.753	0.688	0.086	230.313	7.617	0.086	228.856	6.866	0.086	0.205	0.0	0.086	0.138	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors