

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 16-JUL-2019 To 17-JUL-2019





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 16-JUL-2019 To 17-JUL-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14830	14831	SN	1	48.641	49.407	0.0	0.003	280.824	2.0	1037.808	1076.336	0.0	-91.816	-90.101	0.0
2	14830	14831	SN	1	48.641	49.443	0.0	0.003	280.824	2.696	1037.808	1076.336	0.0	-91.816	-90.101	0.0
3	14830	14831	SN	1	48.641	49.407	0.0	0.003	280.824	2.687	1037.808	1076.336	0.0	-91.816	-90.101	0.0
4	14831	14832	SN	1	48.631	49.393	0.0	0.003	280.201	2.446	1037.464	1076.288	0.0	-91.882	-90.087	0.0
5	14831	14832	NS	1	48.723	49.314	0.0	0.003	267.494	2.527	1033.944	1075.304	0.0	-91.574	-90.036	0.0
6	14831	14832	SN	2	48.631	49.393	0.0	0.003	280.201	2.632	1037.464	1076.288	0.0	-91.882	-90.087	0.0
7	14831	14832	SN	1	48.631	49.393	0.0	0.003	280.201	2.632	1037.464	1076.288	0.0	-91.882	-90.087	0.0
8	14831	14832	NS	1	48.723	49.314	0.0	0.003	267.494	2.525	1033.648	1075.304	0.0	-91.587	-90.036	0.0
9	14832	14833	SN	2	48.617	49.448	0.0	0.003	280.675	2.369	1036.928	1076.44	0.0	-92.069	-90.12	0.0
10	14832	14833	NS	1	48.73	49.314	0.0	0.0	264.323	2.594	1034.112	1075.496	0.0	-91.603	-90.01	0.0
11	14832	14833	NS	1	48.73	49.314	0.0	0.0	264.323	2.592	1033.696	1075.496	0.0	-91.592	-90.01	0.0
12	14832	14833	SN	1	48.617	49.448	0.0	0.003	280.669	2.53	1036.928	1076.424	0.0	-92.069	-90.12	0.0
13	14832	14833	SN	1	48.617	49.448	0.0	0.003	280.669	2.37	1036.928	1076.424	0.0	-92.069	-90.12	0.0
14	14833	14834	SN	1	48.606	49.412	0.0	0.003	6.337	2.529	1036.528	1076.376	0.0	-92.137	-90.112	0.0
15	14833	14834	SN	1	48.606	49.412	0.0	0.003	6.337	2.3	1036.528	1076.376	0.0	-91.853	-90.112	0.0
16	14833	14834	NS	1	48.721	49.322	0.0	0.003	13.115	2.535	1034.232	1075.456	0.0	-91.763	-90.051	0.0
17	14833	14834	SN	1	48.606	49.412	0.0	0.003	6.337	2.531	1036.528	1076.376	0.0	-91.853	-90.112	0.0
18	14834	14835	SN	1	48.604	49.45	0.0	0.003	6.326	2.526	1036.392	1076.256	0.0	-91.847	-90.113	0.0
19	14834	14835	NS	2	48.716	49.336	0.0	0.0	42.683	2.76	1034.264	1075.344	0.0	-92.479	-90.018	0.0
20	14834	14835	NS	1	48.716	49.324	0.0	0.0	42.683	2.76	1034.264	1075.344	0.0	-92.479	-90.018	0.0
21	14835	14836	SN	1	48.593	49.42	0.0	0.003	6.331	2.549	1036.152	1076.176	0.0	-91.892	-90.114	0.0
22	14835	14836	SN	1	48.593	49.42	0.0	0.003	6.331	2.492	1036.152	1076.176	0.0	-91.892	-90.114	0.0
23	14835	14836	NS	1	48.729	49.336	0.0	0.003	267.306	2.614	1034.2	1075.24	0.0	-91.787	-90.041	0.0
24	14836	14837	NS	2	48.701	49.371	0.0	0.003	41.713	2.626	1034.072	1075.192	0.0	-91.792	-90.049	0.0
25	14836	14837	SN	1	48.586	49.426	0.0	0.003	6.331	1.753	1036.072	1076.152	0.0	-91.797	-90.114	0.0
26	14836	14837	SN	1	48.586	49.455	0.0	0.003	6.331	2.61	1036.072	1076.152	0.0	-94.291	-90.114	0.0
27	14836	14837	NS	1	48.701	49.371	0.0	0.003	41.713	2.626	1034.072	1075.192	0.0	-91.792	-90.049	0.0
28	14837	14838	SN	1	48.588	49.426	0.0	0.003	6.337	1.766	1036.176	1076.328	0.0	-91.787	-90.103	0.0
29	14837	14838	SN	1	48.588	49.426	0.0	0.003	6.337	2.69	1036.176	1076.328	0.0	-93.136	-90.103	0.0
30	14837	14838	SN	2	48.588	49.426	0.0	0.003	6.337	2.69	1036.176	1076.328	0.0	-93.136	-90.103	0.0
31	14837	14838	NS	1	48.686	49.36	0.0	0.003	13.021	2.559	1032.928	1075.344	0.0	-91.782	-90.048	0.0
32	14837	14838	NS	1	48.686	49.36	0.0	0.003	13.021	2.556	1032.928	1075.344	0.0	-91.782	-90.048	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- 
 Normal
- 
 Deviations
- 
 Alarming
- 
 High Errors

33	14838	14839	NS	1	48.686	49.338	0.0	0.003	267.439	2.681	1033.824	1075.424	0.0	-91.864	-90.024	0.0
34	14838	14839	SN	1	48.568	49.444	0.0	0.003	280.03	2.584	1035.872	1076.528	0.0	-93.433	-90.081	0.0
35	14838	14839	NS	1	48.686	49.338	0.0	0.003	267.439	2.678	1033.824	1075.424	0.0	-91.892	-90.024	0.0
36	14839	14840	NS	1	48.746	49.378	0.0	0.003	13.153	2.645	1033.64	1075.368	0.0	-91.772	-90.024	0.0
37	14839	14840	SN	1	48.547	49.465	0.0	0.003	280.912	2.546	1035.408	1076.384	0.0	-91.812	-90.125	0.0
38	14839	14840	NS	1	48.699	49.314	0.0	0.003	13.153	2.647	1033.672	1075.368	0.0	-91.772	-90.024	0.0
39	14840	14841	SN	1	48.567	49.443	0.0	0.003	6.337	2.632	1035.536	1076.344	0.0	-91.753	-90.099	0.0
40	14840	14841	NS	1	48.722	49.324	0.0	0.003	18.806	2.688	1033.064	1075.28	0.0	-91.833	-90.048	0.0
41	14841	14842	NS	1	48.685	49.356	0.0	0.0	265.299	2.582	1033.784	1075.344	0.0	-91.877	-90.047	0.0
42	14841	14842	SN	1	48.545	49.462	0.0	0.003	6.337	2.598	1035.032	1076.376	0.0	-91.749	-90.1	0.0
43	14841	14842	NS	1	48.686	49.356	0.0	0.0	265.299	2.584	1033.784	1075.352	0.0	-91.884	-90.047	0.0
44	14842	14843	SN	1	48.527	49.479	0.0	0.003	6.331	2.577	1034.704	1076.4	0.0	-91.708	-90.115	0.0
45	14842	14843	NS	1	48.685	49.332	0.0	0.003	266.948	2.63	1033.6	1075.4	0.0	-91.774	-90.044	0.0
46	14843	14844	NS	1	48.686	49.377	0.0	0.003	267.114	1.473	1033.136	1072.384	0.0	-92.107	-90.043	0.0
47	14843	14844	NS	1	48.686	49.377	0.0	0.003	267.114	2.564	1033.136	1075.488	0.0	-92.107	-90.043	0.0
48	14844	14845	NS	1	48.683	49.342	0.0	0.0	227.974	3.11	1032.4	1074.016	0.0	-92.319	-90.024	0.0
49	14845	14846	SN	1	48.569	49.436	0.0	0.003	274.482	2.735	1035.296	1076.416	0.0	-91.844	-90.078	0.0
50	14846	14847	SN	1	48.592	49.435	0.0	0.003	6.348	2.388	1035.512	1076.592	0.0	-91.793	-90.109	0.0
51	14846	14847	NS	1	48.743	49.34	0.0	0.003	267.439	2.507	1033.496	1075.608	0.0	-91.664	-90.026	0.0
52	14847	14848	SN	1	48.622	49.394	0.0	0.003	280.923	2.505	1035.84	1076.632	0.0	-91.871	-90.118	0.0
53	14848	14849	SN	1	48.655	49.393	0.0	0.003	6.348	2.247	1036.384	1076.528	0.0	-91.756	-90.091	0.0
54	14848	14849	SN	1	48.655	49.393	0.0	0.003	6.348	2.542	1036.384	1076.528	0.0	-91.756	-90.091	0.0
55	14849	14850	NS	1	48.72	49.312	0.0	0.0	48.008	2.75	1033.896	1075.496	0.0	-91.789	-90.041	0.0
56	14849	14850	SN	1	48.696	49.437	0.0	0.003	214.975	2.537	1037.216	1076.472	0.0	-94.095	-90.11	0.0
57	14849	14850	SN	1	48.696	49.426	0.0	0.003	214.975	2.058	1037.216	1076.472	0.0	-91.702	-90.11	0.0
58	14849	14850	NS	1	48.72	49.314	0.0	0.0	48.008	2.754	1033.888	1075.504	0.0	-91.789	-90.041	0.0
59	14849	14850	SN	2	48.696	49.437	0.0	0.003	214.975	2.537	1037.216	1076.472	0.0	-94.095	-90.11	0.0
60	14850	14851	NS	1	48.691	49.379	0.0	0.003	37.802	2.596	1033.096	1075.4	0.0	-91.777	-90.043	0.0
61	14850	14851	SN	1	48.748	49.392	0.0	0.003	281.447	1.856	1038.408	1076.368	0.0	-91.75	-90.113	0.0
62	14850	14851	SN	2	48.748	49.392	0.0	0.003	281.447	2.568	1038.408	1076.368	0.0	-91.75	-90.113	0.0
63	14850	14851	SN	1	48.748	49.391	0.0	0.003	280.995	2.57	1038.416	1076.352	0.0	-91.75	-90.113	0.0
64	14851	14852	NS	1	48.708	49.355	0.0	0.003	265.492	2.629	1032.72	1075.448	0.0	-91.742	-90.046	0.0
65	14851	14852	SN	1	48.816	49.395	0.0	0.003	278.618	2.647	1039.952	1076.44	0.0	-91.969	-90.092	0.0
66	14851	14852	SN	1	48.816	49.395	0.0	0.003	278.618	1.635	1039.952	1076.44	0.0	-91.969	-90.092	0.0
67	14852	14853	SN	1	48.804	49.405	0.0	0.003	276.66	2.593	1039.8	1076.592	0.0	-91.778	-90.104	0.0
68	14852	14853	SN	1	48.81	49.405	0.0	0.003	276.66	1.522	1039.8	1076.592	0.0	-91.778	-90.104	0.0
69	14852	14853	SN	1	48.804	49.405	0.0	0.003	276.66	2.591	1040.568	1076.592	0.0	-91.778	-90.104	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14852	14853	NS	1	48.68	49.371	0.0	0.003	206.41	2.597	1032.648	1075.576	0.0	-92.125	-90.042	0.0
71	14852	14853	NS	2	48.68	49.371	0.0	0.003	206.41	2.597	1032.648	1075.576	0.0	-91.893	-90.042	0.0
72	14853	14854	NS	1	48.678	49.312	0.0	0.0	264.665	2.806	1032.728	1075.568	0.0	-91.736	-90.032	0.0
73	14853	14854	SN	1	48.807	49.396	0.0	0.003	6.359	2.535	1040.552	1076.64	0.0	-91.756	-90.09	0.0
74	14854	14855	SN	1	48.845	49.394	0.0	0.003	6.353	2.574	1040.456	1076.528	0.0	-91.741	-90.125	0.0
75	14854	14855	NS	1	48.733	49.312	0.0	0.003	14.383	2.649	1032.84	1075.424	0.0	-91.749	-90.027	0.0
76	14854	14855	NS	1	48.733	49.312	0.0	0.003	14.383	2.646	1032.84	1075.424	0.0	-91.749	-90.027	0.0
77	14855	14856	NS	1	48.732	49.343	0.0	0.003	266.805	2.657	1032.608	1075.512	0.0	-91.769	-90.045	0.0
78	14855	14856	NS	1	48.732	49.343	0.0	0.003	266.805	2.655	1032.608	1075.504	0.0	-91.779	-90.045	0.0
79	14855	14856	NS	1	48.732	49.343	0.0	0.003	266.805	2.596	1032.608	1075.288	0.0	-91.769	-90.045	0.0
80	14855	14856	SN	1	48.664	49.408	0.0	0.003	281.419	2.649	1040.456	1076.568	0.0	-92.55	-90.089	0.0
81	14855	14856	SN	2	48.664	49.408	0.0	0.003	281.419	2.649	1040.456	1076.568	0.0	-92.55	-90.089	0.0
82	14856	14857	NS	1	48.704	49.319	0.0	0.003	42.871	2.576	1033.24	1075.576	0.0	-91.847	-90.043	0.0
83	14856	14857	NS	1	48.712	49.335	0.0	0.003	42.871	2.564	1033.232	1075.592	0.0	-91.755	-90.043	0.0
84	14856	14857	SN	1	48.795	49.395	0.0	0.003	280.967	2.584	1040.424	1076.632	0.0	-91.679	-90.096	0.0
85	14856	14857	SN	2	48.795	49.395	0.0	0.003	280.967	2.584	1040.424	1076.632	0.0	-91.679	-90.096	0.0
86	14856	14857	NS	1	48.712	49.335	0.0	0.003	42.871	2.177	1033.232	1074.248	0.0	-91.747	-90.043	0.0
87	14857	14858	SN	1	48.824	49.397	0.0	0.003	277.553	2.581	1039.72	1076.72	0.0	-91.705	-90.121	0.0
88	14857	14858	NS	2	48.704	49.357	0.0	0.0	264.516	2.785	1032.576	1075.664	0.0	-91.872	-90.042	0.0
89	14857	14858	NS	1	48.704	49.357	0.0	0.0	264.516	1.717	1032.576	1072.936	0.0	-91.872	-90.042	0.0
90	14857	14858	NS	1	48.704	49.357	0.0	0.0	264.516	2.785	1032.576	1075.664	0.0	-91.872	-90.042	0.0
91	14857	14858	SN	1	48.834	49.397	0.0	0.003	277.553	2.579	1040.168	1076.72	0.0	-91.705	-90.121	0.0
92	14858	14859	NS	1	48.691	49.345	0.0	0.003	14.135	2.58	1032.368	1075.768	0.0	-91.851	-90.04	0.0
93	14858	14859	SN	1	48.812	49.398	0.0	0.003	280.217	2.645	1040.192	1076.808	0.0	-92.07	-90.122	0.0
94	14858	14859	SN	1	48.812	49.398	0.0	0.003	280.217	2.648	1039.768	1076.816	0.0	-92.07	-90.122	0.0
95	14858	14859	SN	1	48.812	49.398	0.0	0.003	280.217	1.525	1039.768	1076.816	0.0	-92.07	-90.122	0.0
96	14858	14859	NS	1	48.691	49.345	0.0	0.003	14.135	1.532	1032.368	1071.12	0.0	-91.777	-90.04	0.0
97	14858	14859	NS	2	48.691	49.345	0.0	0.003	14.135	2.58	1032.368	1075.768	0.0	-91.851	-90.04	0.0
98	14859	14860	NS	1	48.679	49.35	0.0	0.0	267.268	2.801	1032.264	1075.664	0.0	-91.679	-90.04	0.0
99	14859	14860	NS	1	48.679	49.35	0.0	0.0	264.202	2.812	1032.256	1075.664	0.0	-91.679	-90.04	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors





73	14853	14854	SN	1	-34.742	25.871	0.042	-32.802	25.138	0.046	-13.749	28.468	13.979	-7.138	29.257	12.966	0.116	288.869	1.222	0.116	184.799	1.243	0.116	2.388	0.003	0.116	0.595	0.0
74	14854	14855	SN	1	-34.249	27.162	0.023	-33.525	26.443	0.018	-16.57	30.348	15.863	-24.821	29.478	14.851	0.116	257.869	1.942	0.116	218.291	1.469	0.116	4.488	0.013	0.116	29.498	0.014
75	14854	14855	NS	1	-34.359	27.54	0.026	-34.736	25.196	0.027	-25.479	36.044	8.424	-34.768	32.654	18.913	0.116	264.42	2.676	0.116	288.435	2.669	0.116	34.306	0.443	0.116	290.621	0.447
76	14854	14855	NS	1	-34.776	27.54	0.026	-34.677	25.196	0.027	-25.479	36.044	8.421	-34.768	32.654	18.91	0.116	291.082	2.675	0.116	284.612	2.66	0.116	34.306	0.443	0.116	290.621	0.447
77	14855	14856	NS	1	-34.286	23.017	0.011	-33.692	25.213	0.009	-31.206	27.982	14.717	-31.911	31.426	24.168	0.116	260.008	1.91	0.116	226.851	1.843	0.116	127.992	0.092	0.116	150.568	0.058
78	14855	14856	NS	1	-34.826	23.017	0.011	-34.125	25.213	0.009	-31.206	27.982	14.717	-31.911	31.426	24.168	0.116	294.502	1.911	0.116	250.631	1.839	0.116	127.992	0.092	0.116	150.568	0.058
79	14855	14856	NS	1	-34.286	23.017	0.011	-33.692	25.213	0.009	-31.206	27.982	13.799	-31.911	31.426	23.155	0.116	260.008	1.91	0.116	226.851	1.843	0.116	127.992	0.094	0.116	150.568	0.059
80	14855	14856	SN	1	-34.666	20.75	0.0	-33.672	21.904	0.0	-20.428	28.726	12.951	-20.652	29.401	10.401	0.116	283.9	4.019	0.116	225.765	3.091	0.116	10.781	0.007	0.116	11.35	0.016
81	14855	14856	SN	2	-34.666	20.75	0.0	-33.672	21.904	0.0	-20.428	28.726	12.951	-20.652	29.401	10.401	0.116	283.9	4.019	0.116	225.765	3.091	0.116	10.781	0.007	0.116	11.35	0.016
82	14856	14857	NS	1	-34.874	21.968	0.0	-34.29	24.234	0.045	-23.837	27.463	21.386	-30.958	29.523	36.851	0.116	297.767	1.092	0.116	260.344	0.912	0.116	23.538	0.091	0.116	120.911	0.026
83	14856	14857	NS	1	-33.73	21.965	0.0	-32.782	24.234	0.045	-23.771	27.464	21.265	-28.228	29.523	36.853	0.116	228.805	1.091	0.116	183.952	0.906	0.116	23.175	0.092	0.116	64.524	0.026
84	14856	14857	SN	1	-34.366	23.719	0.005	-34.297	22.879	0.003	-5.894	28.999	14.308	-4.429	29.126	15.102	0.116	264.895	3.492	0.116	260.736	3.736	0.116	0.471	0.0	0.116	0.365	0.0
85	14856	14857	SN	2	-34.366	23.719	0.005	-34.297	22.879	0.003	-5.894	28.999	14.308	-4.429	29.126	15.102	0.116	264.895	3.492	0.116	260.736	3.736	0.116	0.471	0.0	0.116	0.365	0.0
86	14856	14857	NS	1	-33.73	21.965	0.0	-32.782	24.234	0.045	-23.771	27.47	10.928	-28.228	29.526	33.362	0.116	228.805	1.093	0.116	183.952	0.906	0.116	23.175	0.118	0.116	64.524	0.032
87	14857	14858	SN	1	-34.28	19.202	0.0	-34.993	19.649	0.0	-6.113	28.208	26.516	-5.405	28.742	31.664	0.117	259.682	3.026	0.116	305.974	2.478	0.116	0.491	0.0	0.116	0.432	0.0
88	14857	14858	NS	2	-34.97	24.576	0.042	-34.496	23.88	0.034	0.686	28.241	23.42	8.179	29.406	36.149	0.116	304.39	7.137	0.116	272.957	6.57	0.116	0.187	0.0	0.116	0.127	0.0
89	14857	14858	NS	1	-34.97	24.576	0.042	-34.496	23.881	0.034	0.686	26.986	3.847	8.179	28.694	19.19	0.116	304.39	7.148	0.116	272.957	6.572	0.116	0.187	0.0	0.116	0.127	0.0
90	14857	14858	NS	1	-34.97	24.576	0.042	-34.496	23.88	0.034	0.686	28.241	23.42	8.179	29.406	36.149	0.116	304.39	7.137	0.116	272.957	6.57	0.116	0.187	0.0	0.116	0.127	0.0
91	14857	14858	SN	1	-34.841	19.202	0.0	-34.953	19.649	0.0	-6.115	28.208	26.519	-5.405	28.742	31.668	0.117	295.563	3.023	0.116	303.209	2.484	0.116	0.491	0.0	0.116	0.432	0.0
92	14858	14859	NS	1	-34.974	24.884	0.02	-34.782	25.269	0.017	7.028	29.229	17.837	7.231	31.089	28.086	0.116	304.682	6.278	0.116	291.522	5.739	0.116	0.131	0.0	0.116	0.13	0.0
93	14858	14859	SN	1	-34.95	20.218	0.0	-34.476	20.688	0.0	1.541	28.382	20.473	-1.858	29.698	19.746	0.116	302.987	3.397	0.116	271.694	3.028	0.116	0.174	0.0	0.116	0.249	0.0
94	14858	14859	SN	1	-34.832	20.218	0.0	-34.795	20.688	0.0	1.54	28.382	20.527	-1.858	29.698	19.751	0.116	294.906	3.399	0.116	292.404	3.032	0.116	0.174	0.0	0.116	0.249	0.0
95	14858	14859	SN	1	-34.891	20.218	0.0	-34.795	20.688	0.0	4.318	28.382	20.98	-1.856	29.698	18.835	0.116	298.896	3.459	0.116	292.404	3.241	0.116	0.145	0.0	0.116	0.249	0.0
96	14858	14859	NS	1	-34.974	20.681	0.0	-34.782	25.223	0.017	7.276	29.229	2.305	7.231	31.089	2.715	0.116	304.682	6.443	0.116	291.522	5.743	0.116	0.13	0.0	0.116	0.13	0.0
97	14858	14859	NS	2	-34.974	24.884	0.02	-34.782	25.269	0.017	7.028	29.229	17.837	7.231	31.089	28.086	0.116	304.682	6.278	0.116	291.522	5.739	0.116	0.131	0.0	0.116	0.13	0.0
98	14859	14860	NS	1	-34.82	24.827	0.029	-34.39	25.534	0.038	1.069	28.498	11.485	3.679	29.095	20.147	0.116	293.995	3.361	0.116	266.294	2.767	0.116	0.181	0.0	0.116	0.15	0.0
99	14859	14860	NS	1	-34.82	24.827	0.029	-34.512	25.534	0.038	1.069	28.498	11.546	3.679	29.095	20.181	0.116	293.995	3.359	0.116	273.941	2.768	0.116	0.181	0.0	0.116	0.15	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14830	14831	SN	1	57.387	58.237	0.0	0.003	298.494	3.201	1214.544	1264.64	0.0	-93.152	-92.138	0.0
2	14830	14831	SN	1	57.387	58.246	0.0	0.0	298.494	3.945	1214.544	1264.64	0.0	-93.302	-92.138	0.0
3	14830	14831	SN	1	57.387	58.237	0.0	0.0	298.494	3.932	1214.544	1264.64	0.0	-93.152	-92.138	0.0
4	14831	14832	SN	1	57.376	58.258	0.0	0.0	293.315	3.442	1214.064	1264.568	0.0	-93.211	-92.128	0.0
5	14831	14832	NS	1	57.506	58.118	0.0	0.003	296.724	3.671	1210.888	1262.832	0.0	-93.113	-92.071	0.0
6	14831	14832	SN	2	57.376	58.258	0.0	0.0	293.315	3.838	1214.064	1264.568	0.0	-93.211	-92.128	0.0
7	14831	14832	SN	1	57.376	58.258	0.0	0.0	293.315	3.838	1214.064	1264.568	0.0	-93.211	-92.128	0.0
8	14831	14832	NS	1	57.506	58.118	0.0	0.003	296.724	3.667	1211.184	1262.832	0.0	-93.113	-92.071	0.0
9	14832	14833	SN	2	57.361	58.262	0.0	0.003	299.928	3.29	1213.36	1264.744	0.0	-93.216	-92.159	0.0
10	14832	14833	NS	1	57.521	58.118	0.0	0.0	288.721	3.631	1211.552	1263.064	0.0	-93.098	-92.044	0.0
11	14832	14833	NS	1	57.521	58.118	0.0	0.0	288.721	3.628	1211.552	1263.064	0.0	-93.075	-92.044	0.0
12	14832	14833	SN	1	57.361	58.261	0.0	0.0	299.9	3.672	1213.36	1264.72	0.0	-93.216	-92.159	0.0
13	14832	14833	SN	1	57.361	58.261	0.0	0.003	299.911	3.291	1213.36	1264.72	0.0	-93.216	-92.159	0.0
14	14833	14834	SN	1	57.349	58.236	0.0	0.0	298.152	3.647	1212.8	1264.688	0.0	-93.176	-92.153	0.0
15	14833	14834	SN	1	57.349	58.236	0.0	0.003	286.449	3.254	1212.8	1264.688	0.0	-93.176	-92.153	0.0
16	14833	14834	NS	1	57.522	58.118	0.0	0.0	291.17	3.706	1211.536	1263.024	0.0	-93.152	-92.089	0.0
17	14833	14834	SN	1	57.349	58.236	0.0	0.0	298.152	3.65	1212.8	1264.688	0.0	-93.176	-92.153	0.0
18	14834	14835	SN	1	57.346	58.254	0.0	0.0	297.336	3.667	1212.632	1264.528	0.0	-93.178	-92.153	0.0
19	14834	14835	NS	2	57.501	58.142	0.0	0.0	297.976	3.905	1212.008	1262.88	0.0	-93.136	-92.053	0.0
20	14834	14835	NS	1	57.501	58.237	0.0	0.0	297.976	3.905	1212.008	1262.88	0.0	-94.666	-92.053	0.0
21	14835	14836	SN	1	57.334	58.248	0.0	0.0	282.258	3.658	1212.28	1264.424	0.0	-93.481	-92.154	0.0
22	14835	14836	SN	1	57.334	58.248	0.0	0.0	282.258	3.47	1212.28	1264.424	0.0	-93.481	-92.154	0.0
23	14835	14836	NS	1	57.522	58.132	0.0	0.0	297.975	3.777	1211.944	1262.736	0.0	-93.107	-92.074	0.0
24	14836	14837	NS	2	57.511	58.141	0.0	0.0	299.382	3.74	1211.2	1262.704	0.0	-93.156	-92.088	0.0
25	14836	14837	SN	1	57.327	58.273	0.0	0.0	297.258	2.867	1212.136	1264.384	0.0	-93.173	-92.145	0.0
26	14836	14837	SN	1	57.327	58.273	0.0	0.0	297.258	3.76	1212.136	1264.384	0.0	-95.712	-92.145	0.0
27	14836	14837	NS	1	57.511	58.141	0.0	0.0	299.382	3.74	1211.2	1262.704	0.0	-93.156	-92.088	0.0
28	14837	14838	SN	1	57.329	58.249	0.0	0.003	290.58	2.915	1212.264	1264.64	0.0	-93.23	-92.142	0.0
29	14837	14838	SN	1	57.329	58.253	0.0	0.0	290.58	3.888	1212.264	1264.64	0.0	-95.207	-92.142	0.0
30	14837	14838	SN	2	57.329	58.253	0.0	0.0	290.58	3.888	1212.264	1264.64	0.0	-95.207	-92.142	0.0
31	14837	14838	NS	1	57.485	58.14	0.0	0.0	286.626	3.66	1210.776	1262.896	0.0	-93.189	-92.085	0.0
32	14837	14838	NS	1	57.485	58.14	0.0	0.0	286.626	3.657	1210.512	1262.896	0.0	-93.176	-92.085	0.0
33	14838	14839	NS	1	57.488	58.144	0.0	0.0	289.317	3.811	1211.456	1262.992	0.0	-93.204	-92.054	0.0
34	14838	14839	SN	1	57.308	58.34	0.0	0.0	298.582	3.759	1211.792	1264.896	0.0	-96.038	-92.105	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	14838	14839	NS	1	57.488	58.144	0.0	0.0	289.317	3.807	1211.456	1262.992	0.0	-93.151	-92.054	0.0
36	14839	14840	NS	1	57.49	58.144	0.0	0.0	292.466	3.852	1210.832	1262.928	0.0	-93.139	-92.058	0.0
37	14839	14840	SN	1	57.285	58.282	0.024	0.0	296.762	3.682	1211.088	1264.712	0.0	-93.184	-92.158	0.0
38	14839	14840	NS	1	57.487	58.125	0.0	0.0	292.466	3.856	1210.896	1262.928	0.0	-93.074	-92.058	0.0
39	14840	14841	SN	1	57.305	58.257	0.0	0.0	296.939	3.841	1211.368	1264.64	0.0	-95.65	-92.133	0.0
40	14840	14841	NS	1	57.504	58.141	0.0	0.0	297.126	3.828	1211.008	1262.808	0.0	-93.182	-92.086	0.0
41	14841	14842	NS	1	57.487	58.432	0.0	0.0	299.966	3.668	1210.536	1262.88	0.0	-95.854	-92.085	0.0
42	14841	14842	SN	1	57.282	58.277	0.026	0.0	299.702	3.796	1210.64	1264.688	0.0	-93.196	-92.14	0.0
43	14841	14842	NS	1	57.487	58.432	0.0	0.0	299.972	3.67	1210.688	1262.904	0.0	-95.854	-92.085	0.0
44	14842	14843	SN	1	57.263	58.296	0.056	0.0	296.663	3.726	1210.136	1264.728	0.0	-93.167	-92.152	0.0
45	14842	14843	NS	1	57.493	58.137	0.0	0.0	299.288	3.698	1211.032	1262.968	0.0	-93.069	-92.083	0.0
46	14843	14844	NS	1	57.479	58.139	0.0	0.003	280.675	2.303	1210.472	1259.864	0.0	-93.168	-92.081	0.0
47	14843	14844	NS	1	57.479	58.139	0.0	0.0	287.243	3.689	1210.472	1263.064	0.0	-93.17	-92.081	0.0
48	14844	14845	NS	1	57.478	58.139	0.0	0.0	290.701	3.841	1210.0	1261.24	0.0	-93.049	-92.058	0.0
49	14845	14846	SN	1	57.308	58.249	0.0	0.0	297.429	3.996	1211.136	1264.728	0.0	-93.134	-92.118	0.0
50	14846	14847	SN	1	57.334	58.255	0.0	0.0	296.679	3.354	1211.568	1264.952	0.0	-93.208	-92.146	0.0
51	14846	14847	NS	1	57.517	58.13	0.0	0.0	298.643	3.621	1211.328	1263.216	0.0	-93.866	-92.06	0.0
52	14847	14848	SN	1	57.366	58.234	0.0	0.0	298.742	3.674	1212.16	1264.992	0.0	-93.15	-92.151	0.0
53	14848	14849	SN	1	57.402	58.232	0.0	0.0	297.843	3.25	1213.04	1264.848	0.0	-93.093	-92.131	0.0
54	14848	14849	SN	1	57.402	58.232	0.0	0.0	297.843	3.674	1213.04	1264.848	0.0	-94.864	-92.131	0.0
55	14849	14850	NS	1	57.494	58.152	0.0	0.0	287.337	3.92	1211.568	1263.08	0.0	-93.091	-92.076	0.0
56	14849	14850	SN	1	57.416	58.242	0.0	0.0	290.856	3.684	1213.544	1264.808	0.0	-94.667	-92.146	0.0
57	14849	14850	SN	1	57.416	58.232	0.0	0.003	290.856	3.144	1213.544	1264.808	0.0	-93.14	-92.146	0.0
58	14849	14850	NS	1	57.498	58.116	0.0	0.0	287.398	3.921	1211.56	1263.088	0.0	-93.084	-92.075	0.0
59	14849	14850	SN	2	57.416	58.242	0.0	0.0	290.856	3.684	1213.544	1264.808	0.0	-94.667	-92.146	0.0
60	14850	14851	NS	1	57.496	58.147	0.0	0.0	289.852	3.78	1211.208	1262.968	0.0	-93.113	-92.08	0.0
61	14850	14851	SN	1	57.504	58.256	0.0	0.0	297.656	2.995	1216.12	1265.6	0.0	-93.18	-92.151	0.0
62	14850	14851	SN	2	57.504	58.256	0.0	0.0	299.862	3.724	1216.12	1265.6	0.0	-93.18	-92.151	0.0
63	14850	14851	SN	1	57.504	58.236	0.0	0.0	299.862	3.724	1216.128	1264.632	0.0	-93.155	-92.151	0.0
64	14851	14852	NS	1	57.508	58.14	0.0	0.0	296.508	3.809	1210.496	1263.032	0.0	-93.13	-92.083	0.0
65	14851	14852	SN	1	57.379	58.26	0.0	0.0	298.135	3.832	1218.824	1264.76	0.0	-94.917	-92.134	0.0
66	14851	14852	SN	1	57.58	58.26	0.0	0.0	283.521	2.771	1218.824	1264.76	0.0	-93.179	-92.134	0.0
67	14852	14853	SN	1	57.615	58.244	0.0	0.0	297.755	3.74	1219.208	1264.952	0.0	-95.64	-92.14	0.0
68	14852	14853	SN	1	57.625	58.235	0.0	0.003	284.243	2.474	1219.208	1264.952	0.0	-93.137	-92.14	0.0
69	14852	14853	SN	1	57.615	58.244	0.0	0.0	297.755	3.736	1219.488	1264.952	0.0	-95.64	-92.14	0.0
70	14852	14853	NS	1	57.48	58.15	0.0	0.0	298.4	3.766	1210.216	1263.184	0.0	-93.196	-92.078	0.0
71	14852	14853	NS	2	57.48	58.15	0.0	0.0	298.4	3.764	1210.216	1263.184	0.0	-93.196	-92.078	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14853	14854	NS	1	57.483	58.127	0.0	0.0	297.777	4.081	1211.2	1263.16	0.0	-93.153	-92.041	0.0
73	14853	14854	SN	1	57.637	58.236	0.0	0.0	291.986	3.696	1219.424	1265.04	0.0	-93.075	-92.126	0.0
74	14854	14855	SN	1	57.63	58.25	0.0	0.0	295.88	3.773	1219.24	1264.88	0.0	-93.161	-92.16	0.0
75	14854	14855	NS	1	57.493	58.116	0.0	0.0	298.825	3.789	1210.448	1262.992	0.0	-93.325	-92.061	0.0
76	14854	14855	NS	1	57.493	58.116	0.0	0.0	298.825	3.785	1210.448	1262.992	0.0	-93.325	-92.061	0.0
77	14855	14856	NS	1	57.481	58.123	0.0	0.0	296.74	3.769	1210.528	1263.104	0.0	-93.13	-92.083	0.0
78	14855	14856	NS	1	57.481	58.123	0.0	0.0	296.74	3.765	1210.528	1263.088	0.0	-93.152	-92.083	0.0
79	14855	14856	NS	1	57.481	58.123	0.0	0.0	296.74	3.548	1210.528	1262.76	0.0	-93.13	-92.083	0.0
80	14855	14856	SN	1	57.61	58.236	0.0	0.003	290.039	3.851	1219.328	1264.928	0.0	-94.076	-92.131	0.0
81	14855	14856	SN	2	57.61	58.236	0.0	0.003	290.039	3.851	1219.328	1264.928	0.0	-94.076	-92.131	0.0
82	14856	14857	NS	1	57.483	58.144	0.0	0.0	290.299	3.704	1210.304	1263.184	0.0	-93.289	-92.08	0.0
83	14856	14857	NS	1	57.482	58.14	0.0	0.003	290.293	3.672	1210.696	1263.2	0.0	-93.197	-92.08	0.0
84	14856	14857	SN	1	57.632	58.26	0.0	0.0	285.765	3.751	1219.272	1265.008	0.0	-93.149	-92.138	0.0
85	14856	14857	SN	2	57.632	58.26	0.0	0.0	285.765	3.751	1219.272	1265.008	0.0	-93.149	-92.138	0.0
86	14856	14857	NS	1	57.482	58.14	0.0	0.003	289.212	3.098	1210.696	1261.344	0.0	-93.181	-92.08	0.0
87	14857	14858	SN	1	57.616	58.254	0.0	0.0	299.255	3.701	1218.832	1265.12	0.0	-93.152	-92.162	0.0
88	14857	14858	NS	2	57.494	58.144	0.0	0.0	295.108	3.926	1210.024	1263.28	0.0	-93.91	-92.079	0.0
89	14857	14858	NS	1	57.494	58.144	0.0	0.0	268.487	2.706	1210.024	1260.4	0.0	-93.91	-92.079	0.0
90	14857	14858	NS	1	57.494	58.144	0.0	0.0	295.108	3.926	1210.024	1263.28	0.0	-93.91	-92.079	0.0
91	14857	14858	SN	1	57.617	58.254	0.0	0.0	299.255	3.698	1219.32	1265.12	0.0	-93.152	-92.162	0.0
92	14858	14859	NS	1	57.478	58.113	0.0	0.0	299.503	3.728	1209.768	1263.416	0.001	-93.39	-92.077	0.0
93	14858	14859	SN	1	57.621	58.245	0.0	0.0	299.779	3.781	1219.016	1265.232	0.0	-93.435	-92.163	0.0
94	14858	14859	SN	1	57.624	58.245	0.0	0.0	299.779	3.783	1219.016	1265.232	0.0	-93.152	-92.163	0.0
95	14858	14859	SN	1	57.624	58.245	0.0	0.0	284.717	2.509	1219.016	1265.232	0.0	-93.152	-92.163	0.0
96	14858	14859	NS	1	57.478	58.113	0.0	0.0	299.503	2.076	1209.768	1258.52	0.001	-93.39	-92.077	0.0
97	14858	14859	NS	2	57.478	58.113	0.0	0.0	299.503	3.728	1209.768	1263.416	0.001	-93.39	-92.077	0.0
98	14859	14860	NS	1	57.476	58.136	0.0	0.0	299.79	4.02	1210.04	1263.272	0.0	-93.178	-92.077	0.0
99	14859	14860	NS	1	57.476	58.136	0.0	0.0	299.828	4.059	1210.032	1263.272	0.0	-93.178	-92.077	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors





70	14852	14853	NS	1	-34.713	17.553	0.0	-34.932	17.204	0.0	-0.325	22.707	0.007	1.086	23.705	0.195	0.087	219.288	4.729	0.087	230.631	4.541	0.086	0.154	0.0	0.086	0.134	0.0
71	14852	14853	NS	2	-34.713	17.553	0.0	-34.932	17.204	0.0	-0.325	22.707	0.007	1.086	23.705	0.195	0.087	219.288	4.729	0.087	230.631	4.549	0.086	0.154	0.0	0.086	0.134	0.0
72	14853	14854	NS	1	-34.569	20.421	0.0	-34.533	20.585	0.0	-27.388	20.755	0.0	-25.539	23.838	0.731	0.086	212.131	3.728	0.086	210.406	3.331	0.086	40.646	0.108	0.086	26.584	0.055
73	14853	14854	SN	1	-34.99	18.51	0.0	-34.6	18.089	0.0	-23.721	22.918	0.085	-7.712	23.145	0.105	0.086	233.686	1.667	0.086	213.621	1.678	0.086	17.513	0.028	0.086	0.504	0.0
74	14854	14855	SN	1	-32.635	20.868	0.0	-34.654	20.611	0.0	-22.595	23.1	0.086	-26.13	22.825	0.047	0.086	135.93	2.243	0.086	216.369	1.783	0.086	13.524	0.1	0.086	30.447	0.146
75	14854	14855	NS	1	-34.968	20.558	0.0	-34.916	17.106	0.0	-27.742	21.746	0.0	-32.394	24.318	0.712	0.086	232.559	2.22	0.087	229.794	2.033	0.086	44.096	0.227	0.086	128.594	0.196
76	14854	14855	NS	1	-34.968	20.558	0.0	-34.916	17.106	0.0	-27.742	21.746	0.0	-32.394	24.316	0.712	0.086	232.559	2.234	0.087	229.794	2.029	0.086	44.096	0.227	0.086	128.594	0.196
77	14855	14856	NS	1	-33.746	17.356	0.0	-34.308	17.274	0.0	-26.33	22.02	0.007	-25.762	23.612	0.654	0.087	175.524	1.48	0.087	199.72	1.631	0.086	31.872	0.042	0.086	27.978	0.017
78	14855	14856	NS	1	-33.746	17.356	0.0	-34.037	17.274	0.0	-26.33	22.02	0.007	-25.762	23.611	0.654	0.087	175.524	1.477	0.087	187.697	1.639	0.086	31.872	0.042	0.086	27.978	0.017
79	14855	14856	NS	1	-33.746	17.356	0.0	-34.308	17.274	0.0	-26.33	22.02	0.007	-25.762	23.612	0.669	0.087	175.524	1.482	0.087	199.72	1.631	0.086	31.872	0.043	0.086	27.978	0.017
80	14855	14856	SN	1	-33.505	20.312	0.0	-34.563	20.523	0.0	-21.399	23.151	0.065	-16.024	23.255	0.026	0.086	166.016	3.065	0.086	211.835	2.671	0.086	10.287	0.014	0.086	3.028	0.006
81	14855	14856	SN	2	-33.505	20.312	0.0	-34.563	20.523	0.0	-21.399	23.151	0.065	-16.024	23.255	0.026	0.086	166.016	3.065	0.086	211.835	2.671	0.086	10.287	0.014	0.086	3.028	0.006
82	14856	14857	NS	1	-34.026	14.626	0.0	-34.117	19.39	0.0	-19.263	21.901	0.0	-14.405	23.349	0.762	0.088	187.19	1.349	0.086	191.184	0.966	0.086	6.315	0.023	0.086	2.107	0.008
83	14856	14857	NS	1	-34.406	14.624	0.0	-34.117	19.387	0.0	-19.09	21.9	0.0	-14.405	23.349	0.762	0.088	204.327	1.351	0.086	191.184	0.969	0.086	6.07	0.023	0.086	2.107	0.008
84	14856	14857	SN	1	-34.241	17.149	0.0	-34.991	16.778	0.0	-14.947	23.126	0.074	-9.656	23.108	0.054	0.087	196.706	3.099	0.087	233.821	3.275	0.086	2.378	0.006	0.086	0.75	0.0
85	14856	14857	SN	2	-34.241	17.149	0.0	-34.991	16.778	0.0	-14.947	23.126	0.074	-9.656	23.108	0.054	0.087	196.706	3.099	0.087	233.821	3.275	0.086	2.378	0.006	0.086	0.75	0.0
86	14856	14857	NS	1	-34.406	14.622	0.0	-34.117	19.387	0.0	-19.09	21.91	0.0	-14.405	23.349	0.925	0.088	204.327	1.353	0.086	191.184	0.969	0.086	6.07	0.029	0.086	2.107	0.01
87	14857	14858	SN	1	-34.636	17.251	0.0	-34.905	16.841	0.0	-34.611	23.082	0.151	-23.604	23.331	0.053	0.087	215.423	2.041	0.087	229.195	1.843	0.086	214.183	0.141	0.086	17.047	0.159
88	14857	14858	NS	2	-34.97	18.376	0.0	-34.945	15.904	0.0	0.938	21.982	0.0	0.856	23.38	0.845	0.086	232.613	7.092	0.087	231.325	6.904	0.086	0.136	0.0	0.086	0.137	0.0
89	14857	14858	NS	1	-34.97	18.376	0.0	-34.945	15.904	0.0	1.106	20.654	0.0	0.874	23.094	0.745	0.086	232.613	7.154	0.087	231.325	6.91	0.086	0.134	0.0	0.086	0.137	0.0
90	14857	14858	NS	1	-34.97	18.376	0.0	-34.945	15.904	0.0	0.938	21.982	0.0	0.856	23.38	0.845	0.086	232.613	7.092	0.087	231.325	6.904	0.086	0.136	0.0	0.086	0.137	0.0
91	14857	14858	SN	1	-33.412	17.251	0.0	-34.356	16.841	0.0	-21.416	23.082	0.151	-23.478	23.331	0.053	0.087	162.559	2.04	0.087	201.994	1.842	0.086	10.325	0.138	0.086	16.562	0.159
92	14858	14859	NS	1	-34.626	17.305	0.0	-34.973	17.777	0.0	1.734	23.055	0.323	1.739	23.966	0.819	0.087	214.985	5.779	0.086	232.812	5.563	0.086	0.127	0.0	0.086	0.127	0.0
93	14858	14859	SN	1	-34.946	13.954	0.0	-34.645	14.228	0.0	-0.391	22.857	0.055	-2.509	22.35	0.028	0.088	231.423	3.06	0.088	221.369	2.966	0.086	0.156	0.0	0.086	0.204	0.0
94	14858	14859	SN	1	-34.64	13.954	0.0	-34.557	14.228	0.0	-0.407	22.857	0.055	-2.5	22.35	0.028	0.088	215.642	3.058	0.088	211.562	2.964	0.086	0.156	0.0	0.086	0.204	0.0
95	14858	14859	SN	1	-34.64	13.954	0.0	-34.557	14.228	0.0	0.115	22.857	0.063	-2.509	22.35	0.03	0.088	215.642	3.096	0.088	211.562	3.197	0.086	0.147	0.0	0.086	0.204	0.0
96	14858	14859	NS	1	-34.626	13.06	0.0	-34.973	17.778	0.0	1.734	19.288	0.0	1.752	20.939	0.0	0.088	214.985	5.996	0.086	232.812	5.572	0.086	0.127	0.0	0.086	0.127	0.0
97	14858	14859	NS	2	-34.626	17.305	0.0	-34.973	17.777	0.0	1.734	23.055	0.323	1.739	23.966	0.819	0.087	214.985	5.779	0.086	232.812	5.563	0.086	0.127	0.0	0.086	0.127	0.0
98	14859	14860	NS	1	-34.747	20.73	0.0	-34.625	20.77	0.0	1.041	23.372	0.142	0.809	23.146	0.345	0.086	220.986	3.157	0.086	214.878	2.95	0.086	0.135	0.0	0.086	0.138	0.0
99	14859	14860	NS	1	-34.752	20.73	0.0	-34.699	20.77	0.0	1.041	23.372	0.141	0.809	23.146	0.344	0.086	221.262	3.157	0.086	218.554	2.949	0.086	0.135	0.0	0.086	0.138	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors