

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 19-JUL-2019 To 20-JUL-2019





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 19-JUL-2019 To 20-JUL-2019

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14874	14875	NS	1	48.684	49.309	0.0	0.0	41.192	2.803	1032.512	1075.72	0.0	-91.677	-90.026	0.0
2	14874	14875	SN	1	48.848	49.406	0.0	0.003	6.359	2.435	1040.88	1076.88	0.0	-91.893	-90.078	0.0
3	14874	14875	NS	1	48.702	49.309	0.0	0.0	41.192	2.805	1032.576	1075.72	0.0	-91.69	-90.026	0.0
4	14874	14875	SN	2	48.848	49.406	0.0	0.003	6.359	2.74	1040.88	1076.88	0.0	-91.893	-90.078	0.0
5	14874	14875	SN	1	48.848	49.406	0.0	0.003	6.359	2.741	1040.88	1076.88	0.0	-91.893	-90.078	0.0
6	14875	14876	SN	1	48.782	49.459	0.0	0.003	279.191	2.389	1039.752	1077.056	0.0	-91.822	-90.111	0.0
7	14875	14876	NS	1	48.738	49.334	0.0	0.003	12.861	2.499	1032.6	1075.96	0.0	-91.698	-90.021	0.0
8	14875	14876	SN	1	48.782	49.459	0.0	0.003	279.191	2.535	1039.752	1077.056	0.0	-91.822	-90.111	0.0
9	14875	14876	SN	1	48.782	49.459	0.0	0.003	279.191	2.391	1040.696	1077.056	0.0	-91.822	-90.111	0.0
10	14875	14876	NS	1	48.738	49.333	0.0	0.003	12.866	2.498	1032.616	1075.952	0.0	-91.615	-90.021	0.0
11	14876	14877	SN	1	48.847	49.398	0.0	0.003	280.256	2.5	1040.016	1077.096	0.0	-91.744	-90.12	0.0
12	14876	14877	SN	1	48.847	49.398	0.0	0.003	280.256	2.328	1040.016	1077.096	0.0	-91.744	-90.12	0.0
13	14876	14877	NS	1	48.686	49.341	0.0	0.003	207.022	2.571	1033.256	1076.024	0.0	-91.77	-90.03	0.0
14	14877	14878	NS	1	48.692	49.31	0.0	0.003	42.728	2.605	1033.368	1075.872	0.0	-91.64	-90.021	0.0
15	14877	14878	SN	1	48.828	49.426	0.0	0.003	6.364	2.551	1040.192	1076.96	0.0	-92.302	-90.096	0.0
16	14877	14878	NS	1	48.692	49.31	0.0	0.003	42.728	2.603	1033.368	1075.872	0.0	-91.64	-90.021	0.0
17	14878	14879	SN	2	48.786	49.422	0.0	0.003	29.756	2.541	1039.608	1076.92	0.0	-92.197	-90.12	0.0
18	14878	14879	NS	1	48.678	49.333	0.0	0.003	264.02	2.678	1033.328	1075.808	0.0	-91.731	-90.036	0.0
19	14878	14879	SN	1	48.786	49.422	0.0	0.003	29.756	2.541	1039.608	1076.92	0.0	-92.197	-90.12	0.0
20	14878	14879	NS	2	48.678	49.333	0.0	0.003	264.202	2.675	1033.32	1075.808	0.0	-91.731	-90.036	0.0
21	14879	14880	NS	1	48.689	49.366	0.0	0.003	42.634	2.587	1032.448	1075.704	0.0	-91.765	-90.037	0.0
22	14879	14880	SN	2	48.825	49.444	0.0	0.003	6.348	2.568	1039.688	1076.824	0.0	-92.113	-90.12	0.0
23	14879	14880	SN	1	48.825	49.444	0.0	0.003	6.348	1.866	1039.688	1076.824	0.0	-92.113	-90.12	0.0
24	14879	14880	SN	1	48.825	49.444	0.0	0.003	6.348	2.568	1039.688	1076.824	0.0	-92.113	-90.12	0.0
25	14879	14880	NS	2	48.688	49.366	0.0	0.003	42.634	2.59	1032.432	1075.712	0.0	-91.765	-90.037	0.0
26	14880	14881	NS	2	48.722	49.364	0.0	0.003	265.007	2.626	1032.232	1075.752	0.0	-91.732	-90.04	0.0
27	14880	14881	SN	1	48.824	49.413	0.0	0.003	6.353	2.641	1039.928	1076.904	0.0	-92.511	-90.097	0.0
28	14880	14881	SN	1	48.838	49.412	0.0	0.003	6.353	2.64	1039.928	1076.88	0.0	-92.511	-90.097	0.0
29	14880	14881	SN	1	48.824	49.413	0.0	0.003	6.353	1.63	1039.928	1076.904	0.0	-92.154	-90.097	0.0
30	14880	14881	NS	1	48.722	49.373	0.0	0.003	265.007	2.626	1032.416	1075.752	0.0	-91.747	-90.04	0.0
31	14881	14882	SN	1	48.845	49.399	0.0	0.003	6.364	1.534	1040.384	1077.064	0.0	-91.604	-90.107	0.0
32	14881	14882	NS	2	48.682	49.395	0.0	0.003	210.463	2.589	1032.92	1075.912	0.0	-94.531	-90.036	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	14881	14882	NS	1	48.683	49.394	0.0	0.003	206.824	2.588	1032.944	1075.888	0.0	-94.531	-90.037	0.0
34	14881	14882	SN	1	48.845	49.399	0.0	0.003	6.364	2.592	1040.384	1077.064	0.0	-91.69	-90.107	0.0
35	14882	14883	NS	1	48.686	49.351	0.0	0.003	267.268	2.717	1032.856	1075.88	0.0	-91.662	-90.028	0.0
36	14882	14883	SN	2	48.849	49.399	0.0	0.003	29.387	2.539	1040.952	1077.112	0.0	-91.871	-90.092	0.0
37	14882	14883	NS	1	48.686	49.351	0.0	0.003	267.268	2.714	1032.856	1075.88	0.0	-91.681	-90.028	0.0
38	14882	14883	SN	1	48.849	49.399	0.0	0.003	29.387	2.539	1040.952	1077.112	0.0	-91.871	-90.092	0.0
39	14883	14884	NS	1	48.703	49.312	0.0	0.003	264.036	2.635	1033.08	1075.752	0.0	-91.758	-90.022	0.0
40	14883	14884	SN	1	48.826	49.398	0.0	0.003	277.443	2.575	1040.848	1076.968	0.0	-91.763	-90.13	0.0
41	14883	14884	NS	1	48.703	49.312	0.0	0.003	264.036	2.638	1033.08	1075.752	0.0	-91.758	-90.022	0.0
42	14884	14885	NS	1	48.709	49.308	0.0	0.0	40.436	2.669	1031.984	1075.704	0.0	-91.7	-90.04	0.0
43	14884	14885	NS	1	48.709	49.308	0.0	0.0	40.436	2.74	1031.984	1075.816	0.0	-91.7	-90.04	0.0
44	14884	14885	SN	1	48.807	49.45	0.0	0.003	29.387	2.645	1040.856	1077.024	0.0	-91.891	-90.09	0.0
45	14885	14886	NS	1	48.695	49.343	0.0	0.003	42.711	2.163	1032.344	1074.552	0.0	-91.871	-90.038	0.0
46	14885	14886	SN	1	48.823	49.399	0.0	0.003	6.353	2.57	1040.824	1077.112	0.0	-91.809	-90.1	0.0
47	14885	14886	NS	1	48.695	49.343	0.0	0.003	268.051	2.551	1032.344	1075.888	0.0	-91.839	-90.038	0.0
48	14886	14887	SN	1	48.804	49.4	0.0	0.0	64.355	2.665	1040.88	1077.184	0.0	-92.104	-90.125	0.0
49	14886	14887	SN	1	48.804	49.4	0.0	0.0	64.355	2.668	1040.8	1077.184	0.0	-91.721	-90.125	0.0
50	14886	14887	NS	1	48.679	49.355	0.0	0.003	264.042	1.623	1032.128	1073.256	0.0	-91.776	-90.037	0.0
51	14886	14887	NS	1	48.679	49.355	0.0	0.0	264.042	2.738	1032.128	1075.984	0.0	-91.776	-90.037	0.0
52	14887	14888	SN	1	48.791	49.416	0.0	0.003	215.195	2.646	1040.008	1077.28	0.0	-91.757	-90.125	0.0
53	14887	14888	NS	2	48.676	49.347	0.0	0.003	12.806	2.571	1031.824	1076.08	0.0	-91.656	-90.035	0.0
54	14887	14888	NS	1	48.676	49.347	0.0	0.003	12.806	2.571	1031.824	1076.08	0.0	-91.656	-90.035	0.0
55	14887	14888	NS	1	48.676	49.347	0.0	0.003	12.806	1.522	1031.824	1071.28	0.0	-91.656	-90.035	0.0
56	14887	14888	SN	1	48.791	49.416	0.0	0.003	215.195	1.523	1040.008	1077.288	0.0	-92.164	-90.125	0.0
57	14887	14888	SN	1	48.791	49.416	0.0	0.003	215.195	2.647	1040.008	1077.288	0.0	-92.164	-90.125	0.0
58	14888	14889	SN	1	48.841	49.4	0.0	0.003	29.158	2.006	1041.08	1077.208	0.0	-92.028	-90.106	0.0
59	14888	14889	NS	1	48.683	49.357	0.0	0.0	207.022	2.808	1031.856	1076.024	0.0	-91.789	-90.035	0.0
60	14888	14889	NS	1	48.682	49.357	0.0	0.0	207.022	2.805	1031.792	1076.024	0.0	-91.711	-90.035	0.0
61	14888	14889	SN	1	48.841	49.4	0.0	0.0	174.373	2.784	1041.08	1077.208	0.0	-92.028	-90.106	0.0
62	14888	14889	SN	2	48.841	49.4	0.0	0.0	174.373	2.784	1041.08	1077.208	0.0	-92.028	-90.106	0.0
63	14889	14890	SN	2	48.838	49.399	0.0	0.003	6.375	2.622	1040.288	1077.168	0.0	-91.644	-90.09	0.0
64	14889	14890	SN	1	48.838	49.399	0.0	0.003	6.375	2.622	1040.288	1077.168	0.0	-91.644	-90.09	0.0
65	14889	14890	SN	1	48.838	49.399	0.0	0.003	6.375	2.435	1040.288	1077.168	0.0	-91.644	-90.09	0.0
66	14889	14890	NS	1	48.736	49.307	0.0	0.003	264.77	2.527	1031.776	1076.024	0.0	-91.75	-90.023	0.0
67	14889	14890	NS	1	48.736	49.307	0.0	0.003	264.77	2.53	1031.776	1076.024	0.0	-91.75	-90.023	0.0
68	14890	14891	SN	1	48.825	49.44	0.0	0.003	6.375	2.365	1040.784	1077.336	0.0	-91.912	-90.123	0.0
69	14890	14891	NS	1	48.738	49.323	0.0	0.003	264.825	2.566	1032.072	1076.208	0.0	-91.797	-89.997	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	14890	14891	NS	1	48.737	49.339	0.0	0.003	264.825	2.567	1032.072	1076.224	0.0	-91.715	-89.997	0.0
71	14890	14891	SN	1	48.825	49.44	0.0	0.003	6.375	2.524	1040.784	1077.336	0.0	-91.912	-90.123	0.0
72	14890	14891	SN	1	48.825	49.44	0.0	0.003	6.375	2.375	1040.784	1077.336	0.0	-91.912	-90.123	0.0
73	14891	14892	SN	1	48.812	49.399	0.0	0.003	6.37	2.515	1040.64	1077.28	0.0	-91.706	-90.121	0.0
74	14891	14892	SN	1	48.812	49.399	0.0	0.003	6.37	2.298	1040.64	1077.28	0.0	-91.681	-90.121	0.0
75	14891	14892	NS	1	48.712	49.317	0.0	0.003	210.304	2.529	1033.072	1076.168	0.0	-91.73	-90.041	0.0
76	14891	14892	NS	1	48.691	49.307	0.0	0.003	210.304	2.527	1033.072	1076.168	0.0	-91.616	-90.041	0.0
77	14891	14892	SN	1	48.812	49.399	0.0	0.003	6.37	2.516	1040.64	1077.28	0.0	-91.7	-90.121	0.0
78	14892	14893	NS	1	48.738	49.313	0.0	0.003	17.692	2.673	1033.112	1076.056	0.0	-91.744	-90.007	0.0
79	14892	14893	NS	2	48.738	49.308	0.0	0.003	17.692	2.673	1033.112	1076.056	0.0	-91.744	-90.007	0.0
80	14892	14893	SN	1	48.789	49.398	0.0	0.003	212.989	2.505	1039.992	1077.152	0.0	-92.297	-90.121	0.0
81	14892	14893	SN	1	48.789	49.398	0.0	0.003	212.989	2.503	1039.8	1077.152	0.0	-92.297	-90.121	0.0
82	14892	14893	SN	1	48.789	49.398	0.0	0.003	212.989	2.142	1039.992	1077.152	0.0	-91.695	-90.121	0.0
83	14893	14894	SN	1	48.793	49.448	0.0	0.003	6.364	2.522	1039.936	1077.088	0.0	-92.026	-90.122	0.0
84	14893	14894	NS	1	48.677	49.344	0.0	0.003	266.044	2.612	1033.072	1075.968	0.0	-92.313	-90.029	0.0
85	14893	14894	NS	2	48.677	49.344	0.0	0.003	266.044	2.612	1033.072	1075.968	0.0	-91.936	-90.029	0.0
86	14893	14894	SN	1	48.786	49.453	0.0	0.003	6.364	2.523	1039.864	1077.088	0.0	-91.873	-90.122	0.0
87	14893	14894	SN	1	48.786	49.453	0.0	0.003	6.364	1.957	1039.864	1077.088	0.0	-91.873	-90.122	0.0
88	14894	14895	SN	1	48.81	49.456	0.0	0.003	215.46	2.238	1040.016	1077.072	0.0	-92.525	-90.123	0.0
89	14894	14895	NS	1	48.693	49.359	0.0	0.003	264.681	2.622	1031.896	1075.92	0.0	-91.763	-90.039	0.0
90	14894	14895	SN	2	48.81	49.456	0.0	0.003	215.46	2.626	1040.016	1077.072	0.0	-92.525	-90.123	0.0
91	14894	14895	SN	1	48.81	49.456	0.0	0.003	215.46	2.626	1040.016	1077.072	0.0	-92.525	-90.123	0.0
92	14894	14895	NS	1	48.694	49.358	0.0	0.003	264.681	2.62	1031.928	1075.904	0.0	-91.762	-90.039	0.0
93	14895	14896	NS	1	48.701	49.34	0.0	0.003	40.494	2.558	1031.728	1076.064	0.0	-91.784	-90.037	0.0
94	14895	14896	SN	2	48.818	49.413	0.0	0.003	280.46	2.677	1040.8	1077.232	0.0	-92.622	-90.111	0.0
95	14895	14896	NS	1	48.701	49.34	0.0	0.003	40.494	2.563	1031.728	1076.064	0.0	-91.838	-90.037	0.0
96	14895	14896	SN	1	48.818	49.413	0.0	0.003	280.46	1.573	1040.8	1077.232	0.0	-91.821	-90.111	0.0
97	14895	14896	SN	1	48.818	49.413	0.0	0.003	280.46	2.678	1040.8	1077.232	0.0	-92.622	-90.111	0.0
98	14896	14897	NS	1	48.688	49.348	0.0	0.0	267.329	2.776	1032.688	1076.144	0.0	-91.694	-90.013	0.0
99	14896	14897	SN	1	48.852	49.453	0.0	0.003	6.37	2.578	1041.12	1077.352	0.0	-91.906	-90.084	0.0
100	14896	14897	NS	1	48.672	49.357	0.0	0.0	267.329	2.763	1032.688	1076.136	0.0	-91.701	-90.013	0.0
101	14896	14897	SN	2	48.852	49.453	0.0	0.003	6.37	2.578	1041.12	1077.352	0.0	-91.906	-90.084	0.0
102	14897	14898	SN	1	48.787	49.436	0.0	0.003	6.375	2.557	1041.104	1077.312	0.0	-91.783	-90.125	0.0
103	14897	14898	NS	1	48.709	49.332	0.0	0.003	207.21	2.658	1031.784	1076.088	0.0	-91.73	-90.011	0.0
104	14897	14898	NS	2	48.694	49.332	0.0	0.003	207.21	2.658	1031.792	1076.088	0.0	-91.73	-90.011	0.0
105	14898	14899	NS	1	48.695	49.364	0.0	0.003	18.089	2.691	1032.6	1076.072	0.0	-91.807	-90.037	0.0
106	14898	14899	SN	1	48.812	49.4	0.0	0.003	215.206	2.621	1041.096	1077.256	0.0	-91.771	-90.101	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

107	14899	14900	NS	1	48.686	49.365	0.0	0.003	267.13	2.38	1031.648	1075.416	0.0	-91.844	-90.036	0.0
108	14899	14900	SN	1	48.852	49.4	0.0	0.003	6.37	2.591	1041.04	1077.312	0.0	-91.769	-90.103	0.0
109	14899	14900	SN	1	48.822	49.4	0.0	0.003	6.37	2.589	1041.04	1077.312	0.0	-91.793	-90.103	0.0
110	14899	14900	NS	1	48.686	49.365	0.0	0.003	267.13	2.589	1031.648	1076.12	0.0	-91.844	-90.036	0.0
111	14900	14901	SN	1	48.797	49.401	0.0	0.003	6.37	2.583	1041.072	1077.344	0.0	-91.726	-90.122	0.0
112	14900	14901	NS	1	48.676	49.337	0.0	0.003	267.262	2.65	1031.512	1076.144	0.0	-92.384	-90.034	0.0
113	14900	14901	NS	2	48.676	49.337	0.0	0.003	267.262	2.65	1031.512	1076.144	0.0	-92.384	-90.034	0.0
114	14900	14901	NS	1	48.676	49.337	0.0	0.003	267.262	1.996	1031.512	1074.256	0.0	-92.384	-90.034	0.0
115	14900	14901	SN	1	48.797	49.401	0.0	0.003	6.37	2.586	1041.072	1077.344	0.0	-91.694	-90.122	0.0
116	14901	14902	NS	1	48.673	49.346	0.0	0.003	13.352	2.567	1031.32	1076.288	0.0	-91.737	-90.032	0.0
117	14901	14902	SN	2	48.824	49.402	0.0	0.003	6.375	2.575	1040.704	1077.464	0.0	-91.774	-90.127	0.0
118	14901	14902	SN	1	48.824	49.402	0.0	0.003	6.37	2.574	1040.704	1077.464	0.0	-91.774	-90.127	0.0
119	14901	14902	NS	1	48.673	49.346	0.0	0.003	13.352	1.475	1031.32	1072.856	0.0	-91.74	-90.032	0.0
120	14901	14902	NS	1	48.673	49.346	0.0	0.003	13.352	2.564	1031.32	1076.288	0.0	-92.502	-90.032	0.0
121	14902	14903	NS	1	48.68	49.322	0.0	0.003	267.373	2.617	1031.552	1076.344	0.0	-91.749	-90.011	0.0
122	14902	14903	NS	1	48.68	49.325	0.0	0.003	18.541	1.62	1031.552	1069.472	0.0	-91.631	-90.011	0.0
123	14902	14903	SN	1	48.827	49.403	0.0	0.003	6.37	1.68	1040.768	1077.528	0.0	-91.699	-90.13	0.0
124	14902	14903	NS	1	48.689	49.339	0.0	0.003	267.373	2.615	1031.736	1076.344	0.0	-91.846	-90.011	0.0
125	14902	14903	SN	1	48.827	49.524	0.0	0.0	23.34	2.721	1040.768	1077.528	0.0	-94.5	-90.13	0.0
126	14902	14903	SN	1	48.831	49.524	0.0	0.0	23.34	2.719	1040.768	1077.528	0.0	-94.5	-90.13	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors









112	14900	14901	NS	1	-34.758	23.456	0.01	-34.765	25.557	0.025	5.534	28.378	18.65	11.207	29.427	33.879	0.116	289.841	6.615	0.116	290.355	5.981	0.116	0.138	0.0	0.116	0.122	0.0
113	14900	14901	NS	2	-34.758	23.456	0.01	-34.765	25.557	0.025	5.534	28.378	18.65	11.207	29.427	33.879	0.116	289.841	6.615	0.116	290.355	5.981	0.116	0.138	0.0	0.116	0.122	0.0
114	14900	14901	NS	1	-34.758	23.456	0.01	-34.765	25.557	0.025	5.534	27.009	4.551	11.207	29.42	26.682	0.116	289.841	6.622	0.116	290.355	5.981	0.116	0.138	0.0	0.116	0.122	0.0
115	14900	14901	SN	1	-34.739	23.968	0.003	-34.98	23.96	0.004	-31.665	28.063	18.121	-10.988	29.099	18.893	0.116	288.658	8.979	0.116	305.164	8.805	0.116	142.249	0.004	0.116	1.308	0.002
116	14901	14902	NS	1	-34.902	23.824	0.007	-34.315	24.763	0.005	6.122	28.617	25.478	8.17	29.412	37.621	0.116	299.602	5.145	0.116	261.782	3.63	0.116	0.135	0.0	0.116	0.127	0.0
117	14901	14902	SN	2	-34.86	18.478	0.0	-34.97	19.059	0.0	1.97	28.459	30.222	5.563	29.446	36.038	0.117	296.728	2.811	0.117	304.352	2.456	0.116	0.168	0.0	0.116	0.138	0.0
118	14901	14902	SN	1	-34.397	18.478	0.0	-34.97	19.059	0.0	1.97	28.459	30.225	5.563	29.446	36.035	0.117	266.797	2.81	0.117	304.352	2.456	0.116	0.168	0.0	0.116	0.138	0.0
119	14901	14902	NS	1	-34.902	23.934	0.005	-34.315	24.715	0.005	8.611	28.024	0.633	8.165	28.915	12.62	0.116	299.602	5.147	0.116	261.782	3.63	0.116	0.126	0.0	0.116	0.127	0.0
120	14901	14902	NS	1	-34.885	23.824	0.007	-34.558	24.763	0.005	6.122	28.617	25.473	8.17	29.412	37.621	0.116	298.487	5.147	0.116	276.82	3.633	0.116	0.135	0.0	0.116	0.127	0.0
121	14902	14903	NS	1	-34.951	24.256	0.016	-34.854	25.045	0.02	3.334	29.252	14.42	3.543	29.206	24.139	0.116	303.12	4.791	0.116	296.364	4.379	0.116	0.153	0.0	0.116	0.151	0.0
122	14902	14903	NS	1	-34.951	18.284	0.0	-34.854	25.049	0.017	3.334	24.578	4.03	3.543	25.984	7.001	0.117	303.12	4.974	0.116	296.364	4.41	0.116	0.153	0.0	0.116	0.151	0.0
123	14902	14903	SN	1	-34.795	23.802	0.047	-34.858	24.191	0.131	6.153	28.9	12.203	5.184	29.344	10.405	0.116	292.34	4.203	0.116	296.635	4.545	0.116	0.135	0.0	0.116	0.14	0.0
124	14902	14903	NS	1	-34.929	24.256	0.016	-34.6	25.045	0.02	3.336	29.256	14.418	3.544	29.208	24.139	0.116	301.597	4.791	0.116	279.578	4.369	0.116	0.153	0.0	0.116	0.151	0.0
125	14902	14903	SN	1	-34.795	23.802	0.046	-34.858	24.191	0.12	6.174	28.9	11.95	5.181	29.344	10.367	0.116	292.34	4.512	0.116	296.635	4.149	0.116	0.134	0.0	0.116	0.14	0.0
126	14902	14903	SN	1	-34.795	23.802	0.046	-34.858	24.191	0.12	6.173	28.9	11.926	5.175	29.344	10.365	0.116	292.34	4.509	0.116	296.635	4.15	0.116	0.134	0.0	0.116	0.14	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	14874	14875	NS	1	57.484	58.121	0.0	0.0	299.685	3.992	1210.176	1263.328	0.0	-93.165	-92.061	0.0
2	14874	14875	SN	1	57.622	58.263	0.0	0.003	286.267	3.549	1219.608	1265.32	0.0	-93.119	-92.118	0.0
3	14874	14875	NS	1	57.484	58.112	0.0	0.0	299.685	3.995	1210.176	1263.328	0.0	-93.151	-92.061	0.0
4	14874	14875	SN	2	57.622	58.263	0.0	0.0	297.992	3.986	1219.608	1265.32	0.0	-93.119	-92.118	0.0
5	14874	14875	SN	1	57.622	58.263	0.0	0.0	297.976	3.986	1219.608	1265.32	0.0	-93.119	-92.118	0.0
6	14875	14876	SN	1	57.628	58.239	0.0	0.0	297.799	3.357	1219.192	1265.544	0.0	-93.228	-92.148	0.0
7	14875	14876	NS	1	57.511	58.114	0.0	0.0	298.786	3.617	1210.488	1263.64	0.0	-93.08	-92.053	0.0
8	14875	14876	SN	1	57.628	58.239	0.0	0.0	297.799	3.731	1219.192	1265.544	0.0	-93.228	-92.148	0.0
9	14875	14876	SN	1	57.628	58.239	0.0	0.0	297.799	3.36	1219.192	1265.544	0.0	-93.228	-92.148	0.0
10	14875	14876	NS	1	57.511	58.132	0.0	0.0	298.847	3.617	1210.512	1263.624	0.0	-93.08	-92.054	0.0
11	14876	14877	SN	1	57.629	58.239	0.0	0.0	295.565	3.651	1219.488	1265.856	0.0	-93.164	-92.161	0.0
12	14876	14877	SN	1	57.629	58.239	0.0	0.0	295.565	3.274	1219.488	1265.856	0.0	-93.164	-92.161	0.0
13	14876	14877	NS	1	57.511	58.264	0.0	0.0	298.836	3.613	1210.736	1263.712	0.0	-95.596	-92.061	0.0
14	14877	14878	NS	1	57.484	58.121	0.0	0.0	288.567	3.707	1210.776	1263.504	0.0	-93.073	-92.056	0.0
15	14877	14878	SN	1	57.62	58.255	0.0	0.0	296.685	3.685	1218.68	1265.44	0.0	-93.068	-92.136	0.0
16	14877	14878	NS	1	57.484	58.116	0.0	0.0	288.528	3.702	1210.776	1263.504	0.0	-93.072	-92.056	0.0
17	14878	14879	SN	2	57.619	58.266	0.0	0.0	290.889	3.669	1218.776	1265.376	0.0	-93.208	-92.161	0.0
18	14878	14879	NS	1	57.486	58.13	0.0	0.0	295.554	3.834	1210.848	1263.432	0.0	-93.065	-92.071	0.0
19	14878	14879	SN	1	57.619	58.266	0.0	0.0	290.889	3.671	1218.776	1265.376	0.0	-93.208	-92.161	0.0
20	14878	14879	NS	2	57.486	58.13	0.0	0.0	288.793	3.833	1210.84	1263.44	0.0	-93.065	-92.071	0.0
21	14879	14880	NS	1	57.494	58.147	0.0	0.0	292.041	3.788	1210.04	1263.304	0.0	-93.06	-92.075	0.0
22	14879	14880	SN	2	57.459	58.27	0.0	0.0	286.846	3.71	1218.872	1265.256	0.0	-94.198	-92.161	0.0
23	14879	14880	SN	1	57.618	58.27	0.0	0.0	286.846	2.997	1218.872	1265.256	0.0	-93.185	-92.161	0.0
24	14879	14880	SN	1	57.459	58.27	0.0	0.0	286.846	3.713	1218.872	1265.256	0.0	-94.198	-92.161	0.0
25	14879	14880	NS	2	57.493	58.148	0.0	0.0	296.569	3.793	1210.024	1263.32	0.0	-93.052	-92.075	0.0
26	14880	14881	NS	2	57.488	58.144	0.0	0.0	296.238	3.77	1209.688	1263.368	0.002	-93.124	-92.078	0.0
27	14880	14881	SN	1	57.377	58.252	0.0	0.0	298.714	3.82	1219.44	1265.368	0.0	-94.895	-92.139	0.0
28	14880	14881	SN	1	57.378	58.241	0.0	0.0	298.714	3.815	1219.416	1265.328	0.0	-94.895	-92.139	0.0
29	14880	14881	SN	1	57.638	58.252	0.0	0.0	298.135	2.758	1219.44	1265.368	0.0	-93.163	-92.139	0.0
30	14880	14881	NS	1	57.459	58.132	0.0	0.0	296.238	3.787	1209.768	1263.368	0.002	-94.175	-92.078	0.0
31	14881	14882	SN	1	57.643	58.267	0.0	0.0	297.678	2.348	1219.752	1265.56	0.0	-93.172	-92.142	0.0
32	14881	14882	NS	2	57.478	58.139	0.0	0.0	299.531	3.753	1209.552	1263.568	0.001	-94.372	-92.074	0.0
33	14881	14882	NS	1	57.48	58.138	0.0	0.0	299.591	3.757	1209.592	1263.536	0.001	-94.372	-92.074	0.0
34	14881	14882	SN	1	57.636	58.267	0.0	0.0	298.571	3.742	1219.752	1265.56	0.0	-94.13	-92.142	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

<span style="color: green;">■</span> Normal	<span style="color: yellow;">■</span> Deviations
<span style="color: orange;">■</span> Alarming	<span style="color: red;">■</span> High Errors

35	14882	14883	NS	1	57.479	58.135	0.0	0.0	299.487	3.901	1210.184	1263.528	0.0	-93.042	-92.036	0.0
36	14882	14883	SN	2	57.632	58.24	0.0	0.0	299.862	3.702	1219.928	1265.64	0.0	-93.095	-92.13	0.0
37	14882	14883	NS	1	57.479	58.128	0.0	0.0	299.487	3.897	1210.184	1263.528	0.0	-93.09	-92.036	0.0
38	14882	14883	SN	1	57.632	58.24	0.0	0.0	299.862	3.702	1219.928	1265.64	0.0	-93.095	-92.13	0.0
39	14883	14884	NS	1	57.502	58.113	0.0	0.0	289.135	3.79	1209.672	1263.368	0.001	-93.073	-92.054	0.0
40	14883	14884	SN	1	57.616	58.268	0.0	0.0	295.102	3.769	1219.264	1265.464	0.0	-93.103	-92.165	0.0
41	14883	14884	NS	1	57.502	58.113	0.0	0.0	289.135	3.794	1209.672	1263.368	0.001	-93.054	-92.054	0.0
42	14884	14885	NS	1	57.478	58.124	0.0	0.0	296.779	3.57	1209.656	1263.28	0.003	-93.124	-92.077	0.0
43	14884	14885	NS	1	57.478	58.124	0.0	0.0	296.779	3.84	1209.656	1263.456	0.003	-93.124	-92.077	0.0
44	14884	14885	SN	1	57.632	58.245	0.0	0.0	290.056	3.842	1219.832	1265.504	0.0	-93.147	-92.132	0.0
45	14885	14886	NS	1	57.491	58.139	0.0	0.0	291.661	3.094	1209.44	1261.776	0.001	-93.219	-92.075	0.0
46	14885	14886	SN	1	57.618	58.24	0.0	0.0	286.67	3.708	1219.768	1265.624	0.0	-93.076	-92.142	0.0
47	14885	14886	NS	1	57.491	58.139	0.0	0.0	292.218	3.663	1209.44	1263.528	0.001	-93.219	-92.075	0.0
48	14886	14887	SN	1	57.297	58.242	0.0	0.0	299.773	3.786	1211.648	1265.712	0.0	-95.565	-92.165	0.0
49	14886	14887	SN	1	57.297	58.242	0.0	0.0	299.773	3.79	1211.648	1265.712	0.0	-95.565	-92.165	0.0
50	14886	14887	NS	1	57.469	58.14	0.0	0.0	270.163	2.594	1209.384	1260.824	0.002	-93.215	-92.074	0.0
51	14886	14887	NS	1	57.469	58.14	0.0	0.0	297.854	3.863	1209.384	1263.656	0.002	-93.215	-92.074	0.0
52	14887	14888	SN	1	57.629	58.244	0.0	0.0	288.633	3.784	1219.784	1265.832	0.0	-93.037	-92.167	0.0
53	14887	14888	NS	2	57.472	58.113	0.0	0.0	289.471	3.725	1209.168	1263.768	0.031	-93.016	-92.072	0.0
54	14887	14888	NS	1	57.472	58.113	0.0	0.0	289.471	3.725	1209.168	1263.768	0.031	-93.016	-92.072	0.0
55	14887	14888	NS	1	57.472	58.113	0.0	0.003	273.566	2.069	1209.168	1258.728	0.035	-93.027	-92.072	0.0
56	14887	14888	SN	1	57.617	58.244	0.0	0.0	288.611	2.516	1219.36	1265.84	0.0	-93.046	-92.167	0.0
57	14887	14888	SN	1	57.617	58.244	0.0	0.0	288.611	3.788	1219.36	1265.84	0.0	-93.081	-92.167	0.0
58	14888	14889	SN	1	57.632	58.271	0.0	0.0	296.977	3.251	1220.08	1265.792	0.0	-93.188	-92.143	0.0
59	14888	14889	NS	1	57.475	58.132	0.0	0.0	291.043	3.972	1209.224	1263.704	0.004	-93.135	-92.073	0.0
60	14888	14889	NS	1	57.475	58.132	0.0	0.0	291.043	3.967	1209.232	1263.704	0.005	-93.129	-92.073	0.0
61	14888	14889	SN	1	57.599	58.271	0.0	0.0	296.977	4.064	1220.08	1265.792	0.0	-93.303	-92.143	0.0
62	14888	14889	SN	2	57.599	58.271	0.0	0.0	296.977	4.064	1220.08	1265.792	0.0	-93.303	-92.143	0.0
63	14889	14890	SN	2	57.633	58.27	0.0	0.0	292.775	3.835	1219.44	1265.744	0.0	-93.165	-92.132	0.0
64	14889	14890	SN	1	57.633	58.27	0.0	0.0	292.775	3.836	1219.44	1265.744	0.0	-93.165	-92.132	0.0
65	14889	14890	SN	1	57.633	58.27	0.0	0.0	292.775	3.446	1219.44	1265.744	0.0	-93.165	-92.132	0.0
66	14889	14890	NS	1	57.508	58.13	0.0	0.0	291.087	3.676	1209.344	1263.696	0.002	-93.151	-92.06	0.0
67	14889	14890	NS	1	57.508	58.13	0.0	0.0	291.087	3.68	1209.344	1263.696	0.003	-93.033	-92.06	0.0
68	14890	14891	SN	1	57.62	58.27	0.0	0.003	290.729	3.298	1219.464	1265.904	0.0	-93.214	-92.164	0.0
69	14890	14891	NS	1	57.508	58.139	0.0	0.0	292.383	3.655	1209.672	1263.928	0.001	-93.162	-92.031	0.0
70	14890	14891	NS	1	57.51	58.138	0.0	0.0	292.411	3.648	1209.528	1263.944	0.002	-93.158	-92.031	0.0
71	14890	14891	SN	1	57.62	58.27	0.0	0.0	290.729	3.699	1219.464	1265.904	0.0	-93.214	-92.164	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	14890	14891	SN	1	57.62	58.27	0.0	0.003	290.729	3.311	1219.464	1265.904	0.0	-93.214	-92.164	0.0
73	14891	14892	SN	1	57.618	58.258	0.0	0.0	299.47	3.648	1219.32	1265.824	0.0	-93.152	-92.162	0.0
74	14891	14892	SN	1	57.618	58.258	0.0	0.003	288.76	3.266	1219.32	1265.824	0.0	-93.152	-92.162	0.0
75	14891	14892	NS	1	57.496	58.117	0.0	0.0	296.58	3.682	1210.008	1263.872	0.0	-93.056	-92.078	0.0
76	14891	14892	NS	1	57.49	58.136	0.0	0.0	296.58	3.691	1210.008	1263.872	0.0	-93.119	-92.078	0.0
77	14891	14892	SN	1	57.618	58.258	0.0	0.0	299.459	3.638	1219.32	1265.824	0.0	-93.152	-92.162	0.0
78	14892	14893	NS	1	57.51	58.119	0.0	0.0	299.955	3.745	1210.576	1263.744	0.0	-94.1	-92.043	0.0
79	14892	14893	NS	2	57.511	58.119	0.0	0.0	299.983	3.745	1210.584	1263.736	0.0	-94.1	-92.043	0.0
80	14892	14893	SN	1	57.619	58.239	0.0	0.0	299.145	3.668	1219.064	1265.672	0.0	-93.471	-92.162	0.0
81	14892	14893	SN	1	57.616	58.239	0.0	0.0	299.145	3.664	1219.568	1265.672	0.0	-93.162	-92.162	0.0
82	14892	14893	SN	1	57.619	58.239	0.0	0.0	286.885	3.215	1219.064	1265.672	0.0	-93.471	-92.162	0.0
83	14893	14894	SN	1	57.616	58.286	0.0	0.0	299.691	3.631	1218.8	1265.6	0.0	-93.334	-92.162	0.0
84	14893	14894	NS	1	57.456	58.116	0.0	0.0	290.701	3.781	1210.376	1263.632	0.0	-95.208	-92.061	0.0
85	14893	14894	NS	2	57.48	58.126	0.0	0.0	290.701	3.781	1210.376	1263.632	0.0	-93.111	-92.061	0.0
86	14893	14894	SN	1	57.623	58.266	0.0	0.0	299.602	3.634	1219.152	1265.6	0.0	-93.368	-92.162	0.0
87	14893	14894	SN	1	57.623	58.266	0.0	0.0	297.893	3.042	1219.152	1265.6	0.0	-93.368	-92.162	0.0
88	14894	14895	SN	1	57.616	58.249	0.0	0.003	295.918	3.345	1219.056	1265.592	0.0	-93.162	-92.154	0.0
89	14894	14895	NS	1	57.49	58.137	0.0	0.0	287.613	3.759	1210.344	1263.568	0.0	-93.228	-92.077	0.0
90	14894	14895	SN	2	57.616	58.249	0.0	0.0	295.918	3.821	1219.056	1265.592	0.0	-93.162	-92.154	0.0
91	14894	14895	SN	1	57.616	58.249	0.0	0.0	295.918	3.821	1219.056	1265.592	0.0	-93.162	-92.154	0.0
92	14894	14895	NS	1	57.489	58.136	0.0	0.0	287.696	3.757	1210.384	1263.544	0.0	-93.228	-92.077	0.0
93	14895	14896	NS	1	57.48	58.134	0.0	0.003	295.571	3.671	1209.384	1263.76	0.001	-93.303	-92.074	0.0
94	14895	14896	SN	2	57.632	58.256	0.0	0.0	290.812	3.883	1219.624	1265.8	0.0	-93.156	-92.15	0.0
95	14895	14896	NS	1	57.48	58.139	0.0	0.003	295.571	3.678	1209.384	1263.76	0.001	-93.303	-92.074	0.0
96	14895	14896	SN	1	57.632	58.256	0.0	0.0	290.812	2.604	1219.624	1265.8	0.0	-93.156	-92.15	0.0
97	14895	14896	SN	1	57.632	58.256	0.0	0.0	290.812	3.884	1219.624	1265.8	0.0	-93.156	-92.15	0.0
98	14896	14897	NS	1	57.486	58.116	0.0	0.0	297.231	3.949	1210.064	1263.848	0.0	-93.179	-92.044	0.0
99	14896	14897	SN	1	57.541	58.279	0.0	0.0	299.503	3.757	1219.832	1265.952	0.0	-93.686	-92.118	0.0
100	14896	14897	NS	1	57.471	58.139	0.0	0.0	297.231	3.937	1210.064	1263.84	0.0	-93.224	-92.044	0.0
101	14896	14897	SN	2	57.541	58.279	0.0	0.0	299.503	3.757	1219.832	1265.952	0.0	-93.686	-92.118	0.0
102	14897	14898	SN	1	57.632	58.242	0.0	0.0	298.213	3.723	1220.12	1265.896	0.0	-93.105	-92.161	0.0
103	14897	14898	NS	1	57.485	58.229	0.0	0.0	298.93	3.912	1209.328	1263.792	0.004	-95.836	-92.048	0.0
104	14897	14898	NS	2	57.485	58.229	0.0	0.0	298.99	3.912	1209.336	1263.784	0.004	-95.836	-92.048	0.0
105	14898	14899	NS	1	57.495	58.126	0.0	0.0	298.847	3.781	1210.072	1263.776	0.0	-94.46	-92.074	0.0
106	14898	14899	SN	1	57.37	58.262	0.0	0.0	298.367	3.816	1220.12	1265.8	0.0	-95.628	-92.136	0.0
107	14899	14900	NS	1	57.486	58.139	0.0	0.003	299.404	3.184	1209.192	1262.816	0.006	-93.176	-92.073	0.0
108	14899	14900	SN	1	57.646	58.243	0.0	0.0	269.7	3.777	1220.048	1265.888	0.0	-93.113	-92.142	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

109	14899	14900	SN	1	57.627	58.253	0.0	0.0	269.7	3.773	1220.048	1265.888	0.0	-93.184	-92.142	0.0
110	14899	14900	NS	1	57.486	58.139	0.0	0.0	299.404	3.668	1209.192	1263.824	0.006	-93.167	-92.073	0.0
111	14900	14901	SN	1	57.622	58.266	0.0	0.0	295.356	3.75	1220.08	1265.928	0.0	-93.221	-92.162	0.0
112	14900	14901	NS	1	57.487	58.113	0.0	0.0	288.115	3.763	1208.96	1263.848	0.25	-93.121	-92.071	0.0
113	14900	14901	NS	2	57.487	58.113	0.0	0.0	288.115	3.763	1208.96	1263.848	0.25	-93.121	-92.071	0.0
114	14900	14901	NS	1	57.487	58.113	0.0	0.0	277.923	2.986	1208.96	1261.776	0.264	-93.121	-92.071	0.0
115	14900	14901	SN	1	57.622	58.266	0.0	0.0	295.356	3.753	1220.08	1265.928	0.0	-93.189	-92.162	0.0
116	14901	14902	NS	1	57.471	58.137	0.0	0.0	290.789	3.708	1208.856	1264.04	0.602	-93.157	-92.07	0.0
117	14901	14902	SN	2	57.63	58.245	0.0	0.0	290.745	3.741	1219.776	1266.08	0.0	-93.14	-92.169	0.0
118	14901	14902	SN	1	57.63	58.245	0.0	0.0	290.729	3.739	1219.768	1266.08	0.0	-93.14	-92.169	0.0
119	14901	14902	NS	1	57.471	58.137	0.0	0.0	290.789	2.29	1208.856	1260.448	0.662	-93.117	-92.07	0.0
120	14901	14902	NS	1	57.471	58.133	0.0	0.0	290.789	3.704	1208.896	1264.04	0.603	-93.157	-92.07	0.0
121	14902	14903	NS	1	57.476	58.138	0.0	0.0	294.688	3.847	1208.8	1264.112	0.8	-93.154	-92.048	0.0
122	14902	14903	NS	1	57.476	58.142	0.0	0.003	292.786	2.214	1208.8	1256.696	0.942	-92.985	-92.048	0.0
123	14902	14903	SN	1	57.628	58.258	0.0	0.0	288.594	2.824	1220.368	1266.152	0.0	-93.227	-92.17	0.0
124	14902	14903	NS	1	57.477	58.147	0.0	0.0	294.688	3.843	1208.88	1264.112	0.799	-93.131	-92.048	0.0
125	14902	14903	SN	1	57.628	58.326	0.0	0.0	295.461	3.896	1220.368	1266.152	0.0	-95.964	-92.17	0.0
126	14902	14903	SN	1	57.627	58.326	0.0	0.0	295.461	3.893	1220.368	1266.152	0.0	-95.964	-92.17	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors









107	14899	14900	NS	1	-34.968	16.454	0.0	-34.779	17.46	0.0	-21.82	22.43	0.02	-30.556	23.897	0.851	0.087	232.571	5.353	0.087	222.658	4.463	0.086	11.326	0.06	0.086	84.246	0.046
108	14899	14900	SN	1	-34.874	16.593	0.0	-34.484	17.798	0.0	-24.445	23.309	0.076	-28.005	23.034	0.044	0.087	227.546	4.318	0.086	208.061	4.128	0.086	20.678	0.088	0.086	46.843	0.125
109	14899	14900	SN	1	-34.261	16.593	0.0	-33.797	17.798	0.0	-24.397	23.309	0.076	-27.768	23.034	0.044	0.087	197.643	4.29	0.086	177.612	4.119	0.086	20.45	0.089	0.086	44.363	0.124
110	14899	14900	NS	1	-34.968	16.454	0.0	-34.779	17.46	0.0	-21.82	22.418	0.018	-30.556	23.898	0.768	0.087	232.571	5.345	0.087	222.658	4.464	0.086	11.326	0.054	0.086	84.246	0.042
111	14900	14901	SN	1	-34.824	17.368	0.0	-34.891	16.801	0.0	-21.206	22.842	0.128	-25.474	22.982	0.049	0.087	225.014	8.081	0.087	228.431	7.638	0.086	9.84	0.056	0.086	26.182	0.121
112	14900	14901	NS	1	-34.905	18.987	0.0	-34.95	19.01	0.0	-23.064	21.712	0.0	-31.201	23.461	0.79	0.086	229.147	5.757	0.086	231.589	5.689	0.086	15.059	0.095	0.086	97.716	0.074
113	14900	14901	NS	2	-34.905	18.987	0.0	-34.95	19.01	0.0	-23.064	21.712	0.0	-31.201	23.461	0.79	0.086	229.147	5.757	0.086	231.589	5.689	0.086	15.059	0.095	0.086	97.716	0.074
114	14900	14901	NS	1	-34.905	18.987	0.0	-34.95	19.01	0.0	-23.064	20.458	0.0	-31.201	23.488	1.129	0.086	229.147	5.775	0.086	231.589	5.691	0.086	15.059	0.149	0.086	97.716	0.104
115	14900	14901	SN	1	-34.891	17.368	0.0	-34.721	16.801	0.0	-21.217	22.842	0.128	-25.354	22.982	0.049	0.087	228.481	8.081	0.087	219.665	7.634	0.086	9.864	0.056	0.086	25.466	0.124
116	14901	14902	NS	1	-34.67	18.34	0.0	-34.855	18.16	0.0	1.767	23.009	0.136	2.867	23.748	0.942	0.086	217.091	4.324	0.086	226.602	3.883	0.086	0.127	0.0	0.086	0.117	0.0
117	14901	14902	SN	2	-34.841	12.044	0.0	-34.659	12.297	0.0	-1.033	22.882	0.22	0.152	22.61	0.028	0.089	225.853	3.247	0.089	216.551	2.532	0.086	0.168	0.0	0.086	0.147	0.0
118	14901	14902	SN	1	-34.841	12.044	0.0	-34.702	12.297	0.0	-1.033	22.882	0.22	0.152	22.61	0.028	0.089	225.853	3.249	0.089	218.764	2.533	0.086	0.168	0.0	0.086	0.147	0.0
119	14901	14902	NS	1	-34.67	18.34	0.0	-34.855	18.174	0.0	3.071	20.153	0.0	2.868	23.331	0.361	0.086	217.091	4.372	0.086	226.602	3.882	0.086	0.115	0.0	0.086	0.117	0.0
120	14901	14902	NS	1	-34.96	18.34	0.0	-34.96	18.16	0.0	1.767	23.006	0.136	2.868	23.748	0.942	0.086	232.169	4.321	0.086	232.106	3.883	0.086	0.127	0.0	0.086	0.117	0.0
121	14902	14903	NS	1	-34.994	17.115	0.0	-34.965	17.376	0.0	1.472	23.178	0.378	0.214	23.838	0.752	0.087	233.977	4.667	0.087	232.369	4.666	0.086	0.13	0.0	0.086	0.146	0.0
122	14902	14903	NS	1	-34.994	14.163	0.0	-34.965	17.375	0.0	1.739	19.771	0.0	0.223	20.527	0.0	0.088	233.977	4.962	0.087	232.369	4.705	0.086	0.127	0.0	0.086	0.146	0.0
123	14902	14903	SN	1	-34.875	16.736	0.0	-34.793	16.997	0.0	1.588	22.203	0.005	1.891	22.438	0.02	0.087	233.444	4.525	0.087	223.377	4.935	0.086	0.128	0.0	0.086	0.125	0.0
124	14902	14903	NS	1	-34.994	17.115	0.0	-34.9	17.376	0.0	1.473	23.184	0.375	0.214	23.838	0.752	0.087	233.977	4.667	0.087	228.959	4.702	0.086	0.13	0.0	0.086	0.146	0.0
125	14902	14903	SN	1	-34.934	16.736	0.0	-34.793	16.997	0.0	0.973	22.203	0.004	1.868	22.438	0.02	0.087	233.444	4.785	0.087	223.377	4.46	0.086	0.136	0.0	0.086	0.126	0.0
126	14902	14903	SN	1	-34.838	16.736	0.0	-34.793	16.997	0.0	0.972	22.203	0.004	1.868	22.438	0.02	0.087	231.487	4.802	0.087	223.377	4.485	0.086	0.136	0.0	0.086	0.126	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal	Deviations
Alarming	High Errors