

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-MAY-2018 To 08-MAY-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 07-MAY-2018 To 08-MAY-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8523	8524	SN	1	48.814	49.44	0.0	0.003	30.007	2.718	1052.28	1072.856	0.0	-91.661	-90.017	0.0
2	8523	8524	NS	1	48.674	49.305	0.0	0.0	209.995	2.858	1021.728	1068.192	7.4	-91.364	-89.756	0.0
3	8523	8524	NS	2	48.674	49.305	0.0	0.0	209.995	2.858	1021.728	1068.2	7.422	-91.364	-89.756	0.0
4	8523	8524	SN	1	48.814	49.44	0.0	0.003	30.007	2.427	1052.448	1072.856	0.0	-91.661	-90.017	0.0
5	8523	8524	SN	1	48.814	49.44	0.0	0.003	30.007	2.721	1052.448	1072.856	0.0	-91.661	-90.017	0.0
6	8524	8525	SN	1	48.818	49.461	0.0	0.003	215.129	2.388	1052.488	1073.0	0.0	-91.668	-90.066	0.0
7	8524	8525	NS	1	48.712	49.306	0.0	0.003	267.262	2.549	1022.312	1068.472	7.42	-91.526	-89.763	0.0
8	8524	8525	NS	2	48.689	49.306	0.0	0.003	263.893	2.549	1022.32	1068.464	7.412	-91.525	-89.763	0.0
9	8524	8525	SN	1	48.818	49.461	0.0	0.003	215.129	2.385	1052.264	1073.0	0.0	-92.111	-90.066	0.0
10	8524	8525	SN	1	48.818	49.461	0.0	0.003	215.129	2.533	1052.264	1073.0	0.0	-92.111	-90.066	0.0
11	8525	8526	SN	1	48.833	49.412	0.0	0.003	279.814	2.508	1053.12	1073.048	0.0	-91.748	-90.066	0.0
12	8525	8526	NS	1	48.673	49.304	0.0	0.003	210.811	2.594	1022.496	1068.576	7.255	-91.4	-89.764	0.0
13	8525	8526	SN	1	48.833	49.412	0.0	0.003	279.814	2.336	1053.12	1073.048	0.0	-91.748	-90.066	0.0
14	8525	8526	NS	1	48.673	49.304	0.0	0.003	210.811	2.596	1022.496	1068.576	7.262	-91.449	-89.764	0.0
15	8526	8527	NS	1	48.696	49.304	0.0	0.003	42.678	2.71	1022.424	1068.464	7.134	-91.395	-89.757	0.0
16	8526	8527	SN	1	48.824	49.412	0.0	0.003	6.044	2.559	1052.28	1072.984	0.0	-92.096	-90.065	0.0
17	8527	8528	SN	1	48.813	49.412	0.0	0.003	6.033	2.544	1052.12	1073.0	0.0	-91.616	-90.061	0.0
18	8527	8528	NS	1	48.663	49.351	0.0	0.003	207.237	2.65	1023.0	1068.432	7.799	-91.51	-89.754	0.0
19	8528	8529	SN	1	48.805	49.413	0.0	0.003	6.022	2.587	1052.264	1072.976	0.0	-91.993	-90.061	0.0
20	8528	8529	NS	1	48.675	49.369	0.0	0.0	267.66	2.768	1022.056	1068.344	8.187	-92.012	-89.763	0.0
21	8529	8530	NS	1	48.685	49.329	0.0	0.003	41.04	2.601	1022.48	1068.424	9.246	-91.542	-89.762	0.0
22	8529	8530	SN	1	48.872	49.415	0.0	0.003	214.76	2.645	1052.752	1073.144	0.0	-91.581	-90.033	0.0
23	8530	8531	NS	1	48.655	49.366	0.0	0.003	207.16	2.707	1022.56	1068.632	9.848	-91.582	-89.755	0.0
24	8530	8531	SN	1	48.821	49.478	0.0	0.003	214.721	2.589	1052.88	1073.432	0.0	-91.642	-90.057	0.0
25	8531	8532	NS	1	48.602	49.302	0.0	0.0	210.844	2.762	1022.088	1068.6	9.869	-91.638	-89.739	0.0
26	8531	8532	SN	1	48.815	49.415	0.0	0.0	281.282	2.544	1052.816	1073.44	0.0	-91.702	-90.061	0.0
27	8531	8532	SN	2	48.815	49.415	0.0	0.0	281.282	2.544	1052.816	1073.44	0.0	-91.702	-90.061	0.0
28	8531	8532	NS	1	48.602	49.302	0.0	0.0	210.844	2.765	1022.088	1068.6	9.88	-91.638	-89.739	0.0
29	8532	8533	NS	1	48.654	49.302	0.0	0.0	266.772	2.824	1021.624	1068.512	10.423	-91.461	-89.761	0.0
30	8532	8533	NS	1	48.654	49.302	0.0	0.0	266.772	2.826	1021.624	1068.512	10.381	-91.461	-89.761	0.0
31	8537	8538	SN	1	48.838	49.42	0.0	0.0	111.486	2.711	1054.048	1074.4	0.0	-91.691	-90.058	0.0
32	8537	8538	SN	1	48.838	49.462	0.0	0.0	111.486	2.714	1054.048	1074.4	0.0	-91.649	-90.058	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal     
  Deviations  
 Alarming     
  High Errors

33	8537	8538	SN	1	48.838	49.462	0.0	0.003	6.028	2.009	1054.048	1074.4	0.0	-91.649	-90.058	0.0
34	8538	8539	NS	1	48.707	49.299	0.0	0.003	14.4	2.559	1021.4	1069.04	10.808	-91.348	-89.741	0.0
35	8538	8539	SN	1	48.828	49.428	0.0	0.003	215.278	2.603	1052.792	1073.944	0.0	-91.711	-90.055	0.0
36	8538	8539	SN	2	48.828	49.428	0.0	0.003	215.278	2.603	1052.792	1073.944	0.0	-91.711	-90.055	0.0
37	8538	8539	NS	1	48.707	49.299	0.0	0.003	14.4	2.562	1021.4	1069.04	10.819	-91.348	-89.741	0.0
38	8538	8539	SN	1	48.828	49.428	0.0	0.003	215.278	2.418	1052.792	1073.944	0.0	-91.711	-90.055	0.0
39	8539	8540	SN	2	48.829	49.418	0.0	0.003	6.056	2.361	1052.552	1074.088	0.0	-91.666	-90.072	0.0
40	8539	8540	SN	1	48.83	49.418	0.0	0.003	6.056	2.36	1052.56	1074.088	0.0	-91.666	-90.073	0.0
41	8539	8540	SN	1	48.829	49.418	0.0	0.003	6.056	2.507	1052.552	1074.088	0.0	-91.666	-90.072	0.0
42	8539	8540	NS	1	48.708	49.298	0.0	0.003	41.498	2.592	1021.352	1069.288	10.639	-91.365	-89.748	0.0
43	8539	8540	NS	1	48.708	49.298	0.0	0.003	41.498	2.594	1021.352	1069.288	10.65	-91.345	-89.748	0.0
44	8540	8541	SN	1	48.878	49.444	0.0	0.003	32.701	2.303	1053.632	1074.832	0.0	-91.72	-90.073	0.0
45	8540	8541	SN	1	48.878	49.444	0.0	0.003	32.701	2.538	1053.632	1074.832	0.0	-91.72	-90.073	0.0
46	8540	8541	NS	1	48.69	49.297	0.0	0.003	210.563	2.636	1021.48	1069.28	10.244	-91.527	-89.759	0.0
47	8540	8541	NS	2	48.69	49.297	0.0	0.003	210.563	2.636	1021.48	1069.28	10.244	-91.527	-89.759	0.0
48	8541	8542	NS	1	48.708	49.336	0.0	0.003	267.654	2.699	1022.4	1069.224	10.571	-91.373	-89.718	0.0
49	8541	8542	SN	1	48.838	49.432	0.0	0.003	6.039	2.148	1052.816	1074.872	0.0	-91.663	-90.067	0.0
50	8541	8542	SN	1	48.838	49.432	0.0	0.003	6.039	2.519	1052.816	1074.872	0.0	-91.647	-90.067	0.0
51	8541	8542	NS	1	48.708	49.32	0.0	0.003	267.654	2.701	1022.4	1069.224	10.58	-91.438	-89.718	0.0
52	8542	8543	NS	1	48.657	49.307	0.0	0.003	267.786	2.65	1021.496	1069.2	10.872	-91.527	-89.756	0.0
53	8542	8543	SN	1	48.816	49.418	0.0	0.003	6.022	2.538	1052.72	1073.992	0.0	-91.662	-90.068	0.0
54	8542	8543	SN	1	48.816	49.418	0.0	0.003	6.022	1.973	1052.72	1073.992	0.0	-91.662	-90.068	0.0
55	8542	8543	NS	1	48.657	49.297	0.0	0.003	267.786	2.652	1021.64	1069.2	10.88	-91.621	-89.756	0.0
56	8543	8544	SN	1	48.814	49.464	0.0	0.003	6.022	2.612	1052.952	1074.056	0.0	-91.676	-90.062	0.0
57	8543	8544	SN	1	48.769	49.42	0.0	0.003	279.39	1.748	1052.904	1074.048	0.0	-91.682	-90.062	0.0
58	8543	8544	NS	2	48.706	49.299	0.0	0.003	207.16	2.662	1021.368	1069.16	11.804	-91.484	-89.755	0.0
59	8543	8544	SN	1	48.769	49.42	0.0	0.003	279.39	2.615	1052.904	1074.048	0.0	-91.682	-90.062	0.0
60	8543	8544	NS	1	48.706	49.348	0.0	0.003	207.16	2.662	1021.368	1069.16	11.805	-91.546	-89.755	0.0
61	8544	8545	SN	1	48.822	49.47	0.0	0.003	215.537	2.655	1053.576	1074.632	0.0	-91.702	-90.068	0.0
62	8544	8545	SN	1	48.822	49.47	0.0	0.003	215.537	1.545	1053.576	1074.632	0.0	-91.702	-90.068	0.0
63	8544	8545	SN	1	48.823	49.47	0.0	0.003	215.537	2.654	1053.288	1074.632	0.0	-91.702	-90.068	0.0
64	8544	8545	NS	1	48.652	49.427	0.0	0.0	210.425	2.745	1020.896	1070.104	13.303	-94.223	-89.752	0.0
65	8545	8546	NS	1	48.692	49.316	0.0	0.0	264.273	2.815	1021.928	1069.472	13.904	-91.55	-89.71	0.0
66	8545	8546	NS	1	48.692	49.316	0.0	0.0	206.653	2.813	1021.928	1069.472	13.899	-91.99	-89.71	0.0
67	8545	8546	SN	2	48.825	49.452	0.0	0.003	6.061	2.56	1053.504	1074.448	0.0	-91.72	-90.051	0.0
68	8545	8546	SN	1	48.825	49.452	0.0	0.003	6.061	2.56	1053.504	1074.448	0.0	-91.72	-90.051	0.0
69	8546	8547	NS	1	48.662	49.323	0.0	0.003	18.734	2.754	1020.984	1069.456	14.053	-91.428	-89.75	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8546	8547	SN	1	48.846	49.422	0.0	0.0	279.362	2.588	1053.392	1074.48	0.0	-91.675	-90.081	0.0
71	8546	8547	NS	1	48.66	49.324	0.0	0.003	42.645	2.753	1020.968	1069.472	14.124	-91.493	-89.75	0.0
72	8547	8548	NS	1	48.671	49.295	0.0	0.003	42.54	2.646	1020.896	1069.456	14.5	-91.494	-89.753	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors





					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8523	8524	SN	1	57.672	58.276	0.0	0.003	298.24	3.822	1234.384	1260.984	0.0	-93.073	-92.069	0.0
2	8523	8524	NS	1	57.446	58.112	0.0	0.0	293.337	3.867	1197.448	1254.728	30.758	-93.672	-91.799	0.0
3	8523	8524	NS	2	57.446	58.112	0.0	0.0	293.321	3.865	1197.44	1254.736	30.767	-93.672	-91.798	0.0
4	8523	8524	SN	1	57.658	58.262	0.0	0.003	298.24	3.387	1234.736	1260.984	0.0	-93.039	-92.069	0.0
5	8523	8524	SN	1	57.658	58.262	0.0	0.003	298.24	3.826	1234.736	1260.984	0.0	-93.039	-92.069	0.0
6	8524	8525	SN	1	57.663	58.274	0.0	0.0	296.139	3.211	1234.288	1261.176	0.0	-93.044	-92.119	0.0
7	8524	8525	NS	1	57.461	58.113	0.0	0.0	299.222	3.523	1197.576	1254.528	30.894	-93.672	-91.812	0.0
8	8524	8525	NS	2	57.461	58.113	0.0	0.0	299.26	3.521	1197.584	1254.512	30.891	-93.672	-91.812	0.0
9	8524	8525	SN	1	57.663	58.274	0.0	0.0	296.139	3.208	1234.672	1261.176	0.0	-93.044	-92.119	0.0
10	8524	8525	SN	1	57.663	58.274	0.0	0.0	296.139	3.589	1234.672	1261.176	0.0	-93.044	-92.119	0.0
11	8525	8526	SN	1	57.677	58.27	0.0	0.0	294.44	3.562	1234.32	1261.208	0.0	-93.352	-92.119	0.0
12	8525	8526	NS	1	57.464	58.112	0.0	0.0	298.924	3.579	1197.816	1254.648	31.533	-93.67	-91.819	0.0
13	8525	8526	SN	1	57.677	58.27	0.0	0.0	294.44	3.181	1234.32	1261.208	0.0	-93.352	-92.119	0.0
14	8525	8526	NS	1	57.464	58.112	0.0	0.0	298.924	3.582	1197.816	1254.648	31.565	-93.67	-91.819	0.0
15	8526	8527	NS	1	57.446	58.111	0.0	0.0	299.382	3.617	1198.048	1254.48	30.862	-93.669	-91.816	0.0
16	8526	8527	SN	1	57.654	58.265	0.0	0.0	292.019	3.562	1233.76	1261.208	0.0	-92.971	-92.115	0.0
17	8527	8528	SN	1	57.66	58.256	0.0	0.0	297.882	3.551	1234.28	1261.16	0.0	-93.087	-92.115	0.0
18	8527	8528	NS	1	57.47	58.111	0.0	0.0	299.845	3.658	1198.536	1254.44	33.244	-92.942	-91.808	0.0
19	8528	8529	SN	1	57.658	58.285	0.0	0.0	299.586	3.586	1234.232	1261.136	0.0	-93.064	-92.116	0.0
20	8528	8529	NS	1	57.46	58.135	0.0	0.0	289.89	3.849	1197.376	1254.312	33.895	-93.226	-91.818	0.0
21	8529	8530	NS	1	57.468	58.136	0.0	0.0	293.106	3.648	1197.312	1254.416	33.332	-93.669	-91.817	0.0
22	8529	8530	SN	1	57.69	58.259	0.0	0.0	299.619	3.67	1234.784	1261.368	0.0	-92.945	-92.085	0.0
23	8530	8531	NS	1	57.451	58.125	0.0	0.0	298.786	3.699	1198.0	1254.672	33.444	-93.667	-91.81	0.0
24	8530	8531	SN	1	57.668	58.29	0.0	0.0	295.825	3.605	1235.256	1261.872	0.0	-93.246	-92.118	0.0
25	8531	8532	NS	1	57.107	58.108	0.0	0.0	294.369	3.877	1191.432	1254.616	33.475	-94.386	-91.77	0.0
26	8531	8532	SN	1	57.657	58.274	0.0	0.0	294.688	3.572	1235.0	1261.8	0.0	-93.061	-92.108	0.0
27	8531	8532	SN	2	57.657	58.274	0.0	0.0	294.688	3.572	1235.0	1261.8	0.0	-93.061	-92.108	0.0
28	8531	8532	NS	1	57.107	58.108	0.0	0.0	294.369	3.881	1191.432	1254.616	33.513	-94.386	-91.77	0.0
29	8532	8533	NS	1	57.438	58.108	0.0	0.0	296.018	3.86	1197.328	1254.496	34.136	-93.669	-91.816	0.0
30	8532	8533	NS	1	57.438	58.108	0.0	0.0	296.018	3.865	1197.328	1254.496	34.063	-93.669	-91.816	0.0
31	8537	8538	SN	1	57.688	58.27	0.0	0.0	297.385	3.809	1236.104	1262.376	0.0	-93.762	-92.106	0.0
32	8537	8538	SN	1	57.688	58.272	0.0	0.0	297.385	3.813	1236.104	1262.376	0.0	-93.762	-92.106	0.0
33	8537	8538	SN	1	57.688	58.272	0.0	0.0	295.714	3.085	1236.104	1262.376	0.0	-93.04	-92.106	0.0
34	8538	8539	NS	1	57.461	58.104	0.0	0.0	299.437	3.581	1197.12	1255.152	31.345	-93.663	-91.798	0.0





Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

<span style="color: green;">■</span> Normal	<span style="color: yellow;">■</span> Deviations
<span style="color: orange;">■</span> Alarming	<span style="color: red;">■</span> High Errors






35	8538	8539	SN	1	57.678	58.28	0.0	0.0	297.711	3.679	1235.104	1262.336	0.0	-93.084	-92.108	0.0
36	8538	8539	SN	2	57.678	58.28	0.0	0.0	297.711	3.679	1235.104	1262.336	0.0	-93.084	-92.108	0.0
37	8538	8539	NS	1	57.461	58.104	0.0	0.0	299.437	3.584	1197.12	1255.152	31.377	-93.663	-91.798	0.0
38	8538	8539	SN	1	57.678	58.28	0.0	0.0	297.711	3.3	1235.104	1262.336	0.0	-93.084	-92.108	0.0
39	8539	8540	SN	2	57.673	58.293	0.0	0.003	294.804	3.159	1234.768	1262.616	0.0	-93.045	-92.126	0.0
40	8539	8540	SN	1	57.675	58.293	0.0	0.0	294.837	3.159	1235.32	1262.616	0.0	-93.045	-92.126	0.0
41	8539	8540	SN	1	57.673	58.293	0.0	0.0	294.804	3.535	1234.768	1262.616	0.0	-93.045	-92.126	0.0
42	8539	8540	NS	1	57.441	58.104	0.0	0.0	297.964	3.549	1196.928	1255.456	32.378	-93.662	-91.804	0.0
43	8539	8540	NS	1	57.441	58.104	0.0	0.0	297.964	3.553	1196.928	1255.456	32.411	-93.662	-91.804	0.0
44	8540	8541	SN	1	57.697	58.266	0.0	0.0	294.705	3.151	1235.184	1263.048	0.0	-93.052	-92.126	0.0
45	8540	8541	SN	1	57.697	58.266	0.0	0.0	294.705	3.539	1235.184	1263.048	0.0	-93.052	-92.126	0.0
46	8540	8541	NS	1	57.442	58.102	0.0	0.0	297.964	3.573	1197.072	1255.448	32.325	-93.661	-91.814	0.0
47	8540	8541	NS	2	57.442	58.102	0.0	0.0	297.964	3.573	1197.072	1255.448	32.325	-93.661	-91.814	0.0
48	8541	8542	NS	1	57.467	58.128	0.0	0.0	291.368	3.632	1197.792	1255.376	33.603	-92.973	-91.781	0.0
49	8541	8542	SN	1	57.665	58.273	0.0	0.0	295.836	3.109	1235.704	1262.848	0.0	-93.127	-92.121	0.0
50	8541	8542	SN	1	57.665	58.273	0.0	0.0	295.836	3.589	1235.704	1262.848	0.0	-93.042	-92.121	0.0
51	8541	8542	NS	1	57.467	58.114	0.0	0.0	291.368	3.623	1197.792	1255.376	33.634	-92.87	-91.781	0.0
52	8542	8543	NS	1	57.44	58.119	0.0	0.0	293.696	3.671	1197.608	1255.344	34.611	-93.659	-91.804	0.0
53	8542	8543	SN	1	57.664	58.263	0.0	0.0	292.554	3.528	1234.848	1262.416	0.0	-93.287	-92.123	0.0
54	8542	8543	SN	1	57.664	58.263	0.0	0.0	292.554	2.939	1234.848	1262.416	0.0	-93.287	-92.123	0.0
55	8542	8543	NS	1	57.457	58.106	0.0	0.0	293.696	3.663	1197.608	1255.344	34.636	-93.659	-91.804	0.0
56	8543	8544	SN	1	57.434	58.266	0.0	0.0	299.073	3.635	1235.432	1262.472	0.0	-94.911	-92.099	0.0
57	8543	8544	SN	1	57.66	58.266	0.0	0.0	297.854	2.751	1235.392	1262.464	0.0	-93.018	-92.099	0.0
58	8543	8544	NS	2	57.444	58.12	0.0	0.0	298.213	3.72	1197.072	1255.288	34.57	-92.902	-91.811	0.0
59	8543	8544	SN	1	57.434	58.266	0.0	0.0	299.073	3.634	1235.392	1262.464	0.0	-94.911	-92.099	0.0
60	8543	8544	NS	1	57.444	58.13	0.0	0.0	298.213	3.72	1197.072	1255.288	34.571	-93.159	-91.811	0.0
61	8544	8545	SN	1	57.678	58.297	0.0	0.003	298.008	3.679	1235.664	1262.8	0.0	-93.076	-92.118	0.0
62	8544	8545	SN	1	57.678	58.297	0.0	0.003	294.926	2.43	1235.664	1262.8	0.0	-93.076	-92.118	0.0
63	8544	8545	SN	1	57.678	58.288	0.0	0.003	298.025	3.675	1235.808	1262.8	0.0	-93.189	-92.118	0.0
64	8544	8545	NS	1	57.43	58.127	0.0	0.0	296.939	3.687	1196.424	1255.544	33.811	-93.659	-91.806	0.0
65	8545	8546	NS	1	57.462	58.099	0.0	0.0	295.234	3.872	1197.264	1255.68	34.784	-93.658	-91.758	0.0
66	8545	8546	NS	1	57.462	58.099	0.0	0.0	291.771	3.871	1197.256	1255.688	34.752	-93.658	-91.758	0.0
67	8545	8546	SN	2	57.666	58.268	0.0	0.003	299.426	3.605	1235.768	1262.968	0.0	-93.281	-92.104	0.0
68	8545	8546	SN	1	57.666	58.268	0.0	0.003	299.426	3.605	1235.768	1262.968	0.0	-93.281	-92.104	0.0
69	8546	8547	NS	1	57.457	58.099	0.0	0.0	291.992	3.818	1196.792	1255.656	34.661	-93.659	-91.804	0.0
70	8546	8547	SN	1	57.676	58.269	0.0	0.0	295.946	3.627	1235.56	1263.008	0.0	-93.005	-92.134	0.0
71	8546	8547	NS	1	57.456	58.1	0.0	0.0	297.369	3.817	1196.768	1255.688	34.731	-93.659	-91.804	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8547	8548	NS	1	57.435	58.098	0.0	0.0	297.385	3.644	1196.352	1255.656	35.139	-92.973	-91.808	0.0
----	------	------	----	---	--------	--------	-----	-----	---------	-------	----------	----------	--------	---------	---------	-----

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8523	8524	SN	1	-34.807	21.582	0.0	-34.114	19.926	0.0	-29.133	23.187	0.122	-30.353	23.49	0.154	0.086	224.08	3.555	0.086	191.066	3.011	0.086	60.729	0.085	0.086	80.416	0.086
2	8523	8524	NS	1	-34.734	21.706	0.0	-34.617	21.858	0.0	0.252	23.904	0.127	1.04	25.874	0.531	0.086	220.385	4.577	0.086	214.478	4.835	0.086	0.145	0.0	0.086	0.135	0.0
3	8523	8524	NS	2	-34.734	21.706	0.0	-34.617	21.858	0.0	0.252	23.904	0.127	1.04	25.874	0.531	0.086	220.385	4.577	0.086	214.478	4.835	0.086	0.145	0.0	0.086	0.135	0.0
4	8523	8524	SN	1	-34.959	21.582	0.0	-34.246	19.926	0.0	-29.34	23.187	0.122	-30.55	23.49	0.155	0.086	232.076	3.709	0.086	196.945	3.174	0.086	63.682	0.083	0.086	84.131	0.086
5	8523	8524	SN	1	-34.959	21.582	0.0	-34.246	19.926	0.0	-29.34	23.187	0.122	-30.55	23.49	0.155	0.086	232.076	3.555	0.086	196.945	3.009	0.086	63.682	0.083	0.086	84.131	0.086
6	8524	8525	SN	1	-34.527	20.011	0.0	-34.444	19.724	0.0	1.007	22.924	0.13	0.57	24.154	0.149	0.086	210.097	2.862	0.086	206.119	2.394	0.086	0.135	0.0	0.086	0.141	0.0
7	8524	8525	NS	1	-34.889	21.788	0.0	-34.026	21.986	0.0	-15.236	23.485	0.064	-8.773	23.629	0.29	0.086	228.379	2.895	0.086	187.215	2.772	0.086	2.538	0.003	0.086	0.625	0.0
8	8524	8525	NS	2	-34.942	21.788	0.0	-34.026	21.986	0.0	-15.236	23.485	0.064	-8.773	23.629	0.29	0.086	231.135	2.895	0.086	187.215	2.772	0.086	2.538	0.003	0.086	0.625	0.0
9	8524	8525	SN	1	-34.81	20.011	0.0	-34.382	19.724	0.0	1.007	22.924	0.13	0.573	24.154	0.149	0.086	224.294	2.862	0.086	203.159	2.388	0.086	0.135	0.0	0.086	0.141	0.0
10	8524	8525	SN	1	-34.81	20.011	0.0	-34.382	19.724	0.0	1.007	22.924	0.13	0.573	24.154	0.149	0.086	224.294	2.799	0.086	203.159	2.347	0.086	0.135	0.0	0.086	0.141	0.0
11	8525	8526	SN	1	-34.544	18.597	0.0	-34.555	18.965	0.0	1.331	22.97	0.161	2.777	23.306	0.309	0.086	210.918	2.789	0.086	211.457	2.502	0.086	0.131	0.0	0.086	0.118	0.0
12	8525	8526	NS	1	-34.612	16.35	0.0	-34.165	18.787	0.0	-5.993	22.975	0.03	-26.176	23.544	0.183	0.087	214.265	3.839	0.086	193.296	3.954	0.086	0.363	0.0	0.086	30.769	0.04
13	8525	8526	SN	1	-34.544	18.597	0.0	-34.555	18.965	0.0	1.331	22.97	0.161	2.777	23.306	0.309	0.086	210.918	2.84	0.086	211.457	2.531	0.086	0.131	0.0	0.086	0.118	0.0
14	8525	8526	NS	1	-34.577	16.35	0.0	-34.165	18.786	0.0	-5.993	22.975	0.032	-26.176	23.544	0.183	0.087	212.533	3.848	0.086	193.296	3.958	0.086	0.363	0.0	0.086	30.769	0.04
15	8526	8527	NS	1	-34.71	20.036	0.0	-34.134	19.644	0.0	-21.133	22.936	0.057	-23.248	23.798	0.154	0.086	219.117	2.57	0.086	191.924	2.592	0.086	9.679	0.014	0.086	15.711	0.042
16	8526	8527	SN	1	-34.863	18.23	0.0	-34.017	18.799	0.0	0.557	23.106	0.588	2.542	23.487	1.102	0.086	226.985	2.119	0.086	186.784	2.094	0.086	0.141	0.0	0.086	0.12	0.0
17	8527	8528	SN	1	-34.816	18.914	0.0	-34.513	19.202	0.0	1.048	22.596	0.158	2.174	23.1	0.749	0.086	224.573	4.178	0.086	209.416	3.416	0.086	0.135	0.0	0.086	0.123	0.0
18	8527	8528	NS	1	-34.959	15.348	0.0	-34.303	15.562	0.0	-21.995	22.891	0.05	-17.031	23.173	0.131	0.087	232.06	1.864	0.087	199.545	1.854	0.086	11.79	0.014	0.086	3.802	0.009
19	8528	8529	SN	1	-34.773	16.72	0.0	-34.247	16.992	0.0	0.735	22.766	0.09	4.284	22.466	0.031	0.087	222.343	2.928	0.087	197.022	2.642	0.086	0.139	0.0	0.086	0.108	0.0
20	8528	8529	NS	1	-34.428	19.33	0.0	-34.168	19.358	0.0	-34.428	23.097	0.101	-32.75	23.508	0.446	0.086	205.376	2.67	0.086	193.463	2.832	0.086	205.358	0.173	0.086	139.572	0.094
21	8529	8530	NS	1	-34.544	20.173	0.0	-34.945	20.19	0.0	2.938	22.894	0.277	2.183	23.714	1.192	0.086	210.922	2.431	0.086	231.321	2.579	0.086	0.116	0.0	0.086	0.123	0.0
22	8529	8530	SN	1	-34.601	18.102	0.0	-34.937	18.659	0.0	-7.032	23.575	0.675	-6.865	24.253	1.292	0.086	213.769	3.313	0.086	230.934	3.044	0.086	0.441	0.0	0.086	0.427	0.0
23	8530	8531	NS	1	-34.897	18.846	0.0	-34.612	19.491	0.0	-0.721	23.119	0.191	1.252	24.086	1.158	0.086	228.742	2.773	0.086	214.3	2.531	0.086	0.162	0.0	0.086	0.132	0.0
24	8530	8531	SN	1	-34.996	20.656	0.0	-33.856	20.148	0.0	-6.822	23.993	0.549	-6.935	24.786	1.163	0.086	234.013	4.47	0.086	180.003	4.302	0.086	0.424	0.0	0.086	0.433	0.0
25	8531	8532	NS	1	-34.888	21.299	0.0	-34.928	19.151	0.0	-27.552	22.848	0.095	-24.844	24.564	2.578	0.086	228.273	2.224	0.086	230.384	2.118	0.086	42.204	0.235	0.086	22.657	0.078
26	8531	8532	SN	1	-33.978	21.081	0.0	-34.315	19.398	0.0	-21.913	23.553	0.532	-3.717	24.226	0.545	0.086	185.162	4.274	0.086	200.079	4.089	0.086	11.57	0.037	0.086	0.245	0.0
27	8531	8532	SN	2	-33.978	21.081	0.0	-34.315	19.398	0.0	-21.913	23.553	0.532	-3.717	24.226	0.545	0.086	185.162	4.274	0.086	200.079	4.089	0.086	11.57	0.037	0.086	0.245	0.0
28	8531	8532	NS	1	-34.51	21.299	0.0	-34.928	19.151	0.0	-27.552	22.848	0.095	-24.844	24.562	2.575	0.086	209.312	2.225	0.086	230.384	2.119	0.086	42.204	0.235	0.086	22.657	0.078
29	8532	8533	NS	1	-34.662	22.064	0.001	-34.326	18.801	0.0	-32.151	22.673	0.045	-30.23	24.418	2.317	0.086	216.728	1.589	0.086	200.595	1.648	0.086	121.6	0.314	0.086	78.158	0.283
30	8532	8533	NS	1	-34.662	22.064	0.001	-34.326	18.801	0.0	-32.151	22.673	0.045	-30.23	24.418	2.314	0.086	216.728	1.59	0.086	200.595	1.653	0.086	121.6	0.314	0.086	78.158	0.283
31	8537	8538	SN	1	-34.202	20.057	0.0	-34.914	19.879	0.0	-28.888	23.089	0.059	-28.322	23.334	0.03	0.086	194.969	2.229	0.086	229.712	1.567	0.086	57.392	0.086	0.086	50.385	0.09
32	8537	8538	SN	1	-33.084	20.057	0.0	-34.106	19.879	0.0	-28.78	23.089	0.059	-28.523	23.334	0.03	0.086	150.735	2.211	0.086	190.733	1.567	0.086	55.994	0.086	0.086	52.777	0.09

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

<span style="color: green;">■</span> Normal	<span style="background-color: yellow;">■</span> Deviations
<span style="color: orange;">■</span> Alarming	<span style="background-color: red;">■</span> High Errors



70	8546	8547	SN	1	-34.892	21.423	0.0	-34.798	22.763	0.001	-4.775	23.693	0.572	-4.026	23.414	0.222	0.086	228.53	3.623	0.086	223.606	3.124	0.086	0.292	0.0	0.086	0.257	0.0
71	8546	8547	NS	1	-34.731	22.161	0.001	-34.252	20.945	0.0	-23.316	23.032	0.138	-23.612	24.7	2.67	0.086	220.212	3.173	0.086	197.186	3.078	0.086	15.955	0.04	0.086	17.074	0.032
72	8547	8548	NS	1	-34.909	19.718	0.0	-34.882	20.139	0.0	0.508	23.058	0.101	1.012	24.449	2.194	0.086	229.44	2.133	0.086	227.927	2.453	0.086	0.142	0.0	0.086	0.135	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors