

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 09-MAY-2018 To 10-MAY-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 09-MAY-2018 To 10-MAY-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8552	8553	SN	1	48.829	49.44	0.0	0.003	30.575	2.736	1053.512	1074.92	0.0	-91.712	-90.028	0.0
2	8552	8553	NS	1	48.66	49.292	0.0	0.0	210.838	2.851	1020.416	1069.8	13.953	-91.791	-89.742	0.0
3	8552	8553	SN	2	48.829	49.44	0.0	0.003	30.575	2.737	1053.512	1074.92	0.0	-91.712	-90.028	0.0
4	8552	8553	NS	1	48.66	49.292	0.0	0.0	210.838	2.848	1020.416	1069.8	13.935	-91.323	-89.742	0.0
5	8553	8554	SN	1	48.827	49.43	0.0	0.003	6.061	2.543	1053.336	1075.08	0.0	-91.672	-90.075	0.0
6	8553	8554	NS	1	48.696	49.293	0.0	0.0	207.171	2.685	1020.768	1070.064	13.968	-91.266	-89.748	0.0
7	8553	8554	NS	1	48.67	49.293	0.0	0.0	207.171	2.683	1021.144	1070.064	13.974	-91.82	-89.748	0.0
8	8553	8554	SN	2	48.827	49.43	0.0	0.003	6.061	2.396	1053.336	1075.08	0.0	-91.672	-90.075	0.0
9	8553	8554	SN	1	48.827	49.43	0.0	0.008	279.269	2.396	1053.336	1075.088	0.0	-91.672	-90.075	0.0
10	8554	8555	NS	1	48.661	49.291	0.0	0.0	210.099	2.685	1020.752	1070.184	13.891	-91.552	-89.752	0.0
11	8554	8555	NS	1	48.666	49.291	0.0	0.0	210.099	2.695	1020.8	1070.184	13.964	-91.241	-89.752	0.0
12	8554	8555	SN	1	48.866	49.462	0.0	0.003	6.061	2.326	1053.256	1075.128	0.0	-91.724	-90.08	0.0
13	8554	8555	SN	1	48.866	49.462	0.0	0.003	6.061	2.499	1053.256	1075.128	0.0	-91.724	-90.08	0.0
14	8554	8555	SN	1	48.866	49.462	0.0	0.003	6.061	2.501	1053.256	1075.128	0.0	-91.724	-90.08	0.0
15	8555	8556	SN	1	48.884	49.424	0.0	0.003	6.05	2.537	1053.904	1075.064	0.0	-92.012	-90.074	0.0
16	8555	8556	NS	1	48.653	49.322	0.0	0.003	263.986	2.676	1021.728	1070.152	13.794	-91.968	-89.743	0.0
17	8555	8556	NS	1	48.654	49.29	0.0	0.003	263.986	2.689	1021.728	1070.152	13.784	-91.575	-89.743	0.0
18	8555	8556	SN	1	48.864	49.424	0.0	0.003	6.05	2.535	1053.896	1075.064	0.0	-92.012	-90.074	0.0
19	8555	8556	SN	1	48.884	49.424	0.0	0.003	6.05	2.263	1053.904	1075.064	0.0	-92.012	-90.074	0.0
20	8556	8557	SN	1	48.864	49.423	0.0	0.003	213.706	2.536	1053.248	1075.072	0.0	-91.646	-90.075	0.0
21	8556	8557	NS	1	48.676	49.325	0.0	0.003	266.711	2.706	1021.64	1070.104	14.665	-91.452	-89.745	0.0
22	8556	8557	NS	2	48.677	49.324	0.0	0.003	264.748	2.702	1021.656	1070.096	14.661	-91.452	-89.745	0.0
23	8556	8557	SN	1	48.849	49.423	0.0	0.003	213.706	2.533	1053.24	1075.072	0.0	-91.61	-90.075	0.0
24	8557	8558	NS	1	48.663	49.306	0.0	0.0	265.112	2.774	1021.248	1070.024	15.057	-91.502	-89.751	0.0
25	8557	8558	NS	2	48.663	49.306	0.0	0.0	265.112	2.774	1021.248	1070.024	15.057	-91.502	-89.751	0.0
26	8557	8558	SN	1	48.851	49.424	0.0	0.003	6.039	2.575	1053.648	1075.048	0.0	-92.204	-90.075	0.0
27	8557	8558	SN	1	48.836	49.475	0.0	0.003	267.124	2.577	1053.424	1075.048	0.0	-91.696	-90.075	0.0
28	8557	8558	SN	1	48.836	49.475	0.0	0.003	6.039	1.857	1053.424	1075.048	0.0	-91.696	-90.075	0.0
29	8558	8559	SN	1	48.87	49.466	0.0	0.003	30.661	1.627	1053.576	1076.144	0.0	-91.736	-90.044	0.0
30	8558	8559	NS	1	48.678	49.329	0.0	0.003	264.946	2.586	1021.352	1070.128	15.913	-91.611	-89.748	0.0
31	8558	8559	SN	1	48.87	49.466	0.0	0.003	30.661	2.649	1053.576	1076.144	0.0	-91.736	-90.044	0.0
32	8558	8559	SN	2	48.87	49.466	0.0	0.003	30.661	2.649	1053.576	1076.144	0.0	-91.736	-90.044	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
  Deviations
  Alarming
  High Errors







33	8558	8559	NS	1	48.676	49.33	0.0	0.003	264.946	2.585	1021.336	1070.144	15.876	-91.557	-89.748	0.0
34	8559	8560	SN	1	48.888	49.427	0.0	0.003	280.377	2.591	1053.968	1075.464	0.0	-91.759	-90.069	0.0
35	8559	8560	SN	2	48.888	49.427	0.0	0.003	280.377	2.591	1053.968	1075.464	0.0	-91.759	-90.069	0.0
36	8559	8560	NS	1	48.644	49.319	0.0	0.003	16.319	2.699	1021.208	1070.336	16.372	-91.408	-89.742	0.0
37	8559	8560	NS	1	48.647	49.32	0.0	0.003	16.33	2.696	1021.176	1070.36	16.373	-91.435	-89.742	0.0
38	8559	8560	SN	1	48.888	49.427	0.0	0.003	280.377	1.507	1053.968	1075.464	0.0	-91.759	-90.069	0.0
39	8560	8561	NS	1	48.656	49.288	0.0	0.003	42.573	2.779	1021.296	1070.408	16.331	-91.643	-89.725	0.0
40	8560	8561	SN	1	48.842	49.427	0.0	0.0	215.521	2.548	1054.768	1075.528	0.0	-91.601	-90.064	0.0
41	8561	8562	NS	1	48.665	49.288	0.0	0.003	266.893	2.699	1020.6	1070.336	16.987	-91.257	-89.746	0.0
42	8566	8567	SN	2	48.831	49.484	0.0	0.003	6.072	2.705	1055.104	1076.08	0.0	-91.773	-90.069	0.0
43	8566	8567	SN	1	48.831	49.484	0.0	0.003	6.072	2.705	1055.104	1076.08	0.0	-91.773	-90.069	0.0
44	8566	8567	SN	1	48.831	49.484	0.0	0.003	6.072	2.003	1055.104	1076.08	0.0	-91.773	-90.069	0.0
45	8567	8568	NS	1	48.693	49.285	0.0	0.003	16.639	2.623	1020.104	1070.88	15.999	-91.296	-89.729	0.0
46	8567	8568	SN	1	48.83	49.432	0.0	0.003	6.072	2.596	1054.216	1076.04	0.0	-91.85	-90.064	0.0
47	8567	8568	SN	1	48.83	49.432	0.0	0.003	6.072	2.421	1054.216	1076.04	0.0	-91.85	-90.064	0.0
48	8567	8568	SN	1	48.83	49.432	0.0	0.003	6.072	2.594	1054.216	1076.04	0.0	-91.85	-90.064	0.0
49	8568	8569	NS	1	48.673	49.283	0.0	0.003	14.278	2.546	1019.952	1071.096	16.473	-91.353	-89.735	0.0
50	8568	8569	SN	1	48.847	49.463	0.0	0.003	6.066	2.35	1053.752	1076.176	0.0	-91.738	-90.086	0.0
51	8568	8569	SN	1	48.846	49.463	0.0	0.003	6.072	2.347	1053.744	1076.168	0.0	-91.747	-90.086	0.0
52	8568	8569	SN	1	48.846	49.463	0.0	0.003	6.072	2.497	1053.744	1076.168	0.0	-91.747	-90.086	0.0
53	8568	8569	NS	1	48.673	49.283	0.0	0.003	14.278	2.535	1019.952	1071.096	16.492	-91.434	-89.735	0.0
54	8569	8570	SN	1	48.891	49.43	0.0	0.003	6.066	2.519	1054.504	1076.136	0.0	-91.683	-90.085	0.0
55	8569	8570	NS	1	48.655	49.283	0.0	0.003	265.067	2.633	1020.136	1071.08	16.241	-91.268	-89.745	0.0
56	8569	8570	SN	1	48.891	49.44	0.0	0.003	6.066	2.516	1053.88	1076.136	0.0	-91.683	-90.085	0.0
57	8569	8570	SN	1	48.891	49.43	0.0	0.003	6.066	2.299	1054.504	1076.136	0.0	-91.683	-90.085	0.0
58	8570	8571	SN	1	48.869	49.429	0.0	0.003	215.405	2.522	1053.688	1076.096	0.0	-91.596	-90.084	0.0
59	8570	8571	NS	1	48.696	49.283	0.0	0.003	42.435	2.703	1020.312	1071.024	16.755	-91.466	-89.704	0.0
60	8570	8571	SN	1	48.883	49.429	0.0	0.003	215.405	2.525	1053.8	1076.088	0.0	-91.795	-90.084	0.0
61	8570	8571	NS	2	48.696	49.294	0.0	0.003	42.435	2.703	1020.312	1071.024	16.755	-91.466	-89.704	0.0
62	8571	8572	SN	1	48.891	49.466	0.0	0.003	214.445	2.497	1053.784	1076.104	0.0	-91.689	-90.086	0.0
63	8571	8572	NS	1	48.677	49.344	0.0	0.003	17.466	2.723	1021.016	1071.016	17.105	-91.437	-89.74	0.0
64	8571	8572	NS	2	48.677	49.31	0.0	0.003	17.466	2.722	1021.024	1071.008	17.106	-91.461	-89.74	0.0
65	8571	8572	SN	1	48.891	49.466	0.0	0.003	214.445	2.556	1053.784	1076.104	0.0	-91.689	-90.086	0.0
66	8571	8572	SN	2	48.891	49.466	0.0	0.003	214.445	2.556	1053.784	1076.104	0.0	-91.689	-90.086	0.0
67	8572	8573	SN	1	48.856	49.431	0.0	0.003	277.862	2.24	1053.928	1076.16	0.0	-91.64	-90.082	0.0
68	8572	8573	NS	1	48.639	49.283	0.0	0.003	15.889	2.64	1020.408	1071.016	17.431	-91.613	-89.744	0.0
69	8572	8573	NS	1	48.639	49.283	0.0	0.003	15.889	2.643	1020.408	1071.016	17.45	-91.527	-89.744	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8572	8573	SN	1	48.855	49.436	0.0	0.003	215.51	2.633	1053.92	1076.168	0.0	-91.7	-90.082	0.0
71	8572	8573	SN	2	48.856	49.431	0.0	0.003	277.862	2.63	1053.928	1076.16	0.0	-91.64	-90.082	0.0
72	8573	8574	SN	1	48.893	49.498	0.0	0.0	97.412	2.684	1054.56	1076.424	0.0	-93.914	-90.08	0.0
73	8573	8574	SN	1	48.893	49.433	0.0	0.0	97.412	1.771	1054.56	1076.424	0.0	-91.592	-90.08	0.0
74	8573	8574	NS	1	48.625	49.282	0.0	0.003	210.574	2.653	1020.664	1071.232	18.028	-91.594	-89.742	0.0
75	8573	8574	SN	1	48.893	49.498	0.0	0.0	97.412	2.681	1054.56	1076.424	0.0	-93.914	-90.08	0.0
76	8574	8575	SN	1	48.83	49.453	0.0	0.003	6.078	2.565	1054.352	1076.56	0.0	-91.666	-90.058	0.0
77	8574	8575	NS	1	48.66	49.282	0.0	0.003	16.242	2.744	1020.64	1071.344	18.46	-91.58	-89.704	0.0
78	8574	8575	NS	2	48.66	49.282	0.0	0.003	16.242	2.743	1020.64	1071.344	18.455	-91.58	-89.704	0.0
79	8575	8576	NS	1	48.628	49.281	0.0	0.0	210.8	2.845	1020.496	1071.344	18.645	-91.659	-89.734	0.0
80	8575	8576	SN	1	48.859	49.433	0.0	0.003	30.848	2.548	1054.2	1076.584	0.0	-91.717	-90.094	0.0
81	8576	8577	NS	1	48.654	49.281	0.0	0.0	42.438	2.807	1020.04	1071.352	19.074	-91.551	-89.74	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8552	8553	SN	1	-34.074	27.064	1.428	-34.818	26.72	2.427	-25.268	35.311	15.205	-30.81	30.243	19.787	0.116	247.659	6.69	0.116	293.975	5.332	0.116	32.682	0.12	0.116	116.841	0.129
2	8552	8553	NS	1	-34.849	28.016	0.245	-34.998	28.694	0.049	-4.747	32.484	21.336	0.33	34.634	33.601	0.116	296.002	5.353	0.116	306.35	5.417	0.116	0.385	0.0	0.116	0.194	0.0
3	8552	8553	SN	2	-34.074	27.064	1.426	-34.818	26.72	2.426	-25.268	35.311	15.205	-30.81	30.243	19.787	0.116	247.659	6.691	0.116	293.975	5.332	0.116	32.682	0.12	0.116	116.841	0.129
4	8552	8553	NS	1	-34.849	28.016	0.244	-34.998	28.694	0.049	-4.747	32.484	21.334	0.33	34.634	33.6	0.116	296.002	5.347	0.116	306.35	5.407	0.116	0.385	0.0	0.116	0.194	0.0
5	8553	8554	SN	1	-34.823	25.221	0.541	-34.724	25.379	0.802	4.425	29.599	10.795	5.922	30.742	6.575	0.116	294.23	5.518	0.116	287.66	4.48	0.116	0.144	0.0	0.116	0.136	0.0
6	8553	8554	NS	1	-34.686	28.25	0.042	-34.756	28.674	0.035	-8.635	33.538	17.045	-5.377	31.451	30.368	0.116	285.19	4.493	0.116	289.765	3.845	0.116	0.8	0.0	0.116	0.43	0.0
7	8553	8554	NS	1	-34.977	28.25	0.042	-34.349	28.674	0.035	-8.635	33.536	17.065	-5.377	31.451	30.383	0.116	304.907	4.491	0.116	263.84	3.85	0.116	0.8	0.0	0.116	0.43	0.0
8	8553	8554	SN	2	-34.823	25.221	0.552	-34.724	25.379	0.818	4.425	29.599	10.795	5.922	30.742	6.575	0.116	294.23	5.634	0.116	287.66	4.571	0.116	0.144	0.0	0.116	0.136	0.0
9	8553	8554	SN	1	-34.878	25.221	0.552	-34.755	25.379	0.818	4.425	29.598	10.797	5.922	30.742	6.575	0.116	298.097	5.633	0.116	289.652	4.57	0.116	0.144	0.0	0.116	0.136	0.0
10	8554	8555	NS	1	-34.52	24.742	0.009	-34.898	26.383	0.009	-20.768	30.32	15.015	-7.817	29.912	25.812	0.116	274.44	2.991	0.116	299.442	2.847	0.116	11.656	0.009	0.116	0.679	0.0
11	8554	8555	NS	1	-34.951	24.735	0.009	-34.167	26.383	0.009	-21.141	30.323	15.018	-7.807	29.91	25.811	0.116	303.026	2.988	0.116	253.046	2.85	0.116	12.692	0.009	0.116	0.678	0.0
12	8554	8555	SN	1	-34.752	24.16	0.106	-34.433	25.102	0.185	6.875	29.625	17.647	8.125	30.454	9.16	0.116	289.47	2.092	0.116	269.038	1.725	0.116	0.132	0.0	0.116	0.128	0.0
13	8554	8555	SN	1	-34.752	24.16	0.104	-34.433	25.102	0.183	6.875	29.625	17.566	8.124	30.454	9.143	0.116	289.47	2.057	0.116	269.038	1.698	0.116	0.132	0.0	0.116	0.128	0.0
14	8554	8555	SN	1	-34.752	24.16	0.104	-34.433	25.102	0.182	6.875	29.625	17.646	8.125	30.454	9.143	0.116	289.47	2.058	0.116	269.038	1.7	0.116	0.132	0.0	0.116	0.128	0.0
15	8555	8556	SN	1	-34.24	23.612	0.059	-34.176	25.201	0.141	6.495	27.654	16.102	7.251	28.498	11.184	0.116	257.312	1.013	0.116	253.588	0.781	0.116	0.133	0.0	0.116	0.13	0.0
16	8555	8556	NS	1	-32.539	26.963	0.036	-31.772	23.838	0.025	-9.158	30.878	8.226	-6.452	31.322	16.59	0.116	173.957	1.706	0.116	145.794	1.46	0.116	0.89	0.0	0.116	0.522	0.0
17	8555	8556	NS	1	-33.458	26.963	0.036	-33.666	23.838	0.025	-9.155	30.878	8.224	-6.449	31.322	16.604	0.116	214.98	1.705	0.116	225.427	1.459	0.116	0.89	0.0	0.116	0.522	0.0
18	8555	8556	SN	1	-34.57	23.612	0.059	-34.176	25.201	0.141	6.495	27.654	16.093	7.251	28.498	11.155	0.116	277.66	1.012	0.116	253.588	0.78	0.116	0.133	0.0	0.116	0.13	0.0
19	8555	8556	SN	1	-34.24	23.612	0.06	-34.176	25.201	0.143	6.495	27.654	16.122	7.251	28.498	11.303	0.116	257.312	1.036	0.116	253.588	0.795	0.116	0.133	0.0	0.116	0.13	0.0
20	8556	8557	SN	1	-34.023	25.088	0.011	-34.114	23.422	0.015	6.572	28.669	19.136	7.851	29.239	24.29	0.116	244.765	1.753	0.116	249.953	1.266	0.116	0.133	0.0	0.116	0.128	0.0
21	8556	8557	NS	1	-34.662	21.487	0.0	-34.543	22.526	0.003	-12.362	28.224	11.694	-14.292	30.377	19.012	0.116	283.542	2.954	0.116	275.903	2.7	0.116	1.76	0.006	0.116	2.693	0.001
22	8556	8557	NS	2	-34.946	21.487	0.0	-34.993	22.526	0.003	-12.363	28.224	11.694	-14.282	30.377	19.013	0.116	302.722	2.959	0.116	306.057	2.7	0.116	1.76	0.006	0.116	2.687	0.001
23	8556	8557	SN	1	-34.544	25.088	0.011	-34.527	23.422	0.015	6.572	28.669	19.136	7.851	29.239	24.297	0.116	275.979	1.755	0.116	274.898	1.265	0.116	0.133	0.0	0.116	0.128	0.0
24	8557	8558	NS	1	-34.506	23.151	0.048	-34.806	24.984	0.053	-7.167	32.531	8.367	-5.366	34.854	14.382	0.116	273.53	3.222	0.116	293.114	3.314	0.116	0.598	0.0	0.116	0.429	0.0
25	8557	8558	NS	2	-34.506	23.151	0.048	-34.806	24.984	0.053	-7.167	32.531	8.367	-5.366	34.854	14.382	0.116	273.53	3.222	0.116	293.114	3.314	0.116	0.598	0.0	0.116	0.429	0.0
26	8557	8558	SN	1	-34.871	21.318	0.0	-34.968	22.122	0.001	6.17	27.987	18.148	8.387	30.051	21.618	0.116	297.467	2.586	0.116	304.231	2.138	0.116	0.135	0.0	0.116	0.127	0.0
27	8557	8558	SN	1	-34.928	21.318	0.0	-33.69	22.122	0.001	6.17	27.987	18.148	8.387	30.051	21.618	0.116	301.462	2.587	0.116	226.708	2.139	0.116	0.135	0.0	0.116	0.127	0.0
28	8557	8558	SN	1	-34.928	21.318	0.0	-33.69	21.807	0.0	6.17	27.987	19.179	8.387	30.051	21.828	0.116	301.462	2.693	0.116	226.708	2.257	0.116	0.135	0.0	0.116	0.127	0.0
29	8558	8559	SN	1	-34.984	24.794	0.082	-34.993	25.866	0.098	-2.309	33.199	13.312	-1.18	32.743	15.226	0.116	305.392	7.322	0.116	305.959	5.694	0.116	0.264	0.0	0.116	0.228	0.0
30	8558	8559	NS	1	-34.97	25.919	0.376	-31.334	27.062	0.83	8.175	29.274	19.359	7.97	30.462	28.917	0.116	304.353	0.804	0.116	131.834	0.671	0.116	0.127	0.0	0.116	0.128	0.0
31	8558	8559	SN	1	-34.984	24.794	0.076	-34.993	25.866	0.112	-2.309	33.199	12.829	-1.18	32.743	15.266	0.116	305.392	6.832	0.116	305.959	5.114	0.116	0.264	0.0	0.116	0.228	0.0
32	8558	8559	SN	2	-34.984	24.794	0.076	-34.993	25.866	0.112	-2.309	33.199	12.829	-1.18	32.743	15.266	0.116	305.392	6.832	0.116	305.959	5.114	0.116	0.264	0.0	0.116	0.228	0.0
33	8558	8559	NS	1	-34.979	25.919	0.376	-32.88	27.062	0.828	8.175	29.274	19.387	7.966	30.462	28.92	0.116	305.068	0.805	0.116	188.135	0.671	0.116	0.127	0.0	0.116	0.128	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	8559	8560	SN	1	-33.604	26.533	0.078	-34.618	27.159	0.347	-31.173	36.383	17.454	-5.666	32.883	22.1	0.116	222.248	3.135	0.116	280.745	2.947	0.116	127.055	0.001	0.116	0.452	0.0
35	8559	8560	SN	2	-33.604	26.533	0.078	-34.618	27.159	0.347	-31.173	36.383	17.454	-5.666	32.883	22.1	0.116	222.248	3.135	0.116	280.745	2.947	0.116	127.055	0.001	0.116	0.452	0.0
36	8559	8560	NS	1	-34.465	25.41	0.273	-34.996	25.926	0.594	6.468	31.18	23.018	7.486	30.003	38.249	0.116	271.024	2.583	0.116	327.996	2.447	0.116	0.133	0.0	0.116	0.13	0.0
37	8559	8560	NS	1	-34.674	25.408	0.273	-34.984	25.926	0.594	6.468	31.18	22.974	7.486	30.003	38.173	0.116	284.395	2.584	0.116	326.992	2.446	0.116	0.133	0.0	0.116	0.13	0.0
38	8559	8560	SN	1	-33.604	26.533	0.086	-34.618	27.159	0.139	-30.595	36.383	18.17	-5.666	32.883	22.08	0.116	222.248	3.438	0.116	280.745	3.363	0.116	111.204	0.001	0.116	0.452	0.0
39	8560	8561	NS	1	-34.713	28.864	0.22	-34.801	26.904	0.346	-31.928	28.966	28.53	-24.598	31.434	43.589	0.116	286.91	4.15	0.116	292.773	3.587	0.116	151.17	0.078	0.116	28.023	0.039
40	8560	8561	SN	1	-34.885	27.252	0.13	-34.441	27.817	0.465	-12.156	29.338	17.665	-11.03	30.603	16.208	0.116	298.432	3.243	0.116	269.491	3.541	0.116	1.682	0.003	0.116	1.319	0.004
41	8561	8562	NS	1	-34.665	27.774	0.218	-34.399	25.981	0.118	-11.946	35.96	15.071	-11.796	33.275	26.32	0.116	298.39	3.63	0.116	266.922	3.145	0.116	1.607	0.01	0.116	1.556	0.002
42	8566	8567	SN	2	-34.555	26.516	1.375	-32.641	26.654	2.326	-23.203	28.662	13.548	-18.542	30.897	18.982	0.116	276.715	1.889	0.116	178.102	1.146	0.116	20.349	0.027	0.116	7.017	0.005
43	8566	8567	SN	1	-34.555	26.516	1.396	-32.641	26.654	2.337	-23.203	28.662	13.548	-18.542	30.897	18.982	0.116	276.715	1.889	0.116	178.102	1.146	0.116	20.349	0.027	0.116	7.017	0.005
44	8566	8567	SN	1	-34.555	26.516	0.854	-32.641	26.654	2.486	-23.203	28.662	13.43	-18.542	30.897	18.982	0.116	276.715	1.987	0.116	178.102	1.274	0.116	20.349	0.028	0.116	7.017	0.005
45	8567	8568	NS	1	-33.542	27.685	0.057	-34.49	28.358	0.027	3.011	32.78	21.709	4.542	36.383	36.945	0.116	219.141	2.003	0.116	272.561	2.058	0.116	0.156	0.0	0.116	0.144	0.0
46	8567	8568	SN	1	-34.882	26.932	1.399	-34.782	26.556	2.076	-15.239	31.177	11.894	-7.354	30.074	8.56	0.116	298.305	5.878	0.116	291.583	4.631	0.116	3.327	0.004	0.116	0.62	0.0
47	8567	8568	SN	1	-34.882	26.932	1.43	-34.782	26.556	2.13	-15.239	31.177	11.894	-7.354	30.074	8.56	0.116	298.305	6.035	0.116	291.583	4.751	0.116	3.327	0.004	0.116	0.62	0.0
48	8567	8568	SN	1	-34.882	26.932	1.4	-34.782	26.556	2.076	-15.239	31.177	11.872	-7.354	30.074	8.551	0.116	298.305	5.878	0.116	291.583	4.631	0.116	3.327	0.004	0.116	0.62	0.0
49	8568	8569	NS	1	-34.96	25.735	0.017	-34.733	24.601	0.017	-8.142	30.17	14.118	-6.109	30.651	25.003	0.116	303.708	3.59	0.116	288.269	3.878	0.116	0.724	0.0	0.116	0.49	0.0
50	8568	8569	SN	1	-34.914	25.302	0.094	-34.396	25.249	0.16	5.54	29.963	13.278	6.47	29.83	7.129	0.116	300.491	3.954	0.116	266.713	3.011	0.116	0.138	0.0	0.116	0.133	0.0
51	8568	8569	SN	1	-34.816	25.302	0.094	-34.264	25.249	0.16	5.54	29.963	13.245	6.47	29.83	7.124	0.116	293.784	3.955	0.116	258.763	3.011	0.116	0.138	0.0	0.116	0.133	0.0
52	8568	8569	SN	1	-34.816	25.302	0.092	-34.264	25.249	0.157	5.54	29.963	13.246	6.47	29.83	7.124	0.116	293.784	3.886	0.116	258.763	2.966	0.116	0.138	0.0	0.116	0.133	0.0
53	8568	8569	NS	1	-34.564	25.735	0.017	-34.694	24.601	0.017	-8.138	30.17	14.118	-6.107	30.65	25.007	0.116	277.286	3.593	0.116	285.713	3.88	0.116	0.724	0.0	0.116	0.49	0.0
54	8569	8570	SN	1	-34.622	24.212	0.044	-33.687	24.89	0.106	6.439	28.488	14.774	7.232	29.296	5.852	0.116	280.938	1.566	0.116	226.552	1.366	0.116	0.133	0.0	0.116	0.13	0.0
55	8569	8570	NS	1	-34.782	26.63	0.015	-34.953	23.824	0.013	-11.056	29.537	11.651	-6.762	31.622	21.585	0.116	291.569	4.641	0.116	303.217	4.226	0.116	1.327	0.002	0.116	0.554	0.0
56	8569	8570	SN	1	-34.359	24.214	0.044	-33.24	24.89	0.106	6.439	28.488	14.774	7.232	29.296	5.852	0.116	264.406	1.563	0.116	204.383	1.368	0.116	0.133	0.0	0.116	0.13	0.0
57	8569	8570	SN	1	-34.622	24.212	0.045	-33.687	24.89	0.107	6.439	28.488	14.806	7.232	29.296	5.797	0.116	280.938	1.591	0.116	226.552	1.388	0.116	0.133	0.0	0.116	0.13	0.0
58	8570	8571	SN	1	-34.786	24.687	0.142	-34.28	24.492	0.205	6.425	29.352	19.849	7.551	29.308	22.443	0.116	291.79	3.965	0.116	259.681	3.23	0.116	0.133	0.0	0.116	0.129	0.0
59	8570	8571	NS	1	-34.943	21.324	0.0	-32.604	21.948	0.0	-12.88	28.935	7.939	-7.167	30.346	14.753	0.116	302.581	2.339	0.116	176.58	2.375	0.116	1.971	0.004	0.116	0.598	0.0
60	8570	8571	SN	1	-34.99	24.687	0.143	-34.993	24.492	0.205	6.425	29.352	19.848	7.551	29.308	22.439	0.116	305.773	3.969	0.116	306.049	3.229	0.116	0.133	0.0	0.116	0.129	0.0
61	8570	8571	NS	2	-34.943	21.329	0.0	-32.604	21.948	0.0	-12.88	28.935	7.939	-7.167	30.346	14.753	0.116	302.581	2.339	0.116	176.58	2.375	0.116	1.971	0.004	0.116	0.598	0.0
62	8571	8572	SN	1	-34.535	24.042	0.003	-34.102	24.158	0.003	6.119	28.75	20.054	8.725	29.845	26.376	0.116	275.396	2.321	0.116	249.265	1.994	0.116	0.135	0.0	0.116	0.126	0.0
63	8571	8572	NS	1	-34.419	24.087	0.002	-34.594	22.583	0.003	-20.996	28.182	9.704	-32.081	30.473	15.524	0.116	268.122	2.462	0.116	279.112	2.098	0.116	12.274	0.025	0.116	156.59	0.023
64	8571	8572	NS	2	-34.592	24.087	0.002	-34.38	22.583	0.003	-21.011	28.182	9.701	-32.247	30.473	15.529	0.116	279.001	2.46	0.116	265.767	2.097	0.116	12.321	0.025	0.116	162.672	0.023
65	8571	8572	SN	1	-34.535	24.042	0.003	-34.102	24.158	0.003	6.119	28.75	20.034	8.725	29.845	26.376	0.116	275.396	2.311	0.116	249.265	1.984	0.116	0.135	0.0	0.116	0.126	0.0
66	8571	8572	SN	2	-34.535	24.042	0.003	-34.102	24.158	0.003	6.119	28.75	20.034	8.725	29.845	26.376	0.116	275.396	2.311	0.116	249.265	1.984	0.116	0.135	0.0	0.116	0.126	0.0
67	8572	8573	SN	1	-34.996	23.092	0.006	-34.727	24.735	0.016	3.891	29.16	16.313	-0.9	29.372	18.607	0.116	306.24	4.837	0.116	287.799	4.156	0.116	0.148	0.0	0.116	0.221	0.0
68	8572	8573	NS	1	-34.869	26.404	0.522	-34.41	27.153	0.855	-6.588	29.696	12.104	-5.06	30.798	17.097	0.116	297.414	2.05	0.116	267.566	1.959	0.116	0.536	0.0	0.116	0.406	0.0
69	8572	8573	NS	1	-34.869	26.401	0.522	-34.41	27.153	0.856	-6.588	29.696	12.104	-5.06	30.798	17.1	0.116	297.414	2.054	0.116	267.566	1.954	0.116	0.536	0.0	0.116	0.406	0.0
70	8572	8573	SN	1	-34.996	23.092	0.005	-34.858	24.735	0.015	3.891	29.16	16.239	-0.9	29.372	18.673	0.116	306.24	4.692	0.116	296.646	4.01	0.116	0.148	0.0	0.116	0.221	0.0
71	8572	8573	SN	2	-34.996	23.092	0.005	-34.727	24.735	0.015	3.891	29.16	16.24	-0.9	29.372	18.666	0.116	306.24	4.692	0.116	287.799	4.008	0.116	0.148	0.0	0.116	0.221	0.0
72	8573	8574	SN	1	-34.351	23.764	0.026	-34.241	25.158	0.182	-9.704	33.892	16.452	2.567	32.473	19.717	0.116	264.014	3.901	0.116	257.363	3.221	0.116	0.997	0.0	0.116	0.161	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	8573	8574	SN	1	-34.351	23.764	0.028	-34.241	25.158	0.073	-9.727	33.892	16.831	2.567	32.473	19.706	0.116	264.014	4.224	0.116	257.363	3.622	0.116	1.002	0.002	0.116	0.161	0.0
74	8573	8574	NS	1	-34.996	26.629	0.696	-34.637	27.69	1.165	3.684	33.052	12.948	5.675	30.56	24.314	0.116	306.206	1.977	0.116	281.902	2.115	0.116	0.15	0.0	0.116	0.137	0.0
75	8573	8574	SN	1	-34.351	23.764	0.026	-34.241	25.158	0.182	-9.576	33.892	16.419	2.567	32.473	19.673	0.116	264.014	3.901	0.116	257.363	3.221	0.116	0.97	0.0	0.116	0.161	0.0
76	8574	8575	SN	1	-34.54	26.197	0.073	-34.382	27.068	0.383	-20.745	30.15	18.19	-6.499	30.198	19.179	0.116	275.701	5.44	0.116	265.879	3.994	0.116	11.59	0.002	0.116	0.527	0.0
77	8574	8575	NS	1	-34.634	24.202	0.199	-32.909	25.773	0.392	-3.302	28.637	30.231	0.184	30.077	46.433	0.116	281.705	3.012	0.116	189.424	2.941	0.116	0.305	0.0	0.116	0.196	0.0
78	8574	8575	NS	2	-34.634	24.188	0.199	-33.908	25.769	0.405	-3.302	28.635	30.231	0.184	30.077	46.434	0.116	281.705	3.018	0.116	238.45	2.949	0.116	0.305	0.0	0.116	0.196	0.0
79	8575	8576	NS	1	-34.976	28.877	0.326	-34.688	26.548	0.383	-18.5	30.261	15.01	-29.065	30.518	27.718	0.116	304.828	3.122	0.116	285.24	2.663	0.116	6.951	0.067	0.116	78.204	0.083
80	8575	8576	SN	1	-34.886	28.473	0.136	-34.801	28.959	0.51	-6.194	34.09	16.474	-8.055	30.846	14.728	0.116	298.611	5.943	0.116	292.811	5.049	0.116	0.498	0.0	0.116	0.712	0.0
81	8576	8577	NS	1	-34.894	27.521	0.532	-34.829	24.728	0.46	5.789	31.446	17.298	-9.047	35.015	27.094	0.116	299.108	2.092	0.116	294.62	2.144	0.116	0.136	0.0	0.116	0.87	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8552	8553	SN	1	57.673	58.275	0.0	0.0	296.906	3.85	1235.864	1263.536	0.0	-93.248	-92.083	0.0
2	8552	8553	NS	1	57.44	58.095	0.0	0.0	292.207	3.888	1195.808	1256.08	32.688	-93.654	-91.785	0.0
3	8552	8553	SN	2	57.673	58.275	0.0	0.0	296.906	3.85	1235.864	1263.536	0.0	-93.248	-92.083	0.0
4	8552	8553	NS	1	57.432	58.095	0.0	0.0	292.207	3.884	1195.808	1256.08	32.651	-93.654	-91.785	0.0
5	8553	8554	SN	1	57.684	58.286	0.0	0.0	298.736	3.618	1235.688	1263.792	0.0	-93.266	-92.13	0.0
6	8553	8554	NS	1	57.457	58.096	0.0	0.0	293.712	3.625	1196.032	1256.4	33.228	-93.654	-91.798	0.0
7	8553	8554	NS	1	57.457	58.096	0.0	0.0	293.712	3.622	1196.032	1256.4	33.282	-93.654	-91.798	0.0
8	8553	8554	SN	2	57.684	58.286	0.0	0.0	298.736	3.241	1235.688	1263.792	0.0	-93.266	-92.13	0.0
9	8553	8554	SN	1	57.684	58.286	0.0	0.003	298.692	3.242	1235.68	1263.792	0.0	-93.221	-92.13	0.0
10	8554	8555	NS	1	57.451	58.094	0.0	0.0	297.391	3.634	1196.272	1256.552	33.859	-93.653	-91.806	0.0
11	8554	8555	NS	1	57.456	58.094	0.0	0.0	297.391	3.642	1196.24	1256.552	33.899	-93.653	-91.806	0.0
12	8554	8555	SN	1	57.694	58.296	0.0	0.0	285.214	3.173	1235.56	1263.976	0.0	-93.081	-92.134	0.0
13	8554	8555	SN	1	57.694	58.296	0.0	0.0	285.214	3.56	1235.56	1263.976	0.0	-93.081	-92.134	0.0
14	8554	8555	SN	1	57.694	58.296	0.0	0.0	285.214	3.553	1235.56	1263.976	0.0	-93.081	-92.134	0.0
15	8555	8556	SN	1	57.686	58.271	0.0	0.0	297.137	3.523	1235.96	1263.688	0.0	-93.01	-92.12	0.0
16	8555	8556	NS	1	57.425	58.093	0.0	0.0	296.779	3.618	1196.456	1256.504	33.194	-93.653	-91.798	0.0
17	8555	8556	NS	1	57.427	58.093	0.0	0.0	296.779	3.63	1196.368	1256.504	33.163	-93.653	-91.798	0.0
18	8555	8556	SN	1	57.694	58.272	0.0	0.0	297.838	3.524	1235.952	1263.704	0.0	-93.01	-92.12	0.0
19	8555	8556	SN	1	57.686	58.271	0.0	0.0	297.137	3.14	1235.96	1263.688	0.0	-93.01	-92.12	0.0
20	8556	8557	SN	1	57.673	58.271	0.0	0.0	290.381	3.505	1235.672	1263.704	0.0	-93.24	-92.129	0.0
21	8556	8557	NS	1	57.443	58.118	0.0	0.0	290.359	3.765	1196.856	1256.456	35.467	-92.944	-91.796	0.0
22	8556	8557	NS	2	57.444	58.118	0.0	0.0	290.481	3.767	1196.872	1256.44	35.456	-92.943	-91.796	0.0
23	8556	8557	SN	1	57.679	58.271	0.0	0.0	290.381	3.502	1235.76	1263.704	0.0	-93.24	-92.129	0.0
24	8557	8558	NS	1	57.457	58.108	0.0	0.0	296.564	3.869	1196.216	1256.344	36.271	-92.836	-91.805	0.0
25	8557	8558	NS	2	57.457	58.108	0.0	0.0	296.564	3.869	1196.216	1256.344	36.271	-92.836	-91.805	0.0
26	8557	8558	SN	1	57.689	58.272	0.0	0.0	297.088	3.567	1235.904	1263.672	0.0	-93.016	-92.129	0.0
27	8557	8558	SN	1	57.68	58.278	0.0	0.0	297.088	3.571	1235.912	1263.672	0.0	-93.038	-92.129	0.0
28	8557	8558	SN	1	57.68	58.278	0.0	0.0	297.088	2.86	1235.912	1263.672	0.0	-93.038	-92.129	0.0
29	8558	8559	SN	1	57.709	58.298	0.0	0.0	296.227	2.643	1236.064	1263.896	0.0	-93.052	-92.098	0.0
30	8558	8559	NS	1	57.444	58.097	0.0	0.0	292.339	3.601	1195.568	1256.488	35.67	-93.651	-91.803	0.0
31	8558	8559	SN	1	57.709	58.298	0.0	0.0	296.227	3.71	1236.064	1263.896	0.0	-93.052	-92.098	0.0
32	8558	8559	SN	2	57.709	58.298	0.0	0.0	296.227	3.71	1236.064	1263.896	0.0	-93.052	-92.098	0.0
33	8558	8559	NS	1	57.442	58.114	0.0	0.0	292.278	3.595	1195.552	1256.512	35.632	-93.651	-91.803	0.0
34	8559	8560	SN	1	57.711	58.276	0.0	0.0	297.992	3.634	1236.384	1264.208	0.0	-93.067	-92.124	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8559	8560	SN	2	57.711	58.276	0.0	0.0	297.992	3.634	1236.384	1264.208	0.0	-93.067	-92.124	0.0
36	8559	8560	NS	1	57.425	58.094	0.0	0.0	293.464	3.655	1196.336	1256.744	35.804	-93.65	-91.797	0.0
37	8559	8560	NS	1	57.425	58.095	0.0	0.0	293.348	3.654	1196.288	1256.776	35.793	-93.65	-91.796	0.0
38	8559	8560	SN	1	57.711	58.276	0.0	0.003	297.992	2.377	1236.384	1264.208	0.0	-93.067	-92.124	0.0
39	8560	8561	NS	1	57.432	58.091	0.0	0.0	297.016	3.822	1196.464	1256.84	35.815	-93.65	-91.755	0.0
40	8560	8561	SN	1	57.68	58.276	0.0	0.0	289.229	3.584	1236.216	1264.288	0.0	-93.013	-92.112	0.0
41	8561	8562	NS	1	57.428	58.09	0.0	0.0	296.95	3.744	1195.64	1256.744	36.363	-93.651	-91.801	0.0
42	8566	8567	SN	2	57.685	58.312	0.0	0.0	294.203	3.834	1237.184	1264.96	0.0	-93.064	-92.118	0.0
43	8566	8567	SN	1	57.685	58.312	0.0	0.0	294.203	3.834	1237.184	1264.96	0.0	-93.064	-92.118	0.0
44	8566	8567	SN	1	57.685	58.312	0.0	0.003	285.727	3.112	1237.184	1264.96	0.0	-93.064	-92.118	0.0
45	8567	8568	NS	1	57.427	58.086	0.0	0.0	297.887	3.587	1195.336	1257.416	33.328	-93.645	-91.784	0.0
46	8567	8568	SN	1	57.684	58.28	0.0	0.0	287.784	3.672	1236.568	1264.912	0.0	-93.044	-92.116	0.0
47	8567	8568	SN	1	57.684	58.28	0.0	0.0	287.784	3.299	1236.568	1264.912	0.0	-93.044	-92.116	0.0
48	8567	8568	SN	1	57.684	58.28	0.0	0.0	287.784	3.669	1236.568	1264.912	0.0	-93.044	-92.116	0.0
49	8568	8569	NS	1	57.427	58.084	0.0	0.0	290.679	3.523	1195.28	1257.664	34.538	-93.645	-91.79	0.0
50	8568	8569	SN	1	57.695	58.306	0.0	0.003	298.593	3.163	1236.096	1265.632	0.0	-93.17	-92.14	0.0
51	8568	8569	SN	1	57.694	58.306	0.0	0.003	298.61	3.16	1236.088	1265.048	0.0	-93.17	-92.14	0.0
52	8568	8569	SN	1	57.694	58.306	0.0	0.0	298.61	3.491	1236.088	1265.048	0.0	-93.17	-92.14	0.0
53	8568	8569	NS	1	57.436	58.084	0.0	0.0	290.679	3.487	1195.32	1257.664	34.574	-93.645	-91.79	0.0
54	8569	8570	SN	1	57.702	58.303	0.0	0.0	294.291	3.504	1236.192	1265.016	0.0	-93.025	-92.139	0.0
55	8569	8570	NS	1	57.433	58.085	0.0	0.0	294.942	3.665	1195.536	1257.656	34.504	-93.644	-91.8	0.0
56	8569	8570	SN	1	57.694	58.298	0.0	0.0	294.291	3.5	1236.192	1265.016	0.0	-93.254	-92.139	0.0
57	8569	8570	SN	1	57.702	58.303	0.0	0.0	294.291	3.149	1236.192	1265.016	0.0	-93.025	-92.139	0.0
58	8570	8571	SN	1	57.713	58.28	0.0	0.0	289.416	3.533	1236.072	1264.976	0.0	-93.022	-92.137	0.0
59	8570	8571	NS	1	57.451	58.084	0.0	0.0	297.694	3.65	1196.24	1257.584	35.757	-92.847	-91.766	0.0
60	8570	8571	SN	1	57.71	58.28	0.0	0.0	289.372	3.54	1236.152	1264.968	0.0	-92.981	-92.137	0.0
61	8570	8571	NS	2	57.451	58.091	0.0	0.0	297.694	3.65	1196.24	1257.584	35.757	-92.874	-91.766	0.0
62	8571	8572	SN	1	57.683	58.28	0.0	0.0	298.781	3.369	1236.312	1264.984	0.0	-93.16	-92.139	0.0
63	8571	8572	NS	1	57.432	58.111	0.0	0.0	295.306	3.696	1195.872	1257.568	36.669	-93.641	-91.79	0.0
64	8571	8572	NS	2	57.432	58.111	0.0	0.0	295.295	3.696	1195.88	1257.56	36.669	-93.641	-91.79	0.0
65	8571	8572	SN	1	57.683	58.28	0.0	0.0	298.781	3.551	1236.312	1264.984	0.0	-93.16	-92.139	0.0
66	8571	8572	SN	2	57.683	58.28	0.0	0.0	298.781	3.551	1236.312	1264.984	0.0	-93.16	-92.139	0.0
67	8572	8573	SN	1	57.7	58.304	0.0	0.003	299.702	3.221	1236.368	1265.064	0.0	-93.224	-92.12	0.0
68	8572	8573	NS	1	57.449	58.118	0.0	0.0	294.793	3.64	1195.744	1257.584	36.707	-92.921	-91.798	0.0
69	8572	8573	NS	1	57.449	58.118	0.0	0.0	294.793	3.644	1195.744	1257.584	36.678	-92.932	-91.798	0.0
70	8572	8573	SN	1	57.7	58.3	0.0	0.0	299.636	3.675	1236.36	1265.072	0.0	-93.224	-92.12	0.0
71	8572	8573	SN	2	57.7	58.304	0.0	0.0	299.702	3.671	1236.368	1265.064	0.0	-93.224	-92.12	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8573	8574	SN	1	57.504	58.311	0.0	0.0	292.234	3.733	1231.776	1265.392	0.0	-95.619	-92.13	0.0
73	8573	8574	SN	1	57.504	58.311	0.0	0.0	287.271	2.81	1231.776	1265.392	0.0	-94.755	-92.13	0.0
74	8573	8574	NS	1	57.412	58.083	0.0	0.0	297.28	3.625	1195.032	1257.856	35.88	-93.64	-91.796	0.0
75	8573	8574	SN	1	57.504	58.311	0.0	0.0	292.234	3.729	1231.776	1265.392	0.0	-95.619	-92.13	0.0
76	8574	8575	SN	1	57.697	58.284	0.0	0.0	299.873	3.594	1236.576	1265.552	0.0	-93.029	-92.108	0.0
77	8574	8575	NS	1	57.425	58.081	0.0	0.0	290.734	3.742	1195.64	1257.992	36.899	-93.64	-91.75	0.0
78	8574	8575	NS	2	57.425	58.081	0.0	0.0	290.734	3.744	1195.64	1257.992	36.886	-93.64	-91.75	0.0
79	8575	8576	NS	1	57.417	58.085	0.0	0.0	295.052	3.967	1195.424	1257.984	36.599	-93.641	-91.79	0.0
80	8575	8576	SN	1	57.694	58.305	0.0	0.0	296.646	3.572	1236.696	1265.584	0.0	-93.069	-92.148	0.0
81	8576	8577	NS	1	57.418	58.08	0.0	0.0	297.474	3.827	1195.208	1257.992	37.108	-92.841	-91.796	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																								
					SNR												Kp												
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore			
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	
1	8552	8553	SN	1	-34.496	20.503	0.0	-33.997	20.008	0.0	-24.869	23.082	0.141	-21.843	23.697	0.163	0.086	208.624	4.381	0.086	185.93	3.519	0.086	22.788	0.046	0.086	11.384	0.054	
2	8552	8553	NS	1	-34.765	22.458	0.001	-34.95	21.318	0.0	-2.906	24.672	0.192	1.181	25.97	0.529	0.086	221.979	3.9	0.086	231.558	4.416	0.086	0.216	0.0	0.086	0.133	0.0	
3	8552	8553	SN	2	-34.496	20.503	0.0	-33.997	20.008	0.0	-24.869	23.082	0.141	-21.843	23.697	0.163	0.086	208.624	4.382	0.086	185.93	3.519	0.086	22.788	0.046	0.086	11.384	0.054	
4	8552	8553	NS	1	-34.809	22.46	0.001	-34.496	21.318	0.0	-2.906	24.672	0.192	1.181	25.97	0.529	0.086	224.182	3.89	0.086	208.619	4.407	0.086	0.216	0.0	0.086	0.133	0.0	
5	8553	8554	SN	1	-34.926	20.172	0.0	-34.498	20.506	0.0	1.399	22.701	0.105	0.588	23.782	0.176	0.086	230.305	4.463	0.086	208.674	3.882	0.086	0.131	0.0	0.086	0.14	0.0	
6	8553	8554	NS	1	-34.902	21.586	0.0	-34.748	21.907	0.0	-5.832	23.535	0.092	-6.743	23.779	0.271	0.086	229.044	2.72	0.086	221.067	2.878	0.086	0.352	0.0	0.086	0.418	0.0	
7	8553	8554	NS	1	-34.821	21.586	0.0	-34.77	21.907	0.0	-5.832	23.535	0.092	-6.743	23.779	0.27	0.086	224.858	2.722	0.086	222.153	2.893	0.086	0.352	0.0	0.086	0.418	0.0	
8	8553	8554	SN	2	-34.926	20.172	0.0	-34.498	20.506	0.0	1.399	22.701	0.105	0.588	23.782	0.176	0.086	230.305	4.558	0.086	208.674	3.949	0.086	0.131	0.0	0.086	0.14	0.0	
9	8553	8554	SN	1	-34.926	20.172	0.0	-34.504	20.506	0.0	1.399	22.701	0.105	0.588	23.782	0.176	0.086	230.305	4.558	0.086	208.964	3.95	0.086	0.131	0.0	0.086	0.14	0.0	
10	8554	8555	NS	1	-34.922	17.503	0.0	-34.917	16.077	0.0	-6.308	23.213	0.019	-21.848	23.44	0.163	0.087	230.106	2.992	0.087	229.827	3.024	0.086	0.385	0.0	0.086	11.398	0.026	
11	8554	8555	NS	1	-34.786	17.502	0.0	-34.479	16.078	0.0	-6.308	23.213	0.019	-21.791	23.44	0.162	0.087	222.966	2.994	0.087	207.836	3.029	0.086	0.384	0.0	0.086	11.25	0.026	
12	8554	8555	SN	1	-34.861	18.193	0.0	-34.318	18.772	0.0	1.558	23.646	0.181	2.373	23.207	0.28	0.086	226.892	1.621	0.086	200.251	1.56	0.086	0.129	0.0	0.086	0.121	0.0	
13	8554	8555	SN	1	-34.861	18.193	0.0	-34.318	18.772	0.0	1.558	23.646	0.18	2.373	23.207	0.28	0.086	226.892	1.593	0.086	200.251	1.541	0.086	0.129	0.0	0.086	0.121	0.0	
14	8554	8555	SN	1	-34.861	18.193	0.0	-34.318	18.772	0.0	1.558	23.646	0.181	2.373	23.207	0.28	0.086	226.892	1.593	0.086	200.251	1.542	0.086	0.129	0.0	0.086	0.121	0.0	
15	8555	8556	SN	1	-34.185	18.041	0.0	-34.054	18.642	0.0	0.666	23.255	0.534	2.052	23.258	0.96	0.086	194.217	0.613	0.086	188.431	0.607	0.086	0.14	0.0	0.086	0.124	0.0	
16	8555	8556	NS	1	-34.34	18.648	0.0	-34.187	20.408	0.0	-15.581	23.346	0.05	-24.973	23.465	0.15	0.086	201.23	1.526	0.086	194.264	1.388	0.086	2.742	0.006	0.086	23.335	0.055	
17	8555	8556	NS	1	-34.275	18.643	0.0	-33.87	20.408	0.0	-15.583	23.346	0.05	-22.674	23.465	0.15	0.086	198.294	1.525	0.086	180.619	1.392	0.086	2.743	0.006	0.086	13.771	0.055	
18	8555	8556	SN	1	-34.185	18.041	0.0	-34.11	18.642	0.0	0.666	23.255	0.532	2.052	23.258	0.957	0.086	194.217	0.613	0.086	190.874	0.607	0.086	0.14	0.0	0.086	0.124	0.0	
19	8555	8556	SN	1	-34.185	18.041	0.0	-34.054	18.642	0.0	0.666	23.255	0.534	2.052	23.258	0.994	0.086	194.217	0.626	0.086	188.431	0.617	0.086	0.14	0.0	0.086	0.124	0.0	
20	8556	8557	SN	1	-34.603	18.679	0.0	-33.406	18.841	0.0	1.222	22.54	0.128	3.09	23.382	0.794	0.086	213.808	1.919	0.086	162.302	1.575	0.086	0.133	0.0	0.086	0.115	0.0	
21	8556	8557	NS	1	-34.816	15.326	0.0	-34.951	15.543	0.0	-13.352	22.856	0.039	-19.67	23.001	0.11	0.087	224.559	2.306	0.087	231.656	2.555	0.086	1.667	0.006	0.086	6.929	0.003	
22	8556	8557	NS	2	-34.342	15.326	0.0	-34.951	15.543	0.0	-13.35	22.856	0.039	-19.674	23.001	0.11	0.087	201.354	2.306	0.087	231.656	2.554	0.086	1.667	0.006	0.086	6.936	0.003	
23	8556	8557	SN	1	-34.852	18.679	0.0	-34.535	18.841	0.0	1.222	22.54	0.128	3.09	23.382	0.794	0.086	226.43	1.918	0.086	210.474	1.575	0.086	0.133	0.0	0.086	0.115	0.0	
24	8557	8558	NS	1	-34.925	19.312	0.0	-34.246	18.44	0.0	-24.39	22.969	0.099	-34.916	23.611	0.418	0.086	230.25	2.865	0.086	196.913	3.013	0.086	20.411	0.099	0.086	229.763	0.066	
25	8557	8558	NS	2	-34.925	19.312	0.0	-34.246	18.44	0.0	-24.39	22.969	0.099	-34.916	23.611	0.418	0.086	230.25	2.865	0.086	196.913	3.013	0.086	20.411	0.099	0.086	229.763	0.066	
26	8557	8558	SN	1	-34.516	15.913	0.0	-34.871	16.253	0.0	1.11	22.713	0.112	3.848	22.902	0.031	0.087	209.558	2.972	0.087	227.394	2.493	0.086	0.134	0.0	0.086	0.11	0.0	
27	8557	8558	SN	1	-34.84	15.913	0.0	-34.639	16.253	0.0	1.11	22.713	0.112	3.848	22.902	0.031	0.087	225.806	2.979	0.087	215.548	2.494	0.086	0.134	0.0	0.086	0.11	0.0	
28	8557	8558	SN	1	-34.554	15.913	0.0	-34.639	16.253	0.0	1.11	22.713	0.124	3.848	22.902	0.031	0.087	211.388	3.076	0.087	215.548	2.597	0.086	0.134	0.0	0.086	0.11	0.0	
29	8558	8559	SN	1	-34.303	17.69	0.0	-34.742	18.838	0.0	-3.901	24.0	0.732	-1.988	23.965	1.225	0.086	199.554	5.48	0.086	220.783	5.191	0.086	0.252	0.0	0.086	0.19	0.0	
30	8558	8559	NS	1	-34.275	19.875	0.0	-33.794	21.044	0.0	3.64	23.139	0.226	2.81	23.637	1.023	0.086	198.266	1.019	0.086	177.45	0.797	0.086	0.112	0.0	0.086	0.117	0.0	
31	8558	8559	SN	1	-34.303	17.69	0.0	-34.742	18.838	0.0	-3.901	24.0	0.682	-1.988	23.965	1.221	0.086	199.554	5.146	0.086	220.783	4.65	0.086	0.252	0.0	0.086	0.19	0.0	
32	8558	8559	SN	2	-34.303	17.69	0.0	-34.742	18.838	0.0	-3.901	24.0	0.682	-1.988	23.965	1.221	0.086	199.554	5.146	0.086	220.783	4.65	0.086	0.252	0.0	0.086	0.19	0.0	

Parameter Specifications	Parameters	SNR	Kp	<span style="color: green;">■</span> Normal <span style="color: yellow;">■</span> Deviations <span style="color: orange;">■</span> Alarming <span style="color: red;">■</span> High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	

33	8558	8559	NS	1	-34.987	19.876	0.0	-33.862	21.046	0.0	3.636	23.137	0.226	2.8	23.638	1.033	0.086	233.545	1.018	0.086	180.307	0.796	0.086	0.112	0.0	0.086	0.117	0.0
34	8559	8560	SN	1	-34.82	20.722	0.0	-34.85	19.274	0.0	-9.766	23.668	0.536	-7.9	24.496	1.157	0.086	224.749	2.419	0.086	226.311	2.432	0.086	0.768	0.0	0.086	0.524	0.0
35	8559	8560	SN	2	-34.82	20.722	0.0	-34.85	19.274	0.0	-9.766	23.668	0.536	-7.9	24.496	1.157	0.086	224.749	2.419	0.086	226.311	2.432	0.086	0.768	0.0	0.086	0.524	0.0
36	8559	8560	NS	1	-34.991	19.058	0.0	-34.745	19.126	0.0	1.255	23.024	0.183	2.087	24.14	1.168	0.086	233.791	2.718	0.086	220.963	2.721	0.086	0.132	0.0	0.086	0.124	0.0
37	8559	8560	NS	1	-34.827	19.058	0.0	-33.98	19.126	0.0	1.263	23.024	0.184	2.087	24.141	1.17	0.086	225.172	2.711	0.086	185.218	2.734	0.086	0.132	0.0	0.086	0.124	0.0
38	8559	8560	SN	1	-34.82	20.722	0.0	-34.85	19.274	0.0	-9.766	23.668	0.571	-7.9	24.496	1.128	0.086	224.749	2.617	0.086	226.311	2.798	0.086	0.768	0.0	0.086	0.524	0.0
39	8560	8561	NS	1	-34.803	22.138	0.001	-34.843	19.002	0.0	-22.222	22.887	0.063	-29.858	24.596	2.582	0.086	223.896	3.238	0.086	225.929	3.172	0.086	12.419	0.084	0.086	71.75	0.084
40	8560	8561	SN	1	-34.796	20.716	0.0	-34.84	20.034	0.0	-18.135	23.439	0.508	-4.642	24.667	0.469	0.086	223.576	3.59	0.086	225.745	3.678	0.086	4.884	0.04	0.086	0.285	0.0
41	8561	8562	NS	1	-34.994	21.72	0.0	-34.841	19.618	0.0	-17.179	22.904	0.058	-14.8	24.29	2.321	0.086	233.965	2.913	0.086	225.865	2.83	0.086	3.933	0.011	0.086	2.301	0.002
42	8566	8567	SN	2	-34.985	19.596	0.0	-32.072	19.827	0.0	-31.305	23.533	0.048	-23.414	23.077	0.03	0.086	233.463	2.164	0.086	119.406	1.646	0.086	100.071	0.101	0.086	16.317	0.099
43	8566	8567	SN	1	-34.985	19.596	0.0	-32.072	19.827	0.0	-31.305	23.533	0.048	-23.414	23.077	0.03	0.086	233.463	2.164	0.086	119.406	1.646	0.086	100.071	0.101	0.086	16.317	0.099
44	8566	8567	SN	1	-34.985	19.596	0.0	-32.072	19.827	0.0	-31.305	23.533	0.049	-23.414	23.077	0.032	0.086	233.463	2.248	0.086	119.406	1.832	0.086	100.071	0.102	0.086	16.317	0.099
45	8567	8568	NS	1	-33.885	21.774	0.0	-34.734	22.69	0.003	-1.353	24.158	0.042	-14.483	24.318	0.274	0.086	181.274	1.712	0.086	220.374	1.834	0.086	0.174	0.0	0.086	2.143	0.002
46	8567	8568	SN	1	-34.841	20.24	0.0	-34.905	20.305	0.0	-29.668	23.037	0.072	-31.39	23.827	0.142	0.086	225.878	5.544	0.086	229.155	4.741	0.086	68.685	0.159	0.086	102.059	0.262
47	8567	8568	SN	1	-34.841	20.24	0.0	-34.905	20.305	0.0	-29.668	23.037	0.072	-31.39	23.827	0.142	0.086	225.878	5.701	0.086	229.155	4.862	0.086	68.685	0.159	0.086	102.059	0.262
48	8567	8568	SN	1	-34.841	20.24	0.0	-34.905	20.305	0.0	-29.764	23.037	0.072	-31.39	23.827	0.142	0.086	225.878	5.544	0.086	229.155	4.74	0.086	70.208	0.159	0.086	102.059	0.262
49	8568	8569	NS	1	-34.892	16.621	0.0	-34.871	17.15	0.0	-12.312	23.139	0.059	-30.262	23.577	0.247	0.087	228.497	3.9	0.087	227.404	4.016	0.086	1.326	0.002	0.086	78.74	0.059
50	8568	8569	SN	1	-34.954	18.566	0.0	-34.886	18.632	0.0	1.352	23.326	0.247	1.926	23.533	0.423	0.086	231.828	2.892	0.086	228.206	2.366	0.086	0.131	0.0	0.086	0.125	0.0
51	8568	8569	SN	1	-34.584	18.567	0.0	-34.485	18.632	0.0	1.352	23.326	0.246	1.926	23.533	0.422	0.086	218.286	2.898	0.086	208.094	2.365	0.086	0.131	0.0	0.086	0.125	0.0
52	8568	8569	SN	1	-34.584	18.567	0.0	-34.485	18.632	0.0	1.352	23.326	0.246	1.926	23.533	0.422	0.086	218.286	2.846	0.086	208.094	2.332	0.086	0.131	0.0	0.086	0.125	0.0
53	8568	8569	NS	1	-34.581	16.621	0.0	-34.815	17.149	0.0	-12.326	23.139	0.059	-29.896	23.577	0.247	0.087	212.73	3.914	0.087	224.534	4.024	0.086	1.33	0.002	0.086	72.37	0.059
54	8569	8570	SN	1	-34.051	18.083	0.0	-34.498	18.526	0.0	1.438	23.119	0.222	2.307	23.377	0.546	0.086	188.299	1.451	0.086	208.71	1.296	0.086	0.13	0.0	0.086	0.122	0.0
55	8569	8570	NS	1	-34.716	19.378	0.0	-34.834	18.962	0.0	-23.748	22.882	0.043	-22.023	23.581	0.158	0.086	219.411	3.294	0.086	225.462	3.335	0.086	17.618	0.119	0.086	11.862	0.104
56	8569	8570	SN	1	-34.69	18.083	0.0	-34.98	18.526	0.0	1.438	23.119	0.222	2.307	23.377	0.546	0.086	218.106	1.455	0.086	233.2	1.298	0.086	0.13	0.0	0.086	0.122	0.0
57	8569	8570	SN	1	-34.051	18.083	0.0	-34.498	18.526	0.0	1.438	23.119	0.222	2.307	23.377	0.556	0.086	188.299	1.481	0.086	208.71	1.311	0.086	0.13	0.0	0.086	0.122	0.0
58	8570	8571	SN	1	-34.929	17.975	0.0	-34.779	18.645	0.0	1.222	22.633	0.259	2.01	23.102	1.283	0.086	230.477	3.311	0.086	222.698	2.76	0.086	0.133	0.0	0.086	0.124	0.0
59	8570	8571	NS	1	-33.846	14.878	0.0	-34.549	15.829	0.0	-25.88	23.089	0.114	-23.941	23.652	0.175	0.087	179.658	2.028	0.087	211.154	2.026	0.086	28.742	0.019	0.086	18.416	0.01
60	8570	8571	SN	1	-34.874	17.975	0.0	-34.962	18.645	0.0	1.221	22.633	0.259	2.013	23.102	1.283	0.086	227.575	3.316	0.086	232.236	2.768	0.086	0.133	0.0	0.086	0.124	0.0
61	8570	8571	NS	2	-33.846	14.878	0.0	-34.549	15.829	0.0	-25.88	23.089	0.114	-23.961	23.652	0.175	0.087	179.658	2.028	0.087	211.154	2.026	0.086	28.742	0.019	0.086	18.5	0.01
62	8571	8572	SN	1	-34.895	16.748	0.0	-34.592	17.09	0.0	1.102	22.749	0.107	2.109	23.413	0.258	0.087	228.712	2.181	0.087	213.313	2.017	0.086	0.134	0.0	0.086	0.123	0.0
63	8571	8572	NS	1	-34.461	19.148	0.0	-33.772	15.89	0.0	-17.912	23.278	0.124	-20.841	23.328	0.342	0.086	206.886	2.538	0.087	176.582	2.585	0.086	4.763	0.014	0.086	9.053	0.019
64	8571	8572	NS	2	-34.461	19.148	0.0	-34.25	15.89	0.0	-17.917	23.278	0.124	-20.841	23.328	0.342	0.086	206.886	2.537	0.087	197.125	2.585	0.086	4.767	0.014	0.086	9.053	0.019
65	8571	8572	SN	1	-34.895	16.748	0.0	-34.592	17.09	0.0	1.102	22.749	0.106	2.109	23.413	0.258	0.087	228.712	2.173	0.087	213.313	2.009	0.086	0.134	0.0	0.086	0.123	0.0
66	8571	8572	SN	2	-34.895	16.748	0.0	-34.592	17.09	0.0	1.102	22.749	0.106	2.109	23.413	0.258	0.087	228.712	2.173	0.087	213.313	2.009	0.086	0.134	0.0	0.086	0.123	0.0
67	8572	8573	SN	1	-34.874	16.878	0.0	-33.714	16.321	0.0	1.017	24.081	0.478	0.633	23.818	0.816	0.087	227.579	3.64	0.087	174.246	3.366	0.086	0.135	0.0	0.086	0.14	0.0
68	8572	8573	NS	1	-34.28	19.674	0.0	-33.389	20.144	0.0	-26.025	23.32	0.263	-14.255	23.792	0.696	0.086	198.491	1.685	0.086	161.644	1.68	0.086	29.722	0.053	0.086	2.038	0.016
69	8572	8573	NS	1	-33.619	19.675	0.0	-34.957	20.144	0.0	-26.025	23.318	0.263	-14.255	23.79	0.696	0.086	170.502	1.688	0.086	231.985	1.682	0.086	29.722	0.053	0.086	2.038	0.016

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal





 Deviations

 Alarming

 High Errors



70	8572	8573	SN	1	-34.94	16.878	0.0	-33.636	16.321	0.0	1.017	24.081	0.47	0.633	23.818	0.816	0.087	231.063	3.546	0.087	171.16	3.249	0.086	0.135	0.0	0.086	0.14	0.0
71	8572	8573	SN	2	-34.874	16.878	0.0	-33.714	16.321	0.0	1.017	24.081	0.47	0.633	23.818	0.816	0.087	227.579	3.547	0.087	174.246	3.248	0.086	0.135	0.0	0.086	0.14	0.0
72	8573	8574	SN	1	-34.902	20.018	0.0	-34.026	20.475	0.0	-16.126	24.854	0.87	-8.553	25.784	1.664	0.086	229.046	3.354	0.086	187.207	3.212	0.086	3.099	0.004	0.086	0.597	0.0
73	8573	8574	SN	1	-34.902	20.018	0.0	-34.026	20.475	0.0	-16.126	24.854	0.899	-8.553	25.784	1.666	0.086	229.046	3.592	0.086	187.207	3.394	0.086	3.099	0.005	0.086	0.597	0.0
74	8573	8574	NS	1	-34.88	20.119	0.0	-34.221	21.697	0.0	-0.162	23.153	0.139	1.796	23.864	0.8	0.086	227.846	1.733	0.086	195.79	1.93	0.086	0.152	0.0	0.086	0.126	0.0
75	8573	8574	SN	1	-34.902	20.018	0.0	-34.026	20.475	0.0	-16.129	24.854	0.868	-8.553	25.784	1.66	0.086	229.046	3.354	0.086	187.207	3.212	0.086	3.101	0.004	0.086	0.597	0.0
76	8574	8575	SN	1	-34.755	21.284	0.0	-34.671	20.838	0.0	-30.924	24.03	0.45	-18.768	24.503	0.752	0.086	221.368	5.665	0.086	217.219	4.645	0.086	91.693	0.09	0.086	5.64	0.005
77	8574	8575	NS	1	-34.936	23.034	0.006	-34.572	19.284	0.0	-0.074	23.529	0.135	-14.068	24.234	1.577	0.086	230.783	2.563	0.086	212.325	2.596	0.086	0.15	0.0	0.086	1.954	0.002
78	8574	8575	NS	2	-34.936	23.038	0.006	-34.572	19.284	0.0	-0.074	23.529	0.135	-14.067	24.234	1.581	0.086	230.783	2.562	0.086	212.325	2.598	0.086	0.15	0.0	0.086	1.954	0.002
79	8575	8576	NS	1	-34.892	20.936	0.0	-34.601	20.062	0.0	-24.094	22.899	0.11	-21.48	24.514	2.641	0.086	228.565	2.515	0.086	213.74	2.519	0.086	19.075	0.04	0.086	10.477	0.045
80	8575	8576	SN	1	-34.01	21.347	0.0	-34.931	21.234	0.0	-5.297	23.714	0.524	-2.866	23.396	0.19	0.086	186.544	5.684	0.086	230.55	5.654	0.086	0.32	0.0	0.086	0.215	0.0
81	8576	8577	NS	1	-33.727	21.021	0.0	-34.996	18.371	0.0	0.899	22.78	0.103	1.427	24.913	2.226	0.086	174.776	1.397	0.086	234.012	1.648	0.086	0.136	0.0	0.086	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp	 Normal  Deviations  Alarming  High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	