

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-MAY-2018 To 12-MAY-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 11-MAY-2018 To 12-MAY-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8581	8582	SN	1	48.871	49.499	0.0	0.003	6.083	2.723	1054.328	1077.032	0.0	-91.695	-90.043	0.0
2	8581	8582	SN	1	48.871	49.499	0.0	0.003	6.083	2.725	1054.328	1077.032	0.0	-91.695	-90.043	0.0
3	8581	8582	NS	1	48.638	49.278	0.0	0.003	210.579	2.743	1019.136	1071.704	17.925	-91.407	-89.729	0.0
4	8582	8583	SN	1	48.85	49.492	0.0	0.003	6.089	2.391	1054.192	1077.224	0.0	-91.763	-90.082	0.0
5	8582	8583	SN	1	48.85	49.492	0.0	0.003	6.089	2.393	1054.192	1077.224	0.0	-91.763	-90.082	0.0
6	8582	8583	NS	1	48.689	49.279	0.0	0.003	264.698	2.598	1019.464	1072.0	18.009	-91.532	-89.737	0.0
7	8582	8583	SN	1	48.85	49.492	0.0	0.003	6.089	2.529	1054.192	1077.224	0.0	-91.763	-90.082	0.0
8	8583	8584	SN	1	48.832	49.503	0.0	0.003	6.089	2.494	1055.12	1077.232	0.0	-91.744	-90.091	0.0
9	8583	8584	SN	1	48.832	49.503	0.0	0.003	6.089	2.33	1055.12	1077.232	0.0	-91.744	-90.091	0.0
10	8583	8584	SN	1	48.841	49.473	0.0	0.003	6.089	2.491	1054.368	1077.232	0.0	-91.719	-90.091	0.0
11	8583	8584	NS	1	48.66	49.278	0.0	0.0	39.002	2.691	1019.504	1072.072	18.29	-91.598	-89.739	0.0
12	8584	8585	NS	1	48.669	49.277	0.0	0.003	41.431	2.682	1019.952	1072.04	18.163	-91.538	-89.728	0.0
13	8584	8585	SN	1	48.839	49.441	0.0	0.003	30.567	2.532	1054.328	1077.24	0.0	-91.709	-90.081	0.0
14	8584	8585	NS	2	48.669	49.277	0.0	0.003	41.431	2.682	1019.952	1072.04	18.163	-91.538	-89.728	0.0
15	8584	8585	SN	1	48.85	49.437	0.0	0.003	214.374	2.534	1053.96	1077.232	0.0	-91.728	-90.082	0.0
16	8584	8585	SN	1	48.85	49.437	0.0	0.003	214.374	2.248	1053.96	1077.232	0.0	-91.728	-90.082	0.0
17	8585	8586	SN	2	48.839	49.437	0.0	0.003	6.1	2.539	1055.12	1077.24	0.0	-91.794	-90.09	0.0
18	8585	8586	NS	1	48.639	49.329	0.0	0.0	266.932	2.783	1020.448	1072.032	19.182	-91.596	-89.732	0.0
19	8585	8586	SN	1	48.839	49.437	0.0	0.003	6.1	2.075	1055.12	1077.24	0.0	-91.794	-90.09	0.0
20	8585	8586	NS	1	48.64	49.329	0.0	0.0	267.538	2.782	1020.44	1072.048	19.174	-91.596	-89.732	0.0
21	8585	8586	SN	1	48.839	49.437	0.0	0.003	6.1	2.539	1055.12	1077.24	0.0	-91.794	-90.09	0.0
22	8586	8587	SN	1	48.847	49.472	0.0	0.003	215.113	2.603	1054.096	1077.184	0.0	-92.364	-90.093	0.0
23	8586	8587	NS	1	48.645	49.316	0.0	0.003	267.191	2.618	1020.352	1071.976	19.322	-91.543	-89.737	0.0
24	8586	8587	SN	2	48.847	49.472	0.0	0.003	215.113	2.603	1054.096	1077.184	0.0	-92.365	-90.093	0.0
25	8586	8587	NS	1	48.645	49.316	0.0	0.003	267.191	2.62	1020.352	1071.976	19.343	-91.543	-89.737	0.0
26	8586	8587	SN	1	48.847	49.472	0.0	0.003	215.113	1.876	1054.096	1077.184	0.0	-91.683	-90.093	0.0
27	8587	8588	SN	1	48.892	49.501	0.0	0.003	6.078	1.623	1054.296	1077.352	0.0	-91.738	-90.062	0.0
28	8587	8588	NS	2	48.628	49.276	0.0	0.003	206.553	2.668	1019.184	1072.08	19.786	-91.6	-89.736	0.0
29	8587	8588	SN	1	48.828	49.501	0.0	0.003	6.078	2.636	1054.296	1077.352	0.0	-91.738	-90.062	0.0
30	8587	8588	SN	1	48.828	49.501	0.0	0.003	6.078	2.638	1054.296	1077.352	0.0	-91.738	-90.062	0.0
31	8587	8588	NS	1	48.624	49.326	0.0	0.003	41.374	2.669	1019.168	1072.096	19.763	-91.6	-89.736	0.0
32	8588	8589	SN	1	48.851	49.44	0.0	0.003	6.089	2.589	1054.552	1077.584	0.0	-91.635	-90.078	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	8588	8589	SN	1	48.851	49.44	0.0	0.003	6.089	1.51	1054.552	1077.584	0.0	-91.635	-90.078	0.0
34	8588	8589	NS	1	48.624	49.276	0.0	0.003	41.271	2.669	1019.992	1072.32	20.142	-91.787	-89.729	0.0
35	8588	8589	SN	1	48.851	49.44	0.0	0.003	6.089	2.586	1054.552	1077.584	0.0	-91.635	-90.078	0.0
36	8588	8589	NS	2	48.626	49.275	0.0	0.003	267.389	2.666	1020.032	1072.296	20.123	-91.788	-89.729	0.0
37	8589	8590	SN	1	48.844	49.488	0.0	0.0	232.805	2.536	1054.512	1077.656	0.0	-91.731	-90.065	0.0
38	8589	8590	NS	1	48.634	49.275	0.0	0.0	49.668	2.864	1019.296	1072.312	19.905	-91.621	-89.716	0.0
39	8590	8591	NS	1	48.664	49.276	0.0	0.003	42.441	2.761	1020.08	1072.216	20.729	-91.526	-89.734	0.0
40	8590	8591	NS	1	48.664	49.276	0.0	0.003	42.441	2.75	1020.08	1072.216	20.75	-91.526	-89.734	0.0
41	8595	8596	SN	1	48.896	49.446	0.0	0.0	92.404	2.709	1055.744	1078.224	0.0	-91.766	-90.078	0.0
42	8595	8596	SN	1	48.898	49.446	0.0	0.0	92.404	2.712	1055.744	1078.224	0.0	-91.766	-90.078	0.0
43	8595	8596	SN	1	48.898	49.446	0.0	0.003	6.1	2.006	1055.744	1078.224	0.0	-91.766	-90.078	0.0
44	8596	8597	SN	1	48.839	49.468	0.0	0.003	280.256	2.59	1054.576	1078.184	0.0	-91.679	-90.071	0.0
45	8596	8597	SN	1	48.852	49.468	0.0	0.003	280.256	2.427	1054.568	1078.184	0.0	-92.071	-90.071	0.0
46	8596	8597	NS	1	48.646	49.272	0.0	0.0	267.577	2.724	1018.944	1072.792	19.17	-91.565	-89.722	0.0
47	8597	8598	NS	1	48.658	49.272	0.0	0.0	197.045	2.741	1018.872	1073.04	19.718	-91.58	-89.721	0.0
48	8597	8598	SN	1	48.844	49.48	0.0	0.003	214.693	2.363	1054.52	1078.312	0.0	-91.67	-90.095	0.0
49	8597	8598	NS	1	48.658	49.272	0.0	0.0	197.045	2.729	1018.872	1073.04	19.738	-91.575	-89.721	0.0
50	8597	8598	SN	2	48.844	49.48	0.0	0.003	280.024	2.363	1054.664	1078.328	0.0	-91.67	-90.095	0.0
51	8597	8598	SN	1	48.844	49.48	0.0	0.003	280.024	2.513	1054.664	1078.328	0.0	-91.67	-90.095	0.0
52	8598	8599	SN	1	48.848	49.488	0.0	0.003	29.955	2.311	1054.352	1078.272	0.0	-91.692	-90.095	0.0
53	8598	8599	NS	1	48.628	49.271	0.0	0.003	18.983	2.629	1019.216	1073.048	19.769	-91.662	-89.734	0.0
54	8598	8599	SN	2	48.848	49.488	0.0	0.003	29.955	2.538	1054.352	1078.272	0.0	-91.692	-90.095	0.0
55	8598	8599	NS	1	48.628	49.271	0.0	0.003	18.983	2.631	1019.192	1073.048	19.688	-91.596	-89.734	0.0
56	8598	8599	SN	1	48.848	49.488	0.0	0.003	29.955	2.538	1054.352	1078.272	0.0	-91.692	-90.095	0.0
57	8599	8600	NS	1	48.683	49.3	0.0	0.003	264.814	2.63	1020.0	1073.016	20.355	-91.6	-89.693	0.0
58	8599	8600	SN	1	48.857	49.479	0.0	0.003	29.116	2.528	1054.352	1078.224	0.0	-91.672	-90.095	0.0
59	8599	8600	NS	1	48.683	49.3	0.0	0.003	264.814	2.628	1020.0	1073.016	20.44	-91.616	-89.693	0.0
60	8599	8600	SN	1	48.857	49.479	0.0	0.003	29.116	2.152	1054.352	1078.224	0.0	-91.672	-90.095	0.0
61	8599	8600	SN	2	48.856	49.479	0.0	0.003	29.745	2.528	1054.352	1078.232	0.0	-91.672	-90.095	0.0
62	8600	8601	SN	1	48.898	49.459	0.0	0.003	281.122	2.537	1054.632	1078.224	0.0	-91.633	-90.095	0.0
63	8600	8601	SN	1	48.9	49.459	0.0	0.003	281.122	1.967	1054.68	1078.224	0.0	-91.605	-90.095	0.0
64	8600	8601	SN	1	48.9	49.459	0.0	0.003	281.122	2.539	1054.68	1078.224	0.0	-91.605	-90.095	0.0
65	8600	8601	NS	1	48.628	49.286	0.0	0.003	16.076	2.724	1019.896	1073.008	20.712	-91.633	-89.728	0.0
66	8600	8601	NS	2	48.629	49.285	0.0	0.003	16.076	2.725	1019.912	1073.0	20.711	-91.633	-89.728	0.0
67	8601	8602	SN	1	48.861	49.444	0.0	0.003	6.105	2.603	1054.432	1078.304	0.0	-91.719	-90.096	0.0
68	8601	8602	NS	1	48.684	49.29	0.0	0.0	264.207	2.735	1018.688	1073.008	20.737	-91.518	-89.733	0.0
69	8601	8602	NS	2	48.684	49.279	0.0	0.0	264.207	2.735	1018.688	1073.008	20.733	-91.518	-89.733	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8601	8602	SN	1	48.861	49.444	0.0	0.003	6.1	2.608	1054.568	1078.288	0.0	-91.719	-90.096	0.0
71	8601	8602	SN	1	48.861	49.444	0.0	0.003	6.1	1.759	1054.568	1078.288	0.0	-91.719	-90.096	0.0
72	8602	8603	SN	1	48.842	49.5	0.0	0.003	32.58	2.657	1054.616	1079.016	0.0	-92.31	-90.091	0.0
73	8602	8603	SN	1	48.842	49.469	0.0	0.003	32.58	2.67	1054.928	1078.56	0.0	-91.738	-90.091	0.0
74	8602	8603	SN	1	48.842	49.5	0.0	0.003	6.105	1.55	1054.616	1079.016	0.0	-92.31	-90.091	0.0
75	8602	8603	NS	1	48.638	49.286	0.0	0.0	40.535	2.744	1019.536	1073.152	21.24	-91.584	-89.731	0.0
76	8603	8604	SN	1	48.85	49.483	0.0	0.003	280.906	2.562	1054.632	1078.688	0.0	-91.748	-90.056	0.0
77	8603	8604	NS	1	48.619	49.335	0.0	0.003	210.59	2.747	1019.52	1073.288	21.531	-91.886	-89.696	0.0
78	8603	8604	NS	2	48.619	49.335	0.0	0.003	210.59	2.747	1019.52	1073.288	21.531	-91.886	-89.696	0.0
79	8604	8605	NS	1	48.622	49.268	0.0	0.003	267.058	2.756	1018.792	1073.296	21.569	-91.529	-89.719	0.0
80	8604	8605	NS	1	48.622	49.268	0.0	0.003	267.058	2.77	1018.792	1073.296	21.547	-91.529	-89.719	0.0
81	8604	8605	SN	1	48.845	49.454	0.0	0.003	6.144	2.545	1054.736	1078.744	0.0	-93.233	-90.099	0.0
82	8605	8606	SN	1	48.854	49.479	0.0	0.003	6.133	2.616	1055.544	1078.752	0.0	-91.765	-90.078	0.0
83	8605	8606	NS	1	48.644	49.269	0.0	0.003	267.797	2.722	1019.528	1073.296	22.19	-91.439	-89.729	0.0
84	8605	8606	NS	1	48.629	49.269	0.0	0.003	267.797	2.719	1019.12	1073.296	22.167	-91.53	-89.729	0.0
85	8605	8606	SN	2	48.849	49.479	0.0	0.003	6.133	2.616	1055.544	1078.76	0.0	-91.765	-90.078	0.0
86	8606	8607	SN	1	48.906	49.448	0.0	0.003	6.122	2.595	1055.664	1078.864	0.0	-91.755	-90.086	0.0
87	8606	8607	NS	1	48.631	49.312	0.0	0.003	14.769	2.636	1018.424	1073.44	22.244	-91.411	-89.726	0.0
88	8606	8607	NS	1	48.633	49.281	0.0	0.003	14.769	2.633	1018.424	1073.44	22.224	-91.369	-89.726	0.0
89	8606	8607	SN	2	48.885	49.459	0.0	0.003	6.122	2.596	1054.624	1078.872	0.0	-91.761	-90.086	0.0
90	8607	8608	NS	1	48.658	49.278	0.0	0.0	210.596	2.749	1019.216	1073.528	22.705	-91.407	-89.725	0.0
91	8607	8608	SN	1	48.844	49.449	0.0	0.003	277.289	2.555	1055.552	1078.968	0.0	-91.643	-90.1	0.0
92	8607	8608	NS	1	48.659	49.324	0.0	0.0	209.355	2.715	1019.128	1073.112	22.837	-91.446	-89.725	0.0
93	8607	8608	SN	1	48.844	49.449	0.0	0.003	277.289	2.553	1055.552	1078.968	0.0	-91.643	-90.1	0.0
94	8607	8608	NS	1	48.659	49.324	0.0	0.0	209.355	2.752	1019.128	1073.528	22.742	-91.446	-89.725	0.0
95	8608	8609	NS	1	48.635	49.317	0.0	0.0	42.474	1.685	1018.528	1066.376	25.037	-91.763	-89.727	0.0
96	8608	8609	SN	1	48.906	49.451	0.0	0.003	214.611	2.55	1055.336	1079.152	0.0	-91.665	-90.102	0.0
97	8608	8609	NS	1	48.635	49.317	0.0	0.0	42.474	2.76	1018.528	1073.712	22.65	-91.412	-89.727	0.0
98	8609	8610	NS	1	48.624	49.309	0.0	0.0	207.127	2.77	1018.248	1073.752	22.063	-91.69	-89.699	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8581	8582	SN	1	-34.416	26.332	1.494	-34.502	27.064	2.517	-25.589	35.374	14.262	-26.905	30.035	18.88	0.116	267.972	4.787	0.116	273.322	3.629	0.116	35.183	0.086	0.116	47.603	0.048
2	8581	8582	SN	1	-34.416	26.332	1.494	-34.502	27.064	2.515	-25.573	35.374	14.282	-26.805	30.035	18.911	0.116	267.972	4.784	0.116	273.322	3.628	0.116	35.057	0.086	0.116	46.518	0.048
3	8581	8582	NS	1	-34.468	27.763	0.277	-34.934	28.628	0.047	-2.766	33.185	21.593	-2.705	35.614	34.634	0.116	271.195	2.581	0.116	301.888	2.694	0.116	0.282	0.0	0.116	0.28	0.0
4	8582	8583	SN	1	-34.801	25.464	0.61	-34.916	25.054	0.868	4.539	30.301	10.316	5.104	30.99	5.861	0.116	292.758	4.785	0.116	300.571	3.864	0.116	0.144	0.0	0.116	0.14	0.0
5	8582	8583	SN	1	-34.772	25.464	0.611	-34.916	25.054	0.868	4.552	30.301	10.316	5.105	30.99	5.861	0.116	290.86	4.791	0.116	300.571	3.871	0.116	0.144	0.0	0.116	0.14	0.0
6	8582	8583	NS	1	-34.999	28.047	0.041	-34.891	27.97	0.039	-6.738	34.585	17.533	-2.294	34.013	30.594	0.116	306.431	6.145	0.116	298.88	6.218	0.116	0.551	0.0	0.116	0.264	0.0
7	8582	8583	SN	1	-34.801	25.464	0.598	-34.916	25.054	0.852	4.539	30.301	10.316	5.104	30.99	5.861	0.116	292.758	4.69	0.116	300.571	3.792	0.116	0.144	0.0	0.116	0.14	0.0
8	8583	8584	SN	1	-34.535	24.774	0.071	-33.819	24.658	0.127	6.9	29.29	16.978	7.537	29.904	8.44	0.116	275.358	1.802	0.116	233.498	1.639	0.116	0.132	0.0	0.116	0.129	0.0
9	8583	8584	SN	1	-34.535	24.774	0.072	-33.819	24.658	0.129	6.9	29.29	16.98	7.537	29.904	8.454	0.116	275.358	1.83	0.116	233.498	1.663	0.116	0.132	0.0	0.116	0.129	0.0
10	8583	8584	SN	1	-34.99	24.772	0.071	-34.391	24.658	0.127	6.898	29.288	16.978	7.536	29.904	8.433	0.116	305.796	1.801	0.116	266.441	1.637	0.116	0.132	0.0	0.116	0.129	0.0
11	8583	8584	NS	1	-34.8	25.308	0.009	-34.49	26.268	0.005	-12.657	29.327	14.726	-9.26	30.08	24.955	0.116	292.649	4.225	0.116	272.564	3.941	0.116	1.877	0.005	0.116	0.909	0.0
12	8584	8585	NS	1	-34.85	26.98	0.034	-34.662	22.18	0.002	-16.483	32.159	7.396	-29.003	31.573	14.972	0.116	296.184	4.263	0.116	283.535	4.291	0.116	4.402	0.001	0.116	77.104	0.001
13	8584	8585	SN	1	-34.425	23.796	0.035	-32.768	24.755	0.103	4.621	27.668	15.341	5.342	28.951	9.986	0.116	268.556	2.992	0.116	183.363	2.197	0.116	0.143	0.0	0.116	0.139	0.0
14	8584	8585	NS	2	-34.85	26.98	0.034	-34.662	22.18	0.002	-16.483	32.159	7.396	-29.003	31.573	14.972	0.116	296.184	4.263	0.116	283.535	4.291	0.116	4.402	0.001	0.116	77.104	0.001
15	8584	8585	SN	1	-34.272	23.795	0.032	-34.861	24.755	0.103	4.621	27.67	15.341	5.342	28.951	9.987	0.116	259.243	2.991	0.116	296.836	2.198	0.116	0.143	0.0	0.116	0.139	0.0
16	8584	8585	SN	1	-34.272	23.795	0.033	-34.861	24.755	0.105	4.621	27.67	15.361	5.342	28.951	10.075	0.116	259.243	3.065	0.116	296.836	2.24	0.116	0.143	0.0	0.116	0.139	0.0
17	8585	8586	SN	2	-34.953	23.522	0.01	-34.356	23.792	0.016	5.353	28.533	17.496	5.466	29.09	21.021	0.116	303.162	2.856	0.116	264.292	2.331	0.116	0.139	0.0	0.116	0.138	0.0
18	8585	8586	NS	1	-34.578	23.038	0.002	-32.567	21.688	0.0	-21.206	28.037	11.073	-21.622	29.987	18.783	0.116	278.176	2.469	0.116	175.071	2.297	0.116	12.879	0.024	0.116	14.165	0.019
19	8585	8586	SN	1	-34.953	23.522	0.011	-34.356	23.792	0.014	5.351	28.533	17.921	5.466	29.09	21.574	0.116	303.162	2.949	0.116	264.292	2.406	0.116	0.139	0.0	0.116	0.138	0.0
20	8585	8586	NS	1	-34.803	23.038	0.002	-32.567	21.688	0.0	-21.271	28.037	11.056	-21.644	29.989	18.772	0.116	292.901	2.467	0.116	175.071	2.301	0.116	13.074	0.024	0.116	14.237	0.019
21	8585	8586	SN	1	-34.953	23.522	0.01	-34.356	23.792	0.016	5.353	28.533	17.496	5.466	29.09	21.021	0.116	303.162	2.856	0.116	264.292	2.331	0.116	0.139	0.0	0.116	0.138	0.0
22	8586	8587	SN	1	-34.973	21.374	0.0	-33.972	21.425	0.0	4.782	28.372	18.745	8.3	29.279	22.044	0.116	304.627	2.232	0.116	241.872	1.724	0.116	0.142	0.0	0.116	0.127	0.0
23	8586	8587	NS	1	-33.952	22.797	0.052	-34.916	25.125	0.052	-6.417	29.995	9.079	-7.589	29.686	15.248	0.116	240.756	2.766	0.116	316.088	2.231	0.116	0.519	0.0	0.116	0.649	0.0
24	8586	8587	SN	2	-34.973	21.374	0.0	-34.857	21.425	0.0	4.782	28.372	18.746	8.3	29.279	22.045	0.116	304.627	2.232	0.116	296.543	1.724	0.116	0.142	0.0	0.116	0.127	0.0
25	8586	8587	NS	1	-34.221	22.797	0.052	-34.916	25.125	0.052	-6.417	29.995	9.081	-7.589	29.686	15.248	0.116	256.156	2.77	0.116	316.088	2.233	0.116	0.519	0.0	0.116	0.649	0.0
26	8586	8587	SN	1	-34.973	21.374	0.0	-33.972	21.346	0.0	4.782	28.372	19.814	8.3	29.279	22.317	0.116	304.627	2.323	0.116	241.872	1.779	0.116	0.142	0.0	0.116	0.127	0.0
27	8587	8588	SN	1	-34.332	25.051	0.076	-34.991	25.512	0.102	-1.94	32.356	14.234	-7.448	35.114	16.336	0.116	262.804	5.09	0.116	305.862	4.838	0.116	0.252	0.0	0.116	0.632	0.0
28	8587	8588	NS	2	-34.374	26.247	0.432	-34.328	27.582	0.878	7.919	29.146	18.193	-21.502	30.003	28.131	0.116	265.381	2.101	0.116	262.59	2.082	0.116	0.128	0.0	0.116	13.779	0.006
29	8587	8588	SN	1	-34.332	25.051	0.071	-34.96	25.512	0.116	-1.941	32.357	13.719	-7.447	35.114	16.33	0.116	262.804	4.888	0.116	303.713	4.657	0.116	0.252	0.0	0.116	0.632	0.0
30	8587	8588	SN	1	-34.332	25.051	0.071	-34.991	25.512	0.116	-1.94	32.356	13.744	-7.448	35.114	16.375	0.116	262.804	4.881	0.116	305.862	4.657	0.116	0.252	0.0	0.116	0.632	0.0
31	8587	8588	NS	1	-34.405	26.247	0.432	-34.963	27.582	0.878	7.919	29.146	18.194	-21.502	30.003	28.13	0.116	267.282	2.101	0.116	303.979	2.083	0.116	0.128	0.0	0.116	13.779	0.006
32	8588	8589	SN	1	-34.566	26.657	0.077	-34.994	26.636	0.365	-10.598	35.391	16.86	-8.267	33.508	20.857	0.116	277.409	4.908	0.116	306.1	4.148	0.116	1.203	0.004	0.116	0.743	0.0
33	8588	8589	SN	1	-34.566	26.657	0.084	-34.509	26.636	0.128	-10.604	35.391	17.576	-8.267	33.508	20.828	0.116	277.409	4.826	0.116	273.74	3.939	0.116	1.205	0.004	0.116	0.743	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal
  Deviations
  Alarming
  High Errors



73	8602	8603	SN	1	-34.518	24.383	0.027	-34.035	24.591	0.153	-3.193	33.895	16.4	1.623	33.245	19.158	0.116	275.008	6.098	0.116	245.48	5.371	0.116	0.3	0.0	0.116	0.172	0.0
74	8602	8603	SN	1	-34.306	24.383	0.029	-34.139	24.591	0.063	-3.193	33.895	17.212	1.623	33.244	19.116	0.116	261.279	6.61	0.116	251.374	6.206	0.116	0.3	0.0	0.116	0.172	0.0
75	8602	8603	NS	1	-33.74	25.725	0.671	-33.113	27.715	1.118	7.503	33.66	13.583	8.391	30.529	24.862	0.116	229.296	2.018	0.116	198.501	1.545	0.116	0.129	0.0	0.116	0.127	0.0
76	8603	8604	SN	1	-34.942	26.191	0.058	-34.64	27.265	0.343	-9.508	29.438	18.171	-15.668	30.465	19.248	0.116	302.458	5.24	0.116	282.146	4.591	0.116	0.957	0.0	0.116	3.664	0.002
77	8603	8604	NS	1	-34.608	25.467	0.19	-34.943	25.529	0.338	-0.199	28.99	29.46	-0.762	30.13	46.006	0.116	280.082	3.641	0.116	302.549	2.86	0.116	0.204	0.0	0.116	0.217	0.0
78	8603	8604	NS	2	-34.608	25.467	0.19	-34.943	25.529	0.338	-0.199	28.99	29.46	-0.762	30.13	46.006	0.116	280.082	3.641	0.116	302.549	2.86	0.116	0.204	0.0	0.116	0.217	0.0
79	8604	8605	NS	1	-34.425	27.877	0.317	-34.906	26.986	0.346	-30.632	29.969	15.555	-31.528	30.552	29.096	0.116	268.508	5.129	0.116	299.942	4.547	0.116	112.154	0.387	0.116	137.817	0.351
80	8604	8605	NS	1	-34.425	27.877	0.317	-34.906	26.986	0.345	-30.632	29.969	15.536	-31.528	30.552	29.2	0.116	268.508	5.125	0.116	299.942	4.545	0.116	112.154	0.386	0.116	137.817	0.35
81	8604	8605	SN	1	-34.253	28.148	0.106	-34.864	28.68	0.452	-14.512	30.615	16.386	-13.462	30.482	14.711	0.116	258.132	3.682	0.116	297.146	3.008	0.116	2.829	0.002	0.116	2.241	0.002
82	8605	8606	SN	1	-34.55	28.521	0.06	-34.722	28.883	0.483	-27.069	29.624	17.833	-29.269	29.967	18.347	0.116	276.346	4.752	0.116	287.517	4.436	0.116	49.426	0.027	0.116	81.969	0.018
83	8605	8606	NS	1	-34.795	27.263	0.495	-34.369	26.634	0.45	4.835	30.584	16.978	-13.471	36.383	26.15	0.116	292.414	2.281	0.116	265.143	2.359	0.116	0.142	0.0	0.116	2.245	0.005
84	8605	8606	NS	1	-33.896	27.263	0.495	-34.356	26.634	0.45	4.832	30.584	16.915	-13.471	36.383	26.068	0.116	237.7	2.284	0.116	264.25	2.355	0.116	0.142	0.0	0.116	2.245	0.005
85	8605	8606	SN	2	-34.356	28.521	0.06	-34.668	28.883	0.483	-27.063	29.624	17.832	-29.25	29.967	18.347	0.116	264.231	4.754	0.116	283.909	4.435	0.116	49.364	0.027	0.116	81.631	0.018
86	8606	8607	SN	1	-34.417	24.5	0.131	-34.284	25.453	1.205	-15.408	32.534	15.746	-12.22	32.012	17.435	0.116	268.031	6.421	0.116	259.935	5.095	0.116	3.456	0.004	0.116	1.706	0.004
87	8606	8607	NS	1	-32.976	26.533	0.497	-34.926	26.567	0.886	6.815	28.491	28.925	8.065	30.253	39.915	0.116	192.323	1.874	0.116	301.305	1.448	0.116	0.132	0.0	0.116	0.128	0.0
88	8606	8607	NS	1	-34.532	26.533	0.497	-34.787	26.567	0.885	6.815	28.491	28.829	8.065	30.253	39.887	0.116	275.202	1.877	0.116	291.848	1.445	0.116	0.132	0.0	0.116	0.128	0.0
89	8606	8607	SN	2	-34.946	24.5	0.131	-34.328	25.453	1.203	-15.408	32.534	15.742	-12.22	32.012	17.436	0.116	302.759	6.425	0.116	262.606	5.094	0.116	3.456	0.004	0.116	1.706	0.004
90	8607	8608	NS	1	-34.615	28.137	0.388	-34.837	24.952	0.441	5.684	28.926	27.642	5.025	30.229	40.554	0.116	280.575	2.464	0.116	295.208	2.273	0.116	0.137	0.0	0.116	0.14	0.0
91	8607	8608	SN	1	-34.394	25.093	0.087	-34.942	26.561	1.016	-7.992	29.894	26.108	-10.911	30.461	27.867	0.116	266.581	1.012	0.116	302.427	1.054	0.116	0.703	0.0	0.116	1.286	0.002
92	8607	8608	NS	1	-34.504	28.136	0.388	-34.229	24.952	0.441	5.69	28.926	26.365	5.025	30.229	40.123	0.116	273.484	2.453	0.116	256.661	2.268	0.116	0.137	0.0	0.116	0.14	0.0
93	8607	8608	SN	1	-34.931	25.093	0.087	-34.855	26.561	1.02	-7.984	29.894	26.038	-10.909	30.461	27.843	0.116	301.729	1.012	0.116	296.507	1.053	0.116	0.702	0.0	0.116	1.286	0.002
94	8607	8608	NS	1	-34.504	28.136	0.388	-34.229	24.952	0.441	5.69	28.926	27.738	5.025	30.229	40.554	0.116	273.484	2.453	0.116	256.661	2.268	0.116	0.137	0.0	0.116	0.14	0.0
95	8608	8609	NS	1	-34.734	26.589	0.442	-34.612	27.231	0.21	4.293	27.754	7.868	7.53	29.546	17.246	0.116	288.371	2.786	0.116	280.306	2.253	0.116	0.145	0.0	0.116	0.129	0.0
96	8608	8609	SN	1	-32.589	23.949	0.071	-34.798	24.904	0.805	8.187	28.624	46.835	8.653	29.655	57.016	0.116	175.99	1.508	0.116	292.587	1.246	0.116	0.127	0.0	0.116	0.126	0.0
97	8608	8609	NS	1	-34.734	26.649	0.448	-34.612	27.262	0.21	4.293	29.574	30.869	7.53	30.001	43.041	0.116	288.371	2.79	0.116	280.306	2.251	0.116	0.145	0.0	0.116	0.129	0.0
98	8609	8610	NS	1	-34.885	26.415	0.435	-34.929	26.926	0.1	7.226	29.404	18.787	7.449	30.105	29.313	0.116	298.454	7.088	0.116	301.534	6.002	0.116	0.13	0.0	0.116	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8581	8582	SN	1	57.721	58.304	0.0	0.0	298.075	3.806	1236.896	1266.168	0.0	-93.107	-92.098	0.0
2	8581	8582	SN	1	57.721	58.304	0.0	0.0	298.075	3.81	1236.896	1266.168	0.0	-93.107	-92.098	0.0
3	8581	8582	NS	1	57.41	58.077	0.0	0.0	294.622	3.798	1194.28	1258.432	33.707	-93.636	-91.772	0.0
4	8582	8583	SN	1	57.692	58.307	0.0	0.0	295.157	3.236	1236.68	1266.368	0.0	-93.086	-92.136	0.0
5	8582	8583	SN	1	57.692	58.307	0.0	0.0	295.157	3.24	1236.808	1266.368	0.0	-93.086	-92.136	0.0
6	8582	8583	NS	1	57.441	58.077	0.0	0.0	293.365	3.622	1194.68	1258.792	35.189	-93.635	-91.782	0.0
7	8582	8583	SN	1	57.692	58.307	0.0	0.0	295.157	3.574	1236.68	1266.368	0.0	-93.086	-92.136	0.0
8	8583	8584	SN	1	57.693	58.31	0.0	0.0	292.924	3.51	1237.184	1266.408	0.0	-93.063	-92.145	0.0
9	8583	8584	SN	1	57.693	58.31	0.0	0.0	292.924	3.172	1237.184	1266.408	0.0	-93.063	-92.145	0.0
10	8583	8584	SN	1	57.69	58.295	0.0	0.0	292.924	3.506	1236.568	1266.408	0.0	-93.076	-92.145	0.0
11	8583	8584	NS	1	57.443	58.076	0.0	0.0	298.676	3.642	1194.768	1258.88	35.908	-93.634	-91.795	0.0
12	8584	8585	NS	1	57.412	58.088	0.0	0.0	298.692	3.646	1194.736	1258.84	35.256	-93.633	-91.784	0.0
13	8584	8585	SN	1	57.693	58.311	0.0	0.0	290.453	3.505	1236.48	1266.4	0.0	-93.17	-92.127	0.0
14	8584	8585	NS	2	57.412	58.088	0.0	0.0	298.692	3.646	1194.736	1258.84	35.256	-93.633	-91.784	0.0
15	8584	8585	SN	1	57.684	58.316	0.0	0.0	290.453	3.506	1236.536	1266.392	0.0	-93.051	-92.127	0.0
16	8584	8585	SN	1	57.684	58.316	0.0	0.003	290.453	3.125	1236.536	1266.392	0.0	-93.051	-92.127	0.0
17	8585	8586	SN	2	57.687	58.29	0.0	0.0	289.135	3.54	1237.368	1266.392	0.0	-93.054	-92.145	0.0
18	8585	8586	NS	1	57.427	58.105	0.0	0.0	297.86	3.828	1195.408	1258.84	37.179	-92.969	-91.787	0.0
19	8585	8586	SN	1	57.687	58.29	0.0	0.0	289.135	3.053	1237.368	1266.392	0.0	-93.054	-92.145	0.0
20	8585	8586	NS	1	57.433	58.106	0.0	0.0	297.793	3.825	1195.384	1258.856	37.247	-92.969	-91.787	0.0
21	8585	8586	SN	1	57.687	58.29	0.0	0.0	289.135	3.54	1237.368	1266.392	0.0	-93.054	-92.145	0.0
22	8586	8587	SN	1	57.411	58.29	0.0	0.003	297.468	3.604	1233.968	1266.328	0.0	-94.794	-92.146	0.0
23	8586	8587	NS	1	57.442	58.088	0.0	0.0	298.621	3.682	1195.272	1258.76	38.12	-93.632	-91.793	0.0
24	8586	8587	SN	2	57.413	58.29	0.0	0.003	297.187	3.606	1234.008	1266.328	0.0	-94.795	-92.146	0.0
25	8586	8587	NS	1	57.442	58.088	0.0	0.0	298.621	3.686	1195.272	1258.76	38.053	-93.632	-91.793	0.0
26	8586	8587	SN	1	57.691	58.29	0.0	0.003	288.898	2.898	1236.656	1266.328	0.0	-93.1	-92.146	0.0
27	8587	8588	SN	1	57.693	58.308	0.0	0.0	289.951	2.645	1236.656	1266.536	0.0	-93.067	-92.115	0.0
28	8587	8588	NS	2	57.433	58.107	0.0	0.0	292.008	3.661	1194.48	1258.904	37.621	-93.632	-91.79	0.0
29	8587	8588	SN	1	57.721	58.308	0.0	0.0	291.341	3.677	1237.192	1266.536	0.0	-93.067	-92.115	0.0
30	8587	8588	SN	1	57.693	58.308	0.0	0.0	291.341	3.68	1236.656	1266.536	0.0	-93.067	-92.115	0.0
31	8587	8588	NS	1	57.438	58.108	0.0	0.0	291.732	3.659	1194.84	1258.928	37.626	-93.632	-91.79	0.0
32	8588	8589	SN	1	57.687	58.294	0.0	0.0	296.426	3.581	1236.96	1266.832	0.0	-93.227	-92.127	0.0
33	8588	8589	SN	1	57.687	58.294	0.0	0.0	296.426	2.365	1236.96	1266.832	0.0	-93.227	-92.127	0.0
34	8588	8589	NS	1	57.402	58.256	0.0	0.0	299.034	3.698	1194.56	1259.208	37.776	-95.707	-91.785	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8588	8589	SN	1	57.687	58.294	0.0	0.0	296.426	3.577	1236.96	1266.832	0.0	-93.227	-92.127	0.0
36	8588	8589	NS	2	57.404	58.256	0.0	0.0	299.454	3.696	1194.256	1259.176	37.752	-95.707	-91.785	0.0
37	8589	8590	SN	1	57.696	58.307	0.0	0.0	294.286	3.53	1237.6	1266.904	0.0	-93.841	-92.115	0.0
38	8589	8590	NS	1	57.417	58.073	0.0	0.0	296.828	4.017	1194.784	1259.184	37.769	-93.631	-91.744	0.0
39	8590	8591	NS	1	57.421	58.071	0.0	0.0	295.808	3.742	1194.48	1259.064	38.307	-93.632	-91.788	0.0
40	8590	8591	NS	1	57.421	58.071	0.0	0.0	295.808	3.705	1194.48	1259.064	38.347	-93.632	-91.788	0.0
41	8595	8596	SN	1	57.704	58.332	0.0	0.0	295.72	3.805	1237.272	1267.616	0.0	-93.029	-92.128	0.0
42	8595	8596	SN	1	57.73	58.332	0.0	0.0	295.72	3.808	1238.04	1267.616	0.0	-93.029	-92.128	0.0
43	8595	8596	SN	1	57.73	58.332	0.0	0.0	295.72	3.115	1238.04	1267.616	0.0	-93.029	-92.128	0.0
44	8596	8597	SN	1	57.695	58.299	0.0	0.0	293.96	3.633	1237.232	1267.56	0.0	-93.051	-92.125	0.0
45	8596	8597	SN	1	57.698	58.299	0.0	0.0	293.96	3.296	1237.072	1267.56	0.0	-93.144	-92.125	0.0
46	8596	8597	NS	1	57.408	58.068	0.0	0.0	287.006	3.699	1192.472	1259.768	34.774	-93.625	-91.774	0.0
47	8597	8598	NS	1	57.429	58.068	0.0	0.0	288.17	3.725	1193.84	1260.072	36.345	-93.624	-91.776	0.0
48	8597	8598	SN	1	57.701	58.327	0.0	0.0	293.63	3.193	1236.632	1267.72	0.0	-93.081	-92.15	0.0
49	8597	8598	NS	1	57.429	58.068	0.0	0.0	288.17	3.712	1193.84	1260.072	36.379	-93.624	-91.776	0.0
50	8597	8598	SN	2	57.701	58.327	0.0	0.0	293.696	3.192	1236.632	1267.736	0.0	-93.082	-92.15	0.0
51	8597	8598	SN	1	57.701	58.327	0.0	0.0	293.696	3.521	1236.632	1267.736	0.0	-93.082	-92.15	0.0
52	8598	8599	SN	1	57.702	58.299	0.0	0.003	293.486	3.185	1236.712	1267.672	0.0	-93.027	-92.149	0.0
53	8598	8599	NS	1	57.404	58.066	0.0	0.0	289.063	3.642	1194.304	1260.08	36.434	-93.623	-91.789	0.0
54	8598	8599	SN	2	57.702	58.299	0.0	0.0	293.486	3.536	1236.712	1267.672	0.0	-93.027	-92.149	0.0
55	8598	8599	NS	1	57.404	58.066	0.0	0.0	289.063	3.646	1194.104	1260.08	36.368	-93.623	-91.789	0.0
56	8598	8599	SN	1	57.702	58.299	0.0	0.0	293.486	3.536	1236.712	1267.672	0.0	-93.027	-92.149	0.0
57	8599	8600	NS	1	57.414	58.066	0.0	0.0	290.806	3.628	1194.84	1260.04	37.435	-92.991	-91.755	0.0
58	8599	8600	SN	1	57.693	58.298	0.0	0.0	293.448	3.559	1236.84	1267.608	0.0	-93.168	-92.149	0.0
59	8599	8600	NS	1	57.414	58.066	0.0	0.0	290.806	3.624	1194.84	1260.04	37.501	-92.968	-91.755	0.0
60	8599	8600	SN	1	57.693	58.298	0.0	0.0	293.448	3.133	1236.84	1267.608	0.0	-93.168	-92.149	0.0
61	8599	8600	SN	2	57.692	58.299	0.0	0.0	293.431	3.559	1236.84	1267.616	0.0	-93.031	-92.149	0.0
62	8600	8601	SN	1	57.718	58.298	0.0	0.0	295.201	3.519	1236.608	1267.616	0.0	-92.967	-92.15	0.0
63	8600	8601	SN	1	57.727	58.298	0.0	0.0	292.554	2.965	1236.608	1267.616	0.0	-93.072	-92.15	0.0
64	8600	8601	SN	1	57.727	58.298	0.0	0.0	295.201	3.523	1236.608	1267.616	0.0	-92.967	-92.15	0.0
65	8600	8601	NS	1	57.401	58.07	0.0	0.003	294.473	3.704	1194.256	1260.04	38.19	-93.621	-91.776	0.0
66	8600	8601	NS	2	57.424	58.076	0.0	0.0	294.595	3.706	1194.272	1260.016	38.19	-93.621	-91.776	0.0
67	8601	8602	SN	1	57.723	58.327	0.0	0.0	298.51	3.619	1236.696	1267.72	0.0	-93.359	-92.131	0.0
68	8601	8602	NS	1	57.402	58.09	0.0	0.0	295.295	3.833	1193.688	1260.048	38.232	-93.073	-91.787	0.0
69	8601	8602	NS	2	57.402	58.09	0.0	0.0	295.295	3.832	1193.688	1260.048	38.225	-93.073	-91.787	0.0
70	8601	8602	SN	1	57.723	58.327	0.0	0.0	298.372	3.619	1236.704	1267.696	0.0	-93.359	-92.131	0.0
71	8601	8602	SN	1	57.723	58.327	0.0	0.003	298.372	2.798	1236.704	1267.696	0.0	-93.359	-92.131	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8602	8603	SN	1	57.709	58.302	0.0	0.003	295.152	3.672	1237.312	1268.032	0.0	-93.018	-92.142	0.0
73	8602	8603	SN	1	57.709	58.306	0.0	0.003	295.152	3.685	1237.192	1268.032	0.0	-93.008	-92.142	0.0
74	8602	8603	SN	1	57.709	58.302	0.0	0.003	295.152	2.464	1237.312	1268.032	0.0	-93.018	-92.142	0.0
75	8602	8603	NS	1	57.41	58.087	0.0	0.0	287.469	3.743	1193.512	1260.216	37.649	-93.621	-91.785	0.0
76	8603	8604	SN	1	57.702	58.325	0.0	0.0	294.622	3.55	1237.28	1268.184	0.0	-93.102	-92.108	0.0
77	8603	8604	NS	1	57.4	58.079	0.0	0.0	297.821	3.732	1194.272	1260.384	38.78	-93.62	-91.743	0.0
78	8603	8604	NS	2	57.4	58.079	0.0	0.0	297.821	3.732	1194.272	1260.384	38.78	-93.62	-91.743	0.0
79	8604	8605	NS	1	57.401	58.063	0.0	0.0	297.545	3.765	1193.816	1260.4	38.386	-93.621	-91.777	0.0
80	8604	8605	NS	1	57.401	58.063	0.0	0.0	297.545	3.776	1193.816	1260.4	38.347	-93.621	-91.777	0.0
81	8604	8605	SN	1	57.706	58.329	0.0	0.0	298.246	3.565	1237.248	1268.272	0.0	-93.066	-92.15	0.0
82	8605	8606	SN	1	57.637	58.408	0.0	0.0	294.639	3.685	1237.912	1268.28	0.0	-95.885	-92.126	0.0
83	8605	8606	NS	1	57.421	58.063	0.0	0.0	291.302	3.649	1193.912	1260.392	38.78	-93.01	-91.784	0.0
84	8605	8606	NS	1	57.41	58.063	0.0	0.0	291.302	3.645	1194.056	1260.392	38.78	-92.927	-91.784	0.0
85	8605	8606	SN	2	57.637	58.409	0.0	0.0	294.639	3.685	1237.92	1268.288	0.0	-95.885	-92.126	0.0
86	8606	8607	SN	1	57.711	58.333	0.0	0.0	295.345	3.661	1237.36	1268.416	0.0	-93.09	-92.129	0.0
87	8606	8607	NS	1	57.405	58.062	0.0	0.003	294.115	3.566	1193.36	1260.568	38.576	-93.59	-91.782	0.0
88	8606	8607	NS	1	57.402	58.062	0.0	0.003	294.115	3.562	1193.52	1260.568	38.539	-93.59	-91.782	0.0
89	8606	8607	SN	2	57.711	58.333	0.0	0.0	295.345	3.662	1237.352	1268.432	0.0	-93.062	-92.129	0.0
90	8607	8608	NS	1	57.421	58.06	0.0	0.0	299.167	3.744	1193.848	1260.688	39.315	-93.616	-91.779	0.0
91	8607	8608	SN	1	57.702	58.306	0.0	0.003	295.996	3.553	1237.712	1268.552	0.0	-93.016	-92.153	0.0
92	8607	8608	NS	1	57.408	58.059	0.0	0.0	299.31	3.604	1193.848	1260.128	39.523	-93.616	-91.78	0.0
93	8607	8608	SN	1	57.702	58.306	0.0	0.003	295.996	3.55	1237.712	1268.552	0.0	-93.016	-92.153	0.0
94	8607	8608	NS	1	57.408	58.059	0.0	0.0	299.349	3.747	1193.848	1260.688	39.357	-93.616	-91.78	0.0
95	8608	8609	NS	1	57.39	58.077	0.0	0.0	298.02	2.413	1193.016	1252.552	43.124	-92.871	-91.78	0.0
96	8608	8609	SN	1	57.717	58.309	0.0	0.003	298.312	3.542	1237.76	1268.776	0.0	-93.171	-92.157	0.0
97	8608	8609	NS	1	57.39	58.077	0.0	0.0	298.02	3.769	1193.016	1260.904	39.114	-92.937	-91.78	0.0
98	8609	8610	NS	1	57.398	58.064	0.0	0.0	297.838	3.863	1192.864	1260.944	38.647	-92.93	-91.75	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																	Kp											
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8581	8582	SN	1	-34.77	20.792	0.0	-34.809	19.872	0.0	-30.098	23.286	0.085	-33.679	23.793	0.138	0.086	222.157	4.044	0.086	224.186	3.483	0.086	75.806	0.033	0.086	172.837	0.034
2	8581	8582	SN	1	-34.987	20.792	0.0	-34.809	19.872	0.0	-31.07	23.286	0.085	-33.83	23.793	0.138	0.086	233.546	4.045	0.086	224.186	3.486	0.086	94.816	0.033	0.086	178.93	0.034
3	8581	8582	NS	1	-34.815	21.504	0.0	-34.784	21.606	0.0	-2.608	23.792	0.146	-3.004	24.163	0.494	0.086	224.5	2.448	0.086	222.929	2.759	0.086	0.207	0.0	0.086	0.219	0.0
4	8582	8583	SN	1	-34.883	19.454	0.0	-34.928	19.847	0.0	0.871	23.205	0.091	0.718	23.731	0.159	0.086	228.066	4.238	0.086	230.417	3.857	0.086	0.137	0.0	0.086	0.139	0.0
5	8582	8583	SN	1	-34.883	19.454	0.0	-34.3	19.847	0.0	0.873	23.205	0.091	0.718	23.731	0.159	0.086	228.066	4.233	0.086	199.405	3.863	0.086	0.137	0.0	0.086	0.139	0.0
6	8582	8583	NS	1	-34.843	21.238	0.0	-34.465	22.6	0.001	-7.168	23.091	0.076	-7.526	23.513	0.254	0.086	225.935	5.439	0.086	207.119	5.753	0.086	0.453	0.0	0.086	0.486	0.0
7	8582	8583	SN	1	-34.883	19.454	0.0	-34.928	19.847	0.0	0.871	23.205	0.091	0.718	23.731	0.159	0.086	228.066	4.152	0.086	230.417	3.797	0.086	0.137	0.0	0.086	0.139	0.0
8	8583	8584	SN	1	-34.272	18.052	0.0	-33.882	18.221	0.0	2.005	23.326	0.171	1.222	23.32	0.325	0.086	203.165	1.598	0.086	181.125	1.56	0.086	0.124	0.0	0.086	0.133	0.0
9	8583	8584	SN	1	-34.272	18.052	0.0	-33.882	18.221	0.0	2.005	23.326	0.171	1.222	23.32	0.325	0.086	203.165	1.626	0.086	181.125	1.578	0.086	0.124	0.0	0.086	0.133	0.0
10	8583	8584	SN	1	-34.645	18.051	0.0	-34.755	18.221	0.0	2.005	23.326	0.171	1.219	23.32	0.325	0.086	215.862	1.599	0.086	221.385	1.563	0.086	0.124	0.0	0.086	0.133	0.0
11	8583	8584	NS	1	-34.636	16.459	0.0	-34.9	15.775	0.0	-26.156	22.699	0.017	-26.84	23.566	0.174	0.087	215.443	3.84	0.087	228.911	3.687	0.086	30.628	0.002	0.086	35.84	0.018
12	8584	8585	NS	1	-34.951	18.877	0.0	-34.58	19.568	0.0	-12.21	22.673	0.042	-24.475	23.55	0.137	0.086	231.686	4.601	0.086	212.683	4.615	0.086	1.297	0.004	0.086	20.816	0.047
13	8584	8585	SN	1	-34.468	17.497	0.0	-34.979	18.707	0.0	0.172	23.297	0.553	0.61	23.228	1.047	0.087	207.292	2.408	0.086	233.102	1.763	0.086	0.146	0.0	0.086	0.14	0.0
14	8584	8585	NS	2	-34.951	18.877	0.0	-34.58	19.568	0.0	-12.21	22.673	0.042	-24.475	23.55	0.137	0.086	231.686	4.601	0.086	212.683	4.615	0.086	1.297	0.004	0.086	20.816	0.047
15	8584	8585	SN	1	-33.529	17.497	0.0	-34.622	18.707	0.0	0.172	23.297	0.553	0.61	23.228	1.047	0.087	166.98	2.405	0.086	214.75	1.763	0.086	0.146	0.0	0.086	0.14	0.0
16	8584	8585	SN	1	-34.926	17.497	0.0	-34.622	18.707	0.0	0.172	23.297	0.553	0.605	23.228	1.085	0.087	238.283	2.461	0.086	214.75	1.791	0.086	0.146	0.0	0.086	0.14	0.0
17	8585	8586	SN	2	-34.781	18.092	0.0	-34.693	18.659	0.0	-0.122	22.786	0.138	-0.102	23.365	0.793	0.086	222.781	2.253	0.086	218.236	2.229	0.086	0.151	0.0	0.086	0.151	0.0
18	8585	8586	NS	1	-34.637	15.234	0.0	-34.803	15.124	0.0	-22.173	23.164	0.044	-16.843	23.052	0.118	0.087	215.464	2.385	0.087	223.825	2.598	0.086	12.278	0.021	0.086	3.645	0.008
19	8585	8586	SN	1	-34.781	18.092	0.0	-34.693	18.659	0.0	-0.122	22.786	0.145	-0.102	23.365	0.84	0.086	222.781	2.314	0.086	218.236	2.294	0.086	0.151	0.0	0.086	0.151	0.0
20	8585	8586	NS	1	-34.94	15.234	0.0	-34.803	15.124	0.0	-22.148	23.164	0.044	-16.839	23.052	0.118	0.087	231.062	2.381	0.087	223.825	2.63	0.086	12.21	0.021	0.086	3.641	0.008
21	8585	8586	SN	1	-34.781	18.092	0.0	-34.693	18.659	0.0	-0.122	22.786	0.138	-0.102	23.365	0.793	0.086	222.781	2.253	0.086	218.236	2.229	0.086	0.151	0.0	0.086	0.151	0.0
22	8586	8587	SN	1	-34.659	16.644	0.0	-34.784	17.177	0.0	0.941	22.573	0.083	4.553	22.5	0.031	0.087	216.592	1.978	0.087	222.925	1.767	0.086	0.136	0.0	0.086	0.106	0.0
23	8586	8587	NS	1	-34.167	18.637	0.0	-33.953	19.448	0.0	-27.886	23.173	0.116	-22.484	23.986	0.394	0.086	193.358	1.819	0.086	184.107	1.799	0.086	45.588	0.133	0.086	13.183	0.125
24	8586	8587	SN	2	-34.659	16.644	0.0	-34.784	17.177	0.0	0.941	22.573	0.083	4.553	22.5	0.031	0.087	216.592	1.978	0.087	222.925	1.767	0.086	0.136	0.0	0.086	0.106	0.0
25	8586	8587	NS	1	-34.167	18.637	0.0	-33.953	19.448	0.0	-27.886	23.174	0.118	-22.484	23.986	0.394	0.086	193.358	1.822	0.086	184.107	1.8	0.086	45.588	0.133	0.086	13.183	0.125
26	8586	8587	SN	1	-34.659	16.644	0.0	-34.784	17.198	0.0	0.941	22.573	0.091	4.553	22.5	0.031	0.087	216.592	2.04	0.087	222.925	1.634	0.086	0.136	0.0	0.086	0.106	0.0
27	8587	8588	SN	1	-34.922	18.102	0.0	-34.515	18.188	0.0	-4.734	23.733	0.671	-4.8	23.97	1.212	0.086	230.106	4.265	0.086	209.521	4.039	0.086	0.29	0.0	0.086	0.293	0.0
28	8587	8588	NS	2	-33.93	19.492	0.0	-34.768	20.354	0.0	1.297	22.919	0.263	2.38	23.94	1.129	0.086	183.107	1.757	0.086	222.149	1.602	0.086	0.132	0.0	0.086	0.121	0.0
29	8587	8588	SN	1	-34.922	18.102	0.0	-34.515	18.188	0.0	-4.734	23.733	0.625	-4.672	23.97	1.204	0.086	230.106	4.112	0.086	209.521	4.291	0.086	0.29	0.0	0.086	0.287	0.0
30	8587	8588	SN	1	-34.922	18.102	0.0	-34.515	18.188	0.0	-4.734	23.733	0.626	-4.703	23.97	1.208	0.086	230.106	4.109	0.086	209.521	4.284	0.086	0.29	0.0	0.086	0.288	0.0
31	8587	8588	NS	1	-33.93	19.492	0.0	-34.768	20.354	0.0	1.297	22.919	0.264	2.38	23.94	1.134	0.086	183.107	1.757	0.086	222.149	1.602	0.086	0.132	0.0	0.086	0.121	0.0
32	8588	8589	SN	1	-34.676	20.399	0.0	-34.996	20.58	0.0	-7.472	23.977	0.479	-8.298	24.155	1.069	0.086	217.399	4.338	0.086	234.044	3.969	0.086	0.481	0.0	0.086	0.567	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	8588	8589	SN	1	-33.959	20.399	0.0	-34.996	20.58	0.0	-7.472	23.977	0.51	-8.298	24.155	1.033	0.086	184.358	3.85	0.086	234.044	3.521	0.086	0.481	0.0	0.086	0.567	0.0
34	8588	8589	NS	1	-34.139	18.761	0.0	-34.807	18.928	0.0	0.918	23.682	0.236	2.489	23.884	1.196	0.086	192.179	2.386	0.086	224.117	2.086	0.086	0.136	0.0	0.086	0.12	0.0
35	8588	8589	SN	1	-34.696	20.399	0.0	-34.996	20.58	0.0	-7.47	23.977	0.478	-8.298	24.155	1.065	0.086	218.393	4.351	0.086	234.044	3.967	0.086	0.481	0.0	0.086	0.567	0.0
36	8588	8589	NS	2	-34.609	18.761	0.0	-34.984	18.928	0.0	0.918	23.682	0.236	2.489	23.884	1.196	0.086	214.093	2.381	0.086	239.364	2.086	0.086	0.136	0.0	0.086	0.12	0.0
37	8589	8590	SN	1	-34.977	20.241	0.0	-34.934	20.252	0.0	-26.668	23.276	0.416	-3.977	23.883	0.451	0.086	233.088	5.837	0.086	230.774	5.715	0.086	34.452	0.037	0.086	0.255	0.0
38	8589	8590	NS	1	-34.357	21.363	0.0	-34.438	20.996	0.0	-28.087	22.792	0.112	-25.095	24.56	2.448	0.086	202.038	3.53	0.086	205.804	3.514	0.086	47.733	0.035	0.086	23.999	0.02
39	8590	8591	NS	1	-34.916	22.89	0.001	-34.917	19.378	0.0	-34.707	22.486	0.034	-34.985	24.76	2.219	0.086	229.786	2.062	0.086	229.844	2.103	0.086	218.998	0.216	0.086	239.423	0.188
40	8590	8591	NS	1	-34.916	22.89	0.001	-34.917	19.378	0.0	-34.707	22.486	0.034	-34.985	24.76	2.214	0.086	229.786	2.063	0.086	229.844	2.103	0.086	218.998	0.216	0.086	239.423	0.188
41	8595	8596	SN	1	-31.845	19.534	0.0	-34.882	19.735	0.0	-34.484	23.044	0.03	-34.363	23.903	0.037	0.086	113.329	1.515	0.086	227.973	1.433	0.086	208.036	0.149	0.086	202.327	0.164
42	8595	8596	SN	1	-33.331	19.534	0.0	-34.335	19.735	0.0	-33.305	23.044	0.03	-34.419	23.903	0.037	0.086	159.55	1.512	0.086	201.04	1.433	0.086	158.592	0.154	0.086	204.965	0.159
43	8595	8596	SN	1	-33.331	19.534	0.0	-34.048	19.735	0.0	-33.305	23.044	0.03	-34.419	23.903	0.037	0.086	159.55	1.57	0.086	188.181	1.594	0.086	158.592	0.155	0.086	204.965	0.159
44	8596	8597	SN	1	-34.923	19.838	0.0	-34.705	19.853	0.0	-34.465	22.857	0.069	-31.684	23.747	0.12	0.086	230.184	5.412	0.086	218.877	4.325	0.086	207.134	0.173	0.086	109.199	0.271
45	8596	8597	SN	1	-34.741	19.838	0.0	-34.973	19.853	0.0	-34.71	22.857	0.069	-31.237	23.745	0.12	0.086	220.726	5.562	0.086	232.811	4.437	0.086	219.165	0.175	0.086	98.534	0.271
46	8596	8597	NS	1	-34.795	22.0	0.001	-33.184	22.668	0.003	-2.085	23.043	0.034	-1.35	23.934	0.233	0.086	223.463	2.243	0.086	154.222	2.477	0.086	0.192	0.0	0.086	0.174	0.0
47	8597	8598	NS	1	-34.798	17.424	0.0	-34.748	18.04	0.0	-8.855	23.604	0.06	-28.845	23.383	0.22	0.087	223.617	3.932	0.086	221.089	3.911	0.086	0.635	0.0	0.086	56.829	0.056
48	8597	8598	SN	1	-34.382	18.274	0.0	-34.083	18.549	0.0	0.143	23.708	0.256	1.142	23.512	0.414	0.086	203.196	3.038	0.086	189.702	2.781	0.086	0.147	0.0	0.086	0.134	0.0
49	8597	8598	NS	1	-34.875	17.424	0.0	-34.748	18.04	0.0	-8.855	23.604	0.06	-28.845	23.383	0.221	0.087	227.648	3.934	0.086	221.089	3.911	0.086	0.635	0.0	0.086	56.829	0.056
50	8597	8598	SN	2	-34.43	18.274	0.0	-34.11	18.549	0.0	0.143	23.708	0.256	1.142	23.512	0.414	0.086	205.423	3.038	0.086	190.85	2.781	0.086	0.147	0.0	0.086	0.134	0.0
51	8597	8598	SN	1	-34.43	18.274	0.0	-34.11	18.549	0.0	0.143	23.708	0.256	1.142	23.512	0.414	0.086	205.423	2.985	0.086	190.85	2.743	0.086	0.147	0.0	0.086	0.134	0.0
52	8598	8599	SN	1	-34.903	18.048	0.0	-34.318	18.569	0.0	0.962	22.959	0.163	2.52	23.156	0.353	0.086	229.088	1.534	0.086	200.268	1.375	0.086	0.136	0.0	0.086	0.12	0.0
53	8598	8599	NS	1	-34.95	19.686	0.0	-34.68	17.811	0.0	-25.428	22.89	0.037	-25.872	24.155	0.157	0.086	231.535	5.515	0.086	217.627	5.615	0.086	25.906	0.095	0.086	28.693	0.097
54	8598	8599	SN	2	-34.903	18.048	0.0	-34.318	18.569	0.0	0.962	22.959	0.163	2.52	23.156	0.347	0.086	229.088	1.51	0.086	200.268	1.355	0.086	0.136	0.0	0.086	0.12	0.0
55	8598	8599	NS	1	-34.963	19.686	0.0	-34.419	17.811	0.0	-25.398	22.89	0.037	-30.658	24.155	0.157	0.086	232.34	5.511	0.086	204.912	5.631	0.086	25.736	0.095	0.086	89.211	0.097
56	8598	8599	SN	1	-34.903	18.048	0.0	-34.318	18.569	0.0	0.962	22.959	0.163	2.52	23.156	0.347	0.086	229.088	1.51	0.086	200.268	1.355	0.086	0.136	0.0	0.086	0.12	0.0
57	8599	8600	NS	1	-34.864	18.608	0.0	-31.325	15.825	0.0	-17.646	23.196	0.101	-32.914	23.505	0.18	0.086	227.083	1.079	0.087	100.544	1.022	0.086	4.371	0.016	0.086	144.923	0.013
58	8599	8600	SN	1	-34.569	17.845	0.0	-34.79	18.492	0.0	1.167	23.014	0.229	1.417	23.453	1.133	0.086	212.131	3.225	0.086	223.23	2.784	0.086	0.133	0.0	0.086	0.13	0.0
59	8599	8600	NS	1	-33.902	18.608	0.0	-31.067	15.825	0.0	-17.646	23.196	0.101	-32.914	23.505	0.18	0.086	181.944	1.07	0.087	94.737	1.024	0.086	4.371	0.016	0.086	144.923	0.013
60	8599	8600	SN	1	-34.871	17.845	0.0	-34.79	18.492	0.0	1.167	23.014	0.231	1.417	23.453	1.219	0.086	227.39	3.299	0.086	223.23	2.845	0.086	0.133	0.0	0.086	0.13	0.0
61	8599	8600	SN	2	-34.569	17.845	0.0	-34.82	18.492	0.0	1.167	23.014	0.229	1.417	23.453	1.133	0.086	212.131	3.226	0.086	224.758	2.784	0.086	0.133	0.0	0.086	0.13	0.0
62	8600	8601	SN	1	-34.117	17.495	0.0	-34.996	17.061	0.0	0.97	22.596	0.102	3.283	23.038	0.213	0.087	191.207	2.312	0.087	234.034	2.095	0.086	0.136	0.0	0.086	0.114	0.0
63	8600	8601	SN	1	-34.707	17.495	0.0	-34.996	17.061	0.0	0.97	22.596	0.111	3.283	23.038	0.219	0.087	218.943	2.374	0.087	234.034	2.18	0.086	0.136	0.0	0.086	0.114	0.0
64	8600	8601	SN	1	-34.826	17.495	0.0	-34.996	17.061	0.0	0.97	22.596	0.102	3.283	23.038	0.213	0.087	225.059	2.314	0.087	234.034	2.098	0.086	0.136	0.0	0.086	0.114	0.0
65	8600	8601	NS	1	-34.97	19.2	0.0	-34.886	15.722	0.0	-18.777	23.556	0.073	-23.799	23.253	0.289	0.086	232.612	2.673	0.087	228.179	2.254	0.086	5.652	0.014	0.086	17.824	0.01
66	8600	8601	NS	2	-34.775	19.2	0.0	-34.9	15.722	0.0	-18.779	23.556	0.073	-23.827	23.253	0.289	0.086	222.436	2.669	0.087	228.912	2.253	0.086	5.654	0.014	0.086	17.938	0.01
67	8601	8602	SN	1	-34.991	16.911	0.0	-34.67	16.494	0.0	-5.888	23.496	0.424	-0.948	23.754	0.748	0.087	233.795	4.529	0.087	217.098	3.926	0.086	0.356	0.0	0.086	0.166	0.0
68	8601	8602	NS	1	-34.99	19.783	0.0	-34.484	20.138	0.0	-18.414	23.154	0.293	-20.828	23.399	0.731	0.086	233.744	1.483	0.086	208.004	1.492	0.086	5.204	0.044	0.086	9.027	0.022
69	8601	8602	NS	2	-34.99	19.783	0.0	-34.484	20.138	0.0	-18.414	23.154	0.293	-20.828	23.399	0.73	0.086	233.744	1.483	0.086	208.004	1.489	0.086	5.204	0.044	0.086	9.027	0.022

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0		
	Max	22.0	1.0		

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

70	8601	8602	SN	1	-34.991	16.911	0.0	-34.806	16.494	0.0	-5.892	23.496	0.424	-0.973	23.754	0.748	0.087	233.795	4.537	0.087	224.004	3.928	0.086	0.356	0.0	0.086	0.166	0.0
71	8601	8602	SN	1	-34.991	16.911	0.0	-34.806	16.494	0.0	-5.892	23.496	0.456	-0.973	23.754	0.75	0.087	233.795	4.727	0.087	224.004	4.217	0.086	0.356	0.0	0.086	0.166	0.0
72	8602	8603	SN	1	-34.558	19.564	0.0	-34.784	19.341	0.0	-11.639	23.982	0.756	-5.818	25.141	1.532	0.086	211.624	5.535	0.086	222.881	5.246	0.086	1.145	0.001	0.086	0.351	0.0
73	8602	8603	SN	1	-34.003	19.564	0.0	-34.563	19.341	0.0	-11.635	23.98	0.764	-5.82	25.141	1.539	0.086	186.222	5.514	0.086	211.83	5.236	0.086	1.144	0.001	0.086	0.351	0.0
74	8602	8603	SN	1	-34.558	19.564	0.0	-34.784	19.341	0.0	-11.639	23.982	0.81	-5.818	25.141	1.535	0.086	211.624	5.951	0.086	222.881	6.048	0.086	1.145	0.002	0.086	0.351	0.0
75	8602	8603	NS	1	-33.983	19.476	0.0	-33.378	20.473	0.0	1.857	23.344	0.11	2.394	23.796	0.756	0.086	185.341	1.728	0.086	161.279	1.349	0.086	0.126	0.0	0.086	0.121	0.0
76	8603	8604	SN	1	-34.473	20.189	0.0	-34.549	20.925	0.0	-31.512	23.362	0.384	-13.934	23.999	0.706	0.086	207.531	5.023	0.086	211.126	4.611	0.086	104.971	0.088	0.086	1.897	0.002
77	8603	8604	NS	1	-34.202	22.498	0.006	-33.843	21.734	0.0	-0.976	23.337	0.118	0.16	24.56	1.57	0.086	194.941	2.523	0.086	179.483	2.109	0.086	0.167	0.0	0.086	0.147	0.0
78	8603	8604	NS	2	-34.202	22.498	0.006	-33.843	21.734	0.0	-0.976	23.337	0.118	0.16	24.56	1.57	0.086	194.941	2.523	0.086	179.483	2.109	0.086	0.167	0.0	0.086	0.147	0.0
79	8604	8605	NS	1	-34.939	21.983	0.0	-34.399	20.401	0.0	-26.023	22.945	0.12	-31.972	24.844	2.453	0.086	231.014	3.744	0.086	204.027	3.35	0.086	29.708	0.225	0.086	116.674	0.173
80	8604	8605	NS	1	-34.939	21.983	0.0	-34.399	20.401	0.0	-26.023	22.945	0.12	-31.972	24.844	2.453	0.086	231.014	3.741	0.086	204.027	3.348	0.086	29.708	0.224	0.086	116.674	0.173
81	8604	8605	SN	1	-33.981	21.663	0.0	-34.9	21.091	0.0	-7.155	23.272	0.462	-3.691	23.068	0.195	0.086	185.286	3.486	0.086	228.905	3.236	0.086	0.452	0.0	0.086	0.244	0.0
82	8605	8606	SN	1	-34.312	20.815	0.0	-34.643	21.799	0.0	-34.801	23.508	0.423	-19.039	23.526	0.204	0.086	199.937	4.67	0.086	215.77	4.482	0.086	223.785	0.145	0.086	6.0	0.017
83	8605	8606	NS	1	-34.895	20.696	0.0	-34.55	20.527	0.0	1.335	22.792	0.065	1.342	24.171	2.017	0.086	228.706	1.983	0.086	211.256	2.046	0.086	0.131	0.0	0.086	0.131	0.0
84	8605	8606	NS	1	-34.451	20.696	0.0	-34.475	20.527	0.0	1.335	22.792	0.065	1.342	24.175	2.015	0.086	206.492	1.982	0.086	207.611	2.047	0.086	0.131	0.0	0.086	0.131	0.0
85	8605	8606	SN	2	-34.294	20.815	0.0	-34.66	21.799	0.0	-34.804	23.508	0.423	-19.026	23.526	0.204	0.086	199.111	4.669	0.086	216.668	4.482	0.086	223.938	0.145	0.086	5.983	0.017
86	8606	8607	SN	1	-32.697	18.148	0.0	-34.448	18.572	0.0	-34.242	23.648	0.347	-24.232	23.439	0.215	0.086	137.862	4.832	0.086	206.332	3.918	0.086	196.797	0.056	0.086	19.689	0.05
87	8606	8607	NS	1	-34.516	18.311	0.0	-34.673	20.659	0.0	0.962	23.105	0.489	4.103	24.435	2.779	0.086	209.601	1.48	0.086	217.259	1.313	0.086	0.136	0.0	0.086	0.109	0.0
88	8606	8607	NS	1	-34.793	18.311	0.0	-33.497	20.659	0.0	0.962	23.105	0.488	4.103	24.435	2.776	0.086	223.42	1.481	0.086	165.746	1.31	0.086	0.136	0.0	0.086	0.109	0.0
89	8606	8607	SN	2	-34.991	18.148	0.0	-34.67	18.572	0.0	-34.311	23.648	0.347	-24.263	23.44	0.215	0.086	233.839	4.834	0.086	217.069	3.916	0.086	199.886	0.056	0.086	19.827	0.05
90	8607	8608	NS	1	-34.304	20.407	0.0	-34.894	19.37	0.0	2.182	22.65	0.088	0.715	24.115	2.579	0.086	199.582	2.246	0.086	228.624	2.002	0.086	0.123	0.0	0.086	0.139	0.0
91	8607	8608	SN	1	-34.623	19.458	0.0	-33.302	18.34	0.0	-28.172	23.522	0.672	-20.077	23.403	0.485	0.086	214.774	1.169	0.086	158.473	1.084	0.086	48.686	0.02	0.086	7.602	0.054
92	8607	8608	NS	1	-33.783	20.407	0.0	-34.153	19.372	0.0	2.182	22.65	0.091	0.715	24.115	2.619	0.086	177.013	2.239	0.086	192.791	2.003	0.086	0.123	0.0	0.086	0.139	0.0
93	8607	8608	SN	1	-34.623	19.458	0.0	-33.302	18.34	0.0	-27.651	23.522	0.671	-20.075	23.403	0.484	0.086	214.774	1.169	0.086	158.473	1.082	0.086	43.185	0.019	0.086	7.6	0.054
94	8607	8608	NS	1	-33.783	20.407	0.0	-34.153	19.372	0.0	2.182	22.65	0.088	0.715	24.115	2.579	0.086	177.013	2.239	0.086	192.791	2.003	0.086	0.123	0.0	0.086	0.139	0.0
95	8608	8609	NS	1	-34.858	18.566	0.0	-34.277	21.38	0.0	-0.784	22.3	0.021	1.14	24.168	1.238	0.086	226.772	2.692	0.086	198.341	2.366	0.086	0.163	0.0	0.086	0.134	0.0
96	8608	8609	SN	1	-34.335	17.164	0.0	-34.677	18.581	0.0	2.858	23.623	0.616	4.106	23.488	0.744	0.087	201.057	1.831	0.086	217.508	1.713	0.086	0.117	0.0	0.086	0.109	0.0
97	8608	8609	NS	1	-34.858	20.065	0.0	-34.277	21.378	0.0	-0.784	23.665	1.135	1.14	24.186	2.858	0.086	226.772	2.662	0.086	198.341	2.369	0.086	0.163	0.0	0.086	0.134	0.0
98	8609	8610	NS	1	-34.906	20.173	0.0	-34.665	20.155	0.0	-2.741	23.669	1.247	1.472	24.496	2.021	0.086	229.289	5.332	0.086	216.875	5.539	0.086	0.211	0.0	0.086	0.13	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors