

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-MAY-2018 To 24-MAY-2018





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 23-MAY-2018 To 24-MAY-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8755	8756	SN	1	48.906	49.566	0.0	0.003	29.166	2.715	1048.392	1089.144	0.0	-91.833	-90.021	0.0
2	8755	8756	NS	1	48.592	49.318	0.0	0.0	267.555	2.86	1015.384	1084.168	25.255	-91.582	-89.677	0.0
3	8755	8756	SN	1	48.872	49.566	0.0	0.003	29.166	2.718	1048.392	1089.144	0.0	-91.833	-90.021	0.0
4	8755	8756	SN	1	48.872	49.566	0.0	0.003	29.166	2.452	1049.784	1089.144	0.0	-91.833	-90.038	0.0
5	8756	8757	SN	1	48.865	49.52	0.0	0.003	208.583	2.521	1048.304	1089.296	0.0	-92.243	-90.02	0.0
6	8756	8757	SN	1	48.865	49.52	0.0	0.003	6.381	2.395	1048.984	1089.296	0.0	-92.243	-90.029	0.0
7	8756	8757	NS	2	48.631	49.282	0.0	0.003	264.505	2.535	1015.152	1084.416	27.045	-91.248	-89.672	0.0
8	8756	8757	NS	1	48.631	49.282	0.0	0.003	264.505	2.535	1015.152	1084.416	27.036	-91.248	-89.672	0.0
9	8756	8757	SN	1	48.865	49.533	0.0	0.003	6.381	2.397	1048.992	1089.296	0.0	-92.243	-90.029	0.0
10	8757	8758	NS	1	48.636	49.331	0.0	0.003	265.095	2.603	1016.224	1084.488	27.414	-91.614	-89.687	0.0
11	8757	8758	SN	1	48.866	49.5	0.0	0.003	6.381	2.482	1048.08	1089.336	0.0	-91.72	-90.021	0.0
12	8757	8758	SN	1	48.856	49.5	0.0	0.003	6.381	2.332	1049.12	1089.336	0.0	-91.676	-90.03	0.0
13	8757	8758	SN	1	48.856	49.5	0.0	0.003	6.381	2.485	1048.08	1089.336	0.0	-91.676	-90.021	0.0
14	8758	8759	SN	1	48.899	49.565	0.0	0.003	214.92	2.542	1048.056	1089.368	0.0	-91.779	-90.02	0.0
15	8758	8759	NS	1	48.605	49.283	0.0	0.003	209.78	2.656	1015.352	1084.48	27.2	-91.828	-89.677	0.0
16	8758	8759	SN	1	48.847	49.499	0.0	0.003	280.267	2.536	1048.056	1089.344	0.0	-92.028	-90.02	0.0
17	8758	8759	NS	2	48.605	49.283	0.0	0.003	209.78	2.656	1015.352	1084.48	27.2	-91.828	-89.677	0.0
18	8758	8759	SN	1	48.899	49.565	0.0	0.003	214.92	2.262	1049.456	1089.368	0.0	-91.779	-90.037	0.0
19	8759	8760	NS	1	48.576	49.281	0.0	0.0	264.808	2.779	1016.328	1084.448	27.998	-91.592	-89.689	0.0
20	8759	8760	SN	1	48.867	49.499	0.0	0.003	6.392	2.544	1048.048	1089.264	0.0	-91.77	-90.02	0.0
21	8759	8760	NS	1	48.574	49.282	0.0	0.0	264.808	2.783	1016.304	1084.48	28.016	-91.383	-89.688	0.0
22	8759	8760	SN	1	48.867	49.499	0.0	0.003	6.392	2.087	1050.136	1089.264	0.0	-91.77	-90.046	0.0
23	8759	8760	SN	2	48.867	49.499	0.0	0.003	6.392	2.544	1048.048	1089.264	0.0	-91.77	-90.02	0.0
24	8760	8761	SN	2	48.846	49.5	0.0	0.003	214.986	2.604	1047.976	1089.232	0.0	-91.566	-90.017	0.0
25	8760	8761	NS	1	48.584	49.283	0.0	0.003	12.525	2.609	1016.256	1084.432	28.254	-91.839	-89.693	0.0
26	8760	8761	NS	1	48.584	49.283	0.0	0.003	12.525	2.611	1016.256	1084.432	28.284	-91.839	-89.693	0.0
27	8760	8761	SN	1	48.846	49.5	0.0	0.003	214.986	2.604	1047.992	1089.232	0.0	-91.566	-90.018	0.0
28	8760	8761	SN	1	48.846	49.5	0.0	0.003	214.986	1.883	1050.728	1089.232	0.0	-92.107	-90.053	0.0
29	8761	8762	NS	1	48.614	49.3	0.0	0.003	16.368	2.657	1016.096	1084.488	28.519	-91.656	-89.698	0.0
30	8761	8762	SN	1	48.882	49.5	0.0	0.003	31.135	2.631	1047.864	1089.392	0.0	-91.596	-90.018	0.0
31	8761	8762	NS	2	48.612	49.297	0.0	0.003	264.356	2.658	1016.056	1084.544	28.541	-91.726	-89.698	0.0
32	8761	8762	SN	1	48.882	49.5	0.0	0.003	31.135	2.634	1047.864	1089.392	0.0	-91.596	-90.018	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors

33	8761	8762	SN	1	48.89	49.5	0.0	0.003	31.135	1.634	1051.28	1089.392	0.0	-91.596	-90.065	0.0
34	8762	8763	SN	1	48.895	49.508	0.0	0.0	280.25	2.748	1048.0	1089.608	0.0	-91.86	-90.013	0.0
35	8762	8763	SN	1	48.895	49.508	0.0	0.0	280.25	1.72	1051.912	1089.608	0.0	-91.86	-90.04	0.0
36	8762	8763	SN	1	48.895	49.508	0.0	0.0	280.25	1.725	1051.912	1089.608	0.0	-91.86	-90.04	0.0
37	8762	8763	NS	1	48.575	49.286	0.0	0.003	210.701	2.664	1015.936	1084.776	28.948	-91.459	-89.696	0.0
38	8762	8763	NS	2	48.578	49.283	0.0	0.003	264.726	2.665	1015.976	1084.72	28.959	-91.458	-89.696	0.0
39	8763	8764	NS	1	48.614	49.314	0.0	0.003	267.318	2.481	1015.856	1082.744	28.59	-91.572	-89.691	0.0
40	8763	8764	SN	1	48.904	49.516	0.0	0.0	242.605	2.536	1048.128	1089.664	0.0	-91.776	-89.992	0.0
41	8763	8764	NS	1	48.614	49.314	0.0	0.003	267.318	2.747	1015.856	1084.76	27.92	-91.633	-89.691	0.0
42	8764	8765	NS	1	48.591	49.284	0.0	0.0	264.356	2.831	1015.16	1084.704	29.204	-91.52	-89.674	0.0
43	8769	8770	SN	1	48.903	49.546	0.0	0.0	214.776	2.703	1047.344	1090.128	0.0	-91.851	-90.01	0.0
44	8769	8770	SN	1	48.87	49.546	0.0	0.0	214.776	2.701	1047.344	1090.128	0.0	-91.851	-90.01	0.0
45	8769	8770	SN	1	48.903	49.546	0.0	0.003	214.776	2.027	1049.992	1090.128	0.0	-91.851	-90.042	0.0
46	8770	8771	SN	1	48.902	49.509	0.0	0.003	275.921	2.598	1047.344	1090.128	0.0	-91.77	-90.008	0.0
47	8770	8771	SN	1	48.889	49.529	0.0	0.003	275.921	2.6	1047.344	1090.128	0.0	-91.794	-90.008	0.0
48	8770	8771	NS	1	48.609	49.306	0.0	0.003	267.124	2.629	1014.952	1085.264	25.955	-92.058	-89.678	0.0
49	8771	8772	SN	2	48.838	49.569	0.0	0.003	6.43	2.514	1047.192	1090.2	0.0	-92.169	-90.006	0.0
50	8771	8772	NS	1	48.635	49.288	0.0	0.003	41.117	2.612	1015.728	1085.512	27.508	-91.623	-89.65	0.0
51	8771	8772	SN	1	48.838	49.569	0.0	0.003	6.43	2.514	1047.192	1090.216	0.0	-92.169	-90.006	0.0
52	8771	8772	NS	1	48.635	49.288	0.0	0.003	41.117	2.599	1015.728	1085.512	27.536	-91.623	-89.65	0.0
53	8772	8773	NS	1	48.634	49.319	0.0	0.003	267.985	2.573	1016.2	1085.568	27.373	-91.272	-89.695	0.0
54	8772	8773	SN	1	48.842	49.557	0.0	0.003	6.425	2.323	1048.216	1090.336	0.0	-91.839	-90.02	0.0
55	8772	8773	SN	1	48.842	49.557	0.0	0.003	6.425	2.546	1047.064	1090.336	0.0	-91.839	-90.006	0.0
56	8772	8773	NS	1	48.634	49.31	0.0	0.003	267.985	2.57	1016.2	1085.568	27.345	-91.731	-89.695	0.0
57	8772	8773	SN	2	48.842	49.557	0.0	0.003	6.425	2.546	1047.064	1090.336	0.0	-91.839	-90.006	0.0
58	8773	8774	SN	1	48.878	49.569	0.0	0.003	6.403	2.53	1047.056	1090.104	0.0	-91.795	-90.008	0.0
59	8773	8774	SN	1	48.878	49.57	0.0	0.003	6.408	2.173	1048.64	1090.112	0.0	-91.795	-90.03	0.0
60	8773	8774	NS	1	48.634	49.34	0.0	0.003	210.668	2.63	1016.24	1085.52	27.965	-91.445	-89.677	0.0
61	8773	8774	NS	1	48.634	49.31	0.0	0.003	210.668	2.632	1016.24	1085.52	27.994	-91.765	-89.677	0.0
62	8773	8774	SN	2	48.878	49.57	0.0	0.003	6.408	2.529	1047.056	1090.112	0.0	-91.795	-90.008	0.0
63	8774	8775	SN	1	48.833	49.54	0.0	0.003	32.853	2.539	1047.0	1090.104	0.0	-91.818	-90.006	0.0
64	8774	8775	SN	1	48.833	49.54	0.0	0.003	32.853	1.978	1049.304	1090.104	0.0	-91.818	-90.037	0.0
65	8774	8775	SN	1	48.837	49.54	0.0	0.003	32.853	2.537	1047.0	1090.104	0.0	-91.818	-90.006	0.0
66	8774	8775	NS	2	48.579	49.288	0.0	0.003	18.525	2.716	1016.256	1085.496	27.977	-91.494	-89.685	0.0
67	8774	8775	NS	1	48.578	49.29	0.0	0.003	18.525	2.716	1016.24	1085.504	27.973	-91.494	-89.685	0.0
68	8775	8776	NS	1	48.6	49.29	0.0	0.003	15.53	2.658	1015.496	1085.52	27.937	-91.637	-89.696	0.0
69	8775	8776	SN	1	46.758	51.486	3.511	0.003	280.653	3.195	1016.44	1102.944	0.374	-92.432	-89.984	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	8775	8776	SN	1	46.76	51.447	3.512	0.003	280.658	3.199	1016.472	1102.944	0.374	-92.432	-89.983	0.0
71	8775	8776	SN	1	46.76	51.447	3.761	0.003	280.658	2.181	1016.472	1102.944	0.4	-91.735	-89.983	0.0
72	8775	8776	NS	2	48.6	49.29	0.0	0.003	15.53	2.658	1015.496	1085.52	27.931	-91.637	-89.696	0.0
73	8776	8777	NS	1	48.585	49.296	0.0	0.0	54.753	2.734	1015.808	1085.76	28.566	-91.528	-89.693	0.0
74	8776	8777	SN	1	48.878	49.51	0.0	0.003	213.938	1.565	1050.584	1090.48	0.0	-92.646	-90.057	0.0
75	8776	8777	SN	1	48.878	49.51	0.0	0.003	213.938	2.651	1046.872	1090.48	0.0	-92.646	-90.008	0.0
76	8776	8777	SN	1	48.896	49.51	0.0	0.003	213.938	2.649	1046.92	1090.48	0.0	-91.765	-90.008	0.0
77	8777	8778	NS	2	48.588	49.338	0.0	0.0	267.555	2.83	1016.048	1085.88	28.709	-91.707	-89.678	0.0
78	8777	8778	SN	1	48.906	49.516	0.0	0.003	6.408	2.558	1046.976	1090.68	0.0	-91.858	-89.986	0.0
79	8777	8778	NS	1	48.588	49.338	0.0	0.0	267.555	2.83	1016.048	1085.88	28.709	-91.707	-89.678	0.0
80	8778	8779	NS	1	48.573	49.305	0.0	0.003	265.062	2.761	1014.8	1086.032	28.262	-91.348	-89.668	0.0
81	8778	8779	SN	1	48.882	49.506	0.0	0.003	214.804	2.545	1047.104	1090.576	0.0	-91.647	-89.991	0.0
82	8779	8780	NS	1	48.634	49.327	0.0	0.003	41.735	2.718	1015.824	1085.88	28.543	-91.649	-89.698	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8755	8756	SN	1	-34.372	26.42	1.332	-33.378	26.479	2.453	-30.214	36.189	13.512	-31.317	29.564	17.415	0.116	265.248	2.367	0.116	211.005	1.729	0.116	101.885	0.259	0.116	131.298	0.24
2	8755	8756	NS	1	-34.683	27.986	0.347	-34.871	28.406	0.043	3.541	31.763	19.672	3.432	36.383	31.364	0.116	284.932	5.308	0.116	297.506	4.685	0.116	0.151	0.0	0.116	0.152	0.0
3	8755	8756	SN	1	-34.372	26.42	1.331	-33.378	26.479	2.453	-30.064	36.189	13.529	-31.317	29.564	17.441	0.116	265.248	2.369	0.116	211.005	1.729	0.116	98.446	0.26	0.116	131.298	0.24
4	8755	8756	SN	1	-34.372	26.42	0.697	-33.378	26.479	2.575	-30.064	36.189	13.528	-31.317	29.564	17.439	0.116	265.248	2.494	0.116	211.005	1.816	0.116	98.446	0.26	0.116	131.298	0.24
5	8756	8757	SN	1	-34.756	25.162	0.652	-34.588	25.32	0.972	5.115	31.327	9.773	5.939	30.41	5.022	0.116	289.773	3.714	0.116	278.72	3.012	0.116	0.14	0.0	0.116	0.136	0.0
6	8756	8757	SN	1	-34.756	25.162	0.664	-34.588	25.32	0.989	5.115	31.327	9.773	5.939	30.41	5.022	0.116	289.773	3.784	0.116	278.72	3.064	0.116	0.14	0.0	0.116	0.136	0.0
7	8756	8757	NS	2	-34.745	28.072	0.034	-34.665	28.658	0.031	-7.311	33.773	13.815	-5.439	31.926	25.715	0.116	289.012	2.748	0.116	283.751	2.371	0.116	0.66	0.0	0.116	0.434	0.0
8	8756	8757	NS	1	-34.745	28.072	0.034	-34.665	28.658	0.031	-7.311	33.773	13.815	-5.439	31.926	25.715	0.116	289.012	2.748	0.116	283.751	2.367	0.116	0.66	0.0	0.116	0.434	0.0
9	8756	8757	SN	1	-34.445	25.162	0.664	-34.716	25.32	0.989	5.115	31.327	9.798	5.939	30.41	5.037	0.116	269.749	3.782	0.116	287.153	3.063	0.116	0.14	0.0	0.116	0.136	0.0
10	8757	8758	NS	1	-32.546	23.459	0.004	-33.806	26.954	0.005	-19.504	30.663	11.958	-6.073	29.257	20.636	0.116	174.225	0.814	0.116	232.879	0.876	0.116	8.733	0.004	0.116	0.487	0.0
11	8757	8758	SN	1	-34.733	23.397	0.052	-34.623	24.338	0.105	5.586	28.634	16.406	7.404	29.806	8.19	0.116	288.213	4.212	0.116	281.038	3.304	0.116	0.137	0.0	0.116	0.13	0.0
12	8757	8758	SN	1	-34.796	23.399	0.053	-34.208	24.338	0.106	5.58	28.634	16.411	7.406	29.806	8.197	0.116	292.428	4.279	0.116	255.497	3.356	0.116	0.137	0.0	0.116	0.13	0.0
13	8757	8758	SN	1	-34.796	23.399	0.052	-34.208	24.338	0.105	5.58	28.634	16.411	7.406	29.806	8.19	0.116	292.428	4.217	0.116	255.497	3.311	0.116	0.137	0.0	0.116	0.13	0.0
14	8758	8759	SN	1	-34.49	23.802	0.028	-34.991	24.444	0.08	5.526	27.456	14.429	6.959	28.357	9.828	0.116	272.567	2.974	0.116	305.884	2.582	0.116	0.138	0.0	0.116	0.131	0.0
15	8758	8759	NS	1	-34.136	27.107	0.031	-34.131	23.276	0.005	-9.959	30.662	7.299	-12.65	30.837	14.657	0.116	251.184	2.369	0.116	250.94	2.394	0.116	1.052	0.001	0.116	1.874	0.001
16	8758	8759	SN	1	-34.835	23.802	0.028	-34.988	24.443	0.08	5.523	27.455	14.429	6.959	28.357	9.836	0.116	295.102	2.972	0.116	305.695	2.579	0.116	0.138	0.0	0.116	0.131	0.0
17	8758	8759	NS	2	-34.136	27.107	0.031	-34.131	23.276	0.005	-9.959	30.662	7.299	-12.65	30.837	14.657	0.116	251.184	2.369	0.116	250.94	2.394	0.116	1.052	0.001	0.116	1.874	0.001
18	8758	8759	SN	1	-34.49	23.802	0.029	-34.991	24.444	0.082	5.503	27.456	14.447	6.959	28.357	9.904	0.116	272.567	3.043	0.116	305.884	2.628	0.116	0.138	0.0	0.116	0.131	0.0
19	8759	8760	NS	1	-34.43	22.441	0.002	-34.326	21.74	0.0	-7.524	28.546	11.618	-4.769	31.912	18.463	0.116	268.782	1.548	0.116	262.43	1.474	0.116	0.641	0.0	0.116	0.387	0.0
20	8759	8760	SN	1	-34.711	24.239	0.009	-34.77	22.919	0.008	5.367	28.581	15.556	6.389	29.246	17.087	0.116	286.772	2.671	0.116	290.72	2.002	0.116	0.139	0.0	0.116	0.134	0.0
21	8759	8760	NS	1	-34.693	22.441	0.002	-34.326	21.74	0.0	-7.524	28.546	11.635	-4.769	31.912	18.475	0.116	285.574	1.548	0.116	262.43	1.477	0.116	0.641	0.0	0.116	0.387	0.0
22	8759	8760	SN	1	-34.711	24.239	0.01	-34.77	22.919	0.008	5.367	28.581	15.923	6.385	29.246	17.485	0.116	286.772	2.755	0.116	290.72	2.065	0.116	0.139	0.0	0.116	0.134	0.0
23	8759	8760	SN	2	-34.711	24.239	0.009	-34.77	22.919	0.008	5.367	28.581	15.556	6.389	29.246	17.087	0.116	286.772	2.671	0.116	290.72	2.002	0.116	0.139	0.0	0.116	0.134	0.0
24	8760	8761	SN	2	-34.88	19.944	0.0	-34.591	22.806	0.002	4.151	27.845	14.267	3.446	28.88	12.275	0.116	298.127	4.318	0.116	278.899	3.415	0.116	0.146	0.0	0.116	0.152	0.0
25	8760	8761	NS	1	-34.676	23.219	0.044	-34.993	23.952	0.026	-7.004	30.818	8.33	-10.377	33.35	15.189	0.116	284.495	3.186	0.116	306.045	3.025	0.116	0.58	0.0	0.116	1.148	0.002
26	8760	8761	NS	1	-34.413	23.219	0.044	-34.572	23.952	0.027	-7.004	30.818	8.328	-10.377	33.35	15.191	0.116	267.787	3.191	0.116	277.745	3.005	0.116	0.58	0.0	0.116	1.148	0.002
27	8760	8761	SN	1	-34.88	19.944	0.0	-34.591	22.808	0.002	4.151	27.845	14.266	3.447	28.88	12.27	0.116	298.127	4.318	0.116	278.899	3.415	0.116	0.146	0.0	0.116	0.152	0.0
28	8760	8761	SN	1	-34.88	19.944	0.0	-34.591	20.283	0.0	4.081	27.845	15.232	3.495	28.88	12.406	0.116	298.127	4.489	0.116	278.899	3.602	0.116	0.147	0.0	0.116	0.152	0.0
29	8761	8762	NS	1	-33.596	25.046	0.471	-34.886	27.046	0.901	7.901	29.37	17.922	-1.197	29.963	28.309	0.116	221.877	2.125	0.116	298.625	1.858	0.116	0.128	0.0	0.116	0.229	0.0
30	8761	8762	SN	1	-34.996	25.043	0.047	-34.954	24.429	0.048	-8.842	33.098	11.297	-6.395	32.523	11.731	0.116	306.242	6.413	0.116	303.278	5.708	0.116	0.834	0.0	0.116	0.517	0.0
31	8761	8762	NS	2	-33.596	25.046	0.47	-34.886	27.046	0.901	7.901	29.37	17.909	-1.196	29.963	28.304	0.116	221.877	2.126	0.116	298.625	1.859	0.116	0.128	0.0	0.116	0.229	0.0
32	8761	8762	SN	1	-34.891	25.043	0.047	-34.954	24.429	0.048	-8.847	33.098	11.322	-6.395	32.523	11.762	0.116	298.914	6.412	0.116	303.278	5.709	0.116	0.835	0.0	0.116	0.517	0.0
33	8761	8762	SN	1	-34.891	25.043	0.05	-34.954	24.429	0.052	-8.847	33.098	11.827	-6.395	32.523	11.709	0.116	298.914	6.863	0.116	303.278	6.348	0.116	0.835	0.0	0.116	0.517	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	8762	8763	SN	1	-33.724	26.666	0.059	-34.024	26.884	0.351	-12.45	33.292	16.005	-14.982	33.081	18.934	0.116	228.526	2.127	0.116	244.839	2.142	0.116	1.794	0.009	0.116	3.142	0.003
35	8762	8763	SN	1	-33.724	26.666	0.065	-34.024	26.884	0.089	-12.532	33.292	17.088	-14.995	33.081	19.001	0.116	228.526	2.322	0.116	244.839	2.407	0.116	1.826	0.009	0.116	3.15	0.003
36	8762	8763	SN	1	-33.724	26.666	0.065	-34.024	26.884	0.089	-12.547	33.292	17.197	-14.996	33.081	19.125	0.116	228.526	2.322	0.116	244.839	2.407	0.116	1.833	0.009	0.116	3.152	0.003
37	8762	8763	NS	1	-34.533	25.167	0.293	-34.721	25.09	0.538	3.947	29.585	21.4	-0.626	30.535	36.503	0.116	275.301	2.627	0.116	287.367	2.547	0.116	0.148	0.0	0.116	0.214	0.0
38	8762	8763	NS	2	-34.533	25.167	0.293	-34.721	25.09	0.538	3.947	29.585	21.397	-0.626	30.535	36.499	0.116	275.301	2.629	0.116	287.367	2.548	0.116	0.148	0.0	0.116	0.214	0.0
39	8763	8764	NS	1	-34.725	27.925	0.229	-33.732	25.124	0.232	-10.142	30.246	30.661	-17.438	30.184	43.06	0.116	287.721	2.039	0.116	228.947	1.381	0.116	1.093	0.003	0.116	5.46	0.006
40	8763	8764	SN	1	-34.942	26.909	0.103	-33.864	27.672	0.445	-5.349	28.855	16.92	-0.965	31.66	15.388	0.116	302.458	0.897	0.116	235.933	0.937	0.116	0.428	0.0	0.116	0.223	0.0
41	8763	8764	NS	1	-34.725	27.925	0.227	-33.732	25.124	0.23	-10.142	30.246	29.649	-17.438	30.558	44.717	0.116	287.721	2.02	0.116	228.947	1.369	0.116	1.093	0.003	0.116	5.46	0.005
42	8764	8765	NS	1	-34.671	26.686	0.192	-34.979	27.291	0.065	-34.21	35.656	13.893	-29.521	32.865	24.855	0.116	284.118	3.979	0.116	305.047	3.56	0.116	255.52	0.511	0.116	86.885	0.431
43	8769	8770	SN	1	-31.634	25.424	1.169	-34.369	26.253	2.115	-32.049	28.377	13.151	-31.869	30.314	17.802	0.116	141.282	1.167	0.116	265.129	0.903	0.116	155.411	0.108	0.116	149.142	0.14
44	8769	8770	SN	1	-34.348	25.424	1.169	-34.803	26.253	2.115	-31.48	28.377	13.133	-30.146	30.314	17.773	0.116	263.78	1.17	0.116	292.929	0.903	0.116	136.299	0.113	0.116	100.309	0.14
45	8769	8770	SN	1	-31.634	25.424	0.617	-34.369	26.253	2.31	-32.049	28.377	13.048	-31.869	30.314	17.802	0.116	141.282	1.231	0.116	265.129	0.999	0.116	155.411	0.109	0.116	149.142	0.14
46	8770	8771	SN	1	-34.594	27.091	1.442	-33.356	26.686	2.084	-23.906	32.36	11.126	-30.873	30.134	7.392	0.116	279.183	1.797	0.116	209.927	1.26	0.116	23.903	0.046	0.116	118.564	0.062
47	8770	8771	SN	1	-34.567	27.091	1.443	-34.516	26.686	2.061	-23.752	32.36	11.125	-31.426	30.134	7.392	0.116	277.416	1.801	0.116	274.241	1.261	0.116	23.077	0.046	0.116	134.653	0.062
48	8770	8771	NS	1	-34.569	27.613	0.09	-34.824	29.22	0.03	0.35	32.602	16.212	1.705	35.47	31.702	0.116	277.596	2.906	0.116	294.39	2.422	0.116	0.193	0.0	0.116	0.171	0.0
49	8771	8772	SN	2	-34.96	24.376	0.124	-34.829	25.537	0.183	5.372	29.041	12.637	5.458	29.894	6.827	0.116	303.693	6.034	0.116	294.652	4.794	0.116	0.138	0.0	0.116	0.138	0.0
50	8771	8772	NS	1	-34.295	25.436	0.011	-34.956	25.585	0.006	-3.38	30.252	11.272	-6.022	31.073	21.028	0.116	260.621	0.89	0.116	303.385	0.591	0.116	0.309	0.0	0.116	0.482	0.0
51	8771	8772	SN	1	-34.96	24.376	0.124	-34.377	25.537	0.183	5.372	29.041	12.637	5.458	29.894	6.823	0.116	303.693	6.033	0.116	265.558	4.793	0.116	0.138	0.0	0.116	0.138	0.0
52	8771	8772	NS	1	-34.295	25.436	0.011	-34.956	25.585	0.006	-3.38	30.252	11.248	-6.022	31.073	20.964	0.116	260.621	0.89	0.116	303.385	0.591	0.116	0.309	0.0	0.116	0.482	0.0
53	8772	8773	NS	1	-29.861	26.018	0.004	-32.205	26.12	0.007	-6.888	30.931	10.856	-5.501	29.981	19.862	0.116	93.934	0.361	0.116	161.115	0.329	0.116	0.567	0.0	0.116	0.439	0.0
54	8772	8773	SN	1	-34.95	23.278	0.015	-32.906	24.118	0.082	7.232	27.642	13.532	7.588	29.452	5.265	0.116	302.934	2.049	0.116	189.286	1.64	0.116	0.13	0.0	0.116	0.129	0.0
55	8772	8773	SN	1	-34.425	23.278	0.015	-34.614	24.118	0.08	7.232	27.642	13.498	7.588	29.452	5.304	0.116	268.563	2.015	0.116	280.449	1.615	0.116	0.13	0.0	0.116	0.129	0.0
56	8772	8773	NS	1	-31.712	26.015	0.004	-32.651	26.12	0.007	-6.888	30.931	10.86	-5.501	29.98	19.858	0.116	143.8	0.362	0.116	178.505	0.329	0.116	0.567	0.0	0.116	0.439	0.0
57	8772	8773	SN	2	-34.425	23.278	0.015	-34.614	24.118	0.08	7.232	27.642	13.498	7.588	29.452	5.304	0.116	268.563	2.015	0.116	280.449	1.615	0.116	0.13	0.0	0.116	0.129	0.0
58	8773	8774	SN	1	-34.857	23.898	0.054	-34.601	24.096	0.128	5.546	28.488	18.394	5.661	28.813	19.179	0.116	296.542	2.831	0.116	279.67	2.422	0.116	0.138	0.0	0.116	0.137	0.0
59	8773	8774	SN	1	-34.857	23.898	0.055	-34.171	24.096	0.13	5.546	28.488	18.519	7.621	28.813	19.826	0.116	296.542	2.909	0.116	253.3	2.476	0.116	0.138	0.0	0.116	0.129	0.0
60	8773	8774	NS	1	-33.839	21.613	0.0	-34.625	22.051	0.002	-18.847	29.061	7.992	-15.335	30.23	14.756	0.116	234.605	1.779	0.116	281.141	1.819	0.116	7.518	0.007	0.116	3.4	0.002
61	8773	8774	NS	1	-34.566	21.616	0.0	-34.625	22.05	0.002	-18.847	29.061	8.004	-15.338	30.23	14.779	0.116	277.344	1.781	0.116	281.141	1.813	0.116	7.518	0.007	0.116	3.402	0.002
62	8773	8774	SN	2	-34.857	23.898	0.054	-34.601	24.096	0.128	5.546	28.488	18.395	5.661	28.813	19.179	0.116	296.542	2.831	0.116	279.67	2.422	0.116	0.138	0.0	0.116	0.137	0.0
63	8774	8775	SN	1	-34.982	21.029	0.0	-34.694	22.743	0.001	3.634	27.989	15.662	3.829	29.328	15.94	0.116	305.287	3.985	0.116	285.669	3.269	0.116	0.15	0.0	0.116	0.149	0.0
64	8774	8775	SN	1	-34.982	21.029	0.0	-34.513	21.502	0.0	6.711	27.989	16.339	3.925	29.328	16.235	0.116	305.287	4.125	0.116	274.053	3.401	0.116	0.132	0.0	0.116	0.148	0.0
65	8774	8775	SN	1	-34.982	21.029	0.0	-33.969	22.744	0.001	3.634	27.989	15.662	3.829	29.328	15.94	0.116	305.287	3.985	0.116	241.767	3.282	0.116	0.15	0.0	0.116	0.149	0.0
66	8774	8775	NS	2	-34.634	21.615	0.0	-34.906	22.243	0.001	-16.254	28.612	9.435	-20.1	30.235	15.182	0.116	281.725	2.562	0.116	299.915	2.402	0.116	4.18	0.006	0.116	10.003	0.002
67	8774	8775	NS	1	-34.634	21.615	0.0	-34.965	22.243	0.001	-16.254	28.612	9.434	-20.1	30.235	15.181	0.116	281.725	2.563	0.116	304.07	2.404	0.116	4.18	0.006	0.116	10.003	0.002
68	8775	8776	NS	1	-34.868	26.326	0.415	-34.139	26.864	0.725	-5.646	29.339	11.801	-5.196	30.597	17.354	0.116	297.338	1.775	0.116	251.409	1.796	0.116	0.451	0.0	0.116	0.416	0.0
69	8775	8776	SN	1	-34.94	22.794	0.001	-34.985	23.44	0.004	-29.445	28.841	11.634	-28.769	30.713	9.211	0.116	302.362	17.112	0.116	305.434	15.253	0.116	85.358	0.134	0.116	73.086	0.45
70	8775	8776	SN	1	-34.779	22.794	0.001	-34.917	23.442	0.004	-29.445	28.853	11.635	-28.864	30.713	9.232	0.116	291.38	17.12	0.116	300.74	15.255	0.116	85.358	0.134	0.116	74.682	0.448
71	8775	8776	SN	1	-34.943	22.794	0.001	-34.917	23.128	0.003	-29.445	28.853	12.398	-28.864	30.713	9.22	0.116	302.502	18.244	0.116	300.74	16.581	0.116	85.358	0.144	0.116	74.682	0.45
72	8775	8776	NS	2	-34.868	26.326	0.416	-34.139	26.864	0.723	-5.646	29.339	11.801	-5.196	30.597	17.354	0.116	297.338	1.772	0.116	251.409	1.796	0.116	0.451	0.0	0.116	0.416	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

73	8776	8777	NS	1	-34.323	25.79	0.589	-34.49	28.824	0.992	4.434	31.528	13.373	7.567	30.326	23.735	0.116	262.251	2.893	0.116	272.541	2.291	0.116	0.144	0.0	0.116	0.129	0.0
74	8776	8777	SN	1	-34.645	23.32	0.019	-34.533	25.043	0.041	-21.734	34.03	14.276	-3.261	34.83	14.917	0.116	282.442	3.878	0.116	275.248	3.838	0.116	14.534	0.002	0.116	0.303	0.0
75	8776	8777	SN	1	-34.645	23.32	0.018	-34.533	25.043	0.131	-21.766	34.03	13.507	-3.261	34.83	14.926	0.116	282.442	3.853	0.116	275.248	3.566	0.116	14.643	0.001	0.116	0.303	0.0
76	8776	8777	SN	1	-34.8	23.32	0.018	-34.786	25.043	0.132	-21.792	34.03	13.54	-3.259	34.839	14.921	0.116	292.698	3.86	0.116	291.781	3.57	0.116	14.729	0.001	0.116	0.303	0.0
77	8777	8778	NS	2	-34.408	24.63	0.191	-34.66	25.482	0.325	-1.984	29.129	29.294	-2.95	29.624	46.988	0.116	267.424	3.307	0.116	283.482	2.543	0.116	0.253	0.0	0.116	0.29	0.0
78	8777	8778	SN	1	-34.666	25.399	0.058	-33.922	26.658	0.298	-8.787	30.948	18.693	-3.644	30.085	19.716	0.116	283.886	2.747	0.116	239.189	2.367	0.116	0.825	0.0	0.116	0.322	0.0
79	8777	8778	NS	1	-34.408	24.63	0.191	-34.66	25.482	0.325	-1.984	29.129	29.294	-2.95	29.624	46.988	0.116	267.424	3.307	0.116	283.482	2.543	0.116	0.253	0.0	0.116	0.29	0.0
80	8778	8779	NS	1	-34.875	27.933	0.247	-33.88	28.227	0.23	-32.849	29.177	16.88	-27.971	30.464	31.803	0.116	297.886	2.595	0.116	236.885	2.392	0.116	186.808	0.65	0.116	60.828	0.327
81	8778	8779	SN	1	-33.523	27.538	0.128	-34.677	28.883	0.447	-10.292	31.143	16.249	-8.043	30.28	14.588	0.116	218.142	1.114	0.116	284.607	0.998	0.116	1.128	0.002	0.116	0.71	0.0
82	8779	8780	NS	1	-34.11	27.803	0.377	-33.559	26.259	0.306	-0.711	30.304	16.059	-0.388	32.642	24.751	0.116	249.742	1.942	0.116	219.952	1.722	0.116	0.216	0.0	0.116	0.208	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	8755	8756	SN	1	57.694	58.399	0.0	0.003	296.415	3.824	1229.096	1280.928	1.316	-93.45	-92.075	0.0
2	8755	8756	NS	1	57.345	58.139	0.0	0.0	290.216	3.997	1189.128	1273.76	38.439	-93.51	-91.733	0.0
3	8755	8756	SN	1	57.694	58.399	0.0	0.003	296.415	3.826	1229.096	1280.928	1.317	-93.45	-92.075	0.0
4	8755	8756	SN	1	57.694	58.399	0.0	0.003	296.415	3.551	1230.816	1280.928	1.345	-93.45	-92.092	0.0
5	8756	8757	SN	1	57.693	58.4	0.0	0.006	294.832	3.551	1228.992	1281.104	1.301	-93.136	-92.074	0.0
6	8756	8757	SN	1	57.693	58.4	0.0	0.006	294.832	3.343	1229.816	1281.104	1.315	-93.136	-92.083	0.0
7	8756	8757	NS	2	57.373	58.14	0.0	0.003	292.102	3.564	1189.048	1274.048	41.689	-93.51	-91.728	0.0
8	8756	8757	NS	1	57.373	58.14	0.0	0.003	292.102	3.563	1189.048	1274.048	41.675	-93.51	-91.728	0.0
9	8756	8757	SN	1	57.693	58.4	0.0	0.0	294.738	3.347	1229.824	1281.104	1.318	-93.136	-92.083	0.0
10	8757	8758	NS	1	57.354	58.139	0.0	0.0	293.012	3.547	1189.952	1274.128	42.478	-93.509	-91.73	0.0
11	8757	8758	SN	1	57.656	58.378	0.0	0.0	289.912	3.482	1228.504	1281.136	1.467	-93.154	-92.073	0.0
12	8757	8758	SN	1	57.659	58.378	0.0	0.0	289.912	3.274	1229.912	1281.136	1.472	-93.178	-92.083	0.0
13	8757	8758	SN	1	57.659	58.378	0.0	0.0	289.912	3.485	1228.704	1281.136	1.455	-93.178	-92.073	0.0
14	8758	8759	SN	1	57.659	58.397	0.0	0.0	299.431	3.492	1228.696	1281.216	1.407	-93.254	-92.073	0.0
15	8758	8759	NS	1	57.348	58.14	0.0	0.003	298.505	3.663	1189.624	1274.128	41.11	-93.509	-91.726	0.0
16	8758	8759	SN	1	57.671	58.38	0.0	0.0	299.454	3.489	1228.696	1281.176	1.362	-93.324	-92.073	0.0
17	8758	8759	NS	2	57.348	58.14	0.0	0.003	298.505	3.663	1189.624	1274.128	41.11	-93.509	-91.726	0.0
18	8758	8759	SN	1	57.659	58.397	0.0	0.0	299.431	3.234	1230.456	1281.216	1.432	-93.154	-92.092	0.0
19	8759	8760	NS	1	57.357	58.139	0.0	0.0	299.249	3.853	1190.088	1274.08	41.942	-93.068	-91.742	0.0
20	8759	8760	SN	1	57.661	58.378	0.0	0.0	296.486	3.534	1228.688	1281.056	1.403	-93.154	-92.073	0.0
21	8759	8760	NS	1	57.374	58.14	0.0	0.0	299.211	3.858	1190.048	1274.128	41.928	-93.015	-91.741	0.0
22	8759	8760	SN	1	57.661	58.378	0.0	0.0	296.486	3.161	1231.168	1281.056	1.445	-93.154	-92.1	0.0
23	8759	8760	SN	2	57.661	58.378	0.0	0.0	296.486	3.534	1228.688	1281.056	1.403	-93.154	-92.073	0.0
24	8760	8761	SN	2	57.662	58.378	0.0	0.0	295.428	3.597	1228.608	1281.032	1.441	-93.228	-92.072	0.0
25	8760	8761	NS	1	57.351	58.14	0.0	0.0	290.944	3.699	1189.984	1274.072	43.373	-93.507	-91.745	0.0
26	8760	8761	NS	1	57.351	58.14	0.0	0.0	290.944	3.703	1189.984	1274.072	43.372	-93.507	-91.745	0.0
27	8760	8761	SN	1	57.662	58.378	0.0	0.0	295.416	3.596	1228.632	1281.032	1.441	-93.228	-92.073	0.0
28	8760	8761	SN	1	57.662	58.378	0.0	0.0	294.766	3.011	1231.92	1281.032	1.507	-93.112	-92.107	0.0
29	8761	8762	NS	1	57.374	58.139	0.0	0.0	290.359	3.656	1189.864	1274.128	43.788	-93.507	-91.751	0.0
30	8761	8762	SN	1	57.661	58.379	0.0	0.0	295.494	3.669	1228.464	1281.224	1.639	-93.065	-92.07	0.0
31	8761	8762	NS	2	57.372	58.142	0.0	0.0	290.365	3.659	1189.792	1274.208	43.795	-93.507	-91.75	0.0
32	8761	8762	SN	1	57.661	58.379	0.0	0.0	295.494	3.673	1228.464	1281.224	1.641	-93.065	-92.07	0.0
33	8761	8762	SN	1	57.661	58.379	0.0	0.0	295.494	2.761	1231.968	1281.224	1.754	-93.065	-92.12	0.0
34	8762	8763	SN	1	57.691	58.402	0.0	0.0	296.602	3.748	1228.632	1281.496	1.913	-93.208	-92.048	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	8762	8763	SN	1	57.691	58.402	0.0	0.0	296.602	2.534	1233.032	1281.496	2.084	-93.208	-92.092	0.0
36	8762	8763	SN	1	57.684	58.402	0.0	0.0	296.602	2.543	1232.856	1281.496	2.091	-93.208	-92.092	0.0
37	8762	8763	NS	1	57.336	58.144	0.0	0.0	292.124	3.72	1189.568	1274.496	43.873	-93.505	-91.749	0.0
38	8762	8763	NS	2	57.339	58.142	0.0	0.0	291.777	3.725	1189.64	1274.416	43.882	-93.506	-91.749	0.0
39	8763	8764	NS	1	57.36	58.116	0.0	0.003	299.073	3.269	1189.528	1271.808	43.521	-93.506	-91.716	0.0
40	8763	8764	SN	1	57.667	58.389	0.0	0.0	297.402	3.519	1228.56	1281.56	2.188	-93.31	-92.042	0.0
41	8763	8764	NS	1	57.36	58.143	0.0	0.0	299.073	3.874	1189.528	1274.472	42.467	-93.506	-91.716	0.0
42	8764	8765	NS	1	57.356	58.143	0.0	0.0	298.874	3.915	1189.056	1274.408	44.5	-93.507	-91.722	0.0
43	8769	8770	SN	1	57.679	58.392	0.0	0.0	294.545	3.791	1227.824	1282.12	3.338	-93.987	-92.063	0.0
44	8769	8770	SN	1	57.658	58.392	0.0	0.0	294.545	3.788	1227.824	1282.12	3.336	-93.987	-92.063	0.0
45	8769	8770	SN	1	57.679	58.392	0.0	0.0	294.545	3.243	1231.016	1282.12	3.467	-93.173	-92.096	0.0
46	8770	8771	SN	1	57.686	58.382	0.0	0.0	289.857	3.618	1227.816	1282.12	2.872	-93.159	-92.062	0.0
47	8770	8771	SN	1	57.686	58.388	0.0	0.0	289.857	3.613	1227.816	1282.12	2.845	-93.149	-92.062	0.0
48	8770	8771	NS	1	57.352	58.146	0.0	0.0	296.084	3.703	1188.728	1275.08	40.19	-93.499	-91.73	0.0
49	8771	8772	SN	2	57.647	58.401	0.0	0.003	299.277	3.512	1227.6	1282.24	2.949	-93.21	-92.061	0.0
50	8771	8772	NS	1	57.37	58.149	0.0	0.0	298.946	3.513	1189.488	1275.4	42.186	-93.499	-91.702	0.0
51	8771	8772	SN	1	57.647	58.401	0.0	0.003	299.316	3.512	1227.6	1282.248	2.967	-93.21	-92.061	0.0
52	8771	8772	NS	1	57.37	58.149	0.0	0.0	298.946	3.507	1189.488	1275.4	42.228	-93.499	-91.702	0.0
53	8772	8773	NS	1	57.355	58.15	0.0	0.0	288.567	3.589	1189.904	1275.464	42.162	-93.498	-91.75	0.0
54	8772	8773	SN	1	57.622	58.383	0.0	0.0	299.486	3.292	1228.864	1282.208	3.05	-93.187	-92.077	0.0
55	8772	8773	SN	1	57.65	58.383	0.0	0.0	299.486	3.521	1227.512	1282.208	3.005	-93.187	-92.061	0.0
56	8772	8773	NS	1	57.355	58.15	0.0	0.0	288.567	3.586	1189.904	1275.464	42.221	-93.498	-91.75	0.0
57	8772	8773	SN	2	57.65	58.383	0.0	0.0	299.486	3.521	1227.512	1282.208	3.005	-93.187	-92.061	0.0
58	8773	8774	SN	1	57.659	58.405	0.0	0.0	298.075	3.548	1227.456	1282.064	2.97	-93.159	-92.061	0.0
59	8773	8774	SN	1	57.66	58.406	0.0	0.0	298.091	3.252	1229.408	1282.08	3.058	-93.159	-92.082	0.0
60	8773	8774	NS	1	57.351	58.15	0.0	0.0	293.569	3.643	1189.952	1275.416	41.343	-93.197	-91.72	0.0
61	8773	8774	NS	1	57.351	58.15	0.0	0.0	293.569	3.647	1189.952	1275.416	41.28	-93.197	-91.72	0.0
62	8773	8774	SN	2	57.66	58.406	0.0	0.0	298.091	3.551	1227.456	1282.08	2.991	-93.159	-92.061	0.0
63	8774	8775	SN	1	57.641	58.418	0.0	0.0	299.906	3.521	1226.896	1282.104	3.003	-95.336	-92.059	0.0
64	8774	8775	SN	1	57.641	58.418	0.0	0.0	298.108	3.076	1230.16	1282.104	3.112	-93.19	-92.091	0.0
65	8774	8775	SN	1	57.64	58.418	0.0	0.0	299.906	3.518	1227.008	1282.104	3.0	-95.336	-92.059	0.0
66	8774	8775	NS	2	57.339	58.148	0.0	0.0	296.067	3.807	1189.992	1275.368	42.747	-93.496	-91.733	0.0
67	8774	8775	NS	1	57.338	58.15	0.0	0.0	293.85	3.807	1189.968	1275.392	42.746	-93.496	-91.733	0.0
68	8775	8776	NS	1	57.37	58.15	0.0	0.0	297.6	3.687	1189.272	1275.408	43.121	-93.016	-91.75	0.0
69	8775	8776	SN	1	55.425	60.409	7.133	0.0	292.411	4.577	1177.92	1306.624	7.317	-94.211	-91.961	0.0
70	8775	8776	SN	1	55.427	60.407	7.143	0.0	299.167	4.585	1177.968	1306.632	7.373	-94.211	-91.961	0.0
71	8775	8776	SN	1	55.427	60.407	7.624	0.0	299.167	3.75	1177.968	1306.632	7.87	-94.211	-91.961	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	8775	8776	NS	2	57.37	58.15	0.0	0.0	297.6	3.685	1189.272	1275.408	43.112	-93.016	-91.75	0.0
73	8776	8777	NS	1	57.328	58.158	0.0	0.0	295.665	3.79	1189.392	1275.744	43.379	-93.492	-91.746	0.0
74	8776	8777	SN	1	57.674	58.391	0.0	0.0	292.212	2.571	1231.624	1282.592	4.09	-93.124	-92.113	0.0
75	8776	8777	SN	1	57.674	58.391	0.0	0.0	292.212	3.653	1227.312	1282.592	3.793	-93.124	-92.056	0.0
76	8776	8777	SN	1	57.674	58.391	0.0	0.0	292.212	3.659	1227.312	1282.592	3.82	-93.204	-92.056	0.0
77	8777	8778	NS	2	57.335	58.153	0.0	0.0	298.659	3.903	1189.64	1275.856	42.653	-93.495	-91.726	0.0
78	8777	8778	SN	1	57.67	58.416	0.0	0.0	289.692	3.541	1227.376	1282.872	3.902	-93.182	-92.028	0.0
79	8777	8778	NS	1	57.335	58.153	0.0	0.0	298.659	3.903	1189.64	1275.856	42.653	-93.495	-91.726	0.0
80	8778	8779	NS	1	57.331	58.167	0.0	0.003	287.922	3.802	1188.776	1276.128	43.516	-93.496	-91.717	0.0
81	8778	8779	SN	1	57.671	58.387	0.0	0.0	299.525	3.537	1227.544	1282.688	3.95	-93.095	-92.04	0.0
82	8779	8780	NS	1	57.342	58.153	0.0	0.0	289.697	3.781	1189.856	1275.856	44.138	-92.989	-91.752	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

Outer																												
SNR																Kp												
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	8755	8756	SN	1	-34.326	20.374	0.0	-33.095	19.234	0.0	-32.15	22.836	0.045	-33.432	23.72	0.083	0.086	200.639	1.884	0.086	151.112	1.518	0.086	121.556	0.159	0.086	163.276	0.157
2	8755	8756	NS	1	-34.615	21.906	0.0	-34.363	21.753	0.0	0.276	23.006	0.086	0.441	25.342	0.383	0.086	214.401	4.596	0.086	202.328	4.513	0.086	0.145	0.0	0.086	0.143	0.0
3	8755	8756	SN	1	-34.326	20.374	0.0	-33.095	19.234	0.0	-28.472	22.836	0.045	-33.432	23.72	0.083	0.086	200.639	1.884	0.086	151.112	1.519	0.086	52.152	0.16	0.086	163.276	0.157
4	8755	8756	SN	1	-34.326	20.374	0.0	-33.095	19.234	0.0	-28.472	22.836	0.045	-33.432	23.72	0.083	0.086	200.639	1.959	0.086	151.112	1.591	0.086	52.152	0.16	0.086	163.276	0.157
5	8756	8757	SN	1	-34.998	18.871	0.0	-34.106	19.5	0.0	0.415	22.738	0.037	0.051	23.406	0.092	0.086	234.103	3.238	0.086	190.736	3.098	0.086	0.143	0.0	0.086	0.148	0.0
6	8756	8757	SN	1	-34.998	18.871	0.0	-34.106	19.5	0.0	0.415	22.738	0.037	0.051	23.406	0.092	0.086	234.103	3.299	0.086	190.736	3.143	0.086	0.143	0.0	0.086	0.148	0.0
7	8756	8757	NS	2	-34.837	21.408	0.0	-34.782	22.69	0.003	-11.811	23.426	0.049	-6.872	23.754	0.2	0.086	225.593	1.977	0.086	222.802	2.079	0.086	1.189	0.002	0.086	0.428	0.0
8	8756	8757	NS	1	-34.837	21.408	0.0	-34.782	22.69	0.003	-11.811	23.426	0.049	-6.872	23.754	0.2	0.086	225.593	1.977	0.086	222.802	2.077	0.086	1.189	0.002	0.086	0.428	0.0
9	8756	8757	SN	1	-34.998	18.871	0.0	-33.802	19.5	0.0	0.415	22.738	0.037	0.053	23.406	0.093	0.086	234.103	3.299	0.086	177.77	3.139	0.086	0.143	0.0	0.086	0.148	0.0
10	8757	8758	NS	1	-34.594	18.417	0.0	-34.158	16.841	0.0	-14.404	22.372	0.009	-24.223	23.365	0.132	0.086	213.326	0.673	0.087	192.944	0.685	0.086	2.106	0.002	0.086	19.643	0.016
11	8757	8758	SN	1	-34.775	17.336	0.0	-34.868	18.393	0.0	1.642	23.012	0.074	2.559	22.86	0.182	0.087	222.394	3.455	0.086	227.248	3.048	0.086	0.128	0.0	0.086	0.119	0.0
12	8757	8758	SN	1	-34.971	17.336	0.0	-34.724	18.393	0.0	1.642	23.012	0.074	2.559	22.862	0.182	0.087	232.714	3.512	0.086	219.803	3.081	0.086	0.128	0.0	0.086	0.119	0.0
13	8757	8758	SN	1	-34.971	17.336	0.0	-34.724	18.393	0.0	1.642	23.012	0.074	2.559	22.862	0.182	0.087	232.714	3.457	0.086	219.803	3.05	0.086	0.128	0.0	0.086	0.119	0.0
14	8758	8759	SN	1	-34.891	17.276	0.0	-34.301	18.031	0.0	-1.81	22.825	0.238	-1.886	22.689	0.555	0.087	228.462	2.509	0.086	199.465	2.174	0.086	0.185	0.0	0.086	0.187	0.0
15	8758	8759	NS	1	-33.904	17.333	0.0	-32.508	18.294	0.0	-14.031	22.899	0.022	-16.008	23.478	0.121	0.087	181.998	1.724	0.086	132.031	1.704	0.086	1.938	0.013	0.086	3.018	0.039
16	8758	8759	SN	1	-34.215	17.276	0.0	-34.345	18.031	0.0	-1.811	22.825	0.238	-1.89	22.689	0.555	0.087	195.51	2.508	0.086	201.43	2.169	0.086	0.185	0.0	0.086	0.187	0.0
17	8758	8759	NS	2	-33.904	17.333	0.0	-32.508	18.294	0.0	-14.031	22.899	0.022	-16.008	23.478	0.121	0.087	181.998	1.724	0.086	132.031	1.704	0.086	1.938	0.013	0.086	3.018	0.039
18	8758	8759	SN	1	-34.891	17.276	0.0	-34.686	18.031	0.0	-1.794	22.825	0.238	-1.893	22.689	0.574	0.087	228.462	2.562	0.086	217.977	2.207	0.086	0.185	0.0	0.086	0.187	0.0
19	8759	8760	NS	1	-33.924	14.816	0.0	-34.567	15.428	0.0	-16.537	22.718	0.036	-10.53	23.17	0.1	0.087	182.862	1.846	0.087	212.08	1.849	0.086	3.4	0.002	0.086	0.902	0.0
20	8759	8760	SN	1	-34.673	18.156	0.0	-34.919	18.082	0.0	-1.381	22.537	0.01	-0.878	23.182	0.462	0.086	217.296	2.408	0.086	229.931	2.125	0.086	0.175	0.0	0.086	0.165	0.0
21	8759	8760	NS	1	-33.025	14.816	0.0	-34.97	15.428	0.0	-16.537	22.718	0.036	-10.53	23.17	0.101	0.087	148.702	1.845	0.087	232.632	1.852	0.086	3.4	0.002	0.086	0.902	0.0
22	8759	8760	SN	1	-34.977	18.156	0.0	-34.919	18.082	0.0	-0.243	22.537	0.011	-0.874	23.182	0.488	0.086	233.014	2.47	0.086	229.931	2.185	0.086	0.153	0.0	0.086	0.164	0.0
23	8759	8760	SN	2	-34.673	18.156	0.0	-34.919	18.082	0.0	-1.381	22.537	0.01	-0.878	23.182	0.462	0.086	217.296	2.408	0.086	229.931	2.125	0.086	0.175	0.0	0.086	0.165	0.0
24	8760	8761	SN	2	-34.47	16.098	0.0	-34.502	16.047	0.0	-2.187	22.399	0.014	-2.36	22.269	0.021	0.087	207.394	3.65	0.087	208.885	3.195	0.086	0.195	0.0	0.086	0.2	0.0
25	8760	8761	NS	1	-34.895	18.417	0.0	-34.906	19.449	0.0	-24.888	22.693	0.049	-30.194	23.078	0.223	0.086	228.683	2.588	0.086	229.231	2.573	0.086	22.89	0.121	0.086	77.497	0.039
26	8760	8761	NS	1	-34.895	18.416	0.0	-34.84	19.449	0.0	-24.894	22.698	0.049	-30.284	23.078	0.221	0.086	228.683	2.589	0.086	225.809	2.568	0.086	22.918	0.121	0.086	79.115	0.039
27	8760	8761	SN	1	-34.541	16.098	0.0	-34.502	16.047	0.0	-2.189	22.399	0.014	-2.36	22.269	0.021	0.087	210.748	3.649	0.087	208.885	3.195	0.086	0.195	0.0	0.086	0.2	0.0
28	8760	8761	SN	1	-34.623	16.098	0.0	-34.502	16.052	0.0	0.542	22.399	0.016	-2.36	22.269	0.021	0.087	214.838	3.783	0.087	208.885	3.356	0.086	0.141	0.0	0.086	0.2	0.0
29	8761	8762	NS	1	-34.719	19.35	0.0	-34.502	19.915	0.0	3.58	22.845	0.146	2.578	23.371	0.644	0.086	219.592	2.17	0.086	208.95	1.917	0.086	0.112	0.0	0.086	0.119	0.0
30	8761	8762	SN	1	-34.999	17.2	0.0	-34.939	18.903	0.0	-10.754	24.002	0.442	-5.626	23.973	0.972	0.087	234.209	5.506	0.086	230.98	4.957	0.086	0.947	0.0	0.086	0.339	0.0
31	8761	8762	NS	2	-34.835	19.35	0.0	-34.584	19.915	0.0	3.58	22.845	0.146	2.578	23.371	0.644	0.086	225.571	2.17	0.086	212.901	1.919	0.086	0.112	0.0	0.086	0.119	0.0
32	8761	8762	SN	1	-34.999	17.2	0.0	-34.939	18.903	0.0	-10.739	24.002	0.443	-5.622	23.973	0.975	0.087	234.209	5.505	0.086	230.98	4.96	0.086	0.943	0.0	0.086	0.339	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				

33	8761	8762	SN	1	-34.999	17.2	0.0	-34.939	18.903	0.0	-10.753	24.002	0.473	-5.622	23.973	0.978	0.087	234.209	5.85	0.086	230.98	5.489	0.086	0.946	0.0	0.086	0.339	0.0
34	8762	8763	SN	1	-34.902	20.467	0.0	-34.676	20.272	0.0	-8.169	23.148	0.249	-7.295	24.222	0.892	0.086	229.044	2.073	0.086	217.383	2.004	0.086	0.552	0.0	0.086	0.465	0.0
35	8762	8763	SN	1	-34.902	20.467	0.0	-32.846	20.272	0.0	-8.145	23.148	0.272	-7.295	24.222	0.832	0.086	229.044	2.242	0.086	142.681	2.233	0.086	0.55	0.0	0.086	0.465	0.0
36	8762	8763	SN	1	-34.902	20.467	0.0	-32.846	20.272	0.0	-8.166	23.148	0.273	-7.295	24.222	0.838	0.086	229.044	2.242	0.086	142.681	2.233	0.086	0.552	0.0	0.086	0.465	0.0
37	8762	8763	NS	1	-34.948	18.615	0.0	-34.255	19.114	0.0	1.126	23.043	0.169	1.55	23.798	0.96	0.086	231.439	2.154	0.086	197.32	2.412	0.086	0.134	0.0	0.086	0.129	0.0
38	8762	8763	NS	2	-34.948	18.615	0.0	-34.329	19.114	0.0	1.128	23.043	0.169	1.55	23.798	0.962	0.086	231.439	2.152	0.086	200.746	2.412	0.086	0.134	0.0	0.086	0.129	0.0
39	8763	8764	NS	1	-34.66	22.232	0.001	-34.863	18.198	0.0	-24.419	22.812	0.097	-22.561	23.795	0.877	0.086	216.607	1.688	0.086	226.974	1.385	0.086	20.551	0.086	0.086	13.422	0.034
40	8763	8764	SN	1	-34.816	20.331	0.0	-34.317	20.337	0.0	-21.071	23.507	0.205	-13.055	23.617	0.365	0.086	224.582	1.263	0.086	200.181	1.538	0.086	9.542	0.035	0.086	1.561	0.002
41	8763	8764	NS	1	-34.66	22.232	0.001	-34.863	18.198	0.0	-24.419	22.812	0.091	-22.561	24.068	2.041	0.086	216.607	1.668	0.086	226.974	1.374	0.086	20.551	0.08	0.086	13.422	0.032
42	8764	8765	NS	1	-34.488	20.418	0.0	-33.995	22.348	0.001	-34.956	22.503	0.037	-29.943	24.246	1.714	0.086	208.283	3.004	0.086	185.901	2.765	0.086	231.858	0.238	0.086	73.173	0.176
43	8769	8770	SN	1	-34.813	19.127	0.0	-33.85	19.452	0.0	-33.331	22.661	0.021	-27.96	22.713	0.03	0.086	224.4	1.717	0.086	179.742	1.214	0.086	159.53	0.216	0.086	46.364	0.263
44	8769	8770	SN	1	-34.246	19.127	0.0	-33.85	19.452	0.0	-30.9	22.661	0.021	-29.072	22.713	0.03	0.086	196.905	1.717	0.086	179.742	1.214	0.086	91.168	0.217	0.086	59.875	0.265
45	8769	8770	SN	1	-34.813	19.127	0.0	-33.85	19.452	0.0	-33.331	22.661	0.021	-27.96	22.73	0.03	0.086	224.4	1.782	0.086	179.742	1.344	0.086	159.53	0.218	0.086	46.364	0.265
46	8770	8771	SN	1	-34.459	20.204	0.0	-34.745	19.722	0.0	-28.35	22.716	0.03	-29.914	23.792	0.068	0.086	206.817	2.386	0.086	220.963	2.114	0.086	50.715	0.301	0.086	72.669	0.413
47	8770	8771	SN	1	-34.711	20.206	0.0	-34.885	19.718	0.0	-30.669	22.716	0.03	-30.267	23.792	0.068	0.086	219.176	2.387	0.086	228.112	2.11	0.086	86.465	0.303	0.086	78.816	0.415
48	8770	8771	NS	1	-34.558	21.479	0.0	-34.998	21.77	0.0	-11.143	22.888	0.023	-21.899	23.594	0.178	0.086	211.591	1.7	0.086	234.154	1.726	0.086	1.029	0.002	0.086	11.534	0.002
49	8771	8772	SN	2	-34.809	17.913	0.0	-34.982	18.205	0.0	0.645	22.979	0.095	1.379	23.362	0.252	0.086	224.192	5.316	0.086	233.293	4.44	0.086	0.14	0.0	0.086	0.131	0.0
50	8771	8772	NS	1	-33.97	17.421	0.0	-34.229	18.393	0.0	-8.405	22.953	0.039	-21.718	23.358	0.157	0.087	184.828	0.577	0.086	196.146	0.51	0.086	0.58	0.0	0.086	11.065	0.033
51	8771	8772	SN	1	-34.99	17.913	0.0	-34.982	18.205	0.0	0.645	22.979	0.095	1.38	23.362	0.252	0.086	233.74	5.317	0.086	233.293	4.44	0.086	0.14	0.0	0.086	0.131	0.0
52	8771	8772	NS	1	-33.97	17.416	0.0	-34.229	18.393	0.0	-8.405	22.953	0.039	-21.718	23.358	0.157	0.087	184.828	0.577	0.086	196.146	0.51	0.086	0.58	0.0	0.086	11.065	0.033
53	8772	8773	NS	1	-33.703	19.219	0.0	-33.85	17.788	0.0	-28.587	22.48	0.018	-26.501	23.168	0.131	0.086	173.793	0.827	0.086	179.782	0.694	0.086	53.557	0.078	0.086	33.157	0.044
54	8772	8773	SN	1	-34.959	17.426	0.0	-34.41	17.921	0.0	1.458	22.789	0.047	1.57	22.966	0.269	0.087	232.03	2.267	0.086	204.487	2.038	0.086	0.13	0.0	0.086	0.129	0.0
55	8772	8773	SN	1	-34.959	17.426	0.0	-34.41	17.921	0.0	1.458	22.789	0.047	1.57	22.966	0.265	0.087	232.03	2.223	0.086	204.487	2.013	0.086	0.13	0.0	0.086	0.129	0.0
56	8772	8773	NS	1	-31.808	19.219	0.0	-33.675	17.782	0.0	-28.287	22.48	0.018	-26.478	23.168	0.131	0.086	112.353	0.824	0.086	172.668	0.693	0.086	49.974	0.076	0.086	32.978	0.044
57	8772	8773	SN	2	-34.959	17.426	0.0	-34.41	17.921	0.0	1.458	22.789	0.047	1.57	22.966	0.265	0.087	232.03	2.223	0.086	204.487	2.013	0.086	0.13	0.0	0.086	0.129	0.0
58	8773	8774	SN	1	-34.875	16.976	0.0	-34.789	17.913	0.0	0.548	22.104	0.018	-3.584	22.798	0.387	0.087	227.615	2.892	0.086	223.156	2.34	0.086	0.141	0.0	0.086	0.24	0.0
59	8773	8774	SN	1	-34.875	16.976	0.0	-34.789	17.913	0.0	0.548	22.104	0.018	-0.472	22.798	0.415	0.087	227.615	2.958	0.086	223.156	2.388	0.086	0.141	0.0	0.086	0.157	0.0
60	8773	8774	NS	1	-34.821	15.849	0.0	-34.484	16.674	0.0	-14.848	22.995	0.09	-22.702	23.663	0.14	0.087	224.796	1.689	0.087	208.035	1.633	0.086	2.326	0.006	0.086	13.861	0.006
61	8773	8774	NS	1	-34.821	15.849	0.0	-34.484	16.674	0.0	-14.843	22.995	0.09	-22.702	23.663	0.14	0.087	224.796	1.685	0.087	208.035	1.633	0.086	2.324	0.006	0.086	13.861	0.006
62	8773	8774	SN	2	-34.875	16.976	0.0	-34.789	17.913	0.0	0.548	22.104	0.018	-3.584	22.798	0.387	0.087	227.615	2.892	0.086	223.156	2.341	0.086	0.141	0.0	0.086	0.24	0.0
63	8774	8775	SN	1	-34.937	16.833	0.0	-34.945	16.861	0.0	-1.556	22.254	0.004	-2.503	22.122	0.014	0.087	230.882	3.206	0.087	324.076	2.843	0.086	0.179	0.0	0.086	0.204	0.0
64	8774	8775	SN	1	-33.994	16.833	0.0	-34.835	16.861	0.0	0.698	22.254	0.005	-2.554	22.122	0.014	0.087	185.843	3.298	0.087	225.522	2.897	0.086	0.139	0.0	0.086	0.205	0.0
65	8774	8775	SN	1	-34.465	16.833	0.0	-34.945	16.861	0.0	-1.554	22.254	0.004	-2.501	22.122	0.014	0.087	212.426	3.203	0.087	324.076	2.861	0.086	0.179	0.0	0.086	0.204	0.0
66	8774	8775	NS	2	-34.699	19.975	0.0	-34.813	15.183	0.0	-12.233	22.613	0.051	-11.896	23.297	0.172	0.086	218.569	3.164	0.087	224.38	3.167	0.086	1.304	0.002	0.086	1.211	0.003
67	8774	8775	NS	1	-34.699	19.974	0.0	-34.813	15.183	0.0	-12.233	22.613	0.051	-11.896	23.297	0.172	0.086	218.569	3.163	0.087	224.38	3.167	0.086	1.304	0.002	0.086	1.211	0.003
68	8775	8776	NS	1	-34.142	19.698	0.0	-33.707	19.819	0.0	-23.882	23.06	0.176	-21.945	23.484	0.443	0.086	192.307	1.793	0.086	173.947	2.035	0.086	18.172	0.044	0.086	11.656	0.063
69	8775	8776	SN	1	-34.982	17.203	0.0	-35.001	17.053	0.0	-21.93	23.411	0.332	-30.694	23.734	0.673	0.087	233.29	16.852	0.087	234.259	13.381	0.086	11.616	0.047	0.086	86.952	0.224

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	8775	8776	SN	1	-34.891	17.203	0.0	-34.96	17.053	0.0	-21.907	23.411	0.332	-31.456	23.734	0.679	0.087	228.465	16.86	0.087	232.156	13.375	0.086	11.551	0.047	0.086	103.648	0.225
71	8775	8776	SN	1	-34.891	17.203	0.0	-34.96	17.053	0.0	-21.907	23.411	0.363	-31.456	23.734	0.68	0.087	228.465	17.777	0.087	232.156	14.502	0.086	11.551	0.051	0.086	103.648	0.226
72	8775	8776	NS	2	-34.747	19.698	0.0	-34.308	19.819	0.0	-23.882	23.06	0.176	-21.945	23.484	0.443	0.086	220.976	1.795	0.086	199.738	2.04	0.086	18.172	0.044	0.086	11.656	0.063
73	8776	8777	NS	1	-34.06	19.633	0.0	-34.674	21.417	0.0	2.137	23.168	0.09	2.127	23.662	0.557	0.086	188.701	2.279	0.086	217.363	1.993	0.086	0.123	0.0	0.086	0.123	0.0
74	8776	8777	SN	1	-34.14	19.188	0.0	-34.68	19.811	0.0	-7.967	23.682	0.482	-5.731	25.863	1.217	0.086	192.182	3.939	0.086	217.676	4.118	0.086	0.53	0.0	0.086	0.346	0.0
75	8776	8777	SN	1	-34.14	19.188	0.0	-34.68	19.811	0.0	-7.967	23.682	0.45	-5.731	25.863	1.215	0.086	192.182	3.688	0.086	217.676	3.671	0.086	0.53	0.0	0.086	0.346	0.0
76	8776	8777	SN	1	-34.758	19.188	0.0	-34.902	19.811	0.0	-7.967	23.682	0.45	-5.731	25.863	1.215	0.086	221.584	3.689	0.086	229.054	3.663	0.086	0.53	0.0	0.086	0.346	0.0
77	8777	8778	NS	2	-34.998	22.531	0.003	-34.67	22.3	0.005	0.319	23.111	0.127	-0.984	24.086	1.397	0.086	234.17	2.781	0.086	217.146	2.298	0.086	0.144	0.0	0.086	0.167	0.0
78	8777	8778	SN	1	-34.315	20.314	0.0	-34.577	20.35	0.0	-19.99	23.111	0.154	-20.737	23.97	0.624	0.086	200.078	2.557	0.086	212.55	2.404	0.086	7.454	0.051	0.086	8.841	0.012
79	8777	8778	NS	1	-34.998	22.531	0.003	-34.67	22.3	0.005	0.319	23.111	0.127	-0.984	24.086	1.397	0.086	234.17	2.781	0.086	217.146	2.298	0.086	0.144	0.0	0.086	0.167	0.0
80	8778	8779	NS	1	-34.628	22.596	0.001	-34.244	20.645	0.0	-31.706	22.82	0.157	-29.742	24.089	2.01	0.086	215.003	2.254	0.086	196.855	2.248	0.086	109.737	0.256	0.086	69.861	0.185
81	8778	8779	SN	1	-34.82	21.358	0.0	-34.588	21.542	0.0	-4.82	23.473	0.212	-5.724	23.27	0.196	0.086	224.771	1.127	0.086	213.061	0.92	0.086	0.294	0.0	0.086	0.345	0.0
82	8779	8780	NS	1	-33.891	20.713	0.0	-34.205	18.252	0.0	0.593	23.034	0.038	1.306	24.282	1.542	0.086	181.482	2.585	0.086	195.12	2.279	0.086	0.14	0.0	0.086	0.132	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

 Normal

 Deviations

 Alarming

 High Errors