

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-JAN-2018 To 28-JAN-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 27-JAN-2018 To 28-JAN-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	7073	7074	SN	1	48.876	49.501	0.0	0.003	6.386	2.276	1048.984	1089.744	0.0	-92.161	-89.54	0.0
2	7073	7074	NS	1	48.7	49.334	0.0	0.003	6.43	2.676	1016.728	1085.68	24.774	-92.146	-89.065	0.0
3	7074	7075	NS	1	48.7	49.336	0.0	0.003	6.442	2.497	1016.472	1085.96	26.972	-92.022	-89.056	0.0
4	7075	7076	SN	1	48.832	49.503	0.0	0.003	6.414	2.477	1047.304	1089.96	0.0	-92.28	-89.519	0.0
5	7075	7076	NS	1	48.699	49.337	0.0	0.003	6.442	2.493	1016.488	1086.096	27.464	-92.14	-89.088	0.0
6	7076	7077	SN	1	48.858	49.506	0.0	0.003	6.408	2.523	1047.2	1089.904	0.0	-92.207	-89.512	0.0
7	7076	7077	SN	2	48.858	49.506	0.0	0.003	6.408	2.523	1047.2	1089.904	0.0	-92.207	-89.512	0.0
8	7077	7078	NS	1	48.661	49.382	0.0	0.003	6.43	2.589	1017.336	1086.104	28.072	-92.316	-89.078	0.0
9	7077	7078	SN	1	48.874	49.469	0.0	0.003	6.408	2.502	1047.168	1090.256	0.0	-92.183	-89.518	0.0
10	7077	7078	SN	2	48.874	49.469	0.0	0.003	6.408	2.501	1047.176	1090.256	0.0	-92.183	-89.517	0.0
11	7078	7079	SN	2	48.834	49.499	0.0	0.003	6.408	2.567	1047.136	1090.648	0.0	-92.25	-89.508	0.0
12	7078	7079	SN	1	48.834	49.499	0.0	0.003	6.408	2.581	1047.136	1090.648	0.0	-92.25	-89.508	0.0
13	7078	7079	NS	1	48.701	49.378	0.0	0.003	6.42	2.588	1017.328	1086.12	28.264	-92.273	-89.081	0.0
14	7078	7079	SN	1	48.834	49.499	0.0	0.003	6.408	2.567	1047.136	1090.648	0.0	-92.25	-89.508	0.0
15	7079	7080	SN	1	48.857	49.518	0.0	0.003	6.397	1.602	1049.8	1090.368	0.0	-92.307	-89.548	0.0
16	7079	7080	NS	1	48.656	49.362	0.0	0.003	6.43	2.569	1017.128	1086.08	28.512	-92.096	-89.085	0.0
17	7082	7083	NS	1	48.697	49.385	0.0	0.003	6.453	2.643	1016.496	1086.28	29.186	-92.283	-89.061	0.0
18	7082	7083	SN	1	48.873	49.507	0.0	0.003	6.42	2.521	1047.024	1090.16	0.0	-92.216	-89.496	0.0
19	7083	7084	NS	1	48.698	49.344	0.0	0.003	6.447	2.592	1017.152	1086.384	28.994	-92.137	-89.086	0.0
20	7083	7084	SN	1	48.841	49.468	0.0	0.003	5.785	2.514	1046.792	1090.264	0.0	-92.272	-89.498	0.0
21	7083	7084	SN	1	48.841	49.468	0.0	0.003	6.42	2.614	1046.792	1090.264	0.0	-92.272	-89.498	0.0
22	7083	7084	NS	1	48.698	49.344	0.0	0.003	6.447	2.59	1017.152	1086.384	28.964	-92.137	-89.086	0.0
23	7084	7085	NS	1	48.692	49.386	0.0	0.003	6.442	2.562	1016.736	1086.544	29.016	-92.164	-89.085	0.0
24	7084	7085	SN	1	48.833	49.507	0.0	0.003	6.425	2.537	1046.584	1090.376	0.0	-92.286	-89.503	0.0
25	7084	7085	SN	2	48.833	49.507	0.0	0.003	6.425	2.537	1046.584	1090.376	0.0	-92.286	-89.503	0.0
26	7085	7086	NS	1	48.666	49.378	0.0	0.003	5.625	1.64	1016.856	1081.768	32.387	-92.089	-89.075	0.0
27	7085	7086	SN	2	48.828	49.479	0.0	0.003	6.414	2.539	1046.4	1090.512	0.0	-92.229	-89.502	0.0
28	7085	7086	SN	1	48.828	49.479	0.0	0.003	6.414	2.539	1046.4	1090.512	0.0	-92.229	-89.502	0.0
29	7086	7087	NS	1	48.679	49.341	0.0	0.003	6.442	2.586	1016.112	1086.816	29.248	-91.938	-89.082	0.0
30	7086	7087	NS	1	48.679	49.341	0.0	0.003	5.631	1.485	1016.112	1076.64	33.361	-91.938	-89.082	0.0
31	7087	7088	SN	1	48.871	49.517	0.0	0.003	6.414	2.665	1046.496	1090.688	0.0	-92.329	-89.503	0.0
32	7087	7088	NS	2	48.649	49.341	0.0	0.003	6.458	2.704	1016.864	1086.784	26.676	-92.136	-89.082	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

33	7087	7088	NS	1	48.645	49.337	0.0	0.003	6.452	2.705	1016.792	1086.776	26.703	-92.024	-89.082	0.0
34	7087	7088	SN	1	48.871	49.517	0.0	0.003	6.414	2.008	1048.472	1090.688	0.0	-92.329	-89.53	0.0
35	7088	7089	SN	1	48.87	49.471	0.0	0.003	6.442	2.413	1047.112	1090.672	0.0	-92.064	-89.511	0.0
36	7089	7090	NS	2	48.671	49.343	0.0	0.003	6.475	2.491	1016.728	1087.08	27.402	-91.936	-89.047	0.0
37	7089	7090	NS	1	48.671	49.343	0.0	0.003	6.475	2.491	1016.728	1087.08	27.402	-91.936	-89.047	0.0
38	7090	7091	NS	1	48.669	49.374	0.0	0.003	6.464	2.524	1016.856	1087.112	27.196	-92.118	-89.088	0.0
39	7090	7091	SN	1	48.86	49.486	0.0	0.003	6.436	2.274	1047.088	1090.768	0.0	-92.234	-89.51	0.0
40	7091	7092	SN	1	48.834	49.52	0.0	0.003	6.447	2.494	1046.16	1090.768	0.0	-92.228	-89.5	0.0
41	7091	7092	NS	1	48.695	49.36	0.0	0.003	6.464	2.601	1017.32	1087.096	27.774	-92.06	-89.074	0.0
42	7092	7093	NS	1	48.651	49.362	0.0	0.003	6.452	2.617	1017.264	1087.088	27.832	-92.308	-89.08	0.0
43	7092	7093	SN	1	48.849	49.497	0.0	0.003	6.43	2.52	1046.096	1091.592	0.0	-92.189	-89.519	0.0
44	7092	7093	SN	2	48.849	49.497	0.0	0.003	6.43	2.519	1046.096	1091.592	0.0	-92.189	-89.52	0.0
45	7093	7094	NS	1	48.667	49.374	0.0	0.003	6.469	2.566	1016.904	1087.016	27.867	-92.129	-89.086	0.0
46	7094	7095	SN	1	48.869	49.473	0.0	0.003	6.425	2.627	1045.376	1090.936	0.0	-92.149	-89.498	0.0
47	7094	7095	SN	1	48.698	49.366	0.0	0.003	6.458	2.563	1017.096	1087.24	28.437	-92.145	-89.086	0.0
48	7095	7096	NS	2	48.655	49.379	0.0	0.003	6.48	2.651	1017.056	1087.328	28.887	-92.234	-89.081	0.0
49	7095	7096	NS	1	48.864	49.473	0.0	0.003	50.153	2.522	1045.592	1091.056	0.0	-92.024	-89.501	0.0
50	7095	7096	NS	1	48.685	49.38	0.0	0.003	6.48	2.65	1017.072	1087.32	28.881	-92.269	-89.082	0.0
51	7096	7097	SN	1	48.679	49.346	0.0	0.003	6.452	2.642	1016.824	1087.32	28.105	-92.135	-89.062	0.0
52	7096	7097	SN	1	48.857	49.496	0.0	0.003	6.447	2.502	1046.016	1091.064	0.0	-92.151	-89.481	0.0
53	7097	7098	NS	1	48.822	49.473	0.0	0.003	6.48	2.581	1045.848	1091.048	0.0	-92.194	-89.479	0.0
54	7097	7098	NS	1	48.696	49.384	0.0	0.003	6.469	2.602	1017.176	1087.32	28.686	-92.286	-89.087	0.0
55	7098	7099	SN	1	48.826	49.504	0.0	0.003	6.458	2.573	1045.648	1091.136	0.0	-92.027	-89.492	0.0
56	7098	7099	NS	1	48.674	49.387	0.0	0.003	5.614	2.585	1017.056	1087.472	29.211	-92.17	-89.085	0.0
57	7099	7100	SN	1	48.652	49.357	0.0	0.003	6.442	1.914	1016.472	1084.248	31.119	-92.07	-89.083	0.0
58	7099	7100	NS	1	48.646	49.388	0.0	0.003	6.458	2.584	1016.872	1087.568	29.494	-92.054	-89.083	0.0
59	7099	7100	SN	1	48.801	49.482	0.0	0.003	6.442	2.531	1045.472	1091.216	0.0	-92.188	-89.495	0.0
60	7100	7101	NS	1	48.811	49.475	0.0	0.003	5.614	2.508	1045.352	1091.416	0.0	-92.159	-89.492	0.0
61	7100	7101	NS	1	48.685	49.349	0.0	0.003	6.464	2.576	1016.128	1087.64	29.441	-91.949	-89.083	0.0
62	7100	7101	SN	1	48.814	49.474	0.0	0.003	6.436	2.512	1045.352	1091.4	0.0	-92.175	-89.492	0.0
63	7100	7101	NS	1	48.685	49.348	0.0	0.003	5.614	1.44	1016.128	1080.584	32.577	-91.949	-89.083	0.0
64	7101	7102	NS	2	48.658	49.389	0.0	0.003	6.475	2.584	1016.76	1087.768	28.978	-91.993	-89.082	0.0
65	7101	7102	NS	1	48.657	49.349	0.0	0.003	181.306	2.583	1016.752	1087.768	28.971	-91.993	-89.082	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors



34	7087	7088	SN	1	-34.044	24.618	0.61	-33.252	25.662	3.134	-3.434	27.285	5.996	-4.526	30.41	11.001	0.103	214.378	1.16	0.103	178.665	0.698	0.103	0.274	0.0	0.102	0.326	0.0
35	7088	7089	SN	1	-34.32	24.332	0.972	-33.882	26.233	2.518	3.285	30.128	7.452	2.599	29.743	8.564	0.103	228.386	2.931	0.103	206.506	2.182	0.102	0.136	0.0	0.102	0.142	0.0
36	7089	7090	NS	2	-34.734	23.942	0.066	-34.563	26.321	0.198	-2.626	28.75	6.264	-6.222	29.353	21.516	0.103	251.25	2.276	0.103	241.515	2.151	0.102	0.243	0.0	0.102	0.438	0.0
37	7089	7090	NS	1	-34.734	23.942	0.066	-34.563	26.321	0.198	-2.626	28.75	6.264	-6.222	29.353	21.516	0.103	251.25	2.276	0.103	241.515	2.151	0.102	0.243	0.0	0.102	0.438	0.0
38	7090	7091	NS	1	-34.467	24.907	0.089	-34.682	26.137	0.195	-3.689	28.228	6.698	-2.462	30.835	17.102	0.103	236.293	5.571	0.103	248.222	4.96	0.103	0.285	0.0	0.102	0.238	0.0
39	7090	7091	SN	1	-33.447	25.685	0.428	-30.448	27.74	0.586	5.559	26.596	11.795	6.632	28.904	18.451	0.103	186.88	0.617	0.103	93.69	0.433	0.103	0.122	0.0	0.102	0.117	0.0
40	7091	7092	SN	1	-34.971	25.917	0.461	-34.806	26.794	0.563	5.32	27.244	14.343	7.056	28.764	19.348	0.103	265.352	3.477	0.103	255.459	2.513	0.103	0.123	0.0	0.102	0.116	0.0
41	7091	7092	NS	1	-34.524	21.944	0.0	-33.647	24.058	0.023	-28.166	27.928	3.814	-15.976	29.263	12.669	0.103	239.434	2.034	0.103	195.661	2.346	0.103	55.429	0.009	0.102	3.423	0.005
42	7092	7093	NS	1	-34.581	21.555	0.0	-34.442	23.444	0.005	-5.308	27.58	5.035	-4.537	29.489	13.8	0.103	242.578	3.327	0.103	234.943	2.23	0.103	0.372	0.0	0.102	0.326	0.0
43	7092	7093	SN	1	-34.906	23.205	0.014	-34.275	24.44	0.073	5.161	26.927	13.93	7.769	28.499	22.836	0.103	261.437	4.272	0.103	226.055	3.519	0.103	0.124	0.0	0.102	0.114	0.0
44	7092	7093	SN	2	-34.906	23.205	0.014	-34.275	24.44	0.073	5.161	26.927	13.931	7.769	28.499	22.836	0.103	261.437	4.272	0.103	226.055	3.518	0.103	0.124	0.0	0.102	0.114	0.0
45	7093	7094	NS	1	-34.394	25.138	0.568	-34.934	26.992	1.033	-6.236	29.828	9.34	-5.62	31.479	18.747	0.103	232.357	2.757	0.103	263.132	2.214	0.102	0.44	0.0	0.102	0.393	0.0
46	7094	7095	SN	1	-33.642	24.565	0.399	-33.625	26.754	0.625	3.823	33.224	9.225	6.59	32.337	14.477	0.103	195.409	3.467	0.103	194.69	2.369	0.102	0.132	0.0	0.102	0.118	0.0
47	7094	7095	SN	1	-34.581	26.53	1.519	-34.574	27.057	2.126	5.579	29.302	8.276	7.268	29.164	21.972	0.103	242.546	0.997	0.103	242.118	0.927	0.102	0.122	0.0	0.102	0.115	0.0
48	7095	7096	NS	2	-34.345	25.492	0.786	-34.954	27.487	1.16	2.084	27.921	13.559	-2.498	30.199	40.836	0.103	229.754	1.304	0.103	264.364	1.13	0.103	0.147	0.0	0.102	0.239	0.0
49	7095	7096	NS	1	-34.462	23.024	0.033	-33.922	26.018	0.291	-17.158	27.704	12.205	-4.84	30.011	15.845	0.103	236.027	4.696	0.103	208.423	2.942	0.103	4.469	0.005	0.102	0.343	0.0
50	7095	7096	NS	1	-34.88	25.492	0.786	-34.089	27.487	1.16	2.076	27.921	13.561	-2.498	30.199	40.838	0.103	259.871	1.305	0.103	216.623	1.128	0.103	0.147	0.0	0.102	0.239	0.0
51	7096	7097	SN	1	-34.679	26.154	0.666	-34.936	26.796	0.971	-20.363	30.782	12.525	-7.594	30.116	32.807	0.103	248.087	2.877	0.103	263.217	2.478	0.102	9.259	0.006	0.102	0.569	0.0
52	7096	7097	SN	1	-34.99	23.92	0.038	-34.714	24.961	0.366	-2.138	29.007	11.807	-1.867	30.615	13.413	0.103	266.466	3.697	0.103	250.118	2.537	0.102	0.227	0.0	0.102	0.219	0.0
53	7097	7098	NS	1	-34.674	23.194	0.004	-34.84	25.3	0.655	-14.863	27.953	12.614	-13.643	30.408	16.359	0.103	247.795	4.285	0.103	257.447	3.027	0.103	2.668	0.01	0.102	2.035	0.004
54	7097	7098	NS	1	-33.901	24.25	0.373	-32.332	24.587	0.632	4.607	27.874	15.015	6.397	33.278	26.021	0.103	207.408	2.403	0.103	144.552	1.885	0.103	0.127	0.0	0.102	0.118	0.0
55	7098	7099	SN	1	-34.173	22.174	0.002	-32.343	25.504	1.826	-11.305	29.379	10.259	-12.103	30.207	14.317	0.103	220.782	2.903	0.103	144.888	1.92	0.102	1.222	0.002	0.102	1.452	0.003
56	7098	7099	NS	1	-34.289	24.264	0.338	-34.504	25.192	1.146	11.691	30.487	25.239	11.232	30.012	51.484	0.103	226.791	2.838	0.103	238.297	2.56	0.102	0.107	0.0	0.102	0.108	0.0
57	7099	7100	SN	1	-34.734	25.396	0.468	-34.238	26.994	1.022	11.498	27.231	16.612	11.655	29.811	44.894	0.103	251.326	1.839	0.103	224.143	1.561	0.103	0.107	0.0	0.102	0.107	0.0
58	7099	7100	NS	1	-34.052	25.393	0.471	-34.123	26.992	1.028	11.496	27.271	24.379	11.655	29.809	45.463	0.103	214.741	1.838	0.103	218.345	1.557	0.103	0.107	0.0	0.102	0.107	0.0
59	7099	7100	SN	1	-34.9	23.086	0.016	-34.841	25.69	1.634	-11.064	27.73	18.587	-7.008	29.823	24.673	0.103	261.059	3.566	0.103	257.544	2.94	0.103	1.161	0.002	0.102	0.508	0.0
60	7100	7101	NS	1	-34.821	23.281	0.087	-34.994	25.407	1.341	7.27	27.617	31.773	8.083	29.939	51.718	0.103	256.312	2.348	0.103	266.805	1.498	0.103	0.115	0.0	0.102	0.113	0.0
61	7100	7101	NS	1	-33.648	25.487	0.549	-32.513	27.164	0.617	7.392	28.123	26.318	7.67	29.763	41.187	0.103	195.686	0.891	0.103	150.684	0.731	0.103	0.115	0.0	0.102	0.114	0.0
62	7100	7101	SN	1	-34.39	23.283	0.088	-34.914	25.407	1.344	7.27	27.617	31.775	8.083	29.939	51.697	0.103	232.103	2.354	0.103	261.839	1.495	0.103	0.115	0.0	0.102	0.113	0.0
63	7100	7101	NS	1	-33.648	25.487	0.522	-32.513	27.164	0.617	10.925	26.388	7.394	7.67	29.355	20.75	0.103	195.686	0.892	0.103	150.684	0.732	0.103	0.108	0.0	0.102	0.114	0.0
64	7101	7102	NS	2	-34.351	25.006	0.446	-33.04	27.308	0.33	6.984	28.522	12.037	6.693	29.638	26.274	0.103	230.027	1.133	0.103	170.123	0.737	0.102	0.116	0.0	0.102	0.117	0.0
65	7101	7102	NS	1	-32.771	25.006	0.445	-32.706	27.308	0.33	6.984	28.522	12.03	6.693	29.638	26.275	0.103	159.914	1.134	0.103	157.56	0.736	0.102	0.116	0.0	0.102	0.117	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal
 Deviations
 Alarming
 High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	7073	7074	SN	1	57.706	58.416	0.0	0.0	291.666	3.553	1230.808	1282.64	4.479	-93.689	-92.021	0.0
2	7073	7074	NS	1	57.467	58.235	0.0	0.0	294.132	3.894	1191.432	1276.88	36.693	-93.816	-91.452	0.0
3	7074	7075	NS	1	57.467	58.228	0.0	0.0	298.174	3.612	1191.504	1277.24	40.278	-93.713	-91.447	0.0
4	7075	7076	SN	1	57.675	58.428	0.0	0.0	291.346	3.601	1228.816	1282.896	4.683	-93.677	-91.997	0.0
5	7075	7076	NS	1	57.458	58.23	0.0	0.0	292.494	3.595	1191.472	1277.4	41.124	-93.672	-91.465	0.0
6	7076	7077	SN	1	57.686	58.396	0.0	0.0	298.841	3.607	1228.784	1282.84	4.687	-93.678	-91.99	0.0
7	7076	7077	SN	2	57.686	58.396	0.0	0.0	298.841	3.607	1228.784	1282.84	4.687	-93.678	-91.99	0.0
8	7077	7078	NS	1	57.45	58.25	0.0	0.0	292.35	3.761	1192.184	1277.432	40.426	-93.765	-91.464	0.0
9	7077	7078	SN	1	57.684	58.423	0.0	0.0	295.61	3.588	1228.624	1283.056	4.762	-93.656	-91.993	0.0
10	7077	7078	SN	2	57.684	58.423	0.0	0.0	295.907	3.586	1228.64	1283.056	4.762	-93.656	-91.992	0.0
11	7078	7079	SN	2	57.686	58.415	0.0	0.0	293.508	3.653	1228.568	1283.68	4.525	-93.739	-91.988	0.0
12	7078	7079	SN	1	57.686	58.415	0.0	0.0	293.508	3.665	1228.568	1283.68	4.521	-93.739	-91.988	0.0
13	7078	7079	NS	1	57.452	58.278	0.0	0.0	293.85	3.808	1192.328	1277.464	41.787	-93.729	-91.467	0.0
14	7078	7079	SN	1	57.686	58.415	0.0	0.0	293.508	3.653	1228.568	1283.68	4.525	-93.739	-91.988	0.0
15	7079	7080	SN	1	57.704	58.422	0.0	0.003	296.387	2.867	1231.688	1283.152	5.518	-93.748	-92.031	0.0
16	7079	7080	NS	1	57.462	58.224	0.0	0.0	297.711	3.765	1192.064	1277.4	42.358	-93.733	-91.471	0.0
17	7082	7083	NS	1	57.442	58.236	0.0	0.0	293.481	3.834	1191.528	1277.624	43.043	-94.222	-91.448	0.0
18	7082	7083	SN	1	57.702	58.404	0.0	0.0	292.427	3.644	1228.48	1283.144	5.488	-93.644	-91.965	0.0
19	7083	7084	NS	1	57.464	58.251	0.0	0.0	292.758	3.744	1192.12	1277.752	42.481	-93.928	-91.472	0.0
20	7083	7084	SN	1	57.68	58.394	0.0	0.0	291.374	3.388	1228.184	1283.24	5.847	-93.605	-91.976	0.0
21	7083	7084	SN	1	57.68	58.394	0.0	0.0	291.374	3.763	1228.184	1283.24	5.792	-93.605	-91.976	0.0
22	7083	7084	NS	1	57.464	58.251	0.0	0.0	292.758	3.753	1192.12	1277.752	42.441	-93.928	-91.472	0.0
23	7084	7085	NS	1	57.67	58.417	0.0	0.0	293.503	3.698	1228.0	1283.392	6.048	-93.798	-91.979	0.0
24	7084	7085	SN	1	57.464	58.251	0.0	0.0	298.036	3.665	1191.976	1277.952	42.573	-93.691	-91.47	0.0
25	7084	7085	SN	2	57.67	58.417	0.0	0.0	298.036	3.665	1228.0	1283.392	6.048	-93.691	-91.979	0.0
26	7085	7086	NS	1	57.682	58.42	0.0	0.003	292.179	2.551	1227.672	1283.56	6.313	-93.666	-91.979	0.0
27	7085	7086	SN	2	57.682	58.42	0.0	0.0	295.549	3.634	1227.672	1283.56	6.313	-94.104	-91.979	0.0
28	7085	7086	SN	1	57.44	58.252	0.0	0.0	295.549	3.634	1191.232	1272.448	46.719	-94.104	-91.462	0.0
29	7086	7087	NS	1	57.449	58.233	0.0	0.0	299.249	3.764	1191.24	1266.48	48.367	-93.536	-91.467	0.0
30	7086	7087	NS	1	57.449	58.233	0.0	0.003	294.44	1.938	1191.24	1278.28	42.317	-93.513	-91.467	0.0
31	7087	7088	SN	1	57.673	58.419	0.0	0.0	295.455	3.858	1227.824	1284.216	6.513	-93.678	-91.979	0.0
32	7087	7088	NS	2	57.428	58.228	0.0	0.0	296.784	3.954	1191.664	1278.232	37.749	-93.716	-91.467	0.0
33	7087	7088	NS	1	57.434	58.232	0.0	0.0	296.591	3.954	1191.776	1278.24	37.734	-93.657	-91.468	0.0
34	7087	7088	SN	1	57.673	58.419	0.0	0.0	295.455	3.356	1230.128	1284.216	6.756	-93.678	-92.011	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	7088	7089	SN	1	57.697	58.428	0.0	0.0	294.347	3.526	1228.568	1283.744	6.657	-93.591	-91.988	0.0
36	7089	7090	NS	2	57.452	58.236	0.0	0.0	295.803	3.606	1191.8	1278.608	40.739	-93.677	-91.435	0.0
37	7089	7090	NS	1	57.452	58.236	0.0	0.0	295.803	3.606	1191.8	1278.608	40.739	-93.677	-91.435	0.0
38	7090	7091	NS	1	57.439	58.237	0.0	0.0	295.367	3.693	1191.768	1278.648	40.611	-93.677	-91.474	0.0
39	7090	7091	SN	1	57.666	58.427	0.0	0.0	293.955	3.363	1228.488	1283.848	6.872	-93.767	-91.991	0.0
40	7091	7092	SN	1	57.697	58.429	0.0	0.0	299.2	3.634	1227.4	1284.072	6.884	-93.787	-91.976	0.0
41	7091	7092	NS	1	57.462	58.234	0.0	0.0	294.926	3.75	1192.312	1278.656	39.727	-93.555	-91.447	0.0
42	7092	7093	NS	1	57.689	58.433	0.0	0.0	295.786	3.792	1227.32	1284.72	6.909	-93.778	-91.991	0.0
43	7092	7093	SN	1	57.451	58.255	0.0	0.0	296.773	3.592	1192.008	1278.648	41.346	-93.65	-91.461	0.0
44	7092	7093	SN	2	57.689	58.433	0.0	0.0	296.227	3.593	1227.32	1284.72	6.909	-93.65	-91.991	0.0
45	7093	7094	NS	1	57.454	58.246	0.0	0.0	298.378	3.757	1191.848	1278.52	41.844	-93.748	-91.472	0.0
46	7094	7095	SN	1	57.457	58.254	0.0	0.0	297.286	3.738	1191.88	1278.536	41.835	-93.726	-91.471	0.0
47	7094	7095	SN	1	57.454	58.238	0.0	0.0	297.926	3.696	1192.056	1278.824	42.033	-93.712	-91.472	0.0
48	7095	7096	NS	2	57.695	58.399	0.0	0.0	295.141	3.861	1226.44	1284.072	7.634	-93.745	-91.975	0.0
49	7095	7096	NS	1	57.443	58.25	0.0	0.0	296.183	3.639	1192.0	1278.904	41.244	-93.706	-91.451	0.0
50	7095	7096	NS	1	57.678	58.4	0.0	0.0	295.179	3.858	1227.152	1284.192	7.647	-93.797	-91.977	0.0
51	7096	7097	SN	1	57.446	58.239	0.0	0.003	297.551	3.864	1191.984	1278.912	41.252	-93.82	-91.451	0.0
52	7096	7097	SN	1	57.463	58.247	0.0	0.0	295.665	3.615	1191.608	1278.904	41.903	-93.696	-91.451	0.0
53	7097	7098	NS	1	57.676	58.429	0.0	0.0	295.069	3.739	1227.352	1284.224	7.726	-93.569	-91.957	0.0
54	7097	7098	NS	1	57.453	58.261	0.0	0.0	296.382	3.74	1191.776	1278.904	42.77	-93.783	-91.473	0.0
55	7098	7099	SN	1	57.637	58.4	0.0	0.0	295.163	3.738	1227.016	1284.192	8.081	-93.651	-91.961	0.0
56	7098	7099	NS	1	57.448	58.27	0.0	0.0	296.073	3.7	1191.984	1279.096	42.263	-93.827	-91.47	0.0
57	7099	7100	SN	1	57.65	58.43	0.0	0.0	293.955	2.842	1226.768	1284.296	8.321	-93.705	-91.972	0.0
58	7099	7100	NS	1	57.433	58.262	0.0	0.0	297.209	3.74	1191.192	1275.328	45.891	-93.683	-91.469	0.0
59	7099	7100	SN	1	57.428	58.263	0.0	0.0	298.19	3.649	1191.072	1279.216	43.51	-93.608	-91.468	0.0
60	7100	7101	NS	1	57.65	58.433	0.0	0.0	296.348	3.588	1226.528	1284.44	8.441	-93.642	-91.972	0.0
61	7100	7101	NS	1	57.652	58.409	0.0	0.0	295.918	3.704	1226.336	1284.616	8.836	-93.67	-91.968	0.0
62	7100	7101	SN	1	57.652	58.402	0.0	0.0	296.321	3.593	1226.336	1284.64	8.834	-93.686	-91.968	0.0
63	7100	7101	NS	1	57.45	58.242	0.0	0.0	295.918	2.181	1191.096	1279.288	42.919	-93.67	-91.468	0.0
64	7101	7102	NS	2	57.45	58.241	0.0	0.0	298.483	3.845	1191.096	1271.144	47.339	-93.648	-91.468	0.0
65	7101	7102	NS	1	57.434	58.247	0.0	0.0	298.417	3.845	1191.616	1279.44	40.319	-93.648	-91.467	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors



Outer																												
SNR																Kp												
Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore							
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	7073	7074	SN	1	-34.832	17.433	0.0	-34.945	18.866	0.0	-3.45	22.726	0.003	-1.506	22.535	0.014	0.084	209.818	3.565	0.083	215.38	2.928	0.083	0.222	0.0	0.083	0.17	0.0
2	7073	7074	NS	1	-34.606	18.207	0.0	-34.204	18.371	0.0	1.824	23.086	0.005	1.869	24.087	0.158	0.083	199.181	1.328	0.083	181.609	1.182	0.083	0.121	0.0	0.083	0.12	0.0
3	7074	7075	NS	1	-34.957	18.473	0.0	-34.846	19.666	0.0	-10.904	22.486	0.002	-7.167	23.252	0.097	0.083	216.013	3.466	0.083	210.555	3.248	0.083	0.914	0.0	0.083	0.426	0.0
4	7075	7076	SN	1	-34.699	19.39	0.0	-34.855	20.835	0.0	1.294	21.64	0.0	1.558	21.357	0.0	0.083	203.488	2.16	0.083	210.996	1.948	0.083	0.126	0.0	0.083	0.124	0.0
5	7075	7076	NS	1	-34.816	18.603	0.0	-34.939	19.55	0.0	-7.051	21.872	0.0	-20.434	23.057	0.057	0.083	209.072	3.746	0.083	215.098	3.643	0.083	0.417	0.0	0.083	7.683	0.037
6	7076	7077	SN	1	-34.27	19.294	0.0	-34.297	20.367	0.0	0.511	21.779	0.0	1.363	22.034	0.009	0.083	184.375	2.005	0.083	185.531	1.687	0.083	0.136	0.0	0.083	0.126	0.0
7	7076	7077	SN	2	-34.27	19.294	0.0	-34.297	20.367	0.0	0.511	21.779	0.0	1.363	22.034	0.009	0.083	184.375	2.005	0.083	185.531	1.687	0.083	0.136	0.0	0.083	0.126	0.0
8	7077	7078	NS	1	-34.337	16.009	0.0	-34.71	16.437	0.0	-25.548	22.768	0.003	-19.167	22.457	0.022	0.084	187.264	3.14	0.084	204.001	3.227	0.083	24.807	0.006	0.083	5.756	0.008
9	7077	7078	SN	1	-34.738	20.052	0.0	-34.736	20.396	0.0	0.887	21.386	0.0	1.711	22.313	0.042	0.083	205.369	2.377	0.083	205.239	2.147	0.083	0.131	0.0	0.083	0.122	0.0
10	7077	7078	SN	2	-34.738	20.052	0.0	-34.736	20.396	0.0	0.887	21.386	0.0	1.711	22.313	0.042	0.083	205.369	2.377	0.083	205.239	2.147	0.083	0.131	0.0	0.083	0.122	0.0
11	7078	7079	SN	2	-34.897	17.998	0.0	-34.925	18.113	0.0	-0.346	21.613	0.0	2.966	21.824	0.0	0.083	212.99	5.071	0.083	214.355	4.01	0.083	0.148	0.0	0.083	0.112	0.0
12	7078	7079	SN	1	-34.897	17.998	0.0	-34.925	18.113	0.0	-0.346	21.613	0.0	2.966	21.824	0.0	0.083	212.99	5.069	0.083	214.355	4.006	0.083	0.148	0.0	0.083	0.112	0.0
13	7078	7079	NS	1	-34.51	18.977	0.0	-34.807	19.703	0.0	-31.076	21.705	0.0	-14.886	24.644	0.035	0.083	194.831	2.501	0.083	208.617	2.449	0.083	88.4	0.089	0.083	2.188	0.012
14	7078	7079	SN	1	-34.897	17.998	0.0	-34.925	18.113	0.0	-0.346	21.613	0.0	2.966	21.824	0.0	0.083	212.99	5.071	0.083	214.355	4.01	0.083	0.148	0.0	0.083	0.112	0.0
15	7079	7080	SN	1	-34.911	17.912	0.0	-33.307	19.438	0.0	0.229	22.88	0.109	1.671	23.307	0.426	0.083	213.689	3.832	0.083	147.734	3.146	0.083	0.139	0.0	0.083	0.122	0.0
16	7079	7080	NS	1	-34.651	20.291	0.0	-34.666	20.821	0.0	2.779	22.633	0.085	2.05	23.054	0.299	0.083	201.316	1.149	0.083	202.026	1.138	0.083	0.113	0.0	0.083	0.119	0.0
17	7082	7083	NS	1	-34.085	19.387	0.0	-34.888	19.681	0.0	-1.069	24.578	0.021	-6.062	23.977	1.067	0.083	176.685	2.772	0.083	212.556	2.612	0.083	0.161	0.0	0.083	0.346	0.0
18	7082	7083	SN	1	-34.844	17.271	0.0	-34.458	18.485	0.0	-30.496	22.509	0.011	-29.656	23.635	0.419	0.084	210.415	5.745	0.083	192.546	4.557	0.083	77.362	0.136	0.083	63.769	0.097
19	7083	7084	NS	1	-34.77	17.867	0.0	-33.769	19.118	0.0	1.041	22.422	0.028	0.877	23.719	0.951	0.083	206.871	2.041	0.083	164.312	1.688	0.083	0.129	0.0	0.083	0.131	0.0
20	7083	7084	SN	1	-34.711	16.7	0.0	-34.816	19.35	0.0	-13.62	22.566	0.019	-14.515	23.909	0.329	0.084	204.109	4.117	0.083	214.433	3.34	0.083	1.651	0.006	0.083	2.015	0.008
21	7083	7084	SN	1	-34.711	16.7	0.0	-34.816	19.35	0.0	-13.62	22.566	0.018	-14.515	23.909	0.322	0.084	204.109	4.116	0.083	214.433	3.34	0.083	1.651	0.006	0.083	2.015	0.008
22	7083	7084	NS	1	-34.77	17.867	0.0	-33.769	19.118	0.0	1.041	22.422	0.028	0.877	23.719	0.951	0.083	206.871	2.058	0.083	164.312	1.696	0.083	0.129	0.0	0.083	0.131	0.0
23	7084	7085	NS	1	-34.572	16.143	0.0	-34.4	19.132	0.0	-18.643	22.276	0.013	-12.885	23.973	0.349	0.083	217.149	4.008	0.083	210.225	3.628	0.083	0.096	0.0	0.083	0.096	0.0
24	7084	7085	SN	1	-34.98	19.511	0.0	-34.84	19.998	0.0	6.246	22.692	0.057	6.199	23.629	1.201	0.084	197.676	1.828	0.083	190.019	1.613	0.083	5.108	0.003	0.083	1.404	0.003
25	7084	7085	SN	2	-34.572	16.143	0.0	-34.4	19.132	0.0	-18.643	22.276	0.013	-12.885	23.973	0.349	0.084	197.676	1.828	0.083	190.019	1.613	0.083	5.108	0.003	0.083	1.404	0.003
26	7085	7086	NS	1	-34.868	16.628	0.0	-34.366	19.581	0.0	-26.673	23.112	0.102	-14.64	23.552	1.132	0.083	215.885	2.381	0.083	211.78	2.44	0.083	0.122	0.0	0.083	0.121	0.0
27	7085	7086	SN	2	-34.868	16.628	0.0	-34.366	19.581	0.0	-26.673	23.112	0.102	-14.64	23.552	1.132	0.084	211.536	2.882	0.083	189.016	2.712	0.083	32.121	0.063	0.083	2.071	0.049
28	7085	7086	SN	1	-34.956	19.415	0.0	-34.872	20.589	0.0	1.734	22.135	0.058	1.866	23.706	1.93	0.084	211.536	2.882	0.083	189.016	2.712	0.083	32.121	0.063	0.083	2.071	0.049
29	7086	7087	NS	1	-32.892	19.864	0.0	-33.919	20.088	0.0	4.151	22.187	0.006	3.362	21.383	0.0	0.083	134.271	0.577	0.083	170.07	0.477	0.083	0.116	0.0	0.083	0.117	0.0
30	7086	7087	NS	1	-32.892	19.946	0.0	-33.919	20.088	0.0	2.37	23.284	0.2	2.285	23.488	1.033	0.083	134.271	0.576	0.083	170.07	0.478	0.083	0.104	0.0	0.083	0.109	0.0
31	7087	7088	SN	1	-34.946	17.972	0.0	-34.102	18.872	0.0	-5.609	22.393	0.005	-13.188	23.123	0.018	0.083	215.449	1.202	0.083	177.402	0.835	0.083	0.319	0.0	0.083	1.501	0.002
32	7087	7088	NS	2	-33.517	18.929	0.0	-34.758	19.924	0.0	1.719	23.224	0.095	0.183	23.69	0.318	0.083	116.487	1.428	0.083	195.921	1.157	0.083	0.122	0.0	0.083	0.14	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors

33	7087	7088	NS	1	-32.275	18.928	0.0	-34.533	19.924	0.0	1.719	23.222	0.095	0.184	23.69	0.318	0.083	155.044	1.429	0.083	206.308	1.158	0.083	0.122	0.0	0.083	0.14	0.0
34	7087	7088	SN	1	-34.946	17.972	0.0	-34.102	18.872	0.0	-5.609	22.393	0.005	-13.188	23.123	0.018	0.083	215.449	1.246	0.083	177.402	0.922	0.083	0.319	0.0	0.083	1.501	0.002
35	7088	7089	SN	1	-34.662	17.946	0.0	-34.269	19.318	0.0	-7.517	22.161	0.004	-4.87	23.0	0.033	0.083	201.758	2.262	0.083	184.354	1.767	0.083	0.456	0.0	0.083	0.28	0.0
36	7089	7090	NS	2	-34.462	18.484	0.0	-34.53	19.972	0.0	-13.222	21.904	0.0	-27.34	23.261	0.069	0.083	192.71	1.991	0.083	195.796	1.94	0.083	1.513	0.002	0.083	37.437	0.045
37	7089	7090	NS	1	-34.462	18.484	0.0	-34.53	19.972	0.0	-13.222	21.904	0.0	-27.34	23.261	0.069	0.083	192.71	1.991	0.083	195.796	1.94	0.083	1.513	0.002	0.083	37.437	0.045
38	7090	7091	NS	1	-34.888	18.454	0.0	-34.334	19.414	0.0	-30.044	21.711	0.0	-25.94	22.771	0.036	0.083	212.552	5.529	0.083	187.135	5.316	0.083	69.721	0.123	0.083	27.138	0.135
39	7090	7091	SN	1	-33.087	19.315	0.0	-33.987	20.956	0.0	0.279	21.504	0.0	1.134	21.542	0.0	0.083	140.451	0.904	0.083	172.791	0.673	0.083	0.139	0.0	0.083	0.128	0.0
40	7091	7092	SN	1	-34.974	19.192	0.0	-34.227	20.425	0.0	0.735	21.808	0.0	2.084	22.172	0.053	0.083	216.812	2.919	0.083	182.564	2.602	0.083	0.133	0.0	0.083	0.119	0.0
41	7091	7092	NS	1	-34.932	19.29	0.0	-34.637	19.27	0.0	-10.366	22.163	0.008	-14.608	22.896	0.051	0.083	214.776	2.559	0.083	200.636	2.641	0.083	0.815	0.0	0.083	2.057	0.002
42	7092	7093	NS	1	-34.999	19.954	0.0	-34.943	20.082	0.0	-0.521	21.214	0.0	1.855	22.133	0.007	0.084	115.007	2.712	0.084	197.661	2.316	0.083	1.93	0.006	0.083	58.257	0.021
43	7092	7093	SN	1	-32.219	17.096	0.0	-34.572	17.389	0.0	-14.322	21.596	0.0	-29.263	22.608	0.023	0.083	218.036	3.924	0.083	215.313	3.616	0.083	0.151	0.0	0.083	0.121	0.0
44	7092	7093	SN	2	-34.999	19.954	0.0	-34.943	20.082	0.0	-0.521	21.214	0.0	1.855	22.133	0.007	0.083	218.036	3.925	0.083	215.313	3.616	0.083	0.151	0.0	0.083	0.121	0.0
45	7093	7094	NS	1	-34.487	19.376	0.0	-34.708	20.311	0.0	-19.976	22.147	0.004	-25.019	22.874	0.077	0.083	204.292	2.125	0.083	181.367	1.755	0.083	6.925	0.027	0.083	18.2	0.08
46	7094	7095	SN	1	-34.716	19.373	0.0	-34.198	20.311	0.0	-19.979	22.149	0.004	-24.199	22.876	0.077	0.083	154.93	2.951	0.083	213.308	2.365	0.083	0.932	0.0	0.083	0.452	0.0
47	7094	7095	SN	1	-33.888	20.334	0.0	-34.677	20.806	0.0	0.599	22.704	0.068	1.4	23.646	0.459	0.083	168.878	0.889	0.083	202.522	1.017	0.083	0.134	0.0	0.083	0.125	0.0
48	7095	7096	NS	2	-33.514	18.552	0.0	-34.903	20.108	0.0	-10.993	23.009	0.084	-7.476	25.462	0.563	0.083	205.716	1.272	0.083	104.804	1.42	0.083	0.135	0.0	0.083	0.156	0.0
49	7095	7096	NS	1	-34.193	20.459	0.0	-34.857	20.982	0.0	0.537	22.622	0.074	-0.821	24.124	1.477	0.083	205.311	4.322	0.083	215.459	2.89	0.083	16.814	0.079	0.083	3.284	0.014
50	7095	7096	NS	1	-34.738	19.782	0.0	-34.946	19.827	0.0	-23.854	22.616	0.013	-16.693	24.082	0.537	0.083	181.171	1.27	0.083	211.038	1.421	0.083	0.135	0.0	0.083	0.156	0.0
51	7096	7097	SN	1	-34.745	20.459	0.0	-31.815	20.982	0.0	0.537	22.622	0.074	-0.818	24.124	1.475	0.083	216.86	2.807	0.083	214.245	2.652	0.083	19.736	0.006	0.083	0.299	0.0
52	7096	7097	SN	1	-34.974	19.997	0.0	-34.922	20.993	0.0	-24.554	23.181	0.164	-5.25	24.141	1.523	0.083	214.023	2.889	0.083	217.61	2.26	0.083	0.318	0.0	0.083	0.212	0.0
53	7097	7098	NS	1	-34.917	18.267	0.0	-34.99	18.581	0.0	-5.603	22.093	0.007	-3.118	23.959	0.378	0.084	198.306	4.261	0.083	196.939	3.444	0.083	165.326	0.19	0.083	16.557	0.017
54	7097	7098	NS	1	-34.902	18.436	0.0	-34.816	18.744	0.0	0.093	22.597	0.027	0.687	24.002	0.893	0.083	213.268	2.282	0.083	210.057	2.216	0.083	0.141	0.0	0.083	0.133	0.0
55	7098	7099	SN	1	-34.586	15.323	0.0	-34.557	18.917	0.0	-33.796	22.356	0.013	-23.788	24.124	0.37	0.084	186.615	1.624	0.083	173.26	1.404	0.083	87.416	0.026	0.083	16.899	0.035
56	7098	7099	NS	1	-34.614	17.964	0.0	-34.651	19.033	0.0	5.118	22.351	0.041	5.194	23.518	0.974	0.083	199.58	2.559	0.083	201.306	2.454	0.083	0.1	0.0	0.083	0.1	0.0
57	7099	7100	SN	1	-34.323	17.582	0.0	-34.0	19.531	0.0	-31.026	22.689	0.017	-23.876	23.646	0.281	0.083	171.276	1.523	0.083	176.129	1.536	0.083	0.108	0.0	0.083	0.109	0.0
58	7099	7100	NS	1	-33.95	19.724	0.0	-34.071	21.026	0.0	3.493	22.537	0.085	3.32	23.553	1.524	0.083	212.144	1.572	0.083	212.671	1.523	0.083	0.108	0.0	0.083	0.109	0.0
59	7099	7100	SN	1	-34.88	19.718	0.0	-34.891	21.027	0.0	3.493	22.532	0.054	3.32	23.55	1.093	0.084	213.282	3.193	0.083	190.077	2.572	0.083	29.05	0.039	0.083	43.128	0.07
60	7100	7101	NS	1	-34.903	17.384	0.0	-34.402	19.655	0.0	-26.237	22.563	0.095	-27.956	23.474	0.664	0.083	209.595	2.413	0.083	200.076	1.718	0.083	0.113	0.0	0.083	0.105	0.0
61	7100	7101	NS	1	-34.744	18.017	0.0	-34.761	19.175	0.0	2.756	22.726	0.236	4.104	23.75	1.633	0.083	169.032	0.921	0.083	143.908	0.786	0.083	0.116	0.0	0.083	0.116	0.0
62	7100	7101	SN	1	-34.827	18.015	0.0	-34.625	19.175	0.0	2.754	22.727	0.236	4.104	23.748	1.633	0.083	205.616	2.416	0.083	206.442	1.72	0.083	0.113	0.0	0.083	0.105	0.0
63	7100	7101	NS	1	-33.893	20.06	0.0	-33.194	21.321	0.0	2.454	22.375	0.066	2.386	23.841	1.128	0.083	169.032	0.922	0.083	143.908	0.787	0.083	0.089	0.0	0.083	0.116	0.0
64	7101	7102	NS	2	-33.893	20.06	0.0	-33.194	21.321	0.0	9.422	22.306	0.054	2.386	23.351	0.396	0.083	205.981	1.052	0.083	159.948	0.919	0.083	0.117	0.0	0.083	0.125	0.0
65	7101	7102	NS	1	-34.752	19.74	0.0	-33.652	20.476	0.0	2.242	22.823	0.177	1.444	23.691	0.782	0.083	206.172	1.051	0.083	185.266	0.921	0.083	0.117	0.0	0.083	0.125	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors