

















SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-JUL-2017 To 31-JUL-2017





SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 30-JUL-2017 To 31-JUL-2017

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	4448	4449	SN	1	48.727	49.388	0.0	0.003	2.647	0.153	1028.208	1087.696	0.0	-91.863	-89.286	0.0
2	4449	4450	SN	1	48.742	49.387	0.0	0.003	1.814	0.142	1027.744	1087.272	0.0	-91.933	-89.266	0.0
3	4449	4450	NS	1	48.868	49.449	0.0	0.003	1.814	0.187	1049.232	1089.48	0.0	-92.005	-89.325	0.0
4	4449	4450	SN	1	48.742	49.387	0.0	0.003	1.814	0.143	1027.744	1087.688	0.0	-91.933	-89.266	0.0
5	4450	4451	SN	1	48.736	49.386	0.0	0.003	7.01	0.346	1027.52	1087.824	0.0	-91.751	-89.299	0.0
6	4450	4451	SN	1	48.736	49.386	0.0	0.003	7.01	0.226	1027.408	1087.824	0.0	-91.887	-89.298	0.0
7	4450	4451	NS	1	48.87	49.451	0.0	0.003	5.3	0.617	1049.608	1089.68	0.0	-91.991	-89.28	0.0
8	4450	4451	NS	1	48.869	49.451	0.0	0.003	5.3	0.442	1049.584	1089.68	0.0	-91.991	-89.28	0.0
9	4451	4452	SN	1	48.726	49.387	0.0	0.003	1.809	0.137	1027.48	1087.752	0.0	-92.283	-89.297	0.0
10	4451	4452	NS	1	48.869	49.451	0.0	0.003	1.814	0.186	1049.752	1089.608	0.0	-92.019	-89.332	0.0
11	4452	4453	NS	1	48.863	49.449	0.0	0.003	6.204	0.204	1049.808	1089.448	0.0	-92.148	-89.337	0.0
12	4452	4453	SN	2	48.719	49.407	0.0	0.003	1.809	0.138	1027.408	1087.616	0.0	-92.347	-89.296	0.0
13	4453	4454	NS	1	48.824	49.464	0.0	0.003	6.221	0.207	1049.584	1089.328	0.0	-92.223	-89.333	0.0
14	4453	4454	SN	1	48.717	49.393	0.0	0.003	7.208	0.151	1027.568	1087.464	0.0	-91.917	-89.297	0.0
15	4453	4454	SN	1	48.717	49.393	0.0	0.003	1.809	0.141	1027.568	1087.024	0.0	-91.917	-89.297	0.0
16	4453	4454	SN	1	48.717	49.393	0.0	0.003	1.809	0.148	1027.568	1087.488	0.0	-91.917	-89.297	0.0
17	4453	4454	NS	2	48.824	49.464	0.0	0.003	6.221	0.207	1049.584	1089.328	0.0	-92.223	-89.333	0.0
18	4454	4455	SN	1	48.718	49.382	0.0	0.003	5.835	0.501	1028.272	1086.688	0.0	-92.855	-88.868	0.0
19	4454	4455	SN	1	48.718	49.386	0.0	0.003	7.01	0.328	1028.168	1087.248	0.0	-91.725	-89.297	0.0
20	4454	4455	SN	1	48.718	49.382	0.0	0.003	7.032	0.585	1028.272	1087.144	0.0	-92.855	-88.868	0.0
21	4454	4455	NS	1	48.842	49.449	0.0	0.003	3.221	0.185	1049.464	1089.192	0.0	-92.188	-89.347	0.0
22	4454	4455	NS	1	48.842	49.449	0.0	0.003	3.221	0.197	1049.464	1089.232	0.0	-92.188	-89.348	0.0
23	4455	4456	NS	1	48.762	49.448	0.0	0.003	1.814	0.19	1048.12	1089.256	0.0	-92.293	-89.349	0.0
24	4455	4456	SN	1	48.761	49.385	0.0	0.003	1.809	0.156	1028.312	1087.432	0.0	-91.819	-89.299	0.0
25	4455	4456	NS	1	48.762	49.448	0.0	0.003	1.814	0.19	1048.12	1089.256	0.0	-92.293	-89.349	0.0
26	4455	4456	SN	1	48.761	49.385	0.0	0.003	1.809	0.146	1028.312	1087.016	0.0	-91.891	-89.299	0.0
27	4455	4456	SN	2	48.761	49.385	0.0	0.003	7.175	0.156	1028.312	1087.432	0.0	-91.891	-89.299	0.0
28	4456	4457	SN	1	48.761	49.385	0.0	0.003	1.809	0.138	1027.944	1087.368	0.0	-91.922	-89.248	0.0
29	4456	4457	SN	2	48.761	49.385	0.0	0.003	1.809	0.138	1027.944	1087.368	0.0	-91.922	-89.248	0.0
30	4456	4457	NS	1	48.853	49.464	0.0	0.003	1.814	0.196	1049.24	1089.256	0.0	-92.2	-89.351	0.0
31	4456	4457	NS	1	48.853	49.464	0.0	0.003	1.814	0.195	1049.24	1089.256	0.0	-92.2	-89.351	0.0
32	4456	4457	NS	2	48.853	49.464	0.0	0.003	1.814	0.195	1049.24	1089.256	0.0	-92.2	-89.351	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

Normal
 Deviations
 Alarming
 High Errors





33	4457	4458	NS	1	48.827	49.496	0.0	0.003	6.177	0.211	1049.624	1089.144	0.0	-92.338	-89.321	0.0
34	4457	4458	NS	1	48.827	49.496	0.0	0.003	6.177	0.211	1049.624	1089.144	0.0	-92.338	-89.321	0.0
35	4457	4458	SN	2	48.76	49.385	0.0	0.003	1.809	0.138	1028.064	1087.256	0.0	-92.39	-89.293	0.0
36	4458	4459	NS	1	48.871	49.448	0.0	0.003	1.814	0.194	1049.304	1089.048	0.0	-92.115	-89.325	0.0
37	4458	4459	SN	1	49.078	49.368	0.0	0.008	1.307	0.205	1078.296	1087.144	0.0	-91.774	-89.735	0.0
38	4459	4460	NS	1	48.83	49.495	0.0	0.003	1.814	0.192	1049.256	1089.064	0.0	-92.178	-89.351	0.0
39	4463	4464	NS	1	48.846	49.446	0.0	0.003	1.814	0.195	1049.784	1088.816	0.0	-92.212	-89.341	0.0
40	4463	4464	SN	1	48.724	49.383	0.0	0.003	1.809	0.148	1027.96	1087.0	0.0	-91.724	-89.283	0.0
41	4463	4464	SN	1	48.724	49.383	0.0	0.003	1.809	0.152	1027.96	1087.0	0.0	-91.724	-89.283	0.0
42	4464	4465	SN	1	48.716	49.384	0.0	0.003	1.809	0.14	1027.656	1087.192	0.0	-91.953	-89.281	0.0
43	4464	4465	SN	1	48.716	49.384	0.0	0.003	1.809	0.14	1027.656	1086.744	0.0	-91.953	-89.281	0.0
44	4464	4465	NS	1	48.872	49.448	0.0	0.003	6.149	0.198	1049.936	1089.048	0.0	-92.021	-89.283	0.0
45	4465	4466	NS	1	48.872	49.45	0.0	0.003	1.814	0.186	1050.088	1089.12	0.0	-92.36	-89.302	0.0
46	4465	4466	SN	1	48.724	49.395	0.0	0.003	1.809	0.139	1027.6	1087.216	0.0	-92.128	-89.297	0.0
47	4465	4466	SN	1	48.724	49.395	0.0	0.003	1.809	0.137	1027.6	1087.216	0.0	-92.128	-89.297	0.0
48	4466	4467	SN	2	48.726	49.383	0.0	0.003	1.809	0.139	1027.912	1087.064	0.0	-91.917	-89.296	0.0
49	4466	4467	NS	1	48.873	49.448	0.0	0.003	1.814	0.193	1049.616	1088.968	0.0	-92.136	-89.324	0.0
50	4467	4468	SN	1	48.733	49.383	0.0	0.003	7.169	0.146	1027.584	1086.92	0.0	-91.939	-89.296	0.0
51	4467	4468	SN	1	48.734	49.383	0.0	0.003	1.809	0.14	1027.64	1086.944	0.0	-91.867	-89.297	0.0
52	4467	4468	NS	1	48.834	49.448	0.0	0.003	1.814	0.195	1049.968	1088.856	0.0	-92.206	-89.346	0.0
53	4467	4468	NS	1	48.862	49.446	0.0	0.003	1.814	0.195	1049.68	1088.824	0.0	-92.198	-89.345	0.0
54	4467	4468	SN	1	48.734	49.383	0.0	0.003	1.809	0.138	1027.64	1086.48	0.0	-92.363	-89.297	0.0
55	4468	4469	NS	1	48.829	49.447	0.0	0.003	6.188	0.204	1050.24	1088.68	0.0	-92.059	-89.343	0.0
56	4468	4469	NS	1	48.829	49.447	0.0	0.003	6.188	0.204	1050.24	1088.68	0.0	-92.059	-89.343	0.0
57	4468	4469	SN	1	48.711	49.381	0.0	0.003	1.809	0.145	1027.568	1086.768	0.0	-91.747	-89.297	0.0
58	4468	4469	SN	2	48.711	49.381	0.0	0.003	7.147	0.15	1027.568	1086.768	0.0	-91.747	-89.297	0.0
59	4468	4469	SN	1	48.711	49.381	0.0	0.003	1.809	0.14	1027.568	1086.304	0.0	-91.747	-89.297	0.0
60	4469	4470	SN	1	48.743	49.383	0.0	0.003	6.844	0.152	1027.912	1086.776	0.0	-92.067	-89.298	0.0
61	4469	4470	SN	1	48.731	49.38	0.0	0.003	1.809	0.145	1027.992	1086.336	0.0	-91.956	-89.299	0.0
62	4469	4470	NS	1	48.828	49.445	0.0	0.003	1.814	0.189	1050.08	1088.624	0.0	-92.026	-89.353	0.0
63	4469	4470	SN	1	48.731	49.38	0.0	0.003	1.809	0.153	1027.992	1086.776	0.0	-91.956	-89.299	0.0
64	4469	4470	NS	1	48.831	49.441	0.0	0.003	1.814	0.189	1049.96	1088.552	0.0	-92.051	-89.353	0.0
65	4470	4471	SN	2	48.762	49.382	0.0	0.003	339.062	0.141	1028.12	1086.752	0.0	-91.732	-89.268	0.0
66	4470	4471	NS	1	48.839	49.49	0.0	0.003	1.814	0.193	1049.648	1088.688	0.0	-92.125	-89.353	0.0
67	4470	4471	NS	1	48.83	49.442	0.0	0.003	1.814	0.194	1049.76	1088.608	0.0	-92.059	-89.352	0.0
68	4471	4472	NS	1	48.834	49.447	0.0	0.003	6.248	0.213	1050.208	1088.616	0.0	-92.198	-89.349	0.0
69	4471	4472	SN	2	48.763	49.381	0.0	0.003	1.809	0.138	1027.976	1086.664	0.0	-91.764	-89.258	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

70	4472	4473	NS	1	48.874	49.447	0.0	0.003	6.254	0.21	1050.008	1088.432	0.0	-92.436	-89.327	0.0
71	4472	4473	SN	1	48.762	49.38	0.0	0.003	1.814	0.138	1028.248	1086.464	0.0	-91.882	-89.287	0.0
72	4473	4474	NS	1	48.837	49.445	0.0	0.003	1.814	0.192	1049.632	1088.432	0.0	-92.15	-89.35	0.0
73	4473	4474	SN	1	48.729	49.381	0.0	0.003	207.182	0.143	1028.512	1086.528	0.0	-91.789	-89.288	0.0
74	4473	4474	NS	1	48.837	49.445	0.0	0.003	1.814	0.194	1049.632	1088.432	0.0	-92.15	-89.35	0.0
75	4474	4475	NS	1	48.841	49.463	0.0	0.003	1.809	0.189	1049.456	1088.416	0.0	-92.183	-89.353	0.0
76	4474	4475	NS	1	48.841	49.463	0.0	0.003	1.809	0.189	1049.456	1088.416	0.0	-92.183	-89.353	0.0
77	4474	4475	SN	1	48.722	49.381	0.0	0.003	261.681	0.14	1028.144	1086.528	0.0	-91.9	-89.282	0.0
78	4475	4476	SN	2	48.717	49.381	0.0	0.003	1.809	0.14	1027.944	1086.52	0.0	-91.963	-89.299	0.0
79	4475	4476	NS	1	48.831	49.446	0.0	0.003	1.814	0.19	1049.776	1088.432	0.0	-92.272	-89.352	0.0
80	4475	4476	NS	1	48.831	49.446	0.0	0.003	1.809	0.19	1049.776	1088.448	0.0	-92.272	-89.352	0.0
81	4476	4477	NS	1	48.83	49.447	0.0	0.003	6.204	0.203	1049.76	1087.84	0.0	-92.246	-89.351	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	4448	4449	SN	1	-34.216	25.032	0.428	-33.831	26.762	1.05	-31.704	27.384	6.721	-29.987	31.527	15.856	0.103	223.04	1.801	0.103	204.133	1.461	0.103	125.087	0.141	0.103	84.262	0.138
2	4449	4450	SN	1	-34.687	24.27	0.09	-34.433	26.561	0.236	-31.849	28.12	7.856	-24.654	31.052	6.931	0.103	248.511	4.839	0.103	234.423	3.279	0.103	129.367	0.036	0.103	24.74	0.032
3	4449	4450	NS	1	-34.052	26.89	0.02	-33.081	29.067	0.032	-4.59	31.019	6.062	-5.071	33.689	25.334	0.103	214.744	1.288	0.103	171.708	1.052	0.103	0.329	0.0	0.102	0.357	0.0
4	4449	4450	SN	1	-34.687	24.27	0.093	-34.433	26.561	0.242	-31.849	28.12	8.244	-24.654	31.052	7.636	0.103	248.511	4.974	0.103	234.423	3.362	0.103	129.367	0.035	0.103	24.74	0.031
5	4450	4451	SN	1	-34.886	23.371	0.018	-34.386	23.657	0.022	-16.628	27.512	15.143	-17.072	29.379	10.7	0.103	260.254	3.649	0.103	231.926	2.544	0.103	3.966	0.021	0.103	4.383	0.04
6	4450	4451	SN	1	-34.886	23.371	0.011	-34.841	23.657	0.014	-22.543	27.75	9.785	-19.846	31.684	6.687	0.103	260.254	3.873	0.103	257.565	2.882	0.103	15.244	0.048	0.102	8.232	0.064
7	4450	4451	NS	1	-33.987	21.897	0.0	-34.843	21.785	0.0	-8.31	28.564	8.316	-6.485	29.492	24.815	0.103	211.567	1.294	0.103	257.632	0.8	0.103	0.655	0.0	0.103	0.46	0.0
8	4450	4451	NS	1	-33.987	21.897	0.0	-34.843	21.785	0.0	-8.31	29.308	6.049	-11.87	29.492	18.524	0.103	211.567	1.104	0.103	257.632	0.693	0.103	0.655	0.0	0.103	1.38	0.002
9	4451	4452	SN	1	-34.731	22.368	0.006	-34.69	24.525	0.037	-3.171	26.578	9.943	-0.083	28.249	5.664	0.103	251.069	3.414	0.103	248.703	2.458	0.103	0.263	0.0	0.103	0.178	0.0
10	4451	4452	NS	1	-33.959	20.888	0.0	-32.609	25.58	0.003	-10.991	27.975	6.03	-11.002	30.379	15.662	0.103	210.262	0.953	0.103	154.079	0.73	0.103	1.143	0.002	0.103	1.145	0.002
11	4452	4453	NS	1	-34.951	20.036	0.0	-34.719	21.279	0.0	-13.937	28.512	3.396	-5.094	28.945	11.705	0.103	264.177	1.492	0.103	250.395	1.118	0.103	2.171	0.002	0.103	0.359	0.0
12	4452	4453	SN	2	-34.98	22.853	0.022	-34.561	24.454	0.046	-1.776	28.383	15.203	4.655	28.62	18.219	0.103	265.925	2.453	0.103	241.421	2.226	0.103	0.217	0.0	0.103	0.126	0.0
13	4453	4454	NS	1	-34.666	20.849	0.0	-34.818	21.213	0.0	-6.732	26.541	4.034	-7.159	28.631	11.541	0.103	247.356	4.839	0.103	256.186	3.96	0.103	0.482	0.0	0.103	0.523	0.0
14	4453	4454	SN	1	-34.622	23.227	0.001	-34.991	23.677	0.004	5.992	27.367	14.084	0.075	29.217	16.692	0.103	244.828	4.904	0.103	266.62	4.04	0.103	0.12	0.0	0.103	0.175	0.0
15	4453	4454	SN	1	-34.622	23.227	0.001	-34.991	23.677	0.004	5.992	27.367	15.367	0.075	29.217	14.524	0.103	244.828	4.777	0.103	266.62	3.963	0.103	0.12	0.0	0.103	0.175	0.0
16	4453	4454	SN	1	-34.622	23.227	0.001	-34.991	23.677	0.004	5.992	27.367	16.684	0.075	29.217	18.788	0.103	244.828	4.842	0.103	266.62	4.111	0.103	0.12	0.0	0.103	0.175	0.0
17	4453	4454	NS	2	-34.666	20.849	0.0	-34.818	21.213	0.0	-6.732	26.541	4.034	-7.159	28.631	11.541	0.103	247.356	4.839	0.103	256.186	3.96	0.103	0.482	0.0	0.103	0.523	0.0
18	4454	4455	SN	1	-33.18	19.127	0.0	-32.692	22.503	0.01	-1.401	26.904	4.784	-2.592	28.829	5.523	0.103	175.683	3.719	0.103	157.045	2.532	0.103	0.207	0.0	0.103	0.242	0.0
19	4454	4455	SN	1	-34.456	23.331	0.004	-32.692	24.26	0.009	-1.401	27.899	8.727	-2.592	28.829	12.015	0.103	235.696	2.919	0.103	157.045	2.449	0.103	0.207	0.0	0.103	0.242	0.0
20	4454	4455	SN	1	-33.18	19.022	0.0	-32.692	22.217	0.003	-1.401	26.904	5.294	-2.592	28.829	6.151	0.103	175.683	3.893	0.103	157.045	3.001	0.103	0.207	0.0	0.103	0.242	0.0
21	4454	4455	NS	1	-34.728	24.404	0.075	-34.249	24.989	0.199	-3.318	28.638	4.911	-4.166	29.243	7.701	0.103	250.943	2.573	0.103	224.713	2.075	0.103	0.269	0.0	0.103	0.307	0.0
22	4454	4455	NS	1	-34.728	24.774	0.156	-34.249	25.6	0.435	-3.958	28.703	9.115	-4.166	30.066	16.535	0.103	250.943	1.934	0.103	224.713	1.599	0.103	0.297	0.0	0.103	0.307	0.0
23	4455	4456	NS	1	-34.943	24.508	0.134	-34.979	25.602	0.29	6.765	28.151	7.143	5.619	30.213	16.171	0.103	263.68	3.973	0.103	265.823	3.36	0.103	0.117	0.0	0.103	0.121	0.0
24	4455	4456	SN	1	-34.635	22.775	0.005	-34.748	24.206	0.039	-0.388	28.892	11.299	-3.966	36.154	18.374	0.103	245.653	1.352	0.103	252.064	1.253	0.103	0.184	0.0	0.102	0.297	0.0
25	4455	4456	NS	1	-34.943	24.508	0.134	-34.979	25.602	0.29	6.765	28.151	7.131	5.619	30.213	16.154	0.103	263.68	3.971	0.103	265.823	3.356	0.103	0.117	0.0	0.103	0.121	0.0
26	4455	4456	SN	1	-34.792	22.775	0.005	-34.748	24.206	0.035	-0.388	28.892	10.862	-3.966	36.154	17.515	0.103	254.615	1.747	0.103	252.064	1.548	0.103	0.184	0.0	0.102	0.297	0.0
27	4455	4456	SN	2	-34.792	22.775	0.005	-34.748	24.206	0.035	-0.388	28.892	10.652	-3.966	36.154	18.344	0.103	254.615	1.747	0.103	252.064	1.534	0.103	0.184	0.0	0.102	0.297	0.0
28	4456	4457	SN	1	-33.904	24.644	0.03	-34.993	25.844	0.066	-9.653	29.163	14.881	-7.343	30.301	21.845	0.103	207.585	1.375	0.103	266.702	1.232	0.103	0.862	0.0	0.103	0.542	0.0
29	4456	4457	SN	2	-33.904	24.644	0.03	-34.993	25.844	0.066	-9.653	29.163	14.881	-7.343	30.301	21.845	0.103	207.585	1.375	0.103	266.702	1.232	0.103	0.862	0.0	0.103	0.542	0.0
30	4456	4457	NS	1	-34.889	23.004	0.004	-34.987	24.297	0.05	-6.639	27.917	10.453	-0.761	29.907	35.736	0.103	260.392	4.599	0.103	266.282	4.238	0.103	0.474	0.0	0.103	0.192	0.0
31	4456	4457	NS	1	-34.889	23.004	0.004	-34.987	24.297	0.049	-6.639	27.917	10.448	-0.761	29.907	35.728	0.103	260.392	4.593	0.103	266.282	4.245	0.103	0.474	0.0	0.103	0.192	0.0
32	4456	4457	NS	2	-34.889	23.004	0.004	-34.987	24.297	0.049	-6.639	27.917	10.448	-0.761	29.907	35.728	0.103	260.392	4.593	0.103	266.282	4.245	0.103	0.474	0.0	0.103	0.192	0.0
33	4457	4458	NS	1	-34.221	23.255	0.015	-34.029	23.527	0.054	-30.423	32.902	7.066	-26.916	30.516	22.481	0.103	223.261	4.632	0.103	213.617	3.545	0.102	93.175	0.318	0.103	41.596	0.164

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

- Normal
- Deviations
- Alarming
- High Errors

34	4457	4458	NS	1	-34.221	23.255	0.015	-34.029	23.527	0.054	-30.423	32.902	7.066	-26.916	30.516	22.481	0.103	223.261	4.635	0.103	213.617	3.539	0.102	93.175	0.318	0.103	41.596	0.164
35	4457	4458	SN	2	-34.837	26.089	0.034	-33.506	27.808	0.041	-4.596	28.211	14.65	-6.409	30.004	15.321	0.103	257.251	2.514	0.103	189.407	1.783	0.103	0.33	0.0	0.103	0.454	0.0
36	4458	4459	NS	1	-34.682	22.033	0.001	-34.965	23.626	0.003	-21.962	27.74	11.513	-26.422	32.135	21.831	0.103	248.281	5.028	0.103	265.002	4.469	0.103	13.349	0.03	0.102	37.132	0.014
37	4458	4459	SN	1	13.023	14.37	0.0	9.749	29.02	3.32	8.944	28.476	52.028	11.331	30.631	45.399	0.105	0.106	0.0	0.103	0.11	0.0	0.103	0.111	0.0	0.103	0.107	0.0
38	4459	4460	NS	1	-34.034	23.184	0.002	-34.801	24.853	0.003	-28.353	29.109	19.941	-14.037	30.164	38.134	0.103	213.861	2.39	0.103	265.625	1.705	0.103	57.875	0.04	0.103	2.22	0.012
39	4463	4464	NS	1	-34.569	27.062	0.017	-34.39	28.459	0.039	-3.728	31.534	9.862	4.046	34.368	26.88	0.103	241.867	1.086	0.103	232.11	0.693	0.103	0.287	0.0	0.102	0.13	0.0
40	4463	4464	SN	1	-34.83	24.579	0.254	-34.928	26.474	0.804	-29.552	29.253	8.253	-34.925	30.602	17.106	0.103	256.907	4.218	0.103	262.687	3.206	0.103	76.256	0.165	0.103	262.536	0.142
41	4463	4464	SN	1	-34.83	24.579	0.268	-34.928	26.474	0.832	-29.552	29.253	8.253	-34.925	30.602	17.106	0.103	256.907	4.455	0.103	262.687	3.375	0.103	76.256	0.165	0.103	262.536	0.142
42	4464	4465	SN	1	-34.857	24.121	0.043	-34.571	24.681	0.094	-25.898	28.874	7.563	-16.921	32.124	5.998	0.103	258.42	4.452	0.103	241.941	3.506	0.103	32.917	0.014	0.102	4.236	0.009
43	4464	4465	SN	1	-34.857	24.121	0.042	-34.571	24.681	0.092	-25.898	28.874	6.638	-16.921	32.124	4.739	0.103	258.42	4.365	0.103	241.941	3.524	0.103	32.917	0.015	0.102	4.236	0.009
44	4464	4465	NS	1	-33.147	27.374	0.04	-31.781	27.535	0.034	-12.506	30.108	5.693	-0.026	30.123	20.488	0.103	174.368	0.42	0.103	127.328	0.251	0.103	1.585	0.002	0.103	0.177	0.0
45	4465	4466	NS	1	-33.471	20.602	0.0	-34.962	22.361	0.001	-10.409	28.573	5.678	-8.026	29.588	17.377	0.103	187.873	2.893	0.103	264.782	2.737	0.103	1.01	0.002	0.103	0.619	0.0
46	4465	4466	SN	1	-34.834	22.88	0.011	-34.948	24.446	0.048	7.656	28.479	11.8	8.544	28.985	7.564	0.103	257.073	3.112	0.103	263.908	2.436	0.103	0.114	0.0	0.103	0.112	0.0
47	4465	4466	SN	1	-34.834	22.88	0.011	-34.948	24.446	0.048	7.656	28.479	11.8	8.544	28.985	7.564	0.103	257.073	3.122	0.103	263.908	2.415	0.103	0.114	0.0	0.103	0.112	0.0
48	4466	4467	SN	2	-34.595	23.123	0.005	-34.178	24.426	0.038	-4.588	26.669	12.954	3.357	29.005	11.903	0.103	243.384	2.831	0.103	221.05	1.962	0.103	0.329	0.0	0.103	0.135	0.0
49	4466	4467	NS	1	-34.9	20.558	0.0	-30.373	21.816	0.0	-14.453	28.258	3.911	-10.188	31.624	11.182	0.103	261.017	1.185	0.103	92.103	0.849	0.103	2.435	0.006	0.102	0.964	0.0
50	4467	4468	SN	1	-34.714	23.335	0.003	-34.977	24.706	0.003	6.492	27.689	13.698	8.127	29.058	17.363	0.103	250.166	3.083	0.103	265.725	2.854	0.103	0.118	0.0	0.103	0.113	0.0
51	4467	4468	SN	1	-34.521	23.332	0.003	-34.977	24.706	0.003	6.493	27.689	14.029	8.125	29.058	17.635	0.103	239.232	3.104	0.103	265.725	2.731	0.103	0.118	0.0	0.103	0.113	0.0
52	4467	4468	NS	1	-34.772	20.187	0.0	-34.649	21.59	0.0	-8.121	26.541	3.833	-6.277	29.361	15.159	0.103	253.408	4.793	0.103	246.406	4.035	0.103	0.631	0.0	0.103	0.443	0.0
53	4467	4468	NS	1	-34.977	20.187	0.0	-33.955	21.592	0.0	-8.129	26.539	3.829	-6.276	29.359	15.144	0.103	265.728	4.803	0.103	210.025	4.034	0.103	0.632	0.0	0.103	0.443	0.0
54	4467	4468	SN	1	-34.521	23.332	0.003	-34.977	24.706	0.003	6.493	27.689	13.44	8.854	29.058	15.679	0.103	239.232	3.088	0.103	265.725	2.858	0.103	0.118	0.0	0.103	0.111	0.0
55	4468	4469	NS	1	-34.846	22.908	0.026	-31.705	23.546	0.07	-14.968	28.201	4.852	-8.87	30.727	13.775	0.103	257.815	1.581	0.103	125.131	1.046	0.103	2.732	0.005	0.103	0.734	0.0
56	4468	4469	NS	1	-34.846	22.908	0.026	-31.705	23.546	0.07	-14.968	28.201	4.852	-8.87	30.727	13.775	0.103	257.815	1.579	0.103	125.131	1.044	0.103	2.732	0.005	0.103	0.734	0.0
57	4468	4469	SN	1	-34.734	23.874	0.001	-34.673	25.099	0.003	6.153	27.566	12.493	2.118	28.915	12.615	0.103	251.307	6.217	0.103	247.742	5.316	0.103	0.119	0.0	0.103	0.147	0.0
58	4468	4469	SN	2	-34.734	23.874	0.001	-34.622	25.099	0.003	6.153	27.566	11.798	2.118	28.915	12.549	0.103	251.307	5.999	0.103	244.82	5.095	0.103	0.119	0.0	0.103	0.147	0.0
59	4468	4469	SN	1	-34.734	23.874	0.001	-34.622	25.099	0.003	6.153	27.566	11.757	2.118	28.637	10.133	0.103	251.307	5.988	0.103	244.82	5.1	0.103	0.119	0.0	0.103	0.147	0.0
60	4469	4470	SN	1	-34.335	21.79	0.0	-34.925	23.679	0.032	-18.737	29.392	9.583	-12.252	35.292	14.035	0.103	229.262	3.766	0.103	262.506	2.791	0.103	6.393	0.002	0.102	1.5	0.002
61	4469	4470	SN	1	-34.656	21.788	0.0	-34.854	23.683	0.032	-18.731	29.392	9.786	-12.249	35.292	13.182	0.103	246.726	3.759	0.103	258.261	2.806	0.103	6.386	0.002	0.102	1.499	0.002
62	4469	4470	NS	1	-34.705	23.935	0.075	-34.857	26.53	0.366	7.87	28.354	10.376	7.933	30.252	22.123	0.103	249.626	2.807	0.103	258.485	2.349	0.103	0.114	0.0	0.103	0.113	0.0
63	4469	4470	SN	1	-34.656	21.788	0.0	-34.854	23.683	0.033	-18.731	29.392	10.062	-12.249	35.292	14.055	0.103	246.726	3.961	0.103	258.261	3.122	0.103	6.386	0.002	0.102	1.499	0.002
64	4469	4470	NS	1	-34.538	24.287	0.075	-34.441	26.53	0.366	7.878	28.351	10.382	7.933	30.252	22.118	0.103	240.153	2.8	0.103	234.814	2.349	0.103	0.114	0.0	0.103	0.113	0.0
65	4470	4471	SN	2	-34.448	24.844	0.044	-33.726	26.674	0.088	-6.533	36.383	12.109	-5.052	29.83	22.931	0.103	235.241	0.336	0.103	199.243	0.325	0.102	0.464	0.0	0.103	0.356	0.0
66	4470	4471	NS	1	-34.976	23.089	0.01	-34.881	24.935	0.056	1.184	28.075	8.937	7.779	29.556	25.039	0.103	265.656	3.753	0.103	259.937	3.472	0.103	0.158	0.0	0.103	0.114	0.0
67	4470	4471	NS	1	-34.626	23.099	0.01	-34.945	24.932	0.056	1.178	28.074	8.999	7.768	29.559	25.079	0.103	245.105	3.754	0.103	263.734	3.465	0.103	0.158	0.0	0.103	0.114	0.0
68	4471	4472	NS	1	-34.403	22.574	0.004	-33.918	24.318	0.05	-25.94	27.439	11.648	-18.759	30.533	30.254	0.103	232.857	3.42	0.103	208.252	2.622	0.103	33.236	0.026	0.103	6.425	0.022
69	4471	4472	SN	2	-32.484	25.671	0.035	-33.497	27.687	0.046	-7.773	28.089	14.196	-6.052	30.711	20.174	0.103	149.672	0.526	0.103	188.965	0.4	0.103	0.589	0.0	0.103	0.425	0.0
70	4472	4473	NS	1	-34.53	23.414	0.003	-34.99	25.479	0.005	-30.185	27.738	8.638	-27.94	30.614	20.125	0.103	239.71	4.974	0.103	266.5	4.258	0.103	88.197	0.383	0.103	52.627	0.261
71	4472	4473	SN	1	-33.911	26.538	0.042	-33.882	28.242	0.043	-15.733	31.581	15.703	-12.861	31.041	18.047	0.103	207.885	1.813	0.103	206.501	1.459	0.102	3.242	0.009	0.103	1.713	0.008
72	4473	4474	NS	1	-34.507	23.541	0.001	-33.949	24.421	0.004	-20.983	32.699	15.889	-18.479	30.346	26.915	0.103	238.429	4.297	0.103	209.708	3.715	0.102	10.67	0.037	0.103	6.028	0.032

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

73	4473	4474	SN	1	-34.066	21.139	0.0	-34.79	21.968	0.0	-25.377	28.222	12.42	-32.635	30.317	12.991	0.103	215.432	1.751	0.103	254.561	1.289	0.103	29.2	0.055	0.103	155.021	0.036
74	4473	4474	NS	1	-34.507	23.541	0.001	-33.949	24.421	0.004	-20.983	32.699	14.52	-18.479	30.346	25.515	0.103	238.429	4.298	0.103	209.708	3.715	0.102	10.67	0.039	0.103	6.028	0.033
75	4474	4475	NS	1	-34.648	21.077	0.0	-34.552	22.223	0.002	-29.761	27.036	10.159	-34.224	30.038	35.447	0.103	246.318	3.6	0.103	240.904	2.623	0.103	80.012	0.146	0.103	223.44	0.054
76	4474	4475	NS	1	-34.648	21.077	0.0	-34.552	22.223	0.002	-29.761	27.036	20.474	-34.224	30.038	39.643	0.103	246.318	3.598	0.103	240.904	2.623	0.103	80.012	0.111	0.103	223.44	0.043
77	4474	4475	SN	1	-34.965	21.477	0.0	-34.32	24.316	0.001	-7.111	28.184	13.321	-2.425	30.246	19.372	0.103	264.974	4.043	0.103	228.442	3.229	0.103	0.518	0.0	0.103	0.236	0.0
78	4475	4476	SN	2	-34.753	18.105	0.0	-34.883	20.809	0.0	1.982	27.987	27.489	2.146	29.175	42.021	0.103	252.402	2.631	0.103	260.047	2.214	0.103	0.148	0.0	0.103	0.146	0.0
79	4475	4476	NS	1	-34.792	21.793	0.0	-34.815	24.14	0.023	4.726	27.562	4.018	7.667	30.017	24.487	0.103	254.588	3.128	0.103	256.017	2.54	0.103	0.126	0.0	0.103	0.114	0.0
80	4475	4476	NS	1	-34.792	21.796	0.0	-34.815	24.14	0.023	4.726	28.335	22.349	7.667	30.017	38.265	0.103	254.588	3.127	0.103	256.017	2.54	0.103	0.126	0.0	0.103	0.114	0.0
81	4476	4477	NS	1	-34.744	20.804	0.0	-34.728	26.807	0.025	8.246	24.907	2.717	8.093	27.325	3.992	0.103	251.784	6.784	0.103	250.921	5.942	0.103	0.113	0.0	0.103	0.113	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

Normal

Deviations

Alarming

High Errors

					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	4448	4449	SN	1	57.527	58.289	0.0	0.003	3.519	0.225	1205.392	1279.368	10.065	-93.399	-91.765	0.0
2	4449	4450	SN	1	57.549	58.288	0.0	0.003	1.98	0.208	1205.256	1278.864	10.614	-93.368	-91.752	0.0
3	4449	4450	NS	1	57.698	58.369	0.0	0.003	1.98	0.153	1230.688	1282.056	4.262	-93.664	-91.736	0.0
4	4449	4450	SN	1	57.549	58.288	0.0	0.003	1.98	0.214	1205.256	1279.36	10.669	-93.379	-91.752	0.0
5	4450	4451	SN	1	57.535	58.286	0.0	0.003	344.224	0.565	1204.872	1279.536	6.42	-93.378	-91.779	0.0
6	4450	4451	SN	1	57.535	58.286	0.0	0.003	344.224	0.364	1204.872	1279.536	11.443	-93.378	-91.776	0.0
7	4450	4451	NS	1	57.7	58.372	0.0	0.003	337.656	0.574	1231.352	1282.312	6.373	-93.643	-91.689	0.0
8	4450	4451	NS	1	57.698	58.372	0.0	0.003	337.656	0.41	1231.088	1282.312	4.743	-93.643	-91.684	0.0
9	4451	4452	SN	1	57.517	58.291	0.0	0.003	308.344	0.201	1204.96	1279.456	12.411	-93.493	-91.776	0.0
10	4451	4452	NS	1	57.7	58.371	0.0	0.003	1.98	0.154	1231.52	1282.232	4.526	-93.686	-91.735	0.0
11	4452	4453	NS	1	57.7	58.369	0.0	0.0	25.033	0.203	1231.592	1282.048	3.914	-93.786	-91.736	0.0
12	4452	4453	SN	2	57.524	58.288	0.0	0.003	1.974	0.202	1204.8	1279.304	12.455	-93.761	-91.776	0.0
13	4453	4454	NS	1	57.678	58.37	0.0	0.003	24.988	0.204	1231.064	1281.904	3.667	-93.856	-91.741	0.0
14	4453	4454	SN	1	57.524	58.284	0.0	0.003	345.79	0.21	1204.88	1279.12	12.224	-93.461	-91.776	0.0
15	4453	4454	SN	1	57.524	58.284	0.0	0.003	1.974	0.204	1204.88	1278.592	12.521	-93.461	-91.776	0.0
16	4453	4454	SN	1	57.524	58.284	0.0	0.003	1.974	0.217	1204.88	1279.152	13.11	-93.461	-91.776	0.0
17	4453	4454	NS	2	57.678	58.37	0.0	0.003	24.988	0.204	1231.064	1281.904	3.667	-93.856	-91.741	0.0
18	4454	4455	SN	1	57.521	58.284	0.0	0.003	321.183	0.635	1205.064	1278.136	10.092	-94.478	-91.413	0.0
19	4454	4455	SN	1	57.521	58.289	0.0	0.003	344.335	0.47	1204.976	1278.8	11.88	-93.442	-91.776	0.0
20	4454	4455	SN	1	57.521	58.284	0.0	0.003	344.324	0.794	1205.064	1278.696	11.375	-94.478	-91.413	0.0
21	4454	4455	NS	1	57.698	58.369	0.0	0.003	3.469	0.135	1231.656	1281.752	1.923	-93.637	-91.752	0.0
22	4454	4455	NS	1	57.695	58.369	0.0	0.003	3.469	0.165	1231.328	1281.84	3.172	-93.811	-91.752	0.0
23	4455	4456	NS	1	57.672	58.368	0.0	0.003	1.985	0.152	1231.328	1281.808	3.278	-93.95	-91.755	0.0
24	4455	4456	SN	1	57.552	58.301	0.0	0.003	1.974	0.229	1205.56	1279.064	10.549	-93.54	-91.775	0.0
25	4455	4456	NS	1	57.672	58.368	0.0	0.003	1.985	0.152	1231.328	1281.808	3.275	-93.95	-91.755	0.0
26	4455	4456	SN	1	57.552	58.301	0.0	0.003	1.974	0.21	1205.56	1278.56	9.876	-93.54	-91.775	0.0
27	4455	4456	SN	2	57.552	58.301	0.0	0.003	13.981	0.22	1205.56	1279.064	9.811	-93.54	-91.775	0.0
28	4456	4457	SN	1	57.544	58.286	0.0	0.003	1.974	0.202	1205.472	1278.968	9.441	-93.379	-91.723	0.0
29	4456	4457	SN	2	57.544	58.286	0.0	0.003	1.974	0.202	1205.472	1278.968	9.441	-93.379	-91.723	0.0
30	4456	4457	NS	1	57.7	58.37	0.0	0.003	1.985	0.159	1231.48	1281.824	3.38	-93.786	-91.747	0.0
31	4456	4457	NS	1	57.7	58.37	0.0	0.003	1.985	0.159	1231.48	1281.824	3.377	-93.786	-91.747	0.0
32	4456	4457	NS	2	57.7	58.37	0.0	0.003	1.985	0.159	1231.48	1281.824	3.377	-93.786	-91.747	0.0
33	4457	4458	NS	1	57.702	58.388	0.0	0.003	24.112	0.209	1230.816	1281.664	3.053	-93.818	-91.725	0.0
34	4457	4458	NS	1	57.702	58.388	0.0	0.003	24.112	0.209	1230.816	1281.664	3.049	-93.818	-91.725	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

35	4457	4458	SN	2	57.544	58.285	0.0	0.003	1.98	0.2	1205.816	1278.824	10.024	-93.721	-91.765	0.0
36	4458	4459	NS	1	57.686	58.367	0.0	0.003	1.985	0.157	1230.976	1281.544	2.801	-93.788	-91.733	0.0
37	4458	4459	SN	1	57.962	58.277	0.0	0.014	1.224	0.303	1266.464	1278.688	0.0	-93.494	-92.144	0.0
38	4459	4460	NS	1	57.673	58.394	0.0	0.003	1.98	0.153	1231.368	1281.568	2.77	-93.732	-91.756	0.0
39	4463	4464	NS	1	57.674	58.367	0.0	0.003	1.98	0.161	1231.256	1281.24	2.508	-93.993	-91.732	0.0
40	4463	4464	SN	1	57.525	58.282	0.0	0.008	1.974	0.218	1205.408	1278.512	9.753	-93.413	-91.754	0.0
41	4463	4464	SN	1	57.525	58.282	0.0	0.008	1.974	0.223	1205.408	1278.512	9.982	-93.413	-91.754	0.0
42	4464	4465	SN	1	57.534	58.284	0.0	0.003	222.569	0.209	1205.32	1278.76	11.124	-93.371	-91.754	0.0
43	4464	4465	SN	1	57.534	58.284	0.0	0.003	222.569	0.205	1205.32	1278.216	11.115	-93.358	-91.754	0.0
44	4464	4465	NS	1	57.704	58.367	0.0	0.008	26.147	0.194	1231.488	1281.544	2.938	-93.575	-91.692	0.0
45	4465	4466	NS	1	57.704	58.368	0.0	0.003	1.98	0.151	1231.984	1281.648	3.139	-94.009	-91.706	0.0
46	4465	4466	SN	1	57.522	58.282	0.0	0.003	1.974	0.203	1204.944	1278.792	12.181	-93.445	-91.777	0.0
47	4465	4466	SN	1	57.522	58.282	0.0	0.003	1.974	0.201	1204.944	1278.792	12.014	-93.445	-91.777	0.0
48	4466	4467	SN	2	57.522	58.282	0.0	0.003	1.974	0.202	1205.04	1278.616	12.307	-93.368	-91.776	0.0
49	4466	4467	NS	1	57.704	58.366	0.0	0.003	1.98	0.155	1231.496	1281.464	2.843	-93.782	-91.73	0.0
50	4467	4468	SN	1	57.531	58.282	0.0	0.003	14.124	0.208	1205.048	1278.432	12.184	-93.422	-91.776	0.0
51	4467	4468	SN	1	57.526	58.281	0.0	0.003	1.985	0.206	1205.048	1278.472	12.545	-93.422	-91.776	0.0
52	4467	4468	NS	1	57.68	58.367	0.0	0.003	1.985	0.158	1231.544	1281.328	2.461	-93.699	-91.746	0.0
53	4467	4468	NS	1	57.685	58.365	0.0	0.003	1.985	0.158	1231.48	1281.28	2.383	-93.719	-91.746	0.0
54	4467	4468	SN	1	57.526	58.281	0.0	0.003	1.985	0.198	1205.048	1277.912	12.283	-93.913	-91.776	0.0
55	4468	4469	NS	1	57.682	58.392	0.0	0.003	24.299	0.205	1232.168	1281.112	1.922	-93.726	-91.749	0.0
56	4468	4469	NS	1	57.682	58.392	0.0	0.003	24.299	0.205	1232.168	1281.112	1.92	-93.726	-91.749	0.0
57	4468	4469	SN	1	57.522	58.28	0.0	0.003	1.974	0.214	1205.128	1278.256	12.596	-93.38	-91.776	0.0
58	4468	4469	SN	2	57.522	58.28	0.0	0.003	14.025	0.212	1205.128	1278.256	12.102	-93.38	-91.776	0.0
59	4468	4469	SN	1	57.522	58.28	0.0	0.003	1.974	0.202	1205.128	1277.696	12.142	-93.377	-91.776	0.0
60	4469	4470	SN	1	57.541	58.282	0.0	0.003	181.35	0.217	1205.368	1278.264	9.657	-93.475	-91.777	0.0
61	4469	4470	SN	1	57.536	58.279	0.0	0.003	1.98	0.207	1205.32	1277.72	9.75	-93.382	-91.778	0.0
62	4469	4470	NS	1	57.681	58.364	0.0	0.003	1.985	0.155	1232.08	1281.048	1.771	-93.664	-91.759	0.0
63	4469	4470	SN	1	57.536	58.279	0.0	0.003	1.98	0.224	1205.32	1278.264	10.336	-93.413	-91.778	0.0
64	4469	4470	NS	1	57.674	58.359	0.0	0.003	1.985	0.155	1231.808	1280.928	1.578	-93.762	-91.758	0.0
65	4470	4471	SN	2	57.554	58.282	0.0	0.003	1.98	0.207	1206.112	1278.208	8.999	-93.368	-91.743	0.0
66	4470	4471	NS	1	57.681	58.413	0.0	0.003	1.98	0.156	1231.432	1281.128	2.006	-93.554	-91.758	0.0
67	4470	4471	NS	1	57.682	58.383	0.0	0.003	1.985	0.155	1231.504	1280.992	1.804	-93.626	-91.758	0.0
68	4471	4472	NS	1	57.693	58.365	0.0	0.003	23.836	0.213	1232.152	1281.04	1.859	-93.669	-91.76	0.0
69	4471	4472	SN	2	57.555	58.279	0.0	0.003	1.98	0.203	1205.52	1278.088	9.68	-93.478	-91.732	0.0
70	4472	4473	NS	1	57.705	58.363	0.0	0.003	23.896	0.208	1231.72	1280.8	1.291	-94.028	-91.728	0.0
71	4472	4473	SN	1	57.527	58.278	0.0	0.003	1.98	0.207	1205.632	1277.848	10.265	-93.494	-91.766	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

72	4473	4474	NS	1	57.682	58.364	0.0	0.003	1.98	0.154	1231.656	1280.8	1.238	-93.976	-91.761	0.0
73	4473	4474	SN	1	57.524	58.279	0.0	0.003	1.974	0.212	1206.0	1277.936	10.879	-93.494	-91.76	0.0
74	4473	4474	NS	1	57.682	58.364	0.0	0.003	1.98	0.152	1231.656	1280.8	1.247	-93.976	-91.761	0.0
75	4474	4475	NS	1	57.687	58.364	0.0	0.003	1.98	0.146	1231.368	1280.776	1.209	-93.829	-91.738	0.0
76	4474	4475	NS	1	57.687	58.364	0.0	0.003	1.98	0.153	1231.368	1280.776	1.169	-93.829	-91.738	0.0
77	4474	4475	SN	1	57.528	58.278	0.0	0.003	1.974	0.205	1206.0	1277.928	10.833	-93.487	-91.762	0.0
78	4475	4476	SN	2	57.532	58.279	0.0	0.003	1.974	0.204	1205.52	1277.904	10.607	-93.459	-91.779	0.0
79	4475	4476	NS	1	57.678	58.393	0.0	0.008	1.98	0.142	1231.584	1280.784	1.054	-93.697	-91.758	0.0
80	4475	4476	NS	1	57.678	58.393	0.0	0.008	1.98	0.155	1231.584	1280.808	1.34	-93.697	-91.758	0.0
81	4476	4477	NS	1	57.679	58.362	0.0	0.003	24.74	0.189	1231.432	1280.32	0.094	-93.925	-91.757	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	4448	4449	SN	1	-34.564	19.109	0.0	-34.734	19.67	0.0	-28.031	23.504	0.276	-31.463	23.949	0.356	0.083	197.336	1.479	0.083	205.223	1.095	0.083	43.881	0.175	0.083	96.633	0.167
2	4449	4450	SN	1	-34.894	19.247	0.0	-33.989	20.049	0.0	-29.956	22.884	0.069	-30.304	24.412	0.292	0.083	212.876	4.124	0.083	172.857	3.216	0.083	68.319	0.085	0.083	74.013	0.083
3	4449	4450	NS	1	-34.911	20.971	0.0	-32.671	21.847	0.0	-5.557	22.35	0.011	-8.519	28.382	0.195	0.083	213.678	1.042	0.083	127.612	1.081	0.083	0.316	0.0	0.083	0.571	0.0
4	4449	4450	SN	1	-34.894	19.247	0.0	-33.678	20.049	0.0	-29.956	22.884	0.067	-30.304	24.412	0.285	0.083	212.876	4.243	0.083	160.87	3.272	0.083	68.319	0.083	0.083	74.013	0.082
5	4450	4451	SN	1	-33.485	18.153	0.0	-34.889	18.857	0.0	-20.187	23.445	0.475	-9.47	23.679	1.567	0.083	153.879	3.139	0.083	212.631	2.38	0.083	7.261	0.007	0.083	0.676	0.0
6	4450	4451	SN	1	-34.977	18.153	0.0	-34.889	18.857	0.0	-20.187	23.445	0.336	-14.404	23.679	0.955	0.083	217.009	3.791	0.083	212.631	3.213	0.083	7.261	0.027	0.083	1.965	0.013
7	4450	4451	NS	1	-33.582	17.126	0.0	-33.664	16.043	0.0	-8.804	22.353	0.006	-31.282	23.391	0.223	0.084	157.394	1.335	0.084	160.371	0.943	0.083	0.59	0.0	0.083	92.695	0.016
8	4450	4451	NS	1	-33.585	17.126	0.0	-34.656	16.043	0.0	-8.804	22.353	0.006	-31.282	23.391	0.137	0.084	157.506	1.306	0.084	201.476	1.144	0.083	0.59	0.0	0.083	92.695	0.017
9	4451	4452	SN	1	-34.943	17.639	0.0	-34.756	19.106	0.0	1.448	22.641	0.046	2.335	22.899	0.262	0.083	215.27	3.29	0.083	206.245	2.781	0.083	0.125	0.0	0.083	0.116	0.0
10	4451	4452	NS	1	-31.962	14.468	0.0	-34.108	15.863	0.0	-26.18	21.443	0.0	-26.8	23.108	0.105	0.084	108.419	0.864	0.084	177.617	0.814	0.083	28.67	0.11	0.083	33.073	0.143
11	4452	4453	NS	1	-34.243	13.803	0.0	-33.356	15.313	0.0	-13.652	22.639	0.027	-6.059	23.089	0.091	0.085	183.242	1.289	0.084	149.404	0.911	0.083	1.663	0.003	0.083	0.346	0.0
12	4452	4453	SN	2	-34.965	18.125	0.0	-34.567	18.818	0.0	1.75	22.319	0.072	2.793	23.425	0.834	0.083	216.341	2.15	0.083	197.423	2.133	0.083	0.122	0.0	0.083	0.113	0.0
13	4453	4454	NS	1	-34.973	15.843	0.0	-34.51	15.928	0.0	-11.172	22.144	0.006	-25.697	23.078	0.167	0.084	216.784	4.268	0.084	194.855	3.904	0.083	0.968	0.0	0.083	25.662	0.007
14	4453	4454	SN	1	-34.818	18.632	0.0	-34.98	18.199	0.0	1.818	22.324	0.022	3.308	23.037	0.194	0.083	209.158	3.84	0.083	217.143	3.277	0.083	0.121	0.0	0.083	0.109	0.0
15	4453	4454	SN	1	-34.818	18.632	0.0	-34.98	18.199	0.0	1.818	22.324	0.024	5.608	21.629	0.0	0.083	209.158	3.723	0.083	217.143	3.264	0.083	0.121	0.0	0.083	0.098	0.0
16	4453	4454	SN	1	-34.818	18.632	0.0	-34.98	18.199	0.0	1.818	22.324	0.027	3.308	23.037	0.225	0.083	209.158	3.735	0.083	217.143	3.399	0.083	0.121	0.0	0.083	0.109	0.0
17	4453	4454	NS	2	-34.973	15.843	0.0	-34.51	15.928	0.0	-11.172	22.144	0.006	-25.697	23.078	0.167	0.084	216.784	4.268	0.084	194.855	3.904	0.083	0.968	0.0	0.083	25.662	0.007
18	4454	4455	SN	1	-34.801	17.452	0.0	-34.038	17.717	0.0	-3.49	22.986	0.393	1.786	23.724	0.764	0.084	208.361	4.551	0.083	174.813	3.835	0.083	0.224	0.0	0.083	0.121	0.0
19	4454	4455	SN	1	-34.801	17.494	0.0	-34.277	17.717	0.0	-3.49	22.986	0.343	1.786	23.724	1.009	0.083	208.361	3.284	0.083	184.635	3.18	0.083	0.224	0.0	0.083	0.121	0.0
20	4454	4455	SN	1	-34.799	17.452	0.0	-34.038	17.717	0.0	-3.49	22.986	0.441	1.786	23.724	0.789	0.084	208.244	4.583	0.083	174.813	4.067	0.083	0.224	0.0	0.083	0.121	0.0
21	4454	4455	NS	1	-34.444	18.764	0.0	-34.973	19.952	0.0	-11.833	22.39	0.065	-28.59	23.906	0.18	0.083	191.875	2.291	0.083	216.749	1.624	0.083	1.117	0.016	0.083	49.905	0.164
22	4454	4455	NS	1	-34.444	19.236	0.0	-34.973	19.952	0.0	-19.41	22.529	0.13	-28.59	23.906	0.715	0.083	191.875	1.655	0.083	216.749	1.26	0.083	6.084	0.042	0.083	49.905	0.11
23	4455	4456	NS	1	-34.69	19.298	0.0	-34.962	19.695	0.0	1.591	22.543	0.037	2.511	23.853	0.611	0.083	203.111	3.1	0.083	216.181	2.778	0.083	0.123	0.0	0.083	0.115	0.0
24	4455	4456	SN	1	-34.953	17.785	0.0	-33.514	21.247	0.0	-8.473	23.512	0.39	-3.98	24.198	1.422	0.083	215.776	0.955	0.083	154.938	1.059	0.083	0.551	0.0	0.083	0.242	0.0
25	4455	4456	NS	1	-34.69	19.298	0.0	-34.962	19.695	0.0	1.591	22.543	0.037	2.511	23.853	0.61	0.083	203.111	3.099	0.083	216.181	2.775	0.083	0.123	0.0	0.083	0.115	0.0
26	4455	4456	SN	1	-34.953	17.785	0.0	-34.075	21.247	0.0	-8.473	23.512	0.371	-3.98	24.198	1.063	0.083	215.776	1.398	0.083	180.786	1.318	0.083	0.551	0.0	0.083	0.242	0.0
27	4455	4456	SN	2	-34.953	17.785	0.0	-34.075	21.247	0.0	-8.473	23.512	0.365	-3.98	24.198	1.417	0.083	215.776	1.392	0.083	180.786	1.304	0.083	0.551	0.0	0.083	0.242	0.0
28	4456	4457	SN	1	-33.15	18.488	0.0	-34.818	19.556	0.0	-22.871	23.283	0.165	-7.504	24.033	0.739	0.083	142.483	0.918	0.083	209.201	1.148	0.083	13.416	0.005	0.083	0.455	0.0
29	4456	4457	SN	2	-33.15	18.488	0.0	-34.818	19.556	0.0	-22.871	23.283	0.165	-7.504	24.033	0.739	0.083	142.483	0.918	0.083	209.201	1.148	0.083	13.416	0.005	0.083	0.455	0.0
30	4456	4457	NS	1	-34.923	18.131	0.0	-34.925	18.755	0.0	0.44	22.082	0.003	-2.931	24.641	1.309	0.083	214.295	3.753	0.083	214.394	3.321	0.083	0.136	0.0	0.083	0.206	0.0
31	4456	4457	NS	1	-34.923	18.131	0.0	-34.925	18.755	0.0	0.44	22.082	0.003	-2.931	24.641	1.308	0.083	214.295	3.757	0.083	214.394	3.332	0.083	0.136	0.0	0.083	0.206	0.0
32	4456	4457	NS	2	-34.923	18.131	0.0	-34.925	18.755	0.0	0.44	22.082	0.003	-2.931	24.641	1.308	0.083	214.295	3.757	0.083	214.394	3.332	0.083	0.136	0.0	0.083	0.206	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations
	Min	-65.0	0.0	Alarming	High Errors
	Max	22.0	1.0		

33	4457	4458	NS	1	-34.509	18.244	0.0	-34.535	18.894	0.0	-27.922	21.316	0.0	-22.832	24.483	2.063	0.083	194.766	4.411	0.083	195.961	3.763	0.083	42.789	0.147	0.083	13.3	0.063
34	4457	4458	NS	1	-34.509	18.244	0.0	-34.535	18.894	0.0	-27.922	21.316	0.0	-22.832	24.483	2.063	0.083	194.766	4.411	0.083	195.961	3.757	0.083	42.789	0.147	0.083	13.3	0.063
35	4457	4458	SN	2	-34.431	21.205	0.0	-33.604	22.373	0.002	-11.82	23.324	0.17	-5.51	22.927	0.145	0.083	191.345	2.171	0.083	158.144	1.804	0.083	1.113	0.002	0.083	0.313	0.0
36	4458	4459	NS	1	-34.663	16.617	0.0	-34.914	17.627	0.0	-17.683	22.56	0.008	-18.016	24.212	1.841	0.084	201.89	3.459	0.083	213.811	3.518	0.083	4.108	0.006	0.083	4.432	0.007
37	4458	4459	SN	1	3.303	10.011	0.0	4.06	22.365	0.239	6.892	23.249	0.876	3.687	23.608	0.552	0.088	0.109	0.0	0.083	0.105	0.0	0.083	0.094	0.0	0.083	0.107	0.0
38	4459	4460	NS	1	-34.337	16.654	0.0	-34.9	17.683	0.0	-16.373	22.54	0.108	-18.649	24.366	2.365	0.084	187.218	1.965	0.083	213.189	1.597	0.083	3.055	0.025	0.083	5.117	0.011
39	4463	4464	NS	1	-34.897	21.36	0.0	-34.122	21.315	0.0	2.697	22.532	0.016	1.954	23.758	0.296	0.083	213.007	1.71	0.083	178.201	1.819	0.083	0.114	0.0	0.083	0.12	0.0
40	4463	4464	SN	1	-34.198	19.208	0.0	-33.293	20.076	0.0	-33.313	23.683	0.075	-27.86	24.305	0.246	0.083	181.353	2.966	0.083	147.26	2.195	0.083	147.912	0.124	0.083	42.184	0.098
41	4463	4464	SN	1	-34.198	19.208	0.0	-33.293	20.076	0.0	-33.313	23.683	0.075	-27.86	24.305	0.246	0.083	181.353	3.095	0.083	147.26	2.296	0.083	147.912	0.124	0.083	42.184	0.098
42	4464	4465	SN	1	-34.979	19.203	0.0	-34.665	19.909	0.0	-16.472	23.385	0.08	-24.148	24.13	0.338	0.083	217.058	3.732	0.083	201.911	3.35	0.083	3.124	0.006	0.083	17.989	0.003
43	4464	4465	SN	1	-34.979	19.203	0.0	-34.665	19.909	0.0	-16.472	23.385	0.083	-24.148	24.13	0.347	0.083	217.058	3.658	0.083	201.911	3.324	0.083	3.124	0.007	0.083	17.989	0.003
44	4464	4465	NS	1	-32.589	20.594	0.0	-29.919	21.462	0.0	-8.562	22.423	0.009	-4.979	23.547	0.149	0.083	125.199	0.29	0.083	67.746	0.188	0.083	0.561	0.0	0.083	0.285	0.0
45	4465	4466	NS	1	-34.688	14.737	0.0	-34.796	15.459	0.0	-10.742	21.675	0.0	-7.325	23.309	0.101	0.084	203.018	2.044	0.084	208.137	1.95	0.083	0.883	0.0	0.083	0.439	0.0
46	4465	4466	SN	1	-34.753	17.885	0.0	-34.878	18.854	0.0	2.313	22.153	0.015	2.29	23.126	0.223	0.083	206.037	2.722	0.083	212.063	2.207	0.083	0.117	0.0	0.083	0.117	0.0
47	4465	4466	SN	1	-34.753	17.885	0.0	-34.878	18.854	0.0	2.313	22.153	0.015	2.29	23.126	0.222	0.083	206.037	2.673	0.083	212.063	2.191	0.083	0.117	0.0	0.083	0.117	0.0
48	4466	4467	SN	2	-34.673	17.737	0.0	-34.902	19.056	0.0	1.006	22.624	0.183	2.63	23.054	0.805	0.083	202.314	2.417	0.083	213.267	2.093	0.083	0.129	0.0	0.083	0.114	0.0
49	4466	4467	NS	1	-34.816	15.248	0.0	-33.336	17.631	0.0	-28.709	22.127	0.001	-25.001	22.865	0.079	0.084	209.093	1.031	0.083	148.735	0.799	0.083	51.29	0.031	0.083	21.876	0.061
50	4467	4468	SN	1	-34.755	18.032	0.0	-34.521	18.83	0.0	1.618	22.073	0.015	3.257	22.993	0.752	0.083	206.177	3.21	0.083	195.334	2.744	0.083	0.123	0.0	0.083	0.11	0.0
51	4467	4468	SN	1	-34.987	18.031	0.0	-34.973	18.83	0.0	1.618	22.073	0.015	3.258	22.995	0.785	0.083	217.445	3.216	0.083	216.759	2.722	0.083	0.123	0.0	0.083	0.11	0.0
52	4467	4468	NS	1	-34.903	14.723	0.0	-34.779	15.47	0.0	-23.05	22.416	0.019	-26.682	22.918	0.067	0.084	213.288	3.556	0.084	207.305	3.494	0.083	13.983	0.072	0.083	32.192	0.035
53	4467	4468	NS	1	-34.563	14.723	0.0	-34.161	15.472	0.0	-22.929	22.416	0.019	-27.396	22.919	0.067	0.084	197.23	3.549	0.084	179.769	3.486	0.083	13.599	0.073	0.083	37.917	0.035
54	4467	4468	SN	1	-34.987	18.031	0.0	-34.973	18.83	0.0	1.618	22.073	0.016	3.288	22.639	0.23	0.083	217.445	3.227	0.083	216.759	2.749	0.083	0.123	0.0	0.083	0.109	0.0
55	4468	4469	NS	1	-33.587	18.906	0.0	-34.759	19.223	0.0	-32.886	23.065	0.166	-30.389	23.331	0.421	0.083	157.527	1.49	0.083	206.385	1.222	0.083	134.081	0.12	0.083	75.471	0.076
56	4468	4469	NS	1	-33.587	18.906	0.0	-34.759	19.223	0.0	-32.886	23.065	0.166	-30.389	23.331	0.421	0.083	157.527	1.487	0.083	206.385	1.22	0.083	134.081	0.12	0.083	75.471	0.076
57	4468	4469	SN	1	-34.974	17.783	0.0	-34.979	18.399	0.0	1.713	23.637	0.118	5.149	23.413	0.174	0.083	216.841	4.993	0.083	217.043	4.415	0.083	0.122	0.0	0.083	0.1	0.0
58	4468	4469	SN	2	-34.974	17.783	0.0	-34.979	18.399	0.0	1.713	23.637	0.109	5.149	23.413	0.173	0.083	216.841	4.919	0.083	217.043	4.197	0.083	0.122	0.0	0.083	0.1	0.0
59	4468	4469	SN	1	-34.974	17.783	0.0	-34.979	18.399	0.0	1.713	23.637	0.114	5.613	23.413	0.173	0.083	216.841	4.915	0.083	217.043	4.199	0.083	0.122	0.0	0.083	0.098	0.0
60	4469	4470	SN	1	-34.137	17.157	0.0	-34.784	18.349	0.0	-13.889	24.113	0.432	-8.228	24.474	1.204	0.084	178.855	2.847	0.083	207.566	2.327	0.083	1.753	0.003	0.083	0.525	0.0
61	4469	4470	SN	1	-34.291	17.197	0.0	-34.71	18.357	0.0	-13.852	24.112	0.437	-8.23	24.471	1.067	0.084	185.288	2.848	0.083	204.052	2.356	0.083	1.738	0.003	0.083	0.525	0.0
62	4469	4470	NS	1	-34.889	19.285	0.0	-34.996	19.757	0.0	3.373	22.996	0.133	2.596	23.843	0.917	0.083	212.632	2.909	0.083	217.932	2.659	0.083	0.109	0.0	0.083	0.114	0.0
63	4469	4470	SN	1	-34.291	17.197	0.0	-34.71	18.357	0.0	-13.852	24.112	0.457	-8.23	24.471	1.209	0.084	185.288	3.018	0.083	204.052	2.599	0.083	1.738	0.003	0.083	0.525	0.0
64	4469	4470	NS	1	-34.594	19.281	0.0	-34.665	19.752	0.0	3.376	22.996	0.133	2.598	23.838	0.916	0.083	198.647	2.904	0.083	201.955	2.653	0.083	0.109	0.0	0.083	0.114	0.0
65	4470	4471	SN	2	-31.507	19.101	0.0	-31.593	19.305	0.0	-10.739	23.208	0.196	-10.631	24.624	1.038	0.083	97.632	0.499	0.083	99.568	0.591	0.083	0.883	0.0	0.083	0.862	0.0
66	4470	4471	NS	1	-34.779	17.82	0.0	-34.866	18.656	0.0	-4.557	22.949	0.071	0.163	24.007	1.063	0.083	207.32	3.989	0.083	211.458	3.908	0.083	0.266	0.0	0.083	0.14	0.0
67	4470	4471	NS	1	-34.583	17.817	0.0	-34.858	18.646	0.0	-4.532	22.945	0.071	0.147	24.004	1.065	0.083	198.133	3.982	0.083	211.097	3.917	0.083	0.265	0.0	0.083	0.141	0.0
68	4471	4472	NS	1	-34.219	17.471	0.0	-34.512	18.849	0.0	-10.942	21.535	0.0	-20.132	24.237	2.127	0.084	182.231	2.917	0.083	194.91	2.445	0.083	0.922	0.0	0.083	7.172	0.02
69	4471	4472	SN	2	-34.157	19.282	0.0	-30.633	20.37	0.0	-16.933	23.259	0.177	-5.999	24.596	0.422	0.083	179.671	0.463	0.083	79.856	0.37	0.083	3.467	0.003	0.083	0.342	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal ■ Deviations
■ Alarming ■ High Errors

70	4472	4473	NS	1	-34.758	16.621	0.0	-34.854	18.222	0.0	-26.011	21.429	0.0	-29.207	24.833	1.994	0.084	206.305	4.109	0.083	210.922	3.73	0.083	27.581	0.277	0.083	57.509	0.196
71	4472	4473	SN	1	-34.92	21.459	0.0	-34.502	22.676	0.002	-19.79	23.16	0.22	-24.145	23.362	0.179	0.083	214.172	1.329	0.083	194.5	1.152	0.083	6.634	0.079	0.083	17.975	0.073
72	4473	4474	NS	1	-34.997	15.608	0.0	-34.885	17.466	0.0	-26.163	22.591	0.032	-14.947	24.212	2.139	0.084	217.965	3.786	0.084	212.404	3.677	0.083	28.564	0.011	0.083	2.218	0.009
73	4473	4474	SN	1	-34.823	22.427	0.002	-33.819	21.944	0.0	-24.439	23.148	0.142	-22.543	24.158	0.116	0.083	209.384	2.036	0.083	166.218	1.738	0.083	19.226	0.022	0.083	12.446	0.027
74	4473	4474	NS	1	-34.997	15.608	0.0	-34.885	17.466	0.0	-26.163	22.591	0.033	-14.947	24.212	2.205	0.084	217.965	3.791	0.084	212.404	3.677	0.083	28.564	0.011	0.083	2.218	0.009
75	4474	4475	NS	1	-34.942	17.051	0.0	-34.7	18.252	0.0	-16.913	22.163	0.007	-14.011	24.523	2.841	0.084	215.233	2.928	0.083	203.569	2.484	0.083	3.451	0.052	0.083	1.801	0.015
76	4474	4475	NS	1	-34.942	17.051	0.0	-34.7	18.252	0.0	-16.913	22.163	0.011	-14.011	24.523	2.299	0.084	215.233	2.919	0.083	203.569	2.484	0.083	3.451	0.04	0.083	1.801	0.012
77	4474	4475	SN	1	-33.894	17.121	0.0	-34.08	15.92	0.0	-24.241	23.272	0.184	-11.331	23.609	0.233	0.084	169.135	3.617	0.084	176.477	2.915	0.083	18.371	0.008	0.083	1.002	0.002
78	4475	4476	SN	2	-34.784	13.956	0.0	-34.171	15.444	0.0	-9.399	23.046	0.307	-11.769	23.358	0.229	0.085	207.554	2.72	0.084	180.267	2.385	0.083	0.666	0.0	0.083	1.101	0.005
79	4475	4476	NS	1	-34.765	16.346	0.0	-34.866	17.652	0.0	0.854	21.104	0.0	1.767	24.215	3.243	0.084	206.671	2.276	0.083	211.512	1.998	0.083	0.131	0.0	0.083	0.121	0.0
80	4475	4476	NS	1	-34.765	16.349	0.0	-34.866	17.652	0.0	0.854	22.46	0.013	1.767	24.214	2.688	0.084	206.671	2.267	0.083	211.512	1.998	0.083	0.131	0.0	0.083	0.121	0.0
81	4476	4477	NS	1	-34.683	14.191	0.0	-34.987	17.842	0.0	1.238	18.932	0.0	3.217	21.694	0.0	0.085	202.795	6.187	0.083	217.431	5.915	0.083	0.127	0.0	0.083	0.11	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal Deviations Alarming High Errors
	Min	-65.0	0.0	
	Max	22.0	1.0	