

















# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 02-AUG-2018 To 03-AUG-2018





# SCATSAT-1 Scatterometer Level-1B Data Quality Cycle wise Report

Report between 02-AUG-2018 To 03-AUG-2018

					Inner											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9784	9785	SN	1	48.724	49.29	0.0	0.003	27.97	2.727	1025.016	1070.816	0.0	-91.525	-89.774	0.0
2	9784	9785	SN	1	48.724	49.29	0.0	0.003	27.97	2.016	1025.016	1067.816	0.0	-91.372	-89.774	0.0
3	9784	9785	SN	2	48.724	49.29	0.0	0.003	27.97	2.727	1025.016	1070.816	0.0	-91.525	-89.774	0.0
4	9785	9786	NS	1	48.861	49.423	0.0	0.0	266.419	2.699	1050.496	1073.912	0.0	-91.763	-90.032	0.0
5	9785	9786	SN	1	48.665	49.309	0.0	0.003	6.105	2.626	1024.128	1070.864	0.255	-91.519	-89.781	0.0
6	9785	9786	SN	1	48.665	49.309	0.0	0.003	6.011	2.442	1024.128	1069.944	0.26	-91.494	-89.781	0.0
7	9789	9790	NS	1	48.81	49.461	0.0	0.003	210.954	2.607	1050.512	1074.464	0.0	-92.117	-90.046	0.0
8	9789	9790	SN	1	48.702	49.325	0.0	0.0	215.719	1.979	1024.536	1068.44	0.276	-92.085	-89.79	0.0
9	9799	9800	NS	1	48.805	49.422	0.0	0.0	210.596	2.8	1050.064	1074.104	0.0	-91.662	-90.03	0.0
10	9799	9800	SN	1	48.686	49.298	0.0	0.003	6.122	2.756	1024.776	1071.552	0.0	-91.588	-89.751	0.0
11	9799	9800	SN	1	48.686	49.298	0.0	0.003	5.995	2.456	1024.776	1070.256	0.0	-91.499	-89.751	0.0
12	9799	9800	SN	1	48.686	49.298	0.0	0.003	6.122	2.755	1024.768	1071.544	0.0	-91.559	-89.751	0.0
13	9800	9801	SN	1	48.661	49.29	0.0	0.003	5.989	2.393	1025.608	1070.744	0.0	-91.626	-89.797	0.0
14	9800	9801	NS	1	48.86	49.423	0.0	0.003	264.643	2.573	1050.496	1074.208	0.0	-91.545	-90.038	0.0
15	9800	9801	SN	1	48.661	49.29	0.0	0.003	6.105	2.551	1025.608	1071.456	0.0	-91.362	-89.797	0.0
16	9800	9801	NS	2	48.86	49.423	0.0	0.003	264.643	2.573	1050.496	1074.208	0.0	-91.545	-90.038	0.0
17	9800	9801	SN	1	48.661	49.29	0.0	0.003	5.989	2.395	1025.608	1070.744	0.0	-91.579	-89.797	0.0
18	9801	9802	NS	1	48.861	49.422	0.0	0.0	210.276	2.582	1049.896	1074.192	0.0	-91.546	-90.043	0.0
19	9801	9802	SN	1	48.718	49.299	0.0	0.003	6.111	2.508	1025.512	1071.472	0.0	-91.541	-89.796	0.0
20	9801	9802	SN	1	48.718	49.299	0.0	0.003	5.989	2.335	1025.512	1070.624	0.0	-91.541	-89.796	0.0
21	9802	9803	NS	1	48.824	49.423	0.0	0.0	267.257	2.769	1049.632	1074.232	0.0	-91.592	-90.032	0.0
22	9802	9803	SN	1	48.689	49.287	0.0	0.003	216.078	2.538	1024.592	1071.48	0.0	-92.155	-89.793	0.0
23	9802	9803	SN	1	48.689	49.287	0.0	0.003	216.078	2.255	1024.592	1070.264	0.0	-91.602	-89.793	0.0
24	9803	9804	NS	1	48.861	49.428	0.0	0.003	267.731	2.594	1050.688	1075.4	0.0	-91.696	-90.027	0.0
25	9803	9804	SN	1	48.672	49.286	0.0	0.003	216.431	2.532	1024.984	1071.592	0.0	-91.553	-89.791	0.0
26	9804	9805	NS	1	48.822	49.44	0.0	0.003	16.694	2.641	1049.896	1074.96	0.0	-91.969	-90.04	0.0
27	9804	9805	SN	1	48.7	49.328	0.0	0.003	5.989	1.859	1024.824	1068.68	0.0	-91.591	-89.796	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	47.1	0.0	1025.0	-100.0
	Max	49.9	0.0	1095.7	-80.0

- Normal
- Deviations
- Alarming
- High Errors

					Inner																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9784	9785	SN	1	-34.311	25.77	0.254	-33.238	25.919	0.638	-22.273	28.614	14.692	-14.647	32.378	21.121	0.116	261.494	2.003	0.116	204.314	1.986	0.116	16.444	0.008	0.116	2.914	0.005
2	9784	9785	SN	1	-34.311	25.77	0.268	-30.865	25.919	0.711	-22.273	28.614	14.796	-14.647	32.378	21.121	0.116	261.494	2.108	0.116	118.377	2.202	0.116	16.444	0.008	0.116	2.914	0.005
3	9784	9785	SN	2	-34.311	25.77	0.254	-33.238	25.919	0.638	-22.273	28.614	14.692	-14.647	32.378	21.121	0.116	261.494	2.002	0.116	204.314	1.986	0.116	16.444	0.008	0.116	2.914	0.005
4	9785	9786	NS	1	-32.72	26.018	0.018	-29.394	27.902	0.018	-23.062	34.265	15.303	-27.428	34.879	29.823	0.116	181.389	0.392	0.116	84.381	0.319	0.116	19.702	0.037	0.116	53.682	0.031
5	9785	9786	SN	1	-34.906	26.934	0.113	-34.405	27.246	0.151	-29.035	30.826	13.337	-24.894	30.778	10.711	0.116	299.96	2.391	0.116	267.31	1.807	0.116	77.682	0.045	0.116	29.988	0.039
6	9785	9786	SN	1	-34.906	26.934	0.117	-34.405	27.246	0.156	-28.591	30.826	13.337	-25.024	30.778	10.711	0.116	299.96	2.46	0.116	267.31	1.857	0.116	70.143	0.045	0.116	30.902	0.039
7	9789	9790	NS	1	-34.454	22.269	0.001	-34.782	22.652	0.008	-20.55	28.496	7.412	-12.54	29.936	13.856	0.116	270.306	4.303	0.116	291.494	3.964	0.116	11.088	0.006	0.116	1.829	0.004
8	9789	9790	SN	1	-34.877	23.574	0.003	-34.748	23.416	0.002	6.533	28.779	16.965	-0.778	29.567	17.347	0.116	297.971	6.252	0.116	289.286	5.815	0.116	0.133	0.0	0.116	0.218	0.0
9	9799	9800	NS	1	-34.676	27.231	0.022	-34.818	27.322	0.02	-4.625	31.717	17.467	-3.68	31.211	29.496	0.116	284.447	2.763	0.116	293.954	2.499	0.116	0.377	0.0	0.116	0.324	0.0
10	9799	9800	SN	1	-32.951	26.432	0.448	-30.85	27.842	0.721	-30.847	35.304	16.958	-30.292	29.703	21.747	0.116	191.263	0.884	0.116	117.954	0.62	0.116	117.864	0.151	0.116	103.72	0.127
11	9799	9800	SN	1	-34.897	26.432	0.475	-30.85	27.842	0.763	-30.847	35.304	16.958	-30.292	29.703	21.747	0.116	299.291	0.937	0.116	117.954	0.656	0.116	117.864	0.151	0.116	103.72	0.127
12	9799	9800	SN	1	-33.33	26.432	0.448	-30.862	27.842	0.721	-28.854	35.304	16.937	-30.292	29.703	21.714	0.116	208.67	0.886	0.116	118.261	0.62	0.116	74.515	0.152	0.116	103.72	0.127
13	9800	9801	SN	1	-33.751	26.172	0.06	-34.885	26.989	0.078	-24.017	29.053	11.038	-17.278	30.97	6.443	0.116	229.926	2.87	0.116	298.443	2.396	0.116	24.524	0.016	0.116	5.267	0.007
14	9800	9801	NS	1	-34.102	26.542	0.034	-32.767	27.019	0.032	-18.53	33.926	13.415	-11.737	31.262	25.775	0.116	249.225	1.775	0.116	183.328	1.804	0.116	6.997	0.012	0.116	1.536	0.002
15	9800	9801	SN	1	-33.751	26.172	0.057	-34.885	26.989	0.076	-24.063	29.053	11.038	-17.278	30.97	6.443	0.116	229.926	2.803	0.116	298.443	2.345	0.116	24.784	0.016	0.116	5.267	0.007
16	9800	9801	NS	2	-34.102	26.542	0.034	-32.767	27.019	0.032	-18.524	33.926	13.415	-11.737	31.262	25.774	0.116	249.225	1.776	0.116	183.328	1.804	0.116	6.987	0.012	0.116	1.536	0.002
17	9800	9801	SN	1	-33.751	26.172	0.059	-34.885	26.989	0.078	-24.558	29.053	11.07	-17.226	30.97	6.463	0.116	229.926	2.872	0.116	298.443	2.397	0.116	27.765	0.016	0.116	5.206	0.007
18	9801	9802	NS	1	-34.453	25.207	0.005	-34.382	24.621	0.005	-4.995	29.045	10.922	-4.653	31.842	20.523	0.116	270.223	1.901	0.116	265.816	1.586	0.116	0.402	0.0	0.116	0.379	0.0
19	9801	9802	SN	1	-34.147	23.595	0.01	-33.644	23.586	0.025	0.675	28.9	17.761	0.543	30.247	9.87	0.116	251.89	1.106	0.116	224.346	0.906	0.116	0.187	0.0	0.116	0.19	0.0
20	9801	9802	SN	1	-34.147	23.595	0.01	-33.644	23.586	0.026	6.207	28.9	17.763	8.486	30.247	9.889	0.116	251.89	1.125	0.116	224.346	0.916	0.116	0.134	0.0	0.116	0.127	0.0
21	9802	9803	NS	1	-33.26	24.239	0.007	-33.859	23.976	0.009	-16.305	31.445	6.55	-17.742	30.882	12.681	0.116	205.401	1.074	0.116	235.738	0.798	0.116	4.228	0.01	0.116	5.852	0.004
22	9802	9803	SN	1	-34.131	23.396	0.006	-34.963	23.96	0.043	-0.145	28.428	14.964	0.627	28.79	9.348	0.116	250.932	1.709	0.116	303.971	1.334	0.116	0.203	0.0	0.116	0.188	0.0
23	9802	9803	SN	1	-34.787	23.396	0.006	-34.628	23.96	0.042	5.466	28.428	14.98	0.588	28.79	9.523	0.116	291.813	1.745	0.116	281.302	1.35	0.116	0.138	0.0	0.116	0.189	0.0
24	9803	9804	NS	1	-34.923	23.326	0.104	-34.561	23.556	0.207	-25.247	29.919	11.14	-22.167	29.661	17.951	0.116	301.193	3.918	0.116	277.07	4.401	0.116	32.523	0.013	0.116	16.048	0.011
25	9803	9804	SN	1	-34.705	24.401	0.007	-34.752	23.53	0.056	-1.469	29.079	16.402	9.078	30.006	17.516	0.116	286.444	2.951	0.116	289.49	2.236	0.116	0.237	0.0	0.116	0.125	0.0
26	9804	9805	NS	1	-34.864	23.986	0.16	-34.772	24.298	0.195	-8.6	29.401	7.683	-7.643	30.844	14.154	0.116	297.086	3.323	0.116	290.832	3.117	0.116	0.794	0.0	0.116	0.656	0.0
27	9804	9805	SN	1	-34.936	21.369	0.0	-34.838	21.842	0.0	-0.869	28.706	15.653	-0.281	29.599	13.852	0.116	301.986	7.785	0.116	295.306	6.899	0.116	0.22	0.0	0.116	0.206	0.0

Parameter Specifications	Parameters	SNR	Kp
	Min	-65.0	0.0
	Max	22.0	1.0

■ Normal      ■ Deviations  
■ Alarming      ■ High Errors



					Outer											
					Incidence Angle			Azimuth Angle			Range			X-Factor		
Sr No	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)	Min	Max	BadOcc(%)
1	9784	9785	SN	1	57.484	58.093	0.0	0.0	298.577	3.933	1200.72	1257.848	27.007	-92.909	-91.825	0.0
2	9784	9785	SN	1	57.484	58.093	0.0	0.0	298.577	3.121	1200.72	1254.168	28.12	-92.896	-91.825	0.0
3	9784	9785	SN	2	57.484	58.093	0.0	0.0	298.577	3.932	1200.72	1257.848	27.004	-92.909	-91.825	0.0
4	9785	9786	NS	1	57.672	58.267	0.0	0.0	294.148	3.641	1233.088	1262.792	0.0	-93.704	-92.09	0.0
5	9785	9786	SN	1	57.454	58.112	0.0	0.0	296.492	3.787	1200.52	1257.904	25.842	-92.847	-91.83	0.0
6	9785	9786	SN	1	57.454	58.112	0.0	0.006	296.492	3.32	1200.52	1256.736	26.279	-92.934	-91.83	0.0
7	9789	9790	NS	1	57.644	58.44	0.0	0.003	294.142	3.601	1232.688	1267.112	0.0	-95.555	-92.094	0.0
8	9789	9790	SN	1	57.251	58.088	0.0	0.0	295.709	2.943	1199.88	1254.952	26.787	-94.054	-91.843	0.0
9	9799	9800	NS	1	57.65	58.266	0.0	0.0	294.887	3.858	1231.2	1262.72	0.0	-93.71	-92.077	0.0
10	9799	9800	SN	1	57.488	58.092	0.0	0.0	295.064	3.964	1200.944	1258.744	24.126	-92.9	-91.803	0.0
11	9799	9800	SN	1	57.488	58.089	0.0	0.0	293.652	3.441	1200.944	1257.128	24.707	-92.921	-91.803	0.0
12	9799	9800	SN	1	57.487	58.092	0.0	0.0	295.069	3.965	1200.936	1258.736	24.101	-93.232	-91.803	0.0
13	9800	9801	SN	1	57.456	58.09	0.0	0.0	293.79	3.252	1200.864	1257.72	24.77	-92.978	-91.851	0.0
14	9800	9801	NS	1	57.675	58.267	0.0	0.0	296.166	3.471	1231.936	1263.312	0.0	-93.711	-92.089	0.0
15	9800	9801	SN	1	57.456	58.09	0.0	0.0	293.79	3.691	1200.864	1258.616	24.428	-92.976	-91.851	0.0
16	9800	9801	NS	2	57.676	58.267	0.0	0.0	296.156	3.47	1231.944	1263.312	0.0	-93.711	-92.089	0.0
17	9800	9801	SN	1	57.456	58.09	0.0	0.0	293.79	3.255	1200.864	1257.72	24.792	-92.978	-91.851	0.0
18	9801	9802	NS	1	57.646	58.267	0.0	0.0	295.643	3.527	1231.584	1262.88	0.0	-93.71	-92.092	0.0
19	9801	9802	SN	1	57.452	58.098	0.0	0.0	293.933	3.605	1201.328	1258.64	24.465	-92.891	-91.85	0.0
20	9801	9802	SN	1	57.452	58.098	0.0	0.003	293.933	3.162	1201.328	1257.576	24.787	-92.989	-91.85	0.0
21	9802	9803	NS	1	57.652	58.268	0.0	0.0	293.558	3.727	1231.688	1263.032	0.0	-93.71	-92.084	0.0
22	9802	9803	SN	1	57.457	58.099	0.0	0.003	294.043	3.601	1200.84	1258.648	24.265	-92.923	-91.849	0.0
23	9802	9803	SN	1	57.457	58.099	0.0	0.003	294.043	3.125	1200.84	1257.128	24.714	-92.902	-91.849	0.0
24	9803	9804	NS	1	57.651	58.268	0.0	0.0	292.576	3.603	1232.304	1263.432	0.0	-93.051	-92.078	0.0
25	9803	9804	SN	1	57.456	58.097	0.0	0.0	293.348	3.588	1200.76	1258.784	24.057	-92.94	-91.846	0.0
26	9804	9805	NS	1	57.651	58.295	0.0	0.0	294.032	3.622	1231.632	1263.608	0.0	-93.114	-92.094	0.0
27	9804	9805	SN	1	57.467	58.114	0.0	0.003	297.33	2.865	1200.744	1255.272	24.832	-92.939	-91.849	0.0

Parameter Specifications	Parameters	Inc.Angle	Azi. Angle	Range	X-Factor
	Min	57.3	0.0	1210.0	-100.0
	Max	58.9	0.0	1280.0	-80.0

 Normal	 Deviations
 Alarming	 High Errors

					Outer																							
					SNR												Kp											
					Sea Aft			Sea Fore			Land Aft			Land Fore			Sea Aft			Sea Fore			Land Aft			Land Fore		
SrNo	Start Orbit	End Orbit	Dir.	Ver.	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)	Min	Max	BadOcc (%)
1	9784	9785	SN	1	-34.857	21.906	0.0	-34.431	21.409	0.0	-11.3	23.59	0.075	-12.572	23.362	0.038	0.086	226.631	2.837	0.086	205.526	2.464	0.086	1.064	0.001	0.086	1.404	0.005
2	9784	9785	SN	1	-34.216	21.906	0.0	-34.244	21.409	0.0	-11.3	23.59	0.076	-12.572	23.362	0.038	0.086	195.585	2.925	0.086	196.82	2.742	0.086	1.064	0.002	0.086	1.404	0.005
3	9784	9785	SN	2	-34.857	22.204	0.002	-34.431	21.852	0.0	-11.3	23.59	0.075	-12.572	23.362	0.038	0.086	226.631	2.837	0.086	205.526	2.464	0.086	1.064	0.001	0.086	1.404	0.005
4	9785	9786	NS	1	-33.257	20.09	0.0	-31.099	21.807	0.0	-12.564	23.436	0.027	-24.944	23.572	0.266	0.086	156.86	0.353	0.086	95.446	0.389	0.086	1.402	0.002	0.086	23.183	0.002
5	9785	9786	SN	1	-34.26	21.142	0.0	-33.039	22.122	0.001	-29.17	23.014	0.142	-19.761	23.697	0.151	0.086	197.548	2.181	0.086	149.152	1.637	0.086	61.236	0.046	0.086	7.073	0.029
6	9785	9786	SN	1	-34.26	21.142	0.0	-33.039	22.122	0.001	-29.294	23.014	0.142	-19.761	23.697	0.151	0.086	197.548	2.247	0.086	149.152	1.682	0.086	63.008	0.046	0.086	7.073	0.029
7	9789	9790	NS	1	-34.987	16.108	0.0	-34.926	16.108	0.0	-11.8	22.986	0.12	-15.904	23.462	0.23	0.087	233.512	3.334	0.087	230.35	3.269	0.086	1.186	0.004	0.086	2.948	0.017
8	9789	9790	SN	1	-34.953	16.765	0.0	-34.906	17.028	0.0	1.085	22.921	0.151	3.353	23.187	0.519	0.087	231.767	5.196	0.087	229.297	5.053	0.086	0.134	0.0	0.086	0.113	0.0
9	9799	9800	NS	1	-34.044	21.355	0.0	-34.991	20.939	0.0	-3.146	22.955	0.111	-6.817	24.182	0.471	0.086	188.032	2.442	0.086	233.783	2.564	0.086	0.224	0.0	0.086	0.423	0.0
10	9799	9800	SN	1	-31.35	21.46	0.0	-34.332	21.991	0.0	-31.893	23.487	0.132	-26.025	23.346	0.151	0.086	101.135	0.579	0.086	200.876	0.463	0.086	114.58	0.076	0.086	29.721	0.085
11	9799	9800	SN	1	-34.062	21.46	0.0	-34.332	21.991	0.0	-31.893	23.487	0.132	-26.025	23.346	0.151	0.086	188.756	0.601	0.086	200.876	0.49	0.086	114.58	0.076	0.086	29.721	0.085
12	9799	9800	SN	1	-31.35	21.46	0.0	-34.332	21.991	0.0	-32.03	23.487	0.132	-26.0	23.346	0.151	0.086	101.135	0.577	0.086	200.876	0.463	0.086	118.274	0.075	0.086	29.545	0.085
13	9800	9801	SN	1	-34.939	21.095	0.0	-34.529	21.941	0.0	-19.634	23.146	0.153	-9.955	23.433	0.172	0.086	231.006	2.128	0.086	210.217	1.688	0.086	7.048	0.006	0.086	0.799	0.0
14	9800	9801	NS	1	-33.916	20.453	0.0	-33.727	20.515	0.0	-11.245	23.091	0.061	-15.805	23.703	0.258	0.086	182.534	1.316	0.086	174.758	1.355	0.086	1.052	0.002	0.086	2.883	0.003
15	9800	9801	SN	1	-34.939	21.095	0.0	-34.529	21.941	0.0	-19.637	23.146	0.153	-9.955	23.433	0.172	0.086	231.006	2.078	0.086	210.217	1.658	0.086	7.053	0.006	0.086	0.799	0.0
16	9800	9801	NS	2	-33.805	20.453	0.0	-33.727	20.515	0.0	-11.245	23.091	0.061	-15.805	23.703	0.258	0.086	177.918	1.316	0.086	174.758	1.355	0.086	1.052	0.002	0.086	2.883	0.003
17	9800	9801	SN	1	-34.939	21.095	0.0	-34.529	21.941	0.0	-19.633	23.146	0.154	-9.938	23.433	0.173	0.086	231.006	2.127	0.086	210.217	1.688	0.086	7.044	0.006	0.086	0.796	0.0
18	9801	9802	NS	1	-33.947	16.617	0.0	-34.464	16.651	0.0	-5.278	22.737	0.013	-21.342	23.485	0.192	0.087	183.816	1.124	0.087	207.075	1.002	0.086	0.319	0.0	0.086	10.152	0.011
19	9801	9802	SN	1	-34.85	17.539	0.0	-34.923	17.656	0.0	2.446	23.215	0.285	3.418	23.363	0.241	0.087	226.336	1.186	0.087	230.172	1.079	0.086	0.12	0.0	0.086	0.113	0.0
20	9801	9802	SN	1	-34.85	17.539	0.0	-34.923	17.656	0.0	2.446	23.215	0.285	3.418	23.363	0.242	0.087	226.336	1.208	0.087	230.172	1.088	0.086	0.12	0.0	0.086	0.113	0.0
21	9802	9803	NS	1	-32.185	17.571	0.0	-34.549	27.071	0.004	-25.644	23.355	0.057	-34.337	23.578	0.166	0.087	122.536	0.873	0.086	211.161	0.8	0.086	27.231	0.034	0.086	201.1	0.071
22	9802	9803	SN	1	-34.936	16.626	0.0	-34.834	17.754	0.0	1.043	23.228	0.695	2.203	23.648	1.228	0.087	230.819	1.733	0.086	225.443	1.527	0.086	0.135	0.0	0.086	0.122	0.0
23	9802	9803	SN	1	-34.855	16.626	0.0	-34.113	17.754	0.0	1.043	23.228	0.695	2.203	23.648	1.274	0.087	226.619	1.764	0.086	190.955	1.543	0.086	0.135	0.0	0.086	0.122	0.0
24	9803	9804	NS	1	-34.761	16.097	0.0	-34.396	15.993	0.0	-13.692	23.317	0.054	-11.61	23.077	0.126	0.087	221.701	3.183	0.087	203.814	3.508	0.086	1.798	0.014	0.086	1.138	0.001
25	9803	9804	SN	1	-34.29	17.655	0.0	-34.809	17.97	0.0	1.385	23.069	0.3	2.969	23.349	1.027	0.087	198.966	3.271	0.086	224.209	2.619	0.086	0.131	0.0	0.086	0.116	0.0
26	9804	9805	NS	1	-34.786	22.0	0.001	-34.484	21.982	0.0	-26.791	23.082	0.082	-29.764	23.569	0.467	0.086	222.983	3.807	0.086	208.058	3.603	0.086	35.436	0.152	0.086	70.204	0.066
27	9804	9805	SN	1	-34.991	16.36	0.0	-34.956	15.419	0.0	1.277	23.16	0.186	3.544	22.778	0.096	0.087	233.81	6.28	0.087	231.911	5.783	0.086	0.132	0.0	0.086	0.112	0.0

Parameter Specifications	Parameters	SNR	Kp	Normal	Deviations	Alarming	High Errors
	Min	-65.0	0.0				
	Max	22.0	1.0				